






 $30 MHz \sim 3 GHz\_Band 13\_5 MHz\_QPSK\_1\_0\_Low CH2 32 05-779.5$ 




3GHz~10GHz\_Band13\_5MHz\_QPSK\_1\_0\_LowCH23205-779.5




30MHz~3GHz\_Band13\_5MHz\_QPSK\_1\_0\_MidCH23230-782




3GHz~10GHz\_Band13\_5MHz\_QPSK\_1\_0\_MidCH23230-782



30MHz~3GHz\_Band13\_5MHz\_QPSK\_1\_0\_HighCH23255-784.5




3GHz~10GHz\_Band13\_5MHz\_QPSK\_1\_0\_HighCH23255-784.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band13\_10MHz\_QPSK\_1\_0\_MidCH23230-782




3GHz~10GHz\_Band13\_10MHz\_QPSK\_1\_0\_MidCH23230-782




763.3MHz~775MHz\_Band13\_5MHz\_QPSK\_1\_0\_LowCH23205-779.5




793MHz~806MHz\_Band13\_5MHz\_QPSK\_1\_0\_LowCH23205-779.5



763.3MHz~775MHz\_Band13\_5MHz\_QPSK\_1\_0\_MidCH23230-782




793MHz~806MHz\_Band13\_5MHz\_QPSK\_1\_0\_MidCH23230-782




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







763.3MHz~775MHz\_Band13\_5MHz\_QPSK\_1\_0\_HighCH23255-784.5




793MHz~806MHz Band13\_5MHz\_QPSK\_1\_0\_HighCH23255-784.5



763.3MHz~775MHz\_Band13\_10MHz\_QPSK\_1\_0\_MidCH23230-782



793MHz~806MHz\_Band13\_10MHz\_QPSK\_1\_0\_MidCH23230-782



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品身貴,同時此樣品僅保留的人。 本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com







30MHz~3GHz\_Band14\_5MHz\_QPSK\_1\_0\_LowCH23305




3GHz~10GHz\_Band14\_5MHz\_QPSK\_1\_0\_LowCH23305




30MHz~3GHz\_Band14\_5MHz\_QPSK\_1\_0\_MidCH23330




3GHz~10GHz\_Band14\_5MHz\_QPSK\_1\_0\_MidCH23330



30MHz~3GHz\_Band14\_5MHz\_QPSK\_1\_0\_HighCH23355




3GHz~10GHz\_Band14\_5MHz\_QPSK\_1\_0\_HighCH23355




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band14\_10MHz\_QPSK\_1\_0\_MidCH23330




3GHz~10GHz\_Band14\_10MHz\_QPSK\_1\_0\_MidCH23330




769MHz~775MHz\_Band14\_5MHz\_QPSK\_1\_0\_LowCH23305




799MHz~805MHz\_Band14\_5MHz\_QPSK\_1\_0\_LowCH23305



769MHz~775MHz\_Band14\_5MHz\_QPSK\_1\_0\_MidCH23330



799MHz~805MHz\_Band14\_5MHz\_QPSK\_1\_0\_MidCH23330



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com







769MHz~775MHz\_Band14\_5MHz\_QPSK\_1\_0\_HighCH23355




799MHz~805MHz\_Band14\_5MHz\_QPSK\_1\_0\_HighCH23355



769MHz~775MHz Band14\_10MHz\_QPSK\_1\_0\_MidCH23330



799MHz~805MHz\_Band14\_10MHz\_QPSK\_1\_0\_MidCH23330



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品身貴,同時此樣品僅保留的人。 本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488

www.tw.sqs.com







30MHz~3GHz\_Band17\_5MHz\_QPSK\_1\_0\_LowCH23755-706.5




3GHz~10GHz\_Band17\_5MHz\_QPSK\_1\_0\_LowCH23755-706.5




30MHz~3GHz\_Band17\_5MHz\_QPSK\_1\_0\_MidCH23790-710




3GHz~10GHz\_Band17\_5MHz\_QPSK\_1\_0\_MidCH23790-710



30MHz~3GHz\_Band17\_5MHz\_QPSK\_1\_0\_HighCH23825-713.5




3GHz~10GHz\_Band17\_5MHz\_QPSK\_1\_0\_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488







30MHz~3GHz\_Band17\_10MHz\_QPSK\_1\_0\_LowCH23780-709




3GHz~10GHz\_Band17\_10MHz\_QPSK\_1\_0\_LowCH23780-709




30MHz~3GHz\_Band17\_10MHz\_QPSK\_1\_0\_MidCH23790-710




3GHz~10GHz\_Band17\_10MHz\_QPSK\_1\_0\_MidCH23790-710



30MHz~3GHz\_Band17\_10MHz\_QPSK\_1\_0\_HighCH23800-711




3GHz~10GHz\_Band17\_10MHz\_QPSK\_1\_0\_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band25\_1\_4MHz\_QPSK\_1\_0\_LowCH26047-1850.7




3GHz~10GHz\_Band25\_1\_4MHz\_QPSK\_1\_0\_LowCH26047-1850.7




30MHz~3GHz\_Band25\_1\_4MHz\_QPSK\_1\_0\_MidCH26365-1882.5




3GHz~10GHz\_Band25\_1\_4MHz\_QPSK\_1\_0\_MidCH26365-1882.5



30MHz~3GHz\_Band25\_1\_4MHz\_QPSK\_1\_0\_HighCH26683-1914.3




3GHz~10GHz\_Band25\_1\_4MHz\_QPSK\_1\_0\_HighCH26683-1914.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134號







30MHz~3GHz\_Band25\_3MHz\_QPSK\_1\_0\_LowCH26055-1851.5




3GHz~10GHz\_Band25\_3MHz\_QPSK\_1\_0\_LowCH26055-1851.5




30MHz~3GHz\_Band25\_3MHz\_QPSK\_1\_0\_MidCH26365-1882.5




3GHz~10GHz\_Band25\_3MHz\_QPSK\_1\_0\_MidCH26365-1882.5



30MHz~3GHz\_Band25\_3MHz\_QPSK\_1\_0\_HighCH26675-1913.5




3GHz~10GHz\_Band25\_3MHz\_QPSK\_1\_0\_HighCH26675-1913.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band25\_5MHz\_QPSK\_1\_0\_LowCH26065-1852.5




3GHz~10GHz\_Band25\_5MHz\_QPSK\_1\_0\_LowCH26065-1852.5




30MHz~3GHz\_Band25\_5MHz\_QPSK\_1\_0\_MidCH26365-1882.5




3GHz~10GHz\_Band25\_5MHz\_QPSK\_1\_0\_MidCH26365-1882.5



30MHz~3GHz\_Band25\_5MHz\_QPSK\_1\_0\_HighCH26665-1912.5




3GHz~10GHz\_Band25\_5MHz\_QPSK\_1\_0\_HighCH26665-1912.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band25\_10MHz\_QPSK\_1\_0\_LowCH26090-1855




3GHz~10GHz\_Band25\_10MHz\_QPSK\_1\_0\_LowCH26090-1855




30MHz~3GHz\_Band25\_10MHz\_QPSK\_1\_0\_MidCH26365-1882.5




3GHz~10GHz\_Band25\_10MHz\_QPSK\_1\_0\_MidCH26365-1882.5



30MHz~3GHz\_Band25\_10MHz\_QPSK\_1\_0\_HighCH26640-1910




3GHz~10GHz\_Band25\_10MHz\_QPSK\_1\_0\_HighCH26640-1910




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band25\_15MHz\_QPSK\_1\_0\_LowCH26115-1857.5




3GHz~10GHz\_Band25\_15MHz\_QPSK\_1\_0\_LowCH26115-1857.5




30MHz~3GHz\_Band25\_15MHz\_QPSK\_1\_0\_MidCH26365-1882.5




3GHz~10GHz\_Band25\_15MHz\_QPSK\_1\_0\_MidCH26365-1882.5



30MHz~3GHz\_Band25\_15MHz\_QPSK\_1\_0\_HighCH26615-1907.5



3GHz~10GHz\_Band25\_15MHz\_QPSK\_1\_0\_HighCH26615-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488







30MHz~3GHz\_Band25\_20MHz\_QPSK\_1\_0\_LowCH26140-1860




3GHz~10GHz\_Band25\_20MHz\_QPSK\_1\_0\_LowCH26140-1860




30MHz~3GHz\_Band25\_20MHz\_QPSK\_1\_0\_MidCH26365-1882.5




3GHz~10GHz\_Band25\_20MHz\_QPSK\_1\_0\_MidCH26365-1882.5



30MHz~3GHz\_Band25\_20MHz\_QPSK\_1\_0\_HighCH26590-1905




3GHz~10GHz\_Band25\_20MHz\_QPSK\_1\_0\_HighCH26590-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_1\_4MHz\_QPSK\_1\_0\_LowCH26797-824.7




3GHz~10GHz\_Band26\_1\_4MHz\_QPSK\_1\_0\_LowCH26797-824.7




30MHz~3GHz\_Band26\_1\_4MHz\_QPSK\_1\_0\_MidCH26915-836.5




3GHz~10GHz\_Band26\_1\_4MHz\_QPSK\_1\_0\_MidCH26915-836.5



30MHz~3GHz\_Band26\_1\_4MHz\_QPSK\_1\_0\_HighCH27033-848.3



3GHz~10GHz\_Band26\_1\_4MHz\_QPSK\_1\_0\_HighCH27033-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_3MHz\_QPSK\_1\_0\_LowCH26805-825.5




3GHz~10GHz\_Band26\_3MHz\_QPSK\_1\_0\_LowCH26805-825.5




30MHz~3GHz\_Band26\_3MHz\_QPSK\_1\_0\_MidCH26915-836.5




3GHz~10GHz\_Band26\_3MHz\_QPSK\_1\_0\_MidCH26915-836.5



30MHz~3GHz\_Band26\_3MHz\_QPSK\_1\_0\_HighCH27025-847.5




3GHz~10GHz\_Band26\_3MHz\_QPSK\_1\_0\_HighCH27025-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, brum.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_5MHz\_QPSK\_1\_0\_LowCH26815-826.5




3GHz~10GHz\_Band26\_5MHz\_QPSK\_1\_0\_LowCH26815-826.5




30MHz~3GHz\_Band26\_5MHz\_QPSK\_1\_0\_MidCH26915-836.5




3GHz~10GHz\_Band26\_5MHz\_QPSK\_1\_0\_MidCH26915-836.5



30MHz~3GHz\_Band26\_5MHz\_QPSK\_1\_0\_HighCH27015-846.5




3GHz~10GHz\_Band26\_5MHz\_QPSK\_1\_0\_HighCH27015-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_10MHz\_QPSK\_1\_0\_LowCH26840




3GHz~10GHz\_Band26\_10MHz\_QPSK\_1\_0\_LowCH26840




30MHz~3GHz\_Band26\_10MHz\_QPSK\_1\_0\_MidCH26915




3GHz~10GHz\_Band26\_10MHz\_QPSK\_1\_0\_MidCH26915



30MHz~3GHz\_Band26\_10MHz\_QPSK\_1\_0\_HighCH26990




3GHz~10GHz\_Band26\_10MHz\_QPSK\_1\_0\_HighCH26990



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, brum.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_15MHz\_QPSK\_1\_0\_LowCH26865




3GHz~10GHz\_Band26\_15MHz\_QPSK\_1\_0\_LowCH26865




30MHz~3GHz\_Band26\_15MHz\_QPSK\_1\_0\_MidCH26915




3GHz~10GHz\_Band26\_15MHz\_QPSK\_1\_0\_MidCH26915



30MHz~3GHz\_Band26\_15MHz\_QPSK\_1\_0\_HighCH26965




3GHz~10GHz\_Band26\_15MHz\_QPSK\_1\_0\_HighCH26965



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, brum.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_Part90s\_1\_4MHz\_QPSK\_1\_0\_LowCH26697




3GHz~10GHz\_Band26\_Part90s\_1\_4MHz\_QPSK\_1\_0\_LowCH26697




30MHz~3GHz\_Band26\_Part90s\_1\_4MHz\_QPSK\_1\_0\_MidCH26740




3GHz~10GHz\_Band26\_Part90s\_1\_4MHz\_QPSK\_1\_0\_MidCH26740



30MHz~3GHz\_Band26\_Part90s\_1\_4MHz\_QPSK\_1\_0\_HighCH26783



3GHz~10GHz\_Band26\_Part90s\_1\_4MHz\_QPSK\_1\_0\_HighCH26783




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_Part90s\_3MHz\_QPSK\_1\_0\_LowCH26705




3GHz~10GHz\_Band26\_Part90s\_3MHz\_QPSK\_1\_0\_LowCH26705




30MHz~3GHz\_Band26\_Part90s\_3MHz\_QPSK\_1\_0\_MidCH26740




3GHz~10GHz\_Band26\_Part90s\_3MHz\_QPSK\_1\_0\_MidCH26740



30MHz~3GHz\_Band26\_Part90s\_3MHz\_QPSK\_1\_0\_HighCH26775




3GHz~10GHz\_Band26\_Part90s\_3MHz\_QPSK\_1\_0\_HighCH26775



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, brum.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_Part90s\_5MHz\_QPSK\_1\_0\_LowCH26715




3GHz~10GHz\_Band26\_Part90s\_5MHz\_QPSK\_1\_0\_LowCH26715




30MHz~3GHz\_Band26\_Part90s\_5MHz\_QPSK\_1\_0\_MidCH26740




3GHz~10GHz\_Band26\_Part90s\_5MHz\_QPSK\_1\_0\_MidCH26740



30MHz~3GHz\_Band26\_Part90s\_5MHz\_QPSK\_1\_0\_HighCH26765




3GHz~10GHz\_Band26\_Part90s\_5MHz\_QPSK\_1\_0\_HighCH26765



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, brum.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band26\_Part90s\_10MHz\_QPSK\_1\_0\_MidCH26740




3GHz~10GHz\_Band26\_Part90s\_10MHz\_QPSK\_1\_0\_MidCH26740




30MHz~3GHz\_Band30\_5MHz\_QPSK\_1\_0\_LowCH27685



3GHz~10GHz\_Band30\_5MHz\_QPSK\_1\_0\_LowCH27685




30MHz~3GHz\_Band30\_5MHz\_QPSK\_1\_0\_MidCH27710



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







## 3GHz~10GHz\_Band30\_5MHz\_QPSK\_1\_0\_MidCH27710




30MHz~3GHz\_Band30\_5MHz\_QPSK\_1\_0\_HighCH27735




3GHz~10GHz\_Band30\_5MHz\_QPSK\_1\_0\_HighCH27735



30MHz~3GHz\_Band30\_10MHz\_QPSK\_1\_0\_MidCH27710



3GHz~10GHz\_Band30\_10MHz\_QPSK\_1\_0\_MidCH27710




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com







30MHz~3GHz\_Band38\_5MHz\_QPSK\_1\_0\_LowCH37775-2572.5




3GHz~10GHz\_Band38\_5MHz\_QPSK\_1\_0\_LowCH37775-2572.5




30MHz~3GHz\_Band38\_5MHz\_QPSK\_1\_0\_MidCH38000-2595




3GHz~10GHz\_Band38\_5MHz\_QPSK\_1\_0\_MidCH38000-2595



30MHz~3GHz\_Band38\_5MHz\_QPSK\_1\_0\_HighCH38225-2617.5




3GHz~10GHz\_Band38\_5MHz\_QPSK\_1\_0\_HighCH38225-2617.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band38\_10MHz\_QPSK\_1\_0\_LowCH37800-2575




3GHz~10GHz\_Band38\_10MHz\_QPSK\_1\_0\_LowCH37800-2575




30MHz~3GHz\_Band38\_10MHz\_QPSK\_1\_0\_MidCH38000-2595




3GHz~10GHz\_Band38\_10MHz\_QPSK\_1\_0\_MidCH38000-2595



30MHz~3GHz\_Band38\_10MHz\_QPSK\_1\_0\_HighCH38200-2615



3GHz~10GHz\_Band38\_10MHz\_QPSK\_1\_0\_HighCH38200-2615




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488







30MHz~3GHz\_Band38\_15MHz\_QPSK\_1\_0\_LowCH37825-2577.5




3GHz~10GHz\_Band38\_15MHz\_QPSK\_1\_0\_LowCH37825-2577.5




30MHz~3GHz\_Band38\_15MHz\_QPSK\_1\_0\_MidCH38000-2595




3GHz~10GHz\_Band38\_15MHz\_QPSK\_1\_0\_MidCH38000-2595



30MHz~3GHz\_Band38\_15MHz\_QPSK\_1\_0\_HighCH38175-2612.5




3GHz~10GHz\_Band38\_15MHz\_QPSK\_1\_0\_HighCH38175-2612.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band38\_20MHz\_QPSK\_1\_0\_LowCH37850-2580




3GHz~10GHz\_Band38\_20MHz\_QPSK\_1\_0\_LowCH37850-2580




30MHz~3GHz\_Band38\_20MHz\_QPSK\_1\_0\_MidCH38000-2595




3GHz~10GHz\_Band38\_20MHz\_QPSK\_1\_0\_MidCH38000-2595



30MHz~3GHz\_Band38\_20MHz\_QPSK\_1\_0\_HighCH38150-2610




3GHz~10GHz\_Band38\_20MHz\_QPSK\_1\_0\_HighCH38150-2610



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band41\_5MHz\_QPSK\_1\_0\_LowCH39675-2498.5




3GHz~10GHz\_Band41\_5MHz\_QPSK\_1\_0\_LowCH39675-2498.5




30MHz~3GHz\_Band41\_5MHz\_QPSK\_1\_0\_MidCH40620-2593




3GHz~10GHz\_Band41\_5MHz\_QPSK\_1\_0\_MidCH40620-2593



30MHz~3GHz\_Band41\_5MHz\_QPSK\_1\_0\_HighCH41565-2687.5




3GHz~10GHz\_Band41\_5MHz\_QPSK\_1\_0\_HighCH41565-2687.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band41\_10MHz\_QPSK\_1\_0\_LowCH39700-2501




3GHz~10GHz\_Band41\_10MHz\_QPSK\_1\_0\_LowCH39700-2501




30MHz~3GHz\_Band41\_10MHz\_QPSK\_1\_0\_MidCH40620-2593




3GHz~10GHz\_Band41\_10MHz\_QPSK\_1\_0\_MidCH40620-2593



30MHz~3GHz\_Band41\_10MHz\_QPSK\_1\_0\_HighCH41540-2685




3GHz~10GHz\_Band41\_10MHz\_QPSK\_1\_0\_HighCH41540-2685




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band41\_15MHz\_QPSK\_1\_0\_LowCH39725-2503.5




3GHz~10GHz\_Band41\_15MHz\_QPSK\_1\_0\_LowCH39725-2503.5




30MHz~3GHz\_Band41\_15MHz\_QPSK\_1\_0\_MidCH40620-2593




3GHz~10GHz\_Band41\_15MHz\_QPSK\_1\_0\_MidCH40620-2593



30MHz~3GHz\_Band41\_15MHz\_QPSK\_1\_0\_HighCH41515-2682.5




3GHz~10GHz\_Band41\_15MHz\_QPSK\_1\_0\_HighCH41515-2682.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band41\_20MHz\_QPSK\_1\_0\_LowCH39750-2506




3GHz~10GHz\_Band41\_20MHz\_QPSK\_1\_0\_LowCH39750-2506




30MHz~3GHz\_Band41\_20MHz\_QPSK\_1\_0\_MidCH40620-2593




3GHz~10GHz\_Band41\_20MHz\_QPSK\_1\_0\_MidCH40620-2593



30MHz~3GHz\_Band41\_20MHz\_QPSK\_1\_0\_HighCH41490-2680




3GHz~10GHz\_Band41\_20MHz\_QPSK\_1\_0\_HighCH41490-2680




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band66\_1\_4MHz\_QPSK\_1\_0\_LowCH131979-1710.7




3GHz~10GHz\_Band66\_1\_4MHz\_QPSK\_1\_0\_LowCH131979-1710.7




30MHz~3GHz\_Band66\_1\_4MHz\_QPSK\_1\_0\_MidCH132322-1745




3GHz~10GHz\_Band66\_1\_4MHz\_QPSK\_1\_0\_MidCH132322-1745



30MHz~3GHz\_Band66\_1\_4MHz\_QPSK\_1\_0\_HighCH132665-1779.3




3GHz~10GHz\_Band66\_1\_4MHz\_QPSK\_1\_0\_HighCH132665-1779.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134號







30MHz~3GHz\_Band66\_3MHz\_QPSK\_1\_0\_LowCH131987-1711.5




3GHz~10GHz\_Band66\_3MHz\_QPSK\_1\_0\_LowCH131987-1711.5




30MHz~3GHz\_Band66\_3MHz\_QPSK\_1\_0\_MidCH132322-1745




3GHz~10GHz\_Band66\_3MHz\_QPSK\_1\_0\_MidCH132322-1745



30MHz~3GHz\_Band66\_3MHz\_QPSK\_1\_0\_HighCH132657-1778.5




3GHz~10GHz\_Band66\_3MHz\_QPSK\_1\_0\_HighCH132657-1778.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band66\_5MHz\_QPSK\_1\_0\_LowCH131997-1712.5




3GHz~10GHz\_Band66\_5MHz\_QPSK\_1\_0\_LowCH131997-1712.5




30MHz~3GHz\_Band66\_5MHz\_QPSK\_1\_0\_MidCH132322-1745




3GHz~10GHz\_Band66\_5MHz\_QPSK\_1\_0\_MidCH132322-1745



30MHz~3GHz\_Band66\_5MHz\_QPSK\_1\_0\_HighCH132647-1777.5



3GHz~10GHz\_Band66\_5MHz\_QPSK\_1\_0\_HighCH132647-1777.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful


and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號







30MHz~3GHz\_Band66\_10MHz\_QPSK\_1\_0\_LowCH132022-1715




3GHz~10GHz\_Band66\_10MHz\_QPSK\_1\_0\_LowCH132022-1715




30MHz~3GHz\_Band66\_10MHz\_QPSK\_1\_0\_MidCH132322-1745




3GHz~10GHz\_Band66\_10MHz\_QPSK\_1\_0\_MidCH132322-1745



30MHz~3GHz\_Band66\_10MHz\_QPSK\_1\_0\_HighCH132622-1775



3GHz~10GHz\_Band66\_10MHz\_QPSK\_1\_0\_HighCH132622-1775




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.tw.sqs.com







30MHz~3GHz\_Band66\_15MHz\_QPSK\_1\_0\_LowCH132047-1717.5




3GHz~10GHz\_Band66\_15MHz\_QPSK\_1\_0\_LowCH132047-1717.5




30MHz~3GHz\_Band66\_15MHz\_QPSK\_1\_0\_MidCH132322-1745




3GHz~10GHz\_Band66\_15MHz\_QPSK\_1\_0\_MidCH132322-1745



30MHz~3GHz\_Band66\_15MHz\_QPSK\_1\_0\_HighCH132597-1772.5




3GHz~10GHz\_Band66\_15MHz\_QPSK\_1\_0\_HighCH132597-1772.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz\_Band66\_20MHz\_QPSK\_1\_0\_LowCH132072-1720




3GHz~10GHz\_Band66\_20MHz\_QPSK\_1\_0\_LowCH132072-1720




30MHz~3GHz\_Band66\_20MHz\_QPSK\_1\_0\_MidCH132322-1745




3GHz~10GHz\_Band66\_20MHz\_QPSK\_1\_0\_MidCH132322-1745



30MHz~3GHz\_Band66\_20MHz\_QPSK\_1\_0\_HighCH132572-1770



3GHz~10GHz\_Band66\_20MHz\_QPSK\_1\_0\_HighCH132572-1770



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 345 of 510

### 9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

### 9.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a) , §24.238(a) , §27.53 (h) , the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (c)

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

### FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 346 of 510

### FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the source and refer on the sample(s) and refer only of the sample(s) and refer on the sample(s) are referred to source and refer on the sample(s) and referred to source and refer on the sample(s) are referred to source and referred to sour Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.

f (886-2) 2298-0488 www.tw.sqs.com



Page 347 of 510

# Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the properties of the company's provincing all their rights and obligations under the contained the provincing and their rights and obligations under the contained the provincing and their rights and obligations under the contained the provincing and their rights and obligations under the contained the provincing and the provincing all their rights and obligations under the contained the provincing and the limits of the contained the provincing and the provincing all their rights and obligations under the contained the provincing and the provincing and the provincing and the limits of the provincing and Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com







Page 348 of 510

## 9.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



## Radiated Emission Test Set-UP Frequency Over 1 GHz



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the properties of the company's provincing all their rights and obligations under the contained the provincing and their rights and obligations under the contained the provincing and their rights and obligations under the contained the provincing and their rights and obligations under the contained the provincing and the provincing all their rights and obligations under the contained the provincing and the limits of the contained the provincing and the provincing all their rights and obligations under the contained the provincing and the provincing and the provincing and the limits of the provincing and Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 349 of 510

### 9.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 350 of 510

## 9.4. Measurement Equipment Used:

Е	RP, EIRP MEASI	JREMENT EQUIPM	MENT List 966 Ch	amber	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Broadband Antenna	TESEQ	CBL 6112D	35243	2018/10/30	2019/10/29
Horn Antenna	Schwarzbeck	BBHA9120D	1341	2018/06/07	2019/06/06
Horn Antenna	SCHWAZBECK	BBHA9170	185	2018/08/02	2019/08/01
EMI Test Receiver	R&S	ESU 40	100363	2018/04/11	2019/04/10
Radio Communi- cation Analyer	Anritsu	MT8820C	6201107337	2018/06/15	2019/06/14
Radio Communi- cation Analyer	Anritsu	MT8821C	6261786084	2018/01/03	2019/01/02
Pre-Amplifier	EMC Instru- ments	EMC330	980096	2017/12/26	2018/12/25
Pre-Amplifier	EMC Instru- ments	EMC0011830	980199	2017/12/26	2018/12/25
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	2018/10/02	2019/10/01
Notch Filter	Woken	EWT-54-0037	RF105	2017/12/26	2018/12/25
Notch Filter	Woken	EWT-54-0038	RF55	2017/12/26	2018/12/25
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	2017/12/26	2018/12/25
Coaxial Cable	Huber Suhner	EMC106-SM-SM- 7200	150703	2017/12/26	2018/12/25
Coaxial Cable	Huber Suhner	EMC106-SM-SM- 9100	150704	2017/12/26	2018/12/25
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17388/4	2017/12/26	2018/12/25
Coaxial Cable	Huber Suhner	RG 214/U	W22.03	2017/12/26	2018/12/25
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	2017/12/26	2018/12/25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> are retained for 90 days only.

\*\*Company is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be provinced and the provinces of the company is unlawful and offereders may be provinced and offereders may be provinced a appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 351 of 510

### 9.5. Measurement Result:

## Radiated Spurious Emission Measurement Result: WCDMA Band 2 Mode

**Operation Mode** :WCDMA B2 **Test Date** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL **Test Channel** :1852.4 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
92.08	-48.70	-47.68	-0.20	-0.82	-13.00	-35.70
110.51	-39.68	-38.74	-0.05	-0.89	-13.00	-26.68
180.35	-50.03	-53.52	4.64	-1.15	-13.00	-37.03
499.48	-58.20	-61.88	6.29	-2.61	-13.00	-45.20
730.34	-50.29	-55.52	7.37	-2.14	-13.00	-37.29
998.06	-52.28	-57.10	7.80	-2.98	-13.00	-39.28
3704.80	-54.80	-56.09	12.14	-10.85	-13.00	-41.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the provincing at the time of the intervention only and within the limits of company is the provincing at the time of the provincing at the time of the provincing at the time of the provincing at the provincing at the time of the provincing at the time of the provincing at the provinc Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page 352 of 510

**Operation Mode** :WCDMA B2 **Test Date** :2018-12-12 Test Mode :TX CH LOW

Temp./Humi. :25/60 **EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :1852.4 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-47.72	-46.78	-0.05	-0.89	-13.00	-34.72
173.56	-47.17	-50.26	4.20	-1.11	-13.00	-34.17
244.37	-57.28	-61.10	5.24	-1.42	-13.00	-44.28
403.45	-55.77	-59.32	5.59	-2.04	-13.00	-42.77
729.37	-58.32	-63.54	7.37	-2.15	-13.00	-45.32
999.03	-55.69	-60.52	7.81	-2.98	-13.00	-42.69
3704.80	-55.96	-57.25	12.14	-10.85	-13.00	-42.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 353 of 510

**Operation Mode** :WCDMA B2 **Test Date** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** Antenna Pol. :H Plan :VERTICAL Test Channel :1880 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-49.50	-39.71	-9.17	-0.62	-13.00	-36.50
110.51	-39.55	-38.61	-0.05	-0.89	-13.00	-26.55
180.35	-49.08	-52.57	4.64	-1.15	-13.00	-36.08
368.53	-54.30	-58.02	5.70	-1.98	-13.00	-41.30
498.51	-57.78	-61.46	6.28	-2.60	-13.00	-44.78
742.95	-55.66	-60.98	7.40	-2.08	-13.00	-42.66
3760.00	-55.66	-56.94	12.15	-10.87	-13.00	-42.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 354 of 510

**Operation Mode** :WCDMA B2 **Test Date** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :1880 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-56.57	-36.08	-20.05	-0.44	-13.00	-43.57
110.51	-54.70	-53.76	-0.05	-0.89	-13.00	-41.70
179.38	-50.29	-53.73	4.58	-1.14	-13.00	-37.29
398.60	-57.89	-61.41	5.56	-2.04	-13.00	-44.89
776.90	-58.38	-63.62	7.50	-2.26	-13.00	-45.38
999.03	-57.73	-62.56	7.81	-2.98	-13.00	-44.73
3760.00	-56.97	-58.25	12.15	-10.87	-13.00	-43.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Test Channel

Report No.: E2/2018/B0069

:2018-12-12

:25/60


Page 355 of 510

**Operation Mode** :WCDMA B2 Test Mode :TX CH HIGH **EUT Pol** :H Plan

:1907.6 MHz

**Test Date** Temp./Humi. Antenna Pol.

:VERTICAL Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
99.84	-45.79	-44.05	-0.88	-0.86	-13.00	-32.79
179.38	-49.64	-53.08	4.58	-1.14	-13.00	-36.64
412.18	-60.30	-63.94	5.68	-2.04	-13.00	-47.30
498.51	-58.07	-61.75	6.28	-2.60	-13.00	-45.07
776.90	-56.34	-61.58	7.50	-2.26	-13.00	-43.34
998.06	-52.38	-57.20	7.80	-2.98	-13.00	-39.38
3815.20	-55.81	-57.08	12.16	-10.89	-13.00	-42.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 356 of 510

**Operation Mode** :WCDMA B2 **Test Date** :2018-12-12 Test Mode

:TX CH HIGH Temp./Humi. :25/60 **EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :1907.6 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-51.01	-41.22	-9.17	-0.62	-13.00	-38.01
110.51	-52.20	-51.26	-0.05	-0.89	-13.00	-39.20
175.50	-50.43	-53.64	4.33	-1.12	-13.00	-37.43
392.78	-57.90	-61.45	5.58	-2.03	-13.00	-44.90
770.11	-58.37	-63.64	7.48	-2.21	-13.00	-45.37
997.09	-57.97	-62.80	7.80	-2.97	-13.00	-44.97
3815.20	-55.46	-56.73	12.16	-10.89	-13.00	-42.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 357 of 510

### Radiated Spurious Emission Measurement Result: WCDMA Band 4 Mode

Operation Mode :WCDMA B4 **Test Date** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL **Test Channel** :1712.4 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-49.19	-39.40	-9.17	-0.62	-13.00	-36.19
111.48	-39.63	-38.76	0.03	-0.90	-13.00	-26.63
179.38	-49.20	-52.64	4.58	-1.14	-13.00	-36.20
499.48	-58.30	-61.98	6.29	-2.61	-13.00	-45.30
777.87	-56.49	-61.72	7.50	-2.27	-13.00	-43.49
996.12	-52.64	-57.47	7.80	-2.97	-13.00	-39.64
3424.80	-54.03	-55.21	11.93	-10.75	-13.00	-41.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the provincing at the time of the intervention only and within the limits of company is the provincing at the time of the provincing at the time of the provincing at the time of the provincing at the provincing at the time of the provincing at the time of the provincing at the provinc Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 358 of 510

**Operation Mode** :WCDMA B4 **Test Date** :2018-12-12 Test Mode

:TX CH LOW Temp./Humi. :25/60 **EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :1712.4 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-46.46	-36.67	-9.17	-0.62	-13.00	-33.46
109.54	-47.07	-46.06	-0.12	-0.89	-13.00	-34.07
179.38	-50.51	-53.95	4.58	-1.14	-13.00	-37.51
246.31	-58.13	-61.91	5.21	-1.43	-13.00	-45.13
398.60	-57.47	-60.99	5.56	-2.04	-13.00	-44.47
776.90	-59.59	-64.83	7.50	-2.26	-13.00	-46.59
3424.80	-56.61	-57.79	11.93	-10.75	-13.00	-43.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 359 of 510

**Operation Mode** :WCDMA B4 **Test Date** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** Antenna Pol. :H Plan :VERTICAL Test Channel :1732.6 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
34.85	-50.55	-34.20	-15.83	-0.52	-13.00	-37.55
179.38	-49.31	-52.75	4.58	-1.14	-13.00	-36.31
306.45	-60.31	-64.49	5.84	-1.66	-13.00	-47.31
498.51	-57.57	-61.25	6.28	-2.60	-13.00	-44.57
734.22	-54.05	-59.30	7.38	-2.13	-13.00	-41.05
777.87	-55.62	-60.85	7.50	-2.27	-13.00	-42.62
3465.20	-56.80	-58.05	12.02	-10.77	-13.00	-43.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 360 of 510

**Operation Mode** :WCDMA B4 **Test Date** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :1732.6 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
108.57	-55.29	-54.20	-0.20	-0.89	-13.00	-42.29
178.41	-50.50	-53.88	4.52	-1.14	-13.00	-37.50
250.19	-57.91	-61.64	5.17	-1.44	-13.00	-44.91
404.42	-58.01	-61.57	5.60	-2.04	-13.00	-45.01
734.22	-61.51	-66.76	7.38	-2.13	-13.00	-48.51
998.06	-57.41	-62.23	7.80	-2.98	-13.00	-44.41
3465.20	-57.32	-58.57	12.02	-10.77	-13.00	-44.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 361 of 510

**Operation Mode** :WCDMA B4 Test Mode :TX CH HIGH **EUT Pol** :H Plan Test Channel :1752.6 MHz

**Test Date** :2018-12-12 Temp./Humi. :25/60 Antenna Pol. :VERTICAL Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
56.19	-48.07	-45.19	-2.23	-0.65	-13.00	-35.07
179.38	-49.52	-52.96	4.58	-1.14	-13.00	-36.52
312.27	-59.71	-63.84	5.83	-1.70	-13.00	-46.71
499.48	-57.62	-61.30	6.29	-2.61	-13.00	-44.62
776.90	-55.66	-60.90	7.50	-2.26	-13.00	-42.66
999.03	-52.88	-57.71	7.81	-2.98	-13.00	-39.88
3505.20	-54.75	-56.07	12.10	-10.78	-13.00	-41.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 362 of 510

**Operation Mode** :WCDMA B4 **Test Date** :2018-12-12 Test Mode :TX CH HIGH

Temp./Humi. :25/60 **EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :1752.6 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
42.61	-46.78	-36.27	-9.90	-0.61	-13.00	-33.78
109.54	-46.49	-45.48	-0.12	-0.89	-13.00	-33.49
178.41	-50.39	-53.77	4.52	-1.14	-13.00	-37.39
398.60	-57.88	-61.40	5.56	-2.04	-13.00	-44.88
726.46	-52.05	-57.25	7.36	-2.16	-13.00	-39.05
776.90	-57.24	-62.48	7.50	-2.26	-13.00	-44.24
3505.20	-55.25	-56.57	12.10	-10.78	-13.00	-42.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 363 of 510

### Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode

**Operation Mode** :WCDMA B5 **Test Date** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL **Test Channel** :826.4 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
104.69	-41.13	-39.75	-0.50	-0.88	-13.00	-28.13
179.38	-50.75	-54.19	4.58	-1.14	-13.00	-37.75
311.30	-61.81	-65.96	5.84	-1.69	-13.00	-48.81
497.54	-58.15	-61.84	6.28	-2.59	-13.00	-45.15
777.87	-52.51	-57.74	7.50	-2.27	-13.00	-39.51
999.03	-52.66	-57.49	7.81	-2.98	-13.00	-39.66
1652.80	-58.70	-59.94	8.57	-7.33	-13.00	-45.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the provincing at the time of the intervention only and within the limits of company is the provincing at the time of the provincing at the time of the provincing at the time of the provincing at the provincing at the time of the provincing at the time of the provincing at the provinc Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 364 of 510

**Operation Mode** :WCDMA B5 **Test Date** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :826.4 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-55.33	-45.54	-9.17	-0.62	-13.00	-42.33
110.51	-56.07	-55.13	-0.05	-0.89	-13.00	-43.07
178.41	-50.74	-54.12	4.52	-1.14	-13.00	-37.74
398.60	-60.54	-64.06	5.56	-2.04	-13.00	-47.54
517.91	-61.17	-64.91	6.26	-2.52	-13.00	-48.17
776.90	-55.52	-60.76	7.50	-2.26	-13.00	-42.52
1652.80	-62.23	-63.47	8.57	-7.33	-13.00	-49.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 365 of 510

**Operation Mode** :WCDMA B5 **Test Date** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** Antenna Pol. :H Plan :VERTICAL Test Channel :836.6 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
44.55	-51.21	-42.13	-8.45	-0.63	-13.00	-38.21
177.44	-50.63	-53.96	4.46	-1.13	-13.00	-37.63
264.74	-60.73	-64.62	5.38	-1.49	-13.00	-47.73
329.73	-59.90	-63.89	5.81	-1.82	-13.00	-46.90
498.51	-58.26	-61.94	6.28	-2.60	-13.00	-45.26
776.90	-52.45	-57.69	7.50	-2.26	-13.00	-39.45
1673.20	-61.60	-62.84	8.66	-7.42	-13.00	-48.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 366 of 510

**Operation Mode** :WCDMA B5 **Test Date** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :836.6 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
111.48	-54.26	-53.39	0.03	-0.90	-13.00	-41.26
177.44	-50.92	-54.25	4.46	-1.13	-13.00	-37.92
242.43	-57.67	-61.52	5.26	-1.41	-13.00	-44.67
538.28	-53.99	-57.82	6.24	-2.41	-13.00	-40.99
776.90	-54.65	-59.89	7.50	-2.26	-13.00	-41.65
997.09	-53.09	-57.92	7.80	-2.97	-13.00	-40.09
1673.20	-61.98	-63.22	8.66	-7.42	-13.00	-48.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 367 of 510


**Operation Mode** Test Mode **EUT Pol** Test Channel

:WCDMA B5 :TX CH HIGH :H Plan :846.6 MHz

**Test Date** Temp./Humi. Antenna Pol. Engineer

:2018-12-12 :25/60

:VERTICAL :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
45.52	-52.99	-44.60	-7.76	-0.63	-13.00	-39.99
180.35	-50.70	-54.19	4.64	-1.15	-13.00	-37.70
256.01	-60.78	-64.58	5.26	-1.46	-13.00	-47.78
499.48	-58.03	-61.71	6.29	-2.61	-13.00	-45.03
776.90	-52.23	-57.47	7.50	-2.26	-13.00	-39.23
998.06	-52.24	-57.06	7.80	-2.98	-13.00	-39.24
1693.20	-62.54	-63.78	8.74	-7.50	-13.00	-49.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 368 of 510

**Operation Mode** :WCDMA B5 **Test Date** :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :846.6 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
440.54	EZ 00	EC 20	0.05	0.00	12.00	44.00
110.51	-57.22 54.53	-56.28	-0.05 4.46	-0.89	-13.00	-44.22
177.44 252.13	-51.53 -58.80	-54.86 -62.55	5.20	-1.13 -1.45	-13.00 -13.00	-38.53 -45.80
396.66	-60.69	-64.23	5.57	-2.03	-13.00	-47.69
777.87	-55.10	-60.33	7.50	-2.27	-13.00	-42.10
1000.00	-58.86	-63.68	7.81	-2.99	-13.00	-45.86
1693.20	-61.77	-63.01	8.74	-7.50	-13.00	-48.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 369 of 510

## Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

**Operation Mode** :LTEB2 20M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :1860 MHz Engineer :Enzo



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-50.34	-33.99	-15.83	-0.52	-13.00	-37.34
-49.40	-52.89	4.64	-1.15	-13.00	-36.40
-60.78	-64.83	5.82	-1.77	-13.00	-47.78
-58.17	-61.85	6.29	-2.61	-13.00	-45.17
-53.73	-58.99	7.38	-2.12	-13.00	-40.73
-54.34	-59.57	7.50	-2.27	-13.00	-41.34
-54.19	-55.48	12.15	-10.86	-13.00	-41.19
	-50.34 -49.40 -60.78 -58.17 -53.73 -54.34	Output Level dBm  -50.34 -49.40 -60.78 -58.17 -53.73 -58.99 -54.34  Output Level dBm  -61.85 -52.89 -64.83 -58.57	Output Level Gain dBi/dBd  -50.34 -33.99 -15.83 -49.40 -52.89 4.64 -60.78 -64.83 5.82 -58.17 -61.85 6.29 -53.73 -58.99 7.38 -54.34 -59.57 7.50	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -50.34         -33.99         -15.83         -0.52           -49.40         -52.89         4.64         -1.15           -60.78         -64.83         5.82         -1.77           -58.17         -61.85         6.29         -2.61           -53.73         -58.99         7.38         -2.12           -54.34         -59.57         7.50         -2.27	dBm         Output Level dBm         Gain dBi/dBd         Loss dBm           -50.34         -33.99         -15.83         -0.52         -13.00           -49.40         -52.89         4.64         -1.15         -13.00           -60.78         -64.83         5.82         -1.77         -13.00           -58.17         -61.85         6.29         -2.61         -13.00           -53.73         -58.99         7.38         -2.12         -13.00           -54.34         -59.57         7.50         -2.27         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the provincing at the time of the intervention only and within the limits of company is the provincing at the time of the provincing at the time of the provincing at the time of the provincing at the provincing at the time of the provincing at the time of the provincing at the provinc Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 370 of 510

**Operation Mode** :LTEB2 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :1860 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Laval	Antenna	Cable	Limit	Margin
	ID	Output Level	Gain	Loss	ID	ID.
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
109.54	-51.88	-50.87	-0.12	-0.89	-13.00	-38.88
179.38	-50.63	-54.07	4.58	-1.14	-13.00	-37.63
245.34	-58.46	-62.27	5.23	-1.42	-13.00	-45.46
413.15	-60.31	-63.95	5.69	-2.05	-13.00	-47.31
711.91	-64.92	-70.02	7.33	-2.23	-13.00	-51.92
776.90	-57.24	-62.48	7.50	-2.26	-13.00	-44.24
3720.00	-55.19	-56.48	12.15	-10.86	-13.00	-42.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 371 of 510

**Operation Mode** Test Mode

:LTEB2 20M QPSK RB 1,0 Test Date

Temp./Humi.


:2018-12-12

:25/60

**EUT Pol** Test Channel :TX CH MID :H Plan :1880 MHz

Antenna Pol. :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-40.38	-39.44	-0.05	-0.89	-13.00	-27.38
179.38	-49.52	-52.96	4.58	-1.14	-13.00	-36.52
329.73	-61.04	-65.03	5.81	-1.82	-13.00	-48.04
498.51	-58.53	-62.21	6.28	-2.60	-13.00	-45.53
776.90	-54.19	-59.43	7.50	-2.26	-13.00	-41.19
1000.00	-52.76	-57.58	7.81	-2.99	-13.00	-39.76
3760.00	-55.28	-56.56	12.15	-10.87	-13.00	-42.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 372 of 510

**Operation Mode** :LTEB2 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL





Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-46.98	-46.04	-0.05	-0.89	-13.00	-33.98
178.41	-50.25	-53.63	4.52	-1.14	-13.00	-37.25
391.81	-57.94	-61.50	5.59	-2.03	-13.00	-44.94
486.87	-64.61	-68.37	6.23	-2.47	-13.00	-51.61
776.90	-56.39	-61.63	7.50	-2.26	-13.00	-43.39
996.12	-55.81	-60.64	7.80	-2.97	-13.00	-42.81
3760.00	-56.70	-57.98	12.15	-10.87	-13.00	-43.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



:VERTICAL

Page 373 of 510

**Operation Mode** Test Mode **EUT Pol** 

Test Channel


:LTEB2 20M QPSK RB 1,0 Test Date

:TX CH HIGH :H Plan Antenna Pol.

:1900 MHz

:2018-12-12 Temp./Humi. :25/60

Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.88	-50.82	-33.69	-16.63	-0.50	-13.00	-37.82
110.51	-40.21	-39.27	-0.05	-0.89	-13.00	-27.21
179.38	-49.66	-53.10	4.58	-1.14	-13.00	-36.66
497.54	-57.81	-61.50	6.28	-2.59	-13.00	-44.81
737.13	-56.18	-61.45	7.38	-2.11	-13.00	-43.18
776.90	-53.52	-58.76	7.50	-2.26	-13.00	-40.52
3800.00	-55.15	-56.43	12.16	-10.88	-13.00	-42.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 374 of 510

**Operation Mode** :LTEB2 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :1900 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
42.61	-48.16	-37.65	-9.90	-0.61	-13.00	-35.16
110.51	-48.98	-48.04	-0.05	-0.89	-13.00	-35.98
178.41	-50.18	-53.56	4.52	-1.14	-13.00	-37.18
397.63	-58.07	-61.59	5.56	-2.04	-13.00	-45.07
777.87	-58.14	-63.37	7.50	-2.27	-13.00	-45.14
998.06	-56.50	-61.32	7.80	-2.98	-13.00	-43.50
3800.00	-56.97	-58.25	12.16	-10.88	-13.00	-43.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 375 of 510

## Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

**Operation Mode** :LTEB4 20M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL





Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.88	-50.67	-33.54	-16.63	-0.50	-13.00	-37.67
110.51	-39.96	-39.02	-0.05	-0.89	-13.00	-26.96
178.41	-49.85	-53.23	4.52	-1.14	-13.00	-36.85
498.51	-57.88	-61.56	6.28	-2.60	-13.00	-44.88
772.05	-54.82	-60.08	7.48	-2.22	-13.00	-41.82
996.12	-52.19	-57.02	7.80	-2.97	-13.00	-39.19
3440.00	-56.85	-58.06	11.97	-10.76	-13.00	-43.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the provincing at the time of the intervention only and within the limits of company is the provincing at the time of the provincing at the time of the provincing at the time of the provincing at the provincing at the time of the provincing at the time of the provincing at the provinc Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 376 of 510

**Operation Mode** Test Mode


:LTEB4 20M QPSK RB 1,0 Test Date :TX CH LOW

Temp./Humi.

:2018-12-12 :25/60

**EUT Pol Test Channel**  :H Plan :1720 MHz Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
42.61	-48.63	-38.12	-9.90	-0.61	-13.00	-35.63
110.51	-49.94	-49.00	-0.05	-0.89	-13.00	-36.94
174.53	-50.37	-53.52	4.27	-1.12	-13.00	-37.37
398.60	-57.54	-61.06	5.56	-2.04	-13.00	-44.54
777.87	-57.20	-62.43	7.50	-2.27	-13.00	-44.20
999.03	-55.73	-60.56	7.81	-2.98	-13.00	-42.73
3440.00	-56.52	-57.73	11.97	-10.76	-13.00	-43.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2018-12-12

:25/60

Page 377 of 510

**Operation Mode** Test Mode **EUT Pol** 

**Test Channel** 


:LTEB4 20M QPSK RB 1,0 Test Date

:TX CH MID :H Plan

:1732.5 MHz

Temp./Humi.

Antenna Pol. :VERTICAL Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-39.89	-38.95	-0.05	-0.89	-13.00	-26.89
179.38	-49.54	-52.98	4.58	-1.14	-13.00	-36.54
384.05	-60.14	-63.75	5.62	-2.01	-13.00	-47.14
499.48	-57.67	-61.35	6.29	-2.61	-13.00	-44.67
776.90	-53.63	-58.87	7.50	-2.26	-13.00	-40.63
959.26	-59.95	-64.86	7.69	-2.78	-13.00	-46.95
3465.00	-55.18	-56.43	12.02	-10.77	-13.00	-42.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 378 of 510

**Operation Mode** :LTEB4 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :1732.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-45.33	-35.54	-9.17	-0.62	-13.00	-32.33
108.57	-47.13	-46.04	-0.20	-0.89	-13.00	-34.13
175.50	-50.36	-53.57	4.33	-1.12	-13.00	-37.36
399.57	-57.60	-61.11	5.55	-2.04	-13.00	-44.60
777.87	-56.50	-61.73	7.50	-2.27	-13.00	-43.50
997.09	-55.61	-60.44	7.80	-2.97	-13.00	-42.61
3465.00	-56.99	-58.24	12.02	-10.77	-13.00	-43.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 379 of 510

**Operation Mode** Test Mode **EUT Pol** 

Test Channel

:LTEB4 20M QPSK RB 1,0 Test Date

:TX CH HIGH


:H Plan :1745 MHz Temp./Humi. Antenna Pol.

Engineer

:2018-12-12

:25/60

:VERTICAL :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.88	-49.39	-32.26	-16.63	-0.50	-13.00	-36.39
110.51	-40.13	-39.19	-0.05	-0.89	-13.00	-27.13
179.38	-50.02	-53.46	4.58	-1.14	-13.00	-37.02
498.51	-57.39	-61.07	6.28	-2.60	-13.00	-44.39
763.32	-61.22	-66.52	7.45	-2.15	-13.00	-48.22
776.90	-53.70	-58.94	7.50	-2.26	-13.00	-40.70
3490.00	-56.07	-57.37	12.08	-10.78	-13.00	-43.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 380 of 510

**Operation Mode** :LTEB4 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** Antenna Pol. :H Plan :HORIZONTAL

Test Channel :1745 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
42.61	-51.09	-40.58	-9.90	-0.61	-13.00	-38.09
109.54	-50.94	-49.93	-0.12	-0.89	-13.00	-37.94
178.41	-50.14	-53.52	4.52	-1.14	-13.00	-37.14
393.75	-57.92	-61.47	5.58	-2.03	-13.00	-44.92
737.13	-59.61	-64.88	7.38	-2.11	-13.00	-46.61
776.90	-56.63	-61.87	7.50	-2.26	-13.00	-43.63
3490.00	-56.88	-58.18	12.08	-10.78	-13.00	-43.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 381 of 510

### Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)

**Operation Mode** :LTEB5 10M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :829 MHz Engineer :Enzo



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-40.51	-39.13	-0.50	-0.88	-13.00	-27.51
-52.89	-56.78	5.07	-1.18	-13.00	-39.89
-59.08	-62.76	6.28	-2.60	-13.00	-46.08
-56.15	-61.39	7.50	-2.26	-13.00	-43.15
-60.84	-65.99	7.56	-2.41	-13.00	-47.84
-53.58	-58.40	7.81	-2.99	-13.00	-40.58
-59.87	-61.11	8.60	-7.36	-13.00	-46.87
	-40.51 -52.89 -59.08 -56.15 -60.84 -53.58	Output Level dBm  -40.51 -39.13 -52.89 -56.78 -59.08 -62.76 -56.15 -61.39 -60.84 -65.99 -53.58 -58.40	dBm         Output Level dBm         Gain dBi/dBd           -40.51         -39.13         -0.50           -52.89         -56.78         5.07           -59.08         -62.76         6.28           -56.15         -61.39         7.50           -60.84         -65.99         7.56           -53.58         -58.40         7.81	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -40.51         -39.13         -0.50         -0.88           -52.89         -56.78         5.07         -1.18           -59.08         -62.76         6.28         -2.60           -56.15         -61.39         7.50         -2.26           -60.84         -65.99         7.56         -2.41           -53.58         -58.40         7.81         -2.99	dBm         Output Level dBm         Gain dBi/dBd         Loss dBm           -40.51         -39.13         -0.50         -0.88         -13.00           -52.89         -56.78         5.07         -1.18         -13.00           -59.08         -62.76         6.28         -2.60         -13.00           -56.15         -61.39         7.50         -2.26         -13.00           -60.84         -65.99         7.56         -2.41         -13.00           -53.58         -58.40         7.81         -2.99         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 382 of 510

**Operation Mode** :LTEB5 10M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :829 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-56.84	-47.76	-8.45	-0.63	-13.00	-43.84
103.72	-56.87	-55.41	-0.58	-0.88	-13.00	-43.87
179.38	-49.86	-53.30	4.58	-1.14	-13.00	-36.86
247.28	-58.23	-62.00	5.20	-1.43	-13.00	-45.23
379.20	-65.62	-69.27	5.65	-2.00	-13.00	-52.62
776.90	-56.00	-61.24	7.50	-2.26	-13.00	-43.00
1658.00	-61.85	-63.09	8.60	-7.36	-13.00	-48.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 383 of 510

**Operation Mode** Test Mode **EUT Pol** Test Channel

:LTEB5 10M QPSK RB 1,0 Test Date

:TX CH MID


:H Plan :836.5 MHz Temp./Humi. Antenna Pol.

Engineer

:2018-12-12

:25/60

:VERTICAL :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-53.47	-43.68	-9.17	-0.62	-13.00	-40.47
179.38	-49.22	-52.66	4.58	-1.14	-13.00	-36.22
253.10	-61.07	-64.84	5.22	-1.45	-13.00	-48.07
500.45	-57.57	-61.24	6.29	-2.62	-13.00	-44.57
776.90	-52.71	-57.95	7.50	-2.26	-13.00	-39.71
999.03	-52.94	-57.77	7.81	-2.98	-13.00	-39.94
1673.00	-60.09	-61.33	8.66	-7.42	-13.00	-47.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 384 of 510

**Operation Mode** :LTEB5 10M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL Test Channel :836.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
30.00	-57.59	-37.10	-20.05	-0.44	-13.00	-44.59
111.48	-58.44	-57.57	0.03	-0.90	-13.00	-45.44
179.38	-53.52	-56.96	4.58	-1.14	-13.00	-40.52
251.16	-58.40	-62.15	5.19	-1.44	-13.00	-45.40
400.54	-64.77	-68.29	5.56	-2.04	-13.00	-51.77
777.87	-55.89	-61.12	7.50	-2.27	-13.00	-42.89
1673.00	-62.07	-63.31	8.66	-7.42	-13.00	-49.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 385 of 510

**Operation Mode** Test Mode **EUT Pol** Test Channel

:LTEB5 10M QPSK RB 1,0 Test Date

:TX CH HIGH


:H Plan :844 MHz Temp./Humi. Antenna Pol.

Engineer

:2018-12-12

:25/60 :VERTICAL

:Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
45.52	-51.93	-43.54	-7.76	-0.63	-13.00	-38.93
180.35	-50.84	-54.33	4.64	-1.15	-13.00	-37.84
251.16	-55.21	-58.96	5.19	-1.44	-13.00	-42.21
498.51	-58.65	-62.33	6.28	-2.60	-13.00	-45.65
776.90	-51.98	-57.22	7.50	-2.26	-13.00	-38.98
997.09	-52.56	-57.39	7.80	-2.97	-13.00	-39.56
1688.00	-60.69	-61.93	8.72	-7.48	-13.00	-47.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 386 of 510

**Operation Mode** Test Mode **EUT Pol** 

Test Channel


:LTEB5 10M QPSK RB 1,0 Test Date

:TX CH HIGH

:H Plan :844 MHz Temp./Humi. Antenna Pol. :2018-12-12 :25/60

:HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
86.26	-55.29	-54.73	0.24	-0.80	-13.00	-42.29
177.44	-52.18	-55.51	4.46	-1.13	-13.00	-39.18
319.06	-61.05	-65.13	5.83	-1.75	-13.00	-48.05
397.63	-60.57	-64.09	5.56	-2.04	-13.00	-47.57
776.90	-56.63	-61.87	7.50	-2.26	-13.00	-43.63
1000.00	-57.78	-62.60	7.81	-2.99	-13.00	-44.78
1688.00	-61.63	-62.87	8.72	-7.48	-13.00	-48.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 387 of 510

### Radiated Spurious Emission Measurement Result: LTE-Band 7 (The Worst Case)

**Operation Mode** :LTEB7 20M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :2510 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss		_	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
33.88	-50.94	-33.81	-16.63	-0.50	-25.00	-25.94	
111.48	-40.08	-39.21	0.03	-0.90	-25.00	-15.08	
179.38	-49.57	-53.01	4.58	-1.14	-25.00	-24.57	
406.36	-60.29	-63.87	5.62	-2.04	-25.00	-35.29	
497.54	-57.76	-61.45	6.28	-2.59	-25.00	-32.76	
776.90	-52.53	-57.77	7.50	-2.26	-25.00	-27.53	
5020.00	-51.95	-52.14	12.21	-12.02	-25.00	-26.95	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 388 of 510

**Operation Mode** Test Mode **EUT Pol** 


Test Channel

:LTEB7 20M QPSK RB 1,0 Test Date

:TX CH LOW

:H Plan :2510 MHz Temp./Humi. Antenna Pol. :2018-12-12 :25/60 :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
42.61	-51.15	-40.64	-9.90	-0.61	-25.00	-26.15
109.54	-51.09	-50.08	-0.12	-0.89	-25.00	-26.09
179.38	-50.27	-53.71	4.58	-1.14	-25.00	-25.27
398.60	-57.02	-60.54	5.56	-2.04	-25.00	-32.02
776.90	-56.34	-61.58	7.50	-2.26	-25.00	-31.34
1000.00	-58.18	-63.00	7.81	-2.99	-25.00	-33.18
5020.00	-50.84	-51.03	12.21	-12.02	-25.00	-25.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 389 of 510

**Operation Mode** Test Mode **EUT Pol** Test Channel


:LTEB7 20M QPSK RB 1,0 Test Date

:TX CH MID :H Plan

:2535 MHz

Temp./Humi. Antenna Pol. :2018-12-12 :25/60 :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-50.50	-40.71	-9.17	-0.62	-25.00	-25.50
179.38	-49.60	-53.04	4.58	-1.14	-25.00	-24.60
313.24	-60.60	-64.72	5.83	-1.71	-25.00	-35.60
499.48	-57.93	-61.61	6.29	-2.61	-25.00	-32.93
777.87	-53.53	-58.76	7.50	-2.27	-25.00	-28.53
999.03	-51.95	-56.78	7.81	-2.98	-25.00	-26.95
5070.00	-52.38	-52.65	12.24	-11.97	-25.00	-27.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

GS Taiwan Ltd.




Page 390 of 510

**Operation Mode** :LTEB7 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :2535 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-46.14	-36.35	-9.17	-0.62	-25.00	-21.14
108.57	-48.83	-47.74	-0.20	-0.89	-25.00	-23.83
179.38	-50.51	-53.95	4.58	-1.14	-25.00	-25.51
283.17	-58.42	-62.49	5.63	-1.56	-25.00	-33.42
399.57	-57.77	-61.28	5.55	-2.04	-25.00	-32.77
777.87	-56.43	-61.66	7.50	-2.27	-25.00	-31.43
5070.00	-51.54	-51.81	12.24	-11.97	-25.00	-26.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Page 391 of 510

**Operation Mode** Test Mode **EUT Pol** Test Channel


:LTEB7 20M QPSK RB 1,0 Test Date

:TX CH HIGH

:H Plan :2560 MHz Temp./Humi. Antenna Pol. :2018-12-12

:25/60 :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-50.37	-41.29	-8.45	-0.63	-25.00	-25.37
179.38	-49.46	-52.90	4.58	-1.14	-25.00	-24.46
403.45	-60.71	-64.26	5.59	-2.04	-25.00	-35.71
497.54	-57.50	-61.19	6.28	-2.59	-25.00	-32.50
776.90	-53.71	-58.95	7.50	-2.26	-25.00	-28.71
997.09	-51.47	-56.30	7.80	-2.97	-25.00	-26.47
5120.00	-49.85	-50.20	12.27	-11.92	-25.00	-24.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 392 of 510

**Operation Mode** Test Mode **EUT Pol** 

:LTEB7 20M QPSK RB 1,0 Test Date :TX CH HIGH


Temp./Humi.

:2018-12-12 :25/60

Test Channel

:H Plan :2560 MHz Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-47.12	-37.33	-9.17	-0.62	-25.00	-22.12
109.54	-47.75	-46.74	-0.12	-0.89	-25.00	-22.75
174.53	-50.33	-53.48	4.27	-1.12	-25.00	-25.33
251.16	-58.15	-61.90	5.19	-1.44	-25.00	-33.15
398.60	-57.59	-61.11	5.56	-2.04	-25.00	-32.59
776.90	-54.69	-59.93	7.50	-2.26	-25.00	-29.69
5120.00	-49.57	-49.92	12.27	-11.92	-25.00	-24.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 393 of 510

# Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

**Operation Mode** :LTEB12 10M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :704 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-52.48	-43.40	-8.45	-0.63	-13.00	-39.48
180.35	-49.68	-53.17	4.64	-1.15	-13.00	-36.68
497.54	-57.28	-60.97	6.28	-2.59	-13.00	-44.28
776.90	-51.61	-56.85	7.50	-2.26	-13.00	-38.61
911.73	-60.55	-65.65	7.61	-2.51	-13.00	-47.55
1000.00	-52.23	-57.05	7.81	-2.99	-13.00	-39.23
1408.00	-61.84	-62.96	7.54	-6.42	-13.00	-48.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 394 of 510

:LTEB12 10M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :704 MHz Engineer :Enzo



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-46.05	-36.97	-8.45	-0.63	-13.00	-33.05
-46.38	-45.15	-0.35	-0.88	-13.00	-33.38
-53.08	-56.57	4.64	-1.15	-13.00	-40.08
-57.93	-61.68	5.19	-1.44	-13.00	-44.93
-59.32	-63.01	6.28	-2.59	-13.00	-46.32
-54.29	-59.53	7.50	-2.26	-13.00	-41.29
-61.14	-62.26	7.54	-6.42	-13.00	-48.14
	-46.05 -46.38 -53.08 -57.93 -59.32 -54.29	Output Level dBm  -46.05	Output Level Gain dBi/dBd  -46.05 -36.97 -8.45 -46.38 -45.15 -0.35 -53.08 -56.57 4.64 -57.93 -61.68 5.19 -59.32 -63.01 6.28 -54.29 -59.53 7.50	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -46.05         -36.97         -8.45         -0.63           -46.38         -45.15         -0.35         -0.88           -53.08         -56.57         4.64         -1.15           -57.93         -61.68         5.19         -1.44           -59.32         -63.01         6.28         -2.59           -54.29         -59.53         7.50         -2.26	dBm         Output Level dBm         Gain dBi/dBd         Loss dBm           -46.05         -36.97         -8.45         -0.63         -13.00           -46.38         -45.15         -0.35         -0.88         -13.00           -53.08         -56.57         4.64         -1.15         -13.00           -57.93         -61.68         5.19         -1.44         -13.00           -59.32         -63.01         6.28         -2.59         -13.00           -54.29         -59.53         7.50         -2.26         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



:2018-12-12

:VERTICAL

:25/60


Page 395 of 510

**Operation Mode** Test Mode **EUT Pol** 

:LTEB12 10M QPSK RB 1,0 Test Date

:TX CH MID Temp./Humi. :H Plan Antenna Pol.

Test Channel :707.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
45.52	-53.27	-44.88	-7.76	-0.63	-13.00	-40.27
179.38	-53.40	-56.84	4.58	-1.14	-13.00	-40.40
333.61	-63.33	-67.30	5.81	-1.84	-13.00	-50.33
498.51	-57.82	-61.50	6.28	-2.60	-13.00	-44.82
777.87	-51.70	-56.93	7.50	-2.27	-13.00	-38.70
997.09	-51.82	-56.65	7.80	-2.97	-13.00	-38.82
1415.00	-62.06	-63.19	7.57	-6.44	-13.00	-49.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page 396 of 510

**Operation Mode** :LTEB12 10M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :707.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-52.38	-51.44	-0.05	-0.89	-13.00	-39.38
138.64	-50.02	-50.92	1.87	-0.97	-13.00	-37.02
177.44	-52.37	-55.70	4.46	-1.13	-13.00	-39.37
251.16	-59.22	-62.97	5.19	-1.44	-13.00	-46.22
400.54	-60.64	-64.16	5.56	-2.04	-13.00	-47.64
776.90	-55.22	-60.46	7.50	-2.26	-13.00	-42.22
1415.00	-60.94	-62.07	7.57	-6.44	-13.00	-47.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2018-12-12

:VERTICAL

:25/60

Page 397 of 510


**Operation Mode** Test Mode **EUT Pol** 

:LTEB12 10M QPSK RB 1,0 Test Date :TX CH HIGH

Temp./Humi. Antenna Pol.

Test Channel :711 MHz Engineer :Enzo

:H Plan



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-52.48	-43.40	-8.45	-0.63	-13.00	-39.48
180.35	-49.31	-52.80	4.64	-1.15	-13.00	-36.31
330.70	-61.98	-65.97	5.81	-1.82	-13.00	-48.98
497.54	-58.58	-62.27	6.28	-2.59	-13.00	-45.58
776.90	-53.05	-58.29	7.50	-2.26	-13.00	-40.05
996.12	-52.34	-57.17	7.80	-2.97	-13.00	-39.34
1422.00	-61.77	-62.91	7.60	-6.46	-13.00	-48.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 398 of 510

**Operation Mode** :LTEB12 10M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :711 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
108.57	-51.18	-50.09	-0.20	-0.89	-13.00	-38.18
177.44	-53.49	-56.82	4.46	-1.13	-13.00	-40.49
250.19	-58.36	-62.09	5.17	-1.44	-13.00	-45.36
397.63	-59.75	-63.27	5.56	-2.04	-13.00	-46.75
776.90	-55.54	-60.78	7.50	-2.26	-13.00	-42.54
1000.00	-55.53	-60.35	7.81	-2.99	-13.00	-42.53
1422.00	-62.25	-63.39	7.60	-6.46	-13.00	-49.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 399 of 510

### Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)

:LTEB13 10M QPSK RB Test Date Operation Mode


1,49

:2018-12-12

:TX CH MID Test Mode **EUT Pol** :H Plan

:25/60 Temp./Humi. Antenna Pol. :VERTICAL

**Test Channel** :782 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
105.66	-41.29	-39.98	-0.43	-0.88	-13.00	-28.29
179.38	-49.42	-52.86	4.58	-1.14	-13.00	-36.42
312.27	-61.68	-65.81	5.83	-1.70	-13.00	-48.68
497.54	-58.31	-62.00	6.28	-2.59	-13.00	-45.31
777.87	-52.84	-58.07	7.50	-2.27	34.77	-87.61
997.09	-51.87	-56.70	7.80	-2.97	-13.00	-38.87
1564.00	-59.81	-61.04	8.19	-6.96	-40.00	-19.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



:2018-12-12

Page 400 of 510


:LTEB13 10M QPSK RB Test Date **Operation Mode** 

1,49

:TX CH MID Test Mode

Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel Engineer :782 MHz :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.37	-46.75	-41.54	-4.55	-0.66	-13.00	-33.75
94.02	-52.25	-51.05	-0.37	-0.83	-13.00	-39.25
174.53	-51.53	-54.68	4.27	-1.12	-13.00	-38.53
251.16	-57.25	-61.00	5.19	-1.44	-13.00	-44.25
776.90	-54.91	-60.15	7.50	-2.26	-13.00	-41.91
1000.00	-56.61	-61.43	7.81	-2.99	-13.00	-43.61
1564.00	-58.89	-60.12	8.19	-6.96	-40.00	-18.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Page 401 of 510

### Radiated Spurious Emission Measurement Result: LTE-Band 13 (763~775MHz)

:LTEB13 10M QPSK RB Test Date **Operation Mode** 


:2018-12-14

1,49 :TX CH MID Test Mode

:25/60 Temp./Humi.

**EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :782 MHz Engineer :Ashton



_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https:/ Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sqs.com



:2018-12-14

Page 402 of 510


:LTEB13 10M QPSK RB Test Date **Operation Mode** 

1,49

:TX CH MID Test Mode

Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel Engineer :782 MHz :Ashton



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
770.61	-61.42	-59.16	2.09	-4.35	-13.00	-48.42
772.67	-61.13	-58.86	2.09	-4.36	-13.00	-48.13
772.91	-60.37	-58.10	2.09	-4.36	-13.00	-47.37
773.96	-61.32	-59.05	2.10	-4.37	-13.00	-48.32
774.21	-61.58	-59.31	2.10	-4.37	-13.00	-48.58
774.92	-61.66	-59.39	2.10	-4.37	-13.00	-48.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page 403 of 510

### Radiated Spurious Emission Measurement Result: LTE-Band 13 (793~805MHz)

:LTEB13 10M QPSK RB Test Date **Operation Mode** 

1,49

:2018-12-14


:25/60

:TX CH MID Test Mode

Temp./Humi.

**EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :782 MHz Engineer :Ashton



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
793.95	-66.21	-63.90	2.16	-4.47	-13.00	-53.21
796.38	-66.46	-64.15	2.17	-4.48	-13.00	-53.46
796.92	-67.62	-65.31	2.17	-4.48	-13.00	-54.62
798.93	-67.02	-64.71	2.18	-4.49	-13.00	-54.02
799.90	-67.36	-65.04	2.18	-4.50	-13.00	-54.36
800.38	-67.03	-64.71	2.18	-4.50	-13.00	-54.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



**EUT Pol** 

Report No.: E2/2018/B0069

:2018-12-14

Page 404 of 510


:LTEB13 10M QPSK RB Test Date **Operation Mode** 

1,49

:TX CH MID Test Mode

Temp./Humi. :25/60 :H Plan Antenna Pol. :HORIZONTAL

Test Channel Engineer :782 MHz :Ashton



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
700.00	60.06	0E 7E	0.40	4 47	40.00	55.00
793.92	-68.06	-65.75	2.16	-4.47	-13.00	-55.06
797.69	-69.03	-66.71	2.17	-4.49	-13.00	-56.03
800.16	-68.84	-66.52	2.18	-4.50	-13.00	-55.84
800.80	-68.90	-66.57	2.18	-4.51	-13.00	-55.90
803.67	-69.51	-67.15	2.17	-4.53	-13.00	-56.51
804.69	-68.93	-66.56	2.17	-4.54	-13.00	-55.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

GS Taiwan Ltd.



Page 405 of 510

### Radiated Spurious Emission Measurement Result: LTE-Band 14 (The Worst Case)

:LTEB14 10M QPSK RB Test Date **Operation Mode** 

1,49

:2018-12-12


Test Mode

:TX CH MID Temp./Humi.

:25/60

**EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** Engineer :793 MHz :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-52.12	-43.04	-8.45	-0.63	-13.00	-39.12
105.66	-41.22	-39.91	-0.43	-0.88	-13.00	-28.22
177.44	-50.78	-54.11	4.46	-1.13	-13.00	-37.78
497.54	-58.14	-61.83	6.28	-2.59	-13.00	-45.14
777.87	-50.74	-55.97	7.50	-2.27	-13.00	-37.74
996.12	-52.54	-57.37	7.80	-2.97	-13.00	-39.54
1586.00	-58.92	-60.16	8.29	-7.05	-40.00	-18.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https:/ Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



:2018-12-12

:25/60

Page 406 of 510


:LTEB14 10M QPSK RB Test Date **Operation Mode** 

1,49

:TX CH MID Test Mode Temp./Humi.

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel Engineer :793 MHz :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
107.60	-48.65	-47.49	-0.27	-0.89	-13.00	-35.65
177.44	-51.29	-54.62	4.46	-1.13	-13.00	-38.29
242.43	-58.10	-61.95	5.26	-1.41	-13.00	-45.10
399.57	-60.13	-63.64	5.55	-2.04	-13.00	-47.13
776.90	-55.17	-60.41	7.50	-2.26	-13.00	-42.17
996.12	-56.62	-61.45	7.80	-2.97	-13.00	-43.62
1586.00	-60.26	-61.50	8.29	-7.05	-40.00	-20.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.




Page 407 of 510

# Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

**Operation Mode** :LTEB17 10M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :709 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-54.20	-45.12	-8.45	-0.63	-13.00	-41.20
180.35	-51.07	-54.56	4.64	-1.15	-13.00	-38.07
312.27	-64.36	-68.49	5.83	-1.70	-13.00	-51.36
498.51	-58.00	-61.68	6.28	-2.60	-13.00	-45.00
776.90	-51.96	-57.20	7.50	-2.26	-13.00	-38.96
998.06	-52.39	-57.21	7.80	-2.98	-13.00	-39.39
1418.00	-61.16	-62.29	7.58	-6.45	-13.00	-48.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 408 of 510

**Operation Mode** :LTEB17 10M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :709 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
78.50	-55.87	-55.75	0.65	-0.77	-13.00	-42.87
177.44	-50.64	-53.97	4.46	-1.13	-13.00	-37.64
253.10	-59.14	-62.91	5.22	-1.45	-13.00	-46.14
400.54	-61.04	-64.56	5.56	-2.04	-13.00	-48.04
776.90	-55.48	-60.72	7.50	-2.26	-13.00	-42.48
999.03	-56.13	-60.96	7.81	-2.98	-13.00	-43.13
1418.00	-62.15	-63.28	7.58	-6.45	-13.00	-49.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2018-12-12

:VERTICAL

:25/60


Page 409 of 510

**Operation Mode** Test Mode **EUT Pol** 

:LTEB17 10M QPSK RB 1,0 Test Date

:TX CH MID Temp./Humi. :H Plan Antenna Pol.

Test Channel :710 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
34.85	-53.12	-36.77	-15.83	-0.52	-13.00	-40.12
102.75	-40.82	-39.29	-0.66	-0.87	-13.00	-27.82
179.38	-49.46	-52.90	4.58	-1.14	-13.00	-36.46
499.48	-58.64	-62.32	6.29	-2.61	-13.00	-45.64
777.87	-53.07	-58.30	7.50	-2.27	-13.00	-40.07
999.03	-52.65	-57.48	7.81	-2.98	-13.00	-39.65
1420.00	-62.39	-63.52	7.59	-6.46	-13.00	-49.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 410 of 510

:LTEB17 10M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :710 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
109.54	-53.60	-52.59	-0.12	-0.89	-13.00	-40.60
181.32	-51.15	-54.71	4.71	-1.15	-13.00	-38.15
289.96	-59.00	-63.14	5.72	-1.58	-13.00	-46.00
399.57	-59.94	-63.45	5.55	-2.04	-13.00	-46.94
777.87	-56.06	-61.29	7.50	-2.27	-13.00	-43.06
998.06	-57.45	-62.27	7.80	-2.98	-13.00	-44.45
1420.00	-61.37	-62.50	7.59	-6.46	-13.00	-48.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



:2018-12-12

:VERTICAL

:25/60


Page 411 of 510

**Operation Mode** Test Mode **EUT Pol** 

:LTEB17 10M QPSK RB 1,0 Test Date :TX CH HIGH

Temp./Humi. :H Plan Antenna Pol.

Test Channel :711 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
44.55	-53.38	-44.30	-8.45	-0.63	-13.00	-40.38	
179.38	-49.37	-52.81	4.58	-1.14	-13.00	-36.37	
308.39	-62.67	-66.83	5.84	-1.68	-13.00	-49.67	
498.51	-57.84	-61.52	6.28	-2.60	-13.00	-44.84	
776.90	-53.03	-58.27	7.50	-2.26	-13.00	-40.03	
999.03	-52.49	-57.32	7.81	-2.98	-13.00	-39.49	
1422.00	-61.83	-62.97	7.60	-6.46	-13.00	-48.83	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 412 of 510

:LTEB17 10M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :711 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
57.16	-56.77	-54.26	-1.86	-0.65	-13.00	-43.77
109.54	-54.21	-53.20	-0.12	-0.89	-13.00	-41.21
179.38	-49.77	-53.21	4.58	-1.14	-13.00	-36.77
248.25	-58.28	-62.04	5.19	-1.43	-13.00	-45.28
402.48	-60.78	-64.32	5.58	-2.04	-13.00	-47.78
776.90	-54.70	-59.94	7.50	-2.26	-13.00	-41.70
1422.00	-61.66	-62.80	7.60	-6.46	-13.00	-48.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 413 of 510

#### Radiated Spurious Emission Measurement Result: LTE-Band 25 (The Worst Case)

:LTEB25 10M QPSK RB Test Date **Operation Mode** 


1,49

:2018-12-12

Test Mode :TX CH LOW **EUT Pol** :H Plan

:25/60 Temp./Humi. Antenna Pol. :VERTICAL

**Test Channel** :1855 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-50.96	-41.88	-8.45	-0.63	-13.00	-37.96
110.51	-40.42	-39.48	-0.05	-0.89	-13.00	-27.42
178.41	-49.40	-52.78	4.52	-1.14	-13.00	-36.40
498.51	-57.45	-61.13	6.28	-2.60	-13.00	-44.45
745.86	-51.87	-57.20	7.40	-2.07	-13.00	-38.87
776.90	-52.12	-57.36	7.50	-2.26	-13.00	-39.12
3710.00	-55.41	-56.70	12.14	-10.85	-13.00	-42.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



:2018-12-12

:25/60

Page 414 of 510

:LTEB25 10M QPSK RB Test Date **Operation Mode** 


1,49

:TX CH LOW Test Mode

**EUT Pol** :H Plan Test Channel :1855 MHz Temp./Humi.

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-44.61	-35.53	-8.45	-0.63	-13.00	-31.61
109.54	-47.27	-46.26	-0.12	-0.89	-13.00	-34.27
178.41	-50.35	-53.73	4.52	-1.14	-13.00	-37.35
396.66	-57.83	-61.37	5.57	-2.03	-13.00	-44.83
776.90	-54.41	-59.65	7.50	-2.26	-13.00	-41.41
999.03	-55.66	-60.49	7.81	-2.98	-13.00	-42.66
3710.00	-56.89	-58.18	12.14	-10.85	-13.00	-43.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 415 of 510


:LTEB25 10M QPSK RB Test Date **Operation Mode** 

1,49

:TX CH MID Test Mode **EUT Pol** :H Plan **Test Channel** :1882.5 MHz :2018-12-12

Temp./Humi. :25/60 Antenna Pol. :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-50.68	-41.60	-8.45	-0.63	-13.00	-37.68
179.38	-49.46	-52.90	4.58	-1.14	-13.00	-36.46
250.19	-60.50	-64.23	5.17	-1.44	-13.00	-47.50
312.27	-60.23	-64.36	5.83	-1.70	-13.00	-47.23
498.51	-57.43	-61.11	6.28	-2.60	-13.00	-44.43
776.90	-52.08	-57.32	7.50	-2.26	-13.00	-39.08
3765.00	-55.14	-56.42	12.15	-10.87	-13.00	-42.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



**EUT Pol** 

Report No.: E2/2018/B0069

:2018-12-12

:HORIZONTAL

:25/60

Page 416 of 510


:LTEB25 10M QPSK RB Test Date **Operation Mode** 

1,49

:TX CH MID Test Mode

Temp./Humi. :H Plan Antenna Pol.

Test Channel :1882.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-48.57	-38.78	-9.17	-0.62	-13.00	-35.57
109.54	-49.51	-48.50	-0.12	-0.89	-13.00	-36.51
179.38	-50.25	-53.69	4.58	-1.14	-13.00	-37.25
335.55	-59.29	-63.25	5.81	-1.85	-13.00	-46.29
402.48	-57.72	-61.26	5.58	-2.04	-13.00	-44.72
776.90	-54.79	-60.03	7.50	-2.26	-13.00	-41.79
3765.00	-57.30	-58.58	12.15	-10.87	-13.00	-44.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Page 417 of 510

:LTEB25 10M QPSK RB Test Date **Operation Mode** 


1,49

:TX CH HIGH Test Mode **EUT Pol** :H Plan **Test Channel** :1910 MHz

:2018-12-12

Temp./Humi. :25/60 Antenna Pol. :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-50.76	-40.97	-9.17	-0.62	-13.00	-37.76
179.38	-49.16	-52.60	4.58	-1.14	-13.00	-36.16
313.24	-60.07	-64.19	5.83	-1.71	-13.00	-47.07
499.48	-57.98	-61.66	6.29	-2.61	-13.00	-44.98
776.90	-52.94	-58.18	7.50	-2.26	-13.00	-39.94
997.09	-51.89	-56.72	7.80	-2.97	-13.00	-38.89
3820.00	-55.13	-56.41	12.17	-10.89	-13.00	-42.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sqs.com



**EUT Pol** 

Report No.: E2/2018/B0069

:2018-12-12

:HORIZONTAL

:25/60

Page 418 of 510


:LTEB25 10M QPSK RB Test Date **Operation Mode** 

1,49

:TX CH HIGH Test Mode

Temp./Humi. :H Plan Antenna Pol.

**Test Channel** Engineer :1910 MHz :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
108.57	-42.15	-41.06	-0.20	-0.89	-13.00	-29.15
178.41	-46.89	-50.27	4.52	-1.14	-13.00	-33.89
398.60	-55.91	-59.43	5.56	-2.04	-13.00	-42.91
776.90	-52.83	-58.07	7.50	-2.26	-13.00	-39.83
902.03	-60.75	-65.89	7.59	-2.45	-13.00	-47.75
996.12	-55.25	-60.08	7.80	-2.97	-13.00	-42.25
3820.00	-55.89	-57.17	12.17	-10.89	-13.00	-42.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page 419 of 510

## Radiated Spurious Emission Measurement Result: LTE-Band 26 (The Worst Case)

**Operation Mode** :LTEB26 15M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :831.5 MHz Engineer :Enzo



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-52.85	-44.46	-7.76	-0.63	-13.00	-39.85
-51.43	-54.99	4.71	-1.15	-13.00	-38.43
-62.31	-66.30	5.81	-1.82	-13.00	-49.31
-58.14	-61.82	6.29	-2.61	-13.00	-45.14
-51.79	-57.03	7.50	-2.26	-13.00	-38.79
-52.39	-57.21	7.81	-2.99	-13.00	-39.39
-58.49	-59.73	8.62	-7.38	-13.00	-45.49
-58.21	-59.78	10.59	-9.02	-13.00	-45.21
	-52.85 -51.43 -62.31 -58.14 -51.79 -52.39 -58.49	Output Level dBm  -52.85 -44.46 -51.43 -54.99 -62.31 -66.30 -58.14 -61.82 -51.79 -57.03 -52.39 -57.21 -58.49 -59.73	Output Level Gain dBi/dBd  -52.85 -44.46 -7.76 -51.43 -54.99 4.71 -62.31 -66.30 5.81 -58.14 -61.82 6.29 -51.79 -57.03 7.50 -52.39 -57.21 7.81 -58.49 -59.73 8.62	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -52.85         -44.46         -7.76         -0.63           -51.43         -54.99         4.71         -1.15           -62.31         -66.30         5.81         -1.82           -58.14         -61.82         6.29         -2.61           -51.79         -57.03         7.50         -2.26           -52.39         -57.21         7.81         -2.99           -58.49         -59.73         8.62         -7.38	Output Level dBm         Gain dBi/dBd         Loss dBm           -52.85         -44.46         -7.76         -0.63         -13.00           -51.43         -54.99         4.71         -1.15         -13.00           -62.31         -66.30         5.81         -1.82         -13.00           -58.14         -61.82         6.29         -2.61         -13.00           -51.79         -57.03         7.50         -2.26         -13.00           -52.39         -57.21         7.81         -2.99         -13.00           -58.49         -59.73         8.62         -7.38         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 420 of 510

:LTEB26 15M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

**Test Channel** :831.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
104.69	-53.03	-51.65	-0.50	-0.88	-13.00	-40.03
179.38	-50.29	-53.73	4.58	-1.14	-13.00	-37.29
251.16	-57.50	-61.25	5.19	-1.44	-13.00	-44.50
399.57	-60.74	-64.25	5.55	-2.04	-13.00	-47.74
776.90	-54.18	-59.42	7.50	-2.26	-13.00	-41.18
997.09	-57.73	-62.56	7.80	-2.97	-13.00	-44.73
1663.00	-60.76	-62.00	8.62	-7.38	-13.00	-47.76
2494.50	-59.02	-60.59	10.59	-9.02	-13.00	-46.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2018-12-12

:VERTICAL

:25/60

Page 421 of 510


**Operation Mode** Test Mode **EUT Pol** 

**Test Channel** 

:LTEB26 15M QPSK RB 1,0 Test Date

:TX CH MID Temp./Humi. :H Plan Antenna Pol.

:836.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.40	-51.90	-46.14	-5.10	-0.66	-13.00	-38.90
179.38	-50.54	-53.98	4.58	-1.14	-13.00	-37.54
498.51	-57.82	-61.50	6.28	-2.60	-13.00	-44.82
730.34	-52.74	-57.97	7.37	-2.14	-13.00	-39.74
776.90	-52.40	-57.64	7.50	-2.26	-13.00	-39.40
1000.00	-51.81	-56.63	7.81	-2.99	-13.00	-38.81
1673.00	-58.40	-59.64	8.66	-7.42	-13.00	-45.40
2509.50	-58.60	-60.16	10.61	-9.05	-13.00	-45.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 422 of 510

**Operation Mode** :LTEB26 15M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

**Test Channel** :836.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
109.54	-56.75	-55.74	-0.12	-0.89	-13.00	-43.75	
177.44	-52.88	-56.21	4.46	-1.13	-13.00	-39.88	
248.25	-56.49	-60.25	5.19	-1.43	-13.00	-43.49	
401.51	-60.18	-63.71	5.57	-2.04	-13.00	-47.18	
731.31	-44.18	-49.41	7.37	-2.14	-13.00	-31.18	
776.90	-54.67	-59.91	7.50	-2.26	-13.00	-41.67	
1673.00	-60.73	-61.97	8.66	-7.42	-13.00	-47.73	
2509.50	-58.07	-59.63	10.61	-9.05	-13.00	-45.07	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



:2018-12-12

:VERTICAL

:25/60


Page 423 of 510

**Operation Mode** Test Mode **EUT Pol** 

:LTEB26 15M QPSK RB 1,0 Test Date

:TX CH HIGH Temp./Humi. :H Plan Antenna Pol.

**Test Channel** :841.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
					40.00	
86.26	-51.87	-51.31	0.24	-0.80	-13.00	-38.87
105.66	-40.89	-39.58	-0.43	-0.88	-13.00	-27.89
180.35	-50.23	-53.72	4.64	-1.15	-13.00	-37.23
397.63	-61.73	-65.25	5.56	-2.04	-13.00	-48.73
498.51	-58.16	-61.84	6.28	-2.60	-13.00	-45.16
777.87	-53.00	-58.23	7.50	-2.27	-13.00	-40.00
1683.00	-58.24	-59.48	8.70	-7.46	-13.00	-45.24
2524.50	-59.42	-60.94	10.62	-9.10	-13.00	-46.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 424 of 510

:LTEB26 15M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

**Test Channel** :841.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.97	-57.61	-38.00	-19.15	-0.46	-13.00	-44.61
109.54	-56.53	-55.52	-0.12	-0.89	-13.00	-43.53
176.47	-51.94	-55.20	4.39	-1.13	-13.00	-38.94
313.24	-60.42	-64.54	5.83	-1.71	-13.00	-47.42
397.63	-59.61	-63.13	5.56	-2.04	-13.00	-46.61
776.90	-55.65	-60.89	7.50	-2.26	-13.00	-42.65
1683.00	-59.61	-60.85	8.70	-7.46	-13.00	-46.61
2524.50	-57.25	-58.77	10.62	-9.10	-13.00	-44.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 425 of 510

# Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)

:Part90 5M QPSK RB 1,24 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL **Test Channel** :816.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
100.81	-41.82	-40.13	-0.82	-0.87	-13.00	-28.82
152.22	-49.97	-51.66	2.70	-1.01	-13.00	-36.97
180.35	-52.46	-55.95	4.64	-1.15	-13.00	-39.46
498.51	-57.30	-60.98	6.28	-2.60	-13.00	-44.30
776.90	-52.63	-57.87	7.50	-2.26	-13.00	-39.63
996.12	-52.81	-57.64	7.80	-2.97	-13.00	-39.81
1633.00	-59.20	-60.44	8.49	-7.25	-13.00	-46.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https:/ Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



:2018-12-12

:25/60

Page 426 of 510


**Operation Mode** Test Mode **EUT Pol** 

:Part90 5M QPSK RB 1,24 Test Date

:TX CH LOW Temp./Humi. :H Plan Antenna Pol.

:HORIZONTAL

**Test Channel** :816.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
00.00	<b>50.00</b>	00.00	00.05	0.44	40.00	40.00
30.00	-56.88	-36.39	-20.05	-0.44	-13.00	-43.88
110.51	-55.53	-54.59	-0.05	-0.89	-13.00	-42.53
176.47	-51.76	-55.02	4.39	-1.13	-13.00	-38.76
246.31	-57.72	-61.50	5.21	-1.43	-13.00	-44.72
400.54	-60.66	-64.18	5.56	-2.04	-13.00	-47.66
776.90	-54.99	-60.23	7.50	-2.26	-13.00	-41.99
1633.00	-59.43	-60.67	8.49	-7.25	-13.00	-46.43
2449.50	-57.89	-59.44	10.54	-8.99	-13.00	-44.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2018-12-12

:VERTICAL

:25/60

Page 427 of 510

**Operation Mode** Test Mode **EUT Pol Test Channel** 

:Part90 5M QPSK RB 1,24 Test Date

:TX CH MID

:H Plan :819 MHz Temp./Humi. Antenna Pol.

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
44.55	-52.07	-42.99	-8.45	-0.63	-13.00	-39.07
179.38	-51.42	-54.86	4.58	-1.14	-13.00	-38.42
332.64	-62.48	-66.45	5.81	-1.84	-13.00	-49.48
499.48	-58.45	-62.13	6.29	-2.61	-13.00	-45.45
776.90	-52.42	-57.66	7.50	-2.26	-13.00	-39.42
998.06	-51.79	-56.61	7.80	-2.98	-13.00	-38.79
1638.00	-58.68	-59.92	8.51	-7.27	-13.00	-45.68
2457.00	-58.48	-60.04	10.55	-8.99	-13.00	-45.48

Frequency (MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 428 of 510

**Operation Mode** Test Mode

:Part90 5M QPSK RB 1,24 Test Date :TX CH MID


Temp./Humi.

:2018-12-12 :25/60

**EUT Pol Test Channel**  :H Plan :819 MHz

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
111.48	-53.66	-52.79	0.03	-0.90	-13.00	-40.66
177.44	-52.20	-55.53	4.46	-1.13	-13.00	-39.20
253.10	-59.72	-63.49	5.22	-1.45	-13.00	-46.72
337.49	-57.87	-61.80	5.80	-1.87	-13.00	-44.87
400.54	-60.35	-63.87	5.56	-2.04	-13.00	-47.35
776.90	-55.38	-60.62	7.50	-2.26	-13.00	-42.38
1638.00	-61.31	-62.55	8.51	-7.27	-13.00	-48.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 429 of 510

**Operation Mode** Test Mode **EUT Pol Test Channel** 

:Part90 5M QPSK RB 1,24 Test Date

:TX CH HIGH :H Plan

:821.5 MHz


Temp./Humi. Antenna Pol.

Engineer

:2018-12-12

:25/60

:VERTICAL :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
45.52	-54.62	-46.23	-7.76	-0.63	-13.00	-41.62
104.69	-44.68	-43.30	-0.50	-0.88	-13.00	-31.68
179.38	-54.44	-57.88	4.58	-1.14	-13.00	-41.44
254.07	-60.78	-64.56	5.23	-1.45	-13.00	-47.78
498.51	-58.86	-62.54	6.28	-2.60	-13.00	-45.86
769.14	-58.01	-63.28	7.47	-2.20	-13.00	-45.01
1643.00	-59.09	-60.33	8.53	-7.29	-13.00	-46.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2018-12-12

:25/60

Page 430 of 510

**Operation Mode** Test Mode **EUT Pol** 

**Test Channel** 


:Part90 5M QPSK RB 1,24 Test Date

:TX CH HIGH

:H Plan :821.5 MHz Temp./Humi.

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-54.24	-44.45	-9.17	-0.62	-13.00	-41.24
110.51	-52.69	-51.75	-0.05	-0.89	-13.00	-39.69
179.38	-54.65	-58.09	4.58	-1.14	-13.00	-41.65
251.16	-58.37	-62.12	5.19	-1.44	-13.00	-45.37
330.70	-59.64	-63.63	5.81	-1.82	-13.00	-46.64
776.90	-61.66	-66.90	7.50	-2.26	-13.00	-48.66
1643.00	-61.76	-63.00	8.53	-7.29	-13.00	-48.76
2464.50	-58.95	-60.51	10.56	-9.00	-13.00	-45.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 431 of 510

### Radiated Spurious Emission Measurement Result: LTE-Band 30 (The Worst Case)

**Operation Mode** :LTEB30 10M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :2310 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-50.66	-41.58	-8.45	-0.63	-40.00	-10.66
178.41	-50.24	-53.62	4.52	-1.14	-40.00	-10.24
330.70	-60.75	-64.74	5.81	-1.82	-40.00	-20.75
498.51	-58.18	-61.86	6.28	-2.60	-40.00	-18.18
776.90	-53.18	-58.42	7.50	-2.26	-40.00	-13.18
997.09	-52.02	-56.85	7.80	-2.97	-40.00	-12.02
4620.00	-54.93	-55.65	12.20	-11.48	-40.00	-14.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 432 of 510

:LTEB30 10M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL





Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
111.48	-53.66	-52.79	0.03	-0.90	-40.00	-13.66
178.41	-50.15	-53.53	4.52	-1.14	-40.00	-10.15
244.37	-58.21	-62.03	5.24	-1.42	-40.00	-18.21
386.96	-58.11	-61.70	5.61	-2.02	-40.00	-18.11
776.90	-55.43	-60.67	7.50	-2.26	-40.00	-15.43
997.09	-56.52	-61.35	7.80	-2.97	-40.00	-16.52
4620.00	-55.77	-56.49	12.20	-11.48	-40.00	-15.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 433 of 510

#### Radiated Spurious Emission Measurement Result: LTE-Band 38 (The Worst Case)

:LTE B38 20M QPSK RB1,99 Test Date **Operation Mode** :2018-11-30

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL :2580 MHz :Enzo **Test Channel** Engineer



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output	Gain	Loss			
		Level					
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
33.88	-39.94	-22.81	-16.63	-0.50	-25.00	-14.94	
95.96	-44.73	-43.34	-0.55	-0.84	-25.00	-19.73	
110.51	-45.60	-44.66	-0.05	-0.89	-25.00	-20.60	
556.71	-46.71	-50.67	6.28	-2.32	-25.00	-21.71	
581.93	-46.95	-51.26	6.51	-2.20	-25.00	-21.95	
587.75	-48.84	-53.22	6.56	-2.18	-25.00	-23.84	
5160.00	-50.46	-56.46	12.67	-6.67	-25.00	-25.46	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 434 of 510

**Operation Mode** Test Mode **EUT Pol** 

**Test Channel** 

:LTE B38 20M QPSK RB1,99

:TX CH LOW

:E1 Plan


:2580 MHz

Test Date :2018-11-30

Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output	Gain	Loss		
		Level				
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
111.48	-59.78	-58.91	0.03	-0.90	-25.00	-34.78
159.98	-55.15	-57.37	3.27	-1.05	-25.00	-30.15
230.79	-55.62	-59.67	5.41	-1.36	-25.00	-30.62
282.20	-56.00	-60.06	5.62	-1.56	-25.00	-31.00
378.23	-63.61	-67.26	5.65	-2.00	-25.00	-38.61
595.51	-48.35	-52.84	6.63	-2.14	-25.00	-23.35
5160.00	-50.88	-56.88	12.67	-6.67	-25.00	-25.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 435 of 510

**Operation Mode** Test Mode **EUT Pol Test Channel** 

:LTE B38 20M QPSK RB1,99


:TX CH MID

:E1 Plan :2595 MHz Test Date :2018-11-30

Temp./Humi. :25/60

Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	EIRP/ERP	SG Output	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	Level dBm	dBi/dBd	dB	dBm	dB
IVII IZ	<u>ubili</u>	ubili	ubi/ubu	иь	<u>ubili</u>	<u>ub</u>
35.82	-40.92	-25.33	-15.06	-0.53	-25.00	-15.92
94.02	-44.81	-43.61	-0.37	-0.83	-25.00	-19.81
476.20	-53.63	-57.47	6.19	-2.35	-25.00	-28.63
556.71	-48.73	-52.69	6.28	-2.32	-25.00	-23.73
601.33	-44.19	-48.74	6.68	-2.13	-25.00	-19.19
734.22	-41.15	-46.40	7.38	-2.13	-25.00	-16.15
5190.00	-50.66	-56.72	12.70	-6.64	-25.00	-25.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 436 of 510

**Operation Mode** Test Mode **EUT Pol** 

**Test Channel** 

:LTE B38 20M QPSK RB1,99

:TX CH MID

:E1 Plan


:2595 MHz

Test Date :2018-11-30

Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	EIRP/ERP	SG Output	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	Level dBm	dBi/dBd	dB	dBm	dB
IVII IZ	<u>upiii</u>	аын	abi/aba	ub_	аып	<u>ub</u>
31.94	-47.43	-28.67	-18.29	-0.47	-25.00	-22.43
96.93	-52.42	-50.94	-0.63	-0.85	-25.00	-27.42
250.19	-46.87	-50.60	5.17	-1.44	-25.00	-21.87
282.20	-55.20	-59.26	5.62	-1.56	-25.00	-30.20
482.02	-60.60	-64.39	6.21	-2.42	-25.00	-35.60
601.33	-48.95	-53.50	6.68	-2.13	-25.00	-23.95
5190.00	-51.17	-57.23	12.70	-6.64	-25.00	-26.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



**Test Channel** 

Report No.: E2/2018/B0069

Page 437 of 510

:LTEB38 20M QPSK RB Test Date **Operation Mode** 

1,99


:2580 MHz

:TX CH LOW Test Mode **EUT Pol** :H Plan

Temp./Humi. Antenna Pol. :2018-12-12

:25/60 :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-50.80	-41.01	-9.17	-0.62	-25.00	-25.80
178.41	-49.65	-53.03	4.52	-1.14	-25.00	-24.65
306.45	-60.73	-64.91	5.84	-1.66	-25.00	-35.73
498.51	-58.11	-61.79	6.28	-2.60	-25.00	-33.11
776.90	-52.69	-57.93	7.50	-2.26	-25.00	-27.69
857.41	-58.05	-63.19	7.51	-2.37	-25.00	-33.05
5160.00	-52.28	-52.70	12.30	-11.88	-25.00	-27.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



:2018-12-12

:HORIZONTAL

:25/60

Page 438 of 510


:LTEB38 20M QPSK RB Test Date **Operation Mode** 

1,99

:TX CH LOW Test Mode **EUT Pol** 

Temp./Humi. :H Plan Antenna Pol.

**Test Channel** Engineer :2580 MHz :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-47.03	-37.24	-9.17	-0.62	-25.00	-22.03
175.50	-50.65	-53.86	4.33	-1.12	-25.00	-25.65
245.34	-58.25	-62.06	5.23	-1.42	-25.00	-33.25
401.51	-58.44	-61.97	5.57	-2.04	-25.00	-33.44
776.90	-56.37	-61.61	7.50	-2.26	-25.00	-31.37
1000.00	-56.25	-61.07	7.81	-2.99	-25.00	-31.25
5160.00	-52.23	-52.65	12.30	-11.88	-25.00	-27.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Page 439 of 510

:LTEB38 20M QPSK RB Test Date **Operation Mode** 


1,99

:TX CH MID Test Mode **EUT Pol** :H Plan **Test Channel** :2595 MHz

:2018-12-12

Temp./Humi. :25/60 Antenna Pol. :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-51.41	-42.33	-8.45	-0.63	-25.00	-26.41
180.35	-49.95	-53.44	4.64	-1.15	-25.00	-24.95
328.76	-60.22	-64.22	5.81	-1.81	-25.00	-35.22
497.54	-58.07	-61.76	6.28	-2.59	-25.00	-33.07
777.87	-53.10	-58.33	7.50	-2.27	-25.00	-28.10
998.06	-52.41	-57.23	7.80	-2.98	-25.00	-27.41
5190.00	-52.13	-52.59	12.32	-11.86	-25.00	-27.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



:2018-12-12

Page 440 of 510

:LTEB38 20M QPSK RB Test Date **Operation Mode** 


1,99

:TX CH MID Test Mode

Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

**Test Channel** Engineer :2595 MHz :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
42.61	-49.99	-39.48	-9.90	-0.61	-25.00	-24.99
110.51	-49.64	-48.70	-0.05	-0.89	-25.00	-24.64
175.50	-50.55	-53.76	4.33	-1.12	-25.00	-25.55
329.73	-58.63	-62.62	5.81	-1.82	-25.00	-33.63
468.44	-57.58	-61.46	6.15	-2.27	-25.00	-32.58
776.90	-55.96	-61.20	7.50	-2.26	-25.00	-30.96
5190.00	-53.18	-53.64	12.32	-11.86	-25.00	-28.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Page 441 of 510

:LTEB38 20M QPSK RB Test Date **Operation Mode** 


1,99

:TX CH HIGH Test Mode **EUT Pol** :H Plan **Test Channel** :2610 MHz

:2018-12-12

Temp./Humi. :25/60 Antenna Pol. :VERTICAL

Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-50.72	-41.64	-8.45	-0.63	-25.00	-25.72
179.38	-50.04	-53.48	4.58	-1.14	-25.00	-25.04
328.76	-60.55	-64.55	5.81	-1.81	-25.00	-35.55
498.51	-57.88	-61.56	6.28	-2.60	-25.00	-32.88
776.90	-53.87	-59.11	7.50	-2.26	-25.00	-28.87
1000.00	-52.62	-57.44	7.81	-2.99	-25.00	-27.62
5220.00	-51.81	-52.32	12.34	-11.83	-25.00	-26.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



:2018-12-12

:25/60

Page 442 of 510

:LTEB38 20M QPSK RB Test Date **Operation Mode** 


1,99

:TX CH HIGH Test Mode

Temp./Humi. Antenna Pol.

**EUT Pol** :H Plan :HORIZONTAL **Test Channel** 

Engineer :2610 MHz :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-45.99	-36.20	-9.17	-0.62	-25.00	-20.99
106.63	-47.09	-45.86	-0.35	-0.88	-25.00	-22.09
175.50	-50.90	-54.11	4.33	-1.12	-25.00	-25.90
329.73	-58.96	-62.95	5.81	-1.82	-25.00	-33.96
776.90	-55.45	-60.69	7.50	-2.26	-25.00	-30.45
1000.00	-56.33	-61.15	7.81	-2.99	-25.00	-31.33
5220.00	-54.46	-54.97	12.34	-11.83	-25.00	-29.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 台灣檢驗科技股份有限公司 www.tw.sqs.com

SGS Taiwan Ltd.




Page 443 of 510

#### Radiated Spurious Emission Measurement Result: LTE-Band 41 (The Worst Case)

**Operation Mode** :LTEB41 20M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :2506 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
179.38	-50.39	-53.83	4.58	-1.14	-25.00	-25.39
237.58	-62.06	-65.99	5.32	-1.39	-25.00	-37.06
328.76	-61.26	-65.26	5.81	-1.81	-25.00	-36.26
396.66	-61.41	-64.95	5.57	-2.03	-25.00	-36.41
499.48	-58.07	-61.75	6.29	-2.61	-25.00	-33.07
776.90	-52.79	-58.03	7.50	-2.26	-25.00	-27.79
5012 00	-52 95	-53 13	12 21	-12 03	-25 00	-27 95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 444 of 510

:LTEB41 20M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :2506 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-49.03	-39.95	-8.45	-0.63	-25.00	-24.03
104.69	-49.49	-48.11	-0.50	-0.88	-25.00	-24.49
175.50	-50.48	-53.69	4.33	-1.12	-25.00	-25.48
402.48	-58.47	-62.01	5.58	-2.04	-25.00	-33.47
776.90	-57.14	-62.38	7.50	-2.26	-25.00	-32.14
998.06	-57.10	-61.92	7.80	-2.98	-25.00	-32.10
5012.00	-54.57	-54.75	12.21	-12.03	-25.00	-29.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2018-12-12

:VERTICAL

:25/60

Page 445 of 510

**Operation Mode** Test Mode **EUT Pol** 

Test Channel

:LTEB41 20M QPSK RB 1,0 Test Date :TX CH MID Temp./Humi. :H Plan Antenna Pol. :2593 MHz

Engineer :Enzo

Level (dBm/m) 30 10

-10 -30 -50 10618. 21206. 15912. 26500 5324. Frequency (MHz)

Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-51.52	-42.44	-8.45	-0.63	-25.00	-26.52
179.38	-51.57	-55.01	4.58	-1.14	-25.00	-26.57
328.76	-60.71	-64.71	5.81	-1.81	-25.00	-35.71
499.48	-58.55	-62.23	6.29	-2.61	-25.00	-33.55
776.90	-54.26	-59.50	7.50	-2.26	-25.00	-29.26
998.06	-52.13	-56.95	7.80	-2.98	-25.00	-27.13
5186.00	-51.66	-52.11	12.31	-11.86	-25.00	-26.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 446 of 510

:LTEB41 20M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :2593 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-54.01	-44.22	-9.17	-0.62	-25.00	-29.01
105.66	-52.35	-51.04	-0.43	-0.88	-25.00	-27.35
175.50	-50.78	-53.99	4.33	-1.12	-25.00	-25.78
399.57	-58.04	-61.55	5.55	-2.04	-25.00	-33.04
777.87	-55.55	-60.78	7.50	-2.27	-25.00	-30.55
999.03	-58.07	-62.90	7.81	-2.98	-25.00	-33.07
5186.00	-53.73	-54.18	12.31	-11.86	-25.00	-28.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 447 of 510

**Operation Mode** :LTEB41 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL Test Channel :2680 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-51.45	-42.37	-8.45	-0.63	-25.00	-26.45
175.50	-50.88	-54.09	4.33	-1.12	-25.00	-25.88
277.35	-57.49	-61.51	5.56	-1.54	-25.00	-32.49
322.94	-60.69	-64.74	5.82	-1.77	-25.00	-35.69
498.51	-57.84	-61.52	6.28	-2.60	-25.00	-32.84
776.90	-52.70	-57.94	7.50	-2.26	-25.00	-27.70
5360.00	-50.25	-50.97	12.42	-11.70	-25.00	-25.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 448 of 510

**Operation Mode** :LTEB41 20M QPSK RB 1,0 Test Date :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :2680 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-46.85	-37.06	-9.17	-0.62	-25.00	-21.85
105.66	-47.07	-45.76	-0.43	-0.88	-25.00	-22.07
176.47	-51.02	-54.28	4.39	-1.13	-25.00	-26.02
397.63	-58.80	-62.32	5.56	-2.04	-25.00	-33.80
776.90	-55.60	-60.84	7.50	-2.26	-25.00	-30.60
997.09	-56.34	-61.17	7.80	-2.97	-25.00	-31.34
5360.00	-52.15	-52.87	12.42	-11.70	-25.00	-27.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 449 of 510

#### Radiated Spurious Emission Measurement Result: LTE-Band 66 (The Worst Case)

**Operation Mode** :LTEB66 20M QPSK RB 1,0 Test Date :2018-12-12

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL

**Test Channel** :1720 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-51.39	-42.31	-8.45	-0.63	-13.00	-38.39
174.53	-52.00	-55.15	4.27	-1.12	-13.00	-39.00
230.79	-60.57	-64.62	5.41	-1.36	-13.00	-47.57
498.51	-58.08	-61.76	6.28	-2.60	-13.00	-45.08
776.90	-52.15	-57.39	7.50	-2.26	-13.00	-39.15
997.09	-51.62	-56.45	7.80	-2.97	-13.00	-38.62
3440.00	-55.90	-57.11	11.97	-10.76	-13.00	-42.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the provincing and within the limits of the previous of the previous provincing that the previous provincing the previous previous previous provincing the previous provincing the previous previo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 450 of 510

:LTEB66 20M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH LOW Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :1720 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
43.58	-47.49	-37.70	-9.17	-0.62	-13.00	-34.49
104.69	-47.89	-46.51	-0.50	-0.88	-13.00	-34.89
175.50	-51.48	-54.69	4.33	-1.12	-13.00	-38.48
322.94	-58.27	-62.32	5.82	-1.77	-13.00	-45.27
399.57	-59.83	-63.34	5.55	-2.04	-13.00	-46.83
776.90	-54.61	-59.85	7.50	-2.26	-13.00	-41.61
3440.00	-55.82	-57.03	11.97	-10.76	-13.00	-42.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 451 of 510

:LTEB66 20M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** :H Plan Antenna Pol. :VERTICAL Test Channel :1745 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
43.58	-51.57	-41.78	-9.17	-0.62	-13.00	-38.57
181.32	-52.44	-56.00	4.71	-1.15	-13.00	-39.44
323.91	-60.25	-64.29	5.82	-1.78	-13.00	-47.25
498.51	-58.66	-62.34	6.28	-2.60	-13.00	-45.66
776.90	-54.23	-59.47	7.50	-2.26	-13.00	-41.23
998.06	-52.50	-57.32	7.80	-2.98	-13.00	-39.50
3490.00	-56.79	-58.09	12.08	-10.78	-13.00	-43.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 452 of 510

:LTEB66 20M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH MID Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :1745 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-48.91	-39.83	-8.45	-0.63	-13.00	-35.91
105.66	-48.32	-47.01	-0.43	-0.88	-13.00	-35.32
175.50	-52.28	-55.49	4.33	-1.12	-13.00	-39.28
321.00	-58.83	-62.89	5.82	-1.76	-13.00	-45.83
400.54	-58.94	-62.46	5.56	-2.04	-13.00	-45.94
776.90	-54.73	-59.97	7.50	-2.26	-13.00	-41.73
3490.00	-57.38	-58.68	12.08	-10.78	-13.00	-44.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page 453 of 510


**Operation Mode** Test Mode **EUT Pol** 

:LTEB66 20M QPSK RB 1,0 Test Date :TX CH HIGH

:2018-12-12 Temp./Humi. :25/60 Antenna Pol. :VERTICAL

Test Channel :1770 MHz Engineer :Enzo

:H Plan



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
45.52	-53.98	-45.59	-7.76	-0.63	-13.00	-40.98
180.35	-50.73	-54.22	4.64	-1.15	-13.00	-37.73
321.00	-63.24	-67.30	5.82	-1.76	-13.00	-50.24
498.51	-59.19	-62.87	6.28	-2.60	-13.00	-46.19
776.90	-54.35	-59.59	7.50	-2.26	-13.00	-41.35
997.09	-51.62	-56.45	7.80	-2.97	-13.00	-38.62
3540.00	-55.88	-57.20	12.11	-10.79	-13.00	-42.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 454 of 510

:LTEB66 20M QPSK RB 1,0 Test Date **Operation Mode** :2018-12-12 Test Mode :TX CH HIGH Temp./Humi. :25/60

**EUT Pol** :H Plan Antenna Pol. :HORIZONTAL

Test Channel :1770 MHz Engineer :Enzo



EIRP/ERP	SG Output Lovel	Antenna	Cable	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
-56.12	-43.37	-12.16	-0.59	-13.00	-43.12
-54.01	-53.00	-0.12	-0.89	-13.00	-41.01
-50.80	-54.24	4.58	-1.14	-13.00	-37.80
-58.70	-62.73	5.57	-1.54	-13.00	-45.70
-59.63	-63.18	5.58	-2.03	-13.00	-46.63
-56.23	-61.47	7.50	-2.26	-13.00	-43.23
-55.48	-56.80	12.11	-10.79	-13.00	-42.48
	-56.12 -54.01 -50.80 -58.70 -59.63 -56.23	Output Level dBm	Output Level Gain dBi/dBd  -56.12 -43.37 -12.16 -54.01 -53.00 -0.12 -50.80 -54.24 4.58 -58.70 -62.73 5.57 -59.63 -63.18 5.58 -56.23 -61.47 7.50	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -56.12         -43.37         -12.16         -0.59           -54.01         -53.00         -0.12         -0.89           -50.80         -54.24         4.58         -1.14           -58.70         -62.73         5.57         -1.54           -59.63         -63.18         5.58         -2.03           -56.23         -61.47         7.50         -2.26	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -56.12         -43.37         -12.16         -0.59         -13.00           -54.01         -53.00         -0.12         -0.89         -13.00           -50.80         -54.24         4.58         -1.14         -13.00           -58.70         -62.73         5.57         -1.54         -13.00           -59.63         -63.18         5.58         -2.03         -13.00           -56.23         -61.47         7.50         -2.26         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 455 of 510


#### 10. FREQUENCY STABILITY MEASUREMENT

# 10.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

# 10.2. Test Set-up

## **Temperature Chamber**



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the decrease of the company's findings at the time of its intervention only and within the limits of the stream of the company is the provincing at the previous product the company is that the previous product the company is the previous product the previous product the company is the previous product the previous Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 456 of 510

## 10.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 457 of 510

### 10.4 Measurement Equipment Used

7.4. Measurement Equipment Oseu									
Condu	Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Spectrum Analyzer	Agilent	N9010A	MY51440113	2018/06/20	2019/06/19				
Radio Communication Analyer	Anritsu MT8820		6201107337	2018/06/15	2019/06/14				
DC Power Supply	Agilent	E3640A	MY53140006	2018/05/30	2019/05/29				
Attenuator	Marvelous	MVE2213-1 0	RF30	2017/12/26	2018/12/25				
Splitter	Woken	DOM35LW1 A2	RF36	2017/12/26	2018/12/25				
DC Block	PASTERNACK	PE8210	RF29	2017/12/26	2018/12/25				
Spectrum Analyzer	Agilent	N9010A	MY51440113	2018/06/20	2019/06/19				
Radio Communication Analyer	Anritsu	MT8820C	6201107337	2018/06/15	2019/06/14				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> are retained for 90 days only.

\*\*Company is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be provinced and the provinces of the company is unlawful and offereders may be provinced and offereders may be provinced a appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 458 of 510

## 10.5. Measurement Result

	WCDMA II Mid Channel 1880 MHz								
	Limit: +/- 2.5 ppm								
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)					
	FREQUENCY	ERROR vs. V	OLTAGE						
7.7	20	1879.999994	-5.999999985	4700					
7.2 (End point)	20	1880.000006	5.999999985	4700					
	FREQUENC	CY ERROR vs.	Temp.						
7.7	50	1880.000009	9.000000091	4700					
7.7	40	1880.000008	7.99999998	4700					
7.7	30	1880.000008	7.99999998	4700					
7.7	20	1879.999994	-5.999999985	4700					
7.7	10	1879.999995	-5.000000101	4700					
7.7	0	1879.999989	-11.00000009	4700					
7.7	-10	1879.999989	-11.00000009	4700					
7.7	-20	1880.000009	9.000000091	4700					
7.7	-30	1880.000009	9.000000091	4700					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> are retained for 90 days only.

\*\*Company is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.


\*\*Provinces of this document is unlawful and offereders may be prosecuted to the full last extent of the law.

\*\*Provinces of this document is unlawful and offereders may be provinced and the provinces of the company is unlawful and offereders may be provinced and offereders may be provinced a appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Page 459 of 510


WCDMA IV Mid Channel 1732.6 MHz								
Limit: +/- 2.5 ppm								
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)				
	FREQUENCY	ERROR vs. V	OLTAGE					
7.7	20	1732.600002	1.999999995	4331				
7.2 (End point)	20	1732.599995	-4.999999874	4331				
	FREQUEN	CY ERROR vs.	Temp.					
7.7	50	1732.599992	-7.99999998	4331				
7.7	40	1732.599994	-5.999999985	4331				
7.7	30	1732.600004	3.99999999	4331				
7.7	20	1732.600002	1.999999995	4331				
7.7	10	1732.599987	-12.99999985	4331				
7.7	0	1732.599999	-0.999999884	4331				
7.7	-10	1732.599989	-10.99999986	4331				
7.7	-20	1732.600004	3.99999999	4331				
7.7	-30	1732.600006	5.999999985	4331				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2






WCDMA V Mid Channel 836.6 MHz								
Limit: +/- 2.5 ppm								
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)				
	FREQUENCY	ERROR vs. V	OLTAGE					
7.7	20	836.60001	9.999999975	2091				
7.2 (End point)	20	836.599995	-4.999999987	2091				
	FREQUENC	CY ERROR vs.	Temp.					
7.7	50	836.600004	3.99999999	2091				
7.7	40	836.600003	2.999999992	2091				
7.7	30	836.6	0	2091				
7.7	20	836.60001	9.999999975	2091				
7.7	10	836.600007	6.999999982	2091				
7.7	0	836.599996	-3.99999999	2091				
7.7	-10	836.599991	-8.999999977	2091				
7.7	-20	836.599996	-3.99999999	2091				
7.7	-30	836.600001	0.999999997	2091				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2





Page 461 of 510


Reference Freq.:		B2 Mid annel	1880	MHz 20M QPSK CH 18900					
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)					
Freq. ERROR vs. VOLTAGE									
7.7	25	1880.000003	3	4700					
7.2 (End Point)	25	1880.000000	0	4700					
Freq. ERROR vs. Temp.									
7.7	-30	1880.000003	3	4700					
7.7	-20	1880.000001	1	4700					
7.7	-10	1879.999994	-6	4700					
7.7	0	1879.999995	-5	4700					
7.7	10	1879.999992	-8	4700					
7.7	20	1879.999988	-12	4700					
7.7	30	1880.000000	0	4700					
7.7	40	1879.999997	-3	4700					
7.7	50	1879.999998	-2	4700					
Reference Freq.:		B4 Mid annel	1732.5	MHz 20M QPSK CH 20175					
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)					
	F	req. ERROR vs	. VOLTAGE						
7.7	25	1732.499985	-15	4331					
7.2 (End Point)	25	1732.499995	-5	4331					
		Freq. ERROR	vs. Temp.						
7.7	-30	1732.499998	-2	4331					
7.7	-20	1732.499993	-7	4331					
7.7	-10	1732.500003	3	4331					
7.7	0	1732.500004	4	4331					
7.7	10	1732.499991	-9	4331					
7.7	20	1732.499986	-14	4331					
7.7	30	1732.499996	-4	4331					
7.7	40	1732.499996	-4	4331					
7.7	50	1732.499997	-3	4331					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2





Page 462 of 510

Reference Freq.:		B5 Mid annel	836.5	MHz 10M QPSK CH 20525				
Power Supply Vdc		Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
Freq. ERROR vs. VOLTAGE								
7.7	25	836.499997	-3	2091				
7.2 (End Point)	25	836.500001	1	2091				
		Freq. ERROR	vs. Temp.					
7.7	-30	836.500001	1	2091				
7.7	-20	836.499987	-13	2091				
7.7	-10	836.500000	0	2091				
7.7	0	836.499987	-13	2091				
7.7	10	836.499994	-6	2091				
7.7	20	836.500004	4	2091				
7.7	30	836.500000	0	2091				
7.7	40	836.499998	-2	2091				
7.7	50	836.499996	-4	2091				
Reference Freq.:		B7 Mid Jannel	2535	MHz 10M QPSK CH 21100				
Reference Freq.: Power Supply Vdc	Ch	annel	2535 Delta (Hz)					
•	Ch Temp. (°C)		Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
•	Ch Temp. (°C)	annel Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
Power Supply Vdc	Ch Temp.(℃)	annel Freq. (MHz) Freq. ERROR vs	Delta (Hz) . VOLTAGE	Limit = +/- 2.5 ppm (Hz)				
Power Supply Vdc 7.7 7.2	Ch Temp. (°C) I 25	Freq. (MHz) Freq. ERROR vs 2534.999990	Delta (Hz) s. VOLTAGE -10 -8	Limit = +/- 2.5 ppm (Hz)				
Power Supply Vdc 7.7 7.2	Ch Temp. (°C) I 25	annel Freq. (MHz) Freq. ERROR vs 2534.999990 2534.999992	Delta (Hz) s. VOLTAGE -10 -8	Limit = +/- 2.5 ppm (Hz)				
Power Supply Vdc  7.7  7.2  (End Point)	Ch Temp. (°C) I 25 25	req. (MHz) Freq. ERROR vs 2534.999990 2534.999992 Freq. ERROR	Delta (Hz) s. VOLTAGE -10 -8 vs. Temp.	Limit = +/- 2.5 ppm (Hz) 6338 6338				
Power Supply Vdc  7.7  7.2 (End Point)  7.7	Ch Temp. (°C)	annel Freq. (MHz) Freq. ERROR vs 2534.999990 2534.9999992 Freq. ERROR 2534.999999	Delta (Hz) 5. VOLTAGE -10 -8 vs. Temp.	Limit = +/- 2.5 ppm (Hz)  6338  6338  6338				
Power Supply Vdc  7.7  7.2 (End Point)  7.7  7.7	Ch Temp. (°C) 25 25 -30 -20	req. (MHz) Freq. (MHz) Freq. ERROR vs 2534.999990 2534.999999 Freq. ERROR 2534.999999 2534.999990	Delta (Hz) 5. VOLTAGE -10 -8 vs. Temp1 -10	Limit = +/- 2.5 ppm (Hz)  6338  6338  6338  6338  6338				
7.7 7.2 (End Point) 7.7 7.7	Ch Temp. (°C) 1 25 25 25 -30 -20 -10	req. (MHz) Freq. ERROR vs 2534.999990 2534.999999 Freq. ERROR 2534.999999 2534.999990 2534.999996	Delta (Hz)  5. VOLTAGE  -10  -8  vs. Temp.  -1  -10  -4	Limit = +/- 2.5 ppm (Hz)  6338  6338  6338  6338  6338  6338				
7.7 7.2 (End Point)  7.7 7.7 7.7 7.7 7.7 7.7	Ch Temp. (°C) 25 25 -30 -20 -10 0	req. (MHz) Freq. (MHz) Freq. ERROR vs 2534.999990 2534.999999 2534.999999 2534.999990 2534.999996 2534.999992	Delta (Hz) 5. VOLTAGE -10 -8 vs. Temp1 -10 -4 -8	Limit = +/- 2.5 ppm (Hz)  6338  6338  6338  6338  6338  6338  6338				
7.7 7.2 (End Point)  7.7 7.7 7.7 7.7 7.7 7.7 7.7	Ch Temp. (°C)	Freq. (MHz) Freq. (MHz) Freq. ERROR vs 2534.999990 2534.999999 2534.999999 2534.999990 2534.999996 2534.9999988	Delta (Hz)  5. VOLTAGE  -10  -8  vs. Temp.  -1  -10  -4  -8  -12	Limit = +/- 2.5 ppm (Hz)  6338  6338  6338  6338  6338  6338  6338  6338				
7.7 7.2 (End Point)  7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7	Ch Temp. (°C)  25  25  -30  -20  -10  0  10  20	req. (MHz) Freq. (MHz) Freq. ERROR vs 2534.999990 2534.999999 2534.999999 2534.999990 2534.999996 2534.999996 2534.999988 2535.000002	Delta (Hz)  5. VOLTAGE  -10  -8  vs. Temp.  -1  -10  -4  -8  -12  2	Limit = +/- 2.5 ppm (Hz)  6338  6338  6338  6338  6338  6338  6338  6338  6338  6338				


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2

t (886-2) 2299-3279






Reference Freq.:	LTE B12 Mid Channel		707.5	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp.(°℃)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
		Freq. ERROR vs	s. VOLTAGE	
7.7	25	707.499997	-3	1769
7.2 (End Point)	25	707.499997	-3	1769
		Freq. ERROR	vs. Temp.	
7.7	-30	707.499997	-3	1769
7.7	-20	707.500003	3	1769
7.7	-10	707.499996	-4	1769
7.7	0	707.499995	-5	1769
7.7	10	707.499986	-14	1769
7.7	20	707.500001	1	1769
7.7	30	707.500001	1	1769
7.7	40	707.499990	-10	1769
7.7	50	707.500000	0	1769

Reference Freq.:		B13 Mid annel	782	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	F	req. ERROR vs	. VOLTAGE	
7.7	25	781.999985	-15	1955
7.2 (End Point)	25	782.000003	3	1955
		Freq. ERROR	vs. Temp.	
7.7	-30	782.000001	1	1955
7.7	-20	781.999998	-2	1955
7.7	-10	782.000002	2	1955
7.7	0	781.999991	-9	1955
7.7	10	781.999991	-9	1955
7.7	20	781.999987	-13	1955
7.7	30	781.999988	-12	1955
7.7	40	781.999997	-3	1955
7.7	50	781.999996	-4	1955

t (886-2) 2299-3279

www.tw.sgs.com






LTE B14 Mid 793 MHz 10M QPSK CH 23330 Reference Freq.: Channel Delta (Hz) Power Supply Vdc Temp. (°C) Freq. (MHz) Limit = +/- 1.25 ppm (Hz)Freg. ERROR vs. VOLTAGE 25 793.000002 1983 7.7 7.2 792.999996 25 -4 1983 (End Point) Freq. ERROR vs. Temp. -30 792.999990 -10 1983 7.7 -20 7.7 792.999998 -2 1983 7.7 -10 792.999994 1983 -6 7.7 4 1983 0 793.000004 -9 7.7 10 792.999991 1983 7.7 20 792.999986 -14 1983 7.7 30 3 1983 793.000003 7.7 40 792.999992 -8 1983 50 1983 7.7 792.999993 -7

Reference Freq.:		B17 Mid annel	710	MHz 10M QPSK CH 23790		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE						
7.7	25	710.000002	2	1775		
7.2 (End Point)	25	709.999997	-3	1775		
Freq. ERROR vs. Temp.						
7.7	-30	709.999993	-7	1775		
7.7	-20	709.999995	-5	1775		
7.7	-10	710.000000	0	1775		
7.7	0	710.000001	1	1775		
7.7	10	709.999991	-9	1775		
7.7	20	709.999989	-11	1775		
7.7	30	710.000001	1	1775		
7.7	40	709.999995	-5	1775		
7.7	50	709.999988	-12	1775		

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the properties of the company's findings at the time of its intervention only and within the limits of the properties of the propertie Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Reference Freq.:	LTE B25 Mid Channel		1882.5	MHz 20M QPSK CH 26365		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE						
7.7	25	1882.499988	-12	4700		
7.2 (End Point)	25	1882.500001	1	4700		
Freq. ERROR vs. Temp.						
7.7	-30	1882.499997	-3	4700		
7.7	-20	1882.499998	-2	4700		
7.7	-10	1882.500003	3	4700		
7.7	0	1882.499992	-8	4700		
7.7	10	1882.499999	-1	4700		
7.7	20	1882.499993	-7	4700		
7.7	30	1882.499997	-3	4700		
7.7	40	1882.499993	-7	4700		
7.7	50	1882.499985	-15	4700		

Reference Freq.:		B26 Mid annel	831.5	MHz 15M QPSK CH 26865		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE						
7.7	25	831.499999	-1	2091		
7.2 (End Point)	25	831.499991	-9	2091		
Freq. ERROR vs. Temp.						
7.7	-30	831.499986	-14	2091		
7.7	-20	831.499997	-3	2091		
7.7	-10	831.499995	-5	2091		
7.7	0	831.499998	-2	2091		
7.7	10	831.499987	-13	2091		
7.7	20	831.499991	-9	2091		
7.7	30	831.499988	-12	2091		
7.7	40	831.499993	-7	2091		
7.7	50	831.499985	-15	2091		

t (886-2) 2299-3279





Reference Freq.:		TE B26 Mid annel	819	MHz 10M QPSK CH 26740		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE (LTE B26 for Part 90S)						
7.7	25	819.000003	3	2048		
7.2 (End Point)	25	818.999990	-10	2048		
, ,		Freq. ERROR	vs. Temp.			
7.7	-30	818.999987	-13	2048		
7.7	-20	819.000001	1	2048		
7.7	-10	819.000000	0	2048		
7.7	0	819.000000	0	2048		
7.7	10	818.999987	-13	2048		
7.7	20	818.999989	-11	2048		
7.7	30	819.000002	2	2048		
7.7	40	818.999987	-13	2048		
7.7	50	818.999986	-14	2048		
				=		
Reference Freq.:	LTE	B30 Mid annel	2310	MHz 10M QPSK CH 27710		
Reference Freq.: Power Supply Vdc	LTE Ch	B30 Mid annel				
	LTE Ch Temp.(℃)	B30 Mid annel	2310 Delta (Hz)	MHz 10M QPSK CH 27710 Limit = +/- 2.5 ppm (Hz)		
	LTE Ch Temp.(℃)	B30 Mid annel Freq. (MHz)	2310 Delta (Hz)	MHz 10M QPSK CH 27710 Limit = +/- 2.5 ppm (Hz)		
Power Supply Vdc	LTE Ch Temp.(℃)	B30 Mid annel Freq. (MHz) Freq. ERROR vs	2310 Delta (Hz) s. <b>VOLTAGE</b>	MHz 10M QPSK CH 27710 Limit = +/- 2.5 ppm (Hz)		
Power Supply Vdc 7.7 7.2	LTE Ch Temp. (°C)	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988	2310  Delta (Hz)  VOLTAGE  -12  -10	MHz 10M QPSK CH 27710 Limit = +/- 2.5 ppm (Hz) 6488		
Power Supply Vdc 7.7 7.2	LTE Ch Temp. (°C)	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.999990	2310  Delta (Hz)  VOLTAGE  -12  -10	MHz 10M QPSK CH 27710 Limit = +/- 2.5 ppm (Hz) 6488		
Power Supply Vdc  7.7  7.2  (End Point)	LTE Ch Temp. (℃) 1 25 25	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.999990 Freq. ERROR	2310  Delta (Hz)  VOLTAGE  -12  -10  vs. Temp.	MHz 10M QPSK CH 27710  Limit = +/- 2.5 ppm (Hz)  6488  6488		
Power Supply Vdc  7.7  7.2 (End Point)  7.7	LTE Ch Temp. (℃) 25 25	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.999990 Freq. ERROR 2309.999988	2310  Delta (Hz)  VOLTAGE  -12  -10  vs. Temp.  -12	MHz 10M QPSK CH 27710  Limit = +/- 2.5 ppm (Hz)  6488  6488		
Power Supply Vdc  7.7  7.2  (End Point)  7.7  7.7	LTE Ch Temp. (°C) 25 25 -30 -20	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.999990 Freq. ERROR 2309.999988 2310.000004	2310  Delta (Hz)  VOLTAGE  -12  -10  vs. Temp.  -12  4	MHz 10M QPSK CH 27710  Limit = +/- 2.5 ppm (Hz)  6488  6488  6488  6488		
7.7 7.2 (End Point) 7.7 7.7	LTE Ch Temp. (°C) 25 25 -30 -20 -10	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.9999990 Freq. ERROR 2309.999988 2310.000004 2309.999987	2310  Delta (Hz)  VOLTAGE  -12  -10  vs. Temp.  -12  4  -13	MHz 10M QPSK CH 27710  Limit = +/- 2.5 ppm (Hz)  6488  6488  6488  6488  6488		
7.7 7.2 (End Point) 7.7 7.7 7.7 7.7 7.7 7.7	LTE Ch Temp. (°C) 25 25 -30 -20 -10 0	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.999990 Freq. ERROR 2309.999988 2310.000004 2309.999987 2309.999987	2310  Delta (Hz)  . VOLTAGE  -12  -10  vs. Temp.  -12  4  -13  -13	MHz 10M QPSK CH 27710  Limit = +/- 2.5 ppm (Hz)  6488  6488  6488  6488  6488  6488		
7.7 7.2 (End Point)  7.7 7.7 7.7 7.7 7.7 7.7 7.7	LTE Ch Temp. (°C) 25 25 25 -30 -20 -10 0	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.999990 Freq. ERROR 2309.999988 2310.000004 2309.999987 2309.999988	2310  Delta (Hz)  VOLTAGE  -12  -10  VS. Temp.  -12  4  -13  -13  -12	MHz 10M QPSK CH 27710  Limit = +/- 2.5 ppm (Hz)  6488  6488  6488  6488  6488  6488  6488		
7.7 7.2 (End Point)  7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7	LTE Ch Temp. (°C) 25 25 -30 -20 -10 0 10 20	B30 Mid annel Freq. (MHz) Freq. ERROR vs 2309.999988 2309.999990 Freq. ERROR 2309.999988 2310.000004 2309.999987 2309.999988 2309.999988 2309.999988	2310  Delta (Hz)  . VOLTAGE  -12  -10  vs. Temp.  -12  4  -13  -13  -12  -6	MHz 10M QPSK CH 27710  Limit = +/- 2.5 ppm (Hz)  6488  6488  6488  6488  6488  6488  6488  6488		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2

t (886-2) 2299-3279

www.tw.sqs.com






Reference Freq.:		B38 Mid nannel	2595	MHz 10M QPSK CH 38000
Power Supply Vdc			Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
		Freq. ERROR vs	s. VOLTAGE	
7.7	25	2595.000004	4	6488
7.2 (End Point)	25	2595.000003	3	6488
·		Freq. ERROR	vs. Temp.	
7.7	-30	2594.999985	-15	6488
7.7	-20	2594.999986	-14	6488
7.7	-10	2595.000001	1	6488
7.7	0	2594.999987	-13	6488
7.7	10	2594.999989	-11	6488
7.7	20	2594.999995	-5	6488
7.7	30	2595.000003	3	6488
7.7	40	2594.999990	-10	6488
7.7	50	2594.999986	-14	6488
Reference Freq.:		B41 Mid annel	2593	MHz 10M QPSK CH 40620
Power Supply Vdc	Temp.(°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
		Freq. ERROR vs	VOLTAGE	·
7.7		i icq. Lititoit va	. VOLIAGE	
1.1	25	2592.999996	-4	6488
7.7 7.2 (End Point)				6488 6488
7.2	25	2592.999996	-4 2	
7.2	25	2592.999996 2593.000002	-4 2	
7.2 (End Point)	25 25	2592.999996 2593.000002 Freq. ERROR	-4 2 vs. Temp.	6488
7.2 (End Point) 7.7	25 25 -30	2592.999996 2593.000002 Freq. ERROR 2592.999986	-4 2 vs. Temp.	6488 6488
7.2 (End Point) 7.7 7.7	25 25 -30 -20	2592.999996 2593.000002 Freq. ERROR 2592.999986 2593.000001	-4 2 vs. Temp. -14 1	6488 6488 6488
7.2 (End Point) 7.7 7.7 7.7	25 25 -30 -20 -10	2592.999996 2593.000002 Freq. ERROR 2592.999986 2593.000001 2593.000001	-4 2 vs. Temp. -14 1	6488 6488 6488
7.2 (End Point) 7.7 7.7 7.7 7.7	25 25 -30 -20 -10 0	2592.999996 2593.000002 Freq. ERROR 2592.999986 2593.000001 2593.000001 2592.999995	-4 2 vs. Temp. -14 1 1 -5	6488 6488 6488 6488
7.2 (End Point) 7.7 7.7 7.7 7.7 7.7	25 25 -30 -20 -10 0	2592.999996 2593.000002 Freq. ERROR 2592.999986 2593.000001 2593.000001 2592.999995 2592.999996	-4 2 vs. Temp. -14 1 1 -5 -4	6488 6488 6488 6488 6488
7.2 (End Point) 7.7 7.7 7.7 7.7 7.7 7.7	-30 -20 -10 0 10 20	2592.999996 2593.000002 Freq. ERROR 2592.999986 2593.000001 2593.000001 2592.999995 2592.999999	-4 2 vs. Temp. -14 1 1 -5 -4 -1	6488 6488 6488 6488 6488 6488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2





Reference Freq.:	LTE B66 Mid Channel		1745	MHz 10M QPSK CH 132322			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)			
Freq. ERROR vs. VOLTAGE							
7.7	25	1744.999991	-9	6488			
7.2 (End Point)	25	1744.999990	-10	6488			
Freq. ERROR vs. Temp.							
7.7	-30	1744.999992	-8	6488			
7.7	-20	1744.999998	-2	6488			
7.7	-10	1744.999998	-2	6488			
7.7	0	1745.000004	4	6488			
7.7	10	1744.999996	-4	6488			
7.7	20	1744.999991	-9	6488			
7.7	30	1745.000000	0	6488			
7.7	40	1744.999999	-1	6488			
7.7	50	1744.999994	-6	6488			

Note: The battery is rated 7.7Vdc.