

Page 1 of 19

# **ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**

HP Inc. Applicant:

1501 Page Mill Road, Palo Alto CA 94304 USA

**Product Name: Notebook Computer** 

**Brand Name:** HP

HSN-I41C Model No.:

**Model Difference:** N/A

ER/2020/80145 **Report Number:** FCC ID: B94HNI41CTKR

**FCC Rule Part:** 2, 96E

**Issue Date:** Oct. 28, 2020

Date of Test: Aug. 31, 2020 ~ Sep. 30, 2020

**Date of EUT Received:** Aug. 31, 2020

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this partial report relate only to the tested sample identified in this report.

Approved By:

Jim Chang / Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format Inis occument is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw

f (886-2) 2298-0488



Page 2 of 19

Revision History					
Report Number	Revision	Description	Issue Date	Remark	
ER/2020/80145	Rev.00	Original.	Oct. 28, 2020	Revised By: Karen Huang	

### Note:

### 1 · Disclaimer

Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page 3 of 19

# **Contents**

1.	GENERAL PRODUCT INFORMATION	4
2.	SYSTEM TEST CONFIGURATION	7
3.	SUMMARY OF TEST RESULTS	9
4.	DESCRIPTION OF TEST MODES	10
5.	MEASUREMENT UNCERTAINTY	. 11
	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.



Page 4 of 19

### **GENERAL PRODUCT INFORMATION**

#### 1.1. **Product Description**

### General:

ia.					
Product Name:	Notebook Computer				
Brand Name:	HP				
Model No.:	HSN-I41C				
Model Difference:	N/A				
Hardware Version:	N/A				
Software Version:	N/A				
WWAN Module:	Model No.: T99W175, Supplier: HON LIN Technology Co., Ltd.				
	11.55Vdc from Rechargeable Li-ion Battery or 5V / 9V / 12V / 15V / 20V from AC/DC Adapter				
Power Supply:	Battery: Model No.: HSTNN-LB8Q, Supplier: HP				
	Adapter: Model No.: TPN-CA21, Supplier: Chicony				
IMEI:	356081110	356081110008406			

#### 1.2. LTE: Cellular Phone Standards Frequency Range 3500~3700MHz

LTE Band	BW (MHz)	Operatio (I	n Fre MHz)	
	5	3552.5	-	3597.5
42	10	3555.0	-	3592.5
42	15	3557.5	-	3585.0
	20	3560.0	-	3575.0
	5	3552.5	-	3697.5
48	10	3555.0	-	3695.0
40	15	3557.5	-	3692.5
	20	3560.0	-	3690.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page 5 of 19

#### 1.3. **Antenna Designation**

Vendor	Туре	TX1 / TX2	Antenna Part No.	Modulation	Frequency (MHz)	Peak Antenna Gain (dBi)
AWAN	PIFA	TV2	6036B0281501 (AUP6Y-100070)	LTE Band 42	3400 ~ 3600	-2.7
AWAIN	FIFA	IAZ	0030B0201301 (AUP01-100070)	LTE Band 48	3550 ~ 3700	-4.35

Vendor	Туре	TX1 / TX2	Antenna Part No.	Modulation	Frequency (MHz)	Peak Antenna Gain (dBi)
HONG-BO	PIFA	TX2	6036B0278701 (260-27437)	LTE Band 42	3400 ~ 3600	-1.44
TIONG-BO	FILA	1 / / 2	003080278701 (200-27437)	LTE Band 48	3550 ~ 3700	-2.26

Vendor	Туре	TX1 / TX2	Antenna Part No.	Modulation	Frequency (MHz)	Peak Antenna Gain (dBi)
WNC	PIFA	TX2	6036B0277201 (81EABD15.G04)	LTE Band 42	3400 ~ 3600	-2.6
VVIVC	FIFA	1 / / /	003000277201 (61EADD13.G04)	LTE Band 48	3550 ~ 3700	-1.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.



Page 6 of 19

## Test Methodology of Applied Standards

FCC 47 CFR Part 2, Part 96E

ANSI C63.26-2015

ANSI/ITA C603-E.2016

KDB 971168 D01 Power Meas license Digital System v03r01

KDB 940660 D01 Part 96 CBRS Eqpt v02

KDB 412172 D01 Determining ERP and EIRP V01r01

Note: All test items have been performed and record as per the above standards.

#### 1.5. Test Facility

SGS Taiwan Ltd. Central RF Lab (TAF code 3702)

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City,

Taiwan 24803

FCC Registration Numbers: TW0027

#### **Special Accessories** 1.6.

No special accessories were used during testing.

#### **Equipment Modifications** 1.7.

There were no modifications incorporated into the EUT.

#### Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz 1.8.

Radiated emission below 30MHz is measured in a 9m\*9m\*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

t (886-2) 2299-3279 f (886-2) 2298-0488



Page 7 of 19

### SYSTEM TEST CONFIGURATION

## **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2.

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

#### **Test Procedure** 2.3.

### 2.3.1 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this handheld transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page 8 of 19

#### 2.4. **Configuration of Tested System**

Fig. 2-1 Configuration of Tested System (Fixed Channel-Radiated)



MT8821C

**Table 2-1 Equipment Used in** 

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyzer	Anritsu	MT8821C	6261786084	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page 9 of 19

# 3. SUMMARY OF TEST RESULTS

### 3.1. Decision rules

Reported measurement data comply with ANSI C63.26-2015:

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

# 3.2. Summary of test results

FCC Rules	Description Of Test	Result
§2.1053,	FIELD STRENGTH OF SPURI-	Compliant
§96.41(e)	OUS RADIATION	Compliant

# 3.3. Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page 10 of 19

### 4. DESCRIPTION OF TEST MODES

### . The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. The LTE B42 & 48 are operating in a same frequency range with same technology, observation upon both bands that result same emission level, therefore, LTE B48 is demonstrated in this report to cover LTE B42.
- 3. The field strength of radiation emission was measured as NB Plane for Transmitter for channel Low, Mid and High.

# 4.2. Measurement Configuration

LTE Band	Test Channel	Channel Band- width	Modula- tion	Resource Block	Γ	Antenna Type
		(MHz)		RBs allocated	RB Start	
48	L,M,H	20	QPSK	1	0	WNC

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page 11 of 19

# **MEASUREMENT UNCERTAINTY**

Test Items	Uncertainty
Maximum Power Output	+/- 1.10 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

# Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
Magaziramantungantaintu	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty (Polarization : <b>Vertical</b> )	180MHz -417MHz: +/- 3.19dB
(i dianzadori : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

Measurement uncertainty (Polarization : <b>Horizontal</b> )	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 167MHz: +/- 4.22dB
	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

With a part of the provided by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemfification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page 12 of 19

# FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT


#### 6.1. Standard Applicable

FCC Part 2.1053, Part 96.41, C63.26 Clause 5.7


- within 0 MHz to 10 MHz above and below the **assigned channel** ≤ -13 dBm/MHz
- 2. greater than 10 MHz above and below the **assigned channel** ≤ -25 dBm/MHz
- 3. any emission below 3530 MHz and above 3720 MHz ≤ -40 dBm/MHz

#### 6.2. **EUT Setup**

Radiated Emission Test Set-Up, Frequency Below 1000MHz



## Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

台灣檢驗科技股份有限公司



Page 13 of 19

### 6.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB) EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

### 6.4. Measurement Equipment Used:

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2019	12/24/2020				
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/20/2019	12/19/2020				
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT- N0555	01/13/2020	01/12/2021				
Spectrum Analyzer	Agilent	E4446A	MY51100003	10/23/2019	10/22/2020				
Radio Communication Analyer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021				
EMI Test Receiver	R&S	ESCI 7	100759	07/13/2020	07/12/2021				
Pre-Amplifier	EMC Instruments	EMC184045B	980135	01/02/2020	01/01/2021				
Pre-Amplifier	EMC Instruments	EMC051825	980152	01/02/2020	01/01/2021				
Pre-Amplifier	HP	8447D	2944A09469	01/02/2020	01/01/2021				
Filter 635-920	Micro-Tronics	WI	4	01/02/2020	01/01/2021				
Filter 800-1000	Micro-Tronics	EWT	M1	01/02/2020	01/01/2021				
Filter 1700-2000	Micro-Tronics	EWT	M3	01/02/2020	01/01/2021				
Filter 2240-2700	Micro-Tronics	WI	2	01/02/2020	01/01/2021				
Filter 3300-3800	Micro-Tronics	WI	1	01/02/2020	01/01/2021				
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2020	01/01/2021				
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2020	01/01/2021				
High Pass Filter	WI	WHKX4.0/18G- 10SS	22	01/02/2020	01/01/2021				
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	01/02/2020	01/01/2021				
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	01/02/2020	01/01/2021				
Coaxial Cable	Huber Suhner	EMC 104-SM-SM- 2000	160123	01/02/2020	01/01/2021				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page 14 of 19

### 6.5. Measurement Result:


Report Number :ER/2020/80145 Test Site :SAC I Chamber

Operation Mode :LTE B48 Test Date :2020-09-17

Test Mode :Tx CH Low Temp./Humi. :25.0/69

EUT Pol :NB Plane Antenna Pol. :VERTICAL

Test Frequency :3560 MHz Engineer :Neo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
61.04	-74.60	-59.24	-14.61	-0.75	-40.00	-34.60
99.84	-67.57	-60.61	-6.01	-0.95	-40.00	-27.57
190.05	-73.33	-69.12	-2.94	-1.27	-40.00	-33.33
217.21	-68.38	-65.27	-1.74	-1.37	-40.00	-28.38
243.40	-65.04	-61.81	-1.74	-1.49	-40.00	-25.04
318.09	-71.24	-68.06	-1.54	-1.64	-40.00	-31.24
7120.00	-42.90	-45.76	11.22	-8.36	-40.00	-2.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角成界 \* L軟石管紀末世到规成之株血理具 \* 同時以株血理体围列及 \* 年報日不整本公司管固正可 \* 不可能力度製 \* This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page 15 of 19


Report Number :ER/2020/80145 Test Site :SAC I Chamber

Operation Mode :LTE B48 Test Date :2020-09-17

Test Mode :Tx CH Low Temp./Humi. :25.0/69

EUT Pol :NB Plane Antenna Pol. :HORIZONTAL

Test Frequency :3560 MHz Engineer :Neo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
93.05	-73.55	-67.08	<b>-</b> 5.55	-0.92	-40.00	-33.55
119.24	-73.41	-65.03	-7.32	-1.06	-40.00	-33.41
180.35	-72.23	-66.83	-4.17	-1.23	-40.00	-32.23
217.21	-68.05	-64.94	-1.74	-1.37	-40.00	-28.05
243.40	-66.25	-63.02	-1.74	-1.49	-40.00	-26.25
318.09	-71.04	-67.86	-1.54	-1.64	-40.00	-31.04
7120.00	-43.30	-46.16	11.22	-8.36	-40.00	-3.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page 16 of 19

Report Number :ER/2020/80145 **Test Site** :SAC I Chamber

**Operation Mode** :2020-09-17 :LTE B48 **Test Date** 

Test Mode :Tx CH Mid Temp./Humi. :25.0/69 **EUT Pol** :VERTICAL :NB Plane Antenna Pol.

**Test Frequency** :3625 MHz Engineer :Neo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
59.10	-74.15	-58.24	-15.18	-0.73	-40.00	-34.15
99.84	-67.99	-61.03	-6.01	-0.95	-40.00	-27.99
190.05	-73.13	-68.92	-2.94	-1.27	-40.00	-33.13
217.21	-68.42	-65.31	-1.74	-1.37	-40.00	-28.42
243.40	-63.52	-60.29	-1.74	-1.49	-40.00	-23.52
291.90	-70.87	-67.45	-1.80	-1.62	-40.00	-30.87
7250.00	-44.09	-46.64	11.10	-8.55	-40.00	-4.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

prosecuted to the fullest extent of the law.



Page 17 of 19


Report Number :ER/2020/80145 Test Site :SAC I Chamber

Operation Mode :LTE B48 Test Date :2020-09-17

Test Mode :Tx CH Mid Temp./Humi. :25.0/69

EUT Pol :NB Plane Antenna Pol. :HORIZONTAL

Test Frequency :3625 MHz Engineer :Neo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
99.84	-73.70	-66.74	-6.01	-0.95	-40.00	-33.70
118.27	-73.22	-64.86	-7.30	-1.06	-40.00	-33.22
190.05	-71.85	-67.64	-2.94	-1.27	-40.00	-31.85
217.21	-67.91	-64.80	-1.74	-1.37	-40.00	-27.91
243.40	-66.29	-63.06	-1.74	-1.49	-40.00	-26.29
311.30	-70.21	-67.02	-1.59	-1.60	-40.00	-30.21
7250.00	-43.81	-46.36	11.10	-8.55	-40.00	-3.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



**Test Frequency** 

Report No.: ER/2020/80145

Page 18 of 19

:Neo

Engineer

Report Number :ER/2020/80145 Test Site :SAC I Chamber


Operation Mode :LTE B48 Test Date :2020-09-17

Test Mode :Tx CH High Temp./Humi. :25.0/69

EUT Pol :NB Plane Antenna Pol. :VERTICAL



:3690 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
61.04	-74.30	-58.94	-14.61	-0.75	-40.00	-34.30
99.84	-68.39	-61.43	-6.01	-0.95	-40.00	-28.39
187.14	-73.56	-69.03	-3.27	-1.26	-40.00	-33.56
217.21	-68.47	-65.36	-1.74	-1.37	-40.00	-28.47
243.40	-63.94	-60.71	-1.74	-1.49	-40.00	-23.94
316.15	-71.02	-67.84	-1.55	-1.63	-40.00	-31.02
7380.00	-43.82	-46.34	11.02	-8.50	-40.00	-3.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 19 of 19


Report Number :ER/2020/80145 Test Site :SAC I Chamber

Operation Mode :LTE B48 Test Date :2020-09-17

Test Mode :Tx CH High Temp./Humi. :25.0/69

EUT Pol :NB Plane Antenna Pol. :HORIZONTAL

Test Frequency :3690 MHz Engineer :Neo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
97.90	-73.62	-66.89	-5.79	-0.94	-40.00	-33.62
117.30	-72.95	-64.56	-7.34	-1.05	-40.00	-32.95
180.35	-72.77	-67.37	-4.17	-1.23	-40.00	-32.77
190.05	-72.71	-68.50	-2.94	-1.27	-40.00	-32.71
217.21	-68.30	-65.19	-1.74	-1.37	-40.00	-28.30
243.40	-66.94	-63.71	-1.74	-1.49	-40.00	-26.94
7380.00	-42.73	-45.25	11.02	-8.50	-40.00	-2.73

### ~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。