

Page: 1 of 86

FCC SDoC REPORT **ISED ICES-003 TEST REPORT**

Test Report No. : T200803L04-F

Applicant : INVENTEC CORPORATION

Address : 66 Hou-Kang st., Shih-Lin District, Taipei, Taiwan,

R.O.C.

Manufacturer : INVENTEC CORPORATION

Address : 66 Hou-Kang st., Shih-Lin District, Taipei, Taiwan,

R.O.C.

Equipment Under Test (EUT):

Product Name : Notebook Computer

Brand Name : HP

Model No. : HSN-I42C

Added Model(s) : N/A

Standards : FCC Part 15 Subpart B, Class B

ISED ICES-003 Issue 6: 2016, Class B

Date of Sample Receipt : Sep. 09, 2020

Date of Test : Sep. 09 ~ 11, 2020

Date of Issue : Sep. 18, 2020

Test Result: **PASS**

In the configuration tested, the EUT complied with the standards specified above.

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of Compliance Certification Services Inc. or testing done by Compliance Certification Services Inc. in connection with distribution or use of the product described in this report must be approved by Compliance Certification Services Inc. in writing.

Approved By:

Dex Chiang Hex Chiang (Asst. Section Manager)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) leader and such sample(s) leade Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com

Sep. 18, 2020



Page: 2 of 86

| Revision History | | | | | | | |
|------------------|-------------|---------------|--------------|--|--|--|--|
| Revision | Description | Issue Date | Remark | | | | |
| 00 | Original | Sep. 18, 2020 | T200803L04-F | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 www.ccsrf.com



Page: 3 of 86

Contents

| 1. GENE | RAL INFORMATION | 4 |
|----------|---|----|
| 1.1 | APPLICANT & MANUFACTURER INFORMATION | 4 |
| 1.2 | GENERAL DESCRIPTION OF EUT | 4 |
| 1.3 | DETAILS OF EUT | 5 |
| 1.4 | THE WORST CASE OF THE EUT | 10 |
| 1.5 | DESCRIPTION OF SUPPORT UNITS | 11 |
| 1.6 | OPERATION PROCEDURE | 14 |
| 1.7 | MODIFICATION LIST | 14 |
| 1.8 | TEST SET-UP CONFIGURATION | 15 |
| 1.9 | ACCESSORIES CABLE LIST | 15 |
| 1.10 | MEASUREMENT PROCEDURE | 17 |
| 1.11 | STANDARDS APPLICABLE FOR TESTING | 17 |
| 1.12 | DECISION RULES OF RESULTS | 18 |
| 1.13 | SUMMARY OF RESULTS | 18 |
| 1.14 | REPORTING STATEMENTS OF CONFORMITY | 18 |
| 2. EMISS | SION | 19 |
| 2.1 | TEST RESULTS | 19 |
| 2.2 | FREQUENCY RANGE | 19 |
| 2.3 | LIMITS OF CONDUCTED AND RADIATED EMISSION | 20 |
| 2.3.1 | LIMITS OF CONDUCTED EMISSION | 20 |
| 2.3.2 | LIMITS OF RADIATED EMISSIONS | 20 |
| 2.4. | TEST OF CONDUCTED EMISSION | 22 |
| 2.4.1 | TEST EQUIPMENTS | 22 |
| 2.4.2 | MEASUREMENT LEVEL CALCULATION | 22 |
| 2.4.3 | MEASUREMENT DATA: | 23 |
| 2.5 | TEST OF RADIATED EMISSION | 27 |
| 2.5.1 | TEST EQUIPMENTS | 27 |
| 2.5.2 | MEASUREMENT LEVEL CALCULATION | 28 |
| 2.5.3 | MEASUREMENT DATA | 29 |
| 3. PHOT | OGRAPHS OF TEST | 41 |
| 4. PHOT | OGRAPHS OF PRODUCT | 47 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 4 of 86

1. General Information

Applicant & Manufacturer Information

: INVENTEC CORPORATION **Applicant**

: 66 Hou-Kang st., Shih-Lin District, Taipei, Taiwan, R.O.C. Address

· INVENTEC CORPORATION Manufacturer

: 66 Hou-Kang st., Shih-Lin District, Taipei, Taiwan, R.O.C. Address

1.2 **General Description of EUT**

Product Name : Notebook Computer

Brand Name : HP

Model No. : HSN-I42C

Added Model(s) : N/A Variant Description: N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 5 of 86

Details of EUT

| EUT Power Rating | AC 100 ~ 240V | | | | |
|-----------------------------|--|----------|--|--|--|
| Highest operate description | 3.0GHz | | | | |
| Power Adapter | Chicony (hp) | TPN-CA10 | | | |
| | | TPN-CA14 | | | |
| | | TPN-CA15 | | | |
| | | TPN-CA16 | | | |
| | | TPN-CA17 | | | |
| | | TPN-CA21 | | | |
| | Acbel (hp) | TPN-AA05 | | | |
| | | TPN-AA06 | | | |
| | Lite-on (hp) | TPN-LA12 | | | |
| | | TPN-LA15 | | | |
| | | TPN-LA16 | | | |
| | | TPN-LA17 | | | |
| | Delta (hp) | TPN-DA16 | | | |
| | | TPN-DA17 | | | |
| | | TPN-DA20 | | | |
| | | TPN-DA22 | | | |
| | Artesyn (hp) | TPN-TA02 | | | |
| | Honor (hp) | TPN-HA01 | | | |
| Adapter Power Rating | For TPN-CA10; TPN-LA12 I/P: 100-240Vac, 50-60Hz, 1.6A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A For TPN-CA14; TPN-CA15; TPN-AA05; TPN-DA16; TPN-DA22 I/P: 100-240Vac, 50-60Hz, 1.4A O/P: 19.5Vdc, 2.31A For TPN-CA16; TPN-CA17; TPN-AA06; TPN-LA16; | | | | |
| | | | | | |
| | TPN-LA17; TPN-DA17 I/P: 100-240Vac, 50-60Hz, 1.7A O/P: 19.5Vdc, 3.33A | | | | |
| | For TPN-DA20 I/P: 100-240Vac, 50-60Hz, 1.7A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A | | | | |



Page: 6 of 86

| Adapter Power Rating | I/P: 100-240Va O/P: 19.5Vdc, | For TPN-LA15 I/P: 100-240Vac, 50-60Hz, 1.1A O/P: 19.5Vdc, 2.31A | | | | |
|----------------------|---------------------------------|--|--|--|--|--|
| | I/P: 100-240Va | 1 ; TPN-TA02 ; TPN-HA01 ac, 50/60Hz, 1.6A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 25A | | | | |
| AC Power Cord Type | Shielded, 1.8m | n (Detachable) to Power Adaptor | | | | |
| DC Power Cable Type | Non-shielded, | 1.8m (Non-Detachable) to Power Adapter | | | | |
| Memory | DDR 4 3200M | Hz (8GB/16GB/32GB) | | | | |
| Main Board (TGL) | Inventec | 6050A3219701 | | | | |
| CPU | Intel | i5-1135G7 2.4GHz | | | | |
| | | i5-1145G7 2.6GHz | | | | |
| | | i7-1165G7 2.8GHz | | | | |
| | | i7-1185G7 3.0GHz | | | | |
| 13.3" LCD Panel | AUO | B133HAN05.H | | | | |
| | | B133HAN06.7 | | | | |
| | BOE | NV133FHM-N4T | | | | |
| | LGD | LP133WF9 | | | | |
| | IVO | X133NVFF | | | | |
| Touch Screen | GIS | 9AN13317-001 | | | | |
| | | 9AN13317-011 | | | | |
| | | 9AN13317-021 | | | | |
| | TPK | T08ALC13317HA | | | | |
| | | T08ALC13317HB | | | | |
| | | T08ALC13318HA | | | | |
| eMMC | Hynix | H26M62002JPR (32GB) | | | | |
| | Kingston | EMMC32G-TB29 (32GB) | | | | |
| | Ramaxel | RETMEDB32GSBB (32GB) | | | | |
| | SanDisk | SDINBDA4-32G-V (32GB) | | | | |
| SSD | Samsung | MZVLQ128HBHQ-000H1 (128GB) | | | | |
| | | MZVLB256HBHQ-000H1 (256GB) | | | | |
| | | MZVLQ256HAJD-000H1 (256GB) | | | | |
| | | MZVLB256HBHQ-000H7 (256GB) | | | | |



Page: 7 of 86

| SSD | Samsung | MZVLB512HBJQ-000H1 (512GB) | | | |
|-----|-----------------|--------------------------------|--|--|--|
| | | MZVLQ512HALU-000H1 (512GB) | | | |
| | | MZVLB512HBJQ-000H7 (512GB) | | | |
| | | MZVLB1T0HBLR-000H1 (1TB) | | | |
| | | MZVLB2T0HALB-000H1 (2TB) | | | |
| | Kioxia | KBG40ZNV128G (128GB) | | | |
| | | KXG60ZNV256G (256GB) | | | |
| | | KBG40ZNV256G (256GB) | | | |
| | | KXG6AZNV256G (256GB) | | | |
| | | KXG60ZNV512G (512GB) | | | |
| | | KBG40ZNV512G (512GB) | | | |
| | 565 | KXG6AZNV512G (512GB) | | | |
| | | KXG60ZNV1T02 (1TB) | | | |
| | | KXG60PNV2T04 (2TB) | | | |
| | Intel | SSDPEKNW512G8H (512GB) | | | |
| | | HBRPEKNX0202AH (512GB) | | | |
| | Western Digital | SDAPNUW-128G-1006 (128GB) | | | |
| | | SDBPNTY-256G-1006 (256GB) | | | |
| | | SDBPNPZ-256G-1006 (256GB) | | | |
| | | SDBQNTY-256G-1006 (256GB) | | | |
| | | SDBPNTY-512G-1006 (512GB) | | | |
| | | SDBPNPZ-512G-1006 (512GB) | | | |
| | C C C C C | SDBQNTY-512G-1006 (512GB) | | | |
| | | SDBPNTY-1T00-1006 (1TB) | | | |
| | Hynix | HFM128GD3JX013N (128GB) | | | |
| | | HFS256GD9TNG-L2A0A (256GB) | | | |
| | | HFM256GDJTNI-82A0A (256GB) | | | |
| | | HFM256GD3JX013N (256GB) | | | |
| | | HFS512GD9TNG-L2A0A (512GB) | | | |
| | | HFM512GDJTNI-82A0A (512GB) | | | |
| | | HFM512GD3JX013N (512GB) | | | |
| | | HFS001TD9TNG-L2A0A (1TB) | | | |
| | Micron | MTFDHBA256TDV-1AY1AABHA (256GB | | | |



Page: 8 of 86

| SSD | Micron | MTFDHBA512TDV-1AZ1AABHA (512GB) | | | | |
|------------------------------|-------------|---------------------------------|--|--|--|--|
| | | MTFDHBA512QFD-1AX1AABHA (512GB) | | | | |
| | | MTFDHBA1T0TDV-1AZ1AABHA (1TB) | | | | |
| | SSSTC | CL1-8D128-HP (128GB) | | | | |
| Battery Pack | Simplo (hp) | HSTNN-IB9G | | | | |
| | LGChem (hp) | HSTNN-LB8R | | | | |
| Wireless LAN+Bluetooth Combo | Intel | AX201NGW | | | | |
| NFC | WNC | XRAV-1 | | | | |
| WWAN | Fibocom | L850-GL | | | | |
| | Foxconn | T99W175 | | | | |
| CCD | Chicony | CKFJH2321004332LH | | | | |
| | 5 (2-5) | CNFJH4521004330LH | | | | |
| | Luxvisions | 9BF112N3 | | | | |
| | | 9SF120N3 | | | | |
| | | 9SF121N3 | | | | |
| | TFC | YHKM | | | | |
| | | YHSC-1 | | | | |
| | | YHSD-1 | | | | |



Page: 9 of 86

Dro toot Mode

| <u> </u> | re-test Mode | | | | | | | | | | | | | |
|----------|------------------------------|-----------------------------|---------------------|----------------------|--|---------------------------|-------------------|---------------|--------------------|----------------------------------|--------------------------|--------------------------|---------|--------------------------|
| Mode | CPU | Memory | Panel | Touch Screen | SSD | Battery | WLAN+BT | NFC | WWAN | CCD | Adapter | Main Board | Docking | Adapter (Suppor Unit) |
| 1 | Intel i5-1135G7 2.4GHz | 8GB + 8GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-001 | Samsung MZVLQ128HBHQ- 000H1 (128GB) | Simplo (hp) HSTNN-IB9G | Intel AX201NGW | WNC XRAV-1 | Fibocom L850-GL | Chicony CNFJH452100 4330LH | Chicony (hp) TPN-CA10 | Inventec 6050A3219701 | N/A | N/A |
| 2 | Intel i5-1145G7 2.6GHz | 8GB + 16GB DDR4 3200MHz | AUO B133HAN06.7 | GIS 9AN13317-011 | Samsung MZVLB256HBHQ- 000H1 (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | Chicony CKFJH232100 4330LH | Chicony (hp) TPN-CA14 | Inventec 6050A3219701 | N/A | N/A |
| 3 | Intel i7-1165G7 2.8GHz | 8GB + 32GB DDR4 3200MHz | BOE NV133FHM-N4T | GIS 9AN13317-021 | Samsung MZVLQ256HAJD- 000H1 (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | Luxvisions 9BF112N3 | Chicony (hp) TPN-CA15 | Inventec 6050A3219701 | N/A | N/A |
| 4 | Intel i7-1185G7 3.0GHz | 16GB + 16GB DDR4 3200MHz | IVO X133NVFF | TPK T08ALC13317HA | Samsung MZVLB256HBHQ- 000H7 (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | Luxvisions 9SF120N3 | Chicony (hp) TPN-CA16 | Inventec 6050A3219701 | N/A | N/A |
| 5 | Intel i7-1185G7 3.0GHz | 16GB + 32GB DDR4 3200MHz | LGD LP133WF9 | TPK T08ALC13317HB | Samsung MZVLB512HBJQ- 000H1 (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | Luxvisions 9SF121N3 | Chicony (hp) TPN-CA17 | Inventec 6050A3219701 | N/A | N/A |
| 6 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | TPK T08ALC13318HA | Samsung MZVLQ512HALU- 000H1 (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHKM | Chicony (hp) TPN-CA21 | Inventec 6050A3219701 | N/A | N/A |
| 7 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Samsung MZVLB512HBJQ- 000H7 (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Acbel (hp) TPN-AA05 | Inventec 6050A3219701 | N/A | N/A |
| 8 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Samsung MZVLB1T0HBLR- 000H1 (1TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSD-1 | Acbel (hp) TPN-AA06 | Inventec 6050A3219701 | N/A | N/A |
| 9 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Samsung MZVLB2T0HALB- 000H1 (2TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA12 | Inventec 6050A3219701 | N/A | N/A |
| 10 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KBG40ZNV128G (128GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA15 | Inventec 6050A3219701 | N/A | N/A |
| 11 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KXG60ZNV256G (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 12 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KBG40ZNV256G (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA17 | Inventec 6050A3219701 | N/A | N/A |
| 13 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KXG6AZNV256G (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Delta (hp) TPN-DA16 | Inventec 6050A3219701 | N/A | N/A |
| 14 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KXG60ZNV512G (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Delta (hp) TPN-DA17 | Inventec 6050A3219701 | N/A | N/A |
| 15 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KBG40ZNV512G (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Delta (hp) TPN-DA20 | Inventec 6050A3219701 | N/A | N/A |
| 16 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KXG6AZNV512G (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Delta (hp) TPN-DA22 | Inventec 6050A3219701 | N/A | N/A |
| 17 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KXG60ZNV1T02 (1TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Artesyn (hp) TPN-TA02 | Inventec 6050A3219701 | N/A | N/A |
| 18 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KXG60PNV2T04 (2TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Honor (hp) TPN-HA01 | Inventec 6050A3219701 | N/A | N/A |
| 19 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Intel SSDPEKNW512G8H (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 20 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Intel HBRPEKNX0202AH (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 21 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDAPNUW-128G- 1006 (128GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 22 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBPNTY-256G- 1006 (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 23 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBPNPZ-256G- 1006 (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 24 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBQNTY-256G- 1006 (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 25 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBPNTY-512G- 1006 (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 26 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBPNPZ-512G- 1006 (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 27 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBQNTY-512G- 1006 (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 28 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBPNTY-1T00- 1006 (1TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 29 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFM128GD3JX013N (128GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 30 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFS256GD9TNG- L2A0A (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 31 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFM256GDJTNI- 82A0A (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 32 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFM256GD3JX013N (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 33 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFS512GD9TNG- L2A0A (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 34 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFM512GDJTNI- 82A0A (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |



Page: 10 of 86

| Mode | CPU | Memory | Panel | Touch Screen | SSD | Battery | WLAN+BT | NFC | WWAN | CCD | Adapter | Main Board | Docking | Adapter (Suppor Unit) |
|------|------------------------------|-----------------------------|--------------------|---------------------|--|---------------------------|-------------------|---------------|--------------------|---------------|--------------------------|--------------------------|----------------|--------------------------|
| 35 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFM512GD3JX013N (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 36 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Hynix HFS001TD9TNG- L2A0A (1TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 37 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Micron MTFDHBA256TDV- 1AY1AABHA (256GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 38 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Micron MTFDHBA512TDV- 1AZ1AABHA (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 39 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Micron MTFDHBA512QFD- 1AX1AABHA (512GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 40 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Micron MTFDHBA1T0TDV- 1AZ1AABHA (1TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 41 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | SSSTC CL1-8D128-HP (128GB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 42 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Kioxia KXG60PNV2T04 (2TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | N/A | N/A |
| 43 | Intel i7-1185G7 3.0GHz | 32GB + 32GB DDR4 3200MHz | AUO B133HAN05.H | GIS 9AN13317-021 | Western Digital SDBPNTZ-2T00- 1106 (2TB) | LGChem (hp) HSTNN-LB8R | Intel AX201NGW | WNC XRAV-1 | Foxconn T99W175 | TFC YHSC-1 | Lite-on (hp) TPN-LA16 | Inventec 6050A3219701 | HP HSN-IX01 | Delta (hp) TPN-DA12 |

The worst case of the EUT

EUT will be carried out in the worst case as followings:

| Worst Case | |
|---------------|--------------------------------------|
| CE | Mode 42, 43 (1920 x 1080 Resolution) |
| Below 1GHz RE | Mode 42, 43 (1920 x 1080 Resolution) |
| Above 1GHz RE | Mode 42, 43 (1920 x 1080 Resolution) |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com



Page: 11 of 86

Description of Support Units

Mode 42:

| DDODUOT | MANUELOTUBED | MODEL NO | OFFILM NO | | |
|--|--------------|-------------|--------------|--|--|
| PRODUCT | MANUFACTURER | MODEL NO. | SERIAL NO. | | |
| LCD Monitor ASUS | | MX27U | N/A | | |
| LCD Monitor | ASUS | MX27U | N/A | | |
| Earphone | Lenovo | GS-4021M | 57Y4488 | | |
| HDD | WD | My Passport | WXE1E84CVPPA | | |
| HDD | WD | My Passport | WXA1AA4DRYDJ | | |
| Mouse | Logitech | M-U0026 | N/A | | |
| Notebook PC (Remote) | Lenovo | TP00096C | SPP0R39691 | | |
| Wireless AP (Remote) | ASUS | RT-AX88U | L41THP000064 | | |
| Universal Radio Communication (Remote) | R&S | CMW 500 | N/A | | |
| GPS Simulator (Remote) | IFR | GPS-101 | N/A | | |
| IC Card | N/A | N/A | N/A | | |
| SIM Card | VIBO | N/A | N/A | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 12 of 86

Mode 43:

| PRODUCT | MANUFACTURER | MODEL NO. | SERIAL NO. | | |
|--|--------------|-------------|---------------------------------|--|--|
| LCD Monitor | DELL | P2418HT | CN-08P1KT-WS200-8AL EDTL-A08 | | |
| LCD Monitor | ASUS | MX27U | N/A | | |
| LCD Monitor | ASUS | MX27U | N/A | | |
| Earphone | Lenovo | GS-4021M | 57Y4488 | | |
| Earphone | Lenovo | GS-4021M | 57Y4488 | | |
| HDD | WD | My Passport | WXE1E84CVPPA | | |
| HDD | WD | My Passport | WXA1AA4DRYDJ | | |
| HDD | WD | My Passport | WXB1AA4EEJ9P | | |
| HDD | WD | My Passport | WXD1E849K9YF | | |
| HDD | WD | My Passport | WX21E54RD766 | | |
| HDD | WD | My Passport | WX91A744F4NL | | |
| HDD | WD | My Passport | WX41A946S312 | | |
| HDD | WD | My Passport | WX31A94JJZZX | | |
| Mouse | Logitech | M-U0026 | N/A | | |
| Notebook PC (Remote) | Lenovo | TP00096C | SPP0R39691 | | |
| Wireless AP (Remote) | ASUS | RT-AX88U | L41THP000064 | | |
| Universal Radio Communication (Remote) | R&S | CMW 500 | N/A | | |
| GPS Simulator (Remote) | IFR | GPS-101 | N/A | | |
| IC Card | N/A | N/A | N/A | | |
| SIM Card | VIBO | N/A | N/A | | |
| DOCK | HP | HSN-IX01 | N/A | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 13 of 86

Support Equipment Used in Tested Cable

Mode 42:

| Cable Type | Core | Length | Shielding/Non-shielding |
|---------------------|------|--------|-------------------------|
| HDMI Cable (1) | N/A | 1.8m | Shielding |
| Type C Cable (2) | N/A | 1.0m | Shielding |
| DC Power Port (3) | N/A | 1.8m | Non-Shielding |
| Earphone Cable (4) | N/A | 1.8m | Non-Shielding |
| Type C Cable (5) | N/A | 1.2m | Shielding |
| USB HDD Cable (6) | N/A | 0.6m | Shielding |
| USB Mouse Cable (7) | N/A | 1.8m | Shielding |

Mode 43:

| Cable Type | Core | Length | Shielding/Non-shielding | |
|----------------------|------|--------|-------------------------|--|
| HDMI Cable (1) | N/A | 1.8m | Shielding | |
| Type C Cable (2) | N/A | 1.0m | Shielding | |
| DC Power Port (3) | N/A | 1.8m | Non-Shielding | |
| Earphone Cable (4)*2 | N/A | 1.8m | Non-Shielding | |
| Type C Cable (5)*4 | N/A | 1.2m | Shielding | |
| USB HDD Cable (6)*4 | N/A | 0.6m | Shielding | |
| USB Mouse Cable (7) | N/A | 1.8m | Shielding | |
| Display Cable (8) | N/A | 1.8m | Shielding | |
| VGA Cable (9) | 2 | 1.8m | Shielding | |
| LAN Cable (10) | N/A | 10.0m | Non-Shielding | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 14 of 86

Operation Procedure

Mode 42:

- 1. Turn on the power of all equipment.
- 2. The EUT will reads/writes disk through "WINEMC" test software.
- 3. The EUT execute the WINEMC software to send "H" Pattern to display on the screen.
- The EUT communicates with Notebook PC by Bluetooth radio.
- The EUT communicates with Wireless AP by WIFI radio.
- Executed AMCAP2 software to turn-on the Camera.
- The EUT will receive the GPS signal source and sustained action.
- 8. The EUT will receive the RF signal source and sustained action.
- 9. The EUT will receive the NFC RF signal source.
- 10. Setup the condition for test mode and begin the test.

Mode 43:

- 1. Turn on the power of all equipment.
- 2. The EUT will reads/writes disk through "WINEMC" test software.
- 3. The EUT execute the WINEMC software to send "H" Pattern to display on the screen.
- 4. The EUT communicates with Notebook PC by Bluetooth radio.
- 5. The EUT communicates with Wireless AP by WIFI radio.
- 6. Executed AMCAP2 software to turn-on the Camera.
- The EUT will receive the GPS signal source and sustained action.
- 8. The EUT will receive the RF signal source and sustained action.
- 9. The EUT will receive the NFC RF signal source.
- 10. The EUT transfers data to another Notebook PC via LAN Port.
- 11. Setup the condition for test mode and begin the test.

1.7 **Modification List**

No modification was made by Compliance Certification Services Inc...

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Single States the results shown in this estate that results shown in this estate that state the state of the samples tested and state a be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司




Page: 15 of 86

Test Set-Up Configuration 1.8

Mode 42:

Notebook PC (Remote)

Wireless AP (Remote)



Universal Radio Communication (Remote)


GPS Simulator (Remote)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 16 of 86

Mode 43:



1.9 **Accessories Cable List**

See clause 1.3 of this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 17 of 86

1.10 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.11 Standards Applicable for Testing

Tests to be carried out under FCC Part 15 Subpart B/CISPR 22

| Toolo to be carried out ander 1 ce 1 art 1 | dete to be defined out under 1 do 1 art to cubpart 2, otor 11 22 | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| Test Standards | Status | | | | | | | | |
| FCC Part 15 Subpart B/CISPR 22 | Applicable | | | | | | | | |
| Deviation from Standard | No deviation | | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Single States the results shown in this estate that results shown in this estate that state the state of the samples tested and state a be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 18 of 86

1.12 Decision Rules of Results

Reported measurement data comply with ANSI C63.4:2014.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

1.13 Summary of Results

| Standard | Test Type | Result |
|-------------------------------------|--------------------|--------|
| FCC Part 15 Subpart B, Class B | Conducted Emission | PASS |
| ISED ICES-003 Issue 6: 2016,Class B | Radiated Emission | PASS |

1.14 Reporting Statements of Conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 19 of 86

2. EMISSION

21 **Test Results**

| | Results |
|--------------------|---------|
| Conducted Emission | Pass |
| Radiated Emission | Pass |

2.2 **Frequency Range**

FCC Part 15 Subpart B:

Conducted Emission : 150 kHz - 30 MHz Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement used in the device or on which the range (MHz)

device operates or tunes (MHz)

Below 1.705 30 1.705 - 1081000 108 - 500 2000 5000 500 - 1000

Above 1000 5th harmonic of the highest frequency or

40 GHz, whichever is lower

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 20 of 86

Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

FCC Part 15 Subpart B/CISPR 22:

| 1 00 1 art 10 0abpart B/0101 K 22: | | | | | | | | | |
|------------------------------------|----------------------|--------|----------------|---------|--|--|--|--|--|
| FREQUENCY | Class A | (dBuV) | Class B (dBuV) | | | | | | |
| (MHz) | Quasi - peak Average | | Quasi - peak | Average | | | | | |
| 0.15 - 0.5 | 79 66 | | 66 - 56 | 56 - 46 | | | | | |
| 0.50 - 5.0 | 73 | 60 | 56 | 46 | | | | | |
| 5.0 - 30.0 | 73 | 60 | 60 | 50 | | | | | |

Note: (1) The lower limit shall apply at the transition frequencies.

- (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
- (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

2.3.2 Limits of Radiated Emissions

FCC Part 15 Subpart B Limit:

Detector Function: Quasi - Peak

| FREQUENCY | Class A (at 10m) | Class B (at 3m) | | |
|-----------|------------------|-----------------|--|--|
| (MHz) | dBuV/m | dBuV/m | | |
| 30~88 | 39 | 40 | | |
| 88~216 | 43.5 | 43.5 | | |
| 216~960 | 46.4 | 46 | | |
| 960~1000 | 49.5 | 54 | | |

Detector Function: Peak, Average

| FREQUENCY | Class A (dB | uV/m) (at 3m) | Class B (dBuV/m) (at 3m) | | |
|------------|-------------|---------------|--------------------------|---------|--|
| (MHz) | Peak | Average | Peak | Average | |
| Above 1000 | 69.5 | 49.5 | 74 | 54 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 21 of 86

CISPR 22 Limit:

Detector Function: Quasi - Peak

| FREQUENCY | Class A (at 10m) | Class B (at 10m) | | |
|-----------|------------------|------------------|--|--|
| (MHz) | dBuV/m | dBuV/m | | |
| 30~230 | 40 | 30 | | |
| 230~1000 | 47 | 37 | | |

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference

| FREQUENCY | Class A (dB | uV/m) (at 3m) | Class B (dBuV/m) (at 3m) | | |
|-----------|--------------|---------------|--------------------------|------|--|
| (GHz) | Average Peak | | Average | Peak | |
| 1~3 | 56 | 76 | 50 | 70 | |
| 3~6 | 60 | 80 | 54 | 74 | |

NOTE The lower limit applies at the transition frequency.



Page: 22 of 86

2.4. Test of Conducted Emission

2.4.1 Test Equipments

| Conducted_Emission Conducted Room No.B_EMC | | | | | | | | |
|---|-------------|------------------|------------|------------|------------|--|--|--|
| EQUIPMENT TYPE Manufacturer Model Number Serial Number Calibration Date Calibration | | | | | | | | |
| Coaxial Cable | EMCI | EMCRG142 | 190809 | 09/20/2019 | 09/19/2020 | | | |
| EMI Test Receiver | R&S | ESCI | 101073 | 07/01/2020 | 06/30/2021 | | | |
| LISN | Schwarzbeck | arzbeck NSLK8128 | 5012 | 04/14/2020 | 04/13/2021 | | | |
| LISN | R&S | ENV216 | 101054 | 04/26/2020 | 04/25/2021 | | | |
| Software | | | CCS-3A1-CE | | | | | |

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Conducted Emission

Expanded uncertainty Ulab (K=2) of conducted emission is 3.14 dB

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of AC mains Conducted Emission is 3.44dB

2.4.2 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter insertion loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.


程智科技股份有限公司



Page: 23 of 86

2.4.3 Measurement Data:

| Model no. | HSN-I42C | Line: | L1 |
|--------------------------|-------------|-------------------|-----------------|
| Environmental Conditions | 26℃, 46% RH | Tested Date | 2020/09/09 |
| Test Mode | Mode 42 | Tested By | Thomas Liu |
| 6dB Bandwidth | 9 kHz | Identifier number | TCOP CE site 17 |



| ١ | 1 O. | Frequency | Quasi Peak reading | Average reading | Correction factor | Quasi Peak result | Average result | Quasi Peak limit | Average limit | Quasi Peak margin | Average margin | Remark |
|---|-------------|-----------|--------------------------|-----------------|-------------------|-------------------------|-------------------|------------------------|------------------|-------------------------|-------------------|-------------|
| | | (MHz) | (dBuV) | (dBuV) | (dB) | (dBuV) | (dBuV) | (dBuV) | (dBuV) | (dB) | (dB) | (Pass/Fail) |
| | 1 | 0.1620 | 34.59 | 15.81 | 9.68 | 44.27 | 25.49 | 65.36 | 55.36 | -21.09 | -29.87 | Pass |
| | 2 | 0.1819 | 37.53 | 21.53 | 9.68 | 47.21 | 31.21 | 64.39 | 54.40 | -17.18 | -23.19 | Pass |
| | 3 | 0.1940 | 36.76 | 23.07 | 9.68 | 46.44 | 32.75 | 63.86 | 53.86 | -17.42 | -21.11 | Pass |
| | 4 | 0.2020 | 35.94 | 22.21 | 9.68 | 45.62 | 31.89 | 63.52 | 53.53 | -17.90 | -21.64 | Pass |
| | 5* | 4.7220 | 30.84 | 24.01 | 9.78 | 40.62 | 33.79 | 56.00 | 46.00 | -15.38 | -12.21 | Pass |
| | 6 | 5.6500 | 33.66 | 26.37 | 9.79 | 43.45 | 36.16 | 60.00 | 50.00 | -16.55 | -13.84 | Pass |

Note: L1 = Line One (Live Line)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 24 of 86

| Model no. | HSN-I42C | Line: | N | |
|--------------------------|-------------|-------------------|-----------------|--|
| Environmental Conditions | 26℃, 46% RH | Tested Date | 2020/09/09 | |
| Test Mode | Mode 42 | Tested By | Thomas Liu | |
| 6dB Bandwidth | 9 kHz | Identifier number | TCOP CE site 17 | |



| NO. | Frequency | Quasi Peak reading | Average reading | Correction factor | Quasi Peak result | Average result | Quasi Peak Iimit | Average limit | Quasi Peak margin | Average margin | Remark |
|-----|-----------|--------------------------|-----------------|-------------------|-------------------------|----------------|------------------------|------------------|-------------------------|-------------------|-------------|
| | (MHz) | (dBuV) | (dBuV) | (dB) | (dBuV) | (dBuV) | (dBuV) | (dBuV) | (dB) | (dB) | (Pass/Fail) |
| 1 | 0.1700 | 37.72 | 19.74 | 9.74 | 47.46 | 29.48 | 64.96 | 54.96 | -17.50 | -25.48 | Pass |
| 2 | 0.2020 | 36.97 | 22.75 | 9.74 | 46.71 | 32.49 | 63.52 | 53.53 | -16.81 | -21.04 | Pass |
| 3 | 0.2220 | 30.52 | 13.19 | 9.74 | 40.26 | 22.93 | 62.74 | 52.74 | -22.48 | -29.81 | Pass |
| 4* | 4.7220 | 31.19 | 24.28 | 9.85 | 41.04 | 34.13 | 56.00 | 46.00 | -14.96 | -11.87 | Pass |
| 5 | 5.1620 | 33.61 | 26.63 | 9.85 | 43.46 | 36.48 | 60.00 | 50.00 | -16.54 | -13.52 | Pass |
| 6 | 5.5939 | 33.97 | 26.55 | 9.86 | 43.83 | 36.41 | 60.00 | 50.00 | -16.17 | -13.59 | Pass |
| | | | | | | | | | | | |


Note: N = Line Two (Neutral Line)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 25 of 86

| Model no. | HSN-I42C | Line: | L1 | |
|--------------------------|-------------|-------------------|-----------------|--|
| Environmental Conditions | 26℃, 46% RH | Tested Date | 2020/09/09 | |
| Test Mode | Mode 43 | Tested By | Thomas Liu | |
| 6dB Bandwidth | 9 kHz | Identifier number | TCOP CE site 17 | |



| NO | . Frequency | Quasi Peak reading | Average reading | Correction factor | Quasi Peak result | Average result | Quasi Peak Iimit | Average limit | Quasi Peak margin | Average margin | Remark |
|----|-------------|--------------------------|-----------------|-------------------|-------------------------|----------------|------------------------|------------------|-------------------------|-------------------|-------------|
| | (MHz) | (dBuV) | (dBuV) | (dB) | (dBuV) | (dBuV) | (dBuV) | (dBuV) | (dB) | (dB) | (Pass/Fail) |
| 1 | 0.1539 | 26.06 | 6.40 | 9.68 | 35.74 | 16.08 | 65.78 | 55.79 | -30.04 | -39.71 | Pass |
| 2 | 0.1740 | 22.65 | 3.50 | 9.68 | 32.33 | 13.18 | 64.76 | 54.77 | -32.43 | -41.59 | Pass |
| 3* | 0.4820 | 27.31 | 6.55 | 9.69 | 37.00 | 16.24 | 56.30 | 46.30 | -19.30 | -30.06 | Pass |
| 4 | 4.5939 | 17.93 | 10.92 | 9.77 | 27.70 | 20.69 | 56.00 | 46.00 | -28.30 | -25.31 | Pass |
| 5 | 5.4460 | 21.01 | 12.01 | 9.79 | 30.80 | 21.80 | 60.00 | 50.00 | -29.20 | -28.20 | Pass |
| 6 | 8.0340 | 14.23 | 6.48 | 9.83 | 24.06 | 16.31 | 60.00 | 50.00 | -35.94 | -33.69 | Pass |


Note: L1 = Line One (Live Line)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 26 of 86

| Model no. | HSN-I42C | Line: | N |
|--------------------------|-------------|-------------------|-----------------|
| Environmental Conditions | 26℃, 46% RH | Tested Date | 2020/09/09 |
| Test Mode | Mode 43 | Tested By | Thomas Liu |
| 6dB Bandwidth | 9 kHz | Identifier number | TCOP CE site 17 |



| NO. | Frequency | Quasi Peak reading | Average reading | Correction factor | Quasi Peak result | Average result | Quasi Peak Iimit | Average limit | Quasi Peak margin | Average margin | Remark |
|-----|-----------|--------------------------|-----------------|-------------------|-------------------------|----------------|------------------------|------------------|-------------------------|-------------------|-------------|
| | (MHz) | (dBuV) | (dBuV) | (dB) | (dBuV) | (dBuV) | (dBuV) | (dBuV) | (dB) | (dB) | (Pass/Fail) |
| 1 | 0.1539 | 27.45 | 6.33 | 9.74 | 37.19 | 16.07 | 65.78 | 55.79 | -28.59 | -39.72 | Pass |
| 2 | 0.1740 | 22.72 | 3.34 | 9.74 | 32.46 | 13.08 | 64.76 | 54.77 | -32.30 | -41.69 | Pass |
| 3 | 0.2100 | 14.28 | 5.37 | 9.74 | 24.02 | 15.11 | 63.20 | 53.21 | -39.18 | -38.10 | Pass |
| 4* | 0.4820 | 27.79 | 6.86 | 9.75 | 37.54 | 16.61 | 56.30 | 46.30 | -18.76 | -29.69 | Pass |
| 5 | 5.8420 | 18.35 | 11.20 | 9.87 | 28.22 | 21.07 | 60.00 | 50.00 | -31.78 | -28.93 | Pass |
| 6 | 8.3860 | 13.92 | 5.90 | 9.91 | 23.83 | 15.81 | 60.00 | 50.00 | -36.17 | -34.19 | Pass |

Note: N = Line Two (Neutral Line)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 27 of 86

Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

| | Radiated_Below_1GHz 10m_EMC | | | | | | | | | | |
|-------------------|-----------------------------|-----------------|---------------|---------------------|--------------------|--|--|--|--|--|--|
| EQUIPMENT TYPE | Manufacturer | Model Number | Serial Number | Calibration Date | Calibration Due | | | | | | |
| Bilog Antenna | TESEQ | CBL 6112D | 31674 | 02/20/2020 | 02/19/2021 | | | | | | |
| Bilog Antenna | TESEQ | CBL 6112D | 31675 | 03/09/2020 | 03/08/2021 | | | | | | |
| Coaxial Cable | Huber+Suhner | SUCOFLEX 104PEA | 330029 | 04/29/2020 | 04/28/2021 | | | | | | |
| Coaxial Cable | Huber+Suhner | 104PEA | 33948/4PEA | 04/29/2020 | 04/28/2021 | | | | | | |
| Coaxial Cable | Huber+Suhner | 104PEA | 33949/4PEA | 04/29/2020 | 04/28/2021 | | | | | | |
| Coaxial Cable | Huber+Suhner | SUCOFLEX 104PEA | 24813 | 04/29/2020 | 04/28/2021 | | | | | | |
| EMI Test Receiver | R&S | ESCI | 100961 | 06/08/2020 | 06/07/2021 | | | | | | |
| EMI Test Receiver | R&S | ESCI | 100962 | 06/12/2020 | 06/11/2021 | | | | | | |
| Pre-Amplifier | HP | 8447D | 2944A07754 | 04/29/2020 | 04/28/2021 | | | | | | |
| Pre-Amplifier | HP | 8447D | 2944A08150 | 04/29/2020 | 04/28/2021 | | | | | | |
| AC POWER SOURE | APE | AFC-130 | 991259 | N.C.R | N.C.R | | | | | | |
| Antenna Tower | CCS | CC-A-1F | N/A | N.C.R | N.C.R | | | | | | |
| Antenna Tower | CCS | CC-A-1F | N/A | N.C.R | N.C.R | | | | | | |
| Controller | CCS | CC-C-1F | N/A | N.C.R | N.C.R | | | | | | |
| Controller | CCS | CC-C-1F | N/A | N.C.R | N.C.R | | | | | | |
| Turn Table | CCS | CC-T-1F | N/A | N.C.R | N.C.R | | | | | | |
| Software | | EZ-EMC (| (CCS-3A1RE) | | | | | | | | |

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (K=2) of radiated emission is 4.23 dB. (30MHz ~ 200MHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.13 dB. (200MHz ~ 1000MHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission is 5.22 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 28 of 86

Above 1GHz

| 10070 10112 | | | | | | | | | |
|-------------------|--------------------|---------------------------|---------------|---------------------|--------------------|--|--|--|--|
| | Rad | iated_Above _1GHz 10 | Om_EMC | | | | | | |
| EQUIPMENT TYPE | Manufacturer | Model Number | Serial Number | Calibration Date | Calibration Due | | | | |
| Coaxial Cable | Huber+Suhner | SUCOFLEX 104PEA | 329383 | 04/29/2020 | 04/28/2021 | | | | |
| Coaxial Cable | Huber+Suhner | SUCOFLEX 104PEA | 33945 | 04/29/2020 | 04/28/2021 | | | | |
| Horn Antenna | ETS LINDGREN | 3116 | 00026370 | 12/18/2019 | 12/17/2020 | | | | |
| Horn Antenna | EMCO | 3117 | 00055167 | 12/12/2019 | 12/11/2020 | | | | |
| Pre-Amplifier | Pre-Amplifier EMCI | | 980040 | 04/29/2020 | 04/28/2021 | | | | |
| Pre-Amplifier | MITEQ | AMF-6F-18004000- 37-8P | 985646 | 09/02/2020 | 09/01/2021 | | | | |
| Spectrum Analyzer | Agilent | E4446A | MY48250297 | 08/24/2020 | 08/23/2021 | | | | |
| AC POWER SOURE | APE | AFC-130 | 991259 | N.C.R | N.C.R | | | | |
| Antenna Tower | Sunol Sciences | TLT2 | 031010-5 | N.C.R | N.C.R | | | | |
| Controller | Sunol Sciences | SC104V | 031010-1 | N.C.R | N.C.R | | | | |
| Turn Table | Turn Table CCS | | CC-T-1F N/A | | N.C.R | | | | |
| Software | | EZ-EMC | (CCS-3A1RE) | | | | | | |

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (K=2) of radiated emission is 4.89 dB. (1-6GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 5.27 dB. (6-18GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.13 dB. (18-26GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.28 dB. (26-40GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is 5.18 dB.(1-6GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is 5.48 dB.(6-18GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is ---- dB.(18-26GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is ---- dB.(26-40GHz)

2.5.2 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss - Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level - Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Single States the results shown in this estate that results shown in this estate that state the state of the samples tested and state a be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司




Page: 29 of 86

2.5.3 Measurement Data

Below 1GHz

| Model no. | HSN-I42C | Test Mode | Mode 42 | |
|--------------------------|-------------|-------------------|-----------------|--|
| Environmental Conditions | 23℃, 52% RH | Tested Date | 2020/09/10 | |
| Antenna Pole | Vertical | Antenna Distance | 10m | |
| Detector Function | Quasi-peak. | Tested By | Rex Kuo | |
| 6dB Bandwidth | 120 kHz | Identifier number | TCOP RE site 17 | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|----------------|---------------|--------|
| 1 | 30.0000 | 28.09 | -2.37 | 25.72 | 30.00 | -4.28 | 100 | 359 | QP |
| 2 | 135.7300 | 33.92 | -8.28 | 25.64 | 30.00 | -4.36 | 199 | 264 | QP |
| 3 | 180.3500 | 35.81 | -9.82 | 25.99 | 30.00 | -4.01 | 100 | 166 | QP |
| 4 | 212.3600 | 35.27 | -9.09 | 26.18 | 30.00 | -3.82 | 100 | 197 | QP |
| 5 | 359.8000 | 33.56 | -2.67 | 30.89 | 37.00 | -6.11 | 100 | 324 | QP |
| 6 | 579.0200 | 31.47 | 1.14 | 32.61 | 37.00 | -4.39 | 299 | 355 | QP |
| 7 | 739.0700 | 29.23 | 2.92 | 32.15 | 37.00 | -4.85 | 299 | 285 | QP |

REMARKS:


- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 30 of 86

| Model no. | HSN-I42C | Test Mode | Mode 42 | |
|--------------------------|-------------|-------------------|-----------------|--|
| Environmental Conditions | 23℃, 52% RH | Tested Date | 2020/09/10 | |
| Antenna Pole | Horizontal | Antenna Distance | 10m | |
| Detector Function | Quasi-peak. | Tested By | Rex Kuo | |
| 6dB Bandwidth | 120 kHz | Identifier number | TCOP RE site 17 | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|----------------|---------------|--------|
| 1 | 135.7300 | 35.48 | -9.02 | 26.46 | 30.00 | -3.54 | 300 | 272 | QP |
| 2 | 218.1800 | 36.22 | -10.24 | 25.98 | 30.00 | -4.02 | 400 | 50 | QP |
| 3 | 488.8100 | 34.18 | -2.15 | 32.03 | 37.00 | -4.97 | 100 | 0 | QP |
| 4 | 578.0500 | 31.35 | -0.77 | 30.58 | 37.00 | -6.42 | 100 | 12 | QP |
| 5 | 800.1800 | 28.72 | 1.66 | 30.38 | 37.00 | -6.62 | 100 | 7 | QP |
| 6 | 882.6300 | 26.73 | 3.01 | 29.74 | 37.00 | -7.26 | 205 | 360 | QP |

REMARKS:

- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 31 of 86

| Model no. | HSN-I42C | Test Mode | Mode 43 |
|--------------------------|-------------|-------------------|-----------------|
| Environmental Conditions | 24℃, 50% RH | Tested Date | 2020/09/11 |
| Antenna Pole | Vertical | Antenna Distance | 10m |
| Detector Function | Quasi-peak. | Tested By | Rex Kuo |
| 6dB Bandwidth | 120 kHz | Identifier number | TCOP RE site 17 |



| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|----------------|---------------|--------|
| 1 | 31.9400 | 29.73 | -3.31 | 26.42 | 30.00 | -3.58 | 100 | 153 | QP |
| 2 | 170.6500 | 34.69 | -9.52 | 25.17 | 30.00 | -4.83 | 100 | 284 | QP |
| 3 | 202.6600 | 35.16 | -9.10 | 26.06 | 30.00 | -3.94 | 100 | 0 | QP |
| 4 | 266.6800 | 37.64 | -4.38 | 33.26 | 37.00 | -3.74 | 100 | 153 | QP |
| 5 | 391.8100 | 35.66 | -1.95 | 33.71 | 37.00 | -3.29 | 399 | 323 | QP |
| 6 | 579.9900 | 32.58 | 1.15 | 33.73 | 37.00 | -3.27 | 299 | 3 | QP |

REMARKS:


- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 32 of 86

| Model no. | HSN-I42C | Test Mode | Mode 43 |
|--------------------------|-------------|-------------------|-----------------|
| Environmental Conditions | 24℃, 50% RH | Tested Date | 2020/09/11 |
| Antenna Pole | Horizontal | Antenna Distance | 10m |
| Detector Function | Quasi-peak. | Tested By | Rex Kuo |
| 6dB Bandwidth | 120 kHz | Identifier number | TCOP RE site 17 |



| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|----------------|---------------|--------|
| 1 | 135.7300 | 34.93 | -9.02 | 25.91 | 30.00 | -4.09 | 300 | 112 | QP |
| 2 | 194.9000 | 37.49 | -10.68 | 26.81 | 30.00 | -3.19 | 400 | 192 | QP |
| 3 | 206.5400 | 36.98 | -10.37 | 26.61 | 30.00 | -3.39 | 400 | 192 | QP |
| 4 | 486.8700 | 35.36 | -2.17 | 33.19 | 37.00 | -3.81 | 130 | 0 | QP |
| 5 | 579.0200 | 34.31 | -0.78 | 33.53 | 37.00 | -3.47 | 399 | 0 | QP |
| 6 | 800.1800 | 29.00 | 1.66 | 30.66 | 37.00 | -6.34 | 100 | 0 | QP |
| 7 | 886.5100 | 27.72 | 3.08 | 30.80 | 37.00 | -6.20 | 400 | 202 | QP |

REMARKS:

- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 33 of 86

Above 1GHz

| Model no. | HSN-I42C | Test Mode | Mode 42 |
|-------------------------------------|-----------------|-------------------|-----------------|
| Environmental Conditions | 23℃, 52% RH | Tested Date | 2020/09/10 |
| Antenna Pole | Vertical | Antenna Distance | 3m |
| Highest frequency generated or used | 3.0GHz | Upper frequency | 15GHz |
| Detector Function | Peak & Average. | Tested By | Rex Kuo |
| 6dB Bandwidth | 1 MHz | Identifier number | TCOP RF site 17 |



| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|-------------|---------------|--------|
| 1 | 1110.500 | 72.89 | -19.48 | 53.41 | 74.00 | -20.59 | 100 | 257 | peak |
| 2 | 1110.500 | 63.46 | -19.48 | 43.98 | 54.00 | -10.02 | 100 | 257 | AVG |
| 3 | 2045.500 | 69.51 | -14.88 | 54.63 | 74.00 | -19.37 | 300 | 230 | peak |
| 4 | 2045.500 | 59.08 | -14.88 | 44.20 | 54.00 | -9.80 | 300 | 230 | AVG |
| 5 | 2445.000 | 66.70 | -14.22 | 52.48 | 74.00 | -21.52 | 200 | 229 | peak |
| 6 | 2445.000 | 58.41 | -14.22 | 44.19 | 54.00 | -9.81 | 200 | 229 | AVG |
| 7 | 2623.500 | 65.42 | -13.84 | 51.58 | 74.00 | -22.42 | 200 | 249 | peak |
| 8 | 2623.500 | 54.74 | -13.84 | 40.90 | 54.00 | -13.10 | 200 | 249 | AVG |
| 9 | 2717.000 | 65.97 | -13.47 | 52.50 | 74.00 | -21.50 | 200 | 249 | peak |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 34 of 86

| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|----------------|---------------|--------|
| 10 | 2717.000 | 56.95 | -13.47 | 43.48 | 54.00 | -10.52 | 200 | 249 | AVG |
| 11 | 2759.500 | 66.40 | -13.30 | 53.10 | 74.00 | -20.90 | 200 | 249 | peak |
| 12 | 2759.500 | 57.52 | -13.30 | 44.22 | 54.00 | -9.78 | 200 | 249 | AVG |
| 13 | 3558.500 | 62.66 | -11.52 | 51.14 | 74.00 | -22.86 | 200 | 249 | peak |
| 14 | 3558.500 | 51.13 | -11.52 | 39.61 | 54.00 | -14.39 | 200 | 249 | AVG |
| 15 | 6584.500 | 56.41 | -4.26 | 52.15 | 74.00 | -21.85 | 100 | 158 | peak |
| 16 | 6584.500 | 43.05 | -4.26 | 38.79 | 54.00 | -15.21 | 100 | 158 | AVG |

REMARKS:

1. The other emission levels were very low against the limit.

2. Margin (dB) = Result (dBuV/m) - Limit (dBuV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 35 of 86

| Model no. | HSN-I42C | Test Mode | Mode 42 |
|-------------------------------------|-----------------|-------------------|-----------------|
| Environmental Conditions | 23℃, 52% RH | Tested Date | 2020/09/10 |
| Antenna Pole | Horizontal | Antenna Distance | 3m |
| Highest frequency generated or used | 3.0GHz | Upper frequency | 15GHz |
| Detector Function | Peak & Average. | Tested By | Rex Kuo |
| 6dB Bandwidth | 1 MHz | Identifier number | TCOP RF site 17 |



| No | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|----|-----------------|-------------------|--------------------------------|--------------------|-------------------|----------------|----------------|---------------|--------|
| 1 | 1110.500 | 73.64 | -19.48 | 54.16 | 74.00 | -19.84 | 200 | 215 | peak |
| 2 | 1110.500 | 63.05 | -19.48 | 43.57 | 54.00 | -10.43 | 200 | 215 | AVG |
| 3 | 2045.500 | 67.62 | -14.88 | 52.74 | 74.00 | -21.26 | 200 | 188 | peak |
| 4 | 2045.500 | 57.86 | -14.88 | 42.98 | 54.00 | -11.02 | 200 | 188 | AVG |
| 5 | 2445.000 | 65.35 | -14.22 | 51.13 | 74.00 | -22.87 | 100 | 204 | peak |
| 6 | 2445.000 | 56.84 | -14.22 | 42.62 | 54.00 | -11.38 | 100 | 204 | AVG |
| 7 | 2623.500 | 66.58 | -13.84 | 52.74 | 74.00 | -21.26 | 100 | 303 | peak |
| 8 | 2623.500 | 57.73 | -13.84 | 43.89 | 54.00 | -10.11 | 100 | 303 | AVG |
| 9 | 2759.500 | 69.76 | -13.30 | 56.46 | 74.00 | -17.54 | 200 | 188 | peak |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 36 of 86

| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|-------------|---------------|--------|
| 10 | 2759.500 | 60.28 | -13.30 | 46.98 | 54.00 | -7.02 | 200 | 188 | AVG |
| 11 | 2844.500 | 65.34 | -13.01 | 52.33 | 74.00 | -21.67 | 300 | 197 | peak |
| 12 | 2844.500 | 55.74 | -13.01 | 42.73 | 54.00 | -11.27 | 300 | 197 | AVG |
| 13 | 4000.500 | 64.18 | -11.24 | 52.94 | 74.00 | -21.06 | 100 | 184 | peak |
| 14 | 4000.500 | 60.15 | -11.24 | 48.91 | 54.00 | -5.09 | 100 | 184 | AVG |
| 15 | 5998.000 | 56.50 | -5.12 | 51.38 | 74.00 | -22.62 | 202 | 0 | peak |
| 16 | 5998.000 | 43.98 | -5.12 | 38.86 | 54.00 | -15.14 | 202 | 0 | AVG |
| 17 | 7026.500 | 55.73 | -3.49 | 52.24 | 74.00 | -21.76 | 215 | 0 | peak |
| 18 | 7026.500 | 42.54 | -3.49 | 39.05 | 54.00 | -14.95 | 215 | 0 | AVG |

REMARKS:

1. The other emission levels were very low against the limit.

2. Margin (dB) = Result (dBuV/m) - Limit (dBuV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 37 of 86

| Model no. | HSN-I42C | Test Mode | Mode 43 | |
|-------------------------------------|-----------------|-------------------|-----------------|--|
| Environmental Conditions | 24℃, 50% RH | Tested Date | 2020/09/11 | |
| Antenna Pole | Vertical | Antenna Distance | 3m | |
| Highest frequency generated or used | 3.0GHz | Upper frequency | 15GHz | |
| Detector Function | Peak & Average. | Tested By | Rex Kuo | |
| 6dB Bandwidth | 1 MHz | Identifier number | TCOP RF site 17 | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|-------------|---------------|--------|
| 1 | 1025.500 | 74.40 | -19.97 | 54.43 | 74.00 | -19.57 | 100 | 209 | peak |
| 2 | 1025.500 | 62.97 | -19.97 | 43.00 | 54.00 | -11.00 | 100 | 209 | AVG |
| 3 | 1110.500 | 74.72 | -19.48 | 55.24 | 74.00 | -18.76 | 200 | 269 | peak |
| 4 | 1110.500 | 64.69 | -19.48 | 45.21 | 54.00 | -8.79 | 200 | 269 | AVG |
| 5 | 1314.500 | 70.53 | -18.69 | 51.84 | 74.00 | -22.16 | 100 | 156 | peak |
| 6 | 1314.500 | 61.65 | -18.69 | 42.96 | 54.00 | -11.04 | 100 | 156 | AVG |
| 7 | 1603.500 | 70.45 | -18.63 | 51.82 | 74.00 | -22.18 | 100 | 242 | peak |
| 8 | 1603.500 | 63.74 | -18.63 | 45.11 | 54.00 | -8.89 | 100 | 242 | AVG |
| 9 | 1722.500 | 70.01 | -17.58 | 52.43 | 74.00 | -21.57 | 200 | 190 | peak |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 38 of 86

| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|----------------|---------------|--------|
| 10 | 1722.500 | 59.32 | -17.58 | 41.74 | 54.00 | -12.26 | 200 | 190 | AVG |
| 11 | 2045.500 | 67.28 | -14.88 | 52.40 | 74.00 | -21.60 | 200 | 269 | peak |
| 12 | 2045.500 | 60.69 | -14.88 | 45.81 | 54.00 | -8.19 | 200 | 269 | AVG |
| 13 | 2088.000 | 66.21 | -14.76 | 51.45 | 74.00 | -22.55 | 100 | 202 | peak |
| 14 | 2088.000 | 56.39 | -14.76 | 41.63 | 54.00 | -12.37 | 100 | 202 | AVG |
| 15 | 2215.500 | 65.51 | -14.44 | 51.07 | 74.00 | -22.93 | 100 | 176 | peak |
| 16 | 2215.500 | 54.59 | -14.44 | 40.15 | 54.00 | -13.85 | 100 | 176 | AVG |
| 17 | 2445.000 | 68.05 | -14.22 | 53.83 | 74.00 | -20.17 | 100 | 229 | peak |
| 18 | 2445.000 | 57.71 | -14.22 | 43.49 | 54.00 | -10.51 | 100 | 229 | AVG |
| 19 | 2555.500 | 69.64 | -14.01 | 55.63 | 74.00 | -18.37 | 134 | 0 | peak |
| 20 | 2555.500 | 58.62 | -14.01 | 44.61 | 54.00 | -9.39 | 134 | 0 | AVG |
| 21 | 2708.500 | 66.89 | -13.50 | 53.39 | 74.00 | -20.61 | 100 | 268 | peak |
| 22 | 2708.500 | 57.80 | -13.50 | 44.30 | 54.00 | -9.70 | 100 | 268 | AVG |
| 23 | 5386.000 | 62.60 | -7.53 | 55.07 | 74.00 | -18.93 | 100 | 255 | peak |
| 24 | 5386.000 | 45.82 | -7.53 | 38.29 | 54.00 | -15.71 | 100 | 255 | AVG |
| 25 | 6899.000 | 55.64 | -3.74 | 51.90 | 74.00 | -22.10 | 300 | 321 | peak |
| 26 | 6899.000 | 43.21 | -3.74 | 39.47 | 54.00 | -14.53 | 300 | 321 | AVG |

REMARKS:

1. The other emission levels were very low against the limit.

2. Margin (dB) = Result (dBuV/m) - Limit (dBuV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 39 of 86

| Model no. | HSN-I42C | Test Mode | Mode 43 | |
|-------------------------------------|-----------------|-------------------|-----------------|--|
| Environmental Conditions | 24℃, 50% RH | Tested Date | 2020/09/11 | |
| Antenna Pole | Horizontal | Antenna Distance | 3m | |
| Highest frequency generated or used | 3.0GHz | Upper frequency | 15GHz | |
| Detector Function | Peak & Average. | Tested By | Rex Kuo | |
| 6dB Bandwidth | 1 MHz | Identifier number | TCOP RF site 17 | |



| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|-------------|---------------|--------|
| 1 | 1110.500 | 72.04 | -19.48 | 52.56 | 74.00 | -21.44 | 200 | 281 | peak |
| 2 | 1110.500 | 63.79 | -19.48 | 44.31 | 54.00 | -9.69 | 200 | 281 | AVG |
| 3 | 1323.000 | 69.69 | -18.68 | 51.01 | 74.00 | -22.99 | 200 | 182 | peak |
| 4 | 1323.000 | 60.35 | -18.68 | 41.67 | 54.00 | -12.33 | 200 | 182 | AVG |
| 5 | 1603.500 | 70.40 | -18.63 | 51.77 | 74.00 | -22.23 | 200 | 195 | peak |
| 6 | 1603.500 | 61.02 | -18.63 | 42.39 | 54.00 | -11.61 | 200 | 195 | AVG |
| 7 | 1841.500 | 69.31 | -16.50 | 52.81 | 74.00 | -21.19 | 200 | 182 | peak |
| 8 | 1841.500 | 58.92 | -16.50 | 42.42 | 54.00 | -11.58 | 200 | 182 | AVG |
| 9 | 2045.500 | 67.09 | -14.88 | 52.21 | 74.00 | -21.79 | 200 | 195 | peak |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 40 of 86

| No. | Frequency (MHz) | Reading (dBuV) | Correction Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Degree (°) | Remark |
|-----|--------------------|-------------------|--------------------------------|--------------------|-------------------|----------------|-------------|---------------|--------|
| 10 | 2045.500 | 58.68 | -14.88 | 43.80 | 54.00 | -10.20 | 200 | 195 | AVG |
| 11 | 2088.000 | 68.19 | -14.76 | 53.43 | 74.00 | -20.57 | 200 | 175 | peak |
| 12 | 2088.000 | 56.45 | -14.76 | 41.69 | 54.00 | -12.31 | 200 | 175 | AVG |
| 13 | 2232.500 | 66.00 | -14.43 | 51.57 | 74.00 | -22.43 | 100 | 185 | peak |
| 14 | 2232.500 | 56.90 | -14.43 | 42.47 | 54.00 | -11.53 | 100 | 185 | AVG |
| 15 | 2351.500 | 66.16 | -14.34 | 51.82 | 74.00 | -22.18 | 100 | 191 | peak |
| 16 | 2351.500 | 58.25 | -14.34 | 43.91 | 54.00 | -10.09 | 100 | 191 | AVG |
| 17 | 2445.000 | 69.89 | -14.22 | 55.67 | 74.00 | -18.33 | 200 | 195 | peak |
| 18 | 2445.000 | 61.15 | -14.22 | 46.93 | 54.00 | -7.07 | 200 | 195 | AVG |
| 19 | 2572.500 | 69.72 | -13.98 | 55.74 | 74.00 | -18.26 | 200 | 169 | peak |
| 20 | 2572.500 | 59.87 | -13.98 | 45.89 | 54.00 | -8.11 | 200 | 169 | AVG |
| 21 | 2759.500 | 69.66 | -13.30 | 56.36 | 74.00 | -17.64 | 200 | 182 | peak |
| 22 | 2759.500 | 60.18 | -13.30 | 46.88 | 54.00 | -7.12 | 200 | 182 | AVG |
| 23 | 2844.500 | 64.50 | -13.01 | 51.49 | 74.00 | -22.51 | 300 | 190 | peak |
| 24 | 2844.500 | 56.47 | -13.01 | 43.46 | 54.00 | -10.54 | 300 | 190 | AVG |
| 25 | 3235.500 | 64.33 | -12.14 | 52.19 | 74.00 | -21.81 | 200 | 175 | peak |
| 26 | 3235.500 | 54.51 | -12.14 | 42.37 | 54.00 | -11.63 | 200 | 175 | AVG |
| 27 | 3558.500 | 65.40 | -11.52 | 53.88 | 74.00 | -20.12 | 200 | 175 | peak |
| 28 | 3558.500 | 57.12 | -11.52 | 45.60 | 54.00 | -8.40 | 200 | 175 | AVG |
| 29 | 3643.500 | 66.97 | -11.26 | 55.71 | 74.00 | -18.29 | 200 | 175 | peak |
| 30 | 3643.500 | 54.92 | -11.26 | 43.66 | 54.00 | -10.34 | 200 | 175 | AVG |
| 31 | 4000.500 | 65.54 | -11.24 | 54.30 | 74.00 | -19.70 | 100 | 178 | peak |
| 32 | 4000.500 | 61.40 | -11.24 | 50.16 | 54.00 | -3.84 | 100 | 178 | AVG |
| 33 | 4306.500 | 61.08 | -9.81 | 51.27 | 74.00 | -22.73 | 200 | 182 | peak |
| 34 | 4306.500 | 49.75 | -9.81 | 39.94 | 54.00 | -14.06 | 200 | 182 | AVG |
| 35 | 5386.000 | 62.11 | -7.53 | 54.58 | 74.00 | -19.42 | 100 | 205 | peak |
| 36 | 5386.000 | 45.72 | -7.53 | 38.19 | 54.00 | -15.81 | 100 | 205 | AVG |
| 37 | 6040.500 | 56.42 | -5.02 | 51.40 | 74.00 | -22.60 | 200 | 360 | peak |
| 38 | 6040.500 | 43.99 | -5.02 | 38.97 | 54.00 | -15.03 | 200 | 360 | AVG |
| 39 | 6899.000 | 55.46 | -3.74 | 51.72 | 74.00 | -22.28 | 100 | 218 | peak |
| 40 | 6899.000 | 43.22 | -3.74 | 39.48 | 54.00 | -14.52 | 100 | 218 | AVG |

REMARKS:

- 1. The other emission levels were very low against the limit.
- 2. Margin (dB) = Result (dBuV/m) Limit (dBuV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.



Page: 41 of 86


3. Photographs of Test

CE Testing Set-up

Model No.: HSN-I42C Mode 42 +



Mode_42_-



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司




Page: 42 of 86

Model No.: HSN-I42C Mode 43 +



Mode_43_-



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com




Page: 43 of 86

RE Testing Set-up Below 1GHz

Model No.: HSN-I42C





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.


程智科技股份有限公司



Page: 44 of 86

Model No.: HSN-I42C





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.


程智科技股份有限公司




Page: 45 of 86

Above 1GHz

Model No.: HSN-I42C







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.



Page: 46 of 86







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 47 of 86

4. Photographs of Product

Exterior

Model No.: HSN-I42C





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 48 of 86





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 49 of 86





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 50 of 86





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 51 of 86

Adapter Model No.: TPN-CA10





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 52 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.



Page: 53 of 86

Adapter Model No.: TPN-CA14





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com



Page: 54 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.



Page: 55 of 86

Adapter Model No.: TPN-CA15





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 56 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720

程智科技股份有限公司

f:(886-2) 2298-1882 www.ccsrf.com



Page: 57 of 86

Adapter Model No.: TPN-CA16





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 58 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 59 of 86

Adapter Model No.: TPN-CA17





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 60 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com



Page: 61 of 86

Adapter Model No.: TPN-CA21





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 62 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 63 of 86

Adapter Model No.: TPN-AA05





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 64 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 65 of 86

Adapter Model No.: TPN-AA06





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 66 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 67 of 86

Adapter Model No.: TPN-LA12





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 68 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.



Page: 69 of 86

Adapter Model No.: TPN-LA15






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 70 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com

t:(886-2) 2299-9720

f:(886-2) 2298-1882



Page: 71 of 86

Adapter Model No.: TPN-LA16





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.



Page: 72 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 73 of 86

Adapter Model No.: TPN-LA17





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 74 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com

程智科技股份有限公司

t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw

Member of SGS Group



Page: 75 of 86

Adapter Model No.: TPN-DA16





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com



Page: 76 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 77 of 86

Adapter Model No.: TPN-DA17





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 78 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 79 of 86

Adapter Model No.: TPN-DA20





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 80 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 81 of 86

Adapter Model No.: TPN-DA22





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 82 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 83 of 86

Adapter Model No.: TPN-TA02






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) tested prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 84 of 86



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.



Page: 85 of 86

Adapter Model No.: TPN-HA01





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tes prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 86 of 86



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

程智科技股份有限公司