

Report No.: SEWM2207000119RG01

Rev.: 1 of 23 Page:

Appendix B.7

LTE Cat-M1 Band14



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 2 of 23

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band14	5M	QPSK	L	1RB0	20.39	21.24	34.77	PASS
Band14	5M	QPSK	L	1RB5	20.63	21.48	34.77	PASS
Band14	5M	QPSK	L	6RB0	19.28	20.13	34.77	PASS
Band14	5M	QPSK	М	1RB0	20.42	21.27	34.77	PASS
Band14	5M	QPSK	М	1RB5	20.63	21.48	34.77	PASS
Band14	5M	QPSK	М	6RB0	19.42	20.27	34.77	PASS
Band14	5M	QPSK	Н	1RB0	20.44	21.29	34.77	PASS
Band14	5M	QPSK	Н	1RB5	20.51	21.36	34.77	PASS
Band14	5M	QPSK	Н	6RB0	19.32	20.17	34.77	PASS





Report No.: SEWM2207000119RG01

Rev.: 01 Page: 3 of 23

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band14	5MHz	QPSK	23305	6RB#0	8.94	13	PASS
Band14	5MHz	QPSK	23330	6RB#0	8.96	13	PASS
Band14	5MHz	QPSK	23355	6RB#0	9.04	13	PASS






Report No.: SEWM2207000119RG01

Rev.: 01 Page: 4 of 23

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD Doccheck@ass.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 5 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: SEWM2207000119RG01


Rev.: 01 Page: 6 of 23

Modulation Characteristics

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result	Verdict
Band14	5MHz	QPSK	23330	6RB#0	PASS	PASS

Test Graphs







Report No.: SEWM2207000119RG01

Rev.: 01 Page: 7 of 23

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band14	5MHz	QPSK	23305	6RB#0	1.104	1.29	PASS
Band14	5MHz	QPSK	23330	6RB#	1.124	1.43	PASS
Band14	5MHz	QPSK	23355	6RB#	1.126	1.42	PASS






Report No.: SEWM2207000119RG01

Rev.: 01 Page: 8 of 23

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: CN. <u>Doccheck@sgs.com</u> | Soundriko Fibruk, N. Farsheng Pools, Johno Indastriel Park, Suchou Area, China (Jiangsi) Pikt Free Trade Zone 215000 | 中国・苏州・中国(江苏)自由原易试验区苏州上区苏州工业国区海胜路1号的6号厂房南部 - 鄭塢: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 9 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: CN_Doccheck@sgs.com South of No. Plratr, No. 1, Runsheng Roots, Jozbu Industrial Park, Suchou Area, Chine (Jángsu) Pitof Free Tiade Zone 中国・苏州・中国(江苏)自由贸易成策区苏州十区苏州工业园区海胜路1号的6号「房南部 邮第 215000




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 10 of 23

Emission Mask

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


or email: CN_Doccheck@sgs_com Dount thike Revit No. Fluxisherg Road, Subnou Indastell Park, Subnou Area, China (Jiangsi) Plut Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区河胜路1号的6号厂房南部 単編: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 11 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CM_Doccheck@sgs.com South thk の Furth, No. Hunshery Read, Subrou Industrial Park, Suzhou Area, Chira (Jangsu) Plot Free Trate Zone 中国 - 苏州 ・中国 (江苏) 自由贸易试验区苏州片区苏州工业园区河胜路1号からF厂房南部 郷第: 215000




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 12 of 23

Band Edge

Test Graphs








Report No.: SEWM2207000119RG01

Rev.: 01

Page: 13 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: <u>CM. Doccneck @ssg.com</u> | Sodin d/N.6 Pixth (N. | Runsheng Rod, Suzbun dudstrial Park, Suzbu Area, China (Jangsu) Pind Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮集: 215000




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 14 of 23

Conducted Spurious Emission

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 15 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co


or email: CM_Doccheck@sgs.com | Sudn d/N.6 Fleat, No. (, Russherg Read, Sudou Indastal Park, Suzhou Area, Chira (Jángsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区园胜路(号約6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 16 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


or email: CN_Doccheck@egs.com Sound r/M.6 Fizer, Mo. Flurshery Read, Subou Indashia Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路(号約6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 17 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@egs.com Sound r/M.6 Fizer, Mo. Flurshery Read, Subou Indashia Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路(号約6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 18 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 19 of 23





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@egg.com | Sudn dhk,6 Fixth (b, Flansher) Road, Subnu Indastali Park, Suzhou Area, Chira (Jangsu) Pkd Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易は強区苏州上区苏州工业国区到胜路(号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 20 of 23

Field Strength of Spurious Radiation

Test Band = CAT M1 Band 14_ TM1 Test Channel = Low

Final	Final Data List												
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1579.6800	51.65	-48.29	25.38	-66.52	-40.00	26.52	214	360	Horizontal			
2	2365.0200	77.78	-47.47	27.42	-37.52	-13.00	24.52	156	225	Horizontal			
3	3153.3600	59.53	-46.50	29.60	-52.63	-13.00	39.63	231	185	Horizontal			
4	3942.2857	57.87	-46.22	30.66	-52.94	-13.00	39.94	173	225	Horizontal			
5	4730.0400	49.31	-45.75	32.11	-59.59	-13.00	46.59	255	159	Horizontal			
6	5518.3800	49.11	-45.16	32.93	-58.38	-13.00	45.38	147	351	Horizontal			

Final	Final Data List												
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Polarity			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1579.6800	51.94	-48.29	25.38	-66.23	-40.00	26.23	163	0	Vertical			
2	2365.0200	58.96	-47.47	27.42	-56.34	-13.00	43.34	214	118	Vertical			
3	3153.3600	53.72	-46.50	29.60	-58.44	-13.00	45.44	157	268	Vertical			
4	3941.7000	50.69	-46.22	30.66	-60.12	-13.00	47.12	184	346	Vertical			
5	4730.0400	49.16	-45.75	32.11	-59.74	-13.00	46.74	196	187	Vertical			
6	5518.3800	49.28	-45.16	32.93	-58.21	-13.00	45.21	226	213	Vertical			





Report No.: SEWM2207000119RG01

Rev.: 01 21 of 23 Page:

Test Band = CAT M1 Band 14_ TM1 Test Channel = Mid

Final	Final Data List												
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1581.6800	68.64	-48.29	25.37	-49.53	-40.00	9.53	241	238	Horizontal			
2	2372.5200	77.33	-47.46	27.43	-37.97	-13.00	24.97	169	225	Horizontal			
3	3163.3600	59.98	-46.46	29.62	-52.12	-13.00	39.12	223	93	Horizontal			
4	3954.2000	55.11	-46.21	30.69	-55.67	-13.00	42.67	257	276	Horizontal			
5	4745.0400	50.11	-45.73	32.15	-58.73	-13.00	45.73	183	250	Horizontal			
6	5535.8800	49.42	-45.19	32.95	-58.08	-13.00	45.08	167	355	Horizontal			

Final	Final Data List													
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1581.6800	54.55	-48.29	25.37	-63.62	-40.00	23.62	171	357	Vertical				
2	2373.1429	59.13	-47.46	27.43	-56.17	-13.00	43.17	218	243	Vertical				
3	3163.3600	52.45	-46.46	29.62	-59.65	-13.00	46.65	256	176	Vertical				
4	3954.2000	49.94	-46.21	30.69	-60.84	-13.00	47.84	246	255	Vertical				
5	4745.0400	49.70	-45.73	32.15	-59.14	-13.00	46.14	197	0	Vertical				
6	5535.8800	48.55	-45.19	32.95	-58.95	-13.00	45.95	228	121	Vertical				





Report No.: SEWM2207000119RG01

Rev.: 01 Page: 22 of 23

Test Band = CAT M1 Band 14_ TM1 Test Channel = High

Final	Final Data List													
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	Arlub/IIIJ	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1586.6800	67.64	-48.29	25.37	-50.54	-40.00	10.54	162	209	Horizontal				
2	2380	79.36	-47.46	27.43	-35.93	-13.00	22.93	158	236	Horizontal				
3	3173.1429	64.20	-46.41	29.64	-47.84	-13.00	34.84	221	236	Horizontal				
4	3966.7000	58.26	-46.21	30.72	-52.49	-13.00	39.49	241	275	Horizontal				
5	4760.0400	48.80	-45.70	32.20	-59.96	-13.00	46.96	187	3	Horizontal				
6	5553.3800	48.74	-45.21	32.97	-58.76	-13.00	45.76	169	360	Horizontal				

Final	Final Data List												
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1586.6800	52.80	-48.29	25.37	-65.38	-40.00	25.38	158	282	Vertical			
2	2380.0200	59.29	-47.46	27.43	-56.00	-13.00	43.00	169	150	Vertical			
3	3173.3600	51.51	-46.41	29.64	-60.52	-13.00	47.52	218	136	Vertical			
4	3966.7000	50.28	-46.21	30.72	-60.47	-13.00	47.47	246	71	Vertical			
5	4760.0400	48.37	-45.70	32.20	-60.39	-13.00	47.39	253	71	Vertical			
6	5553.3800	49.56	-45.21	32.97	-57.94	-13.00	44.94	183	1	Vertical			

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading Level + AF(dB/m) + Factor(dB)

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain (dB)

Margin = Limit(dBm) - Level(dBm)

 $dBm = dB\mu V - 95.26$





Report No.: SEWM2207000119RG01

Rev.: 01

Page: 23 of 23

Frequency Stability

Test Result

	Voltage													
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict					
Band14	5MHz	QPSK	23330	6RB#0	VL	NT	-0.20	-0.000252	PASS					
Band14	5MHz	QPSK	23330	6RB#0	VN	NT	0.20	0.000252	PASS					
Band14	5MHz	QPSK	23330	6RB#0	VH	NT	-1.40	-0.001765	PASS					

				Temp	erature				
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdic t
Band14	5MHz	QPSK	23330	6RB#0	NV	-30	-0.20	-0.000252	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	-20	1.10	0.001387	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	-10	1.00	0.001261	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	0	1.40	0.001765	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	10	-1.50	-0.001892	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	20	-1.10	-0.001387	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	30	-0.50	-0.000631	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	40	0.50	0.000631	PASS
Band14	5MHz	QPSK	23330	6RB#0	NV	50	-1.60	-0.002018	PASS

---End of Attachment---

