

Page: 1 of 27

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: HP Inc.

1501 Page Mill Road, Palo Alto CA 94304 USA

Manufacturer: HP Inc.

1501 Page Mill Road, Palo Alto CA 94304 USA

Product Name: Notebook Computer

Brand Name: HP

Model No.: HSN-I61C

Report Number: TERF2311002859ER

FCC ID B94HNI61CPA

Date of EUT Received: November 16, 2023

November 17, 2023~January 10, 2024 **Date of Test:**

Issue Date: January 10, 2024

CHUN-CHIEH, CHEN

Approved By

Chun Chieh Chen

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 22H & 24E.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 27

| Revision History | | | | | | | | | | |
|------------------|----------|-------------|------------------|------------|--------|--|--|--|--|--|
| Report Number | Revision | Description | Issue Date | Revised By | Remark | | | | | |
| TERF2311002859ER | 00 | Original | January 10, 2024 | Celery Wei | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 27

Contents

| 1 | GENERAL PRODUCT INFORMATION | 4 |
|---|--------------------------------------------------|----|
| 2 | SYSTEM TEST CONFIGURATION | 6 |
| 3 | Test Configuration | 7 |
| 4 | SUMMARY OF TEST RESULTS | 8 |
| 5 | DESCRIPTION OF TEST MODES | 9 |
| 6 | MEASUREMENT UNCERTAINTY | 10 |
| 7 | MEASUREMENT EQUIPMENT USED | 11 |
| 8 | MAXIMUM OUTPUT POWER | 12 |
| 9 | FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT | 14 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.sgs.com.tw



Page: 4 of 27

1 GENERAL PRODUCT INFORMATION

1.1 Product Description

| Product Name: | Notebook Computer |
|---------------------------------|-----------------------------------------------------------|
| Brand Name: | HP |
| Model No.: | HSN-I61C |
| Hardware Version: | N/A |
| Firmware Version: | N/A |
| EUT Series No.: | 0003770DBW |
| Power Supply: | 5 /9 /12 /15 /20Vdc from adapter or 11.58Vdc from battery |
| Integrated WWAN Module: | Brand Name: Fibocom Model Name: FB520 |
| Test Software (Name/Version) | Engineer_Tool / 2.1.0.23 |

1.2 Operation Frequency Range

| Operating Frequency (MHz) | | | | | |
|---------------------------------|--------|---|--------|--|--|
| GSM/GPRS/EDGE 850 824.2 - 848.8 | | | | | |
| GSM/GPRS/EDGE 1900 | 1850.2 | - | 1909.8 | | |

1.3 Antenna Designation

| Antenna Type | Supplier | Antenna part no. | Mode | Remark | |
|---------------------------------------------------------------------------------------------------|----------|------------------|------|--------|--|
| | Vondor 1 | 6036B0346901 | | Ant5 | |
| DIEV | Vendor 1 | (00-3302702850) | TB | Ant5 | |
| PIFA Vendor 2 | | 6036B0345901 | NB | Ant5 | |
| | | (81ELBA15.G02) | TB | Ant5 | |
| Note: Transmission in frequencies in this test report are only available by the above antenna(s). | | | | | |

| | Fraguanay | | | Peak Antenna Gain (dBi) | | | |
|--------------------|-----------------|---|----------|-------------------------|----------|-------|-------|
| Modulation | Frequency (MHz) | | Vendor 1 | | Vendor 2 | | |
| | | | NB | TB | NB | TB | |
| | | | Ant5 | Ant5 | Ant5 | Ant5 | |
| GSM/GPRS/EDGE 850 | 824.2 | - | 848.8 | -1.59 | -5.92 | -1.33 | -5.12 |
| GSM/GPRS/EDGE 1900 | 1850.2 | | | 0.56 | -1.74 | 0.14 | -0.34 |

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测缺之样只有含,同既此样只属是例如于。大规华工模大公司隶而纯可,不可观公推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No



Page: 5 of 27

Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22H, 24E ANSI C63.26-2015 KDB971168 D01 Power Meas license Digital System v03r01 KDB412172 D01 Determining ERP and EIRP v01r01 TS 151 010-1 is used to set, and measure the output power.

1.5 **Test Facility**

| Laboratory | Test Site Address | Test Site Name | FCC Designation number | |
|-----------------|-------------------------------------------------------------------------|----------------|------------------------|--|
| | | SAC 1 | | |
| | | SAC 2 | | |
| | | SAC 3 | | |
| | No 124 Wu Kung Bood Now Toingi | Conduction 1 | | |
| | No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New | Conducted 1 | TW0027 | |
| | Taipei City, Taiwan. | Conducted 2 | 1 440027 | |
| | | Conducted 3 | | |
| | | Conducted 4 | | |
| | | Conducted 5 | | |
| SGS Taiwan Ltd. | | Conducted 6 | | |
| Central RF Lab. | | Conduction C | | |
| (TAF code 3702) | | SAC C | | |
| | | SAC D | | |
| | | SAC G | | |
| | No.2, Keji 1st Rd., Guishan District, | Conducted A | | |
| | Taoyuan City, Taiwan 333 | Conducted B | TW0028 | |
| | ladydair Oity, faiwair 555 | Conducted C | | |
| | | Conducted D | | |
| | | Conducted E | | |
| | | Conducted F | | |
| | | Conducted G | | |

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 **Special Accessories**

No special accessories were used during testing.

1.7 **Equipment Modifications**

There was no modifications incorporated into the EUT.

1.8 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber. the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 6 of 27

SYSTEM TEST CONFIGURATION

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 **Test Procedure**

2.3.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

Radiated Emissions (ERP/EIRP) 2.3.2

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 **Measurement Results Explanation Example**

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 7 of 27

TEST CONFIGURATION

3.1 Setup diagram



Note: Radio Communication Analyzer is placed in remote side for radiated test.

Control Unit(s) 3.2

| Equipment | Mfr/Brand | Model/Type No. | Series No. |
|---------------|-----------|----------------|---------------|
| Test Software | Audix | e3 | Ver. 9.210616 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 8 of 27

4 SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result |
|-------------------------------------|--------------------------------------------|-----------|
| §2.1046(a) | RF Power Output | Compliant |
| §22.913(a)(5) §24.232(c) | ERP/ EIRP measurement | Compliant |
| §2.1053 §22.917(a) §24.238(a) | Field Strength of Spurious Radiation | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 9 of 27

DESCRIPTION OF TEST MODES

5.1 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

5.2 **Measurement Configuration**

| RADIATED EMISSION | GSM | Test Channel | | |
|--------------------|-------|--------------|---|---|
| RADIATED ENITSSION | Bands | L | М | Н |
| ERP | 850 | ٧ | ٧ | ٧ |
| EIRP | 1900 | ٧ | ٧ | ٧ |
| RADIATED EMISSION | 850 | ٧ | ٧ | ٧ |
| KADIATED EMISSION | 1900 | ٧ | ٧ | ٧ |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 10 of 27

6 MEASUREMENT UNCERTAINTY

| Test Items | Und | certair | nty |
|-------------------------------------------------------------|-----|---------|-----|
| RF Power Output | +/- | 1 | dB |
| ERP/ EIRP measurement | +/- | 2.93 | dB |
| ERP/ EIRP measurement | +/- | 2.93 | dB |
| Emission Bandwidth | +/- | 1.53 | Hz |
| Out of Band Emissions at Antenna Terminals and Band Edge | +/- | 1.68 | dB |
| Peak to Average Ratio | +/- | 1 | dB |
| Frequency Stability vs. Temperature | +/- | 1.53 | Hz |
| Frequency Stability vs. Voltage | +/- | 1.53 | Hz |
| Temperature | +/- | 0.7 | °C |
| Humidity | +/- | 3 | % |
| DC / AC Power Source | +/- | 1 | % |

| Radiated Spurious Emission Measurement Uncertainty | | | | | |
|----------------------------------------------------|-----|------|----|-----------------|--|
| Polarization: Vertical | +/- | 2.8 | dB | 9kHz~30MHz | |
| | +/- | 4.82 | dB | 30MHz - 1000MHz | |
| | +/- | 4.37 | dB | 1GHz - 18GHz | |
| | +/- | 4.21 | dB | 18GHz - 40GHz | |
| Polarization: Horizontal | +/- | 2.8 | dB | 9kHz~30MHz | |
| | +/- | 4.54 | dB | 30MHz - 1000MHz | |
| | +/- | 4.37 | dB | 1GHz - 18GHz | |
| | +/- | 4.21 | dB | 18GHz - 40GHz | |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的明,他就是结果既是知识是一种,因此他接见陈尺项的子,才就是主领于八司隶而统可,不可能以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 11 of 27

MEASUREMENT EQUIPMENT USED

7.1 **Conducted Measurement**

| Conducted Emission Test Site: Conducted 3 | | | | | | | |
|-------------------------------------------|---------|--------------|---------------|------------|------------|--|--|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. | | |
| Radio Communication Analyer | Anritsu | MT8815B | 6200711454 | 04/23/2023 | 04/22/2024 | | |

7.2 Radiated Measurement

| | | Radiated Emissic | on Test Site: SAC 2 | | |
|-----------------------------------|---------------|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|------------|------------|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
| Bi-log Antenna SCHWARZBECK | | VULB9168 | 1208 | 07/21/2023 | 07/20/2024 |
| Horn Antenna | SCHWARZBECK | BBHA9120D | 603 | 05/11/2023 | 05/10/2024 |
| Horn Antenna | SCHWARZBECK | BBHA9170 | 184 | 12/30/2022 | 12/29/2023 |
| Horn Antenna | RF SPIN | DRH0844 | LE2D05A0844 | 07/03/2023 | 07/02/2024 |
| Horn Antenna | RF SPIN | DRH18-E | 210303A18-ES | 02/24/2023 | 02/23/2024 |
| Bi-log Antenna | SCHWARZBECK | VULB9168 | 9168-1278 | 03/09/2023 | 03/08/2024 |
| EXA Spectrum Analyzer | KEYSIGHT | N9010B | MY60242392 | 12/20/2022 | 12/19/2023 |
| Signal Generator | R&S | SMBV100A | 263084 | 12/29/2022 | 12/28/2023 |
| Radio Communication Analyer | Anri ts u | MT8815B | 6200711454 | 04/23/2023 | 04/22/2024 |
| Test Software | Audix | e3 | Ver. 9.210616 | N.C.R | N.C.R |
| Site Cal | SGS | SAC 2 | N/A | 08/31/2023 | 08/30/2024 |
| Pre-Amplifier | EMCI | EMC184045B | 980135 | 08/31/2023 | 08/30/2024 |
| Pre-Amplifier | EMCI | EMC330N | 980826 | 08/31/2023 | 08/30/2024 |
| Pre-Amplifier | EMCI | EMC118A45SEE | 980867 | 08/31/2023 | 08/30/2024 |
| Bandreject Filter 635-920 | Micro-Tronics | WI | 4 | 12/13/2022 | 12/12/2023 |
| Bandreject Filter 1700-2000 | Micro-Tronics | EWT | M3 | 12/13/2022 | 12/12/2023 |
| 1GHz High Pass Filter | Micro-Tronics | HPM50108 | 32 | 12/13/2022 | 12/12/2023 |
| 3.1GHz High Pass Filter | WI | WFIL-H3100- 18000F-01 | WRGBAFWC2B6 | 12/13/2022 | 12/12/2023 |
| Coaxial Cables | Huber Suhner | SUCOFLEX 102 | RX Cable 18G-40G MY2630/2+805062/2 | 08/31/2023 | 08/30/2024 |
| Coaxial Cables | Huber Suhner | SUCOFLEX 102+SUCOFLEX 106 | TX Cable 30M-40G 23051/2+76096/6+2 2962/2 | 08/31/2023 | 08/30/2024 |
| Coaxial Cables | EMCI | EMC104-SM-SM- 1000+EMC105-SM- SM-1000+EMC105- SM-SM- 1500+EMC104-SM- SM-600+EMC105- SM-SM-2000 | RX Cable 9K-18G (220236+201211+22 0906+220237+22090 9) | 08/31/2023 | 08/30/2024 |

Note: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 12 of 27

8 MAXIMUM OUTPUT POWER

8.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

According to FCC §2.1046

FCC 22.913(a)

(5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

8.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

8.3 Output Power Measurement Applicable Guideance

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a communication tester.

Transmitter output was read off the communication tester in dBm.

The power output at the transmitter antenna port was determined by adding the value of the attenuator to the communication tester reading.

TS 151 010-1 is reference to conduct the test measurement of output power.

KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.

Conducted average power is obtained from the simulator telecommunication test set.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测缺之样只有含,同既此样只属是例如于。大规华工模大公司隶而纯可,不可观公推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 13 of 27

Determining ERP and/or EIRP from conducted RF output power measurements

According to KDB 412172 D01 Power Approach,

 $EIRP = P_T + G_T - L_C$.

ERP= EIRP-2.15.

Where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power (ex-

> pressed in the same units as PT, typically dBW, dBm, or power spectral density (PSD)2), relative to either a dipole antenna (ERP) or an

isotropic antenna (EIRP);

= transmitter output power, expressed in dBW, dBm, or PSD; P_{T}

Gт = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

= signal attenuation in the connecting cable between the transmitter and Lc

antenna, in dB.

8.5 **Measurement Results**

GSM/GPRS/EDGE (GMSK; 8-PSK) Result:

| EUT Mode | Freq. (MHz) | СН | Conducted Avg. Power (dBm) | Antenna Gain (dBi) | ERP (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|--------------|----------------|-----|----------------------------------|--------------------------|--------------|---------------|----------------|----------------|
| CDDC | 824.2 | 128 | 32.57 | -1.33 | 29.09 | 31.24 | 38.50 | -7.26 |
| GPRS 850 | 836.6 | 190 | 32.38 | -1.33 | 28.90 | 31.05 | 38.50 | -7.45 |
| 000 | 848.8 | 251 | 32.55 | -1.33 | 29.07 | 31.22 | 38.50 | -7.28 |
| CDDC | 1850.2 | 512 | 29.18 | 0.56 | 27.59 | 29.74 | 33.00 | -3.26 |
| GPRS 1900 | 1880.0 | 661 | 29.22 | 0.56 | 27.63 | 29.78 | 33.00 | -3.22 |
| 1700 | 1909.8 | 810 | 29.63 | 0.56 | 28.04 | 30.19 | 33.00 | -2.81 |
| EDCE | 824.2 | 128 | 26.40 | -1.33 | 22.92 | 25.07 | 38.50 | -13.43 |
| EDGE 850 | 836.6 | 190 | 26.37 | -1.33 | 22.89 | 25.04 | 38.50 | -13.46 |
| 000 | 848.8 | 251 | 26.24 | -1.33 | 22.76 | 24.91 | 38.50 | -13.59 |
| EDCE | 1850.2 | 512 | 25.32 | 0.56 | 23.73 | 25.88 | 33.00 | -7.12 |
| EDGE 1900 | 1880.0 | 661 | 25.46 | 0.56 | 23.87 | 26.02 | 33.00 | -6.98 |
| .700 | 1909.8 | 810 | 25.71 | 0.56 | 24.12 | 26.27 | 33.00 | -6.73 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 27

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1 Standard Applicable


According to FCC §2.1053,

FCC §22.917(a), §24.238(a)


Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

9.2 **EUT Setup**

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 27

9.3 **Measurement Procedure:**

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 16 of 27

Measurement Result:


Vendor 1

Report Number Test Site :SAC 2 :TERF2311002859ER

Operation Mode :GPRS 1900 :2023-11-28 Test Date Test Mode Temp./Humi. :24.8°C/64% :Tx

EUT Pol Antenna Pol. :Vertical :NB Plane

Test Frequency :1850.2 MHz Engineer :Eason Wang



| Freq. | EIRP/ERP | SG | Antenna | Cable | Limit | Margin |
|----------|----------|--------------|---------|-------|--------|--------|
| - | | Output Level | Gain | Loss | | _ |
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 43.580 | -59.94 | -46.80 | -12.39 | -0.76 | -13.00 | -46.94 |
| 94.020 | -69.29 | -67.64 | -0.56 | -1.09 | -13.00 | -56.29 |
| 257.950 | -67.39 | -69.83 | 4.19 | -1.76 | -13.00 | -54.39 |
| 311.300 | -67.07 | -69.24 | 4.09 | -1.93 | -13.00 | -54.07 |
| 430.610 | -72.58 | -74.26 | 3.95 | -2.27 | -13.00 | -59.58 |
| 592.600 | -72.24 | -73.36 | 3.78 | -2.66 | -13.00 | -59.24 |
| 3700.400 | -39.12 | -45.05 | 12.60 | -6.66 | -13.00 | -26.12 |
| 5550.600 | -49.22 | -54.23 | 13.20 | -8.20 | -13.00 | -36.22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 17 of 27


Report Number :TERF2311002859ER Test Site :SAC 2

Operation Mode :GPRS 1900 Test Date :2023-11-28

Test Mode :Tx Temp./Humi. :24.8°C/64%

EUT Pol :NB Plane Antenna Pol. :Horizontal

Test Frequency :1850.2 MHz Engineer :Eason Wang



| Freq. | EIRP/ERP | SG | Antenna | Cable | Limit | Margin |
|----------|----------|--------------|---------|-------|--------|--------|
| - | | Output Level | Gain | Loss | | _ |
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 43.580 | -53.83 | -40.69 | -12.39 | -0.76 | -13.00 | -40.83 |
| 128.940 | -66.52 | -64.04 | -1.22 | -1.26 | -13.00 | -53.52 |
| 197.810 | -74.06 | -76.42 | 3.90 | -1.55 | -13.00 | -61.06 |
| 262.800 | -71.83 | -74.21 | 4.16 | -1.78 | -13.00 | -58.83 |
| 381.140 | -72.96 | -75.01 | 4.18 | -2.13 | -13.00 | -59.96 |
| 497.540 | -72.40 | -74.18 | 4.22 | -2.44 | -13.00 | -59.40 |
| 3700.400 | -38.30 | -44.24 | 12.60 | -6.66 | -13.00 | -25.30 |
| 5550.600 | -49.29 | -54.29 | 13.20 | -8.20 | -13.00 | -36.29 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的明,他就是结果既是知识是一种,因此他接见陈尺项的子,才就是主领于八司隶而统可,不可能以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 18 of 27


Report Number :TERF2311002859ER Test Site :SAC 2

Operation Mode :GPRS 1900 Test Date :2023-11-28

Test Mode :Tx Temp./Humi. :24.8℃/64%

EUT Pol :NB Plane Antenna Pol. :Vertical

Test Frequency :1880 MHz Engineer :Eason Wang



| Freq. | EIRP/ERP | SG Output Lavel | Antenna | Cable | Limit | Margin |
|----------|----------|---------------------|-----------------|------------|--------|--------|
| MHz | dBm | Output Level dBm | Gain dBi/dBd | Loss dB | dBm | dB |
| 44.550 | 50.50 | 40.50 | 40.00 | 0.77 | 40.00 | 40.50 |
| 44.550 | -59.58 | -46.53 | -12.28 | -0.77 | -13.00 | -46.58 |
| 94.990 | -69.50 | -67.83 | - 0.57 | -1.10 | -13.00 | -56.50 |
| 250.190 | -62.07 | -64.38 | 4.05 | -1.74 | -13.00 | -49.07 |
| 306.450 | -64.04 | -66.27 | 4.15 | -1.92 | -13.00 | -51.04 |
| 389.870 | -68.63 | -70.58 | 4.10 | -2.16 | -13.00 | -55.63 |
| 596.480 | -71.32 | -72.42 | 3.76 | -2.66 | -13.00 | -58.32 |
| 3760.000 | -41.18 | -46.93 | 12.46 | -6.71 | -13.00 | -28.18 |
| 5640.000 | -48.77 | -53.93 | 13.48 | -8.31 | -13.00 | -35.77 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的明,他就是结果既是知识是一种,因此他接见陈尺项的子,才就是主领于八司隶而统可,不可能以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 19 of 27


Report Number Test Site :SAC 2 :TERF2311002859ER

Operation Mode :GPRS 1900 Test Date :2023-11-28

Test Mode :Tx Temp./Humi. :24.8°C/64%

EUT Pol Antenna Pol. :Horizontal :NB Plane

Engineer **Test Frequency** :Eason Wang :1880 MHz



| | Freq. | EIRP/ERP | SG Output Level | Antenna Gain | Cable | Limit | Margin |
|---|----------|----------|--------------------|-----------------|-------|--------|--------|
| | MU | dDm | • | | Loss | dDm | ٩D |
| - | MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | 43.580 | -53.13 | -39.98 | -12.39 | -0.76 | -13.00 | -40.13 |
| | 94.020 | -73.06 | -71.41 | -0.56 | -1.09 | -13.00 | -60.06 |
| | 198.780 | -73.96 | -76.44 | 4.03 | -1.55 | -13.00 | -60.96 |
| | 305.480 | -72.25 | -74.50 | 4.16 | -1.91 | -13.00 | -59.25 |
| | 461.650 | -73.54 | -75.20 | 4.00 | -2.34 | -13.00 | -60.54 |
| | 566.410 | -73.67 | -75.24 | 4.16 | -2.59 | -13.00 | -60.67 |
| | 3760.000 | -40.27 | -46.02 | 12.46 | -6.71 | -13.00 | -27.27 |
| | 5640.000 | -48.88 | -54.05 | 13.48 | -8.31 | -13.00 | -35.88 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 27


Report Number Test Site :SAC 2 :TERF2311002859ER

Operation Mode :GPRS 1900 Test Date :2023-11-28

Temp./Humi. :24.8°C/64% **Test Mode** :Tx

EUT Pol Antenna Pol. :Vertical :NB Plane

Engineer :Eason Wang **Test Frequency** :1909.8 MHz



| Freq. | EIRP/ERP | SG | Antenna | Cable | Limit | Margin |
|----------|----------|--------------|---------|-------|--------|--------|
| | | Output Level | Gain | Loss | | |
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 44.550 | -59.33 | -46.28 | -12.28 | -0.77 | -13.00 | -46.33 |
| 91.110 | -69.90 | -68.21 | -0.63 | -1.06 | -13.00 | -56.90 |
| 246.310 | -63.76 | -66.01 | 3.98 | -1.73 | -13.00 | -50.76 |
| 305.480 | -63.83 | -66.08 | 4.16 | -1.91 | -13.00 | -50.83 |
| 399.570 | -69.78 | -71.81 | 4.21 | -2.18 | -13.00 | -56.78 |
| 599.390 | -71.81 | -72.90 | 3.74 | -2.66 | -13.00 | -58.81 |
| 3819.600 | 0 -52.40 | -57.94 | 12.30 | -6.76 | -13.00 | -39.40 |
| 5729.400 | 0 -49.03 | -53.89 | 13.24 | -8.39 | -13.00 | -36.03 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 21 of 27


Report Number :TERF2311002859ER Test Site :SAC 2

Operation Mode :GPRS 1900 Test Date :2023-11-28

Test Mode :Tx Temp./Humi. :24.8°C/64%

EUT Pol :NB Plane Antenna Pol. :Horizontal

Test Frequency :1909.8 MHz Engineer :Eason Wang



| Freq. | EIRP/ERP | SG Output Level | Antenna Gain | Cable Loss | Limit | Margin |
|----------|----------|--------------------|-----------------|---------------|--------|--------|
| MHz | dBm | ['] dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 44.550 | -67.21 | - 54.17 | -12.28 | - 0.77 | -13.00 | -54.21 |
| 129.910 | -74.76 | -71.98 | -1.51 | -1.27 | -13.00 | -61.76 |
| 205.570 | -73.54 | -76.23 | 4.25 | -1.56 | -13.00 | -60.54 |
| 267.650 | -68.67 | -71.00 | 4.12 | -1.80 | -13.00 | -55.67 |
| 392.780 | -74.22 | -76.16 | 4.11 | -2.17 | -13.00 | -61.22 |
| 599.390 | -75.47 | -76.55 | 3.74 | -2.66 | -13.00 | -62.47 |
| 3819.600 | -52.43 | -57.97 | 12.30 | -6.76 | -13.00 | -39.43 |
| 5729.400 | -48.87 | -53.73 | 13.24 | -8.39 | -13.00 | -35.87 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,所帮助某个样子的工作,因此所以为他们的工作,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 22 of 27


Vendor 2

Report Number :TERF2311002859ER Test Site :SAC 2

Operation Mode :GPRS 850 Test Date :2023-11-28 Temp./Humi. :24.8°C/64% Test Mode :Tx

EUT Pol :NB Plane Antenna Pol. :Vertical

Test Frequency :824.2 MHz :Eason Wang Engineer



| Freq. | EIRP/ERP | SG | Antenna | Cable | Limit | Margin |
|----------|----------|----------------|---------|-------|--------|--------|
| | | Output Level | Gain | Loss | | |
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 44.550 | -60.11 | -47.06 | -12.28 | -0.77 | -13.00 | -47.11 |
| 94.990 | -69.69 | -68.02 | -0.57 | -1.10 | -13.00 | -56.69 |
| 256.980 | -65.28 | -67.73 | 4.20 | -1.75 | -13.00 | -52.28 |
| 321.970 | -69.48 | -71.57 | 4.06 | -1.96 | -13.00 | -56.48 |
| 444.190 | -69.68 | -71.33 | 3.95 | -2.30 | -13.00 | -56.68 |
| 592.600 | -71.30 | -72.43 | 3.78 | -2.66 | -13.00 | -58.30 |
| 1648.400 | -50.22 | - 55.39 | 9.50 | -4.33 | -13.00 | -37.22 |
| 2472.600 | -45.14 | -50.25 | 10.50 | -5.39 | -13.00 | -32.14 |
| 3296.800 | -41.44 | -47.44 | 12.26 | -6.27 | -13.00 | -28.44 |
| 4121.000 | -48.26 | - 53.79 | 12.56 | -7.03 | -13.00 | -35.26 |
| | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 23 of 27


Report Number :TERF2311002859ER Test Site :SAC 2

Operation Mode :GPRS 850 Test Date :2023-11-28

Test Mode :Tx Temp./Humi. :24.8℃/64%

EUT Pol :NB Plane Antenna Pol. :Horizontal

Test Frequency :824.2 MHz Engineer :Eason Wang



| Freq. | EIRP/ERP | SG Output Level | Antenna Gain | Cable Loss | Limit | Margin |
|----------|----------|--------------------|-----------------|---------------|--------|--------|
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 44.550 | -53.46 | -40.41 | -12.28 | -0.77 | -13.00 | -40.46 |
| 91.110 | -72.03 | -70.34 | -0.63 | -1.06 | -13.00 | -59.03 |
| 154.160 | -75.00 | -72.04 | -1.59 | -1.37 | -13.00 | -62.00 |
| 201.690 | -74.19 | -76.71 | 4.07 | -1.55 | -13.00 | -61.19 |
| 262.800 | -70.29 | -72.67 | 4.16 | -1.78 | -13.00 | -57.29 |
| 565.440 | -74.00 | -75.61 | 4.20 | -2.59 | -13.00 | -61.00 |
| 1648.400 | -50.79 | -55.96 | 9.50 | -4.33 | -13.00 | -37.79 |
| 2472.600 | -42.59 | -47.70 | 10.50 | -5.39 | -13.00 | -29.59 |
| 3296.800 | -39.80 | -45.79 | 12.26 | -6.27 | -13.00 | -26.80 |
| 4121.000 | -43.95 | -49.47 | 12.56 | -7.03 | -13.00 | -30.95 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约时,从现在处理度积制建立体理与基本,同时和第二条中间的企业,不可能的推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 24 of 27


Report Number Test Site :SAC 2 :TERF2311002859ER

Operation Mode :GPRS 850 Test Date :2023-11-28

Temp./Humi. :24.8°C/64% **Test Mode** :Tx

EUT Pol Antenna Pol. :Vertical :NB Plane

Engineer :Eason Wang **Test Frequency** :836.6 MHz



| Freq. | EIRP/ERP | SG Output Level | Antenna Gain | Cable Loss | Limit | Margin |
|----------|----------|--------------------|-----------------|---------------|--------|--------|
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 43.580 | -61.71 | -48.56 | -12.39 | -0.76 | -13.00 | -48.71 |
| 128.940 | -70.25 | -67.77 | -1.22 | -1.26 | -13.00 | -57.25 |
| 256.010 | -67.24 | -69.69 | 4.20 | -1.75 | -13.00 | -54.24 |
| 308.390 | -66.81 | -69.01 | 4.13 | -1.92 | -13.00 | -53.81 |
| 488.810 | -70.32 | -71.99 | 4.08 | -2.42 | -13.00 | -57.32 |
| 610.060 | -71.03 | -71.94 | 3.59 | -2.68 | -13.00 | -58.03 |
| 1673.200 | -53.55 | -59.02 | 9.83 | -4.36 | -13.00 | -40.55 |
| 2509.800 | -42.96 | -48.13 | 10.60 | -5.44 | -13.00 | -29.96 |
| 3346.400 | -42.40 | -48.66 | 12.58 | -6.32 | -13.00 | -29.40 |
| 4183.000 | -50.97 | -56.52 | 12.63 | -7.09 | -13.00 | -37.97 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 25 of 27


Report Number Test Site :SAC 2 :TERF2311002859ER

Operation Mode :GPRS 850 Test Date :2023-11-28

Temp./Humi. :24.8°C/64% Test Mode :Tx

EUT Pol Antenna Pol. :Horizontal :NB Plane

:Eason Wang **Test Frequency** :836.6 MHz Engineer



| Freq. | EIRP/ERP | SG Output Level | Antenna Gain | Cable Loss | Limit | Margin |
|----------|----------------|--------------------|-----------------|---------------|--------|--------|
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 43.580 | - 57.70 | -44.56 | -12.39 | -0.76 | -13.00 | -44.70 |
| 91.110 | -73.35 | -71.66 | -0.63 | -1.06 | -13.00 | -60.35 |
| 198.780 | -74.02 | -76.50 | 4.03 | -1.55 | -13.00 | -61.02 |
| 304.510 | -72.25 | -74.51 | 4.17 | -1.91 | -13.00 | -59.25 |
| 425.760 | -74.04 | -75.75 | 3.95 | -2.24 | -13.00 | -61.04 |
| 560.590 | -74.75 | -76.40 | 4.24 | -2.58 | -13.00 | -61.75 |
| 1673.200 | -51.93 | -57.40 | 9.83 | -4.36 | -13.00 | -38.93 |
| 2509.800 | -43.26 | -48.42 | 10.60 | -5.44 | -13.00 | -30.26 |
| 3346.400 | -40.86 | -47.12 | 12.58 | -6.32 | -13.00 | -27.86 |
| 4183.000 | -47.16 | -52.71 | 12.63 | -7.09 | -13.00 | -34.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 26 of 27


Report Number :TERF2311002859ER Test Site :SAC 2

Operation Mode :GPRS 850 Test Date :2023-11-28

Test Mode :Tx Temp./Humi. :24.8℃/64%

EUT Pol :NB Plane Antenna Pol. :Vertical

Test Frequency :848.8 MHz Engineer :Eason Wang



| Freq. | EIRP/ERP | SG Output Level | Antenna Gain | Cable Loss | Limit | Margin |
|----------|----------|--------------------|-----------------|---------------|--------|--------|
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 44.550 | -60.73 | -47.68 | -12.28 | -0.77 | -13.00 | -47.73 |
| 94.020 | -71.54 | -69.89 | -0.56 | -1.09 | -13.00 | -58.54 |
| 236.610 | -67.59 | -70.09 | 4.20 | -1.69 | -13.00 | -54.59 |
| 315.180 | -69.12 | -71.24 | 4.05 | -1.94 | -13.00 | -56.12 |
| 500.450 | -67.49 | -69.29 | 4.25 | -2.45 | -13.00 | -54.49 |
| 562.530 | -68.77 | -70.41 | 4.23 | -2.59 | -13.00 | -55.77 |
| 1697.600 | -46.91 | -52.49 | 9.98 | -4.39 | -13.00 | -33.91 |
| 2546.400 | -47.33 | -52.52 | 10.66 | -5.48 | -13.00 | -34.33 |
| 3395.200 | -47.31 | -53.55 | 12.60 | -6.36 | -13.00 | -34.31 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,从现在外面,还可能以为两个。大型化土硕士八司电话还可,不可能以为剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 27 of 27


Report Number Test Site :SAC 2 :TERF2311002859ER

Operation Mode :GPRS 850 Test Date :2023-11-28

Test Mode :Tx Temp./Humi. :24.8°C/64%

EUT Pol :NB Plane Antenna Pol. :Horizontal

Test Frequency :Eason Wang :848.8 MHz Engineer



| Freq. | EIRP/ERP | SG Output Level | Antenna Gain | Cable Loss | Limit | Margin |
|----------|----------|--------------------|-----------------|---------------|--------|--------|
| MHz | dBm | dBm | dBi/dBd | dB | dBm | dB |
| | | | | | | |
| 44.550 | -67.41 | - 54.36 | -12.28 | -0.77 | -13.00 | -54.41 |
| 129.910 | -72.34 | -69.56 | -1.51 | -1.27 | -13.00 | -59.34 |
| 203.630 | -73.90 | -76.50 | 4.16 | -1.56 | -13.00 | -60.90 |
| 250.190 | -68.12 | -70.43 | 4.05 | -1.74 | -13.00 | -55.12 |
| 371.440 | -74.49 | -76.69 | 4.32 | -2.11 | -13.00 | -61.49 |
| 503.360 | -74.69 | -76.42 | 4.19 | -2.45 | -13.00 | -61.69 |
| 1697.600 | -47.60 | -53.19 | 9.98 | -4.39 | -13.00 | -34.60 |
| 2546.400 | -44.71 | -49.89 | 10.66 | -5.48 | -13.00 | -31.71 |
| 3395.200 | -45.83 | -52.08 | 12.60 | -6.36 | -13.00 | -32.83 |

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.sgs.com.tw