



EGPRS1900-810-30~1000MHz



11:42:56 27.07.2022

EGPRS1900-810-1000~18000MHz



11:43:28 27.07.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Field Strength of Spurious Radiation

Test Band = GSM850

Test Channel = Low

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1261.1429	53.59	-48.30	25.60	-64.37	-13.00	51.37	215	265	Horizontal
2	1648.4000	69.69	-48.22	25.37	-48.42	-13.00	35.42	164	185	Horizontal
3	2472.6000	68.12	-47.32	27.68	-46.78	-13.00	33.78	213	226	Horizontal
4	3296.8000	65.07	-46.67	29.56	-47.30	-13.00	34.30	187	212	Horizontal
5	4121.0000	51.31	-45.91	30.98	-58.88	-13.00	45.88	129	252	Horizontal
6	4945.2000	49.59	-45.69	32.73	-58.63	-13.00	45.63	158	293	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1648.4000	60.48	-48.22	25.37	-57.63	-13.00	44.63	216	188	Vertical
2	2472.5714	56.00	-47.32	27.68	-58.90	-13.00	45.90	159	121	Vertical
3	3296.8000	56.38	-46.67	29.56	-55.99	-13.00	42.99	238	242	Vertical
4	4121.0000	49.17	-45.91	30.98	-61.02	-13.00	48.02	267	292	Vertical
5	4945.2000	48.38	-45.69	32.73	-59.84	-13.00	46.84	184	68	Vertical
6	6637.1429	51.09	-44.33	35.51	-52.99	-13.00	39.99	236	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = GSM850
Test Channel = Mid

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1672.8000	70.60	-48.19	25.38	-47.47	-13.00	34.47	236	212	Horizontal
2	2509.2000	68.54	-47.24	27.80	-46.15	-13.00	33.15	198	251	Horizontal
3	3345.6000	62.15	-46.62	29.50	-50.23	-13.00	37.23	216	263	Horizontal
4	4182.0000	51.73	-45.95	31.07	-58.41	-13.00	45.41	228	263	Horizontal
5	5018.4000	49.11	-45.73	32.89	-58.99	-13.00	45.99	257	198	Horizontal
6	8274.2857	49.37	-42.17	37.17	-50.88	-13.00	37.88	178	342	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1672.8000	56.30	-48.19	25.38	-61.77	-13.00	48.77	179	256	Vertical
2	2509.2000	56.23	-47.24	27.80	-58.46	-13.00	45.46	186	138	Vertical
3	3345.6000	51.71	-46.62	29.50	-60.67	-13.00	47.67	153	71	Vertical
4	4182.0000	48.65	-45.95	31.07	-61.49	-13.00	48.49	224	176	Vertical
5	5018.4000	49.30	-45.73	32.89	-58.80	-13.00	45.80	243	356	Vertical
6	6878.8571	50.66	-44.16	35.93	-52.82	-13.00	39.82	165	83	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = GSM850
Test Channel = High

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1697.6000	64.32	-48.16	25.39	-53.71	-13.00	40.71	167	234	Horizontal
2	2546.4000	63.91	-47.11	27.92	-50.54	-13.00	37.54	214	248	Horizontal
3	3395.2000	55.43	-46.55	29.44	-56.94	-13.00	43.94	182	301	Horizontal
4	4244.0000	53.06	-45.88	31.19	-56.89	-13.00	43.89	251	209	Horizontal
5	5092.8000	48.87	-45.41	32.93	-58.87	-13.00	45.87	239	170	Horizontal
6	7504	50.09	-43.41	36.44	-52.14	-13.00	39.14	136	183	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1697.6000	53.98	-48.16	25.39	-64.05	-13.00	51.05	167	309	Vertical
2	2546.4000	54.18	-47.11	27.92	-60.27	-13.00	47.27	192	110	Vertical
3	3395.2000	50.73	-46.55	29.44	-61.64	-13.00	48.64	187	150	Vertical
4	4244.0000	50.02	-45.88	31.19	-59.93	-13.00	46.93	218	46	Vertical
5	5092.8000	48.12	-45.41	32.93	-59.62	-13.00	46.62	229	19	Vertical
6	6710.8571	50.32	-44.07	35.66	-53.34	-13.00	40.34	125	136	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = GSM1900

Test Channel = Low

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3700.4000	49.52	-45.50	29.97	-61.27	-13.00	48.27	214	135	Horizontal
2	5550.6000	48.80	-45.15	32.97	-58.65	-13.00	45.65	236	16	Horizontal
3	7400.8000	48.17	-43.41	36.49	-54.01	-13.00	41.01	261	352	Horizontal
4	9251.0000	44.44	-40.23	38.38	-52.68	-13.00	39.68	215	329	Horizontal
5	11101.200	40.86	-37.96	39.09	-53.27	-13.00	40.27	188	30	Horizontal
6	15405	41.44	-33.58	38.70	-48.70	-13.00	35.70	145	75	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3700.4000	49.77	-45.50	29.97	-61.02	-13.00	48.02	211	359	Vertical
2	5550.6000	49.39	-45.15	32.97	-58.06	-13.00	45.06	236	43	Vertical
3	7400.8000	48.22	-43.41	36.49	-53.96	-13.00	40.96	291	148	Vertical
4	9251.0000	44.58	-40.23	38.38	-52.54	-13.00	39.54	145	105	Vertical
5	11101.200	41.21	-37.96	39.09	-52.92	-13.00	39.92	175	298	Vertical
6	14547.75	43.43	-35.05	39.98	-46.91	-13.00	33.91	180	252	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = GSM1900
Test Channel = Mid

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3760.0000	50.44	-45.75	30.19	-60.39	-13.00	47.39	166	88	Horizontal
2	5640.0000	48.38	-44.98	33.17	-58.70	-13.00	45.70	145	326	Horizontal
3	7520.0000	48.69	-43.10	36.43	-53.24	-13.00	40.24	185	88	Horizontal
4	9400.0000	43.36	-39.83	38.49	-53.24	-13.00	40.24	126	3	Horizontal
5	11280.0000	41.79	-37.41	39.11	-51.77	-13.00	38.77	291	3	Horizontal
6	13708.5	42.12	-36.18	40.05	-49.27	-13.00	36.27	170	134	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3760.0000	49.66	-45.75	30.19	-61.17	-13.00	48.17	269	4	Vertical
2	5640.0000	48.17	-44.98	33.17	-58.91	-13.00	45.91	251	16	Vertical
3	7520.0000	47.69	-43.10	36.43	-54.24	-13.00	41.24	148	226	Vertical
4	9400.0000	42.90	-39.83	38.49	-53.70	-13.00	40.70	175	60	Vertical
5	11280.0000	40.79	-37.41	39.11	-52.77	-13.00	39.77	211	269	Vertical
6	15150	43.00	-34.44	39.02	-47.68	-13.00	34.68	166	255	Vertical



Test Band = GSM1900
Test Channel = High

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3819.6000	49.49	-45.99	30.38	-61.38	-13.00	48.38	196	251	Horizontal
2	7639.2000	47.41	-43.01	36.47	-54.39	-13.00	41.39	155	133	Horizontal
3	9549.0000	43.24	-39.96	38.45	-53.52	-13.00	40.52	263	352	Horizontal
4	11458.800	40.18	-37.33	39.04	-53.37	-13.00	40.37	251	88	Horizontal
5	13649.25	42.38	-36.12	40.10	-48.90	-13.00	35.90	145	196	Horizontal
6	16959.75	43.61	-33.68	38.48	-46.85	-13.00	33.85	170	74	Horizontal

Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3819.6000	49.50	-45.99	30.38	-61.37	-13.00	48.37	188	251	Vertical
2	7639.2000	47.51	-43.01	36.47	-54.29	-13.00	41.29	149	14	Vertical
3	9549.0000	43.54	-39.96	38.45	-53.22	-13.00	40.22	176	105	Vertical
4	11458.800	40.10	-37.33	39.04	-53.45	-13.00	40.45	253	26	Vertical
5	14564.25	42.30	-35.13	39.97	-48.12	-13.00	35.12	233	165	Vertical
6	16980	42.30	-33.43	38.49	-47.90	-13.00	34.90	200	208	Vertical

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

- Level = Reading Level + AF(dB/m) + Factor(dB)
- AF = Antenna Factor(dB/m)
- Factor = Cable Factor(dB) - Preamplifier gain (dB)
- Margin = Limit(dBm) - Level(dBm)
- dBm = dBμV – 95.26

