

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	0.95	69.22	16.82	0.00	150.0	± 9.6 %
		Y	0.83	67.13	15.34		150.0	
		Z	1.07	71.76	18.27		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	133.28	35.60	3.29	80.0	± 9.6 %
		Y	100.00	142.17	38.90		80.0	
		Z	100.00	139.40	38.29		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	111.45	25.41	3.23	80.0	± 9.6 %
		Y	100.00	114.17	25.91		80.0	
		Z	100.00	114.90	26.83		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	44.25	98.64	21.44	3.23	80.0	± 9.6 %
		Y	100.00	107.11	22.72		80.0	
		Z	100.00	109.27	24.24		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	130.82	34.27	3.23	80.0	± 9.6 %
		Y	100.00	139.67	37.51		80.0	
		Z	100.00	137.19	37.05		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.64	25.03	3.23	80.0	± 9.6 %
		Y	100.00	113.00	25.38		80.0	
		Z	100.00	113.96	26.39		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.29	84.82	17.88	3.23	80.0	± 9.6 %
		Y	9.65	84.68	17.35		80.0	
		Z	100.00	108.40	23.85		80.0	
10467-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	131.14	34.41	3.23	80.0	± 9.6 %
		Y	100.00	140.13	37.71		80.0	
		Z	100.00	137.54	37.21		80.0	
10468-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.89	25.14	3.23	80.0	± 9.6 %
		Y	100.00	113.41	25.56		80.0	
		Z	100.00	114.26	26.52		80.0	
10469-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.73	85.22	17.99	3.23	80.0	± 9.6 %
		Y	11.14	86.04	17.71		80.0	
		Z	100.00	108.44	23.86		80.0	
10470-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	131.20	34.43	3.23	80.0	± 9.6 %
		Y	100.00	140.22	37.74		80.0	
		Z	100.00	137.63	37.24		80.0	
10471-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.81	25.10	3.23	80.0	± 9.6 %
		Y	100.00	113.31	25.51		80.0	
		Z	100.00	114.18	26.48		80.0	
10472-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.53	85.01	17.91	3.23	80.0	± 9.6 %
		Y	10.29	85.25	17.47		80.0	
		Z	100.00	108.34	23.81		80.0	
10473-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	131.16	34.41	3.23	80.0	± 9.6 %
		Y	100.00	140.17	37.72		80.0	
		Z	100.00	137.59	37.22		80.0	
10474-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.82	25.10	3.23	80.0	± 9.6 %
		Y	100.00	113.31	25.51		80.0	
		Z	100.00	114.19	26.48		80.0	
10475-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.23	84.76	17.85	3.23	80.0	± 9.6 %
		Y	9.67	84.70	17.33		80.0	
		Z	100.00	108.36	23.82		80.0	

10477-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.58	24.99	3.23	80.0	± 9.6 %
		Y	100.00	112.96	25.35		80.0	
		Z	100.00	113.92	26.36		80.0	
10478-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	10.83	84.36	17.72	3.23	80.0	± 9.6 %
		Y	8.56	83.51	16.99		80.0	
		Z	100.00	108.26	23.78		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	10.67	93.30	26.20	3.23	80.0	± 9.6 %
		Y	60.74	123.45	34.00		80.0	
		Z	63.77	124.40	34.98		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	14.86	91.99	23.74	3.23	80.0	± 9.6 %
		Y	100.00	118.27	29.60		80.0	
		Z	100.00	120.01	31.13		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.70	87.68	22.02	3.23	80.0	± 9.6 %
		Y	100.00	115.49	28.24		80.0	
		Z	100.00	117.83	30.05		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.46	78.83	20.16	2.23	80.0	± 9.6 %
		Y	3.19	74.89	17.79		80.0	
		Z	5.53	82.41	21.43		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.64	80.27	20.11	2.23	80.0	± 9.6 %
		Y	7.78	82.49	19.73		80.0	
		Z	16.74	94.22	24.73		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.93	78.40	19.45	2.23	80.0	± 9.6 %
		Y	5.91	78.68	18.45		80.0	
		Z	12.59	89.84	23.43		80.0	
10485-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.25	78.13	20.81	2.23	80.0	± 9.6 %
		Y	3.40	76.01	19.55		80.0	
		Z	4.88	80.80	21.88		80.0	
10486-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.70	72.18	17.91	2.23	80.0	± 9.6 %
		Y	3.07	70.54	16.47		80.0	
		Z	3.94	73.45	18.45		80.0	
10487-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.66	71.60	17.65	2.23	80.0	± 9.6 %
		Y	3.02	69.90	16.16		80.0	
		Z	3.87	72.74	18.14		80.0	
10488-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.11	75.36	20.29	2.23	80.0	± 9.6 %
		Y	3.30	73.20	19.34		80.0	
		Z	4.37	76.80	20.98		80.0	
10489-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.67	70.29	18.20	2.23	80.0	± 9.6 %
		Y	3.23	69.44	17.56		80.0	
		Z	3.75	70.96	18.58		80.0	
10490-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.75	70.00	18.09	2.23	80.0	± 9.6 %
		Y	3.31	69.22	17.45		80.0	
		Z	3.82	70.63	18.43		80.0	
10491-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.14	72.89	19.34	2.23	80.0	± 9.6 %
		Y	3.47	71.18	18.61		80.0	
		Z	4.28	73.76	19.82		80.0	
10492-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.94	69.10	17.92	2.23	80.0	± 9.6 %
		Y	3.51	68.25	17.38		80.0	
		Z	3.98	69.53	18.19		80.0	

10493-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.00	68.92	17.84	2.23	80.0	± 9.6 %
		Y	3.57	68.10	17.30		80.0	
		Z	4.04	69.32	18.10		80.0	
10494-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.66	75.05	20.04	2.23	80.0	± 9.6 %
		Y	3.79	72.85	19.19		80.0	
		Z	4.88	76.14	20.59		80.0	
10495-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.99	69.60	18.15	2.23	80.0	± 9.6 %
		Y	3.53	68.56	17.58		80.0	
		Z	4.04	70.04	18.43		80.0	
10496-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.05	69.21	18.01	2.23	80.0	± 9.6 %
		Y	3.61	68.28	17.47		80.0	
		Z	4.09	69.60	18.27		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.50	75.08	17.79	2.23	80.0	± 9.6 %
		Y	1.88	67.57	13.41		80.0	
		Z	4.34	78.23	18.87		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.23	65.97	12.82	2.23	80.0	± 9.6 %
		Y	1.18	60.00	8.39		80.0	
		Z	2.27	66.35	12.88		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.12	65.06	12.25	2.23	80.0	± 9.6 %
		Y	1.19	60.00	8.22		80.0	
		Z	2.12	65.24	12.21		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.03	76.31	20.36	2.23	80.0	± 9.6 %
		Y	3.26	74.41	19.30		80.0	
		Z	4.43	78.30	21.22		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.68	71.32	17.98	2.23	80.0	± 9.6 %
		Y	3.18	70.30	16.97		80.0	
		Z	3.84	72.32	18.44		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.73	71.12	17.83	2.23	80.0	± 9.6 %
		Y	3.22	70.08	16.79		80.0	
		Z	3.89	72.06	18.26		80.0	
10503-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.05	75.14	20.19	2.23	80.0	± 9.6 %
		Y	3.25	72.96	19.23		80.0	
		Z	4.30	76.56	20.87		80.0	
10504-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.65	70.20	18.15	2.23	80.0	± 9.6 %
		Y	3.21	69.32	17.49		80.0	
		Z	3.73	70.87	18.52		80.0	
10505-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.73	69.91	18.03	2.23	80.0	± 9.6 %
		Y	3.28	69.11	17.38		80.0	
		Z	3.80	70.53	18.38		80.0	
10506-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.62	74.88	19.96	2.23	80.0	± 9.6 %
		Y	3.75	72.68	19.11		80.0	
		Z	4.83	75.96	20.51		80.0	
10507-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.97	69.53	18.11	2.23	80.0	± 9.6 %
		Y	3.52	68.49	17.54		80.0	
		Z	4.02	69.97	18.40		80.0	

10508-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.04	69.14	17.97	2.23	80.0	± 9.6 %
		Y	3.59	68.20	17.43		80.0	
		Z	4.07	69.54	18.23		80.0	
10509-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.79	72.86	19.09	2.23	80.0	± 9.6 %
		Y	4.09	71.26	18.47		80.0	
		Z	4.91	73.54	19.48		80.0	
10510-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.43	69.07	17.95	2.23	80.0	± 9.6 %
		Y	3.97	68.05	17.44		80.0	
		Z	4.46	69.37	18.17		80.0	
10511-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.47	68.73	17.84	2.23	80.0	± 9.6 %
		Y	4.03	67.81	17.36		80.0	
		Z	4.49	69.00	18.04		80.0	
10512-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.22	75.15	19.86	2.23	80.0	± 9.6 %
		Y	4.30	72.96	19.05		80.0	
		Z	5.43	76.09	20.34		80.0	
10513-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.34	69.47	18.12	2.23	80.0	± 9.6 %
		Y	3.86	68.27	17.55		80.0	
		Z	4.37	69.80	18.36		80.0	
10514-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.33	68.91	17.93	2.23	80.0	± 9.6 %
		Y	3.89	67.85	17.40		80.0	
		Z	4.36	69.21	18.15		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	0.98	63.39	14.96	0.00	150.0	± 9.6 %
		Y	0.95	62.93	14.35		150.0	
		Z	0.99	63.96	15.49		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	0.68	72.73	18.59	0.00	150.0	± 9.6 %
		Y	0.52	68.09	15.92		150.0	
		Z	0.94	79.53	21.92		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.84	65.60	15.76	0.00	150.0	± 9.6 %
		Y	0.78	64.44	14.76		150.0	
		Z	0.88	66.81	16.67		150.0	
10518-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.58	66.74	16.26	0.00	150.0	± 9.6 %
		Y	4.39	66.75	16.08		150.0	
		Z	4.57	66.88	16.39		150.0	
10519-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.77	66.99	16.39	0.00	150.0	± 9.6 %
		Y	4.55	66.93	16.18		150.0	
		Z	4.76	67.11	16.50		150.0	
10520-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.62	66.96	16.31	0.00	150.0	± 9.6 %
		Y	4.40	66.87	16.09		150.0	
		Z	4.62	67.09	16.43		150.0	
10521-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.56	66.96	16.30	0.00	150.0	± 9.6 %
		Y	4.34	66.85	16.08		150.0	
		Z	4.55	67.09	16.43		150.0	
10522-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.61	67.02	16.37	0.00	150.0	± 9.6 %
		Y	4.40	66.98	16.18		150.0	
		Z	4.61	67.17	16.51		150.0	

10523-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.49	66.90	16.22	0.00	150.0	± 9.6 %
		Y	4.31	66.92	16.07		150.0	
		Z	4.49	67.04	16.35		150.0	
10524-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.56	66.95	16.34	0.00	150.0	± 9.6 %
		Y	4.34	66.91	16.15		150.0	
		Z	4.55	67.09	16.47		150.0	
10525-AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.54	65.99	15.93	0.00	150.0	± 9.6 %
		Y	4.36	66.01	15.77		150.0	
		Z	4.54	66.14	16.06		150.0	
10526-AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.71	66.37	16.08	0.00	150.0	± 9.6 %
		Y	4.49	66.31	15.89		150.0	
		Z	4.71	66.51	16.21		150.0	
10527-AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.63	66.34	16.03	0.00	150.0	± 9.6 %
		Y	4.42	66.27	15.83		150.0	
		Z	4.63	66.48	16.16		150.0	
10528-AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.65	66.36	16.06	0.00	150.0	± 9.6 %
		Y	4.44	66.29	15.86		150.0	
		Z	4.65	66.50	16.19		150.0	
10529-AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.65	66.36	16.06	0.00	150.0	± 9.6 %
		Y	4.44	66.29	15.86		150.0	
		Z	4.65	66.50	16.19		150.0	
10531-AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.65	66.47	16.08	0.00	150.0	± 9.6 %
		Y	4.41	66.33	15.85		150.0	
		Z	4.65	66.62	16.21		150.0	
10532-AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.51	66.33	16.01	0.00	150.0	± 9.6 %
		Y	4.29	66.20	15.78		150.0	
		Z	4.50	66.48	16.15		150.0	
10533-AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.66	66.40	16.04	0.00	150.0	± 9.6 %
		Y	4.44	66.36	15.86		150.0	
		Z	4.66	66.55	16.18		150.0	
10534-AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.18	66.46	16.10	0.00	150.0	± 9.6 %
		Y	4.99	66.34	15.93		150.0	
		Z	5.18	66.57	16.21		150.0	
10535-AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.24	66.62	16.17	0.00	150.0	± 9.6 %
		Y	5.04	66.49	16.00		150.0	
		Z	5.24	66.74	16.29		150.0	
10536-AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	5.11	66.59	16.14	0.00	150.0	± 9.6 %
		Y	4.92	66.47	15.97		150.0	
		Z	5.11	66.71	16.26		150.0	
10537-AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	5.17	66.55	16.12	0.00	150.0	± 9.6 %
		Y	4.98	66.44	15.96		150.0	
		Z	5.17	66.67	16.24		150.0	
10538-AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	5.27	66.59	16.18	0.00	150.0	± 9.6 %
		Y	5.05	66.42	15.99		150.0	
		Z	5.26	66.69	16.29		150.0	
10540-AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.19	66.59	16.20	0.00	150.0	± 9.6 %
		Y	4.98	66.40	16.00		150.0	
		Z	5.19	66.71	16.31		150.0	

10541-AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5.17	66.46	16.13	0.00	150.0	± 9.6 %
		Y	4.97	66.31	15.94		150.0	
		Z	5.16	66.57	16.24		150.0	
10542-AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.32	66.53	16.17	0.00	150.0	± 9.6 %
		Y	5.12	66.41	16.00		150.0	
		Z	5.32	66.63	16.28		150.0	
10543-AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.40	66.56	16.21	0.00	150.0	± 9.6 %
		Y	5.18	66.43	16.04		150.0	
		Z	5.40	66.66	16.31		150.0	
10544-AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.48	66.57	16.09	0.00	150.0	± 9.6 %
		Y	5.32	66.45	15.93		150.0	
		Z	5.48	66.66	16.20		150.0	
10545-AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.67	66.97	16.24	0.00	150.0	± 9.6 %
		Y	5.49	66.83	16.08		150.0	
		Z	5.68	67.08	16.35		150.0	
10546-AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.55	66.80	16.17	0.00	150.0	± 9.6 %
		Y	5.36	66.58	15.97		150.0	
		Z	5.55	66.89	16.27		150.0	
10547-AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.62	66.84	16.18	0.00	150.0	± 9.6 %
		Y	5.43	66.65	16.00		150.0	
		Z	5.62	66.92	16.28		150.0	
10548-AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.88	67.79	16.63	0.00	150.0	± 9.6 %
		Y	5.58	67.30	16.30		150.0	
		Z	5.88	67.89	16.74		150.0	
10550-AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.57	66.79	16.18	0.00	150.0	± 9.6 %
		Y	5.40	66.68	16.03		150.0	
		Z	5.57	66.89	16.28		150.0	
10551-AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.58	66.85	16.16	0.00	150.0	± 9.6 %
		Y	5.37	66.59	15.95		150.0	
		Z	5.58	66.94	16.27		150.0	
10552-AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.49	66.64	16.07	0.00	150.0	± 9.6 %
		Y	5.33	66.54	15.93		150.0	
		Z	5.50	66.74	16.18		150.0	
10553-AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.58	66.69	16.12	0.00	150.0	± 9.6 %
		Y	5.39	66.52	15.95		150.0	
		Z	5.58	66.77	16.22		150.0	
10554-AAB	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.88	66.93	16.18	0.00	150.0	± 9.6 %
		Y	5.73	66.79	16.01		150.0	
		Z	5.88	67.02	16.27		150.0	
10555-AAB	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	6.01	67.23	16.30	0.00	150.0	± 9.6 %
		Y	5.84	67.03	16.12		150.0	
		Z	6.01	67.32	16.40		150.0	
10556-AAB	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	6.03	67.28	16.32	0.00	150.0	± 9.6 %
		Y	5.86	67.10	16.15		150.0	
		Z	6.04	67.37	16.42		150.0	
10557-AAB	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	6.00	67.20	16.30	0.00	150.0	± 9.6 %
		Y	5.83	67.00	16.11		150.0	
		Z	6.00	67.28	16.40		150.0	

10558-AAB	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	6.05	67.36	16.40	0.00	150.0	± 9.6 %
		Y	5.86	67.12	16.19		150.0	
		Z	6.05	67.45	16.49		150.0	
10560-AAB	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	6.05	67.22	16.36	0.00	150.0	± 9.6 %
		Y	5.86	67.00	16.17		150.0	
		Z	6.05	67.29	16.45		150.0	
10561-AAB	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	5.97	67.18	16.38	0.00	150.0	± 9.6 %
		Y	5.79	66.97	16.19		150.0	
		Z	5.97	67.26	16.48		150.0	
10562-AAB	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.10	67.59	16.59	0.00	150.0	± 9.6 %
		Y	5.86	67.20	16.30		150.0	
		Z	6.10	67.66	16.68		150.0	
10563-AAB	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.40	68.06	16.78	0.00	150.0	± 9.6 %
		Y	5.94	67.09	16.21		150.0	
		Z	6.36	68.04	16.82		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.90	66.83	16.43	0.46	150.0	± 9.6 %
		Y	4.71	66.80	16.23		150.0	
		Z	4.90	66.95	16.54		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	5.14	67.28	16.75	0.46	150.0	± 9.6 %
		Y	4.92	67.22	16.55		150.0	
		Z	5.13	67.39	16.85		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	4.97	67.14	16.57	0.46	150.0	± 9.6 %
		Y	4.75	67.04	16.36		150.0	
		Z	4.97	67.25	16.68		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	5.00	67.52	16.91	0.46	150.0	± 9.6 %
		Y	4.79	67.48	16.75		150.0	
		Z	4.99	67.63	17.03		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.89	66.92	16.35	0.46	150.0	± 9.6 %
		Y	4.65	66.78	16.11		150.0	
		Z	4.88	67.04	16.47		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	4.95	67.58	16.96	0.46	150.0	± 9.6 %
		Y	4.77	67.67	16.88		150.0	
		Z	4.95	67.72	17.09		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	4.99	67.44	16.90	0.46	150.0	± 9.6 %
		Y	4.78	67.45	16.76		150.0	
		Z	4.98	67.56	17.02		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.17	64.68	15.96	0.46	130.0	± 9.6 %
		Y	1.10	63.82	15.20		130.0	
		Z	1.18	65.25	16.46		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.18	65.28	16.33	0.46	130.0	± 9.6 %
		Y	1.11	64.34	15.55		130.0	
		Z	1.20	65.91	16.87		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	3.25	95.18	27.00	0.46	130.0	± 9.6 %
		Y	1.18	78.57	21.08		130.0	
		Z	12.27	119.99	34.47		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.32	71.60	19.57	0.46	130.0	± 9.6 %
		Y	1.15	69.41	18.31		130.0	
		Z	1.41	73.43	20.68		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.69	66.62	16.50	0.46	130.0	± 9.6 %
		Y	4.50	66.60	16.30		130.0	
		Z	4.68	66.74	16.62		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.71	66.78	16.56	0.46	130.0	± 9.6 %
		Y	4.53	66.80	16.39		130.0	
		Z	4.71	66.90	16.68		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.93	67.09	16.74	0.46	130.0	± 9.6 %
		Y	4.70	67.05	16.54		130.0	
		Z	4.92	67.20	16.85		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.82	67.24	16.83	0.46	130.0	± 9.6 %
		Y	4.61	67.21	16.66		130.0	
		Z	4.81	67.36	16.95		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.59	66.57	16.18	0.46	130.0	± 9.6 %
		Y	4.36	66.38	15.89		130.0	
		Z	4.58	66.68	16.29		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.64	66.59	16.19	0.46	130.0	± 9.6 %
		Y	4.40	66.43	15.92		130.0	
		Z	4.63	66.72	16.31		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.72	67.29	16.78	0.46	130.0	± 9.6 %
		Y	4.51	67.28	16.62		130.0	
		Z	4.71	67.42	16.90		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.54	66.33	15.97	0.46	130.0	± 9.6 %
		Y	4.29	66.12	15.66		130.0	
		Z	4.53	66.45	16.09		130.0	
10583-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.69	66.62	16.50	0.46	130.0	± 9.6 %
		Y	4.50	66.60	16.30		130.0	
		Z	4.68	66.74	16.62		130.0	
10584-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.71	66.78	16.56	0.46	130.0	± 9.6 %
		Y	4.53	66.80	16.39		130.0	
		Z	4.71	66.90	16.68		130.0	
10585-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.93	67.09	16.74	0.46	130.0	± 9.6 %
		Y	4.70	67.05	16.54		130.0	
		Z	4.92	67.20	16.85		130.0	
10586-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.82	67.24	16.83	0.46	130.0	± 9.6 %
		Y	4.61	67.21	16.66		130.0	
		Z	4.81	67.36	16.95		130.0	
10587-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.59	66.57	16.18	0.46	130.0	± 9.6 %
		Y	4.36	66.38	15.89		130.0	
		Z	4.58	66.68	16.29		130.0	
10588-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.64	66.59	16.19	0.46	130.0	± 9.6 %
		Y	4.40	66.43	15.92		130.0	
		Z	4.63	66.72	16.31		130.0	
10589-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.72	67.29	16.78	0.46	130.0	± 9.6 %
		Y	4.51	67.28	16.62		130.0	
		Z	4.71	67.42	16.90		130.0	
10590-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.54	66.33	15.97	0.46	130.0	± 9.6 %
		Y	4.29	66.12	15.66		130.0	
		Z	4.53	66.45	16.09		130.0	

10591-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.84	66.68	16.59	0.46	130.0	± 9.6 %
		Y	4.66	66.69	16.42		130.0	
		Z	4.83	66.79	16.70		130.0	
10592-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	5.00	67.02	16.72	0.46	130.0	± 9.6 %
		Y	4.79	67.00	16.55		130.0	
		Z	4.99	67.13	16.83		130.0	
10593-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	4.92	66.94	16.62	0.46	130.0	± 9.6 %
		Y	4.70	66.87	16.41		130.0	
		Z	4.91	67.05	16.72		130.0	
10594-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.98	67.10	16.76	0.46	130.0	± 9.6 %
		Y	4.76	67.06	16.58		130.0	
		Z	4.97	67.21	16.87		130.0	
10595-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	4.94	67.06	16.66	0.46	130.0	± 9.6 %
		Y	4.72	67.02	16.48		130.0	
		Z	4.93	67.17	16.77		130.0	
10596-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	4.88	67.06	16.67	0.46	130.0	± 9.6 %
		Y	4.66	66.99	16.47		130.0	
		Z	4.87	67.18	16.78		130.0	
10597-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.83	66.97	16.56	0.46	130.0	± 9.6 %
		Y	4.61	66.87	16.33		130.0	
		Z	4.82	67.09	16.67		130.0	
10598-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.81	67.20	16.81	0.46	130.0	± 9.6 %
		Y	4.60	67.12	16.61		130.0	
		Z	4.80	67.31	16.93		130.0	
10599-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	5.50	67.22	16.78	0.46	130.0	± 9.6 %
		Y	5.32	67.13	16.62		130.0	
		Z	5.50	67.32	16.89		130.0	
10600-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	5.65	67.67	16.98	0.46	130.0	± 9.6 %
		Y	5.41	67.46	16.76		130.0	
		Z	5.64	67.76	17.08		130.0	
10601-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.54	67.41	16.87	0.46	130.0	± 9.6 %
		Y	5.33	67.27	16.69		130.0	
		Z	5.53	67.50	16.97		130.0	
10602-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.62	67.41	16.78	0.46	130.0	± 9.6 %
		Y	5.45	67.40	16.67		130.0	
		Z	5.62	67.51	16.89		130.0	
10603-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.71	67.75	17.08	0.46	130.0	± 9.6 %
		Y	5.53	67.73	16.97		130.0	
		Z	5.70	67.83	17.18		130.0	
10604-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.51	67.19	16.79	0.46	130.0	± 9.6 %
		Y	5.40	67.37	16.77		130.0	
		Z	5.51	67.28	16.89		130.0	
10605-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.62	67.52	16.96	0.46	130.0	± 9.6 %
		Y	5.42	67.40	16.78		130.0	
		Z	5.62	67.63	17.07		130.0	
10606-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.39	66.96	16.55	0.46	130.0	± 9.6 %
		Y	5.18	66.75	16.31		130.0	
		Z	5.37	67.01	16.62		130.0	

10607-AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	4.68	66.01	16.22	0.46	130.0	± 9.6 %
		Y	4.50	66.05	16.07		130.0	
		Z	4.68	66.14	16.34		130.0	
10608-AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.87	66.43	16.39	0.46	130.0	± 9.6 %
		Y	4.66	66.40	16.23		130.0	
		Z	4.87	66.55	16.51		130.0	
10609-AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	4.76	66.28	16.24	0.46	130.0	± 9.6 %
		Y	4.55	66.23	16.05		130.0	
		Z	4.76	66.41	16.36		130.0	
10610-AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	4.81	66.44	16.40	0.46	130.0	± 9.6 %
		Y	4.60	66.40	16.22		130.0	
		Z	4.81	66.57	16.52		130.0	
10611-AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	4.73	66.25	16.25	0.46	130.0	± 9.6 %
		Y	4.51	66.19	16.06		130.0	
		Z	4.73	66.38	16.37		130.0	
10612-AAA	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.74	66.41	16.30	0.46	130.0	± 9.6 %
		Y	4.51	66.32	16.10		130.0	
		Z	4.74	66.55	16.42		130.0	
10613-AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	4.75	66.31	16.19	0.46	130.0	± 9.6 %
		Y	4.50	66.15	15.95		130.0	
		Z	4.74	66.44	16.31		130.0	
10614-AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.69	66.48	16.41	0.46	130.0	± 9.6 %
		Y	4.47	66.39	16.21		130.0	
		Z	4.68	66.61	16.53		130.0	
10615-AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.73	66.09	16.04	0.46	130.0	± 9.6 %
		Y	4.50	66.01	15.82		130.0	
		Z	4.73	66.22	16.16		130.0	
10616-AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	5.33	66.51	16.41	0.46	130.0	± 9.6 %
		Y	5.14	66.40	16.25		130.0	
		Z	5.33	66.61	16.52		130.0	
10617-AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	5.40	66.66	16.46	0.46	130.0	± 9.6 %
		Y	5.20	66.56	16.30		130.0	
		Z	5.40	66.78	16.57		130.0	
10618-AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.28	66.69	16.49	0.46	130.0	± 9.6 %
		Y	5.10	66.62	16.35		130.0	
		Z	5.28	66.80	16.60		130.0	
10619-AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	5.31	66.52	16.34	0.46	130.0	± 9.6 %
		Y	5.11	66.38	16.16		130.0	
		Z	5.30	66.62	16.45		130.0	
10620-AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	5.40	66.57	16.41	0.46	130.0	± 9.6 %
		Y	5.19	66.41	16.22		130.0	
		Z	5.39	66.65	16.51		130.0	
10621-AAA	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	5.39	66.66	16.57	0.46	130.0	± 9.6 %
		Y	5.20	66.57	16.43		130.0	
		Z	5.39	66.75	16.68		130.0	
10622-AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	5.40	66.82	16.64	0.46	130.0	± 9.6 %
		Y	5.19	66.66	16.47		130.0	
		Z	5.40	66.93	16.76		130.0	

10623-AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	5.28	66.36	16.30	0.46	130.0	± 9.6 %
		Y	5.08	66.20	16.10		130.0	
		Z	5.28	66.46	16.41		130.0	
10624-AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	5.47	66.56	16.46	0.46	130.0	± 9.6 %
		Y	5.27	66.44	16.29		130.0	
		Z	5.47	66.65	16.56		130.0	
10625-AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	X	5.86	67.58	17.01	0.46	130.0	± 9.6 %
		Y	5.44	66.83	16.54		130.0	
		Z	5.85	67.67	17.12		130.0	
10626-AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	X	5.62	66.57	16.36	0.46	130.0	± 9.6 %
		Y	5.47	66.46	16.21		130.0	
		Z	5.62	66.65	16.46		130.0	
10627-AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	X	5.86	67.12	16.59	0.46	130.0	± 9.6 %
		Y	5.68	67.00	16.45		130.0	
		Z	5.86	67.22	16.70		130.0	
10628-AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	5.66	66.70	16.32	0.46	130.0	± 9.6 %
		Y	5.46	66.45	16.10		130.0	
		Z	5.66	66.78	16.42		130.0	
10629-AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	5.75	66.79	16.36	0.46	130.0	± 9.6 %
		Y	5.55	66.55	16.15		130.0	
		Z	5.75	66.86	16.45		130.0	
10630-AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	X	6.20	68.31	17.12	0.46	130.0	± 9.6 %
		Y	5.81	67.56	16.66		130.0	
		Z	6.20	68.40	17.22		130.0	
10631-AAA	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	X	6.09	68.07	17.19	0.46	130.0	± 9.6 %
		Y	5.80	67.64	16.89		130.0	
		Z	6.08	68.14	17.27		130.0	
10632-AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	X	5.82	67.16	16.75	0.46	130.0	± 9.6 %
		Y	5.67	67.14	16.66		130.0	
		Z	5.83	67.26	16.85		130.0	
10633-AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	5.73	66.85	16.43	0.46	130.0	± 9.6 %
		Y	5.53	66.65	16.24		130.0	
		Z	5.72	66.92	16.52		130.0	
10634-AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.71	66.88	16.50	0.46	130.0	± 9.6 %
		Y	5.52	66.72	16.33		130.0	
		Z	5.71	66.95	16.59		130.0	
10635-AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	X	5.60	66.25	15.93	0.46	130.0	± 9.6 %
		Y	5.38	65.96	15.67		130.0	
		Z	5.59	66.32	16.02		130.0	
10636-AAB	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	X	6.03	66.95	16.45	0.46	130.0	± 9.6 %
		Y	5.89	66.82	16.30		130.0	
		Z	6.03	67.02	16.54		130.0	
10637-AAB	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	6.19	67.32	16.62	0.46	130.0	± 9.6 %
		Y	6.02	67.14	16.44		130.0	
		Z	6.19	67.40	16.71		130.0	
10638-AAB	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	X	6.19	67.30	16.58	0.46	130.0	± 9.6 %
		Y	6.03	67.16	16.43		130.0	
		Z	6.19	67.38	16.68		130.0	

10639-AAB	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	X	6.17	67.27	16.61	0.46	130.0	± 9.6 %
		Y	6.00	67.07	16.43		130.0	
		Z	6.17	67.34	16.70		130.0	
10640-AAB	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	X	6.18	67.30	16.58	0.46	130.0	± 9.6 %
		Y	5.98	67.03	16.35		130.0	
		Z	6.18	67.37	16.66		130.0	
10641-AAB	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	X	6.21	67.15	16.52	0.46	130.0	± 9.6 %
		Y	6.05	67.01	16.36		130.0	
		Z	6.22	67.24	16.62		130.0	
10642-AAB	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	X	6.26	67.43	16.82	0.46	130.0	± 9.6 %
		Y	6.09	67.26	16.66		130.0	
		Z	6.26	67.49	16.90		130.0	
10643-AAB	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	X	6.10	67.11	16.57	0.46	130.0	± 9.6 %
		Y	5.93	66.93	16.38		130.0	
		Z	6.10	67.19	16.66		130.0	
10644-AAB	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	X	6.28	67.67	16.87	0.46	130.0	± 9.6 %
		Y	6.01	67.20	16.54		130.0	
		Z	6.27	67.73	16.95		130.0	
10645-AAB	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	X	6.71	68.51	17.24	0.46	130.0	± 9.6 %
		Y	6.12	67.19	16.49		130.0	
		Z	6.67	68.48	17.28		130.0	
10646-AAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	X	30.09	125.26	43.24	9.30	60.0	± 9.6 %
		Y	8.64	97.56	35.12		60.0	
		Z	54.08	142.43	48.61		60.0	
10647-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	X	24.08	120.50	42.03	9.30	60.0	± 9.6 %
		Y	7.45	94.38	34.12		60.0	
		Z	38.56	134.70	46.75		60.0	
10648-AAA	CDMA2000 (1x Advanced)	X	0.74	64.26	11.51	0.00	150.0	± 9.6 %
		Y	0.56	62.20	9.16		150.0	
		Z	0.78	65.38	12.11		150.0	
10652-AAB	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.67	67.22	17.00	2.23	80.0	± 9.6 %
		Y	3.38	66.90	16.53		80.0	
		Z	3.70	67.59	17.23		80.0	
10653-AAB	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.16	66.41	16.99	2.23	80.0	± 9.6 %
		Y	3.88	66.00	16.60		80.0	
		Z	4.17	66.61	17.15		80.0	
10654-AAB	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.12	66.03	16.97	2.23	80.0	± 9.6 %
		Y	3.88	65.59	16.59		80.0	
		Z	4.13	66.20	17.12		80.0	
10655-AAB	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.18	66.03	17.00	2.23	80.0	± 9.6 %
		Y	3.95	65.51	16.61		80.0	
		Z	4.19	66.19	17.15		80.0	

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.