

Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 397 of 594


# Radiated Spurious Emission Measurement Result: 15MHz BW LTE-Band 2 (The Worst Case)

ARFCN	:16QAM BW 15 RB 1 0
Operation Band	:LTE B2
Fundamental Frequency	:1857.5 MHz
Operation Mode	:TX LOW
EUT Pol.	:E1 Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :24 deg\_C / 59 RH :Vito

:VERTICAL Measurement Antenna Pol.




Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Safe Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
38.10	S	-69.07	-52.69	-15.65	-0.73	-13.00	-56.07
57.53	S	-69.40	-64.31	-4.16	-0.93	-13.00	-56.40
64.01	S	-67.04	-63.37	-2.68	-0.99	-13.00	-54.04
76.96	S	-73.85	-71.01	-1.76	-1.08	-13.00	-60.85
98.01	S	-66.62	-62.30	-3.13	-1.19	-13.00	-53.62
153.07	S	-69.93	-68.93	0.61	-1.61	-13.00	-56.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 398 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	31.62	S	-62.85	-41.07	-21.09	-0.69	-13.00	-49.85
	102.87	S	-73.58	-68.94	-3.42	-1.22	-13.00	-60.58
	200.03	S	-73.47	-75.57	3.78	-1.68	-13.00	-60.47
	276.14	S	-72.90	-74.09	3.22	-2.03	-13.00	-59.90
	370.07	S	-70.16	-71.15	3.34	-2.35	-13.00	-57.16
	449.42	S	-60.88	-61.91	3.62	-2.59	-13.00	-47.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 399 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	62.39	S	-68.79	-64.95	-2.88	-0.96	-13.00	-55.79
	98.01	S	-67.35	-63.04	-3.13	-1.19	-13.00	-54.35
	172.50	S	-71.44	-72.74	2.85	-1.54	-13.00	-58.44
	408.93	S	-70.86	-71.85	3.28	-2.29	-13.00	-57.86
	446.18	S	-68.74	-69.80	3.59	-2.52	-13.00	-55.74
	569.25	S	-66.66	-68.12	4.10	-2.65	-13.00	-53.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 400 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	31.62	S	-62.22	-40.44	-21.09	-0.69	-13.00	-49.22
	102.87	S	-74.33	-69.69	-3.42	-1.22	-13.00	-61.33
	200.03	S	-72.49	-74.60	3.78	-1.68	-13.00	-59.49
	279.38	S	-72.15	-73.44	3.29	-2.00	-13.00	-59.15
	363.59	S	-70.04	-71.09	3.37	-2.32	-13.00	-57.04
	447.80	S	-60.52	-61.57	3.60	-2.55	-13.00	-47.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 401 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	38.10	S	-71.62	-55.24	-15.65	-0.73	-13.00	-58.62
	64.01	S	-68.31	-64.64	-2.68	-0.99	-13.00	-55.31
	98.01	S	-67.11	-62.80	-3.13	-1.19	-13.00	-54.11
	154.69	S	-70.64	-69.95	0.78	-1.47	-13.00	-57.64
	449.42	S	-69.53	-70.55	3.62	-2.59	-13.00	-56.53
	519.05	S	-70.53	-71.76	4.01	-2.78	-13.00	-57.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 402 of 594



	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	31.62	S	-62.23	-40.45	-21.09	-0.69	-13.00	-49.23
	102.87	S	-72.28	-67.64	-3.42	-1.22	-13.00	-59.28
	271.29	S	-71.99	-73.13	3.12	-1.98	-13.00	-58.99
	306.91	S	-72.60	-73.98	3.49	-2.11	-13.00	-59.60
	366.83	S	-69.76	-70.84	3.36	-2.27	-13.00	-56.76
	447.80	S	-59.40	-60.45	3.60	-2.55	-13.00	-46.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 403 of 594

# Radiated Spurious Emission Measurement Result: 1.4MHz BW LTE-Band 4 (The Worst Case)

ARFCN	:QPSK BW 1.4 RB 1 0	Test Date
Operation Band	:LTE B4	Temp./Humi.
Fundamental Frequency	:1710.7 MHz	Engineer
Operation Mode	:TX LOW	
EUT Pol.	:E1 Plane	Measurement Anter

:2015-04-22 :21 deg\_C / 52 RH :Vito

#### :VERTICAL enna Pol.




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
38.10	S	-70.17	-53.79	-15.65	-0.73	-13.00	-57.17
64.01	S	-67.93	-64.25	-2.68	-0.99	-13.00	-54.93
98.01	S	-67.73	-63.41	-3.13	-1.19	-13.00	-54.73
172.50	S	-70.82	-72.12	2.85	-1.54	-13.00	-57.82
444.56	S	-69.18	-70.36	3.57	-2.39	-13.00	-56.18
580.58	S	-66.70	-68.07	4.18	-2.82	-13.00	-53.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 404 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	31.62	S	-62.91	-41.13	-21.09	-0.69	-13.00	-49.91
	149.83	S	-74.10	-72.92	0.25	-1.43	-13.00	-61.10
	200.03	S	-73.17	-75.28	3.78	-1.68	-13.00	-60.17
	271.29	S	-71.78	-72.92	3.12	-1.98	-13.00	-58.78
	370.07	S	-69.92	-70.91	3.34	-2.35	-13.00	-56.92
	447.80	S	-60.42	-61.47	3.60	-2.55	-13.00	-47.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 405 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	62.39	S	-67.82	-63.97	-2.88	-0.96	-13.00	-54.82
	98.01	S	-67.69	-63.37	-3.13	-1.19	-13.00	-54.69
	408.93	S	-69.64	-70.63	3.28	-2.29	-13.00	-56.64
	447.80	S	-68.57	-69.62	3.60	-2.55	-13.00	-55.57
	608.11	S	-66.01	-67.61	4.37	-2.77	-13.00	-53.01
	768.43	S	-65.89	-67.91	5.18	-3.16	-13.00	-52.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 406 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	31.62	S	-62.06	-40.28	-21.09	-0.69	-13.00	-49.06
	102.87	S	-74.30	-69.66	-3.42	-1.22	-13.00	-61.30
	200.03	S	-73.13	-75.24	3.78	-1.68	-13.00	-60.13
	272.90	S	-71.89	-73.06	3.15	-1.98	-13.00	-58.89
	366.83	S	-70.56	-71.65	3.36	-2.27	-13.00	-57.56
	447.80	S	-59.72	-60.77	3.60	-2.55	-13.00	-46.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 407 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	38.10	S	-71.35	-54.98	-15.65	-0.73	-13.00	-58.35
	57.53	S	-70.25	-65.16	-4.16	-0.93	-13.00	-57.25
	62.39	S	-69.07	-65.23	-2.88	-0.96	-13.00	-56.07
	76.96	S	-74.88	-72.04	-1.76	-1.08	-13.00	-61.88
	98.01	S	-67.54	-63.22	-3.13	-1.19	-13.00	-54.54
	174.12	S	-71.42	-72.85	3.02	-1.59	-13.00	-58.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 408 of 594



	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin	
				Output Level	Gain	Loss			
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	
	31.62	S	-63.06	-41.28	-21.09	-0.69	-13.00	-50.06	
	198.41	S	-73.04	-75.19	3.84	-1.69	-13.00	-60.04	
	271.29	S	-70.67	-71.81	3.12	-1.98	-13.00	-57.67	
	368.45	S	-70.06	-71.14	3.35	-2.27	-13.00	-57.06	
	449.42	S	-60.41	-61.43	3.62	-2.59	-13.00	-47.41	
	795.96	S	-67.80	-69.65	5.22	-3.37	-13.00	-54.80	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




### Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 5 (The Worst Case)

ARFCN	:16QAM BW 5 RB 1 24
Operation Band	:LTE B5
Fundamental Frequency	:826.5 MHz
Operation Mode	:TX LOW
EUT Pol.	:E2 Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :24.1 deg\_C / 67 RH :Vito

#### :VERTICAL Measurement Antenna Pol.




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
33.24	S	-54.49	-34.10	-19.69	-0.70	-13.00	-41.49
55.91	S	-52.98	-47.24	-4.81	-0.93	-13.00	-39.98
65.63	S	-55.21	-51.74	-2.48	-0.99	-13.00	-42.21
154.69	S	-48.41	-47.72	0.78	-1.47	-13.00	-35.41
178.98	S	-59.94	-61.86	3.56	-1.64	-13.00	-46.94
331.20	S	-52.96	-54.27	3.46	-2.16	-13.00	-39.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 410 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
39.72	S	-45.95	-30.83	-14.33	-0.79	-13.00	-32.95
110.97	S	-60.58	-55.72	-3.58	-1.28	-13.00	-47.58
268.05	S	-58.80	-59.69	2.89	-2.00	-13.00	-45.80
285.86	S	-59.64	-60.98	3.36	-2.03	-13.00	-46.64
405.69	S	-57.83	-58.67	3.25	-2.40	-13.00	-44.83
446.18	S	-55.40	-56.47	3.59	-2.52	-13.00	-42.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 411 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
36.48	S	-54.43	-36.77	-16.96	-0.69	-13.00	-41.43
51.05	S	-55.32	-47.70	-6.74	-0.88	-13.00	-42.32
59.15	S	-59.14	-54.67	-3.52	-0.95	-13.00	-46.14
89.92	S	-44.43	-41.04	-2.26	-1.14	-13.00	-31.43
94.77	S	-51.34	-47.41	-2.78	-1.16	-13.00	-38.34
102.87	S	-54.69	-50.05	-3.42	-1.22	-13.00	-41.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 412 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
31.62	S	-50.19	-28.40	-21.09	-0.69	-13.00	-37.19
200.03	S	-63.26	-65.37	3.78	-1.68	-13.00	-50.26
449.42	S	-58.21	-59.23	3.62	-2.59	-13.00	-45.21
485.04	S	-61.23	-62.60	3.91	-2.55	-13.00	-48.23
543.34	S	-59.56	-60.69	3.98	-2.85	-13.00	-46.56
638.88	S	-60.09	-61.59	4.55	-3.05	-13.00	-47.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 413 of 594




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	31.62	S	-62.71	-40.93	-21.09	-0.69	-13.00	-49.71
	99.63	S	-62.20	-57.70	-3.30	-1.20	-13.00	-49.20
	112.59	S	-59.85	-55.06	-3.52	-1.27	-13.00	-46.85
	361.97	S	-61.37	-62.38	3.38	-2.37	-13.00	-48.37
	556.29	S	-57.20	-58.28	4.01	-2.93	-13.00	-44.20
	614.59	S	-55.90	-57.30	4.41	-3.01	-13.00	-42.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 414 of 594




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	31.62	S	-49.38	-27.60	-21.09	-0.69	-13.00	-36.38
	42.95	S	-50.48	-37.85	-11.84	-0.80	-13.00	-37.48
	159.55	S	-61.05	-60.82	1.29	-1.52	-13.00	-48.05
	268.05	S	-59.66	-60.54	2.89	-2.00	-13.00	-46.66
	415.41	S	-58.59	-59.44	3.33	-2.48	-13.00	-45.59
	451.04	S	-58.11	-59.14	3.63	-2.59	-13.00	-45.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 13 (The Worst Case)									
ARFCN	:16QAM BW 5 RB1 0	Test Date	:2015-04-22						
Operation Band	:LTE B13	Temp./Humi.	:23 deg_C / 52 RH						
Fundamental Frequency	:782 MHz	Engineer	:Vito						
Operation Mode	:TX MID								
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL						




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	49.43	S	-59.34	-50.97	-7.51	-0.86	-13.00	-46.34
	64.01	S	-45.80	-42.12	-2.68	-0.99	-13.00	-32.80
	107.73	S	-57.91	-53.11	-3.55	-1.25	-13.00	-44.91
	143.36	S	-55.57	-53.35	-0.72	-1.51	-13.00	-42.57
	311.77	S	-48.37	-49.74	3.49	-2.12	-13.00	-35.37
	517.43	S	-58.61	-59.63	4.02	-3.00	-13.00	-45.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 416 of 594




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	30.00	S	-48.85	-25.71	-22.50	-0.64	-13.00	-35.85
	200.03	S	-64.42	-66.52	3.78	-1.68	-13.00	-51.42
	407.31	S	-61.10	-61.99	3.26	-2.37	-13.00	-48.10
	447.80	S	-57.07	-58.12	3.60	-2.55	-13.00	-44.07
	561.15	S	-59.09	-60.36	4.05	-2.77	-13.00	-46.09
	643.74	S	-59.62	-61.23	4.58	-2.97	-13.00	-46.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 13 (763MHz-755MHz)

ARFCN	:16QAM BW 5 RB1 0	Test Date	:2015-04-22
Operation Band	:LTE B13	Temp./Humi.	:23 deg_C / 52 RH
Fundamental Frequency	:782.0 MHz	Engineer	:Vito
Operation Mode	:TX MID		
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
774.46	S	-61.69	-63.40	5.19	-3.48	-13.00	-48.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 418 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
774.98	S	-57.00	-58.70	5.19	-3.49	-13.00	-44.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 13 (793MHz-805MHz)

ARFCN	:16QAM BW 5 RB1 0	Test Date	:2015-04-22
Operation Band	:LTE B13	Temp./Humi.	:23 deg_C / 52 RH
Fundamental Frequency	:782.0 MHz	Engineer	:Vito
Operation Mode	:TX MID		
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
794.60	S	-63.33	-65.16	5.21	-3.38	-13.00	-50.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 420 of 594



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
793.54	S	-60.83	-62.57	5.21	-3.47	-13.00	-47.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 421 of 594


# Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 17 (The Worst Case)

:16QAM BW 5 RB1 0
:LTE B17
:706.5 MHz
:TX LOW
:E2 Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :23 deg\_C / 52 RH :Vito

#### :VERTICAL Measurement Antenna Pol.




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	54.29	S	-54.46	-48.14	-5.45	-0.87	-13.00	-41.46
	64.01	S	-55.45	-51.78	-2.68	-0.99	-13.00	-42.45
	81.82	S	-57.66	-54.79	-1.79	-1.09	-13.00	-44.66
	93.16	S	-57.40	-53.63	-2.60	-1.17	-13.00	-44.40
	104.49	S	-55.33	-50.62	-3.46	-1.24	-13.00	-42.33
	117.45	S	-51.98	-47.31	-3.35	-1.32	-13.00	-38.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 422 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
31.62	S	-50.63	-28.85	-21.09	-0.69	-13.00	-37.63
349.02	S	-60.17	-61.43	3.44	-2.18	-13.00	-47.17
410.55	S	-57.98	-58.79	3.29	-2.49	-13.00	-44.98
451.04	S	-55.77	-56.80	3.63	-2.59	-13.00	-42.77
553.06	S	-59.51	-60.62	3.99	-2.88	-13.00	-46.51
630.78	S	-59.06	-60.42	4.50	-3.14	-13.00	-46.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 423 of 594




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	34.86	S	-53.98	-34.97	-18.28	-0.72	-13.00	-40.98
	55.91	S	-55.86	-50.11	-4.81	-0.93	-13.00	-42.86
	99.63	S	-61.67	-57.17	-3.30	-1.20	-13.00	-48.67
	112.59	S	-54.70	-49.91	-3.52	-1.27	-13.00	-41.70
	141.74	S	-53.64	-51.28	-0.96	-1.40	-13.00	-40.64
	169.27	S	-57.85	-58.64	2.48	-1.69	-13.00	-44.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 424 of 594




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	31.62	S	-51.53	-29.75	-21.09	-0.69	-13.00	-38.53
	196.79	S	-64.95	-67.17	3.90	-1.68	-13.00	-51.95
	449.42	S	-58.96	-59.99	3.62	-2.59	-13.00	-45.96
	541.72	S	-59.56	-60.88	3.98	-2.66	-13.00	-46.56
	577.35	S	-59.97	-61.41	4.16	-2.72	-13.00	-46.97
	642.12	S	-59.91	-61.22	4.57	-3.26	-13.00	-46.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 425 of 594




	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	41.34	S	-44.44	-30.58	-13.08	-0.78	-13.00	-31.44
	55.91	S	-48.04	-42.30	-4.81	-0.93	-13.00	-35.04
	67.25	S	-46.69	-43.39	-2.28	-1.02	-13.00	-33.69
	98.01	S	-61.48	-57.16	-3.13	-1.19	-13.00	-48.48
	148.21	S	-59.22	-57.77	0.01	-1.46	-13.00	-46.22
	302.05	S	-56.26	-57.66	3.50	-2.10	-13.00	-43.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 426 of 594



	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
	31.62	S	-51.28	-29.50	-21.09	-0.69	-13.00	-38.28
	188.70	S	-64.56	-67.02	4.08	-1.62	-13.00	-51.56
	449.42	S	-58.20	-59.23	3.62	-2.59	-13.00	-45.20
	476.94	S	-59.94	-61.15	3.85	-2.64	-13.00	-46.94
	536.86	S	-60.27	-61.41	3.99	-2.85	-13.00	-47.27
	569.25	S	-59.97	-61.42	4.10	-2.65	-13.00	-46.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 427 of 594

# Radiated Spurious Emission Measurement Result: 15MHz BW LTE-Band 25 (The Worst Case)

ARFCN	:16QAM BW 15 RB1 0	Test Date
Operation Band	:LTE B25	Temp./Humi.
Fundamental Frequency	:1857.5 MHz	Engineer
Operation Mode	:TX LOW	
EUT Pol.	:E1 Plane	Measurement Antenna Pol.

:2015-04-22 :22 deg\_C / 51 RH :Vito

#### :VERTICAL I.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
64.01	S	-68.59	-64.92	-2.68	-0.99	-13.00	-55.59
96.39	S	-67.74	-63.63	-2.95	-1.17	-13.00	-54.74
154.69	S	-72.17	-71.48	0.78	-1.47	-13.00	-59.17
170.88	S	-71.54	-72.58	2.67	-1.63	-13.00	-58.54
405.69	S	-70.91	-71.76	3.25	-2.40	-13.00	-57.91
446.18	S	-69.00	-70.07	3.59	-2.52	-13.00	-56.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 428 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	31.62	S	-63.06	-41.28	-21.09	-0.69	-13.00	-50.06
	102.87	S	-74.30	-69.66	-3.42	-1.22	-13.00	-61.30
	200.03	S	-73.07	-75.17	3.78	-1.68	-13.00	-60.07
	272.90	S	-72.18	-73.35	3.15	-1.98	-13.00	-59.18
	361.97	S	-71.04	-72.06	3.38	-2.37	-13.00	-58.04
	447.80	S	-59.55	-60.60	3.60	-2.55	-13.00	-46.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 429 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	38.10	S	-68.65	-52.27	-15.65	-0.73	-13.00	-55.65
	55.91	S	-70.25	-64.51	-4.81	-0.93	-13.00	-57.25
	64.01	S	-68.64	-64.97	-2.68	-0.99	-13.00	-55.64
	98.01	S	-67.41	-63.10	-3.13	-1.19	-13.00	-54.41
	154.69	S	-71.93	-71.23	0.78	-1.47	-13.00	-58.93
	169.27	S	-71.22	-72.01	2.48	-1.69	-13.00	-58.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 430 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	31.62	S	-62.50	-40.72	-21.09	-0.69	-13.00	-49.50
	200.03	S	-72.97	-75.07	3.78	-1.68	-13.00	-59.97
	272.90	S	-67.51	-68.68	3.15	-1.98	-13.00	-54.51
	370.07	S	-66.78	-67.77	3.34	-2.35	-13.00	-53.78
	418.65	S	-66.85	-67.77	3.36	-2.44	-13.00	-53.85
	447.80	S	-59.33	-60.38	3.60	-2.55	-13.00	-46.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 431 of 594




	Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
				Output Level	Gain	Loss		
_	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
	38.10	S	-67.01	-50.63	-15.65	-0.73	-13.00	-54.01
	98.01	S	-67.19	-62.88	-3.13	-1.19	-13.00	-54.19
	153.07	S	-68.00	-67.00	0.61	-1.61	-13.00	-55.00
	442.94	S	-69.02	-70.11	3.56	-2.47	-13.00	-56.02
	582.20	S	-66.09	-67.37	4.20	-2.91	-13.00	-53.09
	601.64	S	-65.80	-67.00	4.33	-3.13	-13.00	-52.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 432 of 594



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.62	S	-63.19	-41.41	-21.09	-0.69	-13.00	-50.19
99.63	S	-75.10	-70.60	-3.30	-1.20	-13.00	-62.10
148.21	S	-74.62	-73.17	0.01	-1.46	-13.00	-61.62
276.14	S	-72.18	-73.37	3.22	-2.03	-13.00	-59.18
366.83	S	-70.86	-71.94	3.36	-2.27	-13.00	-57.86
449.42	S	-59.82	-60.84	3.62	-2.59	-13.00	-46.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 433 of 594

#### 10.6. Measurement Result (Above 1GHz):

#### **Radiated Spurious Emission Measurement Result: GPRS 850 Mode**

:CH 128	Test Date	:2015-04-22
:GPRS 850	Temp./Humi.	:24.1 deg_C / 67 RH
:824.2 MHz	Engineer	:Vito
:TX LOW		
:H Plane	Measurement Antenna Pol.	:VERTICAL
	:GPRS 850 :824.2 MHz :TX LOW	:GPRS 850 Temp./Humi. :824.2 MHz Engineer :TX LOW




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1648.40	Н	-47.56	-46.14	3.69	-5.11	-13.00	-34.56
2472.60	Н	-34.61	-32.40	3.60	-5.81	-13.00	-21.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 434 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1648.40	Н	-48.51	-47.10	3.69	-5.11	-13.00	-35.51
2472.60	Н	-37.97	-35.76	3.60	-5.81	-13.00	-24.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 435 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1673.20	Н	-49.20	-47.70	3.65	-5.15	-13.00	-36.20
2509.80	Н	-33.55	-31.36	3.66	-5.85	-13.00	-20.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 436 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1673.20	Н	-51.18	-49.68	3.65	-5.15	-13.00	-38.18
2509.80	Н	-40.27	-38.08	3.66	-5.85	-13.00	-27.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 437 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1697.60	Н	-51.52	-49.95	3.59	-5.16	-13.00	-38.52
2546.40	Н	-32.01	-29.92	3.77	-5.85	-13.00	-19.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 438 of 594



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1697.60	Н	-51.94	-50.37	3.59	-5.16	-13.00	-38.94
2546.40	Н	-38.64	-36.56	3.77	-5.85	-13.00	-25.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 439 of 594


#### **Radiated Spurious Emission Measurement Result: GPRS 1900 Mode**

:CH 512
:GPRS 1900
:1850.2 MHz
:TX LOW
:H Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :24.1 deg\_C / 67 RH :Vito

Measurement Antenna Pol. :VERTICAL




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3700.40	Н	-47.56	-49.31	8.68	-6.93	-13.01	-34.55
5550.60	Н	-33.08	-35.63	10.32	-7.77	-13.01	-20.07
7400.80	Н	-40.71	-42.67	11.53	-9.57	-13.01	-27.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 440 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3700.40	Н	-39.24	-40.99	8.68	-6.93	-13.01	-26.23
5550.60	Н	-35.90	-38.45	10.32	-7.77	-13.01	-22.89
7400.80	Н	-35.50	-37.45	11.53	-9.57	-13.01	-22.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 441 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-45.20	-47.06	8.71	-6.84	-13.01	-32.19
5640.00	Н	-35.54	-37.93	10.36	-7.97	-13.01	-22.53
7520.00	Н	-39.82	-41.64	11.63	-9.80	-13.01	-26.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 442 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-48.12	-49.98	8.71	-6.84	-13.01	-35.11
5640.00	Н	-30.99	-33.38	10.36	-7.97	-13.01	-17.98
7520.00	Н	-38.54	-40.37	11.63	-9.80	-13.01	-25.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 443 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3819.60	Н	-45.84	-47.65	8.73	-6.92	-13.01	-32.83
5729.40	Н	-27.10	-29.31	10.39	-8.19	-13.01	-14.09
7639.20	Н	-38.17	-39.95	11.74	-9.97	-13.01	-25.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 444 of 594



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3819.60	Н	-45.57	-47.37	8.73	-6.92	-13.01	-32.56
5729.40	Н	-30.43	-32.64	10.39	-8.19	-13.01	-17.42
7639.20	Н	-33.69	-35.46	11.74	-9.97	-13.01	-20.68
9549.00	Н	-41.73	-43.69	13.01	-11.04	-13.01	-28.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 445 of 594

#### **Radiated Spurious Emission Measurement Result: WCDMA II Mode**


ARFCN	:CH 9262
Operation Band	:WCDMA B2
Fundamental Frequency	:1852.4 MHz
Operation Mode	:TX LOW
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :24.1 deg\_C / 67 RH :Vito

Measurement Antenna Pol.

:VERTICAL




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3704.80	Н	-38.09	-39.86	8.68	-6.91	-13.01	-25.08
5557.20	Н	-47.27	-49.83	10.33	-7.77	-13.01	-34.26
7409.60	Н	-46.07	-48.02	11.53	-9.59	-13.01	-33.06
9262.00	Н	-43.42	-45.38	13.00	-11.04	-13.01	-30.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 446 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3704.80	Н	-36.18	-37.95	8.68	-6.91	-13.01	-23.17
5557.20	Н	-44.37	-46.93	10.33	-7.77	-13.01	-31.36
7409.60	Н	-45.55	-47.50	11.53	-9.59	-13.01	-32.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 447 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-40.81	-42.60	8.71	-6.93	-13.01	-27.80
5640.00	Н	-47.21	-49.54	10.36	-8.03	-13.01	-34.20
7520.00	Н	-47.38	-49.21	11.65	-9.82	-13.01	-34.37
9400.00	Н	-44.91	-46.93	13.00	-10.97	-13.01	-31.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 448 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-37.31	-39.10	8.71	-6.93	-13.01	-24.30
5640.00	Н	-41.93	-44.26	10.36	-8.03	-13.01	-28.92
7520.00	Н	-45.15	-46.98	11.65	-9.82	-13.01	-32.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 449 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3815.20	Н	-41.04	-42.84	8.73	-6.92	-13.01	-28.03
5722.80	Н	-46.76	-48.95	10.39	-8.20	-13.01	-33.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 450 of 594



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3815.20	Н	-37.28	-39.09	8.73	-6.92	-13.01	-24.27
5722.80	Н	-40.04	-42.23	10.39	-8.20	-13.01	-27.03
7630.40	Н	-44.89	-46.70	11.72	-9.91	-13.01	-31.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 451 of 594

#### **Radiated Spurious Emission Measurement Result: WCDMA IV Mode**

ARFCN :C	CH 1312
Operation Band :W	VCDMA B4
Fundamental Frequency :1	712.4 MHz
Operation Mode :T	X LOW
EUT Pol. :H	I Plane

Test Date Temp./Humi. Engineer


Measurement Antenna Pol.

:VERTICAL

:Vito

:2015-04-22

:24.1 deg\_C / 67 RH



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3424.80	Н	-48.44	-50.13	8.35	-6.66	-13.01	-35.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 452 of 594

ARFCN Operation Band Fundamental Frequency Operation Mode	:CH 1312 :WCDMA B4 :1712.4 MHz :TX LOW	Test Date Temp./Humi. Engineer	:2015-04-22 :24.1 deg_C / 67 RH :Vito		
EUT Pol.	:H Plane	Measurement Antenna Pol.	:HORIZONTAL		
U 9					
			par. 19 10.00		
IS					
27					
140, 140 145 1 140 145 1					
	*				
-4-					
en -					
-12					
Rf					
9 90 5000 2900	48.00 5700 8600 164	10500 32400 44900 16200 guerey [Web]	K8100 20000		

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3424.80	Н	-41.33	-43.02	8.35	-6.66	-13.01	-28.32
5137.20	Н	-47.26	-49.90	10.08	-7.44	-13.01	-34.25



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 453 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3465.20	Н	-48.88	-50.74	8.49	-6.63	-13.01	-35.87
5197.80	Н	-47.47	-50.39	10.12	-7.19	-13.01	-34.46
6930.40	Н	-48.45	-50.10	11.13	-9.48	-13.01	-35.44
8663.00	Н	-42.78	-44.99	12.94	-10.73	-13.01	-29.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 454 of 594



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3465.20	Н	-42.04	-43.90	8.49	-6.63	-13.01	-29.03
5197.80	Н	-40.17	-43.08	10.12	-7.21	-13.01	-27.16
6930.40	Н	-43.46	-45.19	11.14	-9.41	-13.01	-30.45
8663.00	Н	-43.61	-45.89	12.93	-10.66	-13.01	-30.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 455 of 594

ARFCN Operation Band Fundamental Frequency Operation Mode EUT Pol.	:CH 1513 :WCDMA B4 :1752.6 MHz :TX HIGH :H Plane	Test Date Temp./Humi. Engineer Measurement Antenna Pol.	:2015-04-22 :24.1 deg_C / 67 RH :Vito :VERTICAL	
0 9 18 27 19 45 19 	4500 5700 5600	(6500 12460 16500)	E8109 2000	

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3505.20	Н	-49.93	-51.76	8.60	-6.76	-13.01	-36.92



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 456 of 594

ARFCN Operation Band Fundamental Frequency Operation Mode	:CH 1513 :WCDMA B4 :1752.6 MHz :TX HIGH	Test Date Temp./Humi. Engineer	:2015-04-22 :24.1 deg_C / 67 RH :Vito	
EUT Pol.	:H Plane	Measurement Antenna Pol.	:HORIZONTAL	
9				
			part 17 man	
15				
27				
. w.				
145				
1	*			
-4-				
en				
-12				
RI				
40 1000 2900	4800 6700 8600 to	10500 12400 14800 16200 epercy [Met.]	60000 00153	

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3505.20	Н	-41.16	-43.00	8.60	-6.76	-13.01	-28.15
5257.80	Н	-48.88	-51.72	10.15	-7.32	-13.01	-35.87



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 457 of 594

:2015-04-22

:VERTICAL

#### **Radiated Spurious Emission Measurement Result: HSUPA V Mode**


ARFCN	:CH 4132
Operation Band	:HSUPA B5
Fundamental Frequency	:826.4 MHz
Operation Mode	:TX LOW
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer

Measurement Antenna Pol.

:Vito

:24.1 deg\_C / 67 RH




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1652.80	Н	-57.05	-55.61	3.68	-5.12	-13	-44.05
2479.20	Н	-43.73	-41.51	3.61	-5.83	-13.00	-30.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 458 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1652.80	Н	-59.06	-57.62	3.68	-5.12	-13.00	-46.06
2479.20	Н	-38.91	-36.69	3.61	-5.83	-13.00	-25.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 459 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1673.20	Н	-56.37	-54.87	3.65	-5.15	-13.00	-43.37
2509.80	Н	-37.67	-35.48	3.66	-5.85	-13.00	-24.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 460 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1673.20	Н	-56.80	-55.30	3.65	-5.15	-13.00	-43.80
2509.80	Н	-39.32	-37.13	3.66	-5.85	-13.00	-26.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 461 of 594



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1693.20	Н	-59.24	-57.67	3.59	-5.16	-13.00	-46.24
2539.80	Н	-40.93	-38.83	3.74	-5.85	-13.00	-27.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 462 of 594

ARFCN Operation Band Fundamental Frequency Operation Mode EUT Pol.	:CH 4233 :HSUPA B5 :846.6 MHz :TX HIGH :H Plane	Test Date Temp./Humi. Engineer Measurement Antenna Pol.	:2015-04-22 :24.1 deg_C / 67 RH :Vito :HORIZONTAL
0 9 10 10 10 10 10 10 10 10 10 10 10 10 10	2840 570 650	500 640 730 820	210 1000

Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1693.20	Н	-59.81	-58.24	3.59	-5.16	-13.00	-46.81
2539.80	Н	-39.62	-37.51	3.74	-5.85	-13.00	-26.62



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 463 of 594

#### **Radiated Spurious Emission Measurement Result: CDMA BC0 Mode** 3


ARFCN	:CH 1013
Operation Band	:CDMA 850
Fundamental Frequency	:824.7 MHz
Operation Mode	:TX LOW
EUT Pol.	:E2 Plane

Test Date Temp./Humi. Engineer

:2015-04-24 :25.5 deg\_C / 61 RH :Vito

Measurement Antenna Pol.

:VERTICAL




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
2474.10	Н	-43.59	-41.37	3.61	-5.82	-13.00	-30.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 464 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1649.40	Н	-55.07	-53.67	3.70	-5.10	-13.00	-42.07
2474.10	Н	-44.90	-42.68	3.61	-5.82	-13.00	-31.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 465 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
2509.56	Н	-46.07	-43.87	3.66	-5.85	-13.00	-33.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 466 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
2509.56	Н	-40.29	-38.09	3.66	-5.85	-13.00	-27.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 467 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
2544.93	Н	-44.07	-41.98	3.76	-5.85	-13.00	-31.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 468 of 594



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
2544.93	Н	-41.29	-39.21	3.76	-5.85	-13.00	-28.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 469 of 594

#### **Radiated Spurious Emission Measurement Result: CDMA BC1 Mode**


:CH 25
:CDMA 1900
:1851.25 MHz
:TX LOW
:E2 Plane

Test Date Temp./Humi. Engineer

:2015-04-24 :25.5 deg\_C / 61 RH :Vito

Measurement Antenna Pol.

:VERTICAL




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3702.77	Н	-36.94	-37.27	8.68	-8.35	-13.00	-23.94
5554.29	Н	-42.07	-42.88	10.32	-9.51	-13.00	-29.07
7405.81	Н	-40.25	-40.30	11.54	-11.49	-13.00	-27.25
9257.33	Н	-41.59	-41.63	13.00	-12.96	-13.00	-28.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 470 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3702.77	Н	-38.61	-38.94	8.68	-8.35	-13.00	-25.61
5554.29	Н	-43.73	-44.54	10.32	-9.51	-13.00	-30.73
7405.81	Н	-46.06	-46.11	11.54	-11.49	-13.00	-33.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 471 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-39.09	-39.43	8.70	-8.37	-13.00	-26.09
5640.00	Н	-43.48	-44.18	10.36	-9.66	-13.00	-30.48
7520.00	Н	-41.95	-42.02	11.63	-11.57	-13.00	-28.95
9400.00	Н	-42.01	-42.07	13.00	-12.94	-13.00	-29.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 472 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-40.10	-40.39	8.70	-8.41	-13.00	-27.10
5640.00	Н	-45.95	-46.65	10.36	-9.66	-13.00	-32.95
7520.00	Н	-48.34	-48.40	11.63	-11.57	-13.00	-35.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 473 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3817.50	Н	-38.45	-38.67	8.73	-8.50	-13.00	-25.45
5726.25	Н	-32.61	-33.19	10.39	-9.81	-13.00	-19.61
7635.00	Н	-42.32	-42.37	11.75	-11.69	-13.00	-29.32
9543.75	Н	-43.09	-43.01	13.01	-13.09	-13.00	-30.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 474 of 594



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3817.50	Н	-38.94	-39.16	8.73	-8.50	-13.00	-25.94
5726.25	Н	-35.27	-35.85	10.39	-9.81	-13.00	-22.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 475 of 594

Radiated Spurious Emission Measurement Result: 15MHz BW LTE-Band 2(The Worst Case)	

ARFCN	:16QAM BW 15 RB 1 0	Test Date
Operation Band	:LTE B2	Temp./Humi.
Fundamental Frequency	:1857.5 MHz	Engineer
Operation Mode	:TX LOW	
EUT Pol.	:E1 Plane	Measurement Antenn

:2015-04-22 :24 deg\_C / 59 RH :Vito

:VERTICAL na Pol.




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Safe
			Output Level	Gain	Loss		Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3715.00	Н	-37.02	-38.81	8.68	-6.90	-13.00	-24.02
5572.50	Н	-42.30	-44.84	10.32	-7.78	-13.00	-29.30
7430.00	Н	-46.65	-48.60	11.53	-9.58	-13.00	-33.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 476 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3715.00	Н	-39.55	-41.33	8.68	-6.90	-13.00	-26.55
5572.50	Н	-45.35	-47.89	10.32	-7.78	-13.00	-32.35
7430.00	Н	-46.80	-48.75	11.53	-9.58	-13.00	-33.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 477 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-41.54	-43.40	8.70	-6.83	-13.00	-28.54
5640.00	Н	-48.63	-51.02	10.35	-7.96	-13.00	-35.63
7520.00	Н	-51.22	-52.99	11.61	-9.83	-13.00	-38.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 478 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3760.00	Н	-40.73	-42.59	8.70	-6.83	-13.00	-27.73
5640.00	Н	-47.29	-49.68	10.35	-7.96	-13.00	-34.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 479 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3805.00	Н	-42.69	-44.45	8.72	-6.96	-13.00	-29.69
5707.50	Н	-47.15	-49.34	10.38	-8.20	-13.00	-34.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 480 of 594



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3805.00	Н	-42.82	-44.57	8.72	-6.96	-13.00	-29.82
5707.50	Н	-46.00	-48.19	10.38	-8.20	-13.00	-33.00
7610.00	Н	-50.12	-51.93	11.70	-9.89	-13.00	-37.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 481 of 594


# Radiated Spurious Emission Measurement Result: 1.4MHz BW LTE-Band 4 (The Worst Case)

:QPSK BW 1.4 RB 1 0 :LTE B4 :1710.7 MHz :TX LOW :E1 Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :21 deg\_C / 52 RH :Vito

Measurement Antenna Pol. :VERTICAL




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3421.40	Н	-41.92	-43.58	8.34	-6.68	-13.00	-28.92
5132.10	Н	-39.16	-41.82	10.08	-7.43	-13.00	-26.16
6842.80	Н	-47.40	-49.22	11.05	-9.24	-13.00	-34.40
8553.50	Н	-44.47	-46.92	12.91	-10.45	-13.00	-31.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 482 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3421.40	Н	-42.37	-44.03	8.34	-6.68	-13.00	-29.37
5132.10	Н	-47.42	-50.08	10.08	-7.43	-13.00	-34.42
6842.80	Н	-45.59	-47.41	11.05	-9.24	-13.00	-32.59
8553.50	Н	-38.21	-40.67	12.91	-10.45	-13.00	-25.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 483 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3465.00	Н	-41.99	-43.85	8.49	-6.63	-13.00	-28.99
5197.50	Н	-35.64	-38.52	10.12	-7.24	-13.00	-22.64
6930.00	Н	-44.37	-46.18	11.15	-9.34	-13.00	-31.37
8662.50	Н	-46.11	-48.44	12.93	-10.60	-13.00	-33.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 484 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3465.00	Н	-41.91	-43.77	8.49	-6.63	-13.00	-28.91
5197.50	Н	-37.29	-40.17	10.12	-7.24	-13.00	-24.29
6930.00	Н	-44.72	-46.53	11.15	-9.34	-13.00	-31.72
8662.50	Н	-37.07	-39.40	12.93	-10.60	-13.00	-24.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 485 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3508.60	Н	-44.96	-46.82	8.61	-6.75	-13.00	-31.96
5262.90	Н	-46.26	-49.14	10.16	-7.29	-13.00	-33.26
7017.20	Н	-48.35	-50.06	11.22	-9.51	-13.00	-35.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 486 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3508.60	Н	-46.21	-48.07	8.61	-6.75	-13.00	-33.21
5262.90	Н	-50.20	-53.08	10.16	-7.29	-13.00	-37.20
7017.20	Н	-49.54	-51.26	11.22	-9.51	-13.00	-36.54
8771.50	Н	-44.75	-47.03	12.95	-10.67	-13.00	-31.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 5 (The Worst Case)

ARFCN	:16QAM BW 5 RB 1 24	Test Date	:2015-04-22
Operation Band	:LTE B5	Temp./Humi.	:24.1 deg_C / 67 RH
Fundamental Frequency	:826.5 MHz	Engineer	:Vito
Operation Mode	:TX LOW		
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1653.00	Н	-57.80	-58.55	5.85	-5.10	-13.00	-44.80
2479.50	Н	-43.04	-42.97	5.78	-5.85	-13.00	-30.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 488 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1653.00	Н	-50.24	-50.99	5.85	-5.10	-13.00	-37.24
2479.50	Н	-37.80	-37.73	5.78	-5.85	-13.00	-24.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 489 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1673.00	Н	-57.34	-57.99	5.78	-5.12	-13.00	-44.34
2509.50	Н	-42.95	-42.96	5.84	-5.84	-13.00	-29.95
3346.00	Н	-53.33	-54.99	8.15	-6.49	-13.00	-40.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 490 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1673.00	Н	-55.22	-55.88	5.78	-5.12	-13.00	-42.22
2509.50	Н	-39.05	-39.06	5.84	-5.84	-13.00	-26.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 491 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1693.00	Н	-55.68	-56.27	5.74	-5.15	-13.00	-42.68
2539.50	Н	-45.83	-45.89	5.91	-5.85	-13.00	-32.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 492 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1693.00	Н	-55.83	-56.42	5.74	-5.15	-13.00	-42.83
2539.50	Н	-43.37	-43.43	5.91	-5.85	-13.00	-30.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 13 (The Worst Case)								
ARFCN	:16QAM BW 5 RB1 0	Test Date	:2015-04-22					
Operation Band	:LTE B13	Temp./Humi.	:23 deg_C / 52 RH					
Fundamental Frequency	:782 MHz	Engineer	:Vito					
Operation Mode	:TX MID							
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL					




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1564.00	Н	-51.73	-52.88	6.07	-4.91	-13.00	-38.73
2346.00	Н	-46.69	-46.52	5.54	-5.71	-13.00	-33.69
3128.00	Н	-51.71	-52.78	7.38	-6.31	-13.00	-38.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 494 of 594



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1564.00	Н	-48.70	-49.86	6.07	-4.91	-13.00	-35.70
2346.00	Н	-44.05	-43.88	5.54	-5.71	-13.00	-31.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 495 of 594


# Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 17 (The Worst Case)

ARFCN	:16QAM BW 5 RB1 0
Operation Band	:LTE B17
Fundamental Frequency	:706.5 MHz
Operation Mode	:TX LOW
EUT Pol.	:E2 Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :23 deg\_C / 52 RH :Vito

#### :VERTICAL Measurement Antenna Pol.




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1413.00	Н	-51.16	-52.10	5.52	-4.57	-13.00	-38.16
2119.50	Н	-40.61	-40.25	5.18	-5.54	-13.00	-27.61
2826.00	Н	-51.34	-51.85	6.56	-6.05	-13.00	-38.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 496 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1413.00	Н	-50.42	-51.37	5.52	-4.57	-13.00	-37.42
2119.50	Н	-43.16	-42.80	5.18	-5.54	-13.00	-30.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 497 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1420.00	Н	-53.17	-54.12	5.52	-4.57	-13.00	-40.17
2130.00	Н	-39.32	-38.96	5.20	-5.56	-13.00	-26.32
2840.00	Н	-53.57	-54.06	6.60	-6.11	-13.00	-40.57
3550.00	Н	-51.37	-53.38	8.62	-6.61	-13.00	-38.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 498 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1420.00	Н	-53.63	-54.58	5.52	-4.57	-13.00	-40.63
2130.00	Н	-37.07	-36.71	5.20	-5.56	-13.00	-24.07
2840.00	Н	-55.31	-55.80	6.60	-6.11	-13.00	-42.31
3550.00	Н	-51.90	-53.91	8.62	-6.61	-13.00	-38.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 499 of 594




Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1427.00	Н	-58.14	-59.18	5.67	-4.63	-13.00	-45.14
2140.50	Н	-42.69	-42.33	5.20	-5.56	-13.00	-29.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 500 of 594



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1427.00	Н	-53.75	-54.79	5.67	-4.63	-13.00	-40.75
2140.50	Н	-38.73	-38.37	5.20	-5.56	-13.00	-25.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 501 of 594


# Radiated Spurious Emission Measurement Result: 15MHz BW LTE-Band 25 (The Worst Case)

ARFCN	:16QAM BW 15 RB1 0
Operation Band	:LTE B25
Fundamental Frequency	:1857.5 MHz
Operation Mode	:TX LOW
EUT Pol.	:E1 Plane

Test Date Temp./Humi. Engineer

:2015-04-22 :22 deg\_C / 51 RH :Vito

:VERTICAL Measurement Antenna Pol.




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3715.00	Н	-37.78	-39.62	8.69	-6.85	-13.00	-24.78
5572.50	Н	-49.36	-51.89	10.33	-7.80	-13.00	-36.36
7430.00	Н	-50.82	-52.70	11.55	-9.67	-13.00	-37.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 502 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3715.00	Н	-41.14	-42.98	8.69	-6.85	-13.00	-28.14
5572.50	Н	-47.55	-50.08	10.33	-7.80	-13.00	-34.55
7430.00	Н	-49.46	-51.34	11.55	-9.67	-13.00	-36.46
9287.50	Н	-46.59	-48.69	13.00	-10.90	-13.00	-33.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 503 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3765.00	Н	-42.11	-43.97	8.71	-6.85	-13.00	-29.11
5647.50	Н	-41.67	-44.04	10.36	-7.98	-13.00	-28.67
7530.00	Н	-51.45	-53.35	11.64	-9.74	-13.00	-38.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 504 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3765.00	Н	-41.59	-43.45	8.71	-6.85	-13.00	-28.59
5647.50	Н	-46.56	-48.93	10.36	-7.98	-13.00	-33.56
7530.00	Н	-51.68	-53.58	11.64	-9.74	-13.00	-38.68
9412.50	Н	-47.81	-49.83	13.00	-10.98	-13.00	-34.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# FCC ID: B94HNQ93CSPNAC

Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 505 of 594




Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3815.00	Н	-41.22	-43.03	8.73	-6.92	-13.00	-28.22
5722.50	Н	-45.47	-47.67	10.39	-8.19	-13.00	-32.47
7630.00	Н	-51.08	-52.84	11.75	-9.98	-13.00	-38.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# FCC ID: B94HNQ93CSPNAC

Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 506 of 594



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
3815.00	Н	-41.69	-43.49	8.73	-6.92	-13.00	-28.69
5722.50	Н	-46.51	-48.71	10.39	-8.19	-13.00	-33.51
7630.00	Н	-50.74	-52.51	11.75	-9.98	-13.00	-37.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




# 11. FREQUENCY STABILITY MEASUREMENT

# **11.1. Standard Applicable:**

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

# 11.2. Test Set-up:



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

## **11.3. Measurement Procedure:**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **11.4. Measurement Equipment Used:**

Conducted Emission Test Site							
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.		
TYPE		NUMBER	NUMBER	CAL.			
Spectrum Analyzer	Agilent	N9010A	MY53400256	10/15/2014	10/14/2015		
<b>Communication Tester</b>	Anritsu	MT8820C	6201107337	06/03/2014	06/02/2015		
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/18/2014	06/17/2015		
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015		
Splitter	<b>RF-LAMBAD</b>	RFLT2W1G18G	RF35	12/19/2014	12/18/2015		
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015		
DC Power Supply	Agilent	E3640A	MY53140006	05/31/2014	05/30/2015		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **11.5. Measurement Result: FREQUENCY ERROR vs. VOLTAGE**

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz					
		Limit: +/- 2.5 ppm			
Power Supply	Environment	Frequency			
			Delta (Hz)	Limit (Hz)	
Vdc	Temperature ( )	(MHz)			
4.4	20	836599999	2	2091	
3.8	20	836599997	0	2091	
3.3	20	836599996	-1	2091	
3.3	20	826500006	1	2001	
(End point)	20	836599996	-1	2091	

## **FREQUENCY ERROR vs. TEMPERATURE**

]	Reference Frequency: GPRS 850 Mid Channel 836.6 MHz					
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ( )	(MHz)	Delta (IIZ)	Linit (112)		
3.8	50	836600004	7	2091		
3.8	40	836600003	6	2091		
3.8	30	836600004	7	2091		
3.8	20	836599997	0	2091		
3.8	10	836599997	0	2091		
3.8	0	836599997	0	2091		
3.8	-10	836599998	1	2091		
3.8	-20	836599997	0	2091		
3.8	-30	836599996	-1	2091		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised that information contaited even or files the Company. Any unauthorized alteration, forgery or falsification of the content or ap-terminant is unavity and defined merein. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FREQUENCI EF	r REQUENCI ERRUR VS. VULIAGE						
]	Reference Frequency: GPRS 1900 Mid Channel 1880 MHz						
		Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)			
4.4	20	1879999999	5	4700			
3.8	20	1879999994	0	4700			
3.3	20	1879999993	-1	4700			
3.3	20	107000002	1	4700			
(End point)	20	1879999993	-1	4700			

## **FREQUENCY ERROR vs. TEMPERATURE**

]	Reference Frequency: GPRS 1900 Mid Channel 1880 MHz					
		Limit: +/- 2.5 ppm	-	-		
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ( )	(MHz)	Della (HZ)	Lillint (HZ)		
3.8	50	1880000003	9	4700		
3.8	40	188000002	8	4700		
3.8	30	1880000001	7	4700		
3.8	20	1879999994	0	4700		
3.8	10	188000002	8	4700		
3.8	0	1879999996	2	4700		
3.8	-10	1879999997	3	4700		
3.8	-20	1879999996	2	4700		
3.8	-30	1879999998	4	4700		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FREQUENCY EF	FREQUENCY ERROR vs. VOLTAGE					
I	Reference Frequency	y: WCDMA II Mid	Channel 1880 MH	Z		
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
4.4	20	1879999998	4	4700		
3.8	20	1879999994	0	4700		
3.3	20	1879999997	3	4700		
3.3	20	107000007	2	4700		
(End point)	20	1879999997	3	4700		

## FREQUENCY FRROR vs. VOI TACE

#### **FREQUENCY ERROR vs. TEMPERATURE**

	Reference Frequency: WCDMA II Mid Channel 1880					
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ( )	(MHz)	Della (HZ)	Lillint (HZ)		
3.8	50	1880000003	9	4700		
3.8	40	1880000001	7	4700		
3.8	30	1880000003	9	4700		
3.8	20	1879999994	0	4700		
3.8	10	1879999999	5	4700		
3.8	0	1879999995	1	4700		
3.8	-10	1879999994	0	4700		
3.8	-20	1879999996	2	4700		
3.8	-30	1879999995	1	4700		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FREQUENCY EF	FREQUENCY ERROR VS. VOLTAGE						
Re	Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz						
		Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)			
4.4	20	173259997	2	4331			
3.8	20	173259995	0	4331			
3.3	20	173259996	1	4331			
3.3	20	172250006	1	4221			
(End point)	20	173259996	1	4331			

## FREQUENCY FRROR vs. VOI TACE

#### **FREQUENCY ERROR vs. TEMPERATURE**

Re	Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz					
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ( )	(MHz)	Della (HZ)	Lillint (HZ)		
3.8	50	173260002	7	4331		
3.8	40	173260004	9	4331		
3.8	30	173260004	9	4331		
3.8	20	173259995	0	4331		
3.8	10	173259995	0	4331		
3.8	0	173259997	2	4331		
3.8	-10	173259997	2	4331		
3.8	-20	173259996	1	4331		
3.8	-30	173259996	1	4331		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FREQUENCY EF	FREQUENCY ERROR vs. VOLTAGE					
F	Reference Frequency	: WCDMA V Mid	Channel 836.6 MH	Iz		
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
4.4	20	836599997	1	2091		
3.8	20	836599996	0	2091		
3.3	20	836599995	-1	2091		
3.3	20	026500005	1	2001		
(End point)	20	836599995	-1	2091		

## FREQUENCY FRROR vs. VOI TACE

#### **FREQUENCY ERROR vs. TEMPERATURE**

Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
		Limit: +/- 2.5 ppm	l		
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ( )	(MHz)	Della (HZ)	Lillint (HZ)	
3.8	50	836600002	6	2091	
3.8	40	836600001	5	2091	
3.8	30	836600006	10	2091	
3.8	20	836599996	0	2091	
3.8	10	836600007	11	2091	
3.8	0	836599997	1	2091	
3.8	-10	836599994	-2	2091	
3.8	-20	836599992	-4	2091	
3.8	-30	836599994	-2	2091	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FREQUENCI EF	REQUENCY ERROR VS. VOLTAGE						
R	Reference Frequency: CDMA BC0 Mid Channel 836.6 MHz						
		Limit: +/- 2.5 ppm					
Power Supply	Power Supply Environment Frequency Discussion (II)						
Vdc	Temperature ( )	(MHz)	IHz)Delta (Hz)Limit (Hz)				
4.4	25	836.519926	33	2091			
3.8	25	836.519959	0	2091			
3.3	25	836.519936	23	2091			
3.3	25	826 510026	22	2001			
(End point)	25	836.519936	23	2091			

## **FREQUENCY ERROR vs. TEMPERATURE**

Reference Frequency: CDMA BC0 Mid Channel 836.6 MHz						
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ( )	(MHz)	Della (HZ)	Lillint (HZ)		
3.8	-30	836.519914	-20.00	2091		
3.8	-20	836.519946	-52.00	2091		
3.8	-10	836.519927	-33.00	2091		
3.8	0	836.519938	-44.00	2091		
3.8	10	836.519958	-64.00	2091		
3.8	20	836.519894	0.00	2091		
3.8	30	836.519978	-84.00	2091		
3.8	40	836.519946	-52.00	2091		
3.8	50	836.519933	-39.00	2091		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



TREVUENCI ERRUR VS. VOLIAGE							
F	Reference Frequency: CDMA BC1 Mid Channel 1880 MHz						
		Limit: +/- 2.5 ppm					
Power Supply	Power Supply Environment Frequency						
Vdc	Temperature ( )	(MHz)	Delta (Hz) Limit (Hz)				
4.4	25	1879.999943	-6	4700			
3.8	25	1879.999937	0	4700			
3.3	25	1879.999963	-26	4700			
3.3	25	1970 000072	26	4700			
(End point)	25	1879.999963	-26	4700			

## **FREQUENCY ERROR vs. TEMPERATURE**

Reference Frequency: CDMA BC1 Mid Channel 1880 MHz						
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ( )	(MHz)	Della (HZ)	Lillint (HZ)		
3.8	-30	1879.999944	-32.00	4700		
3.8	-20	1879.999931	-19.00	4700		
3.8	-10	1879.999966	-54.00	4700		
3.8	0	1879.999953	-41.00	4700		
3.8	10	1879.999948	-36.00	4700		
3.8	20	1879.999912	0.00	4700		
3.8	30	1879.999960	-48.00	4700		
3.8	40	1879.999967	-55.00	4700		
3.8	50	1879.999970	-58.00	4700		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reference Frequency:		LTE B2 Mid Channel	1880.0	MHz 20M QPSK CH 18900	
	Limit: +/- 2.5 ppm				
Power Sup- ply	Environment	Frequency			
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)	
4.35	25	1879.999992	-2.00	4700	
3.8	25	1879.999994	0.00	4700	
3.3	25	1879.999995	1.00	4700	
3.3 (End Point)	25	1879.999995	1.00	4700	

#### **FREQUENCY ERROR vs. TEMPERATURE**

Reference Frequency:		LTE B2 Mid Channel	1880.0	MHz 20M QPSK CH 18900			
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency					
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)			
3.8	-30	1879.999990	-3.50	4700			
3.8	-20	1879.999991	-2.60	4700			
3.8	-10	1879.999992	-1.10	4700			
3.8	0	1879.999992	-0.90	4700			
3.8	10	1879.999993	-0.30	4700			
3.8	20	1879.999993	0.00	4700			
3.8	30	1879.999995	1.50	4700			
3.8	40	1879.999995	2.00	4700			
3.8	50	1879.999996	2.70	4700			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz 20M QPSK CH 20175	
	Limit: +/- 2.5 ppm				
Power Sup- ply	Environment	Frequency			
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)	
4.35	25	1732.499976	-9.00	4331	
3.8	25	1732.499985	0.00	4331	
3.3	25	1732.499989	4.00	4331	
3.3 (End Point)	25	1732.499989	4.00	4331	

#### **FREQUENCY ERROR vs. TEMPERATURE**

Reference	Frequency:	LTE B4 Mid Channel	1732.5	MHz 20M QPSK CH 20175		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (IIz)		
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)		
3.8	-30	1732.499910	-29.00	4331		
3.8	-20	1732.499916	-23.00	4331		
3.8	-10	1732.499924	-15.00	4331		
3.8	0	1732.499922	-17.00	4331		
3.8	10	1732.499933	-6.00	4331		
3.8	20	1732.499939	0.00	4331		
3.8	30	1732.499955	16.00	4331		
3.8	40	1732.499960	21.00	4331		
3.8	50	1732.499963	24.00	4331		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reference	Frequency:	LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525		
	Limit: +/- 2.5 ppm					
Power Sup- ply	Environment	Frequency				
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)		
4.35	25	836.499943	-14.00	2091		
3.8	25	836.499957	0.00	2091		
3.3	25	836.499963	6.00	2091		
3.3 (End Point)	25	836.499963	6.00	2091		

## **FREQUENCY ERROR vs. TEMPERATURE**

Reference	Frequency:	LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)		
3.8	-30	836.499932	-29.00	2091		
3.8	-20	836.499935	-26.00	2091		
3.8	-10	836.499947	-14.00	2091		
3.8	0	836.499959	-2.00	2091		
3.8	10	836.499947	-14.00	2091		
3.8	20	836.499961	0.00	2091		
3.8	30	836.499964	3.00	2091		
3.8	40	836.499967	6.00	2091		
3.8	50	836.499974	13.00	2091		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Reference	Frequency:	LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230		
	Limit: +/- 2.5 ppm					
Power Sup- ply	Environment	Frequency				
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)		
4.35	25	781.999976	-3.00	1955		
3.8	25	781.999979	0.00	1955		
3.3	25	781.999988	9.00	1955		
3.3 (End Point)	25	781.999988	9.00	1955		

## **FREQUENCY ERROR vs. TEMPERATURE**

Reference	Frequency:	LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230
		Limit: +/- 2	2.5 ppm	
Power Supply	Environment	Frequency	Dalta (II-)	
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)
3.8	-30	781.999939	-29.00	1955
3.8	-20	781.999946	-22.00	1955
3.8	-10	781.999950	-18.00	1955
3.8	0	781.999954	-14.00	1955
3.8	10	781.999957	-11.00	1955
3.8	20	781.999968	0.00	1955
3.8	30	781.999978	10.00	1955
3.8	40	781.999974	6.00	1955
3.8	50	781.999971	3.00	1955

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reference Frequency: LTE B17 Mid Chan		LTE B17 Mid Channel	710.0	MHz 10M QPSK CH 23790	
	Limit: +/- 2.5 ppm				
Power Sup- ply	Environment	Frequency			
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)	
4.35	25	709.999973	11.00	1775	
3.8	25	709.999962	0.00	1775	
3.3	25	709.999970	8.00	1775	
3.3 (End Point)	25	709.999970	8.00	1775	

## **FREQUENCY ERROR vs. TEMPERATURE**

Reference	Reference Frequency:LTE B17 Mid Channel710.0MHzC				
		Limit: +/-	2.5 ppm		
Power Supply	Environment	Frequency			
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)	
3.8	-30	709.999932	-31.00	1775	
3.8	-20	709.999938	-25.00	1775	
3.8	-10	709.999951	-12.00	1775	
3.8	0	709.999954	-9.00	1775	
3.8	10	709.999958	-5.00	1775	
3.8	20	709.999963	0.00	1775	
3.8	30	709.999971	8.00	1775	
3.8	40	709.999971	8.00	1775	
3.8	50	709.999968	5.00	1775	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reference Frequency: LTE B25 N		LTE B25 Mid Channel	1882.5	MHz 20M QPSK CH 26365	
	Limit: +/- 2.5 ppm				
Power Sup- ply	Environment	Frequency			
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)	
4.35	25	1882.499966	-9.00	4706	
3.8	25	1882.499975	0.00	4706	
3.3	25	1882.499982	7.00	4706	
3.3 (End Point)	25	1882.499982	7.00	4706	

## **FREQUENCY ERROR vs. TEMPERATURE**

Reference	Frequency: 1	LTE B25 Mid Channel	1882.5	MHz 20M QPSK CH 26365		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature	(MHz)	Delta (Hz)	Limit (Hz)		
3.8	-30	1882.499946	-22.00	4706		
3.8	-20	1882.499954	-14.00	4706		
3.8	-10	1882.499955	-13.00	4706		
3.8	0	1882.499960	-8.00	4706		
3.8	10	1882.499966	-2.00	4706		
3.8	20	1882.499968	0.00	4706		
3.8	30	1882.499972	4.00	4706		
3.8	40	1882.499978	10.00	4706		
3.8	50	1882.499972	4.00	4706		

Note: The battery is rated 3.8Vdc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




# **12. PEAK TO AVERAGE RATIO**

# 12.1. Standard Applicable

The peak-to-average ration (PAR) of the transmission may not exceed 13dB.

# 12.2. Test SET-UP



## **12.3. Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth  $\geq$  signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

## 12.4. Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	N9010A	MY53400256	10/15/2014	10/14/2015	
<b>Communication Tester</b>	Anritsu	MT8820C	6201107337	06/03/2014	06/02/2015	
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/18/2014	06/17/2015	
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015	
Splitter	<b>RF-LAMBAD</b>	RFLT2W1G18G	RF35	12/19/2014	12/18/2015	
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015	
DC Power Supply	Agilent	E3640A	MY53140006	05/31/2014	05/30/2015	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# 12.5. Measurement Result

## **Tabular Results:**

Frequency	СН	Peak-to-Average Ratio (dB)	
(MHz)	CII	GPRS	EDGE
824.20	128	10.02	9.57
836.60	190	10.28	9.49
848.80	251	9.60	10.15

Frequency	СН		erage Ratio B)
(MHz)	CII	GPRS	EDGE
1850.20	512	10.35	9.57
1880.00	661	10.14	10.02
1909.80	810	10.00	9.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Frequency	СН	Pe	eak-to-Average Ra (dB)	atio	
(MHz)		WCDMA II	HSDPA II	HSUPA II	
1850.20	9262	3.14	4.00	4.31	
1880.00	9400	2.96	3.90	3.68	
1909.80	9538	2.73	3.69	3.62	

Frequency	СН	Peak-to-Average Ratio (dB)		
(MHz)	CII	WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	3.06	3.73	3.78
1732.6	1413	3.06	3.86	3.82
1752.6	1513	2.90	3.67	3.77

Frequency	СН	Peak-to-Average Ratio (dB)		
(MHz)	Cli	WCDMA V	HSDPA V	HSUPA V
826.40	4132	3.07	4.11	4.08
836.60	4183	3.03	3.72	4.02
846.60	4233	3.08	3.57	3.76



Frequency	СН		rerage Ratio B)
(MHz)	Сп	CDMA BC0	EVDO BC0
1850.20	9262	3.81	3.82
1880.00	9400	3.93	3.90
1909.80	9538	3.99	3.98

Frequency	СШ	Peak-to-Average Ratio (dB)		
(MHz)	СН	CDMA BC1	EVDO BC1	
826.40	4132	4.18	4.16	
836.60	4183	3.96	3.90	
846.60	4233	3.55	3.57	



	LTE BAND 2											
Cha	nnel ban	ndwidth: 1.4N	MHz	Channel bandwidth: 3MHz								
Frequency	СН		erage Ratio B)	Frequency	СН	Peak-to-Ave (d)	0					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT					
1850.7	18607	6.38	13	1851.5	18615	6.39	13					
1880.0	18900	6.09	13	1880.0	18900	6.03	13					
1909.3	19193	5.97	13	1908.5	19185	5.98	13					

	LTE BAND 2											
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz								
Frequency	СН		erage Ratio B)	Frequency	СН	Peak-to-Ave	U					
(MHz)		16QAM	LIMIT	(MHz)	Сп	16QAM	LIMIT					
1852.5	18625	6.50	13	1855.0	18650	6.23	13					
1880.0	18900	6.15	13	1880.0	18900	6.03	13					
1907.5	19175	5.82	13	1905.0	19150	5.76	13					

LTE BAND 2										
Cha	nnel bar	ndwidth: 15N	<b>/Hz</b>	Channel bandwidth: 20MHz						
Frequency	CII	Peak-to-Av (d	erage Ratio B)	Frequency	CII	Peak-to-Average Ratio (dB)				
(MHz)	СН	16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT			
1857.5	18675	6.80	13	1860.0	18700	7.11	13			
1880.0	18900	6.69	13	1880.0	18900	7.18	13			
1902.5	19125	6.63	13	1900.0	19100	7.09	13			



	LTE BAND 4											
Cha	nnel bar	ndwidth: 1.4N	MHz	Channel bandwidth: 3MHz								
Frequency	СН		erage Ratio B)	Frequency	* I ('H	Peak-to-Ave (d)	0					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT					
1710.7	19957	6.59	13	1711.5	19965	6.39	13					
1732.5	20175	6.34	13	1732.5	20175	6.35	13					
1754.3	20393	6.03	13	1753.5	20385	6.12	13					

	LTE BAND 4										
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz							
Frequency	СН	Peak-to-Av (d	erage Ratio B)	Frequency	СН	Peak-to-Ave	-				
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
1712.5	19957	6.48	13	1715.0	20000	6.24	13				
1732.5	20175	6.35	13	1732.5	20175	6.22	13				
1752.5	20375	6.12	13	1750.0	20350	6.31	13				

	LTE BAND 4										
Cha	annel bar	ndwidth: 15N	<b>/Hz</b>	Channel bandwidth: 20MHz							
Frequency	~~~		erage Ratio B)	Frequency (MHz)	СН	Peak-to-Ave	0				
(MHz)	СН	16QAM	LIMIT			16QAM	LIMIT				
1717.5	20025	7.72	13	1720.0	20050	7.14	13				
1732.5	20175	7.79	13	1732.5	20175	7.16	13				
1747.5	20325	6.01	13	1745.0	20300	7.17	13				



	LTE BAND 5											
Cha	nnel bar	dwidth: 1.4N	ΛHz	Channel bandwidth: 3MHz								
Frequency	СН	Peak-to-Av (d	erage Ratio B)	Frequency	СН	Peak-to-Ave (d)	-					
(MHz)		16QAM	LIMIT	(MHz)	Сп	16QAM	LIMIT					
824.7	20407	6.50	13	825.5	20415	6.43	13					
836.5	20525	6.52	13	836.5	20525	6.40	13					
848.3	20643	6.51	13	847.5	20635	6.52	13					

LTE BAND 5											
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz							
Frequency	~~~		erage Ratio B)	Frequency (MHz)	СН	Peak-to-Average Ra (dB)					
(MHz)	СН	16QAM	LIMIT		Сн	16QAM	LIMIT				
826.5	20425	6.40	13	2505.0	20800	6.29	13				
836.5	20525	6.42	13	2535.0	21100	6.27	13				
846.5	20625	6.37	13	2565.0	21400	6.07	13				



	LTE BAND 13										
Ch	annel ba	ndwidth: 5M	[Hz	Channel bandwidth: 10MHz							
Frequency	СН		erage Ratio B)	Frequency	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)	Сн	16QAM	LIMIT				
779.5	23205	6.59	13								
782.0	23230	6.70	13	23230	782	6.43	13				
782.0	23255	6.65	13								

LTE BAND 17										
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz						
Frequency	<b>CII</b>		erage Ratio B)	Frequency	СН	Peak-to-Average Rati (dB)				
(MHz)	СН	16QAM	LIMIT	(MHz)	Сн	16QAM	LIMIT			
706.5	23755	6.53	13	709	23780	6.29	13			
710.0	23790	6.43	13	710	23790	6.25	13			
713.5	23825	6.51	13	711	23800	6.22	13			



	LTE BAND 25											
Cha	nnel bar	dwidth: 1.4N	MHz	Channel bandwidth: 3MHz								
Frequency	СН		erage Ratio B)	Frequency	СН	Peak-to-Ave (d)	0					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT					
1850.7	26047	6.48	13	1851.5	26055	6.36	13					
1882.5	26365	6.23	13	1882.5	26365	6.32	13					
1914.3	26683	6.07	13	1913.5	26675	6.43	13					


LTE BAND 25											
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz							
Frequency (MHz)	СН	Peak-to-Average Ratio (dB)		Frequency	СН	Peak-to-Average Ratio (dB)					
		16QAM	LIMIT	(MHz)	Сн	16QAM	LIMIT				
1852.5	26065	6.47	13	1855.0	26090	6.31	13				
1882.5	26365	6.25	13	1882.5	26365	6.12	13				
1912.5	26665	6.46	13	1910.0	26640	6.09	13				

LTE BAND 25											
Cha	nnel bai	ndwidth: 15N	<b>/Hz</b>	Channel bandwidth: 20MHz							
Frequency (MHz)	СН	Peak-to-Average Ratio (dB)		Frequency	СЦ	Peak-to-Average Ratio (dB)					
		16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT				
1857.5	26115	6.83	13	1860.0	26140	7.14	13				
1882.5	26365	6.71	13	1882.5	26365	7.02	13				
1907.5	26615	6.62	13	1905.0	26590	6.90	13				




## **Measurement Results:**

**GPRS 850 Channel Low** 



#### **GPRS 850 Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **GPRS 850 Channel High**



#### **GPRS 1900 Channel Low**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**GPRS 1900 Channel Mid** 



#### **GPRS 1900 Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **EDGE 850 Channel Low**



#### EDGE 850 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **EDGE 850 Channel High**



#### EDGE 1900 Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**EDGE 1900 Channel Mid** 



#### **EDGE 1900 Channel High**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Peak

3.50 dB 26.33 dBm

20 dB




#### WCDMA Band II Channel Low

#### WCDMA Band II Channel Mid

Info BW 5.0000 MHz

0.0001 %


0 dB



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### WCDMA Band II Channel High


#### WCDMA Band IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### WCDMA Band IV Channel Mid


#### WCDMA Band IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### WCDMA Band V Channel Low


#### WCDMA Band V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## WCDMA Band V Channel High


## **HSDPA Band II Channel Low**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





### **HSDPA Band II Channel Mid**

# **HSDPA Band II Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.








# **HSDPA Band IV Channel Mid**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## **HSDPA Band IV Channel High**

## **HSDPA Band V Channel Low**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







# **HSDPA Band V Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



## **HSUPA Band II Channel Low**




# **HSUPA Band II Channel Mid**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## **HSUPA Band II Channel High**


## **HSUPA Band IV Channel Low**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## **HSUPA Band IV Channel Mid**

# **HSUPA Band V Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號





### **HSUPA Band V Channel Low**


# HSUPA Band V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## **HSUPA Band V Channel High**

#### **CDMA BC0 Channel Low**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**CDMA BC0 Channel Mid** 



## **CDMA BC0 Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**CDMA BC1 Channel Low** 



# CDMA BC1 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**CDMA BC1 Channel High** 



## **EVDO BC0 Channel Low**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**EVDO BC0 Channel Mid** 



## **EVDO BC0 Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




# FCC ID: B94HNO93CSPNAC

Report No.: E2/2015/30017 Issue Date: Apr. 30, 2015 Page: 555 of 594

#### **EVDO PCS BC1 Channel Low**



#### **EVDO BC1 Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**EVDO BC1 Channel High** 



## 1.4MHz BW LTE-Band 2 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號






# 1.4MHz BW LTE-Band 2 16OAM Channel Mid

## 1.4MHz BW LTE-Band 2 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 3MHz BW LTE-Band 2 16QAM Channel Low

## **3MHz BW LTE-Band 2 16QAM Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 3MHz BW LTE-Band 2 16QAM Channel High

### 5MHz BW LTE-Band 2 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 5MHz BW LTE-Band 2 16QAM Channel Mid

## 5MHz BW LTE-Band 2 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 10MHz BW LTE-Band 2 16OAM Channel Low

# 10MHz BW LTE-Band 2 16QAM Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






### 10MHz BW LTE-Band 2 16QAM Channel High






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 15MHz BW LTE-Band 2 16OAM Channel Mid

### 15MHz BW LTE-Band 2 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 20MHz BW LTE-Band 2 16OAM Channel Low

# 20MHz BW LTE-Band 2 16QAM Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






### 20MHz BW LTE-Band 2 16OAM Channel High

## 1.4MHz BW LTE-Band 4 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 1.4MHz BW LTE-Band 4 16OAM Channel Mid

## 1.4MHz BW LTE-Band 4 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 3MHz BW LTE-Band 4 16QAM Channel Low

### **3MHz BW LTE-Band 4 16QAM Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## **3MHz BW LTE-Band 4 16QAM Channel High**

#### 5MHz BW LTE-Band 4 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 5MHz BW LTE-Band 4 16QAM Channel Mid

## 5MHz BW LTE-Band 4 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





# 10MHz BW LTE-Band 4 16OAM Channel Low

# 10MHz BW LTE-Band 4 16QAM Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號





## 10MHz BW LTE-Band 4 16QAM Channel High






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




# FCC ID: B94HNO93CSPNAC



## 15MHz BW LTE-Band 4 16OAM Channel Mid

#### 15MHz BW LTE-Band 4 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號






### 20MHz BW LTE-Band 4 16OAM Channel Low

# 20MHz BW LTE-Band 4 16QAM Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






### 20MHz BW LTE-Band 4 16OAM Channel High






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 1.4MHz BW LTE-Band 5 16OAM Channel Mid

## 1.4MHz BW LTE-Band 5 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 3MHz BW LTE-Band 5 16QAM Channel Low

### **3MHz BW LTE-Band 5 16QAM Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 3MHz BW LTE-Band 5 16QAM Channel High

### 5MHz BW LTE-Band 5 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 5MHz BW LTE-Band 5 16QAM Channel Mid

# 5MHz BW LTE-Band 5 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 10MHz BW LTE-Band 5 16OAM Channel Low

# 10MHz BW LTE-Band 5 16QAM Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





## 10MHz BW LTE-Band 5 16QAM Channel High


## 5MHz BW LTE-Band 13 16QAM Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




# FCC ID: B94HNO93CSPNAC



### 5MHz BW LTE-Band 13 16QAM Channel Mid


# 5MHz BW LTE-Band 13 16QAM Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





# 10MHz BW LTE-Band 13 16QAM Channel Mid

# 5MHz BW LTE-Band 17 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




# FCC ID: B94HNO93CSPNAC




## 5MHz BW LTE-Band 17 16OAM Channel Mid

# 5MHz BW LTE-Band 17 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





### 10MHz BW LTE-Band 17 16QAM Channel Low


#### 10MHz BW LTE-Band 17 16QAM Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






# 10MHz BW LTE-Band 17 16QAM Channel High

#### 1.4MHz BW LTE-Band 25 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 1.4MHz BW LTE-Band 25 16QAM Channel Mid

## 1.4MHz BW LTE-Band 25 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






### 3MHz BW LTE-Band 25 16OAM Channel Low

# 3MHz BW LTE-Band 25 16QAM Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 3MHz BW LTE-Band 25 16QAM Channel High

# 5MHz BW LTE-Band 25 16QAM Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 5MHz BW LTE-Band 25 16QAM Channel Mid

## 5MHz BW LTE-Band 25 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






# 10MHz BW LTE-Band 25 16OAM Channel Low

# 10MHz BW LTE-Band 25 16QAM Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## **10MHz BW LTE-Band 25 16OAM Channel High**






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 15MHz BW LTE-Band 25 16OAM Channel Mid

#### 15MHz BW LTE-Band 25 16QAM Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## 20MHz BW LTE-Band 25 16OAM Channel Low

# 20MHz BW LTE-Band 25 16QAM Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





### 20MHz BW LTE-Band 25 16QAM Channel High

~ End of Report ~