

FCC SDoC REPORT **ICES-003 TEST REPORT**

Test Report No.	: T210721W04-F
Applicant	: COMPAL ELECTRONICS, INC.
Address	: No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei City 11492, Taiwan
Manufacturer	: N/A
Address	: N/A
Equipment Under T	est (EUT) :
Product Name	: Notebook Computer
Brand Name	: 🕢 , HP, HP Inc.
Model No.	: TPN-C155
Added Model(s)	: N/A
Test Voltage	: AC 120V, 60Hz
Standards	: 47 CFR FCC Part 15 Subpart B (Class B) ICES-003 Issue 7: October 2020 (Class B)
Date of Sample Rec	eipt : Jul. 24, 2021
Date of Test	: Jul. 24 ~ Aug. 02, 2021
Date of Issue	: Jan. 17, 2022
Test Result :	PASS

In the configuration tested, the EUT complied with the standards specified above.

Remarks :

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of Compliance Certification Services Inc. or testing done by Compliance Certification Services Inc. in connection with distribution or use of the product described in this report must be approved by Compliance Certification Services Inc. in writing.

Approved By:

Hex Chiang Hex Chiang (Supervisor)

Date:

Jan. 17, 2022





Revision History					
Revision	Report Number	Description	Issue Date		
00	T210721W04-F	Original	Jan. 17, 2022		



Report No.: T210721W04-F Page: 3 of 48

Contents

1	. GENEF	RAL INFORMATION	4
	1.1	APPLICANT & MANUFACTURER INFORMATION	4
	1.2	GENERAL DESCRIPTION OF EUT	4
	1.3	DETAILS OF EUT	5
	1.4	THE WORST CASE OF THE EUT	7
	1.5	DESCRIPTION OF SUPPORT UNITS	8
	1.6	OPERATION PROCEDURE	9
	1.7	TEST SET-UP CONFIGURATION	10
	1.8	Accessories Cable List	10
	1.9	MEASUREMENT PROCEDURE	11
	1.10	STANDARDS APPLICABLE FOR TESTING	11
	1.11	DECISION RULES OF RESULTS	12
	1.12	SUMMARY OF RESULTS	12
	1.13	REPORTING STATEMENTS OF CONFORMITY	12
2	. EMISSI	ION	13
	2.1	TEST RESULTS	13
	2.2	FREQUENCY RANGE	13
	2.3	LIMITS OF CONDUCTED AND RADIATED EMISSION	14
	2.3.1	LIMITS OF CONDUCTED EMISSION	14
	2.3.2	LIMITS OF RADIATED EMISSIONS	15
	2.4.	TEST OF CONDUCTED EMISSION	17
	2.4.1	TEST EQUIPMENTS	17
	2.4.2	MEASUREMENT LEVEL CALCULATION	17
	2.4.3	MEASUREMENT DATA:	18
	2.5	TEST OF RADIATED EMISSION	20
	2.5.1	TEST EQUIPMENTS	20
	2.5.2	MEASUREMENT LEVEL CALCULATION	21
	2.5.3	MEASUREMENT DATA	22
A	PPENDI	X	30
	Рното	GRAPH OF TESTING GENERAL SET-UP	30
	Рното	GRAPHS OF PRODUCT	33



1. General Information

Applicant & Manufacturer Information 1.1

Applicant	: COMPAL ELECTRONICS, INC.
Address	: No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei City 11492, Taiwan
Manufacturer	: N/A
Address	: N/A

1.2 **General Description of EUT**

Product Name	:	Notebook Computer
Brand Name	:	, HP, HP Inc.
Model No.	:	TPN-C155
Added Model(s)	:	N/A
Variant Description	:	N/A







Details of EUT 1.3

EUT Power Rating	AC 100 ~ 240V			
Highest operate description	5.8GHz			
Power Adapter	AcBel	TPN-AA08		
	Chicony	TPN-CA10		
	Delta	TPN-DA26		
	Lite-On	TPN-LA12		
		TPN-LA22		
AC Power Adapter Rating	For TPN-AA08 I/P: 100-240Vac, 50-60Hz, 1.7A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A			
	For TPN-CA10 ; TPN-DA26 ; TPN-LA12 ; TPN-LA22 I/P: 100-240Vac, 50-60Hz, 1.6A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A			
AC Power Cord Type	Shielded, 1.8m (Detachable) to Power Adaptor			
DC Power Cable Type (Type C)	Shielded, 1.8m (Non-Detachable) to Power Adapter			
Memory	LPDDR4X 4266MHz (8GB / 16GB / 32GB)			
Main Board	Compal	LA-L311P (ADL 12L)		
CPU	Intel	i5-1235U (1.3GHz)		
		i7-1255U (1.7GHz)		
Wireless LAN +BT	Intel	AX211NGW		
		AX411NGW		
WWAN+GPS	Fibocom	FM350-GL		
Battery	Dynapack	HSTNN-DB9Z		
Camera	Chicony	CJFKE2620004331LH		
	TFC	YHUM-1		
LCD Panel	INX	N135NCG-GT1		
	IVO	X135NV42		
	LGD	LP135WU1		
	SDC	ATNA35VJ07		
Solid State Drive	Hynix	HFS001TDE9X073N (1TB)		
		HFS512GDE9X073N (512GB)		
	Intel	HBRPEKNL0202AH (512GB)		

2	5	

Solid State Drive	Intel	HBRPEKNL0203AH (1TB)		
	Kioxia	KXG60PNV2T04 (2TB)		
		KXG60ZNV1T02 (1TB)		
		KXG60ZNV512G (512GB)		
	Micron	MTFDHBA1T0TDV-1AZ1AABHA (1TB)		
		MTFDHBA512TDV-1AZ1AABHA (512GB)		
		MTFDKBA1T0TFH-1BC1AABHA (1TB)		
		MTFDKBA2T0TFH-1BC1AABHA (2TB)		
		MTFDKBA512TFH-1BC1AABHA (512GB		
	Samsung	MZVL21T0HCLR-00BH1 (1TB)		
		MZVL22T0HBLB-00BH1 (2TB)		
		MZVL2512HCJQ-00BH1 (512GB) MZVLB1T0HBLR-000H1 (1TB)		
		MZVLB512HBJQ-000H1 (512GB)		
		MZVLB2T0HALB-000H1 (2TB)		
	SSSTC	CA6-8D512-HP (512GB)		
	Western Digital	SDBPNTY-1T00-1006 (1TB)		
		SDBPNTY-512G-1006 (512GB)		
		SDBPNTZ-2T00-1106 (2TB)		
		SDCPNRY-1T00-1006 (1TB)		
		SDCPNRY-512G-1006 (512GB)		
		SDCPNRZ-2T00-1006 (2TB)		
Touch Screen	Henghao	8D0D501A		
		8D0D503A		
	ТРК	T07CN135N002A		
		T07CN135N003A		



Report No.: T210721W04-F Page: 7 of 48

Pre-test Mode

Mode	Power Adapter	Memory	Main Board	CPU	Wireless LAN +BT	WWAN+GPS	Battery	Camera	LCD Panel	Solid State Drive	Touch Screen
1	Lite-On TPN-LA22	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	IVO X135NV42	Kioxia KXG60ZNV1T02 (1TB)	TPK T07CN135N002A
2	AcBel TPN-AA08	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	INX N135NCG-GT1	Hynix HFS001TDE9X073N (1TB)	Henghao 8D0D501A
3	Chicony TPN-CA10	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	IVO X135NV42	Hynix HFS512GDE9X073N (512GB)	TPK T07CN135N002A
4	Delta TPN-DA26	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	LGD LP135WU1	Intel HBRPEKNL0202AH (512GB)	TPK T07CN135N003A
5	Lite-On TPN-LA12	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	SDC ATNA35VJ07	Intel HBRPEKNL0203AH (1TB)	TPK T07CN135N003A
6	Lite-On TPN-LA22	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	INX N135NCG-GT1	Kioxia KXG60PNV2T04 (2TB)	Henghao 8D0D501A
7	AcBel TPN-AA08	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	IVO X135NV42	Kioxia KXG60ZNV1T02 (1TB)	Henghao 8D0D503A
8	Chicony TPN-CA10	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	LGD LP135WU1	Kioxia KXG60ZNV512G (512GB)	TPK T07CN135N003A
9	Delta TPN-DA26	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	SDC ATNA35VJ07	Micron MTFDHBA1T0TDV-1AZ1AABHA (1TB)	TPK T07CN135N003A
10	Lite-On TPN-LA12	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	INX N135NCG-GT1	Micron MTFDHBA512TDV-1AZ1AABHA (512GB)	Henghao 8D0D501A
11	Lite-On TPN-LA22	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	IVO X135NV42	Micron MTFDKBA1T0TFH-1BC1AABHA (1TB)	TPK T07CN135N002A
12	AcBel TPN-AA08	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	LGD LP135WU1	Micron MTFDKBA2T0TFH-1BC1AABHA (2TB)	TPK T07CN135N003A
13	Chicony TPN-CA10	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	SDC ATNA35VJ07	Micron MTFDKBA512TFH-1BC1AABHA (512GB)	TPK T07CN135N003A
14	Lite-On TPN-LA22	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	IVO X135NV42	Samsung MZVL21T0HCLR-00BH1 (1TB)	TPK T07CN135N002A
15	AcBel TPN-AA08	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	LGD LP135WU1	Samsung MZVL22T0HBLB-00BH1 (2TB)	TPK T07CN135N003A
16	Chicony TPN-CA10	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	SDC ATNA35VJ07	Samsung MZVL2512HCJQ-00BH1 (512GB)	TPK T07CN135N003A
17	Delta TPN-DA26	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	INX N135NCG-GT1	Samsung MZVLB1T0HBLR-000H1 (1TB)	Henghao 8D0D501A
18	Lite-On TPN-LA12	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	IVO X135NV42	Samsung MZVLB512HBJQ-000H1 (512GB)	Henghao 8D0D503A
19	Lite-On TPN-LA22	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	LGD LP135WU1	Samsung MZVLB2T0HALB-000H1 (2TB)	TPK T07CN135N003A
20	AcBel TPN-AA08	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	SDC ATNA35VJ07	SSSTC CA6-8D512-HP (512GB)	TPK T07CN135N003A
21	AcBel TPN-AA08	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	SDC ATNA35VJ07	Western Digital SDBPNTY-1T00-1006 (1TB)	TPK T07CN135N003A
22	Chicony TPN-CA10	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	INX N135NCG-GT1	Western Digital SDBPNTY-512G-1006 (512GB)	Henghao 8D0D501A
23	Delta TPN-DA26	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	IVO X135NV42	Western Digital SDBPNTZ-2T00-1106 (2TB)	TPK T07CN135N002A
24	Lite-On TPN-LA12	LPDDR4X 4266MHz 8GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	LGD LP135WU1	Western Digital SDCPNRY-1T00-1006 (1TB)	TPK T07CN135N003A
25	Lite-On TPN-LA22	LPDDR4X 4266MHz 16GB	Compal LA-L311P(ADL 12L)	Intel i7-1255U (1.7GHz)	Intel AX411NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	TFC YHUM-1	SDC ATNA35VJ07	Western Digital SDCPNRY-512G-1006 (512GB)	TPK T07CN135N003A
26	AcBel TPN-AA08	LPDDR4X 4266MHz 32GB	Compal LA-L311P(ADL 12L)	Intel i5-1235U (1.3GHz)	Intel AX211NGW	Fibocom FM350-GL	Dynapack HSTNN- DB9Z	Chicony CJFKE2620004331LH	INX N135NCG-GT1	Western Digital SDCPNRZ-2T00-1006 (2TB)	Henghao 8D0D501A

1.4 The worst case of the EUT

EUT will be carried out in the worst case as followings:

Worst Case				
CE	Mode 1 (1920 x 1080 Resolution)			
Below 1GHz RE	Mode 1 (1920 x 1080 Resolution)			
Above 1GHz RE	Mode 1 (1920 x 1080 Resolution)			



Description of Support Units 1.5

Mode 1:

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
Earphone	Lenovo	GS-4021M	57Y4488
LCD Monitor	ASUS	MX27U	N/A
Mouse	HP	MOAFUO	PSB1030013577
Notebook PC (Remote)	Lenovo	TP00103G	PF-24WF25
Wireless AP (Remote)	ASUS	GT-AXE11000	M3IAJF201439
Micro SD Card	NA	N/A	N/A
SIM Card	VIBO	N/A	N/A
UXM 5G Wireless Test Platform (Remote)	KEYSIGHT	E7515B	N/A
GPS Simulator (Remote)	IFR	GPS-101	N/A

Support Equipment Used in Tested Cable

Mode 1:

Cable Type	Core	Length	Shielding/Non-shielding
DC Power Cable (Type C) (1)	N/A	1.8m	Shielding
Earphone Cable (2)	N/A	1.8m	Non-Shielding
USB Mouse Cable (3)	N/A	1.8m	Shielding
Type C Cable (4)	N/A	1.0m	Shielding





Operation Procedure 1.6


Mode 1.


- 1. Turn on the power of all equipment.
- 2. The EUT will reads/writes disk through "WINEMC" test software.
- 3. EUT execute the "WINEMC" Test software to send "H" Pattern to display on the screen
- 4. The EUT communicates with Notebook PC by Bluetooth radio.
- 5. The EUT communicates with Wireless AP by WIFI radio.
- 6. Executed "AMCAP2" software to turn-on the Camera.
- 7. The EUT will receive GPS, 5G UXM signal sources and continue to operate.
- 8. Setup the condition for test mode and begin the test.



Test Set-Up Configuration 1.7

Mode 1:







1.9 **Measurement Procedure**

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 3/10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequency and amplitude of the worse emissions were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.10 Standards Applicable for Testing

Tests to be carried out under 47 CFR FCC Part 15 Subpart B/CISPR 22/ICES-003

Test Standards	Status
47 CFR FCC Part 15 Subpart B CISPR 22 ICES-003	Applicable
Deviation from Standard	No deviation

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



1.11 Decision Rules of Results

Reported measurement data comply with 47 CFR FCC Part 15 Subpart B and ICES-003.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

1.12 Summary of Results

Standard	Test Type	Result
47 CFR FCC Part 15 Subpart B (Class B)	Conducted Emission	PASS
ICES-003 Issue 7: October 2020 (Class B)	Radiated Emission	PASS

1.13 Reporting Statements of Conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.



2. EMISSION

21 Test Results

Conducted Emission	Pass
Radiated Emission	Pass

2.2 **Frequency Range**

47 CFR FCC Part 15 Subpart B:

: 150 kHz - 30 MHz Conducted Emission

Radiated Emission : See below table

Highest frequency generated or used in the device or on which the device operates or tunes (MHz)	Upper frequency of measurement range (MHz)
Below 1.705	30
1.705 - 108	1000
108 - 500	2000
500 - 1000	5000
Above 1000	5th harmonic of the highest frequency or 40 GHz, whichever is lower.

ICES-003:

Conducted Emission

: 150 kHz - 30 MHz

Radiated Emission : 30 MHz to 5thharmonic of the highest frequency or 40GHz, whichever is lower.

Highest internal frequency (Fx)	Highest measurement frequency
<i>F</i> _X ≤ 108 MHz	1 GHz
108 MHz < <i>F</i> x ≤ 500 MHz	2 GHz
500 MHz < <i>F</i> x ≤ 1 GHz	5 GHz
<i>F</i> _X > 1 GHz	5 x F_X up to a maximum of 40 GHz

Note: F_X is the highest fundamental frequency generated and/or used in the ITE or digital apparatus under test.



2.3 Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

47 CFR FCC Part 15 Subpart B:

FREQUENCY	Class A	(dBuV)	Class B	(dBuV)
(MHz)	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 – 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

- (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
- (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

ICES-003:

FREQUENCY	Class A (dBuV)		Class B (dBuV)		
(MHz)	Quasi-peak	Average	Quasi-peak	Average	
0.15 - 0.5	79	66	66 - 56*	56 - 46*	
0.50 - 5.0	73	60	56	46	
5.0 - 30.0	73	60	60	50	

Note: The more stringent limit applies at transition frequencies.

*. The limit level in dBµV decreases linearly with the logarithm of frequency.



2.3.2 Limits of Radiated Emissions

47 CFR FCC Part 15 Subpart B Limit:

Detector Function : Quasi – Peak

FREQUENCY	Class A (at 10m)	Class B (at 3m)
(MHz)	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.4	46
960~1000	49.5	54

Detector Function : Peak, Average

FREQUENCY	Class A (dBuV/m) (at 3m) Peak Average		Class B (dBu	uV/m) (at 3m)
(MHz)			Peak	Average
Above 1000	80	60	74	54

CISPR 22 Limit:

Detector Function : Quasi – Peak

FREQUENCY	Class A (at 10m)	Class B (at 10m)
(MHz)	dBuV/m	dBuV/m
30~230	40	30
230~1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.



ICES-003 Limit:

Detector Function : Quasi-peak

Frequency (MHz)	Class A (3 m) (dBuV/m)	Class A (10 m) (dBuV/m)	Class B (3 m) (dBuV/m)	Class B (10 m) (dBuV/m)
30 - 88	50	40	40	30
88 - 216	54	43.5	43.5	33.1
216 - 230	56.9	46.4	46	35.6
230 - 960	57	47	47	37
960 - 1000	60	49.5	54	43.5

Note: The more stringent limit applies at transition frequencies

Detector Function :Peak, Average

Frequency	Class A (3 m) (dBuV/m)		Class I (dBu	B (3 m) V/m)
(MHz)	Peak	Average	Peak	Average
Above 1000	80	60	74	54



2.4. Test of Conducted Emission

2.4.1 Test Equipments

	Conducted_	Emission Conducted	d Room No.B_E	ЛС					
EQUIPMENT TYPE	Manufacturer	Model Number	Calibration Date	Calibration Due					
Coaxial Cable	EMCI	EMCI EMCRG142 190809 04/28/2021 04/27/20							
EMI Test Receiver	R&S	R&S ESCI 101073 06/21/2021 06/20/2022							
LISN	Schwarzbeck	Schwarzbeck NSLK8128 5012 04/07/2021 04/06/20							
LISN	SCHWARZBECK	NSLK 8127	01022	04/15/2021	04/14/2022				
Software		С	CS-3A1-CE						
Compliance Certification Se	ervices Inc. (Wugu Lab	oratory)							
Testing Site: No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)									
Measurement Uncertainty of Conducted Emission									
Expanded uncertainty Ulab Expanded uncertainty CISF			ducted Emission mea	surement is 3.44 dl	3				

2.4.2 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter insertion loss


Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level – Limit



2.4.3 Measurement Data:

Model no.	TPN-C155	Line:	L1
Environmental Conditions	21℃, 46% RH	Tested Date	2021/07/24
Test Mode	Mode 1	Tested By	Thomas Liu
6dB Bandwidth	9 kHz	Identifier number	TCOP CE site 17




NO.	Frequency	Quasi Peak reading	Average reading	Correction factor	Quasi Peak result	Average result	Quasi Peak limit	Average limit	Quasi Peak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	(Pass/Fail)
1*	0.1700	49.75	29.98	0.12	49.87	30.10	64.96	54.96	-15.09	-24.86	Pass
2	0.1940	45.79	27.55	0.14	45.93	27.69	63.86	53.86	-17.93	-26.17	Pass
3	0.2380	40.99	22.63	0.14	41.13	22.77	62.16	52.17	-21.03	-29.40	Pass
4	0.3379	34.32	19.31	0.15	34.47	19.46	59.25	49.25	-24.78	-29.79	Pass
5	0.5380	34.46	22.42	0.15	34.61	22.57	56.00	46.00	-21.39	-23.43	Pass
6	0.6419	33.06	18.24	0.16	33.22	18.40	56.00	46.00	-22.78	-27.60	Pass

Note: L1 = Live Line



Model no.	TPN-C155	Line:	N
Environmental Conditions	21℃, 46% RH	Tested Date	2021/07/24
Test Mode	Mode 1	Tested By	Thomas Liu
6dB Bandwidth	9 kHz	Identifier number	TCOP CE site 17



NO.	Frequency	Quasi Peak reading	Average reading	Correction factor	Quasi Peak result	Average result	Quasi Peak limit	Average limit	Quasi Peak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	(Pass/Fail)
1*	0.1740	46.68	28.50	0.14	46.82	28.64	64.76	54.77	-17.94	-26.13	Pass
2	0.1980	43.87	27.27	0.15	44.02	27.42	63.69	53.69	-19.67	-26.27	Pass
3	0.2260	39.06	21.99	0.15	39.21	22.14	62.59	52.60	-23.38	-30.46	Pass
4	0.2460	38.04	22.29	0.15	38.19	22.44	61.89	51.89	-23.70	-29.45	Pass
5	0.3620	32.10	17.30	0.17	32.27	17.47	58.68	48.68	-26.41	-31.21	Pass
6	0.6140	35.66	22.56	0.17	35.83	22.73	56.00	46.00	-20.17	-23.27	Pass

Note: N = Neutral Line



2.5 **Test of Radiated Emission**

2.5.1 Test Equipments

Below 1GHz

Anufacturer TESEQ TESEQ uber+Suhner uber+Suhner uber+Suhner	Model Number CBL 6112D CBL 6112D SUCOFLEX 104PEA 104PEA	Serial Number 31674 31675 330029 33948/4PEA	Calibration Date 02/22/2021 03/15/2021 04/28/2021	Calibration Due 02/21/2022 03/14/2022 04/27/2022
TESEQ uber+Suhner uber+Suhner	CBL 6112D SUCOFLEX 104PEA 104PEA	31675 330029	03/15/2021	03/14/2022
uber+Suhner uber+Suhner	SUCOFLEX 104PEA 104PEA	330029		
uber+Suhner	104PEA 104PEA		04/28/2021	04/27/2022
		330/8//DEA		
uber+Suhner		55540/41 LA	04/28/2021	04/27/2022
	104PEA	33949/4PEA	04/28/2021	04/27/2022
uber+Suhner	SUCOFLEX 104PEA	24813	04/28/2021	04/27/2022
R&S	ESCI	100961	05/25/2021	05/24/2022
R&S	ESCI	100962	06/02/2021	06/01/2022
HP	8447D	2944A07754	04/28/2021	04/27/2022
HP	8447D	2944A08150	04/28/2021	04/27/2022
APE	AFC-130	991259	N.C.R	N.C.R
CCS	CC-A-1F	N/A	N.C.R	N.C.R
CCS	CC-A-1F	N/A	N.C.R	N.C.R
CCS	CC-C-1F	N/A	N.C.R	N.C.R
CCS	CC-C-1F	N/A	N.C.R	N.C.R
CCS	CC-T-1F	N/A	N.C.R	N.C.R
	EZ	-EMC (CCS-3A1F	RE)	
	uber+Suhner R&S R&S HP HP APE CCS CCS CCS CCS CCS CCS	SUCOFLEX 104PEAR&SESCIR&SESCIHP8447DHP8447DAPEAFC-130CCSCC-A-1FCCSCC-A-1FCCSCC-C-1FCCSCC-C-1FCCSCC-T-1F	SUCOFLEX 104PEA 24813 R&S ESCI 100961 R&S ESCI 100962 HP 8447D 2944A07754 HP 8447D 2944A08150 APE AFC-130 991259 CCS CC-A-1F N/A CCS CC-C-1F N/A CCS CC-C-1F N/A CCS CC-C-1F N/A CCS CC-T-1F N/A CCS CC-T-1F N/A	SUCOFLEX 104PEA 24813 04/28/2021 R&S ESCI 100961 05/25/2021 R&S ESCI 100962 06/02/2021 HP 8447D 2944A07754 04/28/2021 HP 8447D 2944A08150 04/28/2021 APE AFC-130 991259 N.C.R CCS CC-A-1F N/A N.C.R CCS CC-C-1F N/A N.C.R CCS CC-C-1F N/A N.C.R CCS CC-C-1F N/A N.C.R CCS CC-C-1F N/A N.C.R CCS CC-T-1F N/A N.C.R CCS CC-T-1F N/A N.C.R CCS CC-T-1F N/A N.C.R EZ-EMC (CCS-3A1RE) EZ-EMC (CCS-3A1RE) EZ-EMC (CCS-3A1RE)

Compliance Certification Services Inc. (Wugu Laboratory)

Testing Site: No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (k=2) of Radiated Emission is 4.15 dB. (30MHz-1GHz)

Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Radiated Emission measurement is 5.22 dB. (30MHz-1GHz)



Above 1GHz

	Ra	diated_Above _10	GHz 10m_EMC						
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due				
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	329383	04/28/2021	04/27/2022				
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	33945	04/28/2021	04/27/2022				
Horn Antenna	ETS LINDGREN	3116	00026370	12/11/2020	12/10/2021				
Horn Antenna	EMCO	3117	00055167	12/01/2020	11/30/2021				
Pre-Amplifier	EMCI	EMC051845	980040	04/28/2021	04/27/2022				
Pre-Amplifier	MITEQ	AMF-6F- 18004000-37-8P	985646	09/02/2020	09/01/2021				
Spectrum Analyzer	Agilent	E4446A	MY48250297	08/24/2020	08/23/2021				
AC POWER SOURCE	APE	AFC-130	991259	N.C.R	N.C.R				
Antenna Tower	Sunol Sciences	TLT2	031010-5	N.C.R	N.C.R				
Controller	Sunol Sciences	SC104V	031010-1	N.C.R	N.C.R				
Turn Table	CCS	CC-T-1F	N/A	N.C.R	N.C.R				
Software		EZ-	EMC (CCS-3A1F	RE)					
Compliance Certification S	Compliance Certification Services Inc. (Wugu Laboratory)								

Testing Site: No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (k=2) of Radiated Emission measurement is 4.94 dB. (1-6GHz)

Expanded uncertainty Ulab (k=2) of Radiated Emission measurement is 5.24 dB. (6-18GHz)

Expanded uncertainty Ulab (k=2) of Radiated Emission measurement is 4.28 dB. (18-40GHz)

Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Radiated Emission measurement is 5.18 dB. (1-6GHz) Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Radiated Emission measurement is 5.48 dB. (6-18GHz)

Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Radiated Emission measurement is --- dB. (18-40GHz)

2.5.2 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss - Amplifier Gain

Measurement Level = Reading Level + Correction Factor


Over (Margin) = Measurement Level – Limit



2.5.3 Measurement Data

Below 1GHz

Model no.	TPN-C155	Test Mode	Mode 1
Environmental Conditions	23℃, 53% RH	Tested Date	2021/08/02
Antenna Pole	Vertical	Antenna Distance	10m
Detector Function	Quasi-peak.	Tested By	Rex Kuo
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17
Standard	FCC Part 15 Subpart B		




No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	34.8500	29.07	-4.80	24.27	30.00	-5.73	100	359	QP
2	171.6200	36.45	-9.50	26.95	30.00	-3.05	100	157	QP
3	182.4900	36.93	-9.96	26.97	30.00	-3.03	100	185	QP
4	203.6300	34.46	-9.30	25.16	30.00	-4.84	100	315	QP
5	490.7500	29.88	-0.56	29.32	37.00	-7.68	299	23	QP
6	623.6400	27.44	1.53	28.97	37.00	-8.03	295	360	QP
7	732.2800	27.74	2.72	30.46	37.00	-6.54	399	135	QP
8	800.1800	25.61	3.71	29.32	37.00	-7.68	199	0	QP

REMARKS: The other emission levels were very low against the limit.



Model no.	TPN-C155	Test Mode	Mode 1	
Environmental Conditions	23℃, 53% RH	Tested Date	2021/08/02	
Antenna Pole	Horizontal	Antenna Distance	10m	
Detector Function	Quasi-peak.	Tested By	Rex Kuo	
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17	
Standard	FCC Part 15 Subpart B			




No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	30.0000	24.57	-3.16	21.41	30.00	-8.59	198	0	QP
2	491.7200	31.70	-2.82	28.88	37.00	-8.12	100	0	QP
3	578.0500	33.03	-0.94	32.09	37.00	-4.91	100	0	QP
4	621.7000	31.51	-0.63	30.88	37.00	-6.12	103	0	QP
5	798.2400	29.36	1.51	30.87	37.00	-6.13	299	360	QP
6	843.8300	27.71	1.96	29.67	37.00	-7.33	100	349	QP

REMARKS: The other emission levels were very low against the limit.



Model no.	TPN-C155	Test Mode	Mode 1
Environmental Conditions	23℃, 53% RH	Tested Date	2021/08/02
Antenna Pole	Vertical	Antenna Distance	10m
Detector Function	Quasi-peak.	Tested By	Rex Kuo
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17
Standard	ISED ICES-003 Issue 7		




No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	34.8500	29.07	-4.80	24.27	30.00	-5.73	100	359	QP
2	171.6200	36.45	-9.50	26.95	33.10	-6.15	100	157	QP
3	182.4900	36.93	-9.96	26.97	33.10	-6.13	100	185	QP
4	203.6300	34.46	-9.30	25.16	33.10	-7.94	100	315	QP
5	490.7500	29.88	-0.56	29.32	37.00	-7.68	299	23	QP
6	623.6400	27.44	1.53	28.97	37.00	-8.03	295	360	QP
7	732.2800	27.74	2.72	30.46	37.00	-6.54	399	135	QP
8	800.1800	25.61	3.71	29.32	37.00	-7.68	199	0	QP

REMARKS: The other emission levels were very low against the limit.



Model no.	TPN-C155	Test Mode	Mode 1
Environmental Conditions	23℃, 53% RH	Tested Date	2021/08/02
Antenna Pole	Horizontal	Antenna Distance	10m
Detector Function	Quasi-peak.	Tested By	Rex Kuo
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17
Standard	ISED ICES-003 Issue 7		

80.0 dBu¥/m



I	No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
	1	30.0000	24.57	-3.16	21.41	30.00	-8.59	198	0	QP
	2	491.7200	31.70	-2.82	28.88	37.00	-8.12	100	0	QP
	3	578.0500	33.03	-0.94	32.09	37.00	-4.91	100	0	QP
	4	621.7000	31.51	-0.63	30.88	37.00	-6.12	103	0	QP
	5	798.2400	29.36	1.51	30.87	37.00	-6.13	299	360	QP
	6	843.8300	27.71	1.96	29.67	37.00	-7.33	100	349	QP


REMARKS: The other emission levels were very low against the limit.



Above 1GHz

Model no.	TPN-C155	Test Mode	Mode 1
Environmental Conditions	23℃, 53% RH	Tested Date	2021/08/02
Antenna Pole	Vertical	Antenna Distance	3m
Highest frequency generated or used	5.8GHz	Upper frequency	29GHz
Detector Function	Peak & Average	Tested By	Rex Kuo
6dB Bandwidth	1 MHz	Identifier number	TCOP RF site 17

90.0 dBuV/m



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2045.500	65.46	-13.17	52.29	74.00	-21.71	100	196	peak
2	2045.500	53.89	-13.17	40.72	54.00	-13.28	100	196	AVG
3	2088.000	73.11	-12.90	60.21	74.00	-13.79	200	258	peak
4	2088.000	59.87	-12.90	46.97	54.00	-7.03	200	258	AVG
5	3643.500	63.44	-11.04	52.40	74.00	-21.60	200	191	peak
6	3643.500	54.79	-11.04	43.75	54.00	-10.25	200	191	AVG
7	6032.000	55.87	-3.95	51.92	74.00	-22.08	300	82	peak
8	6032.000	43.42	-3.95	39.47	54.00	-14.53	300	82	AVG
9	6754.500	56.20	-3.47	52.73	74.00	-21.27	271	360	peak



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
10	6754.500	43.18	-3.47	39.71	54.00	-14.29	271	360	AVG
11	7298.500	55.95	-3.01	52.94	74.00	-21.06	200	26	peak
12	7298.500	42.03	-3.01	39.02	54.00	-14.98	200	26	AVG


REMARKS:

1. The other emission levels were very low against the limit.

2. Margin (dB) = Result (dBuV/m) – Limit (dBuV/m)



Model no.	TPN-C155	Test Mode	Mode 1
Environmental Conditions	23℃, 53% RH	Tested Date	2021/08/02
Antenna Pole	Horizontal	Antenna Distance	3m
Highest frequency generated or used	5.8GHz	Upper frequency	29GHz
Detector Function	Peak & Average	Tested By	Rex Kuo
6dB Bandwidth	1 MHz	Identifier number	TCOP RF site 17



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2088.000	70.49	-12.90	57.59	74.00	-16.41	200	182	peak
2	2088.000	59.61	-12.90	46.71	54.00	-7.29	200	182	AVG
3	2751.000	63.83	-12.68	51.15	74.00	-22.85	200	202	peak
4	2751.000	54.59	-12.68	41.91	54.00	-12.09	200	202	AVG
5	3643.500	67.16	-11.04	56.12	74.00	-17.88	200	188	peak
6	3643.500	56.06	-11.04	45.02	54.00	-8.98	200	188	AVG
7	5930.000	56.39	-4.51	51.88	74.00	-22.12	141	360	peak
8	5930.000	44.85	-4.51	40.34	54.00	-13.66	141	360	AVG
9	6729.000	55.89	-3.66	52.23	74.00	-21.77	163	360	peak



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
10	6729.000	43.32	-3.66	39.66	54.00	-14.34	163	360	AVG
11	7171.000	56.01	-2.86	53.15	74.00	-20.85	200	56	peak
12	7171.000	42.09	-2.86	39.23	54.00	-14.77	200	56	AVG

REMARKS:

1. The other emission levels were very low against the limit.

2. Margin (dB) = Result (dBuV/m) – Limit (dBuV/m)



Report No.: T210721W04-F Page: 30 of 48


APPENDIX

Photograph of Testing General Set-up **CE Testing Set-up**

Model No.: TPN-C155 Mode 1 +



Mode_1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reproduced to the full. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路 11 號 t (886-2) 2299-9720 f (886-2) 2299-9721 www.sgs.tw www.ccsrf.com



Report No.: T210721W04-F Page: 31 of 48


RE Testing Set-up Below 1GHz

Model No.: TPN-C155 Mode 1 + Mode_1_-



Report No.: T210721W04-F Page: 32 of 48

Above 1GHz





Report No.: T210721W04-F Page: 33 of 48

Photographs of Product Exterior

Model No.: TPN-C155






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reproduced to the full. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路 11 號 t (886-2) 2299-9720 f (886-2) 2299-9721 www.sgs.tw www.ccsrf.com



Report No.: T210721W04-F Page: 34 of 48





Report No.: T210721W04-F Page: 35 of 48





Report No.: T210721W04-F Page: 36 of 48







Report No.: T210721W04-F Page: 37 of 48





Report No.: T210721W04-F Page: 38 of 48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised that index to the formation of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be proceeded to the further. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路 11 號 t (886-2) 2299-9720 f (886-2) 2299-9721 www.sgs.tw www.ccsrf.com



Report No.: T210721W04-F Page: 39 of 48

Adapter Model No.: TPN-AA08





Report No.: T210721W04-F Page: 40 of 48



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised that index to the formation of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be proceeded to the further. prosecuted to the fullest extent of the law.

程智科技股份有限公司



Report No.: T210721W04-F Page: 41 of 48

Adapter Model No.: TPN-CA10









Report No.: T210721W04-F Page: 43 of 48

Adapter Model No.: TPN-DA26





Report No.: T210721W04-F Page: 44 of 48



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised that index to the formation of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be proceeded to the further. prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路 11 號 t (886-2) 2299-9720 f (886-2) 2299-9721 www.sgs.tw www.ccsrf.com



Report No.: T210721W04-F Page: 45 of 48

Adapter Model No.: TPN-LA12









Report No.: T210721W04-F Page: 47 of 48

Adapter Model No.: TPN-LA22





Report No.: T210721W04-F Page: 48 of 48



** End of Report **