


## 4.6 Conducted Spurious Emissions

### 4.6.1 Limits of Conducted Spurious Emissions Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log_{10}(P)$  dB. The limit of emission is equal to -13 dBm.


### 4.6.2 Test Setup





### 4.6.3 Test Procedure

- The EUT makes a phone call to the communication simulator. All measurements were done at low, middle and high operational frequency range.
- Measuring frequency range is from 30 MHz to 8 GHz for LTE Band 17 and from 30 MHz to 18 GHz for LTE Band 4. 10 dB attenuation pad is connected with spectrum. RBW=1 MHz and VBW=3 MHz are used for conducted emission measurement.

### 4.6.4 Test Results



**LTE Band 4**  
**Channel Bandwidth: 1.4 MHz**





LTE Band 4


Channel Bandwidth: 3 MHz

Channel 1965

Channel 1715





Channel 20385




**LTE Band 4**  
**Channel Bandwidth: 5 MHz**

**Channel 19975**

**Channel 10175**



**Channel 20375**







LTE Band 4


Channel Bandwidth: 10 MHz

Channel 2000

Channel 1715



Channel 20350





### LTE Band 4


Channel Bandwidth: 15 MHz

#### Channel 2025




#### Channel 20175



#### Channel 20325



**LTE Band 4**  
**Channel Bandwidth: 20 MHz**







LTE Band 12


Channel Bandwidth: 1.4 MHz

Channel 23017

Channel 23095



Channel 23173





LTE Band 12


Channel Bandwidth: 3 MHz

Channel 23025

Channel 23095





Channel 23165




LTE Band 12  
Channel Bandwidth: 5 MHz

Channel 23035

Channel 23095



Channel 23155





LTE Band 12


Channel Bandwidth: 10 MHz

Channel 23060

Channel 23095






Channel 23130






**LTE Band 13**  
**Channel Bandwidth: 5 MHz**




**LTE Band 13**  
**Channel Bandwidth: 10 MHz**  
**Channel 23230**






**LTE Band 17**  
**Channel Bandwidth: 5 MHz**


**Channel 23755**



**Channel 23790**



**Channel 23825**





LTE Band 17


Channel Bandwidth: 10 MHz

Channel 23780

Channel 23790




Channel 23800




LTE Band 66

Channel Bandwidth: 1.4 MHz


Channel 131979



Channel 132322




Channel 132655




LTE Band 66

Channel Bandwidth: 3 MHz


Channel 131987



Channel 132322




Channel 132657




### LTE Band 66

Channel Bandwidth: 5 MHz


#### Channel 131997



#### Channel 132322



#### Channel 132647







LTE Band 66

Channel Bandwidth: 10 MHz


Channel 132022



Channel 132322




Channel 132622




### LTE Band 66

Channel Bandwidth: 15 MHz


#### Channel 132047





#### Channel 132322



#### Channel 132597



**LTE Band 66**  
**Channel Bandwidth: 20 MHz**



## 4.7 Radiated Emission Measurement

### 4.7.1 Limits of Radiated Emission Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log_{10}(P)$  dB. The limit of emission is equal to -13 dBm.

### 4.7.2 Test Procedure


- Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$ .
- E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole,  $E.R.P \text{ power} = E.I.P.R \text{ power} - 2.15 \text{ dBi}$ .

**Note:** The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.

### 4.7.3 Deviation from Test Standard

No deviation.

### 4.7.4 Test Setup



For the actual test configuration, please refer to the attached file (Test Setup Photo).

4.7.5 Test Results


WCDMA:  
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5  
Condition: PART27 HORIZONTAL  
Remak : WCDMA Band 4 L-CH Link  
Tested by: Gavin Wu

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3424.80	-49.72	-40.63	-13.00	-36.72	-9.09	Peak






Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2017-01-17



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : WCDMA Band 4 L-CH Link  
 Tested by: Gavin Wu

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3424.80	-53.57	-44.48	-13.00	-40.57	-9.09	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : WCDMA Band 4 M-CH Link  
 Tested by: Gavin Wu


Freq	Level	Read Level	Limit	Over	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.20	-46.71	-37.80	-13.00	-33.71	-8.91	Peak



A D T

Data: 4

Date: 2017-01-17



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : WCDMA Band 4 M-CH Link  
 Tested by: Gavin Wu

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 3465.20	-51.75	-42.84	-13.00	-38.75	-8.91	Peak


# High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : WCDMA Band 4 H-CH Link  
 Tested by: Gavin Wu

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-60.71	-60.30	-13.00	-47.71	-0.41	Peak
2	234.67	-46.35	-39.73	-13.00	-33.35	-6.62	Peak
3	393.75	-61.94	-55.96	-13.00	-48.94	-5.98	Peak
4	456.80	-63.51	-58.09	-13.00	-50.51	-5.42	Peak
5	547.98	-62.69	-59.77	-13.00	-49.69	-2.92	Peak
6	704.15	-61.66	-61.64	-13.00	-48.66	-0.02	Peak
7 pp	3505.20	-43.49	-35.38	-13.00	-30.49	-8.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-17



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : WCDMA Band 4 H-CH Link  
 Tested by: Gavin Wu

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-49.90	-50.02	-13.00	-36.90	0.12	Peak
2	208.48	-51.28	-43.61	-13.00	-38.28	-7.67	Peak
3	398.60	-58.60	-52.65	-13.00	-45.60	-5.95	Peak
4	454.86	-58.64	-53.18	-13.00	-45.64	-5.46	Peak
5	547.98	-60.45	-57.53	-13.00	-47.45	-2.92	Peak
6	700.27	-62.50	-62.40	-13.00	-49.50	-0.10	Peak
7 pp	3505.20	-48.27	-40.16	-13.00	-35.27	-8.11	Peak




LTE Band 4  
Channel Bandwidth: 20 MHz / QPSK  
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5  
Condition: PART27 HORIZONTAL  
Remak : LTE Band 4 QPSK\_20M\_L-CH Link  
Tested by: Getaz Yang


Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-51.48	-42.48	-13.00	-38.48	-9.00	Peak



A D T

Data: 4

Date: 2017-01-15



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remark : LTE Band 4 QPSK\_20M\_L-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-55.21	-46.21	-13.00	-42.21	-9.00	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 4 QPSK\_20M\_M-CH Link  
 Tested by: Getaz Yang


Freq	Level	Read Level	Limit	Over	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.00	-51.35	-42.44	-13.00	-38.35	-8.91	Peak



A D T

Data: 6

Date: 2017-01-14



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 4 QPSK\_20M\_M-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.00	-53.31	-44.40	-13.00	-40.31	-8.91	Peak


# High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 4 QPSK\_20M\_H-CH Link  
 Tested by: Getaz Yang

	Freq	Level	Read Level	Limit	Over	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-59.60	-59.72	-13.00	-46.60	0.12	Peak
2	235.64	-46.71	-40.13	-13.00	-33.71	-6.58	Peak
3	267.65	-52.77	-46.42	-13.00	-39.77	-6.35	Peak
4	398.60	-61.98	-56.03	-13.00	-48.98	-5.95	Peak
5	552.83	-63.25	-60.52	-13.00	-50.25	-2.73	Peak
6	704.15	-61.95	-61.93	-13.00	-48.95	-0.02	Peak
7	3490.00	-51.34	-42.83	-13.00	-38.34	-8.51	Peak






A D T

Data: 6

Date: 2017-01-15



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 4 QPSK\_20M\_H-CH Link  
 Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	40.67	-49.92	-50.04	-13.00	-36.92	0.12	Peak
2	206.54	-52.08	-44.33	-13.00	-39.08	-7.75	Peak
3	399.57	-58.27	-52.32	-13.00	-45.27	-5.95	Peak
4	460.68	-59.20	-53.85	-13.00	-46.20	-5.35	Peak
5	549.92	-60.50	-57.65	-13.00	-47.50	-2.85	Peak
6	710.94	-60.68	-60.79	-13.00	-47.68	0.11	Peak
7	3490.00	-53.47	-44.96	-13.00	-40.47	-8.51	Peak


LTE Band 12  
 Channel Bandwidth: 10 MHz / QPSK  
 Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 12 QPSK\_10M\_L-CH Link  
 Tested by: Getaz Yang

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1408.00	-61.54	-47.20	-13.00	-48.54	-14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2017-01-17



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 12 QPSK\_10M\_L-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1408.00	-61.42	-47.08	-13.00	-48.42	-14.34	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 12 QPSK\_10M\_M-CH Link  
 Tested by: Getaz Yang

	Freq	Level	Read Level	Limit	Over	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-59.37	-58.96	-13.00	-46.37	-0.41	Peak
2 pp	222.06	-46.31	-39.19	-13.00	-33.31	-7.12	Peak
3	274.44	-53.37	-46.88	-13.00	-40.37	-6.49	Peak
4	338.46	-59.94	-53.52	-13.00	-46.94	-6.42	Peak
5	417.03	-62.76	-56.95	-13.00	-49.76	-5.81	Peak
6	603.27	-62.83	-62.07	-13.00	-49.83	-0.76	Peak
7	1415.00	-60.07	-45.73	-13.00	-47.07	-14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-17



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 12 QPSK\_10M\_M-CH Link  
 Tested by: Getaz Yang

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	
MHz	dBm	dBm	dBm	dB	dB		
1 pp	41.64	-49.99	-49.58	-13.00	-36.99	-0.41	Peak
2	206.54	-51.90	-44.15	-13.00	-38.90	-7.75	Peak
3	265.71	-59.20	-52.89	-13.00	-46.20	-6.31	Peak
4	398.60	-59.10	-53.15	-13.00	-46.10	-5.95	Peak
5	454.86	-59.21	-53.75	-13.00	-46.21	-5.46	Peak
6	543.13	-61.33	-58.24	-13.00	-48.33	-3.09	Peak
7	1415.00	-60.48	-46.14	-13.00	-47.48	-14.34	Peak




# High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 12 QPSK\_10M\_H-CH Link  
 Tested by: Getaz Yang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-62.26	-47.92	-13.00	-49.26	-14.34	Peak



A D T

Data: 4

Date: 2017-01-17



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 12 QPSK\_10M\_H-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-61.95	-47.61	-13.00	-48.95	-14.34	Peak


LTE Band 13  
Channel Bandwidth: 10 MHz / QPSK  
Middle Channel\_1RB



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5




Site : 966 Chamber 5  
Condition: PART27(B13) HORIZONTAL  
Remak : LTE Band 13 QPSK\_10M\_M-CH Link  
Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-60.60	-60.72	-13.00	-47.60	0.12	Peak
2	233.70	-46.38	-39.72	-13.00	-33.38	-6.66	Peak
3	273.47	-52.57	-46.10	-13.00	-39.57	-6.47	Peak
4	366.59	-61.21	-55.07	-13.00	-48.21	-6.14	Peak
5	446.13	-62.89	-57.31	-13.00	-49.89	-5.58	Peak
6	571.26	-63.08	-61.12	-13.00	-50.08	-1.96	Peak
7 pp	1564.00	-61.68	-46.66	-40.00	-21.68	-15.02	Peak



A D T

Data: 6



Site : 966 Chamber 5  
 Condition: PART27(B13) VERTICAL  
 Remak : LTE Band 13 QPSK\_10M\_M-CH Link  
 Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-49.42	-49.01	-13.00	-36.42	-0.41	Peak
2	205.57	-51.70	-43.91	-13.00	-38.70	-7.79	Peak
3	274.44	-59.36	-52.87	-13.00	-46.36	-6.49	Peak
4	396.66	-58.60	-52.63	-13.00	-45.60	-5.97	Peak
5	467.47	-58.83	-53.61	-13.00	-45.83	-5.22	Peak
6	547.01	-60.79	-57.84	-13.00	-47.79	-2.95	Peak
7 pp	1564.00	-61.05	-46.03	-40.00	-21.05	-15.02	Peak


Middle Channel\_50RB



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
 Condition: PART27(B13) HORIZONTAL  
 Remak : LTE Band 13 QPSK\_10M\_M-CH Link  
 Tested by: Getaz Yang


	Freq	Level	Read Level	Limit	Over	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-59.04	-58.63	-13.00	-46.04	-0.41	Peak
2	232.73	-46.51	-39.81	-13.00	-33.51	-6.70	Peak
3	267.65	-52.46	-46.11	-13.00	-39.46	-6.35	Peak
4	389.87	-62.58	-56.58	-13.00	-49.58	-6.00	Peak
5	503.36	-65.04	-60.53	-13.00	-52.04	-4.51	Peak
6	572.23	-63.32	-61.40	-13.00	-50.32	-1.92	Peak
7 pp	1564.00	-61.13	-46.11	-40.00	-21.13	-15.02	Peak





A D T

Data: 6



Site : 966 Chamber 5  
 Condition: PART27(B13) VERTICAL  
 Remak : LTE Band 13 QPSK\_10M\_M-CH Link  
 Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-49.39	-49.51	-13.00	-36.39	0.12	Peak
2	208.48	-51.86	-44.19	-13.00	-38.86	-7.67	Peak
3	273.47	-59.77	-53.30	-13.00	-46.77	-6.47	Peak
4	402.48	-58.54	-52.61	-13.00	-45.54	-5.93	Peak
5	494.63	-60.49	-55.77	-13.00	-47.49	-4.72	Peak
6	548.95	-61.06	-58.18	-13.00	-48.06	-2.88	Peak
7 pp	1564.00	-61.80	-46.78	-40.00	-21.80	-15.02	Peak


LTE Band 17  
Channel Bandwidth: 10 MHz / QPSK  
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
Condition: PART27 HORIZONTAL  
Remak : LTE Band 17 QPSK\_10M\_L-CH Link  
Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-60.44	-60.03	-13.00	-47.44	-0.41	Peak
2	205.57	-47.18	-39.39	-13.00	-34.18	-7.79	Peak
3 pp	236.61	-46.22	-39.68	-13.00	-33.22	-6.54	Peak
4	297.72	-57.69	-50.72	-13.00	-44.69	-6.97	Peak
5	390.84	-61.85	-55.85	-13.00	-48.85	-6.00	Peak
6	577.08	-63.50	-61.78	-13.00	-50.50	-1.72	Peak
7	1418.00	-62.75	-48.41	-13.00	-49.75	-14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-15



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 17 QPSK\_10M\_L-CH Link  
 Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	40.67	-49.19	-49.31	-13.00	-36.19	0.12	Peak
2	206.54	-51.59	-43.84	-13.00	-38.59	-7.75	Peak
3	264.74	-59.62	-53.33	-13.00	-46.62	-6.29	Peak
4	399.57	-58.36	-52.41	-13.00	-45.36	-5.95	Peak
5	453.89	-59.56	-54.08	-13.00	-46.56	-5.48	Peak
6	501.42	-61.36	-56.78	-13.00	-48.36	-4.58	Peak
7	1418.00	-63.22	-48.88	-13.00	-50.22	-14.34	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 17 QPSK\_10M\_M-CH Link  
 Tested by: Getaz Yang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1420.00	-62.84	-48.50	-13.00	-49.84	-14.34	Peak



A D T

Data: 4

Date: 2017-01-15



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 17 QPSK\_10M\_M-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1420.00	-62.89	-48.55	-13.00	-49.89	-14.34	Peak




# High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 17 QPSK\_10M\_H-CH Link  
 Tested by: Getaz Yang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-62.78	-48.44	-13.00	-49.78	-14.34	Peak



A D T

Data: 4

Date: 2017-01-15



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 17 QPSK\_10M\_H-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-63.05	-48.71	-13.00	-50.05	-14.34	Peak


LTE Band 66  
Channel Bandwidth: 20 MHz / QPSK  
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
Condition: PART27 HORIZONTAL  
Remak : LTE Band 66 QPSK\_20M\_L-CH Link  
Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-49.99	-40.99	-13.00	-36.99	-9.00	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-02-09



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 66 QPSK\_20M\_L-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-53.36	-44.36	-13.00	-40.36	-9.00	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 66 QPSK\_20M\_M-CH Link  
 Tested by: Getaz Yang

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3490.00	-45.34	-36.83	-13.00	-32.34	-8.51	Peak






Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-02-09



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 66 QPSK\_20M\_M-CH Link  
 Tested by: Getaz Yang

Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3490.00	-49.33	-40.82	-13.00	-36.33	-8.51	Peak


# High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7



Site : 966 Chamber 5  
 Condition: PART27 HORIZONTAL  
 Remak : LTE Band 66 QPSK\_20M\_H-CH Link  
 Tested by: Getaz Yang


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-59.60	-59.72	-13.00	-46.60	0.12	Peak
2	235.64	-46.71	-40.13	-13.00	-33.71	-6.58	Peak
3	267.65	-52.77	-46.42	-13.00	-39.77	-6.35	Peak
4	398.60	-61.98	-56.03	-13.00	-48.98	-5.95	Peak
5	552.83	-63.25	-60.52	-13.00	-50.25	-2.73	Peak
6	704.15	-61.95	-61.93	-13.00	-48.95	-0.02	Peak
7 pp	3540.00	-43.42	-35.07	-13.00	-30.42	-8.35	Peak



A D T

Data: 8

Date: 2017-02-09



Site : 966 Chamber 5  
 Condition: PART27 VERTICAL  
 Remak : LTE Band 66 QPSK\_20M\_H-CH Link  
 Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-49.92	-50.04	-13.00	-36.92	0.12	Peak
2	206.54	-52.08	-44.33	-13.00	-39.08	-7.75	Peak
3	399.57	-58.27	-52.32	-13.00	-45.27	-5.95	Peak
4	460.68	-59.20	-53.85	-13.00	-46.20	-5.35	Peak
5	549.92	-60.50	-57.65	-13.00	-47.50	-2.85	Peak
6	710.94	-60.68	-60.79	-13.00	-47.68	0.11	Peak
7 pp	3540.00	-48.22	-39.87	-13.00	-35.22	-8.35	Peak

## 5 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo).

## Appendix – Information on the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

**Linko EMC/RF Lab**

Tel: 886-2-26052180

Fax: 886-2-26051924

**Hsin Chu EMC/RF/Telecom Lab**

Tel: 886-3-6668565

Fax: 886-3-6668323

**Hwa Ya EMC/RF/Safety**

Tel: 886-3-3183232

Fax: 886-3-3270892

**Email:** [service.adt@tw.bureauveritas.com](mailto:service.adt@tw.bureauveritas.com)

**Web Site:** [www.bureauveritas-adt.com](http://www.bureauveritas-adt.com)

The address and road map of all our labs can be found in our web site also.

--- END ---