

Rev: 01

Page: 1 of 44

Appendix B - DAE & Probe Calibration Certificate

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura

Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates Accreditation No.: SCS 0108

C

Certificate No: DAE4-1260_Nov18 SGS-TW (Auden) **CALIBRATION CERTIFICATE** DAE4 - SD 000 D04 BM - SN: 1260 OA CAL-06 V29 Calibration procedure(s) Calibration procedure for the data acquisition electronics (DAE) Calibration date: November 30, 2018 This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%. Calibration Equipment used (M&TE critical for calibration) Primary Standards 1D # Cal Date (Certificate No.) Scheduled Calibration Kelthley Multimeter Type 2001 SN: 0810278 Sep-19 Secondary Standards ID# Check Date (in house) Scheduled Check SE UWS 053 AA 1001 04-Jan-18 (in house check) Auto DAE Calibration Unit In house check: Jan-19 Calibrator Box V2.1 SE UMS 006 AA 1002 04-Jan-18 (in house check) In house check: Jan-19 Calibrated by: Dominique Steffen Laboratory Technician

Certificate No: DAE4-1260_Nov18

Approved by:

Page 1 of 5

Deputy Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sven Kühn

This calibration certificate shall not be reproduced except in full without written approval of the laboratory

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com

Issued: November 30, 2018



Rev: 01

Page: 2 of 44

Calibration Laboratory of Schmid & Partner Engineering AG sstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst S Service suisse d'étalonnage C Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary

DAF data acquisition electronics

Connector angle information used in DASY system to align probe sensor X to the robot

coordinate system.

Methods Applied and Interpretation of Parameters

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
 - DC Voltage Measurement Linearity: Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this
 - Common mode sensitivity: Influence of a positive or negative common mode voltage on the differential measurement.
 - Channel separation: Influence of a voltage on the neighbor channels not subject to an input voltage.
 - AD Converter Values with inputs shorted: Values on the internal AD converter corresponding to zero input voltage
 - Input Offset Measurement. Output voltage and statistical results over a large number of zero voltage measurements.
 - Input Offset Current: Typical value for information; Maximum channel input offset current, not considering the input resistance.
 - Input resistance: Typical value for information: DAE input resistance at the connector, during internal auto-zeroing and during measurement.
 - Low Battery Alarm Voltage: Typical value for information. Below this voltage, a battery alarm signal is generated.
 - Power consumption: Typical value for information. Supply currents in various operating

Certificate No: DAE4-1260 Nov18

Page 2 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 3 of 44

DC Voltage Measurement

A/D - Converter Resolution nominal

High Range: 1LSB = -100...+300 mV 6.1uV . full range = Low Range: 1LSB = 61nV tull range = -1.....+3mV DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	X	Y	1 Z
High Range	404.190 ± 0.02% (k=2)	404.604 ± 0.02% (k=2)	404,793 ± 0.02% (k=2)
Low Range	3.99161 ± 1.50% (k=2)	4.00001 ± 1.50% (k=2)	4.00892 ± 1.50% (k=2)

Connector Angle

Zerowania wa wakazi wa kata wa	The company of the
Connector Angle to be used in DASY system	341.5°±1°

Certificate No: DAE4-1260_Nov18

Page 3 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 4 of 44

Appendix (Additional assessments outside the scope of SCS0108)

High Range	Reading (µV)	Difference (μV)	Error (%)
Channel X + Input	200033.72	-1.26	, -0.00
Channel X + Input	20003.07	-2.10	-0.01
Channel X - Input	-20003.16	2.78	-0.01
Channel Y + Input	200038.25	3.73	0.00
Channel Y + Input	20002.41	-2.63	-0.01
Channel Y - Input	-20006.86	-0.69	0.00
Channel Z + Input	200033.80	-1.16	-0.00
Channel Z + Input	20001.51	-3.36	-0.02
Channel Z - Input	-20006.68	-0.48	0.00

Low Range	Reading (μV)	Difference (µV)	Error (%)
Channel X + Input	2001.18	0.25	0.01
Channel X + Input	200.87	-0.09	-0.04
Channel X - Input	-198.21	-0.79	-0.40
Channel Y + Input	2001.05	0.24	0.01
Channel Y + Input	199.97	-0.89	-0.44
Channel Y - Input	-199.76	-0.64	0.32
Channel Z + Input	2000.74	0.04	0,00
Channel Z + Input	199.77	-1.03	-0.51
Channel Z - Input	-200.48	-1.28	0.64

2. Common mode sensitivity

	Common mode Input Voltage (mV)	High Range Average Reading (μV)	Low Range Average Reading (μV)
Channel X	200	-0,90	-2.92
	- 200	4.87	2.75
Channel Y	200	-5.45	-5.41
	- 200	4.55	4.20
Channel Z	200	-16.55	-16.45
	- 200	13.88	14.44

3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (μV)	Channel Y (µV)	Channel Z (µV)
Channel X	200		0.68	-5.24
Channel Y	200	8.97		1.84
Channel Z	200	10.48	5.66	i k

Certificate No: DAE4-1260_Nov18

Page 4 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 5 of 44

4. AD-Converter Values with inputs shorted

	High Range (LSB)	Low Range (LSB)
Channel X	16236	16097
Channel Y	15859	16057
Channel Z	18152	16351

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Input 10MΩ

	Average (μV)	min. Offset (μV)	max. Offset (μV)	Std. Deviation (µV)
Channel X	0.63	-0.78	1,69	0.43
Channel Y	0.10	-0.90	1.53	0.41
Channel Z	-1.03	-2.00	0.10	0.44

6. Input Offset Current

Nominal Input circuitry offset current on all channels: <25fA

7. Input Resistance (Typical values for information)

-	Zeroing (kOhm)	Measuring (MOhm)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)	
Supply (+ Vcc)	+7.9	
Supply (- Vcc)	-7.6	

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+6	+14
Supply (- Vcc)	-0.01	-8	-9

Certificate No: DAE4-1260_Nov18

Page 5 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 6 of 44

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Service suisse d'étalonnage C Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Client

SGS-TW (Auden)

Certificate No: EX3-3938 Oct18

CALIBRATION CERTIFICATE

Object

EX3DV4 - SN:3938

Calibration procedure(s)

QA CAL-01.v9, QA CAL-12.v9, QA CAL-14.v4, QA CAL-23.v5, QA

CAL-25.v6

Calibration procedure for dosimetric E-field probes

Calibration date:

October 24, 2018

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%,

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: S5277 (20x)	04-Apr-18 (No. 217-02682)	Apr-19
Reference Probe ES3DV2	SN: 3013	30-Dec-17 (No. ES3-3013_Dec17)	Dec-18
DAE4	SN: 660	21-Dec-17 (No. DAE4-660_Dec17)	Dec-18
Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-16 (in house check Jun-18)	In house check: Jun-20
Power sensor E4412A	SN: MY41498087	06-Apr-16 (in house check Jun-18)	In house check: Jun-20
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-18)	In house check: Jun-20
RF generator HP 8648C	SN: US3642U01700	04-Aug-99 (in house check Jun-18)	In house check: Jun-20
Network Analyzer E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

	Name	Function	Signature
Calibrated by:	Jeton Kastrati	Laboratory Technician	tolla
Approved by:	Katja Pokovic	Technical Manager	eseas
			Issued: October 24, 2018

Certificate No: EX3-3938_Oct18

Page 1 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev: 01

Page: 7 of 44

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst S Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

tissue simulating liquid TSL NORMx,y,z sensitivity in free space ConvF sensitivity in TSL / NORMx,y,z DCP diode compression point

crest factor (1/duty_cycle) of the RF signal modulation dependent linearization parameters A, B, C, D

Polarization φ φ rotation around probe axis

Polarization 9 9 rotation around an axis that is in the plane normal to probe axis (at measurement center),

i.e., 9 = 0 is normal to probe axis

Connector Angle information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement

Techniques", June 2013
 IEC 62209-1, ", "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from handheld and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
 IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices

used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010 d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz; R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.

 PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal
- characteristics
- Ax.y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z; A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: EX3-3938_Oct18

Page 2 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Rev: 01

Page: 8 of 44

EX3DV4 - SN:3938

October 24, 2018

Probe EX3DV4

SN:3938

Manufactured: May 2, 2013 Calibrated: October 24, 2018

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: EX3-3938_Oct18

Page 3 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev: 01

Page: 9 of 44

EX3DV4-SN:3938

October 24, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3938

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm $(\mu V/(V/m)^2)^A$	0.51	0.57	0.33	± 10.1 %
DCP (mV) ⁸	103.2	100.3	107.8	- 150.1.70

Modulation Calibration Parameters

UID	Communication System Name		A	B dBõV	C	D dB	VR mV	Unc ^E (k=2)
0	CW	X	0.0	0.0	1.0	0.00	164.0	±3.5 %
		Y	0.0	0.0	1.0		174.2	
		Z	0.0	0.0	1.0	_	176.3	

Note: For details on UID parameters see Appendix.

Sensor Model Parameters

	C1 fF	C2 fF	Q V-1	T1 ms.V ⁻²	T2 ms.V ⁻¹	T3 ms	T4 V-2	T5 V-1	T6
X	59.09	436,9	35.15	26.09	1.205	5.10	1.012	0.575	1.009
Y.	53.22	408,3	37.24	24.25	1,457	5.10	0.000	0.766	1.013
Z	46.65	332.5	32.92	15.26	1.153	4.98	2.000	0.225	1.006

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: EX3-3938_Oct18

Page 4 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 6).

Numerical linearization parameter; uncertainty not required

Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the



Rev: 01

Page: 10 of 44

EX3DV4-SN:3938

October 24, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3938

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^c	Relative Permittivity F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k=2)
750	41.9	0.89	9.82	9.82	9.82	0.45	0.80	± 12.0 %
835	41.5	0.90	9.50	9.50	9.50	0.50	0.85	± 12.0 %
900	41.5	0.97	9.25	9.25	9.25	0.33	1.04	± 12.0 %
1450	40.5	1.20	8,53	8.53	8.53	0.30	0.86	± 12.0 %
1750	40.1	1.37	8.32	8.32	8.32	0.36	0.90	± 12.0 %
1900	40.0	1.40	7.95	7.95	7.95	0.29	0.90	± 12.0 %
2000	40.0	1.40	7,93	7.93	7.93	0.36	0.80	± 12.0 %
2300	39.5	1.67	7.59	7.59	7.59	0.37	0.80	± 12.0 %
2450	39.2	1.80	7.17	7.17	7.17	0.38	0.83	± 12.0 %
2600	39.0	1.96	7.11	7.11	7.11	0.38	0.87	± 12.0 %
5250	35.9	4.71	5.00	5.00	5.00	0.40	1.80	± 13.1 %
5600	35.5	5.07	4.65	4.65	4.65	0.40	1.80	± 13.1 %
5750	35.4	5.22	4.76	4.76	4.76	0.40	1.80	± 13.1 %

^c Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± ±10 MHz.

**All frequencies below 3 GHz, the validity of tissue parameters (ε and α) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and α) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

**Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip-diameter from the boundary.

Certificate No: EX3-3938_Oct18

Page 5 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The

Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Rev: 01

Page: 11 of 44

EX3DV4- SN:3938

October 24, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3938

Calibration Parameter Determined in Body Tissue Simulating Media

f (MHz) ^G	Relative Permittivity F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k≈2)
750	55.5	0.96	9.72	9.72	9.72	0.46	0.87	± 12.0 %
835	55.2	0.97	9,56	9.56	9.56	0.41	0.92	± 12,0 %
900	55.0	1.05	9.33	9.33	9.33	0.48	0.87	± 12.0 %
1450	54.0	1.30	7.98	7.98	7.98	0.32	0.90	± 12.0 %
1750	53.4	1.49	7.83	7.83	7.83	0.43	0.90	± 12.0 %
1900	53.3	1.52	7.52	7.52	7.52	0.33	0.96	± 12.0 %
2000	53.3	1.52	7.62	7.62	7.62	0,36	0.89	± 12.0 %
2300	52.9	1.81	7.33	7.33	7.33	0.42	0.87	± 12.0 %
2450	52,7	1.95	7.30	7.30	7.30	0.35	0.87	± 12.0 %
2600	52,5	2.16	7.15	7.15	7.15	0.33	0.95	± 12.0 %
5250	48.9	5.36	4.23	4.23	4.23	0.50	1.90	± 13.1 %
5600	48.5	5.77	3.77	3.77	3.77	0.50	1.90	± 13.1 %
5800	48.2	6.00	4.00	4.00	4.00	0.50	1.90	± 13.1 %

Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else if is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 84, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

Certificale No: EX3-3938 Oct18

Page 6 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

validity can be extended to ± 110 MHz.

At frequencies below 3 GHz, the validity of lissue parameters (ε and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvT uncertainty for indicated target tissue parameters.

Apha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip

diameter from the boundary.



Rev: 01


Page: 12 of 44

EX3DV4- SN:3938

October 24, 2018

Frequency Response of E-Field

(TEM-Cell:ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Certificate No: EX3-3938 Oct18

Page 7 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Rev: 01

Page: 13 of 44

EX3DV4-SN:3938 October 24, 2018

Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$





Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Certificate No: EX3-3938 Oct18

Page 8 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司





Rev: 01

Page: 14 of 44

EX3DV4- SN:3938 October 24, 2018

Dynamic Range f(SARhead) (TEM cell , feval= 1900 MHz)





Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Certificate No: EX3-3938_Oct18 Page 9 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Rev: 01


Page: 15 of 44

EX3DV4- SN:3938 October 24, 2018

Conversion Factor Assessment



Deviation from Isotropy in Liquid



Certificate No: EX3-3938_Oct18

Page 10 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 16 of 44

EX3DV4-SN:3938

October 24, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3938

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	-26.4
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1,4 mm

Certificate No: EX3-3938_Oct18

Page 11 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 17 of 44

EX3DV4-SN:3938 October 24, 2018

UID	Communication System Name		A dB	B dB√μV	C	dB	WR mV	Max Unc ^E (k=2)
0	CW	X	0.00	0.00	1.00	0.00	164.0	±3.5 %
		Y	0.00	0.00	1.00		174.2	
		Z	0.00	0.00	1.00		176.3	
10010- CAA	SAR Validation (Square, 100ms, 10ms)	X	11,84	84.28	19.03	10.00	20,0	±9.6 %
		Y	4.75	72.52	14.55		20.0	
		Z	2.70	65.86	10.62	1000	20.0	
10011- CAB	UMTS-FDD (WCDMA)	×	1.25	71.04	17.46	0,00	150.0	± 9.6 %
		Y	0.87	65.19	13.50		150.0	
		Z	1.10	69.84	16.56		150.0	
10012- CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	Х	1.29	65.77	16.62	0.41	150.0	±9.6 %
		Υ	1.13	63.57	14.74		150.0	
		Z	1.17	64.77	15.66		150.0	
10013- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps)	X	5.06	67.01	17.40	1.46	150.0	±9.6 %
		Y	4.93	66.63	17.09		150.0	
		Z	4.79	66.72	16.84	0.00	150.0	
10021- DAC	GSM-FDD (TDMA, GMSK)	X	100.00	118.51	30.68	9.39	50.0	± 9.6 %
		Y	100.00	117.47	30.14		50.0	
	2002 200 (2011) 21/21/21/21/21	Z	9.68	81.68	18.25	0.00	50.0	1000
10023- DAC	GPRS-FDD (TDMA, GMSK, TN 0)	X	100.00	118.45	30.70	9.57	50.0	±9.6 %
		Y	100.00	117.42	30.17		50.0	
		Z	8.28	79.56	17.55		50.0	
10024- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	X.	100.00	116.27	28.62	6,56	60.0	± 9.6 %
		Y	100.00	113.88	27.38		60.0	
		Z	17.36	88.43	18.89		60.0	
10025- DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	X	14.85	105.13	41.16	12.57	50.0	± 9.6 %
		Y	6.69	80.08	30.32		50.0	
		Z	5.13	73.32	26.13		50.0	
10026- DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	X	28.61	116,31	40.38	9.56	60.0	±9.6 %
		Y.	17.18	103,12	35.82		60.0	
		Z	10.76	92.22	31.22	1.00	60.0	+ 5 2 4
10027- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	X	100.00	116.23	27.82	4.80	80,0	±9.6 %
		Y	100,00	112.20	25.80		80.0	
10028-	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	X	100.00	105.42 117.56	27.68	3.55	100.0	±9.6 %
DAC		Y	100.00	111,19	24.62		100.0	
		Z	100.00	105.06	21.28		100.0	-
10029-	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	X	14.44	99.44	33.73	7.80	80.0	±9.6 %
DAC	EDGET DU (IDWA, GFOR, IN U-1-2)	Y	10.38	91.48	30.62	1.00	80.0	20,00
		Z	6.98	83.31	26.90		80.0	
10030- CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	X	100.00	115.12	27.62	5,30	70.0	± 9.6 %
JAM		Y	100,00	111.80	25.93		70.0	
		2	13.15	85.08	17.21		70.0	
10031- CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	X	100.00	120,41	27,44	1.88	100.0	± 9.6 %
OAA		Y	100.00	105.86	20.93		100.0	
		Z	100.00	102.30	18.93		100.0	

Certificate No: EX3-3938_Oct18

Page 12 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 18 of 44

EX3DV4- SN:3938

October 24, 2018

10032- CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	X	100.00	129.17	29.93	1.17	100.0	± 9.6 %
		Y	100.00	101.34	18.13		100.0	
		2	100.00	104.25	18.92		100.0	
10033- CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	X	100.00	128.01	35.11	5.30	70.0	± 9.6 %
		Y	30.26	106.06	28.70		70.0	
	Landy and the second second	Z	7.06	82.85	20.36		70.0	
10034- CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	×	31.82	111.52	29.61	1,88	100.0	± 9.6 %
		Y	4,94	81.70	19.61		100.0	-
	Lucia Balance Francisco	Z	3.36	77.14	17:43		100.0	-
10035- CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	X	8,76	93.74	24.54	1.17	100.0	±9.6 %
		Y	2.58	74.38	16.61		100.0	
		Z	2.45	74.78	16.51		100.0	
10036- CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	×	100.00	128.33	35.27	5.30	70.0	±9.6 %
		Y	49.56	114.02	30.85		70.0	
		Z	8.61	85.86	21.44		70.0	
10037- CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	X	28.47	109.85	29.14	1.88	100.0	± 9.6 %
		Y	4.63	80.88	19.28		100.0	
		Z	3.10	76:20	17.05		100.0	
10038- CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	X	9.40	95.18	25.08	1.17	100.0	±9.6 %
		Y	2.66	74.97	16,94		100.0	
		Z	2.52	75.36	16.85		100.0	
10039- CAB	CDMA2000 (1xRTT, RC1)	X	2.91	78.68	19.30	0.00	150.0	± 9.6 %
		Y	1.40	67.94	13.51		150.0	
	The state of the s	Z	2.98	79.60	18.61		150.0	
10042- CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4- DQPSK, Halfrate)	X	100.00	114.29	27.89	7.78	50.0	±9.6 %
		Υ	100.00	112.24	26.83		50.0	
		Z	7.08	77.79	15.66		50.0	
10044- CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	X	0.00	111.10	2.98	0.00	150.0	± 9.6 %
		Y	0.12	121.97	13.25		150.0	
-		2	0.02	124.98	11.44		150.0	
10048- CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	X	100.00	120.31	32.96	13.80	25.0	±9.6 %
		Y	26.80	98.60	27.12		25.0	
1001-		Z	6.10	73.04	16.68		25.0	
10049- CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	X	100.00	118.79	31.19	10.79	40.0	±9.6 %
		Y	42.73	105.35	27,59		40.0	
	THE RESERVE TO SERVE THE PARTY OF THE PARTY	Z	6.52	75.70	16.44		40.0	
10056- CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	X	59,92	116.40	32.89	9.03	50.0	± 9.6 %
		Y	20.27	96.61	26.81		50.0	
*0000	Ten Service de la Constitución d	Z	8.73	81.48	20.30		50.0	
10058- DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	X	9.49	90.34	29.75	6.55	100.0	±9.6 %
		Y	7.41	84.68	27.34		100.0	
10059-	IEEE DODANG WEEK A LOVE TO	Z	5.31	78.46	24.34		100.0	
10059- CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	X	1.45	68.16	17.83	0.61	110.0	±9.6 %
		Y	1.24	65.28	15.64		110.0	
10060-	IEEE DOG AND AND COLORS	Z	1.24	66.08	16.24	-	110.0	
CAB	(EEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	X	100.00	136.52	35.66	1.30	110.0	±9.6 %
		Y	100.00	100 00	4.0			
		Z	100.00 75.11	127.82	31.55		110.0	

Certificate No. EX3-3938_Oct18

Page 13 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 19 of 44

EX3DV4-SN:3938

October 24, 2018

10061- CAB	IEEE 802,11b WiFi 2.4 GHz (DSSS, 11 Mbps)	×	37.93	122.29	34.76	2.04	110.0	±9.6 %
	1	Y	7.04	91.70	25.29		110.0	
.00	The second secon	2	3.71	82.53	21.92		110.0	
10062- CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	X	4.83	66.93	16.78	0.49	100.0	±9.6 %
7145	100407	Y	4.68	66.44	16.40		100.0	
	D 10 17 34 4 37	2	4.61	66.82	16.41		100.0	
10063- CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	X	4.86	67.07	16.91	0.72	100.0	±9.6 %
UMU	(Nups)	Y.	4.71	66.58	16.52		100.0	
		Z	4.62	66.89	16.47	_	100.0	_
10064- CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	X	5.19	67.38	17.15	0.86	100.0	± 9.6 %
		Y	5.02	66.91	16.79		100.0	
		Z	4.90	67.10	16.66		100.0	
10065- CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	X	5,07	67,37	17.30	1.21	100.0	±9.6 %
0110	Тири	Y	4.91	66.89	16.94		100.0	
		Z	4.77	66.99	16.73		100.0	
10066-	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24	X	5.11	67.44	17.51	1.46	100.0	±9.6 %
CAC	Mbps)	1.5	47.01	7.0.7.7	3.00			in
		Y	4.95	66.98	17.15		100.0	
		Z	4.78	66.99	16.85		100.0	
10067- CAC	IEEE 802 11a/h WiFi 5 GHz (OFDM, 36 Mbps)	X	5.40	67.52	17,91	2.04	100.0	± 9.6 %
		Y	5.26	67.17	17.62		100.0	
		Z	5,06	67.09	17.23		100.0	
10068- CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	X	5.51	67.80	18.25	2.55	100.0	± 9.6 %
	7772	Y	5.36	67.40	17.94		100.0	
		Z	5.11	67.14	17.41		100.0	
10069- CAC	JEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	X	5.58	67.69	18.40	2.67	100.0	± 9.6 %
-		Y	5,44	67.37	18.13		100.0	
		Z	5.19	67.11	17.58		100.0	
10071- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	X	5.17	67.17	17,75	1.99	100.0	±9.6 %
-		Y	5.05	66.81	17.46		100.0	
		Z	4.88	66.78	17.09		100.0	
10072- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	X	5.21	67.68	18.06	2.30	100.0	± 9.6 %
0710	(DOCOTO) BINI, IB MARPO,	Y	5.08	67.27	17.74		100.0	
		Z	4.87	67.11	17.28		100.0	
10073- CAB	IEEE 802.11g WiFt 2.4 GHz (DSSS/OFDM, 18 Mbps)	X	5.30	67.92	18.44	2.83	100.0	± 9.6 %
21.75	A STATE OF THE PARTY	I Y	5.18	67.55	18.13		100.0	
		Z	4.94	67.26	17.56		100.0	
10074- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	X	5,29	67,90	18.65	3.30	100.0	± 9.6 %
-73-	10.334070-20131-11460	Y	5.19	67.54	18.34		100.0	
		Z	4.93	67.18	17.70	-	100.0	
10075- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	×	5.40	68.26	19.10	3.82	90.0	± 9.6 %
	1	Y	5.28	67.86	18.77		90.0	
		Z	4.98	67.33	17.99		90.0	2 - 1 - 1
10076- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	X	5.38	67.97	19.17	4.15	90.0	±9.6 %
	1	Y	5.29	67.64	18.88		90.0	
		Z	5.00	67.13	18.10		90.0	
10077- CAB	IEEE 802,11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	X	5.41	68.03	19.26	4.30	90.0	±9.6 %
UNU	Appropriate Participation (Control of Partic	Y	5.32	67.72	18.98		90.0	

Certificate No: EX3-3938_Oct18

Page 14 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 20 of 44

EX3DV4-SN:3938

October 24, 2018.

10081- CAB	CDMA2000 (1xRTT, RC3)	X	1.20	70.94	15.87	0.00	150.0	± 9.6 %
		Y	0.68	63.33	10.59		150.0	
	the same of the sa	Z	0.97	69.12	14.01		150.0	
10082- CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4- DQPSK, Fullrate)	X	1.35	61,30	6.54	4,77	80.0	± 9.6 %
		Y	1.15	60.10	5.56		80.0	
	The same and the s	Z	0.90	60.00	4.82		80.0	
10090- DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	X	100.00	116,34	28.67	6.56	60.0	± 9.6 %
		Y	100,00	113.98	27.45		60.0	1
702222		Z	16,80	88.08	18.81		60.0	
10097- CAB	UMTS-FDD (HSDPA)	×	1.98	69.10	16.78	0.00	150.0	±9.6 %
		Y	1.66	66.14	14.64		150.0	
10000	Littles and illevial at the same	Z	1.92	69.38	16.52		150.0	
10098- CAB	UMTS-FDD (HSUPA, Subtest 2)	X	1.94	69.09	16.77	0.00	150.0	± 9.6 %
		Y	1.62	66,08	14.59		150.0	
10099-	EDGE EDD (TDM) (PDG) THE	Z	1.87	69.33	16.49	1	150.0	11.
DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	X	28.67	116.31	40.37	9.56	60.0	± 9.6 %
		Z	17.22	103.14	35.83		60.0	
10100-	LTE-FDD (SC-FDMA, 100% RB, 20	X	10.80	92,24	31.22	~ ~ ~	60.0	
CAE	MHz, QPSK)	Y	3.51	72.21	17.62	0.00	150.0	± 9.6 %
		Z	2.94	69.12	15.85		150.0	
10101-	LTE-FDD (SC-FDMA, 100% RB, 20	X	3.29	71.84	17.33		150.0	
CAE	MHz. 16-QAM)	Y	12.00	68.37	16.44	0.00	150.0	±9.6 %
		Z	3.15	66.88	15.45		150.0	
10102-	LTE-FDD (SC-FDMA, 100% RB, 20	X	3.25	68.19	16.19		150.0	
CAE	MHz, 64-QAM)	Y	3.51	68.25 66.87	16.50	0.00	150.0	±9.6 %
		2	3.35	68.16	15.57 16.28		150.0	
10103- CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	9.10	80.51	22.32	3.98	150.0 65.0	±9.6 %
		Y	7.71	77.60	21.05		65.0	
		Z	6.72	75.86	19.85		65.0	-
10104- CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	8.36	77.67	22.08	3.98	65.0	± 9.6 %
		Y	7.55	75.78	21.18		65.0	
		Z	6.54	73.78	19.84		65.0	
10105- CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	8.22	77.35	22.27	3.98	65.0	± 9.6 %
		Y	7.00	74.28	20.84		65.0	
10100	LTE EDD IOG EDV	Z	6.41	73.35	19.98		65.0	
10108- CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	3.07	71.32	17.44	0.00	150.0	±9.6 %
_		Y	2.58	68.37	15.67		150.0	
10109-	LTE EDD (OC EDMA 4000) DE	Z	2.85	71.00	17.15		150.0	
CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	×	3.09	68.24	16.43	0.00	150.0	± 9.6 %
_		Y	2.80	66.64	15.30		150.0	
10110- CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	2.92	68.15 70.39	16.17 17.16	0.00	150.0 150.0	±9.6 %
150	Si Siy	Y	2.00	07.00	100000			
			2.08	67.38	15.21		150.0	
10111-	LTE-FDD (SC-FDMA, 100% RB, 5 MHz,	Z	2.30	70.10	16.80		150.0	
CAG	16-QAM)	-18	2.83	69,15	16.90	0,00	150.0	± 9.6 %
		Y	2.49	67.13	15.44		150.0	
		Z	2.71	69.56	16.76		150.0	

Certificate No: EX3-3938_Oct18

Page 15 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 21 of 44

EX3DV4-SN:3938

October 24, 2018

10112- CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X.	3.20	68.13	16.43	0.00	150.0	±9.6 %
-112		Y	2.93	66.65	15.39		150.0	
		Z	3.04	68.13	16.21		150.0	
10113- CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	2.98	69.16	16.96	0.00	150.0	±9.6%
		Y	2.64	67.31	15.61		150.0	
		Z	2.87	69.66	16.87		150.0	
10114- CAC	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	X	5.21	67.32	16.54	0.00	150.0	±9.6 %
		Y	5.08	66.85	16.21		150.0	
		Z	5.06	67.43	16.43		150.0	200
10115- CAC	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	X	5.56	67.60	16.68	0.00	150.0	± 9.6 %
		Y	5.42	67.13	16.37		150.0	
	The transfer of the same of the same	Z	5.34	67.52	16.48	1.0	150.0	
10116- CAC	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	X	5.33	67.58	16.59	0.00	150.0	±9.6 %
		Y	5.19	67.09	16.26		150.0	
		Z	5.15	67.61	16.44		150.0	
10117- CAC	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	X	5.21	67.33	16.56	0.00	150.0	±9.6 %
		Y	5.06	66.76	16.19		150.0	
		Z	5,03	67.31	16.39		150.0	
10118- CAC	IEEE 802.11n (HT Mixed, 81 Mbps, 16- QAM)	X	5.63	67,75	16.76	0.00	150.0	± 9.6 %
		Y	5,50	67.34	16.48		150.0	
		Z	5.41	67.66	16.55		150.0	
10119- CAC	IEEE 802,11n (HT Mixed, 135 Mbps, 64- QAM)	X	5.30	67.52	16.58	0.00	150.0	± 9.6 %
		Y	5.16	67.02	16.24		150.0	
		Z	5.13	67.55	16.43		150,0	
10140- CAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	3.56	68.24	16.42	0.00	150.0	± 9.6 %
		Y	3.29	66.88	15.49		150.0	
		Z	3.39	68.15	16.19		150.0	
10141- CAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	Х	3.68	68.26	16.55	0.00	150.0	±9.6 %
		Y	3.42	66.99	15.68		150.0	
		Z	3.52	68.25	16.36		150.0	
10142- CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	Х	2.31	70.61	17.10	0.00	150.0	±9.6 %
		Y	1.84	67.11	14.76		150.0	
		Z	2.12	70.48	16.65		150.0	
10143- CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	2.77	70.28	16.99	0.00	150.0	± 9.6 %
7		Y	2.31	67.48	15.00	/	150.0	
		Z	2.68	70.99	16.78		150.0	
10144- CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	2.51	67.86	15.37	0.00	150.0	± 9.6 %
111		Y	2.14	65.60	13.59		150.0	
		2	2.29	67,65	14.67		150.0	
10145- CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.73	69.60	15.10	0.00	150.0	±9.6 %
		Υ	1.11	63.66	10.90		150.0	
	The second section of the second	2	1.33	67.08	12.73		150.0	
10146- CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	4.24	75,96	17.12	0.00	150.0	±9,69
		Y	2.46	68.71	13.45		150.0	
A August	the Contract of the Contract o	Z	2.36	68.35	12,25		150.0	
10147- CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	6.45	81.86	19.47	0.00	150.0	±9.6 9
		Y	3.10	71.79	14.97		150.0	
		Z	3.29	72.21	14.01		150.0	1

Certificate No: EX3-3938_Oct18

Page 16 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 22 of 44

EX3DV4-SN:3938

October 24, 2018

10149- CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	3.10	68.31	16.47	0.00	150.0	± 9.6 %
		Y	2.81	66,69	15.35		150.0	
	A STATE OF THE PARTY OF THE PAR	2	2.93	68.23	16:22		150.0	
10150- CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	3.21	68,18	16.48	0.00	150.0	± 9.6 %
		Y	2.94	66.70	15.43		150.0	
		2	3.05	68.20	16.26		150.0	
10151- CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	10.13	83.77	23.67	3.98	65.0	± 9.6 %
		Y	8.42	80.52	22.26		65.0	
		Z	6.89	77.61	20.59		65.0	
10152- CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	×	8.04	78.08	22.05	3.98	65.0	± 9.6 %
		Y	7.13	75.91	20.96		65.0	
		Z	6.04	73.58	19.44		65.0	
10153- CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	8.44	78.92	22.75	3.98	65.0	± 9.6 %
		Y	7.56	76.89	21.74		65.0	
		Z	6.48	74.70	20.30		65.0	
10154- CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	2.59	70.97	17.50	0.00	150.0	± 9.6 %
		Y	2.12	67.77	15.47		150.0	
		Z	2.38	70.74	17.16		150.0	1
10155- CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	2.83	69.15	16.90	0.00	150.0	± 9.6 %
		Y	2.49	67.14	15.45		150.0	-
	A DESCRIPTION OF THE PERSON OF	Z	2.71	69.57	16.78		150.0	
10156- CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	2,21	71.19	17.23	0.00	150.0	±9.6 %
		Y	1.68	67.01	14.46		150.0	
		Z	2.01	71.01	16.65		150.0	
10157- CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	.X.	2,40	68.89	15.72	0.00	150.0	± 9.6 %
		Y	1.95	65.89	13.48		150.0	
		Z	2.19	68.70	14.94		150.0	
10158- CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	2.98	69.22	17.01	0.00	150.0	±9.6 %
		Y	2.65	67.36	15.65		150.0	
	THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO I	Z	2.88	69.75	16.93		150.0	
10159- CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	2.54	69,44	16.05	0.00	150.0	±9.6 %
		Y	2.05	66.31	13.77		150.0	
		2	2.34	69.42	15.34		150.0	
10160- CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	2.96	69.71	16.97	0.00	150.0	± 9.6 %
		Y	2.62	67.67	15.60		150.0	
		Z	2.78	69.58	16.72		150.0	
10161- CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	3,11	68.11	16.44	0.00	150.0	± 9.6 %
		Υ	2.83	66.60	15.34		150.0	
1010-		Z	2.95	68.19	16.22		150.0	
10162- CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	3.21	68.15	16.50	0.00	150.0	±9.6 %
		Y	2.94	66.74	15.46		150.0	
10100	Laboratoria de la companya de la com	Z	3.06	68.32	16.32		150.0	
10166- CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	4.07	71.03	19.91	3.01	150,0	± 9.6 %
		Y	3.79	69.95	19:36		150.0	
1010-		2	3.83	71.36	19.76		150.0	
10167- CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	Х	5.42	74.80	20.67	3.01	150.0	±9.6 %
r.M.		Y	4.77	72.79	19.75		150.0	
			74.11					

Certificate No: EX3-3938_Oct18

Page 17 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 23 of 44

EX3DV4- SN:3938

October 24, 2018

10168- CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	6.05	77.17	21.98	3.01	150.0	± 9.6 %
		Υ	5.30	75.09	21.09		150.0	
		Z	6.36	79.86	22.71		150.0	
10169- CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, OPSK)	X	3,85	72,93	20.70	3,01	150.0	±9.6 %
D7 112	at only	Y	3,33	70.15	19.41		150.0	
		Z	3.47	72.51	20.23	_	150.0	
10170- CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	6.37	81.48	23.72	3.01	150.0	±9.6 %
	10 30 1117	Y	4.75	76.10	21.63		150.0	-
		Z	7.01	85.04	24.72		150.0	
10171- AAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	4.87	75.76	20.53	3.01	150.0	±9.6 %
		Y	3.87	71.72	18.83		150.0	
	A THE RESERVE AND ADDRESS OF THE PARTY OF TH	Z	4.54	76.13	20.23		150.0	
10172- CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	80.41	131,60	39.78	6.02	65.0	±9.6 %
0.10		Y	18.51	103.18	32.14		65.0	
		Z	14.22	97.99	29.18		65.0	
10173-	LTE-TDD (SC-FDMA, 1 RB, 20 MHz,	X	100.00	127.75	36.65	6.02	65.0	±9.6 %
CAG	16-QAM)	Y	30.31	107.15	31.45	0.02	65.0	23.070
		Z	25.08	102.02	28.13		65.0	
10174- CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	60.73	116,92	33.35	6.02	65.0	± 9.6 %
CAG	04-QAIVI)	Y	21.73	99.84	28.80		65.0	
_		Z	17.08	94.57	25.40		65.0	
10000	175 500 100 50111 1 50 10 NUL					3.01	150.0	± 9.6 %
10175- CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	×	3.78	72.50	20,41	3.01	10.103	19.6 %
		Y	3.29	69.80	19.15		150.0	
	Land to The Control of the Control o	Z	3.40	71.98	19.88		150.0	
10176- CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	6,38	81.51	23.73	3.01	150.0	± 9.6 %
		Y	4.76	76.12	21.65		150.0	
		Z	7.03	85,08	24.74		150.0	
10177- CAI	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	3.82	72.71	20.53	3.01	150.0	±9.6 %
		·Y	3.32	69.97	19,25		150.0	
		Z	3.44	72.23	20.02		150.0	
10178- CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16- QAM)	X	6.26	81.12	23.55	3.01	150.0	±9.6 %
		Y	4.70	75.86	21.51		150.0	
	The second second	Z	6.85	84.54	24.51		150.0	11
10179- CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz. 64-QAM)	X	5.53	78.38	21.95	3.01	150.0	±9.6 %
		Y	4.26	73:73	20.08		150.0	
		Z	5.53	80.03	22.20		150.0	
10180- CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64- QAM)	X	4.85	75.63	20,46	3.01	150.0	±9.6 %
		Y	3.85	71.63	18.78		150.0	
		Z	4.51	75.97	20.14		150.0	
10181- CAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	3.82	72.69	20.52	3.01	150.0	± 9.6 %
		Y	3.31	69.95	19.24		150.0	
	A COMPANY OF A COMPANY	Z	3.44	72.20	20.01		150.0	
10182- CAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	6.25	81.09	23.54	3.01	150.0	± 9.6 %
	1- 2000)	Y	4.70	75.84	21.50		150.0	
-		Z	6.83	84.50	24.49		150.0	
10183- AAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	4.84	75.60	20,44	3.01	150.0	±9.6 %
	5-1 St 1111	Y	3.85	71,61	18.77		150.0	

Certificate No: EX3-3938_Oct18

Page 18 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 24 of 44

EX3DV4- SN:3938

October 24, 2018

10184- CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	3.83	72.74	20.54	3.01	150.0	± 9.6 %
		Y	3.32	70.00	19.27	1.1	150.0	1
	Name of the Party	Z	3.45	72.26	20.04		150.0	
10185- CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16- QAM)	X	6.29	81.18	23.58	3.01	150.0	± 9.6 %
		Y	4.72	75.91	21.53		150.0	1
		2	6.88	84.63	24.55		150.0	
10186- AAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64- QAM)	X	4.86	75.68	20.48	3.01	150.0	± 9.6 %
		Y	3.87	71.68	18.80		150.0	-
-		Z	4,53	76.04	20.17		150.0	
10187- CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	3.84	72.79	20.60	3.01	150.0	± 9.6 %
		Y	3.33	70.05	19.33		150.0	
	Language and the same and the s	Z	3,46	72.34	20.11		150.0	
10188- CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	6.59	82.17	24.06	3.01	150.0	± 9.6 %
		Y	4.88	76.63	21.93		150.0	
	A STATE OF THE PARTY OF THE PAR	Z	7,44	86.21	25.23		150.0	
10189-	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz.	X	5.01	76.28	20.81	3.01	150.0	±9.6 %
AAF	64-QAM)	- 1	200	1 2 700	154-523	5.01	10.00	13/0 %
_		Y	3,96	72.12	19.08		150.0	
10193-	IEEE POO 444 /UT Consider O E 146	Z	4.72	76.84	20.60		150.0	
CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.64	66.78	16.35	0.00	150.0	± 9.6 %
		Y	4.48	66.22	15.91		150.0	
10101	IFFE 000 11 UIT 0	Z	4.48	66.93	16,19		150.0	
10194- CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.84	67.15	16.46	0.00	150.0	±9.6 %
		Y	4.66	66.55	16.03		150.0	
		Z	4.65	67.23	16.31	1.5	150.0	
10195- CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.88	67.16	16.47	0.00	150.0	± 9.6 %
		Y	4.70	66.58	16.05		150.0	
		Z	4.69	67.26	16.32		150.0	
10196- CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X.	4.66	66.88	16.38	0.00	150.0	± 9.6 %
		Y	4.49	66.29	15.93		150.0	-
	The state of the s	Z	4.48	66.99	16.21		150.0	
10197- CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16- QAM)	X	4.85	67.17	16,47	0.00	150.0	± 9.6 %
		Y	4.67	66.58	16.04		150.0	
		Z	4.66	67.25	16.32		150.0	
10198- CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64- QAM)	Х	4.88	67.18	16.48	0.00	150.0	± 9.6 %
		Y	4.70	66.60	16.06		150.0	
		Z	4.69	67.27	16.33		150.0	
10219- CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.61	66.90	16.35	0.00	150.0	±9.6 %
		Y	4.43	66.30	15.89		150.0	
		Z	4.43	67.01	16.18		150.0	
10220- CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16- QAM)	X	4.85	67,15	16.47	0.00	150.0	± 9.6 %
		Y	4.67	66.56	16.04		150.0	
	A CONTRACT ROLL OF THE PARTY OF	Z	4.65	67.22	16.31		150.0	-
10221+ CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64- QAM)	X	4.89	67.10	16.46	0.00	150.0	± 9.6 %
		Y	4.71	66.53	16.05		150.0	
	Value value value value	Z	4.70	67.20	16.31		150.0	
	IEEE 802.11n (HT Mixed, 15 Mbps,	X	5.19	67.35	16.57	0.00	150.0	±9.6 %
10222- CAC	BPSK)	200	0.40	17.72.5				2 0.0 10
	BPSK)	Y	5.03	66.77	16.18		150.0	2 0.0 10

Certificate No: EX3-3938_Oct18

Page 19 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 25 of 44

EX3DV4-SN:3938

October 24, 2018

10223- CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16- QAM)	X	5.54	67.61	16.71	0.00	150.0	±9.6 %
		Y	5.35	66,99	16.32		150.0	
10224-	IEEE 802.11n (HT Mixed, 150 Mbps, 64-	Z	5.29	67.45 67.46	16.47	0.00	150.0	±9.6 %
CAC	QAM)	1	7.00	22.57	10.10	36326	20,214	-4000
		Y	5.08	66.87	16.16		150.0	
		2	5.06	67.45	16.38		150.0	
10225- CAB	UMTS-FDD (HSPA+)	X	2.94	66.61	15.90	0.00	150.0	±9.6 %
		Y	2.72	65.45	14.90		150.0	
10800	1-2	Z	2.80	66.78	15.59	-	150.0	
10226- CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	100.00	127.97	36.79	6.02	65.0	± 9.6 %
		Y	33.01	108.86	32.02		65.0	
		Z	28.60	104.35	28.88		65.0	
10227- CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	Х	71.64	120,02	34.24	6.02	65.0	± 9.6 %
		Y	27.56	104.08	30.11		65.0	
	Contract to the second second	Z	21.67	98.19	26.50		65.0	
10228- CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	Х	83.76	133.19	40.33	6.02	65.0	± 9.6 %
		Y	27.23	111,37	34.65		65.0	
		Z	14.92	99.20	29.65		65.0	
10229- CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16- QAM)	×	100.00	127.75	36.66	6.02	65.0	± 9.6 %
		Y	30.45	107.22	31.48		65.0	
		Z	25.36	102.20	28.19	1	65.0	
10230- CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64- QAM)	×	64.64	118.06	33.66	6.02	65.0	±9.6 %
		Y	25.67	102.71	29.64		65.0	
		Z	19.55	96.45	25.91		65.0	
10231- CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	×	74.78	130.72	39.63	6.02	65.0	±9.6 %
		Y	25.26	109.74	34.10		65.0	
		Z	13.84	97.69	29.10		65.0	
10232- CAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16- QAM)	X	100.00	127.76	36.66	6.02	65.0	± 9,6 %
-		Y	30.44	107.22	31.48	La.	65.0	
		Z	25.32	102,18	28,18		65.0	
10233- CAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64- OAM)	X	64.74	118.10	33.67	6.02	65.0	± 9.6 %
		Y	25.65	102.71	29.64		65.0	
		2	19.51	96.43	25.91		65.0	
10234- CAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	66,79	128.16	38.87	6.02	65.0	±9.69
-		Y	23.59	108.16	33.53		65.0	1
		Z	12.92	96.23	28.52	100	65.0	
10235- CAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	.X.	100.00	127.77	36.66	6.02	65.0	± 9.6 9
	100	Y	30.53	107.29	31.50		65.0	
	I Was David Thinks I was	Z	25.37	102.23	28.19		65.0	
10236- CAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	65.78	118.34	33.73	6.02	65.0	±9.6 %
		Y	25.93	102.87	29.68		65.0	
		2	19.72	96.57	25.94	-	65.0	
10237- CAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	76.22	131.13	39.74	6.02	65.0	±9.6 %
		Y	25.46	109.93	34.16		65.0	
		2	13.89	97.78	29.12	-	65.0	
10238- CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	Х	100.00	127.76	36.66	6.02	65.0	±9.6 9
-/	2.7 2.24	Y	30.42	107.23	31.48		65.0	

Certificate No: EX3-3938 Oct18

Page 20 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 26 of 44

EX3DV4-SN:3938

October 24, 2018

10239- CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	Х	64.82	118,13	33.68	6.02	65.0	±9.6 %
		Y	25.62	102.71	29.64		65.0	
40.00		Z	19.45	96.40	25.90		65.0	
10240- CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	75.84	131.04	39.71	6.02	65.0	± 9.6 %
		Y	25.37	109.86	34.14	1	65.0	
		Z	13.84	97.74	29.11		65.0	
10241- CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	12,34	87.77	28.06	6.98	65.0	±9.6 %
		Y	10.61	84.69	26.80	-	65.0	1
		Z	9.45	83.27	25.34		65.0	
10242- CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	11,90	86.96	27,68	6.98	65.0	±9.6 %
		Y	9.43	82.13	25.70		65.0	
		12	8.88	82.07	24.81		65.0	
10243-	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz.	X	9.29	83.62	27.37	6.98	65.0	±9.6 %
CAA	QPSK)		400			0.47	2.37	100
		Y	7.60	79.19	25.41		65.0	
		Z	6.90	78.26	24.23		65.0	
10244- CAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	11.62	85.25	22.95	3.98	65.0	± 9,6 %
		Y	9.03	81.02	21.07		65.0	
		Z	5.90	74.19	17.01		65.0	1
10245- CAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	11.21	84.37	22.59	3,98	65.0	± 9.6 %
		Y	8.74	80.23	20.72		65.0	1000
		Z	5.76	73.60	16.72	£. 500	65.0	
10246- CAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	13.76	91.33	25.01	3.98	65.0	± 9.6 %
		Y	8.27	82.50	21.35		65.0	
		Z	5.24	75.79	17.95		65.0	
10247- CAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	8.15	80.38	21.81	3.98	65.0	± 9.6 %
		Y	6.57	76.53	19.78		65.0	
	Comment of the Commen	Z	5.10	72.95	17.52		65.0	
10248- CAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	7.96	79.46	21,43	3.98	65.0	± 9.6 %
		Y	6.50	75.86	19.49		65.0	
	THE RESIDENCE OF THE PARTY OF T	Z	5.09	72.45	17.30		65.0	
10249- CAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	×	14.67	92.89	26.21	3.98	65.0	± 9.6 %
		Y	9.72	85.51	23.23		65.0	
	A CONTRACTOR OF THE PARTY OF TH	Z	6,59	79.52	20.29		65.0	
10250- CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	8.79	81.74	23.60	3.98	65.0	±9.6 %
	A CONTRACTOR OF THE CONTRACTOR	Y	7.53	78.89	22.19		65.0	
	A STATE OF THE STA	Z	6.20	76.02	20.42		65.0	
10251- CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	8.02	78.77	22.12	3.98	65.0	± 9.6 %
		Y	7.01	76.36	20.84		65.0	
		Z	5.83	73.77	19.14		65.0	
10252- CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	12.21	89.16	25.66	3.98	65.0	±9.6 %
		Y	9.34	84.33	23.66		65.0	
10050	1.00	Z	7.08	80.06	21.46	-	65.0	
10253- CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	7.75	77.29	21.77	3.98	65.0	± 9.6 %
_		Y	6.93	75.28	20.72		65.0	
inar.	LTE TOD (00 TO)	Z	5.92	73.10	19.23		65.0	
10254- CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	8.16	78.13	22.42	3.98	65.0	± 9.6 %
		Y	7.34	76.22	21.42		65.0	

Certificate No: EX3-3938_Oct18

Page 21 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev: 01

Page: 27 of 44

EX3DV4- SN:3938

October 24, 2018

10255- CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	9.52	82.96	23.63	3.98	65.0	±9.6 %
		Y	8.03	79.93	22.27		65.0	
		Z	6.60	77.07	20.60		65.0	
10256- CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz. 16-QAM)	×	10,25	82.65	21.16	3.98	65.0	± 9.6 %
		Y	7.42	77.45	18.77		65.0	
		Z	4.37	69.73	14.06		65.0	
10257- CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	9.67	81.35	20.60	3.98	65.0	± 9.6 %
		Y	7.07	76,36	18.24		65.0	
		Z	4.27	69.13	13.71		65.0	
10258- CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	11.24	87,41	23.06	3.98	65,0	±9.6 %
		Y	6.32	77.82	18.86		65.0	
	Tax mercial actions	Z	3.88	71.16	15.20		65.0	
10259- CAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	8.37	80.75	22,39	3.98	65.0	±9.6 %
		Y	6.95	77.37	20.63		65.0	
		2	5.53	74.09	18.58		65.0	
10260- CAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz; 64-QAM)	X	8.31	80.29	22.23	3.98	65.0	±9.6 %
		Y	6.94	77.04	20,51		65.0	
	13	Z	5.55	73.86	18.49		65.0	
10261- CAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	12.47	89.95	25,58	3.98	65.0	±9.6 %
		Y	9:00	84.05	23.10		65.0	
		Z	6.47	78.99	20.51	1000	65.0	
10262- CAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	8.78	81,69	23.56	3.98	65.0	± 9.6 %
	10 00 111/	Y	7.52	78.83	22.15		65.0	
		Z	6.19	75.95	20.38		65.0	
10263- CAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	8.01	78.76	22.12	3.98	65.0	± 9.6 %
21.0		Y	7.00	76.35	20.83		65.0	
		Z	5.82	73.75	19.13		65.0	
10264- CAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	Х	12.07	88.92	25.56	3.98	65.0	± 9.6 %
		Y	9.25	84.11	23.56		65.0	
		Z	7.01	79.85	21.36		65.0	
10265- CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	8.04	78.09	22,05	3.98	65.0	± 9.6 %
07.11		Y	7.13	75.91	20.97		65.0	
		Z	6.04	73.58	19.44		65.0	
10266- CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	8.44	78.91	22.74	3.98	65.0	± 9.6 %
		Y	7.55	76.88	21.73		65.0	
		Z	6,47	74.69	20.29		65.0	
10267- CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	10.11	83.73	23.66	3.98	65.0	±9.6 %
		Y	8.41	80.47	22.25		65.0	
	THE TAX TO PERSON TO THE PERSO	Z	6.87	77.57	20.57		65.0	2
10268- CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	×	8.39	77.19	22.02	3.98	65.0	±9.6 %
		Y	7.65	75.51	21.20		65.0	
		Z	6.70	73.67	19.92		65.0	-
10269- CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	8.26	76.63	21.86	3.98	65.0	±9.6 %
-		Y	7.58	75.05	21.07		65.0	
		Z	6.67	73.30	19.83		65.0	-
10270- CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	8.88	79.53	22,20	3.98	65.0	±9.6 %
		Y	7.84	77.34	21.20		65.0	1
		Z	6.74	75.30	19.86		65.0	

Certificate No: EX3-3938 Oct18

Page 22 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 28 of 44

EX3DV4-SN:3938

October 24, 2018

10274- CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.69	67.00	15.83	0.00	150.0	±9.6 %
		Y	2.47	65.61	14.67		150.0	
	The second secon	Z	2.60	67.27	15.58		150.0	
10275- CAB	UMTS-FDD (HSUPA, Sublest 5, 3GPP Rel8.4)	X	1.83	70.14	16.96	0.00	150.0	± 9.6 %
		Y	1.44	66.20	14.31		150.0	
		Z	1.70	69.74	16.44	1. 1.	150.0	
10277- CAA	PHS (QPSK)	X	3.93	66.44	11.36	9.03	50.0	±.9.6 %
		Y	3.47	64.75	10.20		50.0	
		Z	2.62	62.17	7.82		50.0	
10278- CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	Х	14.62	89.25	23.47	9.03	50.0	±9.6 %
		Y	7,61	78.00	18.87	1	50.0	
	Land Street Control of the Control o	Z	4.29	69.20	13.78		50.0	1000
10279- CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	14.85	89.41	23.56	9.03	50.0	± 9.6 %
		Y	7.77	78.24	18.99		50.0	
		2	4.39	69.44	13.93		50.0	
10290- AAB	CDMA2000, RC1, SO55, Full Rate	X	2.10	73.72	17.06	0.00	150.0	± 9.6 %
		Y	1.20	65.83	12.24		150.0	
10001		2	1.79	72.49	15.56		150.0	
10291- AAB	CDMA2000, RC3, SO55, Full Rate	X	1.16	70.51	15.66	0.00	150.0	± 9.6 %
		Y	0.67	63.17	10.49		150.0	
10000		Z	0.94	68.71	13.80		150.0	
10292- AAB	CDMA2000, RC3, SO32, Full Rate	X	1.93	79.24	19.72	0.00	150.0	±9.6 %
		Y	0.76	65.41	12.01		150.0	
15555		Z	2.01	80.04	18.85		150.0	
10293- AAB	CDMA2000, RC3, SO3, Full Rate	X	4.24	91.88	24.62	0.00	150.0	± 9.6 %
		Y	0.99	68.94	14.19		150.0	
		Z	16.88	110.82	28.51		150.0	
10295- AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	12.27	89.66	26.50	9.03	50.0	±9.6 %
		Y	10.64	85.72	24.40		50.0	
		Z	6.99	77.74	20.11		50.0	
10297- AAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	3.09	71.44	17.51	0.00	150.0	±9.6%
		Y	2,59	68.47	15.73		150.0	
		Z	2.87	71.14	17.24		150.0	
10298- AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.03	71.15	16.52	0.00	150.0	±9.6 %
		Υ	1.39	65.75	12.91		150.0	
10299-	177 500 (00 501)	Z	1.75	70.22	15.26		150.0	
AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.66	77.12	18.36	0.00	150.0	±9.6%
_		Y	3.14	71.60	15.64		150.0	
10300-	LTE EDD /OC EDMA FOR THE	Z	3.75	74.00	15.70		150.0	
AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.97	69.66	14.52	0.00	150.0	± 9.6 %
		Y	2.26	66.29	12,46		150.0	
10301-	IEEE 802 180 WILLIAM VIOLAGE	Z	2.17	66.32	11.62		150.0	
AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	5,32	66.98	18.36	4.17	50.0	± 9.6 %
		Y	5.22	66.88	18.11		50.0	
10302-	IEEE DOD 40- WINAY (AC 12	Z	4.67	65.61	17.38		50.0	
10302- AAA	IEEE 802.16e WIMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.74	67.34	18.93	4.96	50.0	± 9.6 %
		Y	5.58	66.87	18.46		50.0	
		Z	5.16	66.25	18.09		50.0	

Certificate No: EX3-3938_Oct18

Page 23 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 29 of 44

EX3DV4- SN:3938

October 24, 2018

10303- AAA	IEEE 802.16e WIMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	×	5.54	67.22	18.91	4:96	50.0	±9.6 %
		Y	5.37	66.70	18.39		50.0	
		2	4.93	65,95	17.95		50.0	
10304- AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	5.28	66.83	18,25	4.17	50.0	±9.6 %
		Y	5.10	66:29	17.74		50.0	
		Z	4.73	65.82	17.46		50.0	
10305- AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	5.67	72.27	22.34	6.02	35.0	±9.6 %
		Y	5.72	72.48	21.90		35.0	
		Z	4.66	68.90	20.05		35.0	
10306- AAA	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	5.47	68.37	20,21	6.02	35.0	±9.6 %
-		Y	5.52	69.50	20.64		35.0	
		Z	4.82	67.24	19.32		35.0	
10307- AAA	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	5.58	70.12	21.19	6.02	35.0	±9.6 %
	140000000000000000000000000000000000000	Y	5.54	70.11	20.79		35.0	
		Z	4.75	67.57	19.37		35.0	
10308- AAA	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	×	5.58	70.46	21.39	6.02	35.0	± 9.6 %
		Y	5.56	70.49	21.00		35.0	
		Z	4.74	67.84	19.54		35.0	
10309- AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	×	5,56	68,68	20.38	6.02	35.0	± 9.6 %
		Y	5.61	69.80	20.81		35.0	
		Z	4.87	67.43	19.45		35.0	
	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	5.54	69.67	21.04	6.02	35.0	± 9.6 %
	, , , , , , , , , , , , , , , , , , , ,	Y	5.51	69.73	20.68		35.0	
		Z	4.78	67.38	19.33		35.0	-
10311- AAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	Х	3.47	70.67	17,10	0.00	150.0	± 9.6 %
		Y	2.93	67.81	15.46		150.0	
		Z	3.26	70.40	16.86		150.0	
10313- AAA	IDEN 1:3	X	10.55	84.71	20.54	6.99	70.0	±9.6%
		Y.	5.52	75.51	16.93		70.0	
		Z	3.35	69.99	14.11		70.0	
10314- AAA	IDEN 1:6	X	24.93	102.67	28,79	10.00	30.0	±9.6 9
		Y	8.40	84.46	22.81		30.0	
		Z	4.59	75.67	18.98		30.0	
10315- AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	×	1.16	65.40	16.44	0.17	150.0	±9.6 %
		Y	1.01	63.11	14.44		150.0	
		Z	1.08	64.77	15.73	1.7	150.0	
10316- AAB	IEEE 802.11g WiFi 2.4 GHz (ERP- OFDM, 6 Mbps, 96pc duty cycle)	X	4.72	66.92	16.53	0.17	150.0	±9.69
		Y	4.56	66.38	16.12		150.0	
		2	4.51	66.86	16.22		150.0	
10317- AAC	IEEE 802,11a WIFI 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	.X.	4.72	66,92	16.53	0.17	150.0	± 9.6 %
		Y	4.56	66.38	16.12		150.0	
		Z	4.51	66.86	16.22		150.0	1
10400- AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.84	67,20	16.45	0.00	150.0	±9.6 9
	111227	Y	4.66	66.61	16.02		150.0	
		Z	4.63	67.25	16.28		150.0	
10401- AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.46	67.20	16.49	0.00	150.0	±9.6 %
		Y	5.35	66.85	16,23		150.0	
		Z	5.28	67.24	16:32		150.0	

Certificate No: EX3-3938_Oct18

Page 24 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 30 of 44

EX3DV4-SN:3938

October 24, 2018

10402- AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.76	67.75	16.60	0.00	150.0	± 9.6 %
		Y	5.61	67.21	16.26		150.0	
10403- AAB	CDMA2000 (1xEV-DO, Rev. 0)	Z	5.57 2.10	67.70 73.72	16.42 17.06	0.00	150.0 115.0	±9.6 %
AAB		Y	1.20	65.83	12.24		115.0	
		2	1.79	72.49	15.56	-		
10404- AAB	CDMA2000 (1xEV-DO, Rev. A)	X	2.10	73.72	17.06	0.00	115.0	± 9.6 %
24.12		Y	1.20	65.83	12.24		115.0	-
-		Z	1.79	72.49	15.56		115.0	
10406- AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	122.19	31.29	0.00	100.0	± 9.6 %
		Y	29.24	105.80	27.50		100.0	
		Z	100.00	114.73	27.11		100.0	
10410- AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	×	100,00	121.06	30.81	3.23	80.0	± 9.6 %
		Y	100.00	121.88	31.03		80.0	
		Z	83.71	111.58	25.89	- 7 7. 1	80.0	
10415- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.03	63.90	15.54	0.00	150.0	± 9.6 %
		Y	0.91	61.92	13.65		150.0	
1000		Z	0.99	63.88	15.24		150.0	
10416- AAA	IEEE 802.11g WiFi 2.4 GHz (ERP- OFDM, 6 Mbps, 99pc duty cycle)	X	4.64	66.82	16,39	0.00	150.0	±9.6 %
_		Υ	4.48	66.26	15.97		150.0	
10417-	IFFE COS AL A LUMB S SALES	Z	4.48	66.96	16,25		150.0	
AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	×	4.64	66.82	16,39	0.00	150.0	±9.6 %
		Y	4.48	66.26	15.97		150.0	
10418-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	Z	4.48	66.96	16.25		150.0	
AAA	OFDM, 6 Mbps, 99pc duty cycle, Long preambule)	X.	4.63	66,97	16.41	0.00	150.0	±9,6%
		Y	4.47	66,40	15.97		150.0	
10419-	IPPE AND ALL TANKS	Z	4.47	67.14	16.29	-	150.0	
AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps, 99pc duty cycle, Short preambule)	X	4.65	66,92	16.41	0.00	150.0	± 9.6 %
		Y	4.49	66.36	15.98		150.0	
16100	1000	Z	4.49	67.08	16.28		150.0	
10422- AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.78	66.92	16.42	0.00	150,0	± 9.6 %
		Y	4.61	66.37	16.01		150.0	
10423-	IEEE 902 44- /UTC	Z	4.61	67.05	16.28		150.0	
AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.98	67.29	16,55	0.00	150.0	± 9.6 %
		Y	4.79	66.71	16.13		150.0	
10424-	IEEE 802.11n (HT Greenfield, 72.2	Z	4.77	67.36	16.39		150.0	
AAB	Mbps, 64-QAM)	X	4.89	67,24	16.52	0.00	150.0	±9.6 %
		Z	4.70	66.65	16.10		150.0	
10425- AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.44	67.32 67.47	16.37 16.62	0.00	150.0 150.0	±9.6 %
		Y	5.32	67.05	16.33		450.0	
		Z	5.25	67.48	16.46		150.0	
10426- AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.45	67.50	16.63	0.00	150.0 150.0	± 9.6 %
		Y	5.32	67.06	16.33		150.0	

Certificate No: EX3-3938_Oct18

Page 25 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 31 of 44

October 24, 2018

EX3DV4- SN:3938

10427- AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5,47	67.52	16.63	0.00	150.0	±9,6%
		Y	5.33	67.04	16.31		150.0	
		Z	5.28	67.50	16.46		150.0	
10430- AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.44	70.94	18.55	0.00	150.0	±9.6 %
		Υ	4.14	70.00	17.76		150.0	
		Z	4.53	72.71	19.04		150.0	
10431- AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.38	67,45	16.50	0.00	150.0	±9.6 %
		Y	4.17	66.74	15.93		150.0	
	Term Date Town Town 3 6 F T T	Z	4.18	67.60	16.31		150.0	
10432- AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.67	67.30	16.51	0.00	150.0	± 9.6 %
		Y	4.47	66.66	16.03		150.0	
		Z	4.47	67.41	16.34		150.0	1.12.2
10433- AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.90	67.28	16.55	0.00	150.0	± 9.6 %
		Y	4.72	66.69	16.12		150.0	
	The same of the sa	Z	4.71	67.36	16.39		150.0	1
10434- AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.58	71.86	18.63	0.00	150.0	± 9.6 %
		Υ	4.21	70.69	17.67		150.0	
		Z	4.78	74.08	19.21	10000	150.0	
10435- AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	120.88	30.73	3.23	80.0	± 9.6 %
		Y	100.00	121.69	30.95		80.0	
		Z	66.38	108.66	25.18		80.0	
10447- AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.72	67.65	16.10	0.00	150.0	±9.6 %
		Y	3.44	66.58	15.18		150.0	
		2	3.50	67.81	15.74		150.0	
10448- AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clippin 44%)	X.	4,21	67.23	16.37	0.00	150.0	± 9.6 %
		Y	4.00	66.50	15.77		150.0	
		Z	4.02	67,40	16.18		150.0	
10449- AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3,1, Cliping 44%)	X	4.46	67.14	16.42	0.00	150.0	±9.6 %
		Y	4.27	66.48	15,91		150.0	
		Z	4.28	67,27	16.26		150,0	
10450- AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.64	67.06	16.42	0.00	150.0	±9.6 %
		Y	4.47	66.43	15.96		150.0	
		Z	4.47	67.16	16.26		150.0	
10451- AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.66	68.00	15.89	0.00	150.0	± 9.6 %
		Y	3.33	66.69	14.77		150.0	
		Z	3.40	68.05	15.38		150.0	1
10456- AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6,29	68,08	16.78	0.00	150.0	± 9.6 %
		Y	6,17	67.63	16.50		150.0	
	Link - Experience	Z	6.11	68,01	16.58		150.0	
10457- AAA	UMTS-FDD (DC-HSDPA)	×	3.83	65,45	16.13	0.00	150.0	± 9.6 %
		Y	3.72	64.89	15.67		150.0	
7	Farmer and the second	Z	3,74	65.60	15.98		150.0	
10458- AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	4.16	70.93	18.07	0.00	150.0	± 9.6 9
		Y	3.83	69.80	17.01		150.0	
7	The street of the second	Z	4.35	73.12	18.49		150.0	
10459- AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	5.20	68.00	18.25	0.00	150.0	±9.69
		Y	5.01	67.77	17.91		150.0	
		Z	5.25	69.65	18.70		150.0	

Certificate No: EX3-3938_Oct18

Page 26 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and <a href="https://www.sgs.com/terms and <a href="https://wwww.sgs.com/terms and <a href="https://www.sgs.com/ter Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 32 of 44

EX3DV4-SN:3938

October 24, 2018

10460- AAA	UMTS-FDD (WCDMA, AMR)	X	1.12	72.77	18.83	0.00	150.0	±9,6 %
		Y	0.73	65.44	13.95		150.0	
V. 1	The second second second	Z	1.01	71.76	18.00		150.0	
10461- AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126,43	33.33	3.29	80.0	± 9.6 %
		Y	100.00	125.87	32.93		80.0	
		Z	90.37	116.03	27.82		80.0	
10462- AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	×	100.00	109.98	25.58	3.23	80.0	± 9.6 9
	The state of the s	Y	100.00	109.45	25.26		80.0	-
		7	1.10	60,79	7.88		80.0	
10463- AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2.3.4.7.8.9)	X	100.00	106.70	24.02	3.23	80.0	± 9.6 %
1777	1000000	Y	49.13	98.79	22.03		B0:0	
		Z	1.03	60.00	7.05		80.0	
10464- AAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	124.44	32.24	3.23	80.0	±9.6 %
	20,111,213	Y	100.00	123.71	31.77		80.0	_
	A COLUMN TO THE PARTY OF THE PA	Z	25.98	98.94	23.07		80.0	
10465-	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-	X	100.00	109.41	25.30	3.23	80.0	1000
AAB	QAM, UL Subframe=2,3,4,7,8,9)	Y	100.00	108.89	24.99	3.23	2.00	±9.6 %
		Z	1.05	60.34			80.0	
10466-	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-	X	100.00		7.60	0.00	80.0	
AAB	QAM, UL Subframe=2,3,4,7,8,9)	^ Y	17.42	106.17	23.77	3.23	80.0	±9.6 %
_		Z	1.03	87.73	19.16		80.0	
10467- AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	60.00 124.67	7.00 32.35	3.23	80.0	±9.6 %
	3, 3(1 02 3danamo 2,3,1,7,0,3)	Y	100.00	123.95	31.88		00.0	
		Z	34.96				80.0	
10468- AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	102.47	23.96 25.38	3.23	80.0	± 9.6 %
		Y	100.00	109.06	25.07		20.0	
		Z	1.06	60.45			80.0	
10469- AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64- QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	106.18	7.67 23.77	3,23	80.0	±.9.6 %
	alognition)	Y	18.04	88.11	19.26		00.0	
		Z	1.03	60.00	7.00		80.0	
10470- AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	124.71	32,35	3.23	80.0	± 9.6 %
	The state of the s	Y	100.00	123.98	31.88		80.0	
		Z	35.24	102.56	23.97		80.0	
10471- AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	109.53	25.35	3,23	80.0	±9.6 %
		Y	100.00	109.01	25.04		80.0	
	Contract to the contract of th	Z	1.05	60.40	7.64		80.0	
10472- AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64- QAM, UL Subframe=2,3,4,7,8,9)	×	100.00	106.13	23.74	3.23	80.0	± 9.6 %
		Y	17.90	88.00	19.21		80.0	
		Z	1.03	60.00	6.99		80.0	
10473- AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	124.67	32,34	3.23	80.0	± 9.6 %
		Y	100.00	123.95	31.87		80.0	
		Z	34.67	102.34	23.91		80.0	
10474- AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	×	100.00	109.54	25.35	3.23	80.0	± 9.6 %
		Y	100.00	109.01	25.04		80.0	
		Z	1.05	60.39	7.63		80.0	
10475- AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64- QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	106.14	23.74	3.23	80.0	±9.6 %
TO The								
0 12		Υ	17.52	87.78	19.16		80.0	

Certificate No: EX3-3938_Oct18

Page 27 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 33 of 44

EX3DV4-SN:3938

October 24, 2018

10477- AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	109,37	25.27	3,23	80.0	± 9.6 %
		γ	100.00	108.84	24.96		80.0	
-		Z	1.03	60.28	7.55	-	80.0	5.00
10478- AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64- QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	106.09	23.72	3,23	80.0	± 9.6 %
		Y	17.03	87.46	19.06		80.0	
		Z	1.03	60.00	6.98		80.0	
10479= AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	Х	32.47	108.40	30.35	3.23	80.0	± 9.6 %
		Y	23.42	102.58	28.36		80.0	
		Z	8.33	85.84	21.97		80.0	
10480- AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2.3,4,7,8,9)	X	42.90	105.02	27.50	3.23	80.0	±9.6 %
		Y	20.70	94.12	24.14		80.0	
		Z	6.08	76.74	17.02		80.0	
10481- AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	32.63	100.01	25.80	3.23	80.0	± 9.6 %
-		Y	15.67	89.38	22.38		80.0	
		Z	4.46	72.49	15.13		80.0	
10482-	LTE-TDD (SC-FDMA, 50% RB, 3 MHz,	X	9.20	87.35	23.04	2.23	80.0	±9.6%
AAB	QPSK, UL Subframe=2,3,4,7,8,9)	Y	3.94	74.35	17.65	2.20	80.0	23.0 %
		Z	2.70	70.00	15.33		80.0	
10483-	LTE TOD (GO FOLIA FOR DO OLIVI-	X	15.24	90.75	23.81	2.23	80.0	±9.6 %
AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3.4,7,8,9)	Y		1	1000	2.23		2 9.6 %
			9.78	83.78	21.08		80.0	
		Z	3.87	71.04	15.19		80.0	
10484- AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	×	12.87	88.08	23.00	2.23	80.0	±9.6 %
	The same of the sa	Y	8.49	81.59	20.36		80.0	
		Z	3.66	70.14	14.84		80.0	
10485- AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.98	85.70	23.28	2.23	80.0	±9.6 %
		Y	4.36	75.94	19.15		80.0	
		Z	3.22	72:33	17.26		80.0	
10486- AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.36	76.17	19.55	2.23	80.0	±9.6 %
70 112	15 SC MIT OF SHEMANIE SEPTIME	Y	3.79	70.74	16.72		80.0	
		Z	3.08	68.57	15.26		80.0	
10487- AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.22	75.40	19.25	2.23	80.0	±9.6 %
MME	64-QAW, OL SUDIBINE-2,5,4,7,6,5)	Y	3.77	70.31	16.54		80.0	
		Z	3.08	68:23	15.10		80.0	-
10488- AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.58	81.06	22.14	2.23	80.0	± 9.6 %
7 37-39w	at any age agending alatitidate.	Y	4.49	74.73	19.35		80.0	
		Z	3.58	72.12	17.94		80.0	T
10489- AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.86	73.47	19.42	2.23	80.0	± 9.6 %
7.0.11	To see and, our constraints and in the last	Y	4.01	70.32	17.71		80.0	
		Z	3.48	68.92	16.70		80.0	1
10490-	LTE-TDD (SC-FDMA, 50% RB, 10 MHz.	X	4.88	72.95	19.23	2.23	80.0	±9.69
10490- AAE	64-QAM, UL Subframe=2,3,4,7,8,9)	Y	4.10	70.09	17.64	223	80.0	19.07
								-
10491-	LTE-TDD (SC-FDMA, 50% RB, 15 MHz.	X	3.57 5.85	68.77 76.95	16.66 20.70	2.23	80.0	±9.6 %
AAE	QPSK, UL Subframe=2,3,4,7,8,9)	100	4.55	70.00	10.00		2000	-
		Y	4.52	72.66	18.69		80.0	+
	The State of the S	Z	3.82	70.84	17.60		80.0	
10492- AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4:94	71.68	18.90	2.23	80.0	±9.65
		Y	4.31	69.40	17.63		80.0	
		Z	3.83	68.32	16.79		80.0	

Certificate No: EX3-3938_Oct18

Page 28 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and <a href="https://www.sgs.com/terms and <a href="https://wwww.sgs.com/terms and <a href="https://www.sgs.com/ter Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 34 of 44

October 24, 2018

10493- AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.97	71.38	18.79	2.23	80,0	±9.6 %
		Y	4,37	69,24	17.58		80.0	
	The second secon	Z	3.90	68.20	16.76		80.0	
10494- AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	×	6.95	79,86	21.58	2.23	80.0	± 9.6 %
		Y	4.99	74.37	19.18		80.0	
		Z	4.13	72.26	18.02		80.0	1 = 1
10495- AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	×	5.07	72.39	19.18	2.23	80.0	± 9.6 %
		Y	4.37	69.87	17.84		80.0	
		Z	3.87	68.70	16,98		80.0	1
10496- AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.07	71.80	18,98	2.23	80.0	± 9.6 %
	The state of the s	Y	4.43	69.53	17.74		80.0	
	Annual Control of the	Z	3.95	68.45	16.92		80.0	
10497- AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.77	84.28	21.25	2.23	80.0	± 9.6 %
		Y	2.76	69.51	14.83		80.0	
	The second secon	Z	1.83	65.26	12.27		80.0	
10498- AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	×	4.10	72.22	15.94	2.23	80.0	±9.6 %
		Y	2.08	63.53	11.20	1	80.0	
	D. S. TOTEL DAVIS CELLS	Z	1.49	60.84	9.11		80.0	
10499- AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.88	71_14	15.38	2.23	80.0	± 9.6 %
		Y	2.02	62.98	10.80		80.0	
100		Z	1.45	60.40	8.75		80.0	
10500- AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7.8,9)	X	6.85	82.59	22.44	2.23	80.0	±9,6 %
		Y	4.30	75.01	19.09		80.0	
	Control of the Contro	Z	3.32	71.99	17.46		80.0	
10501- AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.08	74.80	19.39	2.23	80.0	±9.6 %
		Y	3.90	70.59	17.11		80.0	
10000		Z	3.27	68.83	15.87		80.0	
10502- AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.08	74.42	19.19	2.23	80.0	± 9.6 %
		Y	3.94	70.38	16,98		80.0	
		Z	3.32	68.68	15.75		80.0	
10503- AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.47	80.76	22,03	2.23	80.0	±9.6 %
		Y	4.42	74.51	19.24		80.0	
10001	LEE CON CONTROL OF THE CONTROL OF TH	Z	3.53	71.90	17:84		80.0	
10504- AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.84	73.36	19.37	2.23	80.0	±.9.6 %
		Y	3,99	70.22	17.65		80.0	
10505-	LTC TOD (SO FOLK)	Z	3.46	68.82	16.64		80.0	
AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	×	4.85	72.84	19.17	2.23	80.0	±9.6 %
		Y	4.07	69.98	17.58		80.0	
10506-	LTE TOD (SC EDMA 1000) DE 35	Z	3.55	68.67	16.60		80.0	
AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.87	79.65	21.49	2.23	80.0	±9.6 %
		Y	4.94	74.20	19.10		80.0	
10507-	LTE-TDD (SC-FDMA, 100% RB, 10	Z	4.10	72.10	17.94		0.08	
AAE	MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.05	72.32	19.14	2.23	80.0	±9.6%
		100						
		Y	4.35	69.81	17.80		0.08	

Certificate No: EX3-3938_Oct18.

Page 29 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 35 of 44

EX3DV4-SN:3938

October 24, 2018

10508- AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2.3.4.7.8.9)	X	5.05	71.72	18,93	2.23	80.0	± 9.6 %
	Sability Electricity	Y	4.41	69.46	17.70		80.0	
		Z	3.93	68.38	16.87		80.0	
10509- AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.42	76.31	20.23	2.23	80.0	±9.6 %
		Y	5.10	72.45	18.45		80.0	
		Z	4.44	71.04	17.56		80.0	
10510- AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.41	71.43	18.82	2,23	80.0	± 9,6 %
		Y	4.81	69.39	17.73		80.0	
		Z	4.34	68.44	16.99		80.0	
10511- AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.40	70.96	18.67	2,23	80.0	±9.6 %
		Y	4.84	69.09	17.65		0.08	
		Z	4.39	68.21	16.94		80.0	
10512- AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	×	7.47	79.47	21.24	2,23	80.0	± 9.6 %
		Y	5.46	74.25	18.99	-	80.0	
		Z	4.64	72.47	17.97	me vil	80.0	10000
10513- AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.39	72.08	19.07	2.23	80.0	±9.6 %
		Y	4.72	69.76	17.86		80.0	
		Z	4.23	68.69	17.07		80.0	
10514- AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.30	71.34	18.83	2.23	80.0	±9.6 %
		Y	4.71	69.27	17.73		80.0	
		Z	4.25	68.30	16.97		0.08	
10515- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	0.99	64.18	15.67	0.00	150.0	±9.6 %
		Y	0.87	62.03	13.65		150.0	
		Z	0.96	64.13	15.35		150.0	
10516- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	1.07	82.62	23.29	0,00	150.0	±9.6 %
		Y	0.42	66.18	13.67		150.0	
		Z	0.79	78.03	21.08		150.0	
10517- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.89	67,34	17.01	0.00	150.0	± 9.6 %
		Y	0.70	63.35	13.75	_	150.0	
75512	1555 555 137 4 1105 F 807 10 555 1 3	Z	0.83	66.82	16.43	0.00	150.0	1000
10518- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.64	66.90	16.38	0.00	150.0	±9.6 %
		Y	4.47	66.33	15.94 16.24		150.0	
10519- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	Z X	4.47	67.04 67.18	16.24	0.00	150.0	±9.6 %
MAD	mups, sape duty cycle/	Y	4.67	66.59	16.08		150.0	
-		2	4.65	67.25	16.34		150.0	
10520- AAB	IEEE 802.11a/h WiFi.5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.71	67.17	16,45	0.00	150.0	±9.6 %
	1	Y	4.52	66.54	15.99		150.0	
	The second secon	2.	4.51	67.23	16.28		150.0	
10521- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.64	67,19	16,44	0.00	150.0	±9.6 %
		Y	4.45	66.53	15,97		150.0	
		Z	4.44	67.24	16.27		150.0	
10522- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.69	67.17	16.48	0,00	150,0	± 9.6 %
		Y	4,51	66.60	16.04		150.0	
		Z	4.50	67.33	16.35		150.0	

Certificate No: EX3-3938_Oct18

Page 30 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Rev: 01

Page: 36 of 44

EX3DV4- SN:3938

October 24, 2018

AAB	10523- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.56	67.08	16.34	0.00	150.0	±9.6 %
10524 IEEE 802 11ah WiFi 5 GHz (OFDM, 54 X 4,84 67.13 16.46 0.00 150.0 ±9.61		1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.					7		
AAB Mbps, 99pc duly cycle) Y 4.45 66.52 16.01 150.0 10525- AAB 99pc duly cycle) Y 4.45 66.52 16.01 150.0 Y 4.45 66.52 16.01 150.0 Sept duly cycle) Y 4.45 66.52 16.01 150.0 Y 4.46 66.52 150.00 150.0 ±9.6 BEEE 802.11ac WiFi (20MHz, MCS1, X 4.60 66.33 15.94 150.0 10526- AAB 99pc duly cycle) Y 4.60 66.33 15.94 150.0 Sept duly cycle) Y 4.60 66.33 15.94 150.0 Sept duly cycle) Y 4.60 66.68 16.07 150.0 Sept duly cycle) Y 4.60 66.68 16.07 150.0 Sept duly cycle) Y 4.60 66.68 16.07 150.0 Sept duly cycle) Y 4.61 66.68 16.02 150.0 Sept duly cycle) Y 4.52 65.55 16.16 0.00 150.0 ±9.6 Sept duly cycle) Y 4.53 66.66 16.02 150.0 Sept duly cycle) Y 4.54 65.90 15.72 150.0 Sept duly cycle) Sept duly cycle) Y 4.54 65.90 15.72 150.0 Sept duly cycle) Y 4.55 66.67 16.05 150.0 Sept duly cycle) Y 4.56 66.67 16.05 150.0 Sept duly cycle) Y 4.57 66.67 16.05 150.0 Sept duly cycle) Y 4.58 66.67 16.05 150.0 Sept duly cycle) Y 4.59 66.67 16.05 150.0 Sept duly cycle) Y 4.50 66.67 16.05 150.0 Sept duly cycle) Y 4.53 66.07 16.05 150.0 Sept duly cycle) Y 4.54 65.90 15.72 150.0 Sept duly cycle) Y 4.55 66.67 16.05 150.0 Sept duly cycle) Y 4.58 66.07 16.05 150.0 Sept duly cycle) Y 4.59 66.07 16.05 150.0 Sept duly cycle) Y 4.50 66.07 16.05 150.0 Sept duly cycle) Y 4.53 66.07 16.05 150.0 Sept duly cycle) Y 4.53 66.07 16.05 150.0 Y 4.50 66.07 16.05 150.0 Sept duly cycle) Y 4.53 66.07 16.05 150.0 Sept duly cycle) Y 4.56 66.07 16.05 150.0 Y 4.57 66.00 16.17 0.00 150.0 ±9.61 150.0 Sept duly cycle) Y 4.58 66.07 16.05 150.0 Sept duly cycle) Y 4.59 66.00 16.17 0.00 150.0 ±9.61 150.0 Sept duly cycle) Y 4.50 66.07 16.05 150.0 Sept duly cycle) Y 4.51 66.07 16.05 150.0 Sept duly cycle) Y 5.08 66.07 16.05 150.0 Sept duly cycle) Y 5.09 66.21 15.90 150.0 Sept duly cycle) Y 5.00 66.81 16.20 0.00 150.0 ±9.69 150.0 Sept d								150.0	
10525-			X	4.64	67.13	16.46	0.00	150.0	± 9.6 %
IEEE 802.11ac WiFi (20MHz, MCS0,			Y	4.45	66.52	16.01		150.0	
10525- IEEE 802,11ac WiFi (20MHz, MCS0, MCS1, MCS1, MCS1, MCS1, MCS1, MCS1, MCS1, MCS2, MCS2			7						1-
Y			_				0.00		±9.6%
10526- IEEE 802.11ac WiFi (20MHz, MCS1, X			V.	4.43	65.55	15.60	-	150.0	
10526- IEEE 802.11ac WiFi (20MHz, MCS1, X 4.80 66.57 16.20 0.00 150.0 ± 9.61									
AAB 99pc duty cycle) Y 4.60 65.93 15.75 150.0 10527- AAB 99pc duty cycle) Y 4.61 66.88 16.07 150.0 10527- AAB 99pc duty cycle) Y 4.52 66.88 15.69 150.0 10528- AAB 99pc duty cycle) Y 4.54 65.90 15.72 150.0 10529- AAB 99pc duty cycle) Y 4.54 66.97 16.05 150.0 10529- AAB 99pc duty cycle) Y 4.54 66.97 16.19 0.00 150.0 ±9.61 10531- AAB 99pc duty cycle) Y 4.53 66.67 16.05 150.0 10532- AAB 99pc duty cycle) Y 4.53 66.67 16.05 150.0 10532- AAB 99pc duty cycle) Y 4.53 66.67 16.05 150.0 10532- AAB 99pc duty cycle) Y 4.53 66.01 15.72 150.0 Y 4.53 66.07 16.05 150.0 10532- AAB 99pc duty cycle) Y 4.53 66.07 16.05 150.0 10533- AAB 99pc duty cycle) Y 4.53 66.07 16.05 150.0 Y 4.53 66.07 15.00 150.0 ±9.61 10533- AAB 99pc duty cycle) Y 4.53 66.07 16.05 150.0 Y 4.53 66.07 16.05 150.0 10534- AAB 99pc duty cycle) Y 4.53 66.67 16.05 150.0 Y 4.53 66.07 16.06 150.0 150.0 ±9.61 10533- AAB 99pc duty cycle) Y 4.53 66.67 16.06 150.0 150.0 Y 4.53 66.07 16.06 150.0 150.0 10534- AAB 99pc duty cycle) Y 4.55 66.67 16.06 150.0 150.0 Y 4.53 66.07 16.06 150.0 150.0 10535- AAB 99pc duty cycle) Y 4.55 66.67 16.05 150.0 Y 4.55 66.67 16.06 150.0 150.0 10534- AAB 99pc duty cycle) Y 4.55 66.67 16.05 150.0 Y 4.55 66.67 16.05 150.0 10535- AAB 99pc duty cycle) Y 4.55 66.67 16.05 150.0 Y 4.55 66.67 16.05 150.0 10536- AAB 99pc duty cycle) Y 5.08 66.08 15.60 150.0 Y 5.08 66.08 15.60 150.0 10537- AAB 99pc duty cycle) Y 5.09 66.81 16.25 0.00 150.0 ±9.63 10538- AAB 99pc duty cycle) Y 5.09 66.84 16.11 150.0 10539- AAB 99pc duty cycle) Y 5.00 66.87 16.25 0.00 150.0 ±9.63 10539- AAB 99pc duty cycle) Y 5.00 66.87 16.99 16.00 150.0 ±9.63 10539- AAB 99pc duty cycle) Y 5.00 66.87 16.99 16.00 150.0 ±9.63 10539- AAB 99pc duty cycle) Y 5.01 66.87 16.90 150.0 150.0 ±9.63 10539- AAB 99pc duty cycle) Y 5.01 66.87 16.90 150.0 150.0 ±9.63 10539- AAB 99pc duty cycle) Y 5.01 66.87 16.90 150.0 150.0 ±9.63 10539- AAB 99pc duty cycle)	10526-	IEEE 802 11ac WIEI (20MHz, MCS1					0.00		0.00
10527- IEEE 802.11ac WiFi (20MHz, MCS2, W. 4.72 66.55 16.16 0.00 150.0 ± 9.61			122	1,199	1000	124.0	0.00		± 9.6 %
10527- IEEE 802.11ac WiFi (20MHz, MCS2, Y 4.72 66.55 16.16 0.00 150.0 ±9.61									
AAB 99pc duty cycle) Y 4.52 65.88 15.69 150.0 150.0 29.6 10528- AAB 99pc duty cycle) Y 4.53 66.66 16.02 150.0 150.0 ±9.6 10528- AAB 99pc duty cycle) Y 4.54 65.90 15.72 150.0 150.0 ±9.6 10529- AAB 99pc duty cycle) Y 4.54 65.90 15.72 150.0 150.0 ±9.6 10529- AAB 99pc duty cycle) Y 4.54 65.90 15.72 150.0 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.55 66.67 16.05 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.54 65.90 15.72 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.55 66.67 16.05 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.56 66.72 16.22 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.58 66.77 16.06 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.59 66.70 16.71 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.59 66.70 16.71 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.59 66.70 16.71 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.59 66.70 16.71 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.59 66.70 16.71 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.50 66.70 15.73 150.0 150.0 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.50 66.70 15.73 150.0 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.50 66.70 15.71 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 4.50 66.70 15.71 0.00 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 5.00 66.70 15.82 150.0 150.0 150.0 ±9.6 10531- AAB 99pc duty cycle) Y 5.00 66.70 15.84 15.82 150.0 150.0 150.0 150.0 ±9.6 10537- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 150.0 ±9.6 10537- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 150.0 ±9.6 10538- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 ±9.6 10538- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 ±9.6 10538- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 ±9.6 10538- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 ±9.6 10538- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 ±9.6 10538- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 150.0 ±9.6 10538- AAB 99pc duty cycle)	40000	IEEE OOG 11 MIEE COMMINICATION						1000	1 - 3
10528- IEEE 802.11ac WiFi (20MHz, MCS3, X 4.73 66.67 16.19 0.00 150.0 ± 9.61					27.4	0.00	0,00	150.0	± 9.6 %
19528- AAB					65.88	15.69		150.0	
DESCABLE REEE 802.11ac WIFI (20MHz, MCS3, W 4.73 66.57 16.19 0.00 150.0 ±9.6	-	harana and a second	Z	4.53	66.66	16.02			
AAB 99pc duty cycle) Y 4.54 65.90 15.72 150.0 10529- AAB 99pc duty cycle) Y 4.55 66.67 16.05 150.0 10531- AAB 99pc duty cycle) Y 4.53 66.67 16.05 150.0 10532- AAB 99pc duty cycle) Y 4.53 66.01 15.73 150.0 IEEE 802.11ac WiFi (20MHz, MCS6, X 4.74 66.72 16.22 0.00 150.0 ±9.63 10531- AAB 99pc duty cycle) Y 4.53 66.01 15.73 150.0 IEEE 802.11ac WiFi (20MHz, MCS7, X 4.60 66.59 16.17 0.00 150.0 ±9.63 10532- AAB 99pc duty cycle) Y 4.53 66.01 15.73 150.0 IEEE 802.11ac WiFi (20MHz, MCS7, X 4.60 66.59 16.17 0.00 150.0 ±9.63 10533- AAB 99pc duty cycle) Y 4.39 65.86 15.66 150.0 Y 4.39 65.86 15.66 150.0 Y 4.55 65.94 15.70 150.0 10534- AAB 99pc duty cycle) Y 4.55 66.91 16.17 0.00 150.0 ±9.63 10534- AAB 99pc duty cycle) Y 5.08 66.03 15.82 150.0 IEEE 802.11ac WiFi (40MHz, MCS0, X 5.24 66.67 16.21 0.00 150.0 ±9.63 10535- AAB 99pc duty cycle) Y 5.08 66.03 15.82 150.0 10535- AAB 99pc duty cycle) Y 5.08 66.81 16.26 0.00 150.0 ±9.63 10536- AAB 99pc duty cycle) Y 5.08 66.81 16.25 0.00 150.0 ±9.63 10537- AAB 99pc duty cycle) Y 5.08 66.81 16.26 0.00 150.0 ±9.63 10538- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 IEEE 802.11ac WiFi (40MHz, MCS2, X 5.18 66.81 16.25 0.00 150.0 ±9.63 P 5.00 66.79 16.11 150.0 IEEE 802.11ac WiFi (40MHz, MCS2, X 5.18 66.81 16.25 0.00 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS3, X 5.24 66.77 16.23 0.00 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS2, X 5.18 66.81 16.25 0.00 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS3, X 5.24 66.77 16.23 0.00 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.82 16.29 0.00 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.82 16.29 0.00 150.0 ±9.63 P 5.00 66.81 15.90 150.0 ±9.63 P 5.00 66.81 15.90 150.0 ±9.63 P 5.01 66.19 15.84 150.0 150.0 ±9.63 P 5.01 66.19 15.84 150.0 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.87 16.29 0.00 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.87 16.29 0.00 150.0 ±9.63 IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.87 16.29 0.00 150.0 ±9.63			X	4.73	66.57		0:00		+969
10529-	AAB	99pc duty cycle)	1		1,400	10110	23.77	1.00.0	2000
10529- IEEE 802.11ac WiFi (20MHz, MCS4, X 4.73 66.67 16.05 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.19 150.0 ±9.67 16.20 150.0 ±9.67 16.20 150.0 ±9.67 16.20 150.0 ±9.67 16.20 150.0 ±9.67 16.20 150.0 ±9.67 16.20			Y.	4.54	65 90	15.72		150.0	_
10529- AAB 9pc duty cycle) Y 4.54 65.90 15.72 150.0 10531- AAB 9pc duty cycle) Y 4.55 66.67 16.05 150.0 10531- AAB 9pc duty cycle) Y 4.53 66.07 16.05 150.0 150.0 ±9.63 10532- AAB 9pc duty cycle) Y 4.53 66.07 16.06 150.0 10532- AAB 9pc duty cycle) Y 4.39 65.86 15.86 15.00 Y 4.39 65.86 15.86 150.0 10533- AAB 9pc duty cycle) Y 4.39 65.86 15.86 150.0 Y 4.55 66.67 16.01 150.0 10533- AAB 9pc duty cycle) Y 4.39 65.86 15.86 15.00 Y 4.56 66.64 16.01 150.0 10533- AAB 9pc duty cycle) Y 4.56 66.67 16.01 150.0 10533- AAB 9pc duty cycle) Y 4.57 66.00 16.17 0.00 150.0 ±9.63 10534- AAB 9pc duty cycle) Y 4.58 66.07 16.06 150.0 10535- AAB 10535- AAB 10536- AAB 10536- AAB 10537- AAB 10537- AAB 10538- AAB 10540- AA			7						
AAB 99pc duty cycle) Y 4.54 65.90 15.72 150.0 Z 4.55 66.67 16.05 150.0 AAB 99pc duty cycle) Y 4.53 66.07 16.05 150.0 Z 4.53 66.01 15.73 150.0 Z 4.53 66.77 16.06 150.0 D 49.64 150.0 AAB 99pc duty cycle) Y 4.39 65.86 15.66 150.0 Y 4.39 65.86 15.66 150.0 Z 4.40 66.64 16.01 150.0 AAB 99pc duty cycle) Y 4.55 66.60 16.17 0.00 150.0 ±9.64 150.0 Z 4.56 66.70 16.05 150.0 Z 4.57 66.60 150.0 150.0 Z 4.58 66.70 16.05 150.0 D 5.24 66.67 16.21 0.00 150.0 ±9.65 150.0 D 5.24 66.67 16.25 0.00 150.0 ±9.65 150.0 D 5.25 66.67 16.05 150.0 D 5.26 66.70 16.06 150.0 D 5.27 66.81 16.25 0.00 150.0 ±9.65 150.0 D 5.28 66.81 16.26 0.00 150.0 ±9.65 150.0 D 5.29 66.81 16.26 0.00 150.0 ±9.65 150.0 D 5.35 66.81 16.26 0.00 150.0 ±9.65 150.0 D 5.36 66.70 16.06 150.0 D 5.36 66.70 16.06 150.0 D 5.37 66.81 16.25 0.00 150.0 ±9.65 150.0 D 5.38 66.81 16.26 0.00 150.0 ±9.65 150.0 D 5.38 66.81 16.26 0.00 150.0 ±9.65 150.0 D 5.38 66.81 16.25 0.00 150.0 ±9.65 150.0 D 5.38 66.81 16.23 0.00 150.0 ±9.65 150.0 D 5.38 66.71 16.81 150.0 D 5.00 66.84 16.11 150.0 D 5.00 66.85 16.13 150.0 D 5.00 66.85 16.13 150.0 D 5.00 66.85 16.13 150.0	10529-	IEEE 802.11ac WIEI (20MHz, MCS4					0.00		
10531- IEEE 802.11ac WiFi (20MHz, MCS6, X 4.74 66.72 16.05 150.0 ± 9.6	AAB	99pc duty cycle)	-		1 2 4 7 1 7 1	- 7.7	0.00		19.6 %
10531- JEEE 802.11ac WiFi (20MHz, MCS6, J. 4.74 66.72 16.22 0.00 150.0 ±9.63 AAB 99pc duty cycle)									
AAB 99pc duly cycle) Y 4.53 66.01 15.73 150.0 Z 4.53 66.07 16.06 150.0 10532- AAB 99pc duly cycle) Y 4.39 65.86 15.66 150.0 Y 4.55 66.94 15.70 150.0 Y 4.55 66.94 15.70 150.0 Y 4.56 66.73 16.95 150.0 Y 5.08 66.08 15.82 150.0 Y 5.08 66.08 15.82 150.0 Y 5.08 66.08 15.82 150.0 Y 5.08 66.81 16.26 0.00 150.0 ±9.6 9 Y 5.14 66.24 15.89 150.0 10536- AAB 99pc duly cycle) Y 5.14 66.24 15.89 150.0 Y 5.14 66.24 15.89 150.0 Y 5.14 66.24 15.89 150.0 Y 5.16 66.81 16.25 0.00 150.0 ±9.6 9 Y 5.01 66.19 15.84 150.0 Y 5.01 66.17 15.84	40504	IFFE COD 44 - INCH YORK III AARDA						150.0	
10532- IEEE 802.11ac WiFi (20MHz, MCS7,	AAB		X	4.74	66.72	16.22	0.00	150.0	±9.6 %
10532- IEEE 802.11ac WiFi (20MHz, MCS7, X 4.60 66.59 16.17 0.00 150.0 ± 9.6			Y	4.53	66.01	15.73		150.0	
10532- AAB 99pc duty cycle) Y 4.39 65.86 15.66 150.0		The State Add Profession and	Z	4.53	66.77	16.06			
Teel Roc. Teel		IEEE 802,11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X				0.00		±9.6 %
Teel Roc. Teel	+ -		Y	4 39	65.86	15.66	_	150.0	
10533-									
Y 4.55 65.94 15.70 150.0 150.0 2 4.56 66.73 16.05 150.0 150.0 2 4.56 66.73 16.05 150.0 150	10533- AAB						0.00		± 9.6 %
10534- IEEE 802.11ac WiFi (40MHz, MCS0, X 5.24 66.67 16.21 0.00 150.0 ± 9.6 9	1 - 1		V	A EE	CE OA	#C 70		350.0	
10534- AAB				11100		1000			
AAB 99pc duty cycle) Y 5.08 66.08 15.82 150.0 10535- AAB 99pc duty cycle) Y 5.08 66.08 15.82 150.0 Z 5.06 66.70 16.06 150.0 EEE 802.11ac WiFi (40MHz, MCS1, X 5.31 66.81 16.26 0.00 150.0 ±9.6 9 Y 5.14 66.24 15.89 150.0 Z 5.12 66.85 16.13 150.0 10536- AAB 99pc duty cycle) Y 5.18 66.81 16.25 0.00 150.0 ±9.6 9 PY 5.01 66.19 15.84 150.0 Z 5.00 66.84 16.11 150.0 10537- IEEE 802.11ac WiFi (40MHz, MCS3, X 5.24 66.77 16.23 0.00 150.0 ±9.6 9 PY 5.07 66.17 15.84 150.0 Y 5.07 66.17 15.84 150.0 Y 5.07 66.17 15.84 150.0 Y 5.08 66.89 16.08 150.0 Y 5.09 66.81 16.29 0.00 150.0 ±9.6 9 PY 5.17 66.21 15.90 150.0 PY 5.17 66.21 15.90 150.0 PY 5.18 66.87 16.28 0.00 150.0 ±9.6 9 PY 5.17 66.21 15.90 150.0 PY 5.17 66.21 15.90 150.0 PY 5.17 66.21 15.90 150.0 PY 5.18 66.79 16.12 150.0 PY 5.19 66.79 16.12 150.0 PY 5.17 66.21 15.90 150.0 PY 5.18 66.87 16.29 0.00 150.0 ±9.6 9 PY 5.19 66.21 15.90 150.0 PY 5.19 66.21 15.90 150.0 PY 5.09 66.21 15.91 150.0	10534-	IEEE 802 11ac WIEI MONUS MCCO		-					
Tee Social Control of Soci	AAB	99pc duty cycle)	1	12:01	A 646.7	1000	0.00	150.0	± 9.6 %
10535- AAB 99pc duty cycle) Y 5.14 66.24 15.89 150.0 Z 5.12 66.85 16.13 150.0 10536- AAB 99pc duty cycle) Y 5.01 66.19 15.84 150.0 Y 5.01 66.19 15.84 150.0 Y 5.00 66.84 16.11 150.0 Y 5.00 66.87 16.23 0.00 150.0 ±9.69 Y 5.00 66.79 16.08 150.0 Y 5.17 66.21 15.90 150.0 Y 5.18 66.82 16.29 0.00 150.0 ±9.69 Y 5.19 66.21 15.91 150.0								150.0	
AAB 99pc duty cycle) Y 5.14 66.24 15.89 150.0 Z 5.12 66.85 16.13 150.0 10536- AAB 99pc duty cycle) Y 5.00 66.81 16.25 0.00 150.0 ±9.69 Y 5.00 66.84 16.11 150.0 Z 5.00 66.84 16.11 150.0 Y 5.00 66.84 16.11 150.0 Z 5.00 66.84 16.11 150.0 Y 5.00 66.84 16.11 150.0 Y 5.00 66.84 16.11 150.0 10537- AAB 99pc duty cycle) Y 5.07 66.17 15.84 150.0 Y 5.08 66.79 16.23 0.00 150.0 ±9.69 Y 5.09 66.82 16.29 0.00 150.0 ±9.69 Y 5.17 66.21 15.90 150.0 10540- AAB 99pc duty cycle) Y 5.17 66.21 15.90 150.0 Y 5.18 66.79 16.12 150.0 Y 5.17 66.21 15.90 150.0 Y 5.17 66.21 15.90 150.0 Y 5.18 66.79 16.12 150.0 Y 5.19 66.79 16.12 150.0 Y 5.10 66.79 16.12 150.0 Y 5.11 66.21 15.90 150.0 Y 5.12 66.79 16.12 150.0 Y 5.13 66.82 16.29 0.00 150.0 ±9.69 Y 5.14 66.79 16.12 150.0 Y 5.15 66.21 15.90 150.0 Y 5.09 66.21 15.91 150.0	10505	IEEE COD II				16.06		150.0	
10536- IEEE 802.11ac WiFi (40MHz, MCS2, X 5.12 66.85 16.13 150.0	AAB	99pc duty cycle)	1	5.31	66.81	16,26	0.00	150.0	±9.6 %
10536- IEEE 802.11ac WiFi (40MHz, MCS2, X 5.12 66.85 16.13 150.0 150.0 29.6 %				5.14	66.24	15.89		150.0	
10536- AAB 99pc duty cycle)			Z	5.12	66.85				
10537- IEEE 802.11ac WiFi (40MHz, MCS3, X 5.24 66.77 16.23 0.00 150.0 ± 9.6 9	10536- AAB		X	5.18	66.81		0.00		± 9.6 %
10537- IEEE 802.11ac WiFi (40MHz, MCS3, X 5.24 66.77 16.23 0.00 150.0 ± 9.6 9			Y	5.01	66.19	15.84		150.0	
10537- IEEE 802.11ac WiFi (40MHz, MCS3, X 5.24 66.77 16.23 0.00 150.0 ± 9.6 9 99pc duty cycle) Y 5.07 66.17 15.84 150.0 Z 5.06 66.79 16.08 150.0 10538- IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.82 16.29 0.00 150.0 ± 9.6 9 Y 5.17 66.21 15.90 150.0 Z 5.14 66.79 16.12 150.0 IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.82 16.29 0.00 150.0 ± 9.6 9 Y 5.17 66.21 15.90 150.0 Z 5.14 66.79 16.12 150.0 IEEE 802.11ac WiFi (40MHz, MCS6, X 5.25 66.78 16.29 0.00 150.0 ± 9.6 9 Y 5.09 66.21 15.91 150.0									
AAB 99pc duty cycle) Y 5.07 66.17 15.84 150.0 Z 5.06 66.79 16.08 150.0 10538- AAB 99pc duty cycle) Y 5.17 66.21 15.90 150.0 Y 5.17 66.21 15.90 150.0 Z 5.14 66.79 16.12 150.0 Z 5.14 66.79 16.12 150.0 Y 5.17 66.21 15.90 150.0 Y 5.17 66.21 15.90 150.0 Y 5.18 66.79 16.12 150.0 X 5.25 66.78 16.29 0.00 150.0 Y 5.09 66.21 15.91 150.0	10537-	IEEE 802.11ac WiFi (40MHz, MCS3)					0.00		1000
10538- IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.82 16.29 0.00 150.0 ± 9.6 %	AAB	99pc duty cycle)	1.50				0.00	100000	± 9.6 %
10538- IEEE 802.11ac WiFi (40MHz, MCS4, X 5.35 66.82 16.29 0.00 150.0 ±9.6 % Y 5.17 66.21 15.90 150.0 Z 5.14 66.79 16.12 150.0 IEEE 802.11ac WiFi (40MHz, MCS6, X 5.25 66.78 16.29 0.00 150.0 ±9.6 % Y 5.09 66.21 15.91 150.0									
AAB 99pc duty cycle) Y 5.17 66.21 15.90 150.0 Z 5.14 66.79 16.12 150.0 AAB 99pc duty cycle) Y 5.09 66.21 15.91 150.0 Y 5.09 66.21 15.91 150.0	10538	IEEE 802 11ac MIEI (40MU- 1400)							
10540- AAB 99pc duty cycle) Z 5.14 66.79 16.12 150.0 Y 5.09 66.21 15.91 150.0 Y 5.09 66.21 15.91 150.0	AAB	99pc duty cycle)		100	12000	No.	0.00	150.0	± 9.6 %
Total Tota						15.90		150.0	
1054U- (LEE 802.11ac WiFi (40MHz, MCS6) X 5.25 66.78 16.29 0.00 150.0 ± 9.6 % AAB 99pc duty cycle) Y 5.09 66.21 15.91 150.0	10510	IFFE AND IN COLUMN TO SERVICE AND INC.			66.79	16.12			
3 0.00 00.21 10.31 150.0	10540- AAB	IEEE 802 11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.25			0.00		±9.6 %
3 0.00 00.21 10.31 150.0			Y	5.09	66.21	15.91		150.0	
									_

Certificate No: EX3-3938_Oct18

Page 31 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 37 of 44

EX3DV4- SN:3938

October 24, 2018

10541- AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5:24	66.69	16.24	0.00	150.0	±9.6 %
		Y	5.06	66.08	15.84		150.0	
		Z	5.05	66.69	16.08		150.0	
10542- AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	Х	5.38	66.72	16.27	0.00	150.0	±9.6 %
		Y	5.22	66.16	15.90		150.0	
	and the second second second	Z	5.20	66.74	16.12		150.0	
10543- AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duly cycle)	X	5.47	66.74	16.29	0.00	150.0	±9.6 %
		Y	5.30	66.21	15.95		150.0	
		Z	5.27	66.76	16.14		150.0	
10544- AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.52	66.77	16.19	0.00	150,0	± 9.6 %
		Y	5.38	66.20	15.82	A	150.0	
		Z	5.37	66.80	16.04		150.0	
10545- AAB	IEEE 802,11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5,72	67,14	16.31	0.00	150.0	± 9.6 %
		Y	5.58	66.63	15.99		150.0	
		Z	5.53	67.12	16.15		150.0	
10546- AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.61	67.04	16.28	0.00	150.0	± 9.6 %
		Y	5.45	66.44	15.91		150.0	
		Z	5.43	66.99	16.10		150.0	
10547- AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.70	67.12	16.31	0.00	150.0	± 9.6 %
		Y	5.53	66.49	15.92		150.0	
		Z	5.50	67.02	16.11		150.0	
10548- AAB	IEEE 802.11ac WiFI (80MHz, MCS4, 99pc duty cycle)	X	5.93	67.96	16,70	0.00	150.0	±9.6 %
		Y	5.82	67.53	16.41		150.0	
		Z	5.64	67.63	16.39		150.0	-
10550- AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.63	67.00	16.27	0.00	150.0	±9.6 %
(4.00	Superior Control	Y	5.47	66.43	15.91		150.0	
		Z	5.45	67.00	16.12		150.0	
10551- AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.65	67.07	16.26	0.00	150.0	± 9.6 %
	1001-09-1001	Y	5.48	66.48	15.89		150.0	
		Z	5.46	67.04	16.10		150.0	
10552- AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.55	66.86	16.18	0.00	150.0	± 9.6 %
7 10 110	1201311 - 1211	Y	5.39	66.26	15.80		150.0	
		Z	5.39	66.89	16.04		150.0	
10553- AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.65	66.91	16,22	0.00	150.0	± 9.6 %
		Ý	5.48	66.32	15.86		150.0	
		Z	5.47	66.91	16.07		150.0	
10554- AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	×	5.92	67.13	16:27	0.00	150.0	± 9.6 %
		Y	5.78	66.58	15.93		150.0	
,		Z	5.77	67.13	16.11		150.0	
10555- AAC	IEEE 802,11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	6.06	67.44	16.39	0.00	150.0	± 9.6 %
	The state of the s	Y	5,92	66.89	16.06		150.0	
		Z	5.88	67.38	16.21	100	150.0	
10556- AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	×	6.07	67.47	16.40	0.00	150.0	± 9.6 %
		Y	5.94	66.94	16.07		150.0	
		Z	5.90	67.42	16,23		150.0	
*0557	IEEE 802.11ac WiFi (160MHz, MCS3,	X	6.06	67.43	16.40	0.00	150.0	±.9.6 %
10557- AAC	99pc duty cycle)							
AAC	99pc duty cycle)	Y	5.91	66.85	16.05		150.0	

Certificate No: EX3-3938_Oct18

Page 32 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 38 of 44

EX3DV4- SN:3938

October 24, 2018

10558- AAC	IEEE 802,11ac WIFI (160MHz, MCS4, 99pc duty cycle)	×	6.11	67.60	16.50	0.00	150.0	±9.6 %
		Y	5.96	67.02	16.15		150.0	
		2	5.91	67.50	16.30		150.0	
10560- AAC	IEEE 802;11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	6.11	67.46	16.47	0.00	150.0	± 9.6 %
		Y	5.95	66.87	16.11		150.0	
	The same of the sa	Z	5.92	67.38	16.28		150.0	
10561- AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	6.02	67.40	16.48	0.00	150.0	±9.6 %
		γ	5.87	66.84	16.13		150.0	
		Z	5.84	67.33	16.29		150.0	
10562- AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.16	67.82	16.69	0.00	150.0	± 9.6 %
		Y	6.01	67.26	16.35		150.0	
14444		Z	5.93	67.63	16.44	100	150.0	1.00
10563- AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.47	68.29	16.86	0.00	150.0	± 9.6 %
		Y	6.34	67.82	16.58		150.0	
1000		Z	6.09	67.70	16.43		150.0	
10564- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 9 Mbps, 99pc duty cycle)	X	4.97	66.98	16.53	0.46	150.0	± 9.6 %
		Y	4.81	66.46	16.14		150.0	
40000	IEEE ASS ALL LINE	Z	4.78	67.02	16.32	TILE	150.0	
10565- AAA	IEEE 802,11g WiFi 2.4 GHz (DSSS- OFDM, 12 Mbps, 99pc duty cycle)	X	5.23	67.46	16.85	0.46	150.0	±9.6 %
	principal and the second secon	Y	5.05	66.93	16.47		150.0	
10000	VETE 000 14 11/00	Z	5.01	67.49	16.66		150.0	
10566- AAA	IEEE 802:11g WiFi 2.4 GHz (DSSS- OFDM, 18 Mbps: 99pc duty cycle)	X	5.06	67.34	16.69	0.46	150.0	± 9.6 %
		Y	4.88	66.77	16.28		150.0	
Inhan:		Z	4.84	67.32	16.46	120	150.0	
10567- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 24 Mbps, 99pc duty cycle)	X	5,09	67,74	17.04	0.46	150.0	±9.6 %
		Y	4.91	67.15	16.63		150.0	
10000		Z	4.89	67.80	16.87		150.0	
10568- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 36 Mbps, 99pc duty cycle)	×	4.97	67,07	16,45	0.46	150.0	±9,6 %
		Y	4.80	66.54	16.05		150.0	
70.00°		- 2	4.74	67.03	16.19		150.0	
10569- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 48 Mbps, 99pc duty cycle)	X.	5.03	67.78	17.08	0.46	150.0	±9.6%
		Y	4.86	67,22	16.68		150.0	
10000		Z	4.85	67.93	16.95		150.0	
10570- AAA	IEEE 802.11g WiFl 2.4 GHz (DSSS- OFDM, 54 Mbps, 99pc duty cycle)	.X.	5.08	67.62	17.01	0.46	150.0	±9.6 %
		Y	4.90	67.08	16.62		150.0	
10574	IEEE noo all tallet a comment	Z	4.88	67.73	16.86		150.0	
10571- AAA	IEEE 802,11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.32	66.77	17.12	0.46	130.0	± 9,6 %
		Y	1.14	64.23	15.06	3	130.0	
10572-	IEEE OOD 445 WIET O A OUT WEST	Z	1.17	65.28	15.86		130.0	- 12
10572- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.36	67.60	17,59	0.46	130.0	±9.6 %
		Y	1.16	64.80	15.39		130.0	
10573-	IEEE 000 445 INTELS 1 SUIT IS SEE	Z	1.19	65.98	16.28		130.0	
AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	100.00	150.25	40,35	0.46	130.0	±9.6 %
		Y	1.94	81.80	20.21		130.0	
10574	IEEE 900 44 NOTE 5 1 OU	Z	5.37	101.40	27.76		130.0	
AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.86	77,53	22.17	0.46	130.0	± 9.6 %
		Y	1.28	70.31	17.98		130.0	
		2	1.45		20.12			

Certificate No: EX3-3938_Oct18

Page 33 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 39 of 44

EX3DV4- SN:3938

October 24, 2018

10575- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps, 90pc duty cycle)	X	4.77	66.82	16.63	0.46	130.0	±9.6 %
		Y	4.62	66.32	16.23		130.0	
		2	4.56	66.75	16.29		130.0	-
10576- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 9 Mbps, 90pc duty cycle)	X	4.80	66.99	16.69	0.46	130.0	± 9.6 %
		Y	4.64	66.47	16.29		130.0	
		Z	4.59	66.94	16.38	-	130.0	
10577- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 12 Mbps, 90pc duty cycle)	X	5,03	67.31	16.86	0.46	130.0	± 9.6 %
		Y	4.85	66.78	16.47		130.0	
		Z	4.78	67.21	16.54		130.0	
10578- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 18 Mbps, 90pc duty cycle)	X	4.93	67.50	16.98	0.46	130.0	± 9.6 %
		Y	4.75	66.94	16.57		130.0	
	1. T. a.	Z	4.69	67.42	16.68		130.0	
10579- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 24 Mbps, 90pc duty cycle)	X	4.69	66.84	16.33	0.46	130.0	±9.6 %
		Y	4.52	66.24	15.89		130.0	
		Z	4.43	66.57	15.89		130.0	
10580- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 36 Mbps, 90pc duty cycle)	X	4.74	66.81	16.32	0.46	130.0	± 9.6 %
		Y	4.57	66.26	15,90		130.0	
		Z	4.47	66.59	15.90		130.0	
10581- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 48 Mbps, 90pc duty cycle)	×	4.83	67.59	16.95	0.46	130,0	± 9.6 %
		Y	4.65	66.98	16.51		130.0	
		Z	4.59	67.47	16.62		130.0	
10582- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 54 Mbps, 90pc duty cycle)	X	4.64	66.58	16.12	0.46	130.0	± 9.6 %
		Y	4.47	66.00	15.67		130.0	
		Z	4.36	66.28	15.65		130.0	
10583⊦ AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.77	66.82	16.63	0.46	130.0	±9.6 %
12-1-12-1		Y	4.62	66.32	16.23		130.0	
	The state of the s	Z	4.56	66.75	16.29		130.0	
10584- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.80	66,99	16.69	0.46	130.0	± 9.6 %
		Y	4.64	66.47	16.29		130.0	
		Z	4.59	66.94	16.38		130.0	
10585- AAB	IEEE 802,11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	×	5.03	67.31	16.86	0.46	130.0	±9.6 %
		Y	4.85	66.78	16.47		130.0	-
		Z	4.78	67.21	16.54		130.0	
10586- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.93	67,50	16.98	0.46	130.0	±9.6%
1.00		Y	4.75	66.94	16.57		130.0	
		Z	4.69	67.42	16.68	1	130.0	
10587- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	×	4.69	66.84	16,33	0.46	130.0	±9.69
		Y	4.52	66.24	15.89		130.0	
		Z	4.43	66.57	15.89		130,0	-
10588- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.74	66.81	16,32	0.46	130.0	±9.69
		Y	4.57	66.26	15.90		130.0	
		Z	4.47	66,59	15.90		130.0	
10589- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.83	67,59	16.95	0.46	130.0	± 9.6 9
A T.		Y	4.65	66.98	16.51		130.0	
	The state of the s	Z	4,59	67.47	16.62		130.0	
10590- AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.64	66.58	16.12	0,46	130.0	± 9.6 %
		Y	4.47	66,00	15.67		130.0	
		Z	4,36	66.28	15.65		130.0	

Certificate No: EX3-3938_Oct18

Page 34 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 40 of 44

EX3DV4- SN:3938

October 24, 2018

10591- AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.92	66.87	16.71	0.46	130.0	± 9.6 %
		Y	4.77	66.38	16.34		130.0	
-	Law York Day To Street	Z	4.71	66.82	16,40		130.0	
10592- AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	×	5.09	67.22	16.84	0.46	130.0	±9.69
		Y	4.93	66.72	16.47	1	130.0	
5000		Z	4.86	67.15	16.53	-	130.0	-
10593- AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	×	5.02	67.17	16.74	0.46	130.0	± 9,6 %
		Y	4.85	66.64	16:36		130.0	-
		2	4.77	67.04	16.40		130.0	-
10594- AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	5.07	67.32	16.89	0.46	130.0	±9,69
		Y	4.90	66.80	16.51		130.0	
		Z	4.83	67.23	16.57		130.0	
10595- AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	5.05	67.29	16.79	0.46	130.0	± 9.6 9
	LECT FRANCE	Y	4.87	66.75	16.40		130.0	
	Land to the second	Z	4.80	67.17	16.46		130.0	
10596-	IEEE 802.11n (HT Mixed, 20MHz.	X	4.98	67.29	16.80	0.46	130.0	±9.69
AAB	MCS5, 90pc duty cycle)	- 6.0	4	2.183		0.40	130,0	2.5,0 7
		Y	4.81	66.75	16.40		130.0	
-		Z	4.73	67.16	16,45		130.0	
10597- AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.94	67.23	16.70	0.46	130.0	±9.6 %
		Y	4.76	56.66	16.29		130.0	
	I Tana a series and the series of the series	Z	4.68	67.05	16.33		130.0	
10598- AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.92	67.49	16.98	0.46	130.0	±9,6%
		Y	4.74	66.90	16.55		130.0	
	Market Committee of the	Z	4.68	67,34	16.63		130.0	
10599- AAB	IEEE 802.11π (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	Х	5.58	67.43	16.88	0.46	130.0	± 9,6 %
		Y	5.44	56,96	16.56		130.0	
		2	5.34	67.25	16.55		130.0	
10600- AAB	IEEE 802,11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	×	5.74	67.88	17.07	0.46	130.0	± 9.6 %
		Y	5.60	67.47	16.79		130.0	
		Z	5.43	67.51	16.64		130.0	-
10601- AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.61	67.61	16.95	0.46	130.0	± 9.6 %
	T T T T T T T T T T T T T T T T T T T	Y	5.48	67.17	16.66		130.0	
		Z	5,35	67.37	16.60		130.0	
10602- AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.70	67.58	16.86	0.46	130.0	± 9.6 %
		Y	5.56	67.17	16.58		130.0	
1000		Z	5.45	67.40	16.52		130.0	
10603- AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.80	67.93	17.16	0.46	130.0	± 9.6 %
		Y	5.65	67,49	16.87		130.0	
10001		Z	5.52	67.69	16.81		130.0	
10604- AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.58	67.37	16.87	0.46	130.0	± 9.6 %
		Y	5.44	66.92	16.57		130.0	
10605-	IFFE DOO 44 TIME 1	Z	5.37	67.27	16.59		130.0	
10605+ AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.68	67.64	17,00	0.46	130,0	±9.6%
		Y	5.56	67.28	16.75		130.0	
10000	IFFE one at the last	Z	5.43	67.44	16.66		130.0	
10606- AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	×	5.46	67.16	16.64	0.46	130.0	± 9.6 %
		Y	5.33	66.69	16.32		400.0	
		2	0.00	00.03	10.32		130.0	

Certificate No: EX3-3938_Oct18

Page 35 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 41 of 44

EX3DV4- SN:3938

October 24, 2018

10607- AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	×	4.76	66.21	16.35	0.46	130.0	± 9.6 %
	1	Y	4.60	65.66	15,94		130.0	
		2	4.55	66.17	16.05		130.0	
10608- AAB	JEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.97	66.64	16.51	0.46	130.0	±.9.6 %
		Y	4.79	66.07	16.11		130.0	
		Z	4,73	66,56	16.21		130.0	-
10609- AAB	IEEE 802,11ac WiFi (20MHz, MCS2, 90pc duty cycle)	×	4.86	66.52	16.38	0.46	130.0	±9.6 %
		Y	4.68	65.92	15.94		130.0	
		Z	4.62	66.40	16.04		130.0	
10610- AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	4.91	66.68	16,54	0.46	130.0	±9.6 %
		Y	4.73	66.08	16.11		130.0	
	The same of the same of the same	Z	4.67	66.58	16,22		130.0	- T - T
10611- AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	4.83	66.50	16.39	0.46	130.0	±9.6 %
		Y	4.65	65.89	15.96		130.0	
-5-		Z	4.59	66.36	16.05		130.0	
10612- AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.85	66.66	16.44	0.46	130.0	± 9.6 %
		Y	4.66	66.04	16.00		130.0	
		Z	4.59	66.49	16.08		130.0	
10613- AAB	IEEE 802,11ac WiFi (20MHz, MCS6, 90pc duty cycle)	×	4.86	66.57	16.33	0.46	130.0	±9.6 %
		Y	4.67	65.94	15.89		130.0	
		Z	4.59	66.36	15.95		130.0	
10614- AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	х	4.80	66.77	16.57	0.46	130.0	±9.6 %
	3000 001/ 0/010/	Y	4.60	66.11	16.11		130.0	
		2	4.55	66,63	16.24		130.0	
10615- AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.83	66,31	16.17	0.46	130.0	± 9.6 %
		Y	4.65	65.72	15.74		130.0	
		Z	4.57	66.14	15.79		130.0	
10616- AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	5.40	66.72	16.51	0.46	130.0	±9.6%
		Y	5,25	66.20	16.17	-	130.0	
		Z	5.18	66.58	16.21	-	130.0	
10617- AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	×	5.46	66.82	16,52	0.46	130.0	±9.6 %
		Y	5.32	66.35	16.21		130.0	
		Z	5.23	66.70	16.24		130.0	
10618- AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.36	66.91	16.59	0.46	130.0	±9.69
		Y	5.20	66.37	16.23		130.0	
		Z	5.13	66.77	16:30	100	130.0	11.7.1
10619- AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	×	5.38	66.73	16.44	0.46	130.0	± 9.6 %
		Y	5.23	66.21	16.09		130.0	
		Z	5.14	66.53	16.10	100	130.0	
10620- AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	×	5.49	66.81	16.52	0.46	130.0	± 9.6 %
		Y	5.33	66,26	16.17		130.0	
		Z	5.23	66.56	16.17		130.0	1
10621- AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	×	5.47	66,89	16,68	0.46	130.0	± 9.6 9
		Y	5.31	66.35	16.33		130.0	
	A Table and the same of the sa	Z	5.24	66,76	16,40		130.0	-
10622- AAB	IEEE 802,11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	5.47	67.00	16.72	0.46	130.0	±9.6 %
		Y	5.33	66.52	16.41		130.0	
		Z	5.25	66.89	16.45		130.0	

Certificate No: EX3-3938_Oct18

Page 36 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Rev: 01

Page: 42 of 44

EX3DV4- SN:3938

October 24, 2018

10623- AAB	IEEE 802 11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	5.36	66.59	16.41	0.46	130.0	± 9.6 %
		Y	5.20	66.04	16.05		130.0	
	Anna Control of the C	2	5.12	66.39	16.07		130.0	
10624- AAB	1EEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	5,54	66.74	16.54	0.46	130.0	± 9.6 %
		Y	5.40	66.26	16.22		130.0	
		2	5.31	66.59	16.23		130.0	
10625- AAB	IEEE 802,11ac WiFi (40MHz, MCS9, 90pc duty cycle)	×	5,91	67,68	17.05	0.46	130.0	± 9.6 %
		Y	5.81	67.35	16.82		130.0	
	The state of the s	Z	5.60	67.33	16.65		130.0	
10626- AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	×	5.66	66.76	16.44	0.46	130.0	± 9.6 %
		Y	5.54	66.25	16.12		130.0	
-		Z	5.47	66.64	16.16		130.0	
10627- AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	×	5.90	67.26	16.64	0.46	130.0	± 9.6 %
		Y	5.79	66.84	16.38		130.0	
	Lake Jan Britain	Z	5.67	67.08	16.34		130.0	
10628- AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	5.73	66.91	16.42	0.46	130.0	±9.6 %
		Y	5.58	66.38	16.08		130.0	
	Later and the second second	Z	5.49	66.66	16.06		130.0	
10629- AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	5.81	66.97	16.43	0.46	130.0	±9.6 %
		Y	5.67	66.48	16.13		130.0	
		Z	5.56	66.69	16.07		130.0	
10630- AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	×	6.26	68.50	17.19	0.46	130.0	±9,6 %
		Y	6.18	68.17	16.96		130.0	
		Z	5.83	67.70	16.58		130.0	
10631- AAB	IEEE 802,11ac WiFi (80MHz, MCS5, 90pc duty cycle)	х	6,19	68,38	17.32	0.46	130.0	± 9.6 %
		Y	6.03	67.83	16.99		130.0	
		2	5.86	67.92	16.89		130.0	
10632- AAB	IEEE 802 11ac WiFi (80MHz, MCS6, 90pc duty cycle)	X	5.89	67,37	16.83	0.46	130.0	±9.6 %
		Y	5.75	66.88	16.53		130.0	
		2	5.67	67.23	16.57		130.0	
10633- AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	5.81	67.14	16,55	0.46	130.0	±9.6 %
		Y	5.64	66.53	16.18		130.0	
		Z	5.57	66.89	16.21		130.0	
10634- AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.79	67.15	16.62	0.46	130.0	± 9.6 %
		Y	5.63	66.56	16.26		130.0	
	1000	Z	5.56	66.95	16.31		130.0	
10635- AAB	IEEE 802,11ac WiFi (80MHz, MCS9, 90pc duty cycle)	×	5.68	66.48	16.03	0.46	130.0	±9.6 %
		Y	5.52	65.92	15.67		130.0	
nana	1	Z	5.41	66.16	15.62		130.0	
10636- AAC	IEEE 802-11ac WiFi (160MHz, MCS0, 90pc duty cycle)	X	6.07	67.13	16.52	0.46	130.0	± 9.6 %
		Y	5.95	66.65	16.23		130.0	
0007	IFFE BOD 44 1416	Z	5.87	66.97	16.23		130.0	
10637- AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	6.23	67.50	16.68	0.46	130,0	± 9.6 %
		Y	6.11	67.04	16.40		130.0	_
0000	WEET ORD II	Z	6.00	67,28	16.36		130.0	
10638- NAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	X	6.23	67.47	16.65	0.46	130.0	± 9.6 %.
		Y	6.11	67.00	16.36	7	130.0	
		Z	6.01					

Certificate No: EX3-3938_Oct18

Page 37 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev: 01

Page: 43 of 44

EX3DV4-SN:3938

October 24, 2018

10639- AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	X	6,23	67.49	16.70	0.46	130.0	±9.6 %
		Y	6.09	66.97	16.39		130.0	
		Z	6.00	67.25	16.37		130.0	
10640- AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	×	6.25	67.53	16.67	0.46	130.0	± 9.6 %
		Y	6.11	67.01	16.35		130.0	
		Z	5.99	67.21	16.29		130.0	
10641- AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	X	6.25	67.31	16.57	0.46	130.0	± 9.6 %
		Y	6.13	66.85	16.30		130.0	
		2	6.03	67.11	16.26		130.0	
10642- AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	X	6.33	67.65	16.91	0.46	130.0	± 9.6 %
		Y	6.18	67.13	16.60		130.0	
		Z	6.10	67.47	16.62		130.0	
10643- AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	X	6.15	67.31	16.65	0.46	130.0	±9.6 %
		Y	6.02	66.82	16.34		130.0	
		Z	5.91	67.06	16.30		130.0	
10644-	IEEE 802.11ac WiFi (160MHz, MCS8,	X	6.35	67.93	16.98	0.46	130.0	± 9.6 %
AAC	90pc duty cycle)	Y	6.21	67.40	16.65	9,40	130.0	2 9.0 %
		2	6.05	67.49	16.53		130.0	
10645- AAC	IEEE 802,11ac WiFi (160MHz, MCS9, 90pc duty cycle)	X	6.71	68.51	17.21	0.46	130.0	± 9.6 %
	3,000	Y	6.68	68.36	17.09	-	130.0	
		Z	6.25	67.70	16.59		130.0	
10646- AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	X	86,17	140.32	45,40	9.30	60.0	±9.6 %
		Y	39.04	122.44	40.63		60.0	
		Z	18.19	104.43	33.83		60.0	
10647- AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	X	80.45	139.77	45.45	9.30	60.0	±9.6 %
		Y	36.72	121.94	40.66		60.0	1
		Z	16.41	102.98	33.52		60.0	
10648- AAA	CDMA2000 (1x Advanced)	X.	0.87	66,51	13.20	0.00	150.0	± 9.6 %
		Y	0.58	61.72	9.15		150.0	1
		Z	0.69	64.69	11.24		150.0	
10652- AAD	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	4.31	69.00	17.79	2.23	80.0	± 9.6 %
		/Y'	3.89	67.35	16.71		80.0	
		Z	3.64	67_10	16.29		80.0	1
10653- AAD	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X.	4.72	67.91	17.64	2.23	80.0	± 9.6 %
		Y	4.40	66.72	16,87		0.08	
	The state of the s	Z	4.16	66.48	16.48	1	80.0	
10654- AAD	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X.	4.64	67.52	17,60	2.23	80.0	± 9.6 %
		Y	4.36	66.39	16.88		80.0	
1,11		2.	4.14	66.16	16.50		80.0	
10655- AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.69	67.54	17,64	2.23	80.0	±9.6 %
		Y	4.42	66.40	16.92		80.0	
		Z	4.19	66,14	16.53		80.0	
10658- AAA	Pulse Waveform (200Hz, 10%)	X	100.00	116.89	30.15	10.00	50.0	± 9.6 %
		. Y	27.27	97.34	24.81		50.0	
		Z	5.41	73.00	14.99		50.0	-
10659- AAA	Pulse Waveform (200Hz, 20%)	X	100.00	114.06	27.78	6,99	60,0	± 9.6 %
		Y	100.00	111.99	26.70		60.0	
		Z	5.58	74.98	14.50		60.0	

Certificate No: EX3-3938_Oct18

Page 38 of 39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Rev: 01

Page: 44 of 44

EX3DV4-SN:3938

October 24, 2018

10660- AAA	Pulse Waveform (200Hz, 40%)	X	100.00	113.57	26.20	3.98	80.0	± 9.6 %
		Y	100.00	108.48	23.71		80.0	
		Z	17.55	86.88	16.64		80.0	
10661- AAA	Pulse Waveform (200Hz, 60%)	X	100.00	116.76	26.28	2.22	100.0	± 9.6 %
		Y	100.00	105.43	21.11		100.0	
		Z	100.00	100.82	18.62		100.0	
10662- AAA	Pulse Waveform (200Hz, 80%)	X	100.00	127.89	28.96	0.97	120.0	± 9.6 %
		Y	3.43	74.94	10.68		120.0	
Vice part in		Z	100.00	98.67	16.42		120.0	
10670- AAA	Bluetooth Low Energy	×	100.00	117.22	26.83	2.19	100.0	± 9.6 %
		Y	100.00	107.88	22.47		100.0	
		Z	100.00	104.58	20.49		100.0	

Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the

Certificate No: EX3-3938_Oct18

Page 39 of 39

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.