





30MHz~3GHz_Band26_10MHz_QPSK_1_0_MidCH26740









Page 323 of 492

10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a) , §24.238(a) , §27.53 (h) , the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (c)

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 324 of 492

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the source and refer on the sample(s) and refer on the sample(s) and refer on the sample(s) are referred to source and refer on the sample(s) and refer on the sample(s) are referred to source and refer on the sample(s) are referred to so days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample of the samp Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 325 of 492

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$


Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 5.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the properties of the previous properties of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the properties of the company's provincing all their rights and obligations under the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 327 of 492

10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責、同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.

f (886-2) 2298-0488 www.tw.sqs.com



Page 328 of 492

10.4. Measurement Equipment Used:

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
EMI Test Receiver	R&S	ESU 40	100363	04/18/2017	04/17/2018		
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2016	11/02/2017		
Broadband Antenna	TESEQ	CBL 6112D	35243	11/09/2016	11/08/2017		
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2016	12/16/2017		
Horn Antenna	ETS-Lindgren	3117	143279	11/14/2016	11/13/2017		
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2016	12/10/2017		
Horn Antenna	Schwarzbeck	BBHA9170	185	08/01/2017	07/31/2018		
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2016	12/11/2017		
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2016	12/11/2017		
Pre Amplifier	R&S	SCU-18	10204	12/12/2016	12/11/2017		
Pre Amplifier	R&S	SCU-26	100780	12/12/2016	12/11/2017		
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2016	12/11/2017		
Attenuator	WOKEN	218FS-10	RF27	12/12/2016	12/11/2017		
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018		
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018		
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018		
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2017	05/03/2018		
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.		
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.		
		2.1/2	NI/A	NOD	NCD		
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 329 of 492

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
EMI Test Receiver	R&S	ESU 40	100363	04/18/2017	04/17/2018		
Broadband Antenna	TESEQ	CBL 6112D	35240	11/02/2017	11/01/2018		
Broadband Antenna	TESEQ	CBL 6112D	35243	11/08/2017	11/07/2018		
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2016	12/16/2017		
Horn Antenna	ETS-Lindgren	3117	143279	11/13/2017	11/12/2018		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






10.5. Measurement Result:

Radiated Spurious Emission Measurement Result: WCDMA Band 2 Mode

Operation Mode :	WCDMAB2	Test Date :	2017/9/8
Fundamental Frequency:	1852.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-68.57	-48.96	-18.78	-0.83	-13.01	-55.56
579.99	S	-62.71	-66.01	6.79	-3.49	-13.01	-49.70
730.34	S	-57.08	-60.89	7.71	-3.90	-13.01	-44.07
746.83	S	-36.40	-40.18	7.71	-3.93	-13.01	-23.39
852.56	S	-61.75	-65.27	7.80	-4.28	-13.01	-48.74
939.86	S	-57.48	-60.93	7.95	-4.50	-13.01	-44.47
3704.80	Н	-54.12	-57.64	12.42	-8.90	-13.01	-41.11
5557.20	Н	-40.48	-43.16	13.01	-10.34	-13.01	-27.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode:	WCDMAB2	Test Date :	2017/9/8
Fundamental Frequency:	1852.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
46.49	S	-46.04	-37.83	-7.30	-0.92	-13.01	-33.03
89.17	S	-52.82	-51.47	-0.06	-1.29	-13.01	-39.81
99.84	S	-58.06	-55.41	-1.27	-1.38	-13.01	-45.05
106.63	S	-59.51	-56.55	-1.54	-1.43	-13.01	-46.50
124.09	S	-64.84	-62.42	-0.88	-1.54	-13.01	-51.83
197.81	S	-52.49	-56.27	5.76	-1.98	-13.01	-39.48
3704.80	Н	-53.30	-56.82	12.42	-8.90	-13.01	-40.29
5557.20	Н	-43.44	-46.11	13.01	-10.34	-13.01	-30.43






Operation Mode:	WCDMAB2	Test Date :	2017/9/8
Fundamental Frequency:	1880 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
118.27	S	-70.63	-67.84	-1.29	-1.50	-13.01	-57.62
601.33	S	-62.98	-66.38	6.98	-3.57	-13.01	-49.97
709.97	S	-63.19	-67.05	7.71	-3.85	-13.01	-50.18
735.19	S	-40.47	-44.27	7.71	-3.91	-13.01	-27.46
746.83	S	-37.77	-41.55	7.71	-3.93	-13.01	-24.76
937.92	S	-56.98	-60.43	7.95	-4.49	-13.01	-43.97
3760.00	Н	-49.95	-53.46	12.46	-8.94	-13.01	-36.94
5640.00	Н	-43.42	-46.05	13.03	-10.40	-13.01	-30.41






Operation Mode:	WCDMAB2	Test Date :	2017/9/8
Fundamental Frequency:	1880 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.58	-36.97	-18.78	-0.83	-13.01	-43.57
418.97	S	-67.08	-70.08	5.95	-2.95	-13.01	-54.07
558.65	S	-65.98	-69.15	6.60	-3.43	-13.01	-52.97
738.10	S	-41.20	-45.00	7.71	-3.91	-13.01	-28.19
746.83	S	-41.09	-44.87	7.71	-3.93	-13.01	-28.08
938.89	S	-59.95	-63.40	7.95	-4.50	-13.01	-46.94
3760.00	Н	-54.23	-57.75	12.46	-8.94	-13.01	-41.22
5640.00	Н	-44.30	-46.92	13.03	-10.40	-13.01	-31.29






Operation Mode:	WCDMAB2	Test Date :	2017/9/8
Fundamental Frequency:	1907.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
417.03	S	-67.62	-70.61	5.93	-2.94	-13.01	-54.61
577.08	S	-63.34	-66.63	6.76	-3.48	-13.01	-50.33
729.37	S	-53.40	-57.21	7.71	-3.90	-13.01	-40.39
746.83	S	-35.30	-39.09	7.71	-3.93	-13.01	-22.29
829.28	S	-62.37	-65.96	7.79	-4.20	-13.01	-49.36
934.04	S	-58.37	-61.83	7.94	-4.48	-13.01	-45.36
3815.20	Н	-45.51	-49.02	12.49	-8.98	-13.01	-32.50
5722.80	Н	-45.34	-47.92	13.04	-10.47	-13.01	-32.33





Operation Mode:	WCDMAB2	Test Date :	2017/9/8
Fundamental Frequency:	1907.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.95	-37.34	-18.78	-0.83	-13.01	-43.94
405.39	S	-67.62	-70.53	5.81	-2.90	-13.01	-54.61
636.25	S	-66.01	-69.46	7.11	-3.66	-13.01	-53.00
746.83	S	-40.61	-44.39	7.71	-3.93	-13.01	-27.60
787.57	S	-64.07	-67.75	7.76	-4.08	-13.01	-51.06
938.89	S	-59.80	-63.25	7.95	-4.50	-13.01	-46.79
3815.20	Н	-51.40	-54.91	12.49	-8.98	-13.01	-38.39
5722.80	Н	-44.86	-47.43	13.04	-10.47	-13.01	-31.85



Page 336 of 492

Radiated Spurious Emission Measurement Result: WCDMA Band 4 Mode

Operation Mode:	HSDPAB4	Test Date :	2017/9/8
Fundamental Frequency:	1712.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
80.44	S	-71.93	-71.16	0.45	-1.22	-25	-46.93
189.08	S	-71.41	-75.32	5.84	-1.93	-25	-46.41
497.54	S	-66.05	-69.31	6.48	-3.22	-25	-41.05
746.83	S	-56.45	-60.23	7.71	-3.93	-25	-31.45
845.77	S	-62.86	-66.39	7.80	-4.26	-25	-37.86
938.89	S	-56.31	-59.77	7.95	-4.50	-25	-31.31
3424.80	Н	-51.45	-54.90	12.15	-8.70	-25	-26.45
5137.20	Н	-39.02	-41.63	12.64	-10.03	-25	-14.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode:	HSDPAB4	Test Date :	2017/9/8
Fundamental Frequency:	1712.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-57.11	-37.51	-18.78	-0.83	-25	-32.11
265.71	S	-60.99	-63.64	4.98	-2.32	-25	-35.99
549.92	S	-66.04	-69.15	6.52	-3.41	-25	-41.04
746.83	S	-51.46	-55.25	7.71	-3.93	-25	-26.46
903.97	S	-63.50	-66.98	7.90	-4.42	-25	-38.50
939.86	S	-60.22	-63.67	7.95	-4.50	-25	-35.22
3424.80	Н	-52.30	-55.75	12.15	-8.70	-25	-27.30
5137.20	Н	-40.28	-42.89	12.64	-10.03	-25	-15.28






Operation Mode:	HSDPAB4	Test Date :	2017/9/8
Fundamental Frequency:	1732.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
121.18	S	-59.45	-56.81	-1.11	-1.52	-25	-34.45
253.10	S	-55.79	-58.49	4.96	-2.27	-25	-30.79
341.37	S	-59.96	-63.28	5.97	-2.65	-25	-34.96
423.82	S	-59.93	-62.97	6.00	-2.96	-25	-34.93
729.37	S	-56.40	-60.21	7.71	-3.90	-25	-31.40
939.86	S	-57.07	-60.52	7.95	-4.50	-25	-32.07
3465.20	Н	-55.82	-59.32	12.23	-8.73	-25	-30.82
5197.80	Н	-42.89	-45.52	12.70	-10.07	-25	-17.89






Operation Mode:	HSDPAB4	Test Date :	2017/9/8
Fundamental Frequency:	1732.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.98	-37.38	-18.78	-0.83	-25	-31.98
413.15	S	-68.08	-71.04	5.89	-2.93	-25	-43.08
627.52	S	-66.85	-70.29	7.08	-3.65	-25	-41.85
746.83	S	-42.15	-45.93	7.71	-3.93	-25	-17.15
856.44	S	-63.11	-66.63	7.81	-4.30	-25	-38.11
938.89	S	-59.56	-63.01	7.95	-4.50	-25	-34.56
3465.20	Н	-56.82	-60.31	12.23	-8.73	-25	-31.82
5197.80	Н	-45.35	-47.98	12.70	-10.07	-25	-20.35






Operation Mode:	HSDPAB4	Test Date :	2017/9/8
Fundamental Frequency:	1752.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
80.44	S	-71.70	-70.92	0.45	-1.22	-25	-46.70
571.26	S	-62.42	-65.67	6.71	-3.46	-25	-37.42
731.31	S	-40.64	-44.45	7.71	-3.90	-25	-15.64
746.83	S	-36.26	-40.04	7.71	-3.93	-25	-11.26
849.65	S	-61.67	-65.20	7.80	-4.27	-25	-36.67
938.89	S	-57.24	-60.69	7.95	-4.50	-25	-32.24
3505.20	Н	-52.72	-56.26	12.30	-8.76	-25	-27.72
5257.80	Н	-38.29	-40.94	12.76	-10.11	-25	-13.29





Operation Mode:	HSDPAB4	Test Date :	2017/9/8
Fundamental Frequency:	1752.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
409.27	S	-67.80	-70.74	5.85	-2.92	-25	-42.80
547.98	S	-67.26	-70.38	6.52	-3.40	-25	-42.26
733.25	S	-60.04	-63.85	7.71	-3.90	-25	-35.04
745.86	S	-46.37	-50.15	7.71	-3.93	-25	-21.37
853.53	S	-64.78	-68.30	7.81	-4.28	-25	-39.78
938.89	S	-61.33	-64.78	7.95	-4.50	-25	-36.33
3505.20	Н	-52.69	-56.23	12.30	-8.76	-25	-27.69
5257.80	Н	-42.50	-45.15	12.76	-10.11	-25	-17.50



Page 342 of 492

Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode

Operation Mode:	WCDMAB5	Test Date :	2017/9/8
Fundamental Frequency:	826.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
35.82	S	-59.92	-41.59	-17.49	-0.84	-13	-46.92
572.23	S	-62.87	-63.53	4.13	-3.47	-13	-49.87
730.34	S	-54.66	-55.88	5.12	-3.90	-13	-41.66
746.83	S	-38.86	-40.08	5.15	-3.93	-13	-25.86
887.48	S	-61.23	-62.04	5.19	-4.38	-13	-48.23
938.89	S	-58.32	-59.19	5.37	-4.50	-13	-45.32
1652.80	Н	-63.15	-63.28	6.59	-6.46	-13	-50.15
2479.20	Н	-46.55	-47.27	8.53	-7.81	-13	-33.55

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司






Operation Mode:	WCDMAB5	Test Date :	2017/9/8
Fundamental Frequency:	826.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
403.45	S	-67.98	-68.32	3.23	-2.89	-13	-54.98
541.19	S	-65.91	-66.51	3.98	-3.38	-13	-52.91
663.41	S	-66.13	-67.14	4.74	-3.73	-13	-53.13
746.83	S	-44.16	-45.39	5.15	-3.93	-13	-31.16
791.45	S	-63.89	-65.01	5.21	-4.09	-13	-50.89
939.86	S	-61.28	-62.15	5.38	-4.50	-13	-48.28
1652.80	Н	-61.07	-61.20	6.59	-6.46	-13	-48.07
2479.20	Н	-46.52	-47.24	8.53	-7.81	-13	-33.52

t (886-2) 2299-3279






Operation Mode:	WCDMAB5	Test Date :	2017/9/8
Fundamental Frequency:	836.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
35.82	S	-70.77	-52.43	-17.49	-0.84	-13	-57.77
572.23	S	-62.92	-63.58	4.13	-3.47	-13	-49.92
624.61	S	-62.72	-63.55	4.47	-3.64	-13	-49.72
730.34	S	-56.34	-57.56	5.12	-3.90	-13	-43.34
746.83	S	-34.63	-35.85	5.15	-3.93	-13	-21.63
938.89	S	-57.10	-57.97	5.37	-4.50	-13	-44.10
1673.20	Н	-61.08	-61.25	6.68	-6.50	-13	-48.08
2509.80	Н	-44.93	-45.65	8.56	-7.84	-13	-31.93






Operation Mode:	WCDMAB5	Test Date :	2017/9/8
Fundamental Frequency:	836.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.55	-34.91	-20.82	-0.83	-13	-43.55
413.15	S	-68.01	-68.39	3.31	-2.93	-13	-55.01
561.56	S	-66.23	-66.85	4.05	-3.43	-13	-53.23
730.34	S	-58.43	-59.65	5.12	-3.90	-13	-45.43
747.80	S	-52.19	-53.41	5.16	-3.93	-13	-39.19
937.92	S	-61.00	-61.88	5.37	-4.49	-13	-48.00
1673.20	Н	-57.96	-58.13	6.68	-6.50	-13	-44.96
2509.80	Н	-45.94	-46.66	8.56	-7.84	-13	-32.94






Operation Mode:	WCDMAB5	Test Date :	2017/9/8
Fundamental Frequency:	846.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
32.91	S	-68.74	-47.93	-19.97	-0.83	-13	-55.74
409.27	S	-66.37	-66.73	3.28	-2.92	-13	-53.37
574.17	S	-63.58	-64.25	4.14	-3.47	-13	-50.58
729.37	S	-58.67	-59.89	5.12	-3.90	-13	-45.67
746.83	S	-55.93	-57.15	5.15	-3.93	-13	-42.93
938.89	S	-57.91	-58.79	5.37	-4.50	-13	-44.91
1693.20	Н	-59.24	-59.46	6.76	-6.55	-13	-46.24
2539.80	Н	-46.71	-47.43	8.60	-7.87	-13	-33.71

t (886-2) 2299-3279 www.tw.sgs.com





Operation Mode:	WCDMAB5	Test Date :	2017/9/8
Fundamental Frequency:	846.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.29	-34.64	-20.82	-0.83	-13	-43.29
443.22	S	-67.80	-68.34	3.56	-3.02	-13	-54.80
631.40	S	-66.41	-67.27	4.51	-3.65	-13	-53.41
746.83	S	-39.47	-40.69	5.15	-3.93	-13	-26.47
833.16	S	-64.32	-65.22	5.11	-4.21	-13	-51.32
938.89	S	-60.40	-61.28	5.37	-4.50	-13	-47.40
1693.20	Н	-52.54	-52.76	6.76	-6.55	-13	-39.54
2539.80	Н	-48.74	-49.47	8.60	-7.87	-13	-35.74



Page 348 of 492

Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

Operation Mode:	LTEB2 3M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	1851.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
33.88	S	-68.77	-50.73	-17.21	-0.84	-13	-55.77
79.47	S	-70.99	-70.23	0.45	-1.22	-13	-57.99
255.04	S	-69.72	-72.28	4.84	-2.28	-13	-56.72
583.87	S	-63.25	-66.57	6.83	-3.51	-13	-50.25
747.80	S	-55.31	-59.09	7.71	-3.93	-13	-42.31
938.89	S	-58.95	-62.40	7.95	-4.50	-13	-45.95
3703.00	Н	-44.51	-48.03	12.42	-8.90	-13	-31.51
5554.50	Н	-37.19	-39.87	13.01	-10.33	-13	-24.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 349 of 492

Operation Mode :	LTEB2 3M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	1851.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
210.42	S	-64.72	-68.75	6.07	-2.04	-13	-51.72
416.06	S	-67.17	-70.15	5.92	-2.94	-13	-54.17
584.84	S	-65.47	-68.80	6.83	-3.51	-13	-52.47
692.51	S	-58.49	-62.31	7.63	-3.81	-13	-45.49
746.83	S	-62.00	-65.78	7.71	-3.93	-13	-49.00
938.89	S	-63.31	-66.76	7.95	-4.50	-13	-50.31
3703.00	Н	-44.63	-48.15	12.42	-8.90	-13	-31.63
5554.50	Н	-47.39	-50.07	13.01	-10.33	-13	-34.39



Page 350 of 492

Operation Mode:	LTEB2 3M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	1880 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-69.33	-49.72	-18.78	-0.83	-13	-56.33
118.27	S	-70.74	-67.95	-1.29	-1.50	-13	-57.74
422.85	S	-66.61	-69.64	5.99	-2.96	-13	-53.61
589.69	S	-63.05	-66.40	6.88	-3.53	-13	-50.05
730.34	S	-56.87	-60.68	7.71	-3.90	-13	-43.87
938.89	S	-59.18	-62.63	7.95	-4.50	-13	-46.18
3760.00	Н	-41.88	-45.40	12.46	-8.94	-13	-28.88
5640.00	Н	-38.10	-40.73	13.03	-10.40	-13	-25.10



Report No.: E2/2017/80072 Page 351 of 492

Operation Mode:	LTEB2 3M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	1880 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-57.00	-37.40	-18.78	-0.83	-13	-44.00
140.58	S	-72.49	-71.75	0.91	-1.65	-13	-59.49
393.75	S	-64.87	-67.81	5.78	-2.85	-13	-51.87
578.05	S	-65.20	-68.49	6.77	-3.48	-13	-52.20
758.47	S	-64.00	-67.76	7.72	-3.97	-13	-51.00
838.98	S	-63.61	-67.16	7.79	-4.24	-13	-50.61
3760.00	Н	-46.75	-50.26	12.46	-8.94	-13	-33.75
5640.00	Н	-40.53	-43.16	13.03	-10.40	-13	-27.53



Page 352 of 492


Operation Mode:	LTEB2 3M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	1908.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
33.88	S	-69.60	-51.56	-17.21	-0.84	-13	-56.60
116.33	S	-70.83	-67.96	-1.37	-1.49	-13	-57.83
415.09	S	-66.62	-69.59	5.91	-2.94	-13	-53.62
563.50	S	-63.42	-66.62	6.64	-3.44	-13	-50.42
746.83	S	-58.32	-62.10	7.71	-3.93	-13	-45.32
937.92	S	-59.97	-63.42	7.95	-4.49	-13	-46.97
3817.00	Н	-42.01	-45.51	12.49	-8.98	-13	-29.01
5725.50	Н	-42.44	-45.01	13.05	-10.47	-13	-29.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode :	LTEB2 3M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	1908.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
33.88	S	-58.17	-40.12	-17.21	-0.84	-13	-45.17
227.88	S	-74.51	-78.49	6.11	-2.13	-13	-61.51
481.05	S	-67.43	-70.69	6.41	-3.15	-13	-54.43
584.84	S	-66.70	-70.03	6.83	-3.51	-13	-53.70
747.80	S	-62.26	-66.04	7.71	-3.93	-13	-49.26
951.50	S	-63.02	-66.46	7.97	-4.52	-13	-50.02
3817.00	Н	-45.77	-49.28	12.49	-8.98	-13	-32.77
5725.50	Н	-39.24	-41.82	13.05	-10.47	-13	-26.24


t (886-2) 2299-3279



Page 354 of 492

Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)


Operation Mode:	LTEB4 10M QPSK 1.49	Test Date :	2017/9/8
Fundamental Frequency:	1715 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
36.87	S	-70.26	-52.21	-17.21	-0.84	-13	-57.26
80.55	S	-71.78	-71.02	0.45	-1.22	-13	-58.78
278.00	S	-68.22	-70.79	4.84	-2.28	-13	-55.22
587.50	S	-62.39	-65.71	6.83	-3.51	-13	-49.39
711.64	S	-54.57	-58.35	7.71	-3.93	-13	-41.57
931.15	S	-57.98	-61.43	7.95	-4.50	-13	-44.98
3430.00	Н	-42.31	-45.83	12.42	-8.90	-13	-29.31
5145.00	Н	-34.44	-37.11	13.01	-10.33	-13	-21.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Mode:	LTEB4 10M QPSK 1.49	Test Date :	2017/9/8
Fundamental Frequency:	1715 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
222.25	S	-64.74	-68.77	6.07	-2.04	-13	-51.74
418.14	S	-69.12	-72.10	5.92	-2.94	-13	-56.12
585.15	S	-66.44	-69.77	6.83	-3.51	-13	-53.44
694.15	S	-59.18	-63.01	7.63	-3.81	-13	-46.18
748.51	S	-63.00	-66.78	7.71	-3.93	-13	-50.00
930.15	S	-63.31	-66.76	7.95	-4.50	-13	-50.31
3430.00	Н	-43.07	-46.59	12.42	-8.90	-13	-30.07
5145.00	Н	-46.48	-49.16	13.01	-10.33	-13	-33.48






Operation Mode:	LTEB4 10M QPSK 1.49	Test Date :	2017/9/8
Fundamental Frequency:	1732 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
33.45	S	-69.83	-50.23	-18.78	-0.83	-13	-56.83
120.54	S	-70.96	-68.17	-1.29	-1.50	-13	-57.96
423.55	S	-67.00	-70.04	5.99	-2.96	-13	-54.00
590.65	S	-64.00	-67.35	6.88	-3.53	-13	-51.00
731.15	S	-57.24	-61.05	7.71	-3.90	-13	-44.24
937.26	S	-60.01	-63.46	7.95	-4.50	-13	-47.01
3464.00	Н	-43.45	-46.97	12.46	-8.94	-13	-30.45
5196.00	Н	-40.56	-43.19	13.03	-10.40	-13	-27.56






Operation Mode:	LTEB4 10M QPSK 1.49	Test Date :	2017/9/8
Fundamental Frequency:	1732 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
32.33	S	-57.49	-37.88	-18.78	-0.83	-13	-44.49
141.54	S	-71.44	-70.70	0.91	-1.65	-13	-58.44
394.16	S	-65.24	-68.17	5.78	-2.85	-13	-52.24
576.15	S	-64.16	-67.45	6.77	-3.48	-13	-51.16
750.16	S	-61.71	-65.47	7.72	-3.97	-13	-48.71
830.15	S	-62.33	-65.89	7.79	-4.24	-13	-49.33
3464.00	Н	-48.79	-52.31	12.46	-8.94	-13	-35.79
5196.00	Н	-41.40	-44.02	13.03	-10.40	-13	-28.40

t (886-2) 2299-3279






Operation Mode:	LTEB4 10M QPSK 1.49	Test Date :	2017/9/8
Fundamental Frequency:	1750 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
30.46	S	-69.82	-51.77	-17.21	-0.84	-13	-56.82
111.48	S	-71.93	-69.07	-1.37	-1.49	-13	-58.93
413.88	S	-66.61	-69.58	5.91	-2.94	-13	-53.61
548.46	S	-63.93	-67.13	6.64	-3.44	-13	-50.93
715.95	S	-58.92	-62.70	7.71	-3.93	-13	-45.92
930.99	S	-60.70	-64.15	7.95	-4.49	-13	-47.70
3500.00	Н	-43.72	-47.23	12.49	-8.98	-13	-30.72
5250.00	Н	-42.99	-45.56	13.05	-10.47	-13	-29.99





Operation Mode:	LTEB4 10M QPSK 1.49	Test Date :	2017/9/8
Fundamental Frequency:	1750 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
35.58	S	-59.87	-41.82	-17.21	-0.84	-13	-46.87
220.84	S	-74.50	-78.49	6.11	-2.13	-13	-61.50
480.65	S	-67.33	-70.58	6.41	-3.15	-13	-54.33
582.56	S	-67.24	-70.57	6.83	-3.51	-13	-54.24
742.56	S	-62.95	-66.73	7.71	-3.93	-13	-49.95
949.51	S	-62.46	-65.90	7.97	-4.52	-13	-49.46
3500.00	Н	-46.96	-50.47	12.49	-8.98	-13	-33.96
5250.00	Н	-38.63	-41.20	13.05	-10.47	-13	-25.63



Page 360 of 492

Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)


Operation Mode:	LTEB5 1.4M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	824.7 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
34.85	S	-56.67	-37.54	-18.29	-0.84	-13	-43.67
93.05	S	-72.01	-68.10	-2.59	-1.32	-13	-59.01
579.99	S	-63.17	-63.86	4.18	-3.49	-13	-50.17
730.34	S	-35.53	-36.75	5.12	-3.90	-13	-22.53
746.83	S	-51.51	-52.74	5.15	-3.93	-13	-38.51
935.98	S	-59.48	-60.36	5.36	-4.49	-13	-46.48
1649.40	Н	-58.46	-58.58	6.58	-6.45	-13	-45.46
2474.10	Н	-39.81	-40.53	8.52	-7.80	-13	-26.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode:	LTEB5 1.4M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	824.7 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
131.85	S	-73.09	-69.27	-2.23	-1.59	-13	-60.09
337.49	S	-70.92	-71.75	3.46	-2.63	-13	-57.92
464.56	S	-68.44	-69.09	3.74	-3.09	-13	-55.44
543.13	S	-67.58	-68.17	3.98	-3.39	-13	-54.58
730.34	S	-55.50	-56.72	5.12	-3.90	-13	-42.50
938.89	S	-61.99	-62.87	5.37	-4.50	-13	-48.99
1649.40	Н	-57.61	-57.73	6.58	-6.45	-13	-44.61
2474.10	Н	-36.22	-36.94	8.52	-7.80	-13	-23.22



Report No.: E2/2017/80072 Page 362 of 492

Operation Mode:	LTEB5 1.4M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
80.44	S	-71.58	-68.65	-1.71	-1.22	-13	-58.58
424.79	S	-67.15	-67.60	3.41	-2.96	-13	-54.15
572.23	S	-63.56	-64.22	4.13	-3.47	-13	-50.56
730.34	S	-39.32	-40.54	5.12	-3.90	-13	-26.32
746.83	S	-53.82	-55.04	5.15	-3.93	-13	-40.82
939.86	S	-58.48	-59.35	5.38	-4.50	-13	-45.48
1673.00	Н	-54.75	-54.93	6.68	-6.50	-13	-41.75
2509.50	Н	-28.63	-29.36	8.56	-7.84	-13	-15.63

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司





Operation Mode:	LTEB5 1.4M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
407.33	S	-66.99	-67.34	3.26	-2.91	-13	-53.99
546.04	S	-66.71	-67.29	3.98	-3.40	-13	-53.71
731.31	S	-41.15	-42.37	5.12	-3.90	-13	-28.15
736.16	S	-37.30	-38.52	5.13	-3.91	-13	-24.30
746.83	S	-60.62	-61.84	5.15	-3.93	-13	-47.62
938.89	S	-61.52	-62.39	5.37	-4.50	-13	-48.52
1673.00	Н	-51.38	-51.55	6.68	-6.50	-13	-38.38
2509.50	Н	-20.84	-21.56	8.56	-7.84	-13	-7.84




Page 364 of 492

Operation Mode:	LTEB5 1.4M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	848.3 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
30.97	S	-67.64	-45.16	-21.66	-0.82	-13	-54.64
419.94	S	-66.72	-67.14	3.37	-2.95	-13	-53.72
583.87	S	-62.45	-63.15	4.21	-3.51	-13	-49.45
730.34	S	-35.67	-36.89	5.12	-3.90	-13	-22.67
745.86	S	-38.62	-39.85	5.15	-3.93	-13	-25.62
935.01	S	-58.67	-59.55	5.36	-4.49	-13	-45.67
1696.60	Н	-55.59	-55.81	6.78	-6.55	-13	-42.59
2544.90	Н	-35.02	-35.74	8.60	-7.88	-13	-22.02





Operation Mode:	LTEB5 1.4M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	848.3 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
404.42	S	-68.20	-68.55	3.24	-2.89	-13	-55.20
591.63	S	-67.26	-67.99	4.26	-3.54	-13	-54.26
730.34	S	-59.69	-60.91	5.12	-3.90	-13	-46.69
746.83	S	-60.72	-61.94	5.15	-3.93	-13	-47.72
844.80	S	-63.31	-64.12	5.07	-4.25	-13	-76.30
958.29	S	-63.18	-64.07	5.43	-4.54	-13	-50.18
1696.60	Н	-46.77	-46.99	6.78	-6.55	-13	-33.77
2544.90	Н	-26.36	-27.09	8.60	-7.88	-13	-13.36



Page 366 of 492

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Operation Mode:	LTEB12 5M QPSK 1.24	Test Date :	2017/9/8
Fundamental Frequency:	701.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
30.97	S	-69.25	-46.77	-21.66	-0.82	-13	-56.25
80.44	S	-71.33	-68.40	-1.71	-1.22	-13	-58.33
507.24	S	-66.86	-67.64	4.03	-3.25	-13	-53.86
731.31	S	-38.05	-39.27	5.12	-3.90	-13	-25.05
747.80	S	-53.96	-55.19	5.16	-3.93	-13	-40.96
938.89	S	-57.42	-58.30	5.37	-4.50	-13	-44.42
1403.00	Н	-57.80	-57.38	5.48	-5.91	-13	-44.80
2104.50	Н	-54.51	-55.37	8.15	-7.30	-13	-41.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279


台灣檢驗科技股份有限公司

www.tw.sgs.com



Page 367 of 492


Operation Mode:	LTEB12 5M QPSK 1.24	Test Date :	2017/9/8
Fundamental Frequency:	701.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
414.12	S	-68.29	-68.68	3.32	-2.93	-13	-55.29
541.19	S	-67.30	-67.90	3.98	-3.38	-13	-54.30
634.31	S	-66.34	-67.21	4.53	-3.66	-13	-53.34
729.37	S	-59.87	-61.09	5.12	-3.90	-13	-46.87
746.83	S	-63.22	-64.45	5.15	-3.93	-13	-50.22
935.98	S	-62.10	-62.97	5.36	-4.49	-13	-49.10
1403.00	Н	-54.05	-53.63	5.48	-5.91	-13	-41.05
2104.50	Н	-55.48	-56.33	8.15	-7.30	-13	-42.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Mode:	LTEB12 5M QPSK 1.24	Test Date :	2017/9/8
Fundamental Frequency:	707.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
570.29	S	-63.29	-63.95	4.11	-3.46	-13	-50.29
612.00	S	-62.56	-63.35	4.39	-3.61	-13	-49.56
730.34	S	-57.97	-59.19	5.12	-3.90	-13	-44.97
746.83	S	-54.34	-55.56	5.15	-3.93	-13	-41.34
837.04	S	-62.30	-63.17	5.09	-4.23	-13	-49.30
935.01	S	-58.21	-59.08	5.36	-4.49	-13	-45.21
1415.00	Н	-56.39	-55.99	5.54	-5.93	-13	-43.39
2122.50	Н	-52.41	-53.26	8.17	-7.32	-13	-39.41






Operation Mode:	LTEB12 5M QPSK 1.24	Test Date :	2017/9/8
Fundamental Frequency:	707.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
543.13	S	-66.78	-67.37	3.98	-3.39	-13	-53.78
635.28	S	-66.32	-67.19	4.53	-3.66	-13	-53.32
729.37	S	-58.77	-59.99	5.12	-3.90	-13	-45.77
746.83	S	-63.64	-64.87	5.15	-3.93	-13	-50.64
901.06	S	-63.31	-64.14	5.24	-4.41	-13	-50.31
938.89	S	-61.55	-62.42	5.37	-4.50	-13	-48.55
1415.00	Н	-54.32	-53.93	5.54	-5.93	-13	-41.32
2122.50	Н	-50.89	-51.74	8.17	-7.32	-13	-37.89






Operation Mode:	LTEB12 5M QPSK 1.24	Test Date :	2017/9/8
Fundamental Frequency:	713.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
418.00	S	-66.08	-66.49	3.35	-2.94	-13	-53.08
562.53	S	-63.18	-63.80	4.06	-3.44	-13	-50.18
626.55	S	-63.30	-64.14	4.48	-3.64	-13	-50.30
730.34	S	-42.82	-44.04	5.12	-3.90	-13	-29.82
746.83	S	-51.46	-52.68	5.15	-3.93	-13	-38.46
934.04	S	-58.54	-59.41	5.36	-4.48	-13	-45.54
1427.00	Н	-57.55	-57.18	5.60	-5.96	-13	-44.55
2140.50	Н	-49.40	-50.24	8.19	-7.35	-13	-36.40






Operation Mode:	LTEB12 5M QPSK 1.24	Test Date :	2017/9/8
Fundamental Frequency:	713.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol.:	Horizontal



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
482.99	S	-67.43	-68.17	3.90	-3.16	-13	-54.43
638.19	S	-66.23	-67.12	4.55	-3.67	-13	-53.23
730.34	S	-42.53	-43.75	5.12	-3.90	-13	-29.53
746.83	S	-41.18	-42.40	5.15	-3.93	-13	-28.18
795.33	S	-63.98	-65.10	5.21	-4.10	-13	-50.98
935.01	S	-62.01	-62.88	5.36	-4.49	-13	-49.01
1427.00	Н	-58.83	-58.47	5.60	-5.96	-13	-45.83
2140.50	Н	-48.46	-49.30	8.19	-7.35	-13	-35.46

台灣檢驗科技股份有限公司


t (886-2) 2299-3279





Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)


Operation Mode :	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
34.85	S	-76.07	-56.94	-18.29	-0.84	-13	-63.07
572.23	S	-76.67	-77.33	4.13	-3.47	-13	-63.67
729.37	S	-61.31	-62.53	5.12	-3.90	-13	-48.31
746.83	S	-62.22	-63.44	5.15	-3.93	-13	-49.22
938.89	S	-61.28	-62.16	5.37	-4.50	-13	-48.28
949.56	S	-68.04	-68.92	5.41	-4.52	-13	-55.04
1559.00	Н	-54.98	-54.92	6.20	-6.26	-13	-41.98
2398.50	Н	-56.99	-57.73	8.45	-7.71	-13	-43.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
585.81	S	-79.63	-80.34	4.22	-3.51	-13	-66.63
730.34	S	-61.26	-62.48	5.12	-3.90	-13	-48.26
747.80	S	-61.05	-62.27	5.16	-3.93	-13	-48.05
784.66	S	-75.36	-76.49	5.20	-4.07	-13	-62.36
937.92	S	-63.52	-64.40	5.37	-4.49	-13	-50.52
949.56	S	-71.47	-72.36	5.41	-4.52	-13	-58.47
1559.00	Н	-54.70	-54.64	6.20	-6.26	-13	-41.70
2398.50	Н	-58.01	-58.75	8.45	-7.71	-13	-45.01






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
413.15	S	-80.89	-81.28	3.31	-2.93	-13	-67.89
576.11	S	-75.49	-76.16	4.15	-3.48	-13	-62.49
730.34	S	-60.81	-62.03	5.12	-3.90	-13	-47.81
746.83	S	-58.72	-59.94	5.15	-3.93	-13	-45.72
839.95	S	-73.81	-74.65	5.08	-4.24	-13	-60.81
938.89	S	-61.84	-62.72	5.37	-4.50	-13	-48.84
1564.00	Н	-53.62	-53.56	6.22	-6.27	-13	-40.62
2346.00	Н	-38.46	-39.22	8.40	-7.64	-13	-25.46


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
34.85	S	-63.94	-44.81	-18.29	-0.84	-13	-50.94
368.53	S	-82.72	-83.33	3.35	-2.74	-13	-69.72
645.95	S	-78.74	-79.65	4.60	-3.69	-13	-65.74
730.34	S	-63.05	-64.27	5.12	-3.90	-13	-50.05
747.80	S	-63.60	-64.82	5.16	-3.93	-13	-50.60
938.89	S	-63.58	-64.45	5.37	-4.50	-13	-50.58
1564.00	Н	-53.19	-53.14	6.22	-6.27	-13	-40.19
2346.00	Н	-37.47	-38.23	8.40	-7.64	-13	-24.47






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
562.53	S	-76.37	-76.99	4.06	-3.44	-13	-63.37
637.22	S	-75.95	-76.83	4.54	-3.66	-13	-62.95
730.34	S	-58.45	-59.67	5.12	-3.90	-13	-45.45
746.83	S	-59.04	-60.27	5.15	-3.93	-13	-46.04
853.53	S	-74.23	-75.01	5.06	-4.28	-13	-61.23
938.89	S	-62.86	-63.74	5.37	-4.50	-13	-49.86
1569.00	Н	-55.03	-54.99	6.24	-6.28	-13	-42.03
2353.50	Н	-38.91	-39.66	8.40	-7.65	-13	-25.91






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
585.81	S	-79.94	-80.65	4.22	-3.51	-13	-66.94
730.34	S	-60.83	-62.05	5.12	-3.90	-13	-47.83
747.80	S	-60.84	-62.06	5.16	-3.93	-13	-47.84
800.18	S	-76.17	-77.28	5.22	-4.11	-13	-63.17
938.89	S	-65.09	-65.97	5.37	-4.50	-13	-52.09
949.56	S	-70.76	-71.65	5.41	-4.52	-13	-57.76
1569.00	Н	-54.84	-54.80	6.24	-6.28	-13	-41.84
2353.50	Н	-36.44	-37.19	8.40	-7.65	-13	-23.44


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
766.07	S	-60.62	-61.81	5.18	-3.99	-35	-25.62






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
772.91	S	-63.28	-64.44	5.19	-4.02	-35	-28.28

t (886-2) 2299-3279 www.tw.sgs.com






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
763.84	S	-54.36	-55.56	5.18	-3.99	-35	-19.36






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
763.24	S	-63.22	-64.41	5.18	-3.98	-35	-28.22






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
764.82	S	-61.09	-62.28	5.18	-3.99	-35	-26.09

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




	Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
				Level	Gain	Loss	@3m	
	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
Ī	770.88	S	-63.83	-65.00	5.19	-4.01	-35	-28.83






Operation Mode :	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
801.26	S	-62.29	-63.39	5.22	-4.11	-35	-27.29






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
793.70	S	-57.77	-58.89	5.21	-4.10	-35	-22.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
802.66	S	-59.63	-60.72	5.21	-4.12	-35	-24.63






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
797.00	S	-63.04	-64.15	5.22	-4.10	-35	-28.04






Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
797.43	S	-61.00	-62.11	5.22	-4.10	-35	-26.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode:	LTEB13 5M 16QAM 1.0	Test Date :	2017/9/8
Fundamental Frequency:	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
797.60	S	-63.32	-64.43	5.22	-4.11	-35	-28.32




Page 390 of 492

LTEB17 5M 16QAM 1.0 Operation Mode: Test Date: 2017/11/18

Fundamental Frequency: 706.5 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
97.90	S	-54.14	-49.66	-3.11	-1.36	-13.01	-41.13
166.77	S	-56.01	-56.38	2.17	-1.81	-13.01	-43.00
183.26	S	-52.38	-54.30	3.82	-1.90	-13.01	-39.37
215.27	S	-54.32	-56.26	4.01	-2.07	-13.01	-41.31
319.06	S	-54.81	-55.73	3.48	-2.56	-13.01	-41.80
935.98	S	-56.53	-57.41	5.36	-4.49	-13.01	-43.52
1413.00	Н	-56.51	-56.11	5.53	-5.93	-13.01	-43.50
2119.50	Н	-43.30	-44.16	8.17	-7.32	-13.01	-30.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 391 of 492

Operation Mode: LTEB17 5M 16QAM 1.0 Test Date: 2017/11/18

Fundamental Frequency: 706.5 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
32.91	S	-56.52	-35.72	-19.97	-0.83	-13.01	-43.51
97.90	S	-62.95	-58.47	-3.11	-1.36	-13.01	-49.94
149.31	S	-65.93	-64.40	0.18	-1.71	-13.01	-52.92
228.85	S	-56.69	-58.20	3.64	-2.13	-13.01	-43.68
339.43	S	-52.42	-53.23	3.45	-2.64	-13.01	-39.41
935.01	S	-60.50	-61.38	5.36	-4.49	-13.01	-47.49
1413.00	Н	-50.92	-50.53	5.53	-5.93	-13.01	-37.91
2119.50	Н	-34.30	-35.15	8.17	-7.32	-13.01	-21.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 392 of 492

Operation Mode: LTEB17 5M 16QAM 1.0 Test Date: 2017/11/18

Fundamental Frequency: 710 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
103.72	S	-38.81	-33.96	-3.44	-1.41	-13.01	-25.80
180.35	S	-58.79	-60.59	3.69	-1.88	-13.01	-45.78
231.76	S	-52.74	-54.11	3.51	-2.15	-13.01	-39.73
321.97	S	-58.51	-59.42	3.47	-2.57	-13.01	-45.50
518.88	S	-66.74	-67.44	4.01	-3.30	-13.01	-53.73
935.98	S	-58.17	-59.04	5.36	-4.49	-13.01	-45.16
1420.00	Н	-57.60	-57.22	5.57	-5.95	-13.01	-44.59
2130.00	Н	-51.14	-51.99	8.18	-7.34	-13.01	-38.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page 393 of 492

Operation Mode: LTEB17 5M 16QAM 1.0 Test Date: 2017/11/18

Fundamental Frequency: 710 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
33.88	S	-56.62	-36.65	-19.13	-0.84	-13.01	-43.61
96.93	S	-65.79	-61.42	-3.01	-1.36	-13.01	-52.78
216.24	S	-57.42	-59.36	4.01	-2.07	-13.01	-44.41
296.75	S	-57.18	-58.20	3.47	-2.45	-13.01	-44.17
353.01	S	-55.47	-56.21	3.43	-2.69	-13.01	-42.46
935.01	S	-62.18	-63.05	5.36	-4.49	-13.01	-49.17
1420.00	Н	-50.67	-50.29	5.57	-5.95	-13.01	-37.66
2130.00	Н	-53.45	-54.29	8.18	-7.34	-13.01	-40.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 394 of 492

Operation Mode: LTEB17 5M 16QAM 1.0 Test Date: 2017/11/18

Fundamental Frequency: 713.5 MHz Temp. / Humi. : 22.7deg_C/57RH

Tx CH High Operation Band: Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
58.13	S	-48.49	-43.53	-3.92	-1.03	-13.01	-35.48
181.32	S	-52.30	-54.14	3.73	-1.89	-13.01	-39.29
234.67	S	-54.96	-56.19	3.39	-2.16	-13.01	-41.95
308.39	S	-54.00	-54.99	3.49	-2.50	-13.01	-40.99
364.65	S	-62.65	-63.30	3.37	-2.73	-13.01	-49.64
515.00	S	-67.52	-68.25	4.02	-3.29	-13.01	-54.51
1427.00	Н	-55.46	-55.10	5.60	-5.96	-13.01	-42.45
2140.50	Н	-46.17	-47.01	8.19	-7.35	-13.01	-33.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 395 of 492

Operation Mode: LTEB17 5M 16QAM 1.0 Test Date: 2017/11/18

Fundamental Frequency: 713.5 MHz Temp. / Humi. : 22.7deg_C/57RH

Tx CH High Operation Band: Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
33.88	S	-57.22	-37.25	-19.13	-0.84	-13.01	-44.21
97.90	S	-66.57	-62.09	-3.11	-1.36	-13.01	-53.56
132.82	S	-57.58	-53.87	-2.11	-1.60	-13.01	-44.57
216.24	S	-58.83	-60.76	4.01	-2.07	-13.01	-45.82
337.49	S	-54.13	-54.95	3.46	-2.63	-13.01	-41.12
526.64	S	-60.51	-61.18	4.00	-3.34	-13.01	-47.50
1427.00	Н	-49.84	-49.47	5.60	-5.96	-13.01	-36.83
2140.50	Н	-52.32	-53.16	8.19	-7.35	-13.01	-39.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 396 of 492

LTEB25 10M QPSK 1.0 Test Date: Operation Mode: 2017/11/17

Fundamental Frequency: 1855 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
97.90	S	-52.36	-49.95	-1.04	-1.36	-13	-39.36
175.50	S	-48.16	-51.22	4.92	-1.86	-13	-35.16
235.64	S	-50.07	-53.71	5.80	-2.17	-13	-37.07
515.97	S	-58.24	-61.44	6.50	-3.29	-13	-45.24
770.11	S	-54.64	-58.36	7.74	-4.01	-13	-41.64
936.95	S	-53.77	-57.23	7.95	-4.49	-13	-40.77
3710.00	Н	-41.93	-45.45	12.43	-8.91	-13	-28.93
5565.00	Н	-38.68	-41.35	13.01	-10.34	-13	-25.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司




Page 397 of 492

Operation Mode: LTEB25 10M QPSK 1.0 Test Date: 2017/11/17

Fundamental Frequency: 1855 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
100.81	S	-50.70	-48.00	-1.32	-1.39	-13	-37.70
181.32	S	-50.87	-54.46	5.48	-1.89	-13	-37.87
254.07	S	-49.68	-52.31	4.90	-2.27	-13	-36.68
328.76	S	-48.93	-52.27	5.93	-2.60	-13	-35.93
548.95	S	-57.14	-60.25	6.52	-3.41	-13	-44.14
776.90	S	-55.62	-59.33	7.74	-4.04	-13	-42.62
3710.00	Н	-45.50	-49.02	12.43	-8.91	-13	-32.50
5565.00	Н	-45.21	-47.88	13.01	-10.34	-13	-32.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 398 of 492

Operation Mode: LTEB25 10M QPSK 1.0 Test Date: 2017/11/17

Fundamental Frequency: 1882.5 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Enzo EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
31.94	S	-35.07	-15.46	-18.78	-0.83	-13	-22.07
66.86	S	-37.66	-36.24	-0.31	-1.11	-13	-24.66
91.11	S	-48.74	-47.20	-0.24	-1.31	-13	-35.74
181.32	S	-46.60	-50.19	5.48	-1.89	-13	-33.60
314.21	S	-37.97	-41.33	5.89	-2.53	-13	-24.97
944.71	S	-52.47	-55.92	7.96	-4.51	-13	-39.47
3765.00	Н	-44.35	-47.86	12.46	-8.95	-13	-31.35
5647.50	Н	-43.63	-46.25	13.03	-10.41	-13	-30.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 399 of 492

LTEB25 10M QPSK 1.0 Test Date: Operation Mode: 2017/11/17

Fundamental Frequency: 1882.5 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
111.48	S	-39.61	-36.56	-1.59	-1.46	-13	-26.61
174.53	S	-46.01	-48.97	4.82	-1.85	-13	-33.01
253.10	S	-48.87	-51.57	4.96	-2.27	-13	-35.87
340.40	S	-48.89	-52.22	5.96	-2.64	-13	-35.89
550.89	S	-54.90	-58.02	6.53	-3.41	-13	-41.90
616.85	S	-55.76	-59.18	7.04	-3.62	-13	-42.76
3765.00	Н	-46.78	-50.29	12.46	-8.95	-13	-33.78
5647.50	Н	-46.42	-49.04	13.03	-10.41	-13	-33.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 400 of 492

Operation Mode: LTEB25 10M QPSK 1.0 Test Date: 2017/11/17

Fundamental Frequency: 1910 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
99.84	S	-52.55	-49.90	-1.27	-1.38	-13	-39.55
117.30	S	-51.98	-49.16	-1.33	-1.49	-13	-38.98
174.53	S	-48.33	-51.29	4.82	-1.85	-13	-35.33
253.10	S	-48.44	-51.14	4.96	-2.27	-13	-35.44
327.79	S	-52.73	-56.07	5.93	-2.59	-13	-39.73
557.68	S	-52.09	-55.26	6.59	-3.43	-13	-39.09
3820.00	Н	-44.00	-47.50	12.49	-8.98	-13	-31.00
5730.00	Н	-35.47	-38.04	13.05	-10.48	-13	-22.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 401 of 492

Operation Mode: LTEB25 10M QPSK 1.0 Test Date: 2017/11/17

Fundamental Frequency: 1910 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
100.81	S	-56.00	-53.29	-1.32	-1.39	-13	-43.00
179.38	S	-49.26	-52.73	5.35	-1.88	-13	-36.26
253.10	S	-49.08	-51.78	4.96	-2.27	-13	-36.08
334.58	S	-50.07	-53.40	5.95	-2.62	-13	-37.07
547.98	S	-57.53	-60.64	6.52	-3.40	-13	-44.53
771.08	S	-56.88	-60.60	7.74	-4.01	-13	-43.88
3820.00	Н	-46.14	-49.65	12.49	-8.98	-13	-33.14
5730.00	Н	-34.24	-36.81	13.05	-10.48	-13	-21.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 402 of 492

Radiated Spurious Emission Measurement Result: LTE-Band 26 (The Worst Case)

Operation Mode :	LTEB26 1.4M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	824.7 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
571.26	S	-61.53	-62.18	4.12	-3.46	-13	-48.53
663.41	S	-62.04	-63.05	4.74	-3.73	-13	-49.04
729.37	S	-53.29	-54.51	5.12	-3.90	-13	-40.29
746.83	S	-38.38	-39.60	5.15	-3.93	-13	-25.38
851.59	S	-62.13	-62.91	5.06	-4.28	-13	-49.13
938.89	S	-55.55	-56.42	5.37	-4.50	-13	-42.55
1649.40	Н	-62.37	-62.49	6.58	-6.45	-13	-49.37
2474.10	Н	-45.26	-45.99	8.52	-7.80	-13	-32.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司






Operation Mode:	LTEB26 1.4M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	824.7 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.30	-34.66	-20.82	-0.83	-13	-43.30
413.15	S	-67.63	-68.01	3.31	-2.93	-13	-54.63
571.26	S	-66.68	-67.34	4.12	-3.46	-13	-53.68
730.34	S	-53.33	-54.55	5.12	-3.90	-13	-40.33
746.83	S	-38.81	-40.03	5.15	-3.93	-13	-25.81
938.89	S	-60.36	-61.24	5.37	-4.50	-13	-47.36
1649.40	Н	-60.81	-60.94	6.58	-6.45	-13	-47.81
2474.10	Н	-38.23	-38.96	8.52	-7.80	-13	-25.23

t (886-2) 2299-3279






Operation Mode:	LTEB26 1.4M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
427.70	S	-66.95	-67.41	3.43	-2.97	-13	-53.95
596.48	S	-62.82	-63.56	4.30	-3.56	-13	-49.82
693.48	S	-62.55	-63.75	5.00	-3.81	-13	-49.55
730.34	S	-51.65	-52.87	5.12	-3.90	-13	-38.65
745.86	S	-37.96	-39.18	5.15	-3.93	-13	-24.96
938.89	S	-56.83	-57.71	5.37	-4.50	-13	-43.83
1673.00	Н	-59.56	-59.74	6.68	-6.50	-13	-46.56
2509.50	Н	-37.59	-38.32	8.56	-7.84	-13	-24.59






Operation Mode:	LTEB26 1.4M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.17	-34.53	-20.82	-0.83	-13	-43.17
421.88	S	-67.47	-67.90	3.38	-2.96	-13	-54.47
583.87	S	-66.28	-66.98	4.21	-3.51	-13	-53.28
729.37	S	-56.50	-57.72	5.12	-3.90	-13	-43.50
742.95	S	-40.05	-41.27	5.15	-3.92	-13	-27.05
938.89	S	-59.77	-60.65	5.37	-4.50	-13	-46.77
1673.00	Н	-52.23	-52.40	6.68	-6.50	-13	-39.23
2509.50	Н	-28.37	-29.09	8.56	-7.84	-13	-15.37

www.tw.sgs.com






Operation Mode:	LTEB26 1.4M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	848.3 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
202.66	S	-69.63	-71.46	3.84	-2.00	-13	-56.63
417.03	S	-65.44	-65.84	3.34	-2.94	-13	-52.44
580.96	S	-62.98	-63.67	4.19	-3.49	-13	-49.98
730.34	S	-53.83	-55.05	5.12	-3.90	-13	-40.83
742.95	S	-34.62	-35.85	5.15	-3.92	-13	-21.62
938.89	S	-56.05	-56.92	5.37	-4.50	-13	-43.05
1696.60	Н	-56.94	-57.17	6.78	-6.55	-13	-43.94
2544.90	Н	-38.49	-39.21	8.60	-7.88	-13	-25.49





Operation Mode :	LTEB26 1.4M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	848.3 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
411.21	S	-67.02	-67.39	3.29	-2.92	-13	-54.02
591.63	S	-66.88	-67.60	4.26	-3.54	-13	-53.88
729.37	S	-60.57	-61.79	5.12	-3.90	-13	-47.57
746.83	S	-44.05	-45.28	5.15	-3.93	-13	-31.05
842.86	S	-63.59	-64.42	5.07	-4.25	-13	-50.60
939.86	S	-62.02	-62.90	5.38	-4.50	-13	-49.02
1696.60	Н	-45.13	-45.35	6.78	-6.55	-13	-32.13
2544.90	Н	-28.49	-29.21	8.60	-7.88	-13	-15.49



Page 408 of 492

Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)

Operation Mode :	LTEB26Part90 10M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	819 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
79.47	S	-71.42	-68.51	-1.69	-1.22	-13	-58.42
243.40	S	-68.66	-69.50	3.04	-2.21	-13	-55.66
579.99	S	-63.24	-63.93	4.18	-3.49	-13	-50.24
746.83	S	-40.63	-41.86	5.15	-3.93	-13	-27.63
797.27	S	-62.72	-63.84	5.22	-4.10	-13	-49.72
939.86	S	-57.63	-58.51	5.38	-4.50	-13	-44.63
1638.00	Н	-54.32	-54.42	6.53	-6.43	-13	-41.32
2457.00	Н	-37.47	-38.20	8.51	-7.78	-13	-24.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司





Operation Mode:	LTEB26Part90 10M QPSK 1.0	Test Date :	2017/9/8
Fundamental Frequency:	819 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer:	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-56.89	-35.25	-20.82	-0.83	-13	-43.89
409.27	S	-67.96	-68.32	3.28	-2.92	-13	-54.96
588.72	S	-66.74	-67.46	4.24	-3.52	-13	-53.74
730.34	S	-63.29	-64.51	5.12	-3.90	-13	-50.29
746.83	S	-46.51	-47.73	5.15	-3.93	-13	-33.51
938.89	S	-61.72	-62.59	5.37	-4.50	-13	-48.72
1638.00	Н	-54.32	-54.42	6.53	-6.43	-13	-41.32
2457.00	Н	-30.63	-31.36	8.51	-7.78	-13	-17.63




Page 410 of 492

LTEB30 10M QPSK 1.0 Operation Mode: Test Date: 2017/11/18

Fundamental Frequency: 2310 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
96.93	S	-54.39	-52.11	-0.93	-1.36	-13.01	-41.38
181.32	S	-51.47	-55.06	5.48	-1.89	-13.01	-38.46
216.24	S	-54.73	-58.90	6.24	-2.07	-13.01	-41.72
316.15	S	-53.66	-57.01	5.90	-2.54	-13.01	-40.65
774.96	S	-61.24	-64.95	7.74	-4.03	-13.01	-48.23
935.01	S	-56.05	-59.51	7.94	-4.49	-13.01	-43.04
4620.00	Н	-31.58	-34.54	12.58	-9.61	-13.01	-18.57
6930.00	Н	-31.15	-31.97	12.04	-11.22	-13.01	-18.14
9240.00	Н	-25.03	-24.26	11.56	-12.33	-13.01	-12.02
11550.00	Н	-34.74	-32.63	11.53	-13.64	-13.01	-21.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 411 of 492

Operation Mode: LTEB30 10M QPSK 1.0 Test Date: 2017/11/18

Fundamental Frequency: 2310 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	<u>dB</u>
100.81	S	-59.98	-57.27	-1.32	-1.39	-13.01	-46.97
167.74	S	-67.48	-69.73	4.06	-1.82	-13.01	-54.47
217.21	S	-57.19	-61.39	6.27	-2.08	-13.01	-44.18
341.37	S	-53.82	-57.14	5.97	-2.65	-13.01	-40.81
557.68	S	-65.35	-68.51	6.59	-3.43	-13.01	-52.34
935.01	S	-59.90	-63.36	7.94	-4.49	-13.01	-46.89
4620.00	Н	-33.45	-36.41	12.58	-9.61	-13.01	-20.44
6930.00	Н	-37.43	-38.26	12.04	-11.22	-13.01	-24.42
9240.00	Н	-29.06	-28.29	11.56	-12.33	-13.01	-16.05
11550.00	Н	-38.90	-36.79	11.53	-13.64	-13.01	-25.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 412 of 492

Operation Mode: LTEB41 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 2506 MHz Temp. / Humi. : 22.7deg_C/57RH Operation Band: Test Engineer: Tx CH Low Ashton

EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
91.11	S	-51.64	-50.09	-0.24	-1.31	-13	-38.64
176.47	S	-56.17	-59.34	5.03	-1.86	-13	-43.17
249.22	S	-57.21	-60.17	5.20	-2.25	-13	-44.21
325.85	S	-61.69	-65.03	5.92	-2.58	-13	-48.69
582.90	S	-62.80	-66.12	6.82	-3.50	-13	-49.80
936.95	S	-59.89	-63.34	7.95	-4.49	-13	-46.89
5012.00	Н	-35.15	-37.73	12.51	-9.93	-13	-22.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 413 of 492

Operation Mode: LTEB41 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 2506 MHz Temp. / Humi. : 22.7deg_C/57RH Operation Band: Test Engineer: Tx CH Low Ashton

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
30.97	S	-56.28	-35.89	-19.56	-0.82	-13	-43.28
91.11	S	-54.17	-52.63	-0.24	-1.31	-13	-41.17
180.35	S	-58.75	-62.30	5.43	-1.88	-13	-45.75
251.16	S	-59.33	-62.16	5.09	-2.26	-13	-46.33
325.85	S	-60.90	-64.24	5.92	-2.58	-13	-47.90
547.98	S	-65.49	-68.60	6.52	-3.40	-13	-52.49
5012.00	Н	-42.26	-44.84	12.51	-9.93	-13	-29.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

台灣檢驗科技股份有限公司

www.tw.sqs.com




Page 414 of 492

Operation Mode: LTEB41 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 2593 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
91.11	S	-56.02	-54.47	-0.24	-1.31	-13	-43.02
181.32	S	-58.32	-61.91	5.48	-1.89	-13	-45.32
238.55	S	-61.36	-64.86	5.68	-2.18	-13	-48.36
641.10	S	-63.36	-66.82	7.13	-3.67	-13	-50.36
772.05	S	-60.01	-63.73	7.74	-4.02	-13	-47.01
932.10	S	-61.02	-64.48	7.94	-4.48	-13	-48.02
5186.00	Н	-35.66	-38.29	12.69	-10.06	-13	-22.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 415 of 492

Operation Mode: LTEB41 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 2593 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
33.88	S	-57.25	-39.20	-17.21	-0.84	-13	-44.25
102.75	S	-65.37	-62.58	-1.39	-1.40	-13	-52.37
181.32	S	-59.01	-62.60	5.48	-1.89	-13	-46.01
253.10	S	-59.81	-62.51	4.96	-2.27	-13	-46.81
340.40	S	-61.11	-64.43	5.96	-2.64	-13	-48.11
463.59	S	-65.58	-68.82	6.33	-3.09	-13	-52.58
5186.00	Н	-40.28	-42.91	12.69	-10.06	-13	-27.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 416 of 492


Operation Mode: LTEB41 20M 64QAM 1.99 Test Date:

Fundamental Frequency: 2680 MHz Operation Band: Tx CH High

EUT Pol.: E2 2017/11/18

Temp. / Humi. : 22.7deg_C/57RH

Test Engineer: Ashton Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
31.94	S	-63.95	-44.34	-18.78	-0.83	-13	-50.95
91.11	S	-56.80	-55.25	-0.24	-1.31	-13	-43.80
176.47	S	-59.47	-62.64	5.03	-1.86	-13	-46.47
240.49	S	-63.22	-66.62	5.59	-2.19	-13	-50.22
657.59	S	-62.97	-66.50	7.25	-3.72	-13	-49.97
951.50	S	-60.25	-63.69	7.97	-4.52	-13	-47.25
5360.00	Н	-33.75	-36.43	12.86	-10.18	-13	-20.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




2017/11/18

Page 417 of 492

Operation Mode: LTEB41 20M 64QAM 1.99 Test Date:

Fundamental Frequency: 2680 MHz Temp. / Humi. : 22.7deg_C/57RH

Tx CH High Operation Band: Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
33.88	S	-58.72	-40.67	-17.21	-0.84	-13	-45.72
91.11	S	-52.79	-51.24	-0.24	-1.31	-13	-39.79
100.81	S	-57.37	-54.66	-1.32	-1.39	-13	-44.37
251.16	S	-57.77	-60.61	5.09	-2.26	-13	-44.77
343.31	S	-58.39	-61.71	5.97	-2.65	-13	-45.39
775.93	S	-64.03	-67.74	7.74	-4.03	-13	-51.03
5360.00	Н	-25.99	-28.66	12.86	-10.18	-13	-12.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 418 of 492

Operation Mode: LTEB66 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 1720 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
64.92	S	-61.76	-60.09	-0.57	-1.09	-13.01	-48.75
100.81	S	-55.29	-52.59	-1.32	-1.39	-13.01	-42.28
180.35	S	-51.31	-54.86	5.43	-1.88	-13.01	-38.30
217.21	S	-53.83	-58.03	6.27	-2.08	-13.01	-40.82
232.73	S	-54.03	-57.81	5.93	-2.15	-13.01	-41.02
304.51	S	-55.74	-59.12	5.86	-2.48	-13.01	-42.73
3440.00	Н	-49.31	-52.80	12.21	-8.73	-13.01	-36.30
5160.00	Н	-38.82	-41.45	12.69	-10.06	-13.01	-25.81
6880.00	Н	-44.58	-45.41	12.05	-11.21	-13.01	-31.57
8600.00	Н	-35.24	-35.20	12.02	-12.05	-13.01	-22.23
10320.00	Н	-38.33	-36.65	11.18	-12.86	-13.01	-25.32
12040.00	Н	-37.54	-36.50	12.90	-13.94	-13.01	-24.53
13760.00	Н	-34.97	-32.48	12.40	-14.90	-13.01	-21.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 419 of 492

Operation Mode: LTEB66 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 1720 MHz Temp. / Humi. : 22.7deg_C/57RH Operation Band: Test Engineer: Tx CH Low Enzo

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
33.88	S	-58.18	-40.13	-17.21	-0.84	-13.01	-45.17
97.90	S	-66.59	-64.18	-1.04	-1.36	-13.01	-53.58
165.80	S	-68.11	-70.15	3.85	-1.80	-13.01	-55.10
217.21	S	-57.51	-61.71	6.27	-2.08	-13.01	-44.50
337.49	S	-53.57	-56.90	5.96	-2.63	-13.01	-40.56
935.98	S	-57.76	-61.22	7.94	-4.49	-13.01	-44.75
3440.00	Н	-52.36	-55.85	12.21	-8.73	-13.01	-39.35
5160.00	Н	-37.98	-40.60	12.69	-10.06	-13.01	-24.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 420 of 492

Operation Mode: LTEB66 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 1745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
97.90	S	-55.07	-52.66	-1.04	-1.36	-13.01	-42.06
181.32	S	-51.07	-54.66	5.48	-1.89	-13.01	-38.06
217.21	S	-57.02	-61.22	6.27	-2.08	-13.01	-44.01
303.54	S	-54.97	-58.35	5.86	-2.48	-13.01	-41.96
320.03	S	-55.05	-58.40	5.91	-2.56	-13.01	-42.04
935.01	S	-56.67	-60.13	7.94	-4.49	-13.01	-43.66
3490.00	Н	-45.28	-48.82	12.30	-8.76	-13.01	-32.27
5235.00	Н	-36.71	-39.36	12.76	-10.11	-13.01	-23.70
8725.00	Н	-37.06	-36.94	11.94	-12.06	-13.01	-24.05
10470.00	Н	-40.04	-38.14	11.09	-12.99	-13.01	-27.03
12215.00	Н	-33.12	-32.32	13.26	-14.06	-13.01	-20.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 421 of 492

Operation Mode: LTEB66 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 1745 MHz Temp. / Humi. : 22.7deg_C/57RH Operation Band: Tx CH Mid Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
30.97	S	-56.45	-36.07	-19.56	-0.82	-13.01	-43.44
100.81	S	-59.11	-56.41	-1.32	-1.39	-13.01	-46.10
166.77	S	-65.28	-67.43	3.96	-1.81	-13.01	-52.27
218.18	S	-55.41	-59.63	6.30	-2.08	-13.01	-42.40
335.55	S	-52.93	-56.26	5.95	-2.62	-13.01	-39.92
935.98	S	-60.53	-63.99	7.94	-4.49	-13.01	-47.52
3490.00	Н	-49.68	-53.22	12.30	-8.76	-13.01	-36.67
5235.00	Н	-35.62	-38.27	12.76	-10.11	-13.01	-22.61
8725.00	Н	-41.28	-41.16	11.94	-12.06	-13.01	-28.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 422 of 492

Operation Mode: LTEB66 20M 64QAM 1.99 Fundamental Frequency:


1770 MHz

Operation Band: Tx CH High

EUT Pol.: E2 Test Date: 2017/11/18

Temp. / Humi. : 22.7deg_C/57RH

Test Engineer: Enzo Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
101.78	S	-55.23	-52.48	-1.36	-1.39	-13.01	-42.22
181.32	S	-51.60	-55.19	5.48	-1.89	-13.01	-38.59
232.73	S	-57.09	-60.86	5.93	-2.15	-13.01	-44.08
301.60	S	-55.68	-59.06	5.86	-2.47	-13.01	-42.67
355.92	S	-60.04	-63.30	5.96	-2.70	-13.01	-47.03
626.55	S	-46.54	-49.98	7.08	-3.64	-13.01	-33.53
3540.00	Н	-45.87	-49.41	12.33	-8.80	-13.01	-32.86
5310.00	Н	-32.42	-35.09	12.84	-10.17	-13.01	-19.41
8850.00	Н	-37.34	-37.12	11.87	-12.09	-13.01	-24.33
10620.00	Н	-40.22	-38.11	11.00	-13.11	-13.01	-27.21
12390.00	Н	-30.65	-30.08	13.60	-14.17	-13.01	-17.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 423 of 492

Operation Mode: LTEB66 20M 64QAM 1.99 Test Date: 2017/11/18

Fundamental Frequency: 1770 MHz Temp. / Humi. : 22.7deg_C/57RH

Tx CH High Operation Band: Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm/m	dB
99.84	S	-60.55	-57.90	-1.27	-1.38	-13.01	-47.54
177.44	S	-63.66	-66.93	5.13	-1.87	-13.01	-50.65
220.12	S	-57.09	-61.35	6.35	-2.09	-13.01	-44.08
305.48	S	-53.69	-57.07	5.87	-2.49	-13.01	-40.68
336.52	S	-50.82	-54.15	5.95	-2.63	-13.01	-37.81
350.10	S	-52.83	-56.14	5.99	-2.68	-13.01	-39.82
3540.00	Н	-48.22	-51.75	12.33	-8.80	-13.01	-35.21
5310.00	Н	-39.16	-41.83	12.84	-10.17	-13.01	-26.15
8850.00	Н	-40.24	-40.02	11.87	-12.09	-13.01	-27.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 424 of 492


11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the properties of the company's provincing all their rights and obligations under the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 425 of 492

11.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and Conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 426 of 492

11.4. Measurement Equipment Used

in modearoment =	4. Mededicinent Equipment occa							
Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018			
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017			
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2017	06/12/2018			
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017			
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017			
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017			
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page 427 of 492

11.5. Measurement Result

FREQUENCY FRROR vs. VOI TAGE

I INEGOLIAO I EI	TREGOLITOT ERROR VS. VOLTAGE						
Reference Frequency: WCDMA II Mid Channel 1880 MHz							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency					
\	Temperature	(MHz)	Delta (Hz)	Limit (Hz)			
Vdc	()						
12.7	20	1879999991	-10	4700			
11.55	20	1880000001	7	4700			
10.4	20	1879999994	-17	4700			
9.6 (End point)	20	1880000011	-5	4700			

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA II Mid Channel 1880								
	Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency						
\	Temperature	(NALL_)	Delta (Hz)	Limit (Hz)				
Vdc	()	(MHz)						
11.55	50	1880999994	-5	4700				
11.55	40	1880999999	10	4700				
11.55	30	1880999989	-6	4700				
11.55	20	1880999995	9	4700				
11.55	10	1880999986	-3	4700				
11.55	0	1880999989	-4	4700				
11.55	-10	1880999993	-4	4700				
11.55	-20	1880999997	8	4700				
11.55	-30	1880999989	7	4700				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 428 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency					
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)			
12.7	20	1732599998	-10	4331			
11.55	20	1732600008	17	4331			
10.4	20	1732599991	-20	4331			
9.6 (End point)	20	1732600011	-4	4331			

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA II Mid Channel 1880							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency					
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)			
11.55	50	1732599981	-8	4331			
11.55	40	1732599989	7	4331			
11.55	30	1732599982	-11	4331			
11.55	20	1732599993	-4	4331			
11.55	10	1732599997	4	4331			
11.55	0	1732599993	-1	4331			
11.55	-10	1732599994	2	4331			
11.55	-20	1732599992	-1	4331			
11.55	-30	1732599993	6	4331			

t (886-2) 2299-3279



Page 429 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA V Mid Channel 836.6 MHz								
	Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency						
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)				
12.7	20	836599998	-6	2091				
11.55	20	836600004	3	2091				
10.4	20	836600001	5	2091				
9.6 (End point)	20	836599996	-2	2091				

FREQUENCY ERROR vs. TEMPERATURE

·								
Reference Frequency: WCDMA V Mid Channel 836.6 MHz								
	Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency						
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)				
11.55	50	836599991	-17	2091				
11.55	40	836600008	11	2091				
11.55	30	836599984	-13	2091				
11.55	20	836599997	-14	2091				
11.55	10	836600011	16	2091				
11.55	0	836599995	-6	2091				
11.55	-10	836600001	-7	2091				
11.55	-20	836600008	0	2091				
11.55	-30	836600008	7	2091				

台灣檢驗科技股份有限公司

www.tw.sqs.com



Page 430 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B2 Mid Channel	1880.0	MHz 20M QPSK CH 18900
		Limit: +/- 2.5	ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
12.7	25	1880.000006	4	4700
11.55	25	1880.000002	0	4700
10.4	25	1879.999999	-3	4700
9.6 (End Point)	25	1879.999995	-7	4700

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B2 Mid Chan- nel	1880.0	MHz 2	20M QPSK CH 18900
		Limit: +/-	- 2.5 ppm		
Power Supply	Environment	Frequency	Dolto (Uz)		Limit (Hz)
Vdc	Temperature ()	(MHz)	Delta (Hz)		LIIIII (FIZ)
11.55	-30	1880.000008	13		4700
11.55	-20	1880.000004	9		4700
11.55	-10	1880.000005	10		4700
11.55	0	1880.000004	9		4700
11.55	10	1880.000002	7		4700
11.55	20	1879.999995	0		4700
11.55	30	1879.999996	1		4700
11.55	40	1879.999997	2		4700
11.55	50	1879.999996	1		4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 431 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz 20M QPSK CH 20175		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
12.7	25	1732.5	2	4331		
11.55	25	1732.5	0	4331		
10.4	25	1732.5	-5	4331		
9.6 (End Point)	25	1732.5	-7	4331		

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B4 Mid Channel	1732.5	MHz 20M QPSK CH 20175
		Limit: +/	'- 2.5 ppm	
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Uz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
11.55	-30	1732.5	11	4331
11.55	-20	1732.5	7	4331
11.55	-10	1732.5	8	4331
11.55	0	1732.5	6	4331
11.55	10	1732.5	5	4331
11.55	20	1732.5	0	4331
11.55	30	1732.5	1	4331
11.55	40	1732.5	-3	4331
11.55	50	1732.5	-3	4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Page 432 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525
		Limit: +/- 2	2.5 ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
12.7	25	836.500007	6	2091
11.55	25	836.500001	0	2091
10.4	25	836.499998	-3	2091
9.6 (End Point)	25	836.499994	-7	2091

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525
		Limit: +/- 2.5	ppm	
Power Supply	Environment	Frequency	Dolto (Hz)	Limit (Uz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
11.55	-30	836.500004	11	2091
11.55	-20	836.500008	15	2091
11.55	-10	836.500007	14	2091
11.55	0	836.500002	9	2091
11.55	10	836.500004	11	2091
11.55	20	836.499993	0	2091
11.55	30	836.499999	6	2091
11.55	40	836.499995	2	2091
11.55	50	836.499994	1	2091

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 433 of 492

FREQUENCY ERROR vs. VOLTAGE

		LTE B12 Mid		MHz 10M QPSK CH		
Reference	Frequency:	Channel	707.5	23095		
	Limit: +/- 2.5 ppm					
Power Sup- ply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
12.7	25	707.500009	6	1769		
11.55	25	707.500003	0	1769		
10.4	25	707.499994	-9	1769		
9.6 (End Point)	25	707.499993	-10	1769		

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B12 Mid Channel	707.5	MHz 10M QPSK CH 23095
		ا Limit: +/- 2.5	ppm	
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Uz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
11.55	-30	707.500005	14	1769
11.55	-20	707.500004	13	1769
11.55	-10	707.500008	17	1769
11.55	0	707.500005	14	1769
11.55	10	707.500006	15	1769
11.55	20	707.499991	0	1769
11.55	30	707.499997	6	1769
11.55	40	707.499993	2	1769
11.55	50	707.499992	1	1769

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 434 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
12.7	25	782.000005	-2	1955		
11.55	25	782.000007	0	1955		
10.4	25	781.999994	-13	1955		
9.6 (End Point)	25	781.999994	-13	1955		

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230
		ا Limit: +/- 2.5	opm	
Power Supply	Environment	Frequency	Dolto (Hz)	Limit (Uz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
11.55	-30	782.000007	10	1955
11.55	-20	782.000006	9	1955
11.55	-10	782.000005	8	1955
11.55	0	782.000004	7	1955
11.55	10	782.000006	9	1955
11.55	20	781.999997	0	1955
11.55	30	781.999995	-2	1955
11.55	40	781.999995	-2	1955
11.55	50	781.999996	-1	1955

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 435 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B26 Mid Channel	836.5	MHz 15M QPSK CH 26915
		Limit: +/- 2	2.5 ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
12.7	25	836.50001	5	2091
11.55	25	836.500005	0	2091
10.4	25	836.499991	-14	2091
9.6 (End Point)	25	836.499996	-9	2091

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequen- cy:		LTE B26 Mid Channel	836.5	MHz 15M QPSK CH 26915
		Limit: +/- 2.5	ppm	
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Uz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
11.55	-30	836.500008	12	2091
11.55	-20	836.500006	10	2091
11.55	-10	836.500004	8	2091
11.55	0	836.500003	7	2091
11.55	10	836.500008	12	2091
11.55	20	836.499996	0	2091
11.55	30	836.499993	-3	2091
11.55	40	836.499991	-5	2091
11.55	50	836.499996	0	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 436 of 492

FREQUENCY ERROR vs. VOLTAGE (LTE B26 for Part 90S)

Reference Frequency:		LTE B26 Mid Channel 819.0		MHz 1.4M QPSK CH 26740					
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency							
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)					
12.7	25	819	-4	2048					
11.55	25	819.00001	0	2048					
10.4	25	818.99999	-14	2048					
9.6 (End Point)	25	819	-12	2048					

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B26 Mid Channel	819.0	MHz 1.4M QPSK CH 26740						
	Limit: +/- 2.5 ppm									
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Uz)						
Vdc	Temperature ()	erature (MHz)		Limit (Hz)						
11.55	-30	819.00001	11	2048						
11.55	-20	819.00001	7	2048						
11.55	-10	819	6	2048						
11.55	0	819.00001	8	2048						
11.55	10	819	5	2048						
11.55	20	819	0	2048						
11.55	30	818.99999	-5	2048						
11.55	40	819	-2	2048						
11.55	50	819	-1	2048						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 437 of 492

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B38 Mid 2595.0 Channel		MHz 10M QPSK CH 38000					
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency							
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)					
12.7	25	2595	3	6488					
11.55	25	2595	0	6488					
10.4	25	2595	-9	6488					
9.6 (End Point)	25	2595	-10	6488					

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B38 Mid Channel	2595.0	MHz 10M QPSK CH 38000	
		Limit: +/- 2.5	opm		
Power Supply	Environment	Frequency	Dolto (Hz)	Limit (Uz)	
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
11.55	-30	2595	13	6488	
11.55	-20	2595	10	6488	
11.55	-10	2595	9	6488	
11.55	0	2595	11	6488	
11.55	10	2595	10	6488	
11.55	20	2595	0	6488	
11.55	30	2595	-2	6488	
11.55	40	2595	1	6488	
11.55	50	2595	4	6488	

Note: The battery is rated 11.55V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or https://www.sgs.com/terms are retained for 90 days only. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 438 of 492

12. **PEAK TO AVERAGE RATIO**

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. **Measurement Procedure**


- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. **Measurement Equipment Used**

Conduc	Conducted Emission (measured at antenna port) Test Site											
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.							
TYPE		NUMBER	NUMBER	CAL.								
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018							
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018							
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017							
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2017	06/12/2018							
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017							
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017							
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017							
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018							
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the source and refer on the sample(s) and refer only of the sample(s) and refer on the sample(s) are referred to source and refer on the sample(s) and refer on the sample(s) are referred to source and refer on the sample(s) are referred to source and referred to source and referred to source and refer on the sample(s) are referred to source and referred Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





12.5. **Measurement Result**

Tabular Results:

Freq.	СН		k-to-Averag Ratio (dB)	je		
(MHz)	СП	WCDMA II HSDPA II HSUPA				
1850.2	9262	3.34	4.18	3.73		
1880.0	9400	3.30	3.91	4.14		
1909.8	9538	2.98 4.01 3.93				

Freq.	O.I.		k-to-Averag Ratio (dB)	je			
(MHz)	СН	WCDMA V HSDPA V HSUPA V					
826.4	4132	3.26 4.08 3.89					
836.6	4183	2.97	3.65	3.74			
846.6	4233	2.88 3.75 3.89					

Freq.	CII		k-to-Averag Ratio (dB)	e
(MHz)	СН	WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	3.26	4.08	3.89
1732.6	1413	2.97	3.65	3.74
1752.6	1513	2.88	3.75	3.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 440 of 492

	LTE BAND 2											
Channel bandwidth: 1.4MHz						andwidth: 3MHz						
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	СН	Peak-to-Avera	ige Ratio (dB)					
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
1850.7	18607	6.17	13	1851.5	18615	6.07	13					
1880.0	18900	6.04	13	1880.0	18900	6.06	13					
1909.3	19193	6.15	13	1908.5	19185	6.04	13					

	LTE BAND 2											
	Channe	el bandwidth: 5M	Hz		Channel b	andwidth: 10MHz	7					
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	СН	Peak-to-Avera	ige Ratio (dB)					
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
1852.5	18625	6.08	13	1855.0	18650	6.06	13					
1880.0	18900	6.01	13	1880.0	18900	6.03	13					
1907.5	19175	5.99	13	1905.0	19150	6.07	13					

	LTE BAND 2											
	Channe	l bandwidth: 15N	ИHz		Channel b	andwidth: 20MHz	<u>'</u>					
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Avera	ige Ratio (dB)					
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
1857.5	18675	6.13	13	1860.0	18700	6.63	13					
1880.0	18900	6.19	13	1880.0	18900	6.83	13					
1902.5	19125	6.28	13	1900.0	19100	6.77	13					

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page 441 of 492

	LTE BAND 4											
	Chanr	nel bandwidth: 1.	4MHz		Channe	el bandwidth: 3M	Hz					
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	СН	Peak-to-Avera	erage Ratio (dB)					
(MHz)	Сп	64QAM	Limit	(MHz)	Сп	64QAM	Limit					
1710.7	19957	3.16	13	1711.5	19965	4.03	13					
1732.5	20175	3.61	13	1732.5	20175	4.36	13					
1754.3	20393	5.32	13	1753.5	20385	5.34	13					

	LTE BAND 4										
	Chan	nel bandwidth: 5	MHz	Channel bandwidth: 10MHz							
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	СН	Peak-to-Avera	ige Ratio (dB)				
(MHz)	Сп	64QAM	Limit	(MHz)	СП	64QAM	Limit				
1712.5	19957	4.05	13	1715.0	20000	5.03	13				
1732.5	20175	4.29	13	1732.5	20175	5.16	13				
1752.5	20375	5.28	13	1750.0	20350	5.19	13				

	LTE BAND 4											
Channel bandwidth: 15MHz Channel bandwidth: 20MHz												
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СП	Peak-to-Avera	age Ratio (dB)					
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit					
1717.5	20025	6.36	13	1720.0	20050	6.74	13					
1732.5	20175	5.84	13	1732.5	20175	6.52	13					
1747.5	20325	5.98	13	1745.0	20300	6.64	13					

	LTE BAND 5											
	Channe	l bandwidth: 1.4N	ЛHz	Channel bandwidth: 3MHz								
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	Peak-to-Avera	age Ratio (dB)						
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit					
824.7	20407	5.69	13	825.5	20415	6.22	13					
836.5	20525	5.65	13	836.5	20525	5.87	13					
848.3	20643	5.38	13	847.5	20635	5.69	13					

	LTE BAND 5											
	Channe	el bandwidth: 5M	Hz	Channel bandwidth: 10MHz								
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	СН	Peak-to-Avera	ige Ratio (dB)					
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
826.5	20425	6.10	13	829.0	20450	6.04	13					
836.5	20525	5.82	13	836.5	20525	6.00	13					
846.5	20625	5.76	13	844.0	20600	6.06	13					

t (886-2) 2299-3279



Page 442 of 492

	LTE BAND 12											
Channel bandwidth: 1.4MHz Channel bandwidth: 3MHz												
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Average Ratio (dB)						
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
699.7	23017	6.02	13	700.5	23025	6.02	13					
707.5	23095	6.06	13	707.5	23095	6.02	13					
715.3	23173	5.72	13	714.5	23165	5.98	13					

	LTE BAND 12											
	Channe	el bandwidth: 5M	Hz	Channel bandwidth: 10MHz								
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Average Ratio (dB)						
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
701.5	23035	6.05	13	704.0	23060	6.11	13					
707.5	23095	5.96	13	707.5	23095	6.04	13					
713.5	23155	5.97	13	711.0	23130	6.05	13					

	LTE BAND 13											
	Channe	el bandwidth: 5M	Hz	Channel bandwidth: 10MHz								
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	СН	Peak-to-Avera	age Ratio (dB)					
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
779.5	23205	6.07	13									
782.0	23230	5.98	13	782.0	23230	5.97	13					
784.5	23255	6.23	13									

	LTE BAND 17										
	Chan	nel bandwidth: 5	iMHz	Channel bandwidth: 10MHz							
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СП	Peak-to-Avera	age Ratio (dB)				
(MHz)	Сп	64QAM	Limit	Limit (MHz) CH	СП	64QAM	Limit				
706.5	23755	5.96	13	709	23780	6.00	13				
710	23790	6.00	13	710	23790	6.07	13				
713.5	23825	5.97	13	711	23780	6.01	13				



Page 443 of 492

	LTE BAND 25										
	Channel	bandwidth: 1.4N	ИHz	Channel bandwidth: 3MHz							
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СП	Peak-to-Avera	age Ratio (dB)				
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit				
1850.7	26047	6.09	13	1851.5	26055	6.01	13				
1882.5	26365	6.08	13	1882.5	26365	6.11	13				
1914.3	26683	5.47	13	1913.5	26675	5.66	13				

	LTE BAND 25										
Channel bandwidth: 5MHz Channel bandwidth: 10MHz											
Freq.	eq. Peak-to-Average Ratio (dB)				СН	Peak-to-Average Ratio (dB)					
(MHz)	СН	64QAM	Limit	(MHz)	СП	64QAM	Limit				
1852.5	26065	6.01	13	1855.0	26090	6.07	13				
1882.5	26365	6.21	13	1882.5	26365	6.06	13				
1912.5	26665	5.73	13	1910.0	26640	5.80	13				

	LTE BAND 25										
	Channe	l bandwidth: 15N	1Hz	Channel bandwidth: 20MHz							
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СП	Peak-to-Avera	age Ratio (dB)				
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit				
1857.5	26115	6.13	13	1860.0	26140	6.57	13				
1882.5	26365	6.19	13	1882.5	26365	6.75	13				
1907.5	26615	6.09	13	1905.0	26590	6.66	13				

t (886-2) 2299-3279

www.tw.sgs.com



Page 444 of 492


	LTE BAND 26											
Channel bandwidth: 1.4MHz Channel bandwidth: 3MHz												
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Avera	Peak-to-Average Ratio (dB)					
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit					
824.7	26797	6.31	13	825.5	26805	6.04	13					
836.5	26915	6.32	13	836.5	26915	6.10	13					
848.3	27033	5.51	13	847.5	27025	5.71	13					

	LTE BAND 26									
	Channe	el bandwidth: 5M	Hz	Channel bandwidth: 10MHz						
Freq.	СН	Peak-to-Avera	ige Ratio (dB)	Freq.	СН	Peak-to-Average Ratio (dB)				
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit			
826.5	26815	5.85	13	829.0	26840	5.69	13			
836.5	26915	6.03	13	836.5	26915	6.01	13			
846.5	27015	5.75	13	844.0	26990	5.93	13			

	LTE BAND 26								
	Channe	l bandwidth: 15N	ИHz						
Freq.	СН	Peak-to-Avera	age Ratio (dB)						
(MHz)	СП	64QAM	Limit						
831.5	26865	6.09	13						
836.5	26915	6.18	13						
841.5	26965	6.15	13						

LTE BAND 30									
	Chan	nel bandwidth: 5	iMHz	Channel bandwidth: 10MHz					
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Average Ratio (dB)			
(MHz)	СП	64QAM	Limit	(MHz)		64QAM	Limit		
2307.5	27685	5.99	13						
2310.0	27710	6.03	13	2310.0	27710	6.05	13		
2312.5	27735	5.99	13						

t (886-2) 2299-3279





LTE BAND 41									
	Channe	el bandwidth: 5M	Hz	Channel bandwidth: 10MHz					
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Average Ratio (dB)			
(MHz)	Сп	64QAM	Limit	(MHz)	СП	64QAM	Limit		
2498.5	39675	6.96	13	2501.0	39700	9.21	13		
2593.0	40620	9.23	13	2593.0	40620	8.49	13		
2687.5	41565	9.73	13	2685.0	41540	10.07	13		

	LTE BAND 41									
	Channe	l bandwidth: 15N	ИHz	Channel bandwidth: 20MHz						
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Average Ratio (dB)				
(MHz)	СП	64QAM	Limit	(MHz)) Сп	64QAM	Limit			
2503.5	39725	10.21	13	2506.0	39750	11.41	13			
2593.0	40620	9.23	13	2593.0	40620	8.44	13			
2682.5	41515	8.52	13	2680.0	41490	11.91	13			

LTE BAND 66									
	Channe	l bandwidth: 1.4N	ЛHz	Channel bandwidth: 3MHz					
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.		Peak-to-Average Ratio (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit		
1710.7	131979	6.26	13	1711.5	131987	5.44	13		
1745.0	132322	6.20	13	1745.0	132322	5.43	13		
1779.3	132665	6.64	13	1778.5	132657	5.70	13		

LTE BAND 66									
	Channe	el bandwidth: 5M	Hz	Channel bandwidth: 10MHz					
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq.	СН	Peak-to-Average Ratio (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit		
1712.5	131997	5.41	13	1715.0	132022	5.75	13		
1745.0	132322	5.37	13	1745.0	132322	5.58	13		
1777.5	132647	6.06	13	1775.0	132622	5.96	13		

LTE BAND 66									
	Channe	l bandwidth: 15N	ИHz	Channel bandwidth: 20MHz					
Freq.	СН	Peak-to-Avera	age Ratio (dB)	Freq. CH		Peak-to-Average Ratio (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit		
1717.5	132047	6.34	13	1720.0	132072	6.82	13		
1745.0	132322	6.17	13	1745.0	132322	6.87	13		
1772.5	132597	6.39	13	1770.0	132572	6.83	13		

t (886-2) 2299-3279




Page 446 of 492

Measurement Results:

Please refer to next page.


台灣檢驗科技股份有限公司






WCDMA_B2_LowCH9262-1852.4


HSDPA_B2_LowCH9262-1852.4






WCDMA B2 MidCH9400-1880


HSDPA B2 MidCH9400-1880






WCDMA B2 HighCH9538-1907.6

HSDPA B2 HighCH9538-1907.6





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com






HSUPA_B2_LowCH9262-1852.4


WCDMA_B4_LowCH1312-1712.4






HSUPA B2 MidCH9400-1880


WCDMA B4 MidCH1413-1732.6





HSUPA_B2_HighCH9538-1907.6

WCDMA_B4_HighCH1513-1752.6






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







HSDPA_B4_LowCH1312-1712.4

11:18:17 AM Sep 86, 2 Radio Std: None ter Freq 1.712400000 GHz Average Power Center Fre 22.42 dBm 40.08 % at 0dB 10.0 % 3.12 dB 01% 1.0 % 4.01 dB CF Step 00000 MH: Mai 4.39 dB 0.1 % 0.01 % 0.01 % 4.61 dB 0.001 % 4.99 dB Freq Offs 0.0001 % — dB 0.001 % 5.27 dB 27.69 dBm

HSUPA_B4_LowCH1312-1712.4



HSDPA B4 MidCH1413-1732.6




HSUPA B4 MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA B4 HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







WCDMA_B5_LowCH4132-826.4

18:42:36 AM Sep 86, 2 Radio Std: None ter Freq 826.400000 MHz 100 k/100 kpt Average Power Center Fre 25.38 dBm 52.54 % at 0dB 10.0 % 1.74 dB 01% 1.0 % 2.72 dB CF Step 3.26 dB 0.1 % 0.01 % 0.01 % 3.51 dB 0.001 % 3.66 dB Freq Offs 0.0001 % — dB 0.001 % 3.66 dB 29.04 dBm


HSDPA_B5_LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




HSDPA B5 MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6




HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







HSUPA_B5_LowCH4132-826.4




HSUPA B5 MidCH4183-836.6




HSUPA_B5_HighCH4233-846.6




LTE Band2 1 4MHz 16QAM 6 0 LowCH18607-1850.7



LTE Band2 1 4MHz 64QAM 6 0 LowCH18607-1850.7




LTE_Band2_1_4MHz_16QAM_6_0_MidCH18900-1880



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ook oxion, or the lath. SS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band2 1 4MHz 64QAM 6 0 MidCH18900-1880

Center Freq: 1.880000000 GHz Radio Std: None Trig: Free Run Counts:100 k/100 kpt #Atter: 30 dfb Average Power Center Fre 22.21 dBm 45.52 % at 0dB 10.0 % 2.92 dB 1.0 % 5.04 dB CFSte 0.1 % 6.04 dB 0.019 0.01 % 6.38 dB 0.001 % 6.69 dB 0.0001 % - dB 0.001 % 6.74 dB 28.95 dBm 0.0001 9 0 dB Info BW 2.0000 MHz

LTE Band2 1 4MHz 16QAM 6 0 HighCH19193-1909.3






LTE Band2 3MHz 64QAM 15 0 LowCH18615-1851.5

Center Freq: 1,851500000 GHz Radio Std: None
Trig: Free Run Counts:100 k/100 kpt

Center Fre


Freq Offs



LTE_Band2_1_4MHz_64QAM_6_0_HighCH19193-1909.3



LTE_Band2_3MHz_16QAM_15_0_MidCH18900-1880



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

22.50 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

44.93 % at 0dB

2.95 dB

5.14 dB

6.07 dB

6.54 dB

6.92 dB


7.16 dB 29.66 dBm

10%

0.1 %

0.01 %

0.001





LTE Band2 3MHz 64QAM 15 0 MidCH18900-1880

Center Fre 22.32 dBm 44.85 % at 0dB 10.0 % 2.93 dB 1.0 % 5.14 dB CF Ste 0.1 % 6.06 dB 0.019 0.01 % 6.52 dB 0.001 % 6.79 dB 0.0001 % - dB 0.001 % 7.16 dB 29.48 dBm 0.0001 9 0 dB Info BW 3,0000 MHz

LTE Band2 3MHz 16QAM 15 0 HighCH19185-1908.5



22.29 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

45.04 % at 0dB

2.95 dB

5.00 dB

6.08 dB

6.64 dB

7.07 dB

7.23 dB 29.52 dBm


10%

0.1 %

0.01 %

0.001

LTE Band2 5MHz 16QAM 25 0 LowCH18625-1852.5



LTE Band2 5MHz 64QAM 25 0 LowCH18625-1852.5


Center Freq: 1,852500000 GHz Radio Std: None
Trig: Free Run Counts:100 k/100 kpt

Center Fre

Freq Offs



LTE_Band2_3MHz_64QAM_15_0_HighCH19185-1908.5




LTE_Band2_5MHz_16QAM_25_0_MidCH18900-1880



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE Band2 5MHz 64QAM 25 0 MidCH18900-1880


Center Freq: 1.880000000 GHz Radio Std: None Trig: Free Run Counts:100 k/100 kpt #Atten: 30 dB Center Fre 22.30 dBm 44.85 % at 0dB 10.0 % 2.92 dB 1.0 % 5.02 dB CFSte 0.1 % 6.01 dB 0.019 0.01 % 6.64 dB 7.02 dB 0.001 % - dB 0.0001 % 0.001 % 7.13 dB 29.43 dBm 0.0001 9 0 dB Info BW 5,0000 MHz

LTE Band2 5MHz 16QAM 25 0 HighCH19175-1907.5




LTE_Band2_5MHz_64QAM_25_0_HighCH19175-1907.5


0 dB Info BW 5.0000 MHz




LTE Band2 10MHz 16QAM 50 0 LowCH18650-1855



LTE Band2 10MHz 64QAM 50 0 LowCH18650-1855




LTE_Band2_10MHz_16QAM_50_0_MidCH18900-1880



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





LTE Band2 10MHz 64QAM 50 0 MidCH18900-1880

Center Fre 22.29 dBm 44.62 % at 0dB 10.0 % 2.96 dB 1.0 % 5.02 dB CFSte 0.1 % 6.03 dB 0.019 0.01 % 6.68 dB 0.001 % 7.06 dB 0.0001 % - dB 0.001 % 7.19 dB 29.48 dBm 0.0001 9 0 dB Info BW 8,0000 MHz

LTE Band2 10MHz 16QAM 50 0 HighCH19150-1905



21.39 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

42.93 % at 0dB

3.19 dB

5.10 dB

6.13 dB

6.84 dB

7.30 dB

7.30 dB 28.69 dBm


10%

0.1 %

0.01 %

0.001

LTE Band2 15MHz 16QAM 75 0 LowCH18675-1857.5




LTE Band2 15MHz 64QAM 75 0 LowCH18675-1857.5

Center Freq: 1.857500000 GHz Radio Std: None
Trig: Free Run Counts:100 k/100 kpt

Center Fre


Freq Offs



LTE_Band2_10MHz_64QAM_50_0_HighCH19150-1905



LTE_Band2_15MHz_16QAM_75_0_MidCH18900-1880




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band2 15MHz 64QAM 75 0 MidCH18900-1880

Average Power Center Fre 20.17 dBm 43.10 % at 0dB 10.0 % 3,18 dB 1.0 % 5.14 dB CFSte 0.1 % 6.19 dB 0.01 % 6.84 dB 0.001 % 7.39 dB 0.0001 % - dB 0.001 % 7.40 dB 27.57 dBm 0.0001 9 0 dB Info BW 8,0000 MHz

LTE Band2 15MHz 16QAM 75 0 HighCH19125-1902.5





LTE Band2 20MHz 64QAM 100 0 LowCH18700-1860


Center Freq: 1,860000000 GHz
Trig: Free Run Counts:100 k/100 kpt

Center Fre

Freq Offs



LTE_Band2_15MHz_64QAM_75_0_HighCH19125-1902.5



LTE_Band2_20MHz_16QAM_100_0_MidCH18900-1880



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

20.19 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

41.08 % at 0dB

3.37 dB

5.42 dB

6.63 dB

7.58 dB

8.08 dB


8.39 dB 28.58 dBm

10%

0.1 %

0.01 %

0.001







LTE Band2 20MHz 64QAM 100 0 MidCH18900-1880

Average Power Center Fre 20.01 dBm 40.62 % at 0dB 10.0 % 3,42 dB 1.0 % 5.57 dB CFSte 0.1 % 6.83 dB 0.019 0.01 % 7.73 dB 0.001 % 8.12 dB 0.0001 % - dB 0.001 % 8.28 dB 28.29 dBm 0.0001 9 0 dB Info BW 8,0000 MHz

LTE Band2 20MHz 16QAM 100 0 HighCH19100-1900






LTE Band4 1 4MHz 64QAM 6 0 LowCH19957-1710.7


Center Freq: 1.710700000 GHz Radio Std: None
Trig: Free Run Counts:100 k/100 kpt

Center Fre


Freq Offs



LTE_Band2_20MHz_64QAM_100_0_HighCH19100-1900



3.32 dB 26.60 dBm



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

23.28 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

54.95 % at 0dB

2.35 dB

2.97 dB

3.16 dB

3.25 dB


3.29 dB

10 %

0.1 %

0.01 %

0.001






LTE Band4 1 4MHz 64QAM 6 0 MidCH20175-1732.5

Center Freq: 1,732500000 GHz Trig: Free Run Counts:100 k/100 kpt #Atten: 30 dB Average Power Center Fre 23.46 dBm 52.15 % at 0dB 10.0 % 2.54 dB 1.0 % 3.35 dB CF Ste 0.1 % 3.61 dB 0.01 % 0.01 % 3.70 dB 0.001 % 3.78 dB - dB 0.0001 % 0.001 % 3.80 dB 27.26 dBm 0.0001 9 0 dB Info BW 2.0000 MHz

LTE Band4 1 4MHz 16QAM 6 0 HighCH20393-1754.3



23.43 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

52.89 % at 0dB

2.51 dB

3.56 dB

4.03 dB

4.30 dB

4.42 dB

4.47 dB 27.90 dBm


10 %

0.1 %

0.01%

0.001

LTE Band4 3MHz 16QAM 15 0 LowCH19965-1711.5



LTE Band4 3MHz 64QAM 15 0 LowCH19965-1711.5

Center Freq: 1.711500000 GHz
Trig: Free Run Counts:100 k/100 kpt
#Atter: 30 dB

Center Fre-


Freq Offs



LTE_Band4_1_4MHz_64QAM_6_0_HighCH20393-1754.3




LTE_Band4_3MHz_16QAM_15_0_MidCH20175-1732.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE Band4 3MHz 64QAM 15 0 MidCH20175-1732.5




LTE Band4 3MHz 16QAM 15 0 HighCH20385-1753.5




LTE_Band4_3MHz_64QAM_15_0_HighCH20385-1753.5




LTE Band4 5MHz 16QAM 25 0 LowCH19975-1712.5



LTE Band4 5MHz 64QAM 25 0 LowCH19975-1712.5




LTE_Band4_5MHz_16QAM_25_0_MidCH20175-1732.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





LTE Band4 5MHz 64QAM 25 0 MidCH20175-1732.5




LTE Band4 5MHz 16QAM 25 0 HighCH20375-1752.5




LTE_Band4_5MHz_64QAM_25_0_HighCH20375-1752.5




LTE_Band4_10MHz_16QAM_50_0_LowCH20000-1715



LTE_Band4_10MHz_64QAM_50_0_LowCH20000-1715




LTE_Band4_10MHz_16QAM_50_0_MidCH20175-1732.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE Band4 10MHz 64QAM 50 0 MidCH20175-1732.5

Center Freq: 1,732500000 GHz Trig: Free Run Counts:100 k/100 kpt #Atten: 30 dB Average Power Center Fre 22.33 dBm 46.92 % at 0dB 10.0 % 2.89 dB 1.0 % 4.42 dB CF Ste 0.1% 5.16 dB 0.019 0.01 % 5.62 dB 0.001 % 5.82 dB - dB 0.0001 % 0.001 % 5.87 dB 28.20 dBm 0.0001 9 0 dB Info BW 8,0000 MHz


LTE_Band4_10MHz_16QAM_50_0_HighCH20350-1750




LTE_Band4_10MHz_64QAM_50_0_HighCH20350-1750




LTE_Band4_15MHz_16QAM_75_0_LowCH20025-1717.5



LTE_Band4_15MHz_64QAM_75_0_LowCH20025-1717.5




LTE_Band4_15MHz_16QAM_75_0_MidCH20175-1732.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE Band4 15MHz 64QAM 75 0 MidCH20175-1732.5

Center Freq: 1,732500000 GHz Trig: Free Run Atten: 30 dB Center Fre 21.71 dBm 43.55 % at 0dB 10.0 % 3,16 dB 1.0 % 4.84 dB CF Ste 0.1% 5.84 dB 0.01 % 6.49 dB 0.001 % 7.00 dB 0.0001 % - dB 0.001 % 7.05 dB 28.76 dBm 0.0001 9 0 dB Info BW 8,0000 MHz

LTE_Band4_15MHz_16QAM_75_0_HighCH20325-1747.5






LTE Band4 20MHz 64QAM 100 0 LowCH20050-1720

Center Freq: 1,72000000 GHz Radio Std: None
Trig: Free Run Counts:100 k/100 kpt
#Atten: 30 dB

Center Fre



LTE_Band4_15MHz_64QAM_75_0_HighCH20325-1747.5



LTE_Band4_20MHz_16QAM_100_0_MidCH20175-1732.5



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

21.20 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

40.30 % at 0dB

3.46 dB

5.65 dB

6.74 dB

7.58 dB


7.95 dB

7.99 dB 29.19 dBm 10%

0.1 %


0.01 %

0.001






LTE Band4 20MHz 64QAM 100 0 MidCH20175-1732.5



LTE_Band4_20MHz_16QAM_100_0_HighCH20300-1745






LTE Band5 1 4MHz 64QAM 6 0 LowCH20407-824.7

Center Freq: 824.700000 MHz Radio Std: None
Trig: FreeRun Counts:100 k/100 kpt

Center Free 824,700000 MH


Freq Offs



LTE_Band4_20MHz_64QAM_100_0_HighCH20300-1745



LTE_Band5_1_4MHz_16QAM_6_0_MidCH20525-836.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

23.27 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

45.57 % at 0dB

2.91 dB

5.00 dB

5.69 dB

5.84 dB


5.88 dB

5.88 dB 29.15 dBm 10%

0.1 %

0.01 %

0.001





0.001 %

0.0001 %


6.27 dB

6.29 dB 29.54 dBm

--- dB


LTE Band5 1 4MHz 64QAM 6 0 MidCH20525-836.5






LTE_Band5_1_4MHz_64QAM_6_0_HighCH20643-848.3


0 dB Info BW 2.0000 MHz




LTE Band5 3MHz 16QAM 15 0 LowCH20415-825.5



LTE Band5 3MHz 64QAM 15 0 LowCH20415-825.5



LTE_Band5_3MHz_16QAM_15_0_MidCH20525-836.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





LTE Band5 3MHz 64QAM 15 0 MidCH20525-836.5



LTE_Band5_3MHz_16QAM_15_0_HighCH20635-847.5




LTE_Band5_3MHz_64QAM_15_0_HighCH20635-847.5


0 dB Info BW 3.0000 MHz




LTE_Band5_5MHz_16QAM_25_0_LowCH20425-826.5



LTE_Band5_5MHz_64QAM_25_0_LowCH20425-826.5




LTE_Band5_5MHz_16QAM_25_0_MidCH20525-836.5



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號







LTE Band5 5MHz 64QAM 25 0 MidCH20525-836.5

Center Freq: 836.500000 MHz Radio Std: None Trig: Free Run Counts:100 M100 Kpt Average Power Center Fre 23.35 dBm 45.39 % at 0dB 10.0 % 2.82 dB 1.0 % 4.96 dB CFSte 0.1% 5.82 dB 0.019 0.01 % 6.20 dB 0.001 % 6.36 dB 0.0001 % - dB 0.001 % 6.54 dB 29.89 dBm 0.0001 9

LTE Band5 5MHz 16QAM 25 0 HighCH20625-846.5






LTE_Band5_10MHz_64QAM_50_0_LowCH20450-829

Center Freq: 829.000000 MHz Radio Std: None
Trig: Free Run Counts:100 k/100 kpt

Center Fre


Freq Offs



LTE_Band5_5MHz_64QAM_25_0_HighCH20625-846.5



LTE_Band5_10MHz_16QAM_50_0_MidCH20525-836.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

23.32 dBm

10.0 %

1.0 %

0.1 %

0.01 %

0.001 %

0.0001 %

44.29 % at 0dB

2.95 dB

5.10 dB

6.04 dB

6.66 dB

6.82 dB


6.87 dB 30,19 dBm

10%

0.1 %

0.01 %

0.001





LTE Band5 10MHz 64QAM 50 0 MidCH20525-836.5




LTE Band5 10MHz 16QAM 50 0 HighCH20600-844



LTE_Band5_10MHz_64QAM_50_0_HighCH20600-844




LTE Band12 1 4MHz 16QAM 6 0 LowCH23017-699.7



LTE_Band12_1_4MHz_64QAM_6_0_LowCH23017-699.7




LTE_Band12_1_4MHz_16QAM_6_0_MidCH23095-707.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

· T<mark>aiwan Ltd. N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






LTE Band12 1 4MHz 64QAM 6 0 MidCH23095-707.5

Center Freq: 707.500000 MHz Radio Std: None Trig: Free Run Counts:100 k/100 kpt Average Power Center Fre 23.55 dBm 46.07 % at 0dB 10.0 % 2.88 dB 1.0 % 5.01 dB CF Ste 0.1 % 6.06 dB 0.019 0.01 % 6.32 dB 0.001 % 6.38 dB 0.0001 % - dB 0.001 % 6.38 dB 29.93 dBm 0.0001 9 0 dB Info BW 2.0000 MHz


LTE Band12 1 4MHz 16QAM 6 0 HighCH23173-715.3



LTE_Band12_1_4MHz_64QAM_6_0_HighCH23173-715.3

0 dB Info BW 2.0000 MHz


6.10 dB 28.70 dBm




LTE Band12 3MHz 16QAM 15 0 LowCH23025-700.5



LTE Band12 3MHz 64QAM 15 0 LowCH23025-700.5




LTE_Band12_3MHz_16QAM_15_0_MidCH23095-707.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE Band12 3MHz 64QAM 15 0 MidCH23095-707.5

Center Freq: 707.500000 MHz Radio Std: None Trig: Free Run Counts: 100 k/100 kpt Average Power Center Fre 23.70 dBm 44.93 % at 0dB 10.0 % 2.90 dB 1.0 % 5.10 dB CF Ste 0.1% 6.02 dB 0.01 % 0.01 % 6.33 dB 0.001 % 6.42 dB - dB 0.0001 % 0.001 % 6.67 dB 30.37 dBm 0.0001 9 0 dB Info BW 3,0000 MHz


LTE_Band12_3MHz_16QAM_15_0_HighCH23165-714.5




LTE_Band12_3MHz_64QAM_15_0_HighCH23165-714.5




LTE_Band12_5MHz_16QAM_25_0_LowCH23035-701.5



LTE Band12 5MHz 64QAM 25 0 LowCH23035-701.5




LTE_Band12_5MHz_16QAM_25_0_MidCH23095-707.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE Band12 5MHz 64QAM 25 0 MidCH23095-707.5

Center Freq: 707.500000 MHz Radio Std: None Trig: Free Run Counts:100 k/100 kpt Average Power Center Fre 23.68 dBm 44.99 % at 0dB 10.0 % 2.92 dB 1.0 % 4.99 dB CFSte 0.1 % 5.96 dB 0.01 % 0.01 % 6.39 dB 0.001 % 6.61 dB - dB 0.0001 % 0.001 % 6.61 dB 30.29 dBm 0.0001 9 0 dB Info BW 5.0000 MHz


LTE_Band12_5MHz_16QAM_25_0_HighCH23155-713.5




LTE_Band12_5MHz_64QAM_25_0_HighCH23155-713.5




LTE_Band12_10MHz_16QAM_50_0_LowCH23060-704



LTE_Band12_10MHz_64QAM_50_0_LowCH23060-704



LTE_Band12_10MHz_16QAM_50_0_MidCH23095-707.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

· T<mark>aiwan Ltd. N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279







LTE Band12 10MHz 64QAM 50 0 MidCH23095-707.5

Center Freq: 707.500000 MHz Radio Std: None Trig: Free Run Counts: 100 k/100 kpt Average Power Center Fre 23.67 dBm 44.58 % at 0dB 10.0 % 2.95 dB 1.0 % 5.08 dB CF Ste 0.1 % 6.04 dB 0.019 0.01 % 6.55 dB 0.001 % 6.97 dB - dB 0.0001 % 0.001 % 6.99 dB 30.66 dBm 0.0001 9 0 dB Info BW 8,0000 MHz


LTE Band12 10MHz 16QAM 50 0 HighCH23130-711




LTE_Band12_10MHz_64QAM_50_0_HighCH23130-711




LTE Band13 5MHz 16QAM 25 0 LowCH23205-779.5



LTE Band13 5MHz 64QAM 25 0 LowCH23205-779.5




LTE_Band13_5MHz_16QAM_25_0_MidCH23230-782



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE Band13 5MHz 64QAM 25 0 MidCH23230-782




LTE_Band13_5MHz_16QAM_25_0_HighCH23255-784.5




LTE_Band13_5MHz_64QAM_25_0_HighCH23255-784.5




LTE Band13 10MHz 16QAM 50 0 MidCH23230-782



LTE_Band13_10MHz_64QAM_50_0_MidCH23230-782



LTE_Band17_5MHz_64QAM_25_0_LowCH23755-706.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.