

SAR TEST REPORT



The following samples were submitted and identified on behalf of the client as:

Equipment Under Test	Notebook PC
Brand Name	HP
Model No.	TPN-Q198
Company Name	HP Inc.
Company Address	3390 East Harmony Road Fort Collins, Colorado 80528 United States
Standards	IEEE/ANSI C95.1-1992, IEEE 1528-2013, KDB616217D04v01r02, KDB865664D01v01r04, KDB865664D02v01r02, KDB941225D01v03r01, KDB941225D05v02r05, KDB941225D05Av01r02, KDB447498D01v06, KDB248227D01v02r02
FCC ID	B94TPQ198WCWT
Date of Receipt	Aug. 14, 2017
Date of Test(s)	Sep. 06, 2017 ~ Nov. 27, 2017
Date of Issue	Dec. 13, 2017

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Electronic & Communication Laboratory or testing done by SGS Taiwan Electronic & Communication Laboratory in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Electronic & Communication Laboratory in writing.

Signed on behalf of SGS

Engineer

Bond Tsai

Date: Dec. 13, 2017

Supervisor

John Yeh

Date: Dec. 13, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The highest simultaneous SAR value is 1.55W/kg.

Highest SAR Summary			
Equipment class	Frequency Band	Body (Separation 0mm)	Highest Simultaneous Transmission 1g SAR(W/Kg)
		1g SAR(W/Kg)	
Licensed	WCDMA Band II	0.46	1.55
NII	5GHz WLAN Main	0.14	
NII	5GHz WLAN Aux	0.95	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Report Number	Revision	Description	Issue Date
E5/2017/80016	Rev.00	Initial creation of document	Sep. 25, 2017
E5/2017/80016	Rev.01	1 st modification	Oct. 02, 2017
E5/2017/80016	Rev.02	2 nd modification	Dec. 01, 2017
E5/2017/80016	Rev.03	3 rd modification	Dec. 01, 2017
E5/2017/80016	Rev.04	4 th modification	Dec. 13, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1. General Information	5
1.1 Testing Laboratory	5
1.2 Details of Applicant.....	5
1.3 Description of EUT	6
1.3.1 LTE Downlink CA specification.....	121
1.4 Test Environment	127
1.5 Operation Description	127
1.6 Proximity sensor operation description	136
1.7 The SAR Measurement System.....	149
1.8 System Components.....	151
1.9 SAR System Verification	153
1.10 Tissue Simulant Fluid for the Frequency Band	155
1.11 Evaluation Procedures	159
1.12 Probe Calibration Procedures	160
1.13 Test Standards and Limits	163
2. Summary of Results	165
3. Simultaneous Transmission Analysis	181
3.1 Estimated SAR calculation.....	182
4. Instruments List.....	432
5. Measurements	434
6. SAR System Performance Verification	461
7. DAE & Probe Calibration Certificate	476
8. Uncertainty Budget	508
9. System Validation from Original Equipment Supplier	510

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. General Information

1.1 Testing Laboratory

SGS Taiwan Ltd. Electronics & Communication Laboratory	
No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 33383, Taiwan	
Tel	+886-2-2299-3279
Fax	+886-2-2298-0488
Internet	http://www.tw.sgs.com/

1.2 Details of Applicant

Company Name	HP Inc.
Company Address	3390 East Harmony Road Fort Collins, Colorado 80528 United States

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3 Description of EUT

Equipment Under Test	Notebook PC			
Brand Name	HP			
Model No.	TPN-Q198			
FCC ID	B94TPQ198WCWT			
Integrated Module	Wireless LAN+BT	Brand Name : Qualcomm Model Name : WCN3990		
	GNSS (LTE+GPS)	Brand Name : Qualcomm Model Name : WTR5975		
Mode of Operation	<input checked="" type="checkbox"/> WCDMA <input checked="" type="checkbox"/> HSDPA <input checked="" type="checkbox"/> HSUPA <input checked="" type="checkbox"/> HSPA+ <input checked="" type="checkbox"/> LTE FDD <input checked="" type="checkbox"/> LTE TDD <input checked="" type="checkbox"/> WLAN802.11 a/b/g/n(20M/40M)/ac(20M/40M/80M) <input checked="" type="checkbox"/> Bluetooth			
Duty Cycle	WCDMA	1		
	LTE FDD	1		
	LTE TDD	0.633		
	WLAN802.11 a/b/g/n(20M/40M)/ac(20M/40M/80M)	1		
	Bluetooth	1		
TX Frequency Range (MHz)	WCDMA Band II	1850	—	1910
	WCDMA Band IV	1710	—	1755
	WCDMA Band V	824	—	849
	LTE FDD Band 2	1850	—	1910
	LTE FDD Band 4	1710	—	1755
	LTE FDD Band 5	824	—	849
	LTE FDD Band 12	699	—	716
	LTE FDD Band 13	777	—	787
	LTE FDD Band 17	704	—	716

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TX Frequency Range (MHz)	LTE FDD Band 25	1850	—	1915
	LTE FDD Band 26	814	—	849
	LTE FDD Band 30	2305	—	2315
	LTE TDD Band 41	2496	—	2690
	LTE FDD Band 66	1710	—	1780
	WLAN802.11 b/g/n(20M)	2412	—	2472
	WLAN802.11 n(40M)	2422	—	2462
	WLAN802.11 a/n(20M)/ac(20M) 5.2G	5180	—	5240
	WLAN802.11 n(40M)/ac(40M) 5.2G	5190	—	5230
	WLAN802.11 ac(80M) 5.2G	5210		
	WLAN802.11 a/n(20M)/ac(20M) 5.3G	5260	—	5320
	WLAN802.11 n(40M)/ac(40M) 5.3G	5270	—	5310
	WLAN802.11 ac(80M) 5.3G	5290		
	WLAN802.11 a/n/ac(20M) 5.6G	5500	—	5720
	WLAN802.11 n/ac(40M) 5.6G	5510	—	5710
	WLAN802.11 ac(80M) 5.6G	5530	—	5690
	WLAN802.11 a/n(20M)/ac(20M) 5.8G	5745	—	5825
	WLAN802.11 n(40M)/ac(40M) 5.8G	5710	—	5795
WLAN802.11 ac(80M) 5.8G	5775			
Bluetooth	2402	—	2480	
Channel Number (ARFCN)	WCDMA Band II	9262	—	9538
	WCDMA Band IV	1312	—	1513
	WCDMA Band V	4132	—	4233
	LTE FDD Band 2	18607	—	19193
	LTE FDD Band 4	19957	—	20393
	LTE FDD Band 5	20407	—	20643
	LTE FDD Band 12	23017	—	23173

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Channel Number (ARFCN)	LTE FDD Band 13	23205	—	23255
	LTE FDD Band 17	23755	—	23825
Channel Number (ARFCN)	LTE FDD Band 25	26047	—	26683
	LTE FDD Band 26	26697	—	27033
	LTE FDD Band 30	27685	—	27735
	LTE TDD Band 41	39675	—	41565
	LTE FDD Band 66	131979	—	132665
	WLAN802.11 b/g/n(20M)	1	—	13
	WLAN802.11 n(40M)	3	—	11
	WLAN802.11 a/n(20M)/ac(20M) 5.2G	36	—	48
	WLAN802.11 n(40M)/ac(40M) 5.2G	38	—	46
	WLAN802.11 ac(80M) 5.2G		42	
	WLAN802.11 a/n(20M)/ac(20M) 5.3G	52	—	64
	WLAN802.11 n(40M)/ac(40M) 5.3G	54	—	62
	WLAN802.11 ac(80M) 5.3G		58	
	WLAN802.11 a/n/ac(20M) 5.6G	100	—	144
	WLAN802.11 n/ac(40M) 5.6G	102	—	142
	WLAN802.11 ac(80M) 5.6G	106	—	138
	WLAN802.11 a/n(20M)/ac(20M) 5.8G	149	—	165
	WLAN802.11 n(40M)/ac(40M) 5.8G	142	—	159
	WLAN802.11 ac(80M) 5.8G		155	
	Bluetooth	0	—	78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Max. SAR (1 g) (Unit: W/Kg)				
Band	Measured	Reported	Channel	Position
WCDMA Band II	1.00	1.36	9538	Back side
WCDMA Band IV	0.97	1.32	1513	Back side
WCDMA Band V	0.88	1.19	4183	Back side
LTE FDD Band 2	0.95	1.25	19100	Back side
LTE FDD Band 4	1.07	1.38	20175	Back side
LTE FDD Band 5	0.90	1.29	20600	Back side
LTE FDD Band 12	0.86	1.33	23095	Back side
LTE FDD Band 13	0.93	1.32	23230	Back side
LTE FDD Band 17	0.67	0.88	23800	Back side
LTE FDD Band 25	0.95	1.20	26590	Back side
LTE FDD Band 26	0.93	1.32	26965	Back side
LTE FDD Band 30	1.29	1.35	27710	Back side
LTE TDD Band 41	0.97	0.97	41490	Back side
LTE FDD Band 66	1.09	1.10	132572	Back side

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Max. SAR (1 g) (Unit: W/Kg)					
Antenna	Band	Measured	Reported	Channel	Position
Main	WLAN802.11 b	0.71	0.71	6	Back side
	Bluetooth (GFSK)	0.13	0.15	0	Back side
	WLAN802.11 n(40M) 5.2G	0.49	0.50	38	Left side
	WLAN802.11 a 5.3G	0.34	0.35	64	Back side
	WLAN802.11 n(40M) 5.3G	0.35	0.36	64	Back side
	WLAN802.11 ac(80M) 5.6G	0.09	0.09	122	Back side
	WLAN802.11 ac(80M) 5.8G	0.46	0.46	155	Back side
Aux	WLAN802.11 b	0.57	0.58	6	Back side
	WLAN802.11 n(40M) 5.2G	0.95	0.95	38	Top side
	WLAN802.11 a 5.3G	0.94	0.94	60	Back side
	WLAN802.11 n(40M) 5.3G	0.87	0.91	54	Back side
	WLAN802.11 ac(80M) 5.6G	0.72	0.72	138	Back side
	WLAN802.11 ac(80M) 5.8G	0.61	0.61	155	Back side

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN / Bluetooth antenna information:
BT / BLE

Vendor	Ant. Type	Part No.	Peak Gain (dBi)
INPAQ Corporation	Coupling	DQ6LB020013/ DQ6LB020014 (WA-F-LTE8LBG1LB-02-003 /WA-F-LTE8LBG1LB-02-004)	-1.59

WLAN 2.4 GHz

Vendor	Ant. Type	Main / Aux	Part No.	Peak Gain (dBi)
INPAQ Corporation	Coupling	Main	DQ6LB020013/ DQ6LB020014 (WA-F-LTE8LBG1LB-02-003 /WA-F-LTE8LBG1LB-02-004)	-1.59
	PIFA	Aux	DQ6LB020013/ DQ6LB020014 (WA-F-LTE8LBG1LB-02-003 /WA-F-LTE8LBG1LB-02-004)	-1.38

WLAN 5 GHz

Vendor	Ant. Type	Main / Aux	Part No.	Freq.(MHz)	Peak Gain (dBi)
INPAQ Corporation	Coupling	Main	DQ6LB020013/ DQ6LB020014 (WA-F-LTE8LBG1LB-02-003 /WA-F-LTE8LBG1LB-02-004)	5150~5250	1.48
				5250~5350	0.90
				5470~5725	-1.29
				5725~5850	-1.45
	PIFA	Aux	DQ6LB020013/ DQ6LB020014 (WA-F-LTE8LBG1LB-02-003 /WA-F-LTE8LBG1LB-02-004)	5150~5250	-2.15
				5250~5350	-1.60
				5470~5725	-0.74
				5725~5850	-0.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN antenna information:

WWAN

Vendor	Type	Main / Aux	Antenna Part No.	Modulation	Frequency (MHz)	Peak Antenna Gain (dBi)
INPAQ Corporation	Couple	Main	DQ600200303/DQ600200402 (WA-F-LTE8LTE6-02-003/ WA-F-LTE8LTE6-02-004)	WCDMA / HSPA Band II	1852.4 ~ 1907.6	-0.76
				WCDMA / HSPA Band IV	1712.4 ~ 1752.6	0
				WCDMA / HSPA Band V	826.4 ~ 846.6	-0.92
				LTE Band 2	1850 ~ 1910	-0.76
				LTE Band 4	1710 ~ 1755	0.02
				LTE Band 5	824 ~ 849	-0.66
				LTE Band 12	699 ~ 716	-1.09
				LTE Band 13	777 ~ 787	-1.63
				LTE Band 17	704 ~ 716	-1.09
				LTE Band 25	1850 ~ 1915	-0.76
				LTE Band 26	824 ~ 849	-0.66
				LTE Band 26 (Part 90S)	814 ~ 824	N/A
	LTE Band 30	2305 ~ 2315	N/A			
	LTE Band 41	2496 ~ 2690	-1.43			
	LTE Band 66	1710 ~ 1780	0.02			
	Couple	Aux	DQ6LB020013/DQ6LB020014 (WA-F-LTE8LGB1LB-02-003 /WA-F-LTE8LGB1LB-02-004)	WCDMA / HSPA Band II	1852.4 ~ 1907.6	-3.13
				WCDMA / HSPA Band IV	1712.4 ~ 1752.6	N/A
				WCDMA / HSPA Band V	826.4 ~ 846.6	N/A
				LTE Band 2	1850 ~ 1910	-3.13
				LTE Band 4	1710 ~ 1755	N/A
				LTE Band 5	824 ~ 849	N/A
				LTE Band 12	699 ~ 716	N/A
				LTE Band 13	777 ~ 787	-3.16
				LTE Band 17	704 ~ 716	N/A
LTE Band 25				1850 ~ 1915	-3.13	
LTE Band 26				824 ~ 849	N/A	
LTE Band 26 (Part 90S)				814 ~ 824	-4.42	
LTE Band 30	2305 ~ 2315	-3.13				
LTE Band 41	2496 ~ 2690	N/A				
LTE Band 66	1710 ~ 1780	N/A				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II / Band IV / Band V - HSDPA / HSUPA / HSPA+ conducted power table(Full power):

Unit: dBm

Band		WCDMA II		
TX Channel		9262	9400	9538
Frequency (MHz)		1852.4	1880	1907.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		25.00		
3GPP Rel 99	RMC 12.2Kbps	23.24	23.71	23.66
3GPP Rel 5	HSDPA Subtest-1	22.67	22.56	22.56
	HSDPA Subtest-2	22.66	22.54	22.51
	HSDPA Subtest-3	22.20	22.08	22.05
	HSDPA Subtest-4	22.21	22.09	22.07
3GPP Rel 6	HSUPA Subtest-1	22.01	22.52	22.50
	HSUPA Subtest-2	21.30	21.94	21.87
	HSUPA Subtest-3	22.13	22.53	22.53
	HSUPA Subtest-4	21.80	22.41	22.34
	HSUPA Subtest-5	22.16	22.55	22.54
3GPP Rel 7	HSPA+ Subtest-1	21.91	22.38	22.33

Band		WCDMA IV		
TX Channel		1312	1412	1513
Frequency (MHz)		1712.4	1732.4	1752.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		24.00	25.00	25.00
3GPP Rel 99	RMC 12.2Kbps	22.26	23.23	23.69
3GPP Rel 5	HSDPA Subtest-1	20.98	22.02	22.39
	HSDPA Subtest-2	20.82	21.74	22.35
	HSDPA Subtest-3	20.41	21.32	21.91
	HSDPA Subtest-4	20.48	21.38	21.90
3GPP Rel 6	HSUPA Subtest-1	20.75	21.76	22.36
	HSUPA Subtest-2	19.99	21.12	21.79
	HSUPA Subtest-3	20.90	21.92	22.37
	HSUPA Subtest-4	20.41	21.56	22.28
	HSUPA Subtest-5	20.91	21.95	22.38
3GPP Rel 7	HSPA+ Subtest-1	21.01	21.98	22.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band		WCDMA V		
TX Channel		4132	4183	4233
Frequency (MHz)		826.4	836.6	846.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		25.00		
3GPP Rel 99	RMC 12.2Kbps	23.82	23.70	24.15
3GPP Rel 5	HSDPA Subtest-1	22.74	22.69	23.08
	HSDPA Subtest-2	22.70	22.63	23.07
	HSDPA Subtest-3	22.19	22.12	22.57
	HSDPA Subtest-4	22.21	22.11	22.58
3GPP Rel 6	HSUPA Subtest-1	22.65	22.59	23.06
	HSUPA Subtest-2	22.05	22.08	22.54
	HSUPA Subtest-3	22.72	22.60	23.06
	HSUPA Subtest-4	22.59	22.58	23.03
	HSUPA Subtest-5	22.73	22.61	23.07
3GPP Rel 7	HSPA+ Subtest-1	22.56	22.44	22.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WCDMA Band II / Band IV / Band V - HSDPA / HSUPA / HSPA+
conducted power table(Reduced power):**

Unit: dBm

Band		WCDMA II		
TX Channel		9262	9400	9538
Frequency (MHz)		1852.4	1880	1907.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		16.50		
3GPP Rel 99	RMC 12.2Kbps	16.14	16.32	16.09
3GPP Rel 5	HSDPA Subtest-1	15.57	15.17	14.99
	HSDPA Subtest-2	15.56	15.15	14.96
	HSDPA Subtest-3	15.10	14.69	14.49
	HSDPA Subtest-4	15.11	14.70	14.50
3GPP Rel 6	HSUPA Subtest-1	14.91	15.13	14.93
	HSUPA Subtest-2	14.20	14.55	14.31
	HSUPA Subtest-3	15.03	15.14	14.96
	HSUPA Subtest-4	14.70	15.02	14.79
	HSUPA Subtest-5	15.06	15.16	14.97
3GPP Rel 7	HSPA+ Subtest-1	14.81	14.99	14.76

Band		WCDMA IV		
TX Channel		1312	1412	1513
Frequency (MHz)		1712.4	1732.4	1752.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		16.50		
3GPP Rel 99	RMC 12.2Kbps	15.29	15.38	15.28
3GPP Rel 5	HSDPA Subtest-1	14.01	14.17	13.98
	HSDPA Subtest-2	13.85	13.89	13.94
	HSDPA Subtest-3	13.44	13.47	13.50
	HSDPA Subtest-4	13.51	13.53	13.49
3GPP Rel 6	HSUPA Subtest-1	13.78	13.91	13.95
	HSUPA Subtest-2	13.02	13.27	13.38
	HSUPA Subtest-3	13.93	14.07	13.96
	HSUPA Subtest-4	13.44	13.71	13.87
	HSUPA Subtest-5	13.94	14.10	13.97
3GPP Rel 7	HSPA+ Subtest-1	14.04	14.13	14.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band		WCDMA V		
TX Channel		4132	4183	4233
Frequency (MHz)		826.4	836.6	846.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		22.50		
3GPP Rel 99	RMC 12.2Kbps	21.88	21.96	21.98
3GPP Rel 5	HSDPA Subtest-1	20.60	20.95	21.31
	HSDPA Subtest-2	20.56	20.89	21.30
	HSDPA Subtest-3	20.05	20.38	20.80
	HSDPA Subtest-4	20.07	20.37	20.81
3GPP Rel 6	HSUPA Subtest-1	20.51	20.85	21.29
	HSUPA Subtest-2	19.91	20.34	20.77
	HSUPA Subtest-3	20.58	20.86	21.29
	HSUPA Subtest-4	20.45	20.84	21.26
	HSUPA Subtest-5	20.59	20.87	21.30
3GPP Rel 7	HSPA+ Subtest-1	20.62	20.70	20.72

Sub-Test for HSDPA

SUB-TEST	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15	15/15	64	12/15	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Sub-Test for HSUPA

SUB-TEST	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (Note 5) (Note 6)	β_{ed} (SF)	β_{ed} (Codes)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 6)	E-TFCI
1	11/15	15/15	64	11/15	22/15	209/225	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	$\beta_{ed1}: 47/15$ $\beta_{ed2}: 47/15$	4 4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15	15/15	64	15/15	30/15	24/15	134/15	4	1	1.0	0.0	21	81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 / Band 4 / Band 5 / Band 12 / Band 13 / Band 17 / Band 25 /Band 26 / Band 30 / Band 66 power table:

FDD Band 2 (Full power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
20	QPSK	1 RB	0	1860	18700	23.82	25	0		
				1880	18900	23.72	25	0		
				1900	19100	23.79	25	0		
			50	1860	18700	23.55	25	0		
					1880	18900	23.43	25	0	
					1900	19100	23.65	25	0	
			99	1860	18700	23.63	25	0		
					1880	18900	23.56	25	0	
					1900	19100	23.81	25	0	
		50 RB	0	1860	18700	22.64	24	0-1		
					1880	18900	22.63	24	0-1	
					1900	19100	22.84	24	0-1	
			25	1860	18700	22.62	24	0-1		
					1880	18900	22.57	24	0-1	
					1900	19100	22.76	24	0-1	
			50	1860	18700	22.61	24	0-1		
					1880	18900	22.51	24	0-1	
					1900	19100	22.73	24	0-1	
			100RB	1860	18700	22.56	24	0-1		
					1880	18900	22.58	24	0-1	
					1900	19100	22.79	24	0-1	
		16-QAM	1 RB	0	1860	18700	23.08	24	0-1	
					1880	18900	23.00	24	0-1	
					1900	19100	23.00	24	0-1	
				50	1860	18700	22.81	24	0-1	
						1880	18900	22.71	24	0-1
						1900	19100	22.93	24	0-1
				99	1860	18700	22.94	24	0-1	
						1880	18900	22.81	24	0-1
						1900	19100	22.26	24	0-1
	50 RB		0	1860	18700	21.65	23	0-2		
					1880	18900	21.66	23	0-2	
					1900	19100	21.86	23	0-2	
			25	1860	18700	21.70	23	0-2		
					1880	18900	21.59	23	0-2	
					1900	19100	21.77	23	0-2	
			50	1860	18700	21.59	23	0-2		
					1880	18900	21.50	23	0-2	
					1900	19100	21.74	23	0-2	
	100RB		1860	18700	21.59	23	0-2			
				1880	18900	21.55	23	0-2		
				1900	19100	21.79	23	0-2		
	64-QAM		1 RB	0	1860	18700	22.35	24	0-1	
					1880	18900	22.19	24	0-1	
					1900	19100	22.32	24	0-1	
				50	1860	18700	22.41	24	0-1	
						1880	18900	22.01	24	0-1
						1900	19100	22.16	24	0-1
				99	1860	18700	22.28	24	0-1	
						1880	18900	22.22	24	0-1
						1900	19100	22.06	24	0-1
		50 RB	0	1860	18700	21.27	23	0-2		
					1880	18900	21.33	23	0-2	
					1900	19100	21.05	23	0-2	
			25	1860	18700	21.02	23	0-2		
					1880	18900	21.09	23	0-2	
					1900	19100	21.07	23	0-2	
			50	1860	18700	21.22	23	0-2		
					1880	18900	21.24	23	0-2	
					1900	19100	21.15	23	0-2	
		100RB	1860	18700	21.19	23	0-2			
				1880	18900	21.17	23	0-2		
				1900	19100	21.06	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
15	QPSK	1 RB	0	1857.5	18675	23.60	25	0			
				1880	18900	23.62	25	0			
				1902.5	19125	23.80	25	0			
			36	1857.5	18675	23.44	25	0			
				1880	18900	23.44	25	0			
				1902.5	19125	23.62	25	0			
			74	1857.5	18675	23.51	25	0			
				1880	18900	23.39	25	0			
				1902.5	19125	23.66	25	0			
		36 RB	0	1857.5	18675	22.60	24	0-1			
				1880	18900	22.58	24	0-1			
				1902.5	19125	22.80	24	0-1			
				18	1857.5	18675	22.56	24	0-1		
					1880	18900	22.55	24	0-1		
					1902.5	19125	22.74	24	0-1		
			37	1857.5	18675	22.59	24	0-1			
				1880	18900	22.50	24	0-1			
				1902.5	19125	22.59	24	0-1			
				75RB	1857.5	18675	22.53	24	0-1		
					1880	18900	22.54	24	0-1		
					1902.5	19125	22.63	24	0-1		
			16-QAM	1 RB	0	1857.5	18675	22.88	24	0-1	
						1880	18900	22.88	24	0-1	
						1902.5	19125	23.05	24	0-1	
					36	1857.5	18675	22.71	24	0-1	
						1880	18900	22.72	24	0-1	
						1902.5	19125	22.89	24	0-1	
		74			1857.5	18675	22.80	24	0-1		
					1880	18900	22.65	24	0-1		
					1902.5	19125	22.22	24	0-1		
		36 RB			0	1857.5	18675	21.61	23	0-2	
						1880	18900	21.59	23	0-2	
						1902.5	19125	21.81	23	0-2	
						18	1857.5	18675	21.57	23	0-2
							1880	18900	21.59	23	0-2
							1902.5	19125	21.75	23	0-2
	37				1857.5	18675	21.61	23	0-2		
					1880	18900	21.50	23	0-2		
					1902.5	19125	21.68	23	0-2		
				75RB	1857.5	18675	21.56	23	0-2		
					1880	18900	21.54	23	0-2		
					1902.5	19125	21.75	23	0-2		
	64-QAM			1 RB	0	1857.5	18675	22.15	24	0-1	
						1880	18900	22.07	24	0-1	
						1902.5	19125	22.37	24	0-1	
					36	1857.5	18675	22.21	24	0-1	
						1880	18900	22.02	24	0-1	
						1902.5	19125	22.12	24	0-1	
		74			1857.5	18675	22.14	24	0-1		
					1880	18900	22.06	24	0-1		
					1902.5	19125	22.12	24	0-1		
		36 RB			0	1857.5	18675	21.23	23	0-2	
						1880	18900	21.26	23	0-2	
						1902.5	19125	21.00	23	0-2	
						18	1857.5	18675	21.29	23	0-2
							1880	18900	21.09	23	0-2
							1902.5	19125	21.05	23	0-2
			37		1857.5	18675	21.24	23	0-2		
					1880	18900	21.24	23	0-2		
					1902.5	19125	21.09	23	0-2		
				75RB	1857.5	18675	21.16	23	0-2		
					1880	18900	21.16	23	0-2		
					1902.5	19125	21.02	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Full power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	1855	18650	23.75	25	0		
				1880	18900	23.74	25	0		
				1905	19150	23.73	25	0		
			25	1855	18650	23.44	25	0		
				1880	18900	23.45	25	0		
				1905	19150	23.56	25	0		
			49	1855	18650	23.74	25	0		
				1880	18900	23.62	25	0		
				1905	19150	23.72	25	0		
		25 RB	0	1855	18650	22.57	24	0-1		
				1880	18900	22.54	24	0-1		
				1905	19150	22.72	24	0-1		
			12	1855	18650	22.55	24	0-1		
				1880	18900	22.51	24	0-1		
				1905	19150	22.71	24	0-1		
			25	1855	18650	22.52	24	0-1		
				1880	18900	22.50	24	0-1		
				1905	19150	22.24	24	0-1		
			50RB	1855	18650	22.54	24	0-1		
				1880	18900	22.54	24	0-1		
				1905	19150	22.45	24	0-1		
			16-QAM	1 RB	0	1855	18650	23.04	24	0-1
						1880	18900	23.03	24	0-1
						1905	19150	22.94	24	0-1
					25	1855	18650	22.67	24	0-1
						1880	18900	22.71	24	0-1
						1905	19150	22.79	24	0-1
		49			1855	18650	22.99	24	0-1	
					1880	18900	22.88	24	0-1	
					1905	19150	22.21	24	0-1	
		25 RB			0	1855	18650	21.59	23	0-2
						1880	18900	21.60	23	0-2
						1905	19150	21.71	23	0-2
					12	1855	18650	21.58	23	0-2
						1880	18900	21.56	23	0-2
						1905	19150	21.70	23	0-2
	25				1855	18650	21.55	23	0-2	
					1880	18900	21.49	23	0-2	
					1905	19150	21.35	23	0-2	
	50RB	1855		18650	21.56	23	0-2			
		1880		18900	21.56	23	0-2			
		1905		19150	21.61	23	0-2			
	64-QAM	1 RB		0	1855	18650	22.31	24	0-1	
					1880	18900	22.22	24	0-1	
					1905	19150	22.26	24	0-1	
				25	1855	18650	22.17	24	0-1	
					1880	18900	22.01	24	0-1	
					1905	19150	22.02	24	0-1	
				49	1855	18650	22.33	24	0-1	
					1880	18900	22.29	24	0-1	
					1905	19150	22.11	24	0-1	
				25 RB	0	1855	18650	21.21	23	0-2
						1880	18900	21.27	23	0-2
						1905	19150	21.30	23	0-2
					12	1855	18650	21.30	23	0-2
						1880	18900	21.06	23	0-2
						1905	19150	21.40	23	0-2
			25		1855	18650	21.18	23	0-2	
					1880	18900	21.23	23	0-2	
					1905	19150	21.16	23	0-2	
		50RB	1855	18650	21.16	23	0-2			
			1880	18900	21.18	23	0-2			
			1905	19150	21.28	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Full power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	1852.5	18625	23.51	25	0		
				1880	18900	23.50	25	0		
				1907.5	19175	23.44	25	0		
			12	1852.5	18625	23.45	25	0		
				1880	18900	23.39	25	0		
				1907.5	19175	23.20	25	0		
			24	1852.5	18625	23.47	25	0		
				1880	18900	23.43	25	0		
				1907.5	19175	23.80	25	0		
		12 RB	0	1852.5	18625	22.50	24	0-1		
				1880	18900	22.49	24	0-1		
				1907.5	19175	22.35	24	0-1		
			6	1852.5	18625	22.53	24	0-1		
				1880	18900	22.50	24	0-1		
				1907.5	19175	22.21	24	0-1		
			13	1852.5	18625	22.51	24	0-1		
				1880	18900	22.49	24	0-1		
				1907.5	19175	22.03	24	0-1		
			25RB	1852.5	18625	22.50	24	0-1		
				1880	18900	22.47	24	0-1		
				1907.5	19175	22.12	24	0-1		
			16-QAM	1 RB	0	1852.5	18625	22.78	24	0-1
						1880	18900	22.77	24	0-1
						1907.5	19175	22.74	24	0-1
					12	1852.5	18625	22.70	24	0-1
						1880	18900	22.70	24	0-1
						1907.5	19175	22.46	24	0-1
		24			1852.5	18625	22.75	24	0-1	
					1880	18900	22.69	24	0-1	
					1907.5	19175	22.15	24	0-1	
		12 RB			0	1852.5	18625	21.55	23	0-2
						1880	18900	21.54	23	0-2
						1907.5	19175	21.48	23	0-2
					6	1852.5	18625	21.53	23	0-2
						1880	18900	21.52	23	0-2
						1907.5	19175	21.30	23	0-2
	13				1852.5	18625	21.52	23	0-2	
					1880	18900	21.49	23	0-2	
					1907.5	19175	21.04	23	0-2	
	25RB	1852.5		18625	21.53	23	0-2			
		1880		18900	21.51	23	0-2			
		1907.5		19175	21.21	23	0-2			
	64-QAM	1 RB		0	1852.5	18625	22.65	24	0-1	
					1880	18900	22.56	24	0-1	
					1907.5	19175	22.66	24	0-1	
				12	1852.5	18625	22.40	24	0-1	
					1880	18900	22.60	24	0-1	
					1907.5	19175	22.29	24	0-1	
				24	1852.5	18625	22.69	24	0-1	
					1880	18900	22.70	24	0-1	
					1907.5	19175	22.15	24	0-1	
				12 RB	0	1852.5	18625	21.37	23	0-2
						1880	18900	21.41	23	0-2
						1907.5	19175	21.27	23	0-2
					6	1852.5	18625	21.45	23	0-2
						1880	18900	21.22	23	0-2
						1907.5	19175	21.20	23	0-2
			13		1852.5	18625	21.35	23	0-2	
					1880	18900	21.43	23	0-2	
					1907.5	19175	21.05	23	0-2	
		25RB	1852.5	18625	21.33	23	0-2			
			1880	18900	21.33	23	0-2			
			1907.5	19175	21.08	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Full power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
3	QPSK	1 RB	0	1851.5	18615	23.46	25	0	
				1880	18900	23.47	25	0	
				1908.5	19185	23.04	25	0	
			7	1851.5	18615	23.55	25	0	
				1880	18900	23.50	25	0	
				1908.5	19185	23.04	25	0	
			14	1851.5	18615	23.43	25	0	
				1880	18900	23.38	25	0	
				1908.5	19185	23.80	25	0	
		8 RB	0	1851.5	18615	22.51	24	0-1	
				1880	18900	22.49	24	0-1	
				1908.5	19185	22.07	24	0-1	
				1851.5	18615	22.50	24	0-1	
				1880	18900	22.49	24	0-1	
				1908.5	19185	22.03	24	0-1	
			4	1851.5	18615	22.48	24	0-1	
				1880	18900	22.46	24	0-1	
				1908.5	19185	22.01	24	0-1	
				1851.5	18615	22.49	24	0-1	
				1880	18900	22.43	24	0-1	
				1908.5	19185	22.04	24	0-1	
			7	1851.5	18615	22.69	24	0-1	
				1880	18900	22.75	24	0-1	
				1908.5	19185	22.37	24	0-1	
				1851.5	18615	22.85	24	0-1	
				1880	18900	22.79	24	0-1	
				1908.5	19185	22.25	24	0-1	
		16-QAM	1 RB	0	1851.5	18615	22.63	24	0-1
					1880	18900	22.65	24	0-1
					1908.5	19185	22.12	24	0-1
				7	1851.5	18615	21.55	23	0-2
					1880	18900	21.53	23	0-2
					1908.5	19185	21.17	23	0-2
				14	1851.5	18615	21.57	23	0-2
					1880	18900	21.56	23	0-2
					1908.5	19185	21.02	23	0-2
	8 RB		0	1851.5	18615	21.56	23	0-2	
				1880	18900	21.54	23	0-2	
				1908.5	19185	21.02	23	0-2	
			4	1851.5	18615	21.55	23	0-2	
				1880	18900	21.49	23	0-2	
				1908.5	19185	21.04	23	0-2	
			7	1851.5	18615	21.55	23	0-2	
				1880	18900	21.49	23	0-2	
				1908.5	19185	21.04	23	0-2	
	64-QAM	1 RB	0	1851.5	18615	22.66	24	0-1	
				1880	18900	22.64	24	0-1	
				1908.5	19185	22.39	24	0-1	
			7	1851.5	18615	22.65	24	0-1	
				1880	18900	22.79	24	0-1	
				1908.5	19185	22.18	24	0-1	
			14	1851.5	18615	22.67	24	0-1	
				1880	18900	22.76	24	0-1	
				1908.5	19185	22.02	24	0-1	
		8 RB	0	1851.5	18615	21.47	23	0-2	
				1880	18900	21.50	23	0-2	
				1908.5	19185	21.06	23	0-2	
			4	1851.5	18615	21.59	23	0-2	
				1880	18900	21.36	23	0-2	
				1908.5	19185	21.02	23	0-2	
			7	1851.5	18615	21.49	23	0-2	
				1880	18900	21.58	23	0-2	
				1908.5	19185	21.13	23	0-2	
	15RB	1851.5	18615	21.45	23	0-2			
		1880	18900	21.41	23	0-2			
		1908.5	19185	21.01	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Full power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	1850.7	18607	23.20	25	0		
				1880	18900	23.16	25	0		
				1909.3	19193	23.61	25	0		
			2	1850.7	18607	23.26	25	0		
				1880	18900	23.22	25	0		
				1909.3	19193	23.76	25	0		
		5	1850.7	18607	23.09	25	0			
			1880	18900	23.16	25	0			
			1909.3	19193	23.59	25	0			
		3 RB	0	1850.7	18607	23.30	25	0-1		
				1880	18900	23.28	25	0-1		
				1909.3	19193	23.70	25	0-1		
			2	1850.7	18607	23.30	25	0-1		
				1880	18900	23.26	25	0-1		
				1909.3	19193	23.70	25	0-1		
			3	1850.7	18607	23.27	25	0-1		
				1880	18900	23.17	25	0-1		
				1909.3	19193	23.63	25	0-1		
			6RB	1850.7	18607	22.23	24	0-1		
				1880	18900	22.19	24	0-1		
				1909.3	19193	22.64	24	0-1		
		16-QAM	1 RB	0	1850.7	18607	22.43	24	0-1	
					1880	18900	22.37	24	0-1	
					1909.3	19193	22.78	24	0-1	
				2	1850.7	18607	22.78	24	0-1	
					1880	18900	22.71	24	0-1	
					1909.3	19193	23.18	24	0-1	
				5	1850.7	18607	22.64	24	0-1	
					1880	18900	22.48	24	0-1	
					1909.3	19193	23.14	24	0-1	
				3 RB	0	1850.7	18607	22.33	24	0-1
						1880	18900	22.05	24	0-1
						1909.3	19193	22.79	24	0-1
			2		1850.7	18607	22.36	24	0-1	
					1880	18900	22.26	24	0-1	
					1909.3	19193	22.81	24	0-1	
	3		1850.7	18607	22.28	24	0-1			
			1880	18900	22.24	24	0-1			
			1909.3	19193	22.61	24	0-1			
	6RB		1850.7	18607	21.48	23	0-2			
			1880	18900	21.27	23	0-2			
			1909.3	19193	21.73	23	0-2			
	64-QAM		1 RB	0	1850.7	18607	22.30	24	0-1	
					1880	18900	22.16	24	0-1	
					1909.3	19193	22.70	24	0-1	
				2	1850.7	18607	22.48	24	0-1	
					1880	18900	22.61	24	0-1	
					1909.3	19193	23.01	24	0-1	
				5	1850.7	18607	22.58	24	0-1	
					1880	18900	22.49	24	0-1	
					1909.3	19193	22.94	24	0-1	
				3 RB	0	1850.7	18607	22.15	24	0-1
						1880	18900	22.12	24	0-1
						1909.3	19193	22.58	24	0-1
			2		1850.7	18607	22.28	24	0-1	
					1880	18900	22.16	24	0-1	
					1909.3	19193	22.71	24	0-1	
		3	1850.7	18607	22.11	24	0-1			
			1880	18900	22.18	24	0-1			
			1909.3	19193	22.62	24	0-1			
		6RB	1850.7	18607	21.28	23	0-2			
			1880	18900	21.09	23	0-2			
			1909.3	19193	21.60	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
20	QPSK	1 RB	0	1860	18700	16.08	16.5	0		
				1880	18900	16.39	16.5	0		
				1900	19100	16.28	16.5	0		
			50	1860	18700	15.60	16.5	0		
				1880	18900	15.63	16.5	0		
				1900	19100	16.29	16.5	0		
			99	1860	18700	15.87	16.5	0		
				1880	18900	15.99	16.5	0		
				1900	19100	16.32	16.5	0		
		50 RB	0	1860	18700	15.71	16.5	0		
				1880	18900	15.87	16.5	0		
				1900	19100	16.22	16.5	0		
			25	1860	18700	15.68	16.5	0		
				1880	18900	15.84	16.5	0		
				1900	19100	16.13	16.5	0		
			50	1860	18700	15.68	16.5	0		
				1880	18900	15.88	16.5	0		
				1900	19100	16.19	16.5	0		
			100RB	1860	18700	15.76	16.5	0		
				1880	18900	15.78	16.5	0		
				1900	19100	16.07	16.5	0		
		16-QAM	1 RB	0	1860	18700	15.88	16.5	0	
					1880	18900	15.44	16.5	0	
					1900	19100	15.49	16.5	0	
				50	1860	18700	15.37	16.5	0	
					1880	18900	15.81	16.5	0	
					1900	19100	16.02	16.5	0	
				99	1860	18700	15.75	16.5	0	
					1880	18900	16.20	16.5	0	
					1900	19100	16.24	16.5	0	
				50 RB	0	1860	18700	15.45	16.5	0
						1880	18900	15.58	16.5	0
						1900	19100	16.16	16.5	0
			25		1860	18700	15.37	16.5	0	
					1880	18900	15.45	16.5	0	
					1900	19100	15.98	16.5	0	
	50		1860		18700	15.28	16.5	0		
			1880		18900	15.48	16.5	0		
			1900		19100	16.09	16.5	0		
	100RB		1860	18700	15.34	16.5	0			
			1880	18900	15.41	16.5	0			
			1900	19100	16.09	16.5	0			
	64-QAM		1 RB	0	1860	18700	15.57	16.5	0	
					1880	18900	15.18	16.5	0	
					1900	19100	15.21	16.5	0	
				50	1860	18700	14.97	16.5	0	
					1880	18900	15.48	16.5	0	
					1900	19100	15.79	16.5	0	
				99	1860	18700	15.47	16.5	0	
					1880	18900	15.79	16.5	0	
					1900	19100	15.89	16.5	0	
				50 RB	0	1860	18700	15.16	16.5	0
						1880	18900	15.21	16.5	0
						1900	19100	15.85	16.5	0
			25		1860	18700	15.11	16.5	0	
					1880	18900	15.17	16.5	0	
					1900	19100	15.58	16.5	0	
		50	1860		18700	14.95	16.5	0		
			1880		18900	15.25	16.5	0		
			1900		19100	15.81	16.5	0		
		100RB	1860	18700	14.93	16.5	0			
			1880	18900	15.06	16.5	0			
			1900	19100	15.80	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (Mhz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
15	QPSK	1 RB	0	1857.5	18675	16.03	16.5	0		
				1880	18900	16.36	16.5	0		
				1902.5	19125	16.20	16.5	0		
			36	1857.5	18675	15.53	16.5	0		
				1880	18900	15.57	16.5	0		
				1902.5	19125	16.20	16.5	0		
			74	1857.5	18675	15.79	16.5	0		
				1880	18900	15.91	16.5	0		
				1902.5	19125	16.23	16.5	0		
		36 RB	0	1857.5	18675	15.66	16.5	0		
				1880	18900	15.81	16.5	0		
				1902.5	19125	16.20	16.5	0		
			18	1857.5	18675	15.66	16.5	0		
				1880	18900	15.80	16.5	0		
				1902.5	19125	16.05	16.5	0		
			37	1857.5	18675	15.64	16.5	0		
				1880	18900	15.85	16.5	0		
				1902.5	19125	16.17	16.5	0		
			75RB	1857.5	18675	15.73	16.5	0		
				1880	18900	15.76	16.5	0		
				1902.5	19125	16.05	16.5	0		
			16-QAM	1 RB	0	1857.5	18675	15.83	16.5	0
						1880	18900	15.42	16.5	0
						1902.5	19125	15.47	16.5	0
					36	1857.5	18675	15.28	16.5	0
						1880	18900	15.74	16.5	0
						1902.5	19125	16.00	16.5	0
		74			1857.5	18675	15.68	16.5	0	
					1880	18900	16.13	16.5	0	
					1902.5	19125	16.18	16.5	0	
		36 RB			0	1857.5	18675	15.38	16.5	0
						1880	18900	15.54	16.5	0
						1902.5	19125	16.14	16.5	0
					18	1857.5	18675	15.34	16.5	0
						1880	18900	15.40	16.5	0
						1902.5	19125	15.92	16.5	0
	37				1857.5	18675	15.26	16.5	0	
					1880	18900	15.43	16.5	0	
					1902.5	19125	16.08	16.5	0	
	75RB	1857.5		18675	15.25	16.5	0			
		1880		18900	15.34	16.5	0			
		1902.5		19125	16.01	16.5	0			
	64-QAM	1 RB		0	1857.5	18675	15.52	16.5	0	
					1880	18900	15.16	16.5	0	
					1902.5	19125	15.19	16.5	0	
				36	1857.5	18675	14.88	16.5	0	
					1880	18900	15.41	16.5	0	
					1902.5	19125	15.77	16.5	0	
				74	1857.5	18675	15.40	16.5	0	
					1880	18900	15.72	16.5	0	
					1902.5	19125	15.83	16.5	0	
				36 RB	0	1857.5	18675	15.09	16.5	0
						1880	18900	15.17	16.5	0
						1902.5	19125	15.83	16.5	0
					18	1857.5	18675	15.08	16.5	0
						1880	18900	15.12	16.5	0
						1902.5	19125	15.52	16.5	0
			37		1857.5	18675	14.93	16.5	0	
					1880	18900	15.20	16.5	0	
					1902.5	19125	15.80	16.5	0	
		75RB	1857.5	18675	14.84	16.5	0			
			1880	18900	14.99	16.5	0			
			1902.5	19125	15.72	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Reduced Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
10	QPSK	1 RB	0	1855	18650	16.05	16.5	0			
				1880	18900	16.32	16.5	0			
				1905	19150	16.25	16.5	0			
			25	1855	18650	15.52	16.5	0			
				1880	18900	15.57	16.5	0			
				1905	19150	16.26	16.5	0			
			49	1855	18650	15.79	16.5	0			
				1880	18900	15.97	16.5	0			
				1905	19150	16.23	16.5	0			
		25 RB	0	1855	18650	15.65	16.5	0			
				1880	18900	15.86	16.5	0			
				1905	19150	16.16	16.5	0			
				12	1855	18650	15.62	16.5	0		
					1880	18900	15.75	16.5	0		
					1905	19150	16.07	16.5	0		
			25	1855	18650	15.67	16.5	0			
				1880	18900	15.82	16.5	0			
				1905	19150	16.10	16.5	0			
			50RB	1855	18650	15.67	16.5	0			
				1880	18900	15.74	16.5	0			
				1905	19150	16.02	16.5	0			
				1855	18650	15.84	16.5	0			
				1880	18900	15.42	16.5	0			
				1905	19150	15.47	16.5	0			
			16-QAM	1 RB	0	1855	18650	15.35	16.5	0	
						1880	18900	15.72	16.5	0	
						1905	19150	16.01	16.5	0	
		25				1855	18650	15.70	16.5	0	
						1880	18900	16.17	16.5	0	
						1905	19150	16.22	16.5	0	
		49			1855	18650	15.39	16.5	0		
					1880	18900	15.56	16.5	0		
					1905	19150	16.10	16.5	0		
					25 RB	12	1855	18650	15.33	16.5	0
							1880	18900	15.39	16.5	0
							1905	19150	15.92	16.5	0
	25	1855			18650	15.27	16.5	0			
		1880			18900	15.42	16.5	0			
		1905			19150	16.08	16.5	0			
	50RB	1855			18650	15.27	16.5	0			
		1880			18900	15.35	16.5	0			
		1905			19150	16.02	16.5	0			
		1855		18650	15.53	16.5	0				
		1880		18900	15.16	16.5	0				
		1905		19150	15.19	16.5	0				
	64-QAM	1 RB		0	1855	18650	14.95	16.5	0		
					1880	18900	15.39	16.5	0		
					1905	19150	15.78	16.5	0		
					25	1855	18650	15.42	16.5	0	
						1880	18900	15.76	16.5	0	
						1905	19150	15.87	16.5	0	
				49	1855	18650	15.10	16.5	0		
					1880	18900	15.19	16.5	0		
					1905	19150	15.79	16.5	0		
					25 RB	12	1855	18650	15.07	16.5	0
							1880	18900	15.11	16.5	0
							1905	19150	15.52	16.5	0
				25	1855	18650	14.94	16.5	0		
					1880	18900	15.19	16.5	0		
					1905	19150	15.80	16.5	0		
			50RB	1855	18650	14.86	16.5	0			
				1880	18900	15.00	16.5	0			
				1905	19150	15.73	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	1852.5	18625	16.01	16.5	0		
				1880	18900	16.37	16.5	0		
				1907.5	19175	16.25	16.5	0		
			12	1852.5	18625	15.57	16.5	0		
				1880	18900	15.62	16.5	0		
				1907.5	19175	16.23	16.5	0		
			24	1852.5	18625	15.79	16.5	0		
				1880	18900	15.94	16.5	0		
				1907.5	19175	16.30	16.5	0		
		12 RB	0	1852.5	18625	15.66	16.5	0		
				1880	18900	15.81	16.5	0		
				1907.5	19175	16.18	16.5	0		
			6	1852.5	18625	15.66	16.5	0		
				1880	18900	15.76	16.5	0		
				1907.5	19175	16.05	16.5	0		
			13	1852.5	18625	15.62	16.5	0		
				1880	18900	15.80	16.5	0		
				1907.5	19175	16.17	16.5	0		
			25RB	1852.5	18625	15.70	16.5	0		
				1880	18900	15.73	16.5	0		
				1907.5	19175	15.98	16.5	0		
		16-QAM	1 RB	0	1852.5	18625	15.83	16.5	0	
					1880	18900	15.43	16.5	0	
					1907.5	19175	15.43	16.5	0	
				12	1852.5	18625	15.36	16.5	0	
					1880	18900	15.79	16.5	0	
					1907.5	19175	16.00	16.5	0	
				24	1852.5	18625	15.68	16.5	0	
					1880	18900	16.15	16.5	0	
					1907.5	19175	16.17	16.5	0	
				12 RB	0	1852.5	18625	15.38	16.5	0
						1880	18900	15.52	16.5	0
						1907.5	19175	16.12	16.5	0
					6	1852.5	18625	15.34	16.5	0
						1880	18900	15.38	16.5	0
						1907.5	19175	15.93	16.5	0
	13				1852.5	18625	15.23	16.5	0	
					1880	18900	15.42	16.5	0	
					1907.5	19175	16.06	16.5	0	
	25RB		1852.5	18625	15.28	16.5	0			
			1880	18900	15.36	16.5	0			
			1907.5	19175	16.03	16.5	0			
	64-QAM		1 RB	0	1852.5	18625	15.52	16.5	0	
					1880	18900	15.17	16.5	0	
					1907.5	19175	15.15	16.5	0	
				12	1852.5	18625	14.96	16.5	0	
					1880	18900	15.46	16.5	0	
					1907.5	19175	15.77	16.5	0	
				24	1852.5	18625	15.40	16.5	0	
					1880	18900	15.74	16.5	0	
					1907.5	19175	15.82	16.5	0	
				12 RB	0	1852.5	18625	15.09	16.5	0
						1880	18900	15.15	16.5	0
						1907.5	19175	15.81	16.5	0
					6	1852.5	18625	15.08	16.5	0
						1880	18900	15.10	16.5	0
						1907.5	19175	15.53	16.5	0
		13			1852.5	18625	14.90	16.5	0	
					1880	18900	15.19	16.5	0	
					1907.5	19175	15.78	16.5	0	
		25RB	1852.5	18625	14.87	16.5	0			
			1880	18900	15.01	16.5	0			
			1907.5	19175	15.74	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
3	QPSK	1 RB	0	1851.5	18615	15.99	16.5	0		
				1880	18900	16.31	16.5	0		
				1908.5	19185	16.21	16.5	0		
			7	1851.5	18615	15.52	16.5	0		
				1880	18900	15.56	16.5	0		
				1908.5	19185	16.26	16.5	0		
		14	1851.5	18615	15.83	16.5	0			
			1880	18900	15.96	16.5	0			
			1908.5	19185	16.26	16.5	0			
		8 RB	0	1851.5	18615	15.63	16.5	0		
				1880	18900	15.85	16.5	0		
				1908.5	19185	16.20	16.5	0		
			4	1851.5	18615	15.67	16.5	0		
				1880	18900	15.78	16.5	0		
				1908.5	19185	16.07	16.5	0		
			7	1851.5	18615	15.59	16.5	0		
				1880	18900	15.85	16.5	0		
				1908.5	19185	16.17	16.5	0		
			15RB	1851.5	18615	15.68	16.5	0		
				1880	18900	15.72	16.5	0		
				1908.5	19185	16.01	16.5	0		
		16-QAM	1 RB	0	1851.5	18615	15.82	16.5	0	
					1880	18900	15.35	16.5	0	
					1908.5	19185	15.40	16.5	0	
				7	1851.5	18615	15.33	16.5	0	
					1880	18900	15.78	16.5	0	
					1908.5	19185	15.95	16.5	0	
				14	1851.5	18615	15.74	16.5	0	
					1880	18900	16.16	16.5	0	
					1908.5	19185	16.19	16.5	0	
				8 RB	0	1851.5	18615	15.42	16.5	0
						1880	18900	15.54	16.5	0
						1908.5	19185	16.12	16.5	0
			4		1851.5	18615	15.36	16.5	0	
					1880	18900	15.36	16.5	0	
					1908.5	19185	15.92	16.5	0	
	7		1851.5		18615	15.21	16.5	0		
			1880		18900	15.41	16.5	0		
			1908.5		19185	16.08	16.5	0		
	15RB		1851.5	18615	15.32	16.5	0			
			1880	18900	15.32	16.5	0			
			1908.5	19185	16.02	16.5	0			
	64-QAM		1 RB	0	1851.5	18615	15.51	16.5	0	
					1880	18900	15.09	16.5	0	
					1908.5	19185	15.12	16.5	0	
				7	1851.5	18615	14.93	16.5	0	
					1880	18900	15.45	16.5	0	
					1908.5	19185	15.72	16.5	0	
				14	1851.5	18615	15.46	16.5	0	
					1880	18900	15.75	16.5	0	
					1908.5	19185	15.84	16.5	0	
				8 RB	0	1851.5	18615	15.13	16.5	0
						1880	18900	15.17	16.5	0
						1908.5	19185	15.81	16.5	0
			4		1851.5	18615	15.10	16.5	0	
					1880	18900	15.08	16.5	0	
					1908.5	19185	15.52	16.5	0	
		7	1851.5		18615	14.88	16.5	0		
			1880		18900	15.18	16.5	0		
			1908.5		19185	15.80	16.5	0		
		15RB	1851.5	18615	14.91	16.5	0			
			1880	18900	14.97	16.5	0			
			1908.5	19185	15.73	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 2 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
1.4	QPSK	1 RB	0	1850.7	18607	16.07	16.5	0	
				1880	18900	16.38	16.5	0	
				1909.3	19193	16.21	16.5	0	
			2	1850.7	18607	15.55	16.5	0	
				1880	18900	15.60	16.5	0	
				1909.3	19193	16.21	16.5	0	
				1850.7	18607	15.84	16.5	0	
				1880	18900	15.96	16.5	0	
				1909.3	19193	16.29	16.5	0	
		5	1850.7	18607	15.65	16.5	0		
			1880	18900	15.78	16.5	0		
			1909.3	19193	16.16	16.5	0		
			1850.7	18607	15.61	16.5	0		
			1880	18900	15.80	16.5	0		
			1909.3	19193	16.08	16.5	0		
		3 RB	0	1850.7	18607	15.63	16.5	0	
				1880	18900	15.80	16.5	0	
				1909.3	19193	16.15	16.5	0	
			2	1850.7	18607	15.70	16.5	0	
				1880	18900	15.70	16.5	0	
				1909.3	19193	15.98	16.5	0	
				1850.7	18607	15.79	16.5	0	
				1880	18900	15.43	16.5	0	
				1909.3	19193	15.40	16.5	0	
		6RB	0	1850.7	18607	15.36	16.5	0	
				1880	18900	15.75	16.5	0	
				1909.3	19193	15.94	16.5	0	
	2		1850.7	18607	15.66	16.5	0		
			1880	18900	16.15	16.5	0		
			1909.3	19193	16.17	16.5	0		
			1850.7	18607	15.40	16.5	0		
			1880	18900	15.56	16.5	0		
			1909.3	19193	16.09	16.5	0		
	16-QAM	1 RB	0	1850.7	18607	15.33	16.5	0	
				1880	18900	15.41	16.5	0	
				1909.3	19193	15.90	16.5	0	
			2	1850.7	18607	15.23	16.5	0	
				1880	18900	15.45	16.5	0	
				1909.3	19193	16.03	16.5	0	
				1850.7	18607	15.32	16.5	0	
				1880	18900	15.40	16.5	0	
				1909.3	19193	16.03	16.5	0	
	64-QAM	1 RB	0	1850.7	18607	15.48	16.5	0	
				1880	18900	15.17	16.5	0	
				1909.3	19193	15.12	16.5	0	
				1850.7	18607	14.96	16.5	0	
				1880	18900	15.42	16.5	0	
				1909.3	19193	15.71	16.5	0	
			2	1850.7	18607	15.38	16.5	0	
				1880	18900	15.74	16.5	0	
				1909.3	19193	15.82	16.5	0	
				1850.7	18607	15.11	16.5	0	
				1880	18900	15.19	16.5	0	
				1909.3	19193	15.78	16.5	0	
			3 RB	0	1850.7	18607	15.07	16.5	0
					1880	18900	15.13	16.5	0
					1909.3	19193	15.50	16.5	0
				2	1850.7	18607	14.90	16.5	0
					1880	18900	15.22	16.5	0
					1909.3	19193	15.75	16.5	0
		1850.7			18607	14.91	16.5	0	
		1880			18900	15.05	16.5	0	
		1909.3			19193	15.74	16.5	0	
		6RB	0	1850.7	18607	15.74	16.5	0	
				1880	18900	15.05	16.5	0	
				1909.3	19193	15.74	16.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
20	QPSK	1 RB	0	1720	20050	22.26	25	0		
				1732.5	20175	23.91	25	0		
				1745	20300	22.67	25	0		
			50	1720	20050	23.79	25	0		
				1732.5	20175	23.67	25	0		
				1745	20300	22.45	25	0		
			99	1720	20050	23.88	25	0		
				1732.5	20175	22.01	25	0		
				1745	20300	23.73	25	0		
		50 RB	0	1720	20050	22.93	24	0-1		
				1732.5	20175	22.95	24	0-1		
				1745	20300	22.33	24	0-1		
			25	1720	20050	22.92	24	0-1		
				1732.5	20175	22.90	24	0-1		
				1745	20300	22.46	24	0-1		
			50	1720	20050	22.91	24	0-1		
				1732.5	20175	22.80	24	0-1		
				1745	20300	22.89	24	0-1		
			100RB	1720	20050	23.11	24	0-1		
				1732.5	20175	23.02	24	0-1		
				1745	20300	22.74	24	0-1		
			16-QAM	1 RB	0	1720	20050	21.62	24	0-1
						1732.5	20175	23.38	24	0-1
						1745	20300	21.99	24	0-1
					50	1720	20050	23.12	24	0-1
						1732.5	20175	23.05	24	0-1
						1745	20300	21.65	24	0-1
		99			1720	20050	22.57	24	0-1	
					1732.5	20175	21.67	24	0-1	
					1745	20300	22.80	24	0-1	
		50 RB			0	1720	20050	21.91	23	0-2
						1732.5	20175	22.01	23	0-2
						1745	20300	21.55	23	0-2
					25	1720	20050	21.92	23	0-2
						1732.5	20175	21.97	23	0-2
						1745	20300	21.71	23	0-2
	50				1720	20050	21.93	23	0-2	
					1732.5	20175	21.86	23	0-2	
					1745	20300	21.91	23	0-2	
	100RB	1720		20050	23.00	23	0-2			
		1732.5		20175	21.98	23	0-2			
		1745		20300	21.92	23	0-2			
	64-QAM	1 RB		0	1720	20050	22.19	24	0-1	
					1732.5	20175	22.57	24	0-1	
					1745	20300	22.31	24	0-1	
				50	1720	20050	22.22	24	0-1	
					1732.5	20175	22.35	24	0-1	
					1745	20300	22.88	24	0-1	
				99	1720	20050	22.11	24	0-1	
					1732.5	20175	22.08	24	0-1	
					1745	20300	22.00	24	0-1	
				50 RB	0	1720	20050	21.13	23	0-2
						1732.5	20175	21.28	23	0-2
						1745	20300	21.14	23	0-2
					25	1720	20050	21.24	23	0-2
						1732.5	20175	21.07	23	0-2
						1745	20300	21.01	23	0-2
			50		1720	20050	21.16	23	0-2	
					1732.5	20175	21.20	23	0-2	
					1745	20300	21.32	23	0-2	
		100RB	1720	20050	22.20	23	0-2			
			1732.5	20175	21.20	23	0-2			
			1745	20300	21.19	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
15	QPSK	1 RB	0	1717.5	20025	22.16	25	0			
				1732.5	20175	23.76	25	0			
				1747.5	20325	22.03	25	0			
			36	1717.5	20025	23.73	25	0			
				1732.5	20175	23.65	25	0			
				1747.5	20325	22.55	25	0			
			74	1717.5	20025	23.68	25	0			
				1732.5	20175	22.12	25	0			
				1747.5	20325	23.59	25	0			
		36 RB	0	1717.5	20025	22.99	24	0-1			
				1732.5	20175	22.85	24	0-1			
				1747.5	20325	22.21	24	0-1			
				18	1717.5	20025	22.94	24	0-1		
					1732.5	20175	22.86	24	0-1		
					1747.5	20325	22.63	24	0-1		
			37	1717.5	20025	22.83	24	0-1			
				1732.5	20175	22.86	24	0-1			
				1747.5	20325	22.74	24	0-1			
				75RB	1717.5	20025	22.83	24	0-1		
					1732.5	20175	22.84	24	0-1		
					1747.5	20325	22.86	24	0-1		
			16-QAM	1 RB	0	1717.5	20025	21.44	24	0-1	
						1732.5	20175	23.23	24	0-1	
						1747.5	20325	21.31	24	0-1	
						36	1717.5	20025	22.71	24	0-1
							1732.5	20175	22.50	24	0-1
							1747.5	20325	22.18	24	0-1
		74			1717.5	20025	22.63	24	0-1		
					1732.5	20175	21.56	24	0-1		
					1747.5	20325	22.71	24	0-1		
					36 RB	0	1717.5	20025	21.93	23	0-2
							1732.5	20175	21.90	23	0-2
							1747.5	20325	21.42	23	0-2
		18				1717.5	20025	21.97	23	0-2	
						1732.5	20175	21.90	23	0-2	
						1747.5	20325	21.84	23	0-2	
	37	1717.5			20025	21.91	23	0-2			
		1732.5			20175	21.88	23	0-2			
		1747.5			20325	21.73	23	0-2			
		75RB		1717.5	20025	22.05	23	0-2			
				1732.5	20175	21.91	23	0-2			
				1747.5	20325	21.75	23	0-2			
	64-QAM	1 RB		0	1717.5	20025	22.11	24	0-1		
					1732.5	20175	22.42	24	0-1		
					1747.5	20325	22.03	24	0-1		
					36	1717.5	20025	22.01	24	0-1	
						1732.5	20175	22.08	24	0-1	
						1747.5	20325	22.12	24	0-1	
				74	1717.5	20025	22.07	24	0-1		
					1732.5	20175	22.17	24	0-1		
					1747.5	20325	22.01	24	0-1		
					36 RB	0	1717.5	20025	21.15	23	0-2
							1732.5	20175	21.17	23	0-2
							1747.5	20325	21.61	23	0-2
				18		1717.5	20025	21.29	23	0-2	
						1732.5	20175	21.00	23	0-2	
						1747.5	20325	21.14	23	0-2	
			37	1717.5	20025	21.14	23	0-2			
				1732.5	20175	21.22	23	0-2			
				1747.5	20325	21.14	23	0-2			
		75RB		1717.5	20025	21.25	23	0-2			
				1732.5	20175	21.13	23	0-2			
				1747.5	20325	21.02	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
10	QPSK	1 RB	0	1715	20000	22.11	25	0			
				1732.5	20175	24.20	25	0			
				1750	20350	22.26	25	0			
			25	1715	20000	23.17	25	0			
				1732.5	20175	23.49	25	0			
				1750	20350	23.04	25	0			
			49	1715	20000	23.43	25	0			
				1732.5	20175	22.37	25	0			
				1750	20350	23.52	25	0			
		25 RB	0	1715	20000	22.54	24	0-1			
				1732.5	20175	22.91	24	0-1			
				1750	20350	22.63	24	0-1			
				12	1715	20000	22.89	24	0-1		
					1732.5	20175	22.82	24	0-1		
					1750	20350	22.81	24	0-1		
			25	1715	20000	22.91	24	0-1			
				1732.5	20175	22.76	24	0-1			
				1750	20350	22.69	24	0-1			
				50RB	1715	20000	22.89	24	0-1		
					1732.5	20175	22.79	24	0-1		
					1750	20350	22.75	24	0-1		
			16-QAM	1 RB	0	1715	20000	21.21	24	0-1	
						1732.5	20175	22.88	24	0-1	
						1750	20350	21.21	24	0-1	
						25	1715	20000	22.46	24	0-1
							1732.5	20175	22.31	24	0-1
							1750	20350	22.43	24	0-1
		49			1715	20000	23.21	24	0-1		
					1732.5	20175	21.86	24	0-1		
					1750	20350	23.02	24	0-1		
					25 RB	0	1715	20000	21.78	23	0-2
							1732.5	20175	21.89	23	0-2
							1750	20350	21.88	23	0-2
		12				1715	20000	21.91	23	0-2	
						1732.5	20175	21.81	23	0-2	
						1750	20350	21.88	23	0-2	
	25	1715			20000	21.86	23	0-2			
		1732.5			20175	21.67	23	0-2			
		1750			20350	21.77	23	0-2			
		50RB		1715	20000	21.92	23	0-2			
				1732.5	20175	21.87	23	0-2			
				1750	20350	21.84	23	0-2			
	64-QAM	1 RB		0	1715	20000	22.48	24	0-1		
					1732.5	20175	22.07	24	0-1		
					1750	20350	22.53	24	0-1		
					25	1715	20000	22.56	24	0-1	
						1732.5	20175	22.61	24	0-1	
						1750	20350	22.66	24	0-1	
				49	1715	20000	22.55	24	0-1		
					1732.5	20175	22.27	24	0-1		
					1750	20350	22.22	24	0-1		
					25 RB	0	1715	20000	21.00	23	0-2
							1732.5	20175	21.16	23	0-2
							1750	20350	21.07	23	0-2
				12		1715	20000	21.23	23	0-2	
						1732.5	20175	21.10	23	0-2	
						1750	20350	21.18	23	0-2	
			25	1715	20000	21.09	23	0-2			
				1732.5	20175	21.01	23	0-2			
				1750	20350	21.18	23	0-2			
		50RB		1715	20000	21.12	23	0-2			
				1732.5	20175	21.09	23	0-2			
				1750	20350	21.11	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
5	QPSK	1 RB	0	1712.5	19975	21.98	25	0			
				1732.5	20175	23.86	25	0			
				1752.5	20375	23.06	25	0			
			12	1712.5	19975	22.47	25	0			
				1732.5	20175	23.54	25	0			
				1752.5	20375	23.78	25	0			
			24	1712.5	19975	22.84	25	0			
				1732.5	20175	22.88	25	0			
				1752.5	20375	23.76	25	0			
		12 RB	0	1712.5	19975	22.25	24	0-1			
				1732.5	20175	22.88	24	0-1			
				1752.5	20375	22.71	24	0-1			
			6	1712.5	19975	22.45	24	0-1			
				1732.5	20175	22.82	24	0-1			
				1752.5	20375	22.77	24	0-1			
			13	1712.5	19975	22.68	24	0-1			
				1732.5	20175	22.77	24	0-1			
				1752.5	20375	22.74	24	0-1			
			25RB	1712.5	19975	22.43	24	0-1			
				1732.5	20175	22.80	24	0-1			
				1752.5	20375	22.68	24	0-1			
				1712.5	19975	21.41	24	0-1			
				1732.5	20175	22.46	24	0-1			
				1752.5	20375	22.51	24	0-1			
			16-QAM	1 RB	0	1712.5	19975	21.88	24	0-1	
						1732.5	20175	22.75	24	0-1	
						1752.5	20375	22.89	24	0-1	
		12			1712.5	19975	22.13	24	0-1		
					1732.5	20175	22.63	24	0-1		
					1752.5	20375	23.05	24	0-1		
		24			1712.5	19975	21.50	23	0-2		
					1732.5	20175	21.81	23	0-2		
					1752.5	20375	21.74	23	0-2		
					12 RB	0	1712.5	19975	21.70	23	0-2
						6	1732.5	20175	21.84	23	0-2
							1752.5	20375	21.79	23	0-2
	13	1712.5		19975	21.96		23	0-2			
		1732.5		20175	21.76	23	0-2				
		1752.5		20375	21.71	23	0-2				
	25RB	1712.5		19975	21.71	23	0-2				
		1732.5		20175	21.89	23	0-2				
		1752.5		20375	21.72	23	0-2				
		1 RB		0	1712.5	19975	22.68	24	0-1		
					1732.5	20175	22.65	24	0-1		
					1752.5	20375	22.13	24	0-1		
	12			1712.5	19975	22.08	24	0-1			
				1732.5	20175	22.05	24	0-1			
				1752.5	20375	22.12	24	0-1			
	24			1712.5	19975	22.47	24	0-1			
				1732.5	20175	22.04	24	0-1			
				1752.5	20375	22.25	24	0-1			
	64-QAM			12 RB	0	1712.5	19975	21.72	23	0-2	
						1732.5	20175	21.08	23	0-2	
						1752.5	20375	21.03	23	0-2	
		6			1712.5	19975	21.02	23	0-2		
					1732.5	20175	21.94	23	0-2		
					1752.5	20375	21.09	23	0-2		
		13			1712.5	19975	21.19	23	0-2		
					1732.5	20175	21.10	23	0-2		
					1752.5	20375	21.12	23	0-2		
		25RB	1712.5	19975	21.11	23	0-2				
			1732.5	20175	21.11	23	0-2				
			1752.5	20375	21.09	23	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Full Power)												
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
3	QPSK	1 RB	0	1711.5	19965	22.35	25	0				
				1732.5	20175	23.98	25	0				
				1753.5	20385	23.23	25	0				
			7	1711.5	19965	22.43	25	0				
				1732.5	20175	23.69	25	0				
				1753.5	20385	23.63	25	0				
		14	1711.5	19965	22.73	25	0					
			1732.5	20175	23.34	25	0					
			1753.5	20385	24.02	25	0					
		8 RB	0	1711.5	19965	22.33	19965	22.33	24	0-1		
				1732.5	20175	23.05	20175	23.05	24	0-1		
				1753.5	20385	23.41	20385	23.41	24	0-1		
			4	1711.5	19965	22.42	19965	22.42	24	0-1		
				1732.5	20175	23.05	20175	23.05	24	0-1		
				1753.5	20385	23.69	20385	23.69	24	0-1		
			7	1711.5	19965	22.44	19965	22.44	24	0-1		
				1732.5	20175	23.09	20175	23.09	24	0-1		
				1753.5	20385	22.85	20385	22.85	24	0-1		
			15RB	1711.5	19965	22.37	19965	22.37	24	0-1		
				1732.5	20175	23.00	20175	23.00	24	0-1		
				1753.5	20385	22.83	20385	22.83	24	0-1		
		16-QAM	1 RB	0	1711.5	19965	21.58	19965	21.58	24	0-1	
					1732.5	20175	23.06	20175	23.06	24	0-1	
					1753.5	20385	22.68	20385	22.68	24	0-1	
				7	1711.5	19965	21.66	19965	21.66	24	0-1	
					1732.5	20175	23.11	20175	23.11	24	0-1	
					1753.5	20385	23.20	20385	23.20	24	0-1	
				14	1711.5	19965	21.81	19965	21.81	24	0-1	
					1732.5	20175	22.67	20175	22.67	24	0-1	
					1753.5	20385	22.85	20385	22.85	24	0-1	
				8 RB	0	1711.5	19965	21.51	19965	21.51	23	0-2
						1732.5	20175	22.11	20175	22.11	23	0-2
						1753.5	20385	21.97	20385	21.97	23	0-2
			4		1711.5	19965	21.71	19965	21.71	23	0-2	
					1732.5	20175	22.05	20175	22.05	23	0-2	
					1753.5	20385	22.05	20385	22.05	23	0-2	
	7		1711.5		19965	21.73	19965	21.73	23	0-2		
			1732.5		20175	22.09	20175	22.09	23	0-2		
			1753.5		20385	21.89	20385	21.89	23	0-2		
	15RB		1711.5	19965	21.58	19965	21.58	23	0-2			
			1732.5	20175	22.03	20175	22.03	23	0-2			
			1753.5	20385	21.88	20385	21.88	23	0-2			
	64-QAM		1 RB	0	1711.5	19965	22.15	19965	22.15	24	0-1	
					1732.5	20175	22.25	20175	22.25	24	0-1	
					1753.5	20385	22.00	20385	22.00	24	0-1	
				7	1711.5	19965	22.16	19965	22.16	24	0-1	
					1732.5	20175	22.41	20175	22.41	24	0-1	
					1753.5	20385	22.43	20385	22.43	24	0-1	
				14	1711.5	19965	22.15	19965	22.15	24	0-1	
					1732.5	20175	22.08	20175	22.08	24	0-1	
					1753.5	20385	22.05	20385	22.05	24	0-1	
				8 RB	0	1711.5	19965	21.73	19965	21.73	23	0-2
						1732.5	20175	21.38	20175	21.38	23	0-2
						1753.5	20385	21.16	20385	21.16	23	0-2
			4		1711.5	19965	21.03	19965	21.03	23	0-2	
					1732.5	20175	21.15	20175	21.15	23	0-2	
					1753.5	20385	21.35	20385	21.35	23	0-2	
		7	1711.5		19965	21.06	19965	21.06	23	0-2		
			1732.5		20175	21.43	20175	21.43	23	0-2		
			1753.5		20385	21.30	20385	21.30	23	0-2		
		15RB	1711.5	19965	21.18	19965	21.18	23	0-2			
			1732.5	20175	21.25	20175	21.25	23	0-2			
			1753.5	20385	21.15	20385	21.15	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	1710.7	19957	21.80	25	0		
				1732.5	20175	23.61	25	0		
				1754.3	20393	23.62	25	0		
			2	1710.7	19957	21.87	25	0		
				1732.5	20175	23.58	25	0		
				1754.3	20393	23.67	25	0		
			5	1710.7	19957	21.88	25	0		
				1732.5	20175	23.35	25	0		
				1754.3	20393	23.79	25	0		
		3 RB	0	1710.7	19957	21.75	25	0-1		
				1732.5	20175	23.56	25	0-1		
				1754.3	20393	23.60	25	0-1		
			2	1710.7	19957	21.83	25	0-1		
				1732.5	20175	23.47	25	0-1		
				1754.3	20393	23.76	25	0-1		
			3	1710.7	19957	21.81	25	0-1		
				1732.5	20175	23.42	25	0-1		
				1754.3	20393	23.76	25	0-1		
		6RB	1710.7	19957	20.73	24	0-1			
			1732.5	20175	22.58	24	0-1			
			1754.3	20393	22.55	24	0-1			
		16-QAM	1 RB	0	1710.7	19957	21.12	24	0-1	
					1732.5	20175	22.64	24	0-1	
					1754.3	20393	22.89	24	0-1	
				2	1710.7	19957	21.10	24	0-1	
					1732.5	20175	23.07	24	0-1	
					1754.3	20393	22.63	24	0-1	
				5	1710.7	19957	21.30	24	0-1	
					1732.5	20175	22.63	24	0-1	
					1754.3	20393	23.28	24	0-1	
				3 RB	0	1710.7	19957	20.94	24	0-1
						1732.5	20175	22.76	24	0-1
						1754.3	20393	22.72	24	0-1
					2	1710.7	19957	20.99	24	0-1
						1732.5	20175	22.73	24	0-1
						1754.3	20393	22.70	24	0-1
	3				1710.7	19957	20.79	24	0-1	
					1732.5	20175	22.62	24	0-1	
					1754.3	20393	22.88	24	0-1	
	6RB		1710.7	19957	20.03	23	0-2			
			1732.5	20175	21.73	23	0-2			
			1754.3	20393	21.78	23	0-2			
	64-QAM		1 RB	0	1710.7	19957	22.39	24	0-1	
					1732.5	20175	22.13	24	0-1	
					1754.3	20393	22.21	24	0-1	
				2	1710.7	19957	22.20	24	0-1	
					1732.5	20175	22.37	24	0-1	
					1754.3	20393	22.16	24	0-1	
				5	1710.7	19957	22.14	24	0-1	
					1732.5	20175	22.04	24	0-1	
					1754.3	20393	22.48	24	0-1	
				3 RB	0	1710.7	19957	22.16	24	0-1
						1732.5	20175	22.03	24	0-1
						1754.3	20393	22.21	24	0-1
					2	1710.7	19957	22.31	24	0-1
						1732.5	20175	22.13	24	0-1
						1754.3	20393	22.00	24	0-1
		3			1710.7	19957	22.02	24	0-1	
					1732.5	20175	22.06	24	0-1	
					1754.3	20393	22.29	24	0-1	
		6RB	1710.7	19957	21.23	23	0-2			
			1732.5	20175	21.05	23	0-2			
			1754.3	20393	21.05	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Reduced Power)								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	1720	20050	15.17	16.5	0
				1732.5	20175	16.12	16.5	0
				1745	20300	15.68	16.5	0
			50	1720	20050	15.13	16.5	0
				1732.5	20175	15.33	16.5	0
				1745	20300	15.37	16.5	0
			99	1720	20050	15.58	16.5	0
				1732.5	20175	15.10	16.5	0
				1745	20300	16.05	16.5	0
		50 RB	0	1720	20050	15.44	16.5	0
				1732.5	20175	15.38	16.5	0
				1745	20300	15.41	16.5	0
				1720	20050	15.27	16.5	0
				1732.5	20175	15.40	16.5	0
				1745	20300	15.22	16.5	0
			25	1720	20050	15.33	16.5	0
				1732.5	20175	15.47	16.5	0
				1745	20300	15.10	16.5	0
				1720	20050	15.44	16.5	0
				1732.5	20175	14.99	16.5	0
				1745	20300	15.18	16.5	0
			50	1720	20050	15.70	16.5	0
				1732.5	20175	16.03	16.5	0
				1745	20300	15.86	16.5	0
				1720	20050	15.57	16.5	0
				1732.5	20175	16.08	16.5	0
				1745	20300	14.94	16.5	0
		100RB	0	1720	20050	15.30	16.5	0
				1732.5	20175	15.51	16.5	0
				1745	20300	15.52	16.5	0
				1720	20050	15.56	16.5	0
				1732.5	20175	15.38	16.5	0
				1745	20300	15.16	16.5	0
			25	1720	20050	15.29	16.5	0
				1732.5	20175	15.27	16.5	0
				1745	20300	15.06	16.5	0
	1720			20050	15.56	16.5	0	
	1732.5			20175	14.57	16.5	0	
	1745			20300	15.25	16.5	0	
	50		1720	20050	15.39	16.5	0	
			1732.5	20175	15.77	16.5	0	
			1745	20300	15.78	16.5	0	
			1720	20050	14.95	16.5	0	
			1732.5	20175	15.53	16.5	0	
			1745	20300	15.34	16.5	0	
	64-QAM	1 RB	0	1720	20050	14.94	16.5	0
				1732.5	20175	15.67	16.5	0
				1745	20300	14.59	16.5	0
			50	1720	20050	15.01	16.5	0
				1732.5	20175	15.14	16.5	0
				1745	20300	15.21	16.5	0
			25	1720	20050	15.30	16.5	0
				1732.5	20175	15.10	16.5	0
				1745	20300	14.76	16.5	0
		1720		20050	14.96	16.5	0	
		1732.5		20175	15.04	16.5	0	
		1745		20300	14.78	16.5	0	
		50	1720	20050	15.15	16.5	0	
			1732.5	20175	14.22	16.5	0	
			1745	20300	14.96	16.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
15	QPSK	1 RB	0	1717.5	20025	15.47	16.5	0		
				1732.5	20175	16.37	16.5	0		
				1747.5	20325	15.57	16.5	0		
			36	1717.5	20025	15.02	16.5	0		
				1732.5	20175	15.22	16.5	0		
				1747.5	20325	15.26	16.5	0		
		74	1717.5	20025	15.06	16.5	0			
			1732.5	20175	14.99	16.5	0			
			1747.5	20325	14.94	16.5	0			
		36 RB	0	1717.5	20025	15.33	16.5	0		
				1732.5	20175	15.27	16.5	0		
				1747.5	20325	15.30	16.5	0		
			18	1717.5	20025	15.16	16.5	0		
				1732.5	20175	15.29	16.5	0		
				1747.5	20325	15.11	16.5	0		
			37	1717.5	20025	15.22	16.5	0		
				1732.5	20175	15.36	16.5	0		
				1747.5	20325	14.99	16.5	0		
			75RB	1717.5	20025	15.33	16.5	0		
				1732.5	20175	14.88	16.5	0		
				1747.5	20325	15.07	16.5	0		
		16-QAM	1 RB	0	1717.5	20025	15.59	16.5	0	
					1732.5	20175	15.92	16.5	0	
					1747.5	20325	16.35	16.5	0	
				36	1717.5	20025	15.24	16.5	0	
					1732.5	20175	15.75	16.5	0	
					1747.5	20325	15.46	16.5	0	
				74	1717.5	20025	15.11	16.5	0	
					1732.5	20175	16.27	16.5	0	
					1747.5	20325	14.83	16.5	0	
				36 RB	0	1717.5	20025	15.19	16.5	0
						1732.5	20175	15.40	16.5	0
						1747.5	20325	15.41	16.5	0
			18		1717.5	20025	15.45	16.5	0	
					1732.5	20175	15.27	16.5	0	
					1747.5	20325	15.05	16.5	0	
	37		1717.5		20025	15.18	16.5	0		
			1732.5		20175	15.16	16.5	0		
			1747.5		20325	14.95	16.5	0		
	75RB		1717.5		20025	15.45	16.5	0		
			1732.5		20175	14.51	16.5	0		
			1747.5		20325	15.14	16.5	0		
	64-QAM		1 RB	0	1717.5	20025	15.28	16.5	0	
					1732.5	20175	15.66	16.5	0	
					1747.5	20325	16.07	16.5	0	
				36	1717.5	20025	14.84	16.5	0	
					1732.5	20175	15.42	16.5	0	
					1747.5	20325	15.23	16.5	0	
				74	1717.5	20025	14.83	16.5	0	
					1732.5	20175	15.86	16.5	0	
					1747.5	20325	14.48	16.5	0	
				36 RB	0	1717.5	20025	14.90	16.5	0
						1732.5	20175	15.03	16.5	0
						1747.5	20325	15.10	16.5	0
			18		1717.5	20025	15.19	16.5	0	
					1732.5	20175	14.99	16.5	0	
					1747.5	20325	14.65	16.5	0	
		37	1717.5		20025	14.85	16.5	0		
			1732.5		20175	14.93	16.5	0		
			1747.5		20325	14.67	16.5	0		
		75RB	1717.5		20025	15.04	16.5	0		
			1732.5		20175	14.16	16.5	0		
			1747.5		20325	14.85	16.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	1715	20000	15.45	16.5	0		
				1732.5	20175	16.35	16.5	0		
				1750	20350	15.55	16.5	0		
			25	1715	20000	15.00	16.5	0		
				1732.5	20175	15.20	16.5	0		
				1750	20350	15.24	16.5	0		
			49	1715	20000	15.04	16.5	0		
				1732.5	20175	14.97	16.5	0		
				1750	20350	14.92	16.5	0		
		25 RB	0	1715	20000	15.31	16.5	0		
				1732.5	20175	15.25	16.5	0		
				1750	20350	15.28	16.5	0		
				1715	20000	15.14	16.5	0		
				1732.5	20175	15.27	16.5	0		
				1750	20350	15.09	16.5	0		
			12	1715	20000	15.20	16.5	0		
				1732.5	20175	15.34	16.5	0		
				1750	20350	14.97	16.5	0		
				1715	20000	15.31	16.5	0		
				1732.5	20175	15.25	16.5	0		
				1750	20350	15.28	16.5	0		
			25	1715	20000	15.14	16.5	0		
				1732.5	20175	15.27	16.5	0		
				1750	20350	15.09	16.5	0		
				1715	20000	15.20	16.5	0		
				1732.5	20175	15.34	16.5	0		
				1750	20350	14.97	16.5	0		
		50RB	1715	20000	15.31	16.5	0			
			1732.5	20175	14.86	16.5	0			
			1750	20350	15.05	16.5	0			
		16-QAM	1 RB	0	1715	20000	15.57	16.5	0	
					1732.5	20175	15.90	16.5	0	
					1750	20350	16.33	16.5	0	
				25	1715	20000	15.22	16.5	0	
					1732.5	20175	15.73	16.5	0	
					1750	20350	15.44	16.5	0	
	49			1715	20000	15.09	16.5	0		
				1732.5	20175	16.25	16.5	0		
				1750	20350	14.81	16.5	0		
	25 RB			0	1715	20000	15.17	16.5	0	
					1732.5	20175	15.38	16.5	0	
					1750	20350	15.39	16.5	0	
				12	1715	20000	15.43	16.5	0	
					1732.5	20175	15.25	16.5	0	
					1750	20350	15.03	16.5	0	
				25	1715	20000	15.16	16.5	0	
					1732.5	20175	15.14	16.5	0	
					1750	20350	14.93	16.5	0	
	50RB		1715	20000	15.43	16.5	0			
			1732.5	20175	14.51	16.5	0			
			1750	20350	15.12	16.5	0			
	64-QAM		1 RB	0	1715	20000	15.26	16.5	0	
					1732.5	20175	15.64	16.5	0	
					1750	20350	16.05	16.5	0	
				25	1715	20000	14.82	16.5	0	
					1732.5	20175	15.40	16.5	0	
					1750	20350	15.21	16.5	0	
				49	1715	20000	14.81	16.5	0	
					1732.5	20175	15.84	16.5	0	
					1750	20350	14.46	16.5	0	
				25 RB	0	1715	20000	14.88	16.5	0
						1732.5	20175	15.01	16.5	0
						1750	20350	15.08	16.5	0
					12	1715	20000	15.17	16.5	0
						1732.5	20175	14.97	16.5	0
						1750	20350	14.63	16.5	0
		25			1715	20000	14.83	16.5	0	
					1732.5	20175	14.91	16.5	0	
					1750	20350	14.65	16.5	0	
		50RB	1715	20000	15.02	16.5	0			
			1732.5	20175	14.16	16.5	0			
			1750	20350	14.83	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	1712.5	19975	15.43	16.5	0		
				1732.5	20175	16.33	16.5	0		
				1752.5	20375	15.53	16.5	0		
			12	1712.5	19975	14.98	16.5	0		
				1732.5	20175	15.18	16.5	0		
				1752.5	20375	15.22	16.5	0		
		24	1712.5	19975	15.02	16.5	0			
			1732.5	20175	14.95	16.5	0			
			1752.5	20375	14.90	16.5	0			
		12 RB	0	1712.5	19975	15.29	16.5	0		
				1732.5	20175	15.23	16.5	0		
				1752.5	20375	15.26	16.5	0		
			6	1712.5	19975	15.12	16.5	0		
				1732.5	20175	15.25	16.5	0		
				1752.5	20375	15.07	16.5	0		
			13	1712.5	19975	15.18	16.5	0		
				1732.5	20175	15.32	16.5	0		
				1752.5	20375	14.95	16.5	0		
			25RB	1712.5	19975	15.29	16.5	0		
				1732.5	20175	14.84	16.5	0		
				1752.5	20375	15.03	16.5	0		
		16-QAM	1 RB	0	1712.5	19975	15.55	16.5	0	
					1732.5	20175	15.88	16.5	0	
					1752.5	20375	16.31	16.5	0	
				12	1712.5	19975	15.20	16.5	0	
					1732.5	20175	15.71	16.5	0	
					1752.5	20375	15.42	16.5	0	
				24	1712.5	19975	15.07	16.5	0	
					1732.5	20175	16.23	16.5	0	
					1752.5	20375	14.79	16.5	0	
				12 RB	0	1712.5	19975	15.15	16.5	0
						1732.5	20175	15.36	16.5	0
						1752.5	20375	15.37	16.5	0
			6		1712.5	19975	15.41	16.5	0	
					1732.5	20175	15.23	16.5	0	
					1752.5	20375	15.01	16.5	0	
	13		1712.5		19975	15.14	16.5	0		
			1732.5		20175	15.12	16.5	0		
			1752.5		20375	14.91	16.5	0		
	25RB		1712.5		19975	15.41	16.5	0		
			1732.5		20175	14.52	16.5	0		
			1752.5		20375	15.10	16.5	0		
	64-QAM		1 RB	0	1712.5	19975	15.24	16.5	0	
					1732.5	20175	15.62	16.5	0	
					1752.5	20375	16.03	16.5	0	
				12	1712.5	19975	14.80	16.5	0	
					1732.5	20175	15.38	16.5	0	
					1752.5	20375	15.19	16.5	0	
				24	1712.5	19975	14.79	16.5	0	
					1732.5	20175	15.82	16.5	0	
					1752.5	20375	14.44	16.5	0	
				12 RB	0	1712.5	19975	14.86	16.5	0
						1732.5	20175	14.99	16.5	0
						1752.5	20375	15.06	16.5	0
			6		1712.5	19975	15.15	16.5	0	
					1732.5	20175	14.95	16.5	0	
					1752.5	20375	14.61	16.5	0	
		13	1712.5		19975	14.81	16.5	0		
			1732.5		20175	14.89	16.5	0		
			1752.5		20375	14.63	16.5	0		
		25RB	1712.5		19975	15.00	16.5	0		
			1732.5		20175	14.17	16.5	0		
			1752.5		20375	14.81	16.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	1710.7	19957	15.34	16.5	0		
				1732.5	20175	16.24	16.5	0		
				1754.3	20393	15.44	16.5	0		
			2	1710.7	19957	14.89	16.5	0		
				1732.5	20175	15.09	16.5	0		
				1754.3	20393	15.13	16.5	0		
		5	1710.7	19957	14.93	16.5	0			
			1732.5	20175	14.86	16.5	0			
			1754.3	20393	14.81	16.5	0			
		3 RB	0	1710.7	19957	15.20	16.5	0		
				1732.5	20175	15.14	16.5	0		
				1754.3	20393	15.17	16.5	0		
			2	1710.7	19957	15.03	16.5	0		
				1732.5	20175	15.16	16.5	0		
				1754.3	20393	14.98	16.5	0		
			3	1710.7	19957	15.09	16.5	0		
				1732.5	20175	15.23	16.5	0		
				1754.3	20393	14.86	16.5	0		
			6RB	1710.7	19957	15.20	16.5	0		
				1732.5	20175	14.75	16.5	0		
				1754.3	20393	14.94	16.5	0		
		16-QAM	1 RB	0	1710.7	19957	15.46	16.5	0	
					1732.5	20175	15.79	16.5	0	
					1754.3	20393	16.22	16.5	0	
				2	1710.7	19957	15.11	16.5	0	
					1732.5	20175	15.62	16.5	0	
					1754.3	20393	15.33	16.5	0	
				5	1710.7	19957	14.98	16.5	0	
					1732.5	20175	16.14	16.5	0	
					1754.3	20393	14.70	16.5	0	
				3 RB	0	1710.7	19957	15.06	16.5	0
						1732.5	20175	15.27	16.5	0
						1754.3	20393	15.28	16.5	0
			2		1710.7	19957	15.32	16.5	0	
					1732.5	20175	15.14	16.5	0	
					1754.3	20393	14.92	16.5	0	
	3		1710.7		19957	15.05	16.5	0		
			1732.5		20175	15.03	16.5	0		
			1754.3		20393	14.82	16.5	0		
	6RB		1710.7	19957	15.32	16.5	0			
			1732.5	20175	14.54	16.5	0			
			1754.3	20393	15.01	16.5	0			
	64-QAM		1 RB	0	1710.7	19957	15.15	16.5	0	
					1732.5	20175	15.53	16.5	0	
					1754.3	20393	15.94	16.5	0	
				2	1710.7	19957	14.71	16.5	0	
					1732.5	20175	15.29	16.5	0	
					1754.3	20393	15.10	16.5	0	
				5	1710.7	19957	14.70	16.5	0	
					1732.5	20175	15.73	16.5	0	
					1754.3	20393	14.35	16.5	0	
				3 RB	0	1710.7	19957	14.77	16.5	0
						1732.5	20175	14.90	16.5	0
						1754.3	20393	14.97	16.5	0
			2		1710.7	19957	15.06	16.5	0	
					1732.5	20175	14.86	16.5	0	
					1754.3	20393	14.52	16.5	0	
		3	1710.7		19957	14.72	16.5	0		
			1732.5		20175	14.80	16.5	0		
			1754.3		20393	14.54	16.5	0		
		6RB	1710.7	19957	14.91	16.5	0			
			1732.5	20175	14.19	16.5	0			
			1754.3	20393	14.72	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
10	QPSK	1 RB	0	829	20450	23.22	25	0	
				836.5	20525	23.39	25	0	
				844	20600	23.40	25	0	
			25	829	20450	23.27	25	0	
				836.5	20525	23.45	25	0	
				844	20600	23.44	25	0	
			49	829	20450	23.40	25	0	
				836.5	20525	23.38	25	0	
				844	20600	23.31	25	0	
		25 RB	0	829	20450	22.30	24	0-1	
				836.5	20525	22.50	24	0-1	
				844	20600	22.51	24	0-1	
				829	20450	22.29	24	0-1	
				836.5	20525	22.52	24	0-1	
				844	20600	22.59	24	0-1	
			12	829	20450	22.35	24	0-1	
				836.5	20525	22.45	24	0-1	
				844	20600	22.53	24	0-1	
				829	20450	22.26	24	0-1	
				836.5	20525	22.44	24	0-1	
				844	20600	22.52	24	0-1	
			25	829	20450	22.26	24	0-1	
				836.5	20525	22.44	24	0-1	
				844	20600	22.52	24	0-1	
				829	20450	22.26	24	0-1	
				836.5	20525	22.44	24	0-1	
				844	20600	22.52	24	0-1	
		50RB	829	20450	22.26	24	0-1		
			836.5	20525	22.44	24	0-1		
			844	20600	22.52	24	0-1		
			829	20450	22.46	24	0-1		
			836.5	20525	22.72	24	0-1		
			844	20600	22.75	24	0-1		
		16-QAM	1 RB	0	829	20450	22.46	24	0-1
					836.5	20525	22.72	24	0-1
					844	20600	22.75	24	0-1
	829				20450	22.57	24	0-1	
	836.5				20525	22.76	24	0-1	
	844				20600	22.77	24	0-1	
	25			829	20450	22.66	24	0-1	
				836.5	20525	22.65	24	0-1	
				844	20600	22.58	24	0-1	
				829	20450	21.31	23	0-2	
				836.5	20525	21.51	23	0-2	
				844	20600	21.51	23	0-2	
	25 RB			12	829	20450	21.33	23	0-2
					836.5	20525	21.52	23	0-2
					844	20600	21.51	23	0-2
					829	20450	21.33	23	0-2
					836.5	20525	21.43	23	0-2
					844	20600	21.46	23	0-2
			25	829	20450	21.27	23	0-2	
				836.5	20525	21.49	23	0-2	
				844	20600	21.52	23	0-2	
				829	20450	22.33	24	0-1	
				836.5	20525	22.51	24	0-1	
				844	20600	22.07	24	0-1	
	64-QAM		1 RB	0	829	20450	22.27	24	0-1
					836.5	20525	22.06	24	0-1
					844	20600	22.00	24	0-1
					829	20450	22.00	24	0-1
					836.5	20525	22.06	24	0-1
					844	20600	22.38	24	0-1
				25	829	20450	21.13	23	0-2
					836.5	20525	21.38	23	0-2
					844	20600	21.30	23	0-2
					829	20450	21.25	23	0-2
					836.5	20525	21.22	23	0-2
					844	20600	21.41	23	0-2
		25 RB		12	829	20450	21.16	23	0-2
					836.5	20525	21.37	23	0-2
					844	20600	21.47	23	0-2
					829	20450	21.07	23	0-2
					836.5	20525	21.31	23	0-2
					844	20600	21.39	23	0-2
			25	829	20450	21.07	23	0-2	
				836.5	20525	21.31	23	0-2	
				844	20600	21.39	23	0-2	
				829	20450	21.07	23	0-2	
				836.5	20525	21.31	23	0-2	
				844	20600	21.39	23	0-2	
			500RB	829	20450	21.07	23	0-2	
				836.5	20525	21.31	23	0-2	
				844	20600	21.39	23	0-2	
				829	20450	21.07	23	0-2	
				836.5	20525	21.31	23	0-2	
				844	20600	21.39	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	826.5	20425	23.17	25	0		
				836.5	20525	23.30	25	0		
				846.5	20625	23.35	25	0		
			12	826.5	20425	23.21	25	0		
				836.5	20525	23.24	25	0		
				846.5	20625	23.27	25	0		
			24	826.5	20425	23.18	25	0		
				836.5	20525	23.18	25	0		
				846.5	20625	23.37	25	0		
		12 RB	0	826.5	20425	22.19	24	0-1		
				836.5	20525	22.24	24	0-1		
				846.5	20625	22.37	24	0-1		
				826.5	20425	22.30	24	0-1		
				836.5	20525	22.16	24	0-1		
				846.5	20625	22.35	24	0-1		
			6	826.5	20425	22.24	24	0-1		
				836.5	20525	22.30	24	0-1		
				846.5	20625	22.31	24	0-1		
				826.5	20425	22.24	24	0-1		
				836.5	20525	22.33	24	0-1		
				846.5	20625	22.32	24	0-1		
			25RB	826.5	20425	22.39	24	0-1		
				836.5	20525	22.56	24	0-1		
				846.5	20625	22.68	24	0-1		
				826.5	20425	22.48	24	0-1		
				836.5	20525	22.53	24	0-1		
				846.5	20625	22.67	24	0-1		
		16-QAM	1 RB	0	826.5	20425	22.39	24	0-1	
					836.5	20525	22.56	24	0-1	
					846.5	20625	22.68	24	0-1	
				12	826.5	20425	22.48	24	0-1	
					836.5	20525	22.53	24	0-1	
					846.5	20625	22.67	24	0-1	
				24	826.5	20425	22.43	24	0-1	
					836.5	20525	22.54	24	0-1	
					846.5	20625	22.60	24	0-1	
	12 RB			0	826.5	20425	21.12	23	0-2	
					836.5	20525	21.38	23	0-2	
					846.5	20625	21.37	23	0-2	
				6	826.5	20425	21.29	23	0-2	
					836.5	20525	21.36	23	0-2	
					846.5	20625	21.40	23	0-2	
				13	826.5	20425	21.28	23	0-2	
					836.5	20525	21.26	23	0-2	
					846.5	20625	21.34	23	0-2	
	25RB		826.5	20425	21.28	23	0-2			
			836.5	20525	21.30	23	0-2			
			846.5	20625	21.35	23	0-2			
			826.5	20425	22.36	24	0-1			
			836.5	20525	22.45	24	0-1			
			846.5	20625	22.70	24	0-1			
	64-QAM		1 RB	0	826.5	20425	22.36	24	0-1	
					836.5	20525	22.45	24	0-1	
					846.5	20625	22.70	24	0-1	
				12	826.5	20425	22.28	24	0-1	
					836.5	20525	22.53	24	0-1	
					846.5	20625	22.60	24	0-1	
				24	826.5	20425	22.47	24	0-1	
					836.5	20525	22.65	24	0-1	
					846.5	20625	22.50	24	0-1	
				12 RB	0	826.5	20425	21.04	23	0-2
						836.5	20525	21.35	23	0-2
						846.5	20625	21.26	23	0-2
		6			826.5	20425	21.31	23	0-2	
					836.5	20525	21.16	23	0-2	
					846.5	20625	21.40	23	0-2	
		13			826.5	20425	21.21	23	0-2	
					836.5	20525	21.30	23	0-2	
					846.5	20625	21.45	23	0-2	
		25RB	826.5	20425	21.18	23	0-2			
			836.5	20525	21.22	23	0-2			
			846.5	20625	21.32	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
3	QPSK	1 RB	0	825.5	20415	23.04	25	0		
				836.5	20525	23.29	25	0		
				847.5	20635	23.32	25	0		
			7	825.5	20415	23.20	25	0		
				836.5	20525	23.35	25	0		
				847.5	20635	23.14	25	0		
		14	825.5	20415	23.18	25	0			
			836.5	20525	23.20	25	0			
			847.5	20635	23.02	25	0			
		8 RB	0	825.5	20415	22.11	24	0-1		
				836.5	20525	22.16	24	0-1		
				847.5	20635	22.32	24	0-1		
			4	825.5	20415	22.10	24	0-1		
				836.5	20525	22.16	24	0-1		
				847.5	20635	22.28	24	0-1		
			7	825.5	20415	22.15	24	0-1		
				836.5	20525	22.13	24	0-1		
				847.5	20635	22.19	24	0-1		
			15RB	825.5	20415	22.04	24	0-1		
				836.5	20525	22.21	24	0-1		
				847.5	20635	22.19	24	0-1		
		16-QAM	1 RB	0	825.5	20415	22.26	24	0-1	
					836.5	20525	22.49	24	0-1	
					847.5	20635	22.42	24	0-1	
				7	825.5	20415	22.42	24	0-1	
					836.5	20525	22.51	24	0-1	
					847.5	20635	22.59	24	0-1	
				14	825.5	20415	22.35	24	0-1	
					836.5	20525	22.49	24	0-1	
					847.5	20635	22.40	24	0-1	
				8 RB	0	825.5	20415	21.07	23	0-2
						836.5	20525	21.31	23	0-2
						847.5	20635	21.23	23	0-2
			4		825.5	20415	21.08	23	0-2	
					836.5	20525	21.25	23	0-2	
					847.5	20635	21.17	23	0-2	
	7		825.5		20415	21.22	23	0-2		
			836.5		20525	21.18	23	0-2		
			847.5		20635	21.05	23	0-2		
	15RB		825.5	20415	21.10	23	0-2			
			836.5	20525	21.08	23	0-2			
			847.5	20635	21.18	23	0-2			
	64-QAM		1 RB	0	825.5	20415	22.24	24	0-1	
					836.5	20525	22.39	24	0-1	
					847.5	20635	22.45	24	0-1	
				7	825.5	20415	22.23	24	0-1	
					836.5	20525	22.52	24	0-1	
					847.5	20635	22.53	24	0-1	
				14	825.5	20415	22.40	24	0-1	
					836.5	20525	22.61	24	0-1	
					847.5	20635	22.31	24	0-1	
				8 RB	0	825.5	20415	21.00	23	0-2
						836.5	20525	21.29	23	0-2
						847.5	20635	21.13	23	0-2
			4		825.5	20415	21.11	23	0-2	
					836.5	20525	21.06	23	0-2	
					847.5	20635	21.18	23	0-2	
		7	825.5		20415	21.16	23	0-2		
			836.5		20525	21.23	23	0-2		
			847.5		20635	21.17	23	0-2		
		15RB	825.5	20415	21.01	23	0-2			
			836.5	20525	21.01	23	0-2			
			847.5	20635	21.16	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	824.7	20407	23.00	25	0		
				836.5	20525	23.08	25	0		
				848.3	20643	23.06	25	0		
			2	824.7	20407	23.08	25	0		
				836.5	20525	23.15	25	0		
				848.3	20643	23.01	25	0		
		5	824.7	20407	23.01	25	0			
			836.5	20525	23.08	25	0			
			848.3	20643	23.04	25	0			
		3 RB	0	824.7	20407	23.06	25	0-1		
				836.5	20525	23.15	25	0-1		
				848.3	20643	23.01	25	0-1		
			2	824.7	20407	23.09	25	0-1		
				836.5	20525	23.16	25	0-1		
				848.3	20643	23.05	25	0-1		
			3	824.7	20407	23.03	25	0-1		
				836.5	20525	23.12	25	0-1		
				848.3	20643	23.01	25	0-1		
			6RB	824.7	20407	22.03	24	0-1		
				836.5	20525	22.10	24	0-1		
				848.3	20643	22.02	24	0-1		
		16-QAM	1 RB	0	824.7	20407	22.26	24	0-1	
					836.5	20525	22.35	24	0-1	
					848.3	20643	22.18	24	0-1	
				2	824.7	20407	22.38	24	0-1	
					836.5	20525	22.39	24	0-1	
					848.3	20643	22.26	24	0-1	
				5	824.7	20407	22.31	24	0-1	
					836.5	20525	22.32	24	0-1	
					848.3	20643	22.20	24	0-1	
				3 RB	0	824.7	20407	22.02	24	0-1
						836.5	20525	22.12	24	0-1
						848.3	20643	22.03	24	0-1
			2		824.7	20407	22.06	24	0-1	
					836.5	20525	22.13	24	0-1	
					848.3	20643	22.11	24	0-1	
	3		824.7	20407	22.00	24	0-1			
			836.5	20525	22.08	24	0-1			
			848.3	20643	22.04	24	0-1			
	6RB		824.7	20407	21.04	23	0-2			
			836.5	20525	21.11	23	0-2			
			848.3	20643	21.12	23	0-2			
	64-QAM		1 RB	0	824.7	20407	22.29	24	0-1	
					836.5	20525	22.30	24	0-1	
					848.3	20643	22.26	24	0-1	
				2	824.7	20407	22.24	24	0-1	
					836.5	20525	22.45	24	0-1	
					848.3	20643	22.25	24	0-1	
				5	824.7	20407	22.41	24	0-1	
					836.5	20525	22.49	24	0-1	
					848.3	20643	22.16	24	0-1	
				3 RB	0	824.7	20407	22.00	24	0-1
						836.5	20525	22.15	24	0-1
						848.3	20643	22.18	24	0-1
			2		824.7	20407	22.14	24	0-1	
					836.5	20525	22.19	24	0-1	
					848.3	20643	22.17	24	0-1	
		3	824.7	20407	22.09	24	0-1			
			836.5	20525	22.18	24	0-1			
			848.3	20643	22.21	24	0-1			
		6RB	824.7	20407	21.00	23	0-2			
			836.5	20525	21.09	23	0-2			
			848.3	20643	21.15	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Reduced Power)								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	829	20450	21.97	22.5	0
				836.5	20525	22.39	22.5	0
				844	20600	21.80	22.5	0
			25	829	20450	21.78	22.5	0
				836.5	20525	21.81	22.5	0
				844	20600	21.98	22.5	0
			49	829	20450	21.86	22.5	0
				836.5	20525	21.79	22.5	0
				844	20600	21.96	22.5	0
		25 RB	0	829	20450	21.96	22.5	0
				836.5	20525	21.94	22.5	0
				844	20600	22.01	22.5	0
				829	20450	21.91	22.5	0
				836.5	20525	21.90	22.5	0
				844	20600	21.98	22.5	0
			12	829	20450	21.97	22.5	0
				836.5	20525	21.92	22.5	0
				844	20600	22.07	22.5	0
				829	20450	21.81	22.5	0
				836.5	20525	21.90	22.5	0
				844	20600	21.95	22.5	0
			25	829	20450	21.92	22.5	0
				836.5	20525	21.92	22.5	0
				844	20600	22.07	22.5	0
				829	20450	21.81	22.5	0
				836.5	20525	21.90	22.5	0
				844	20600	21.95	22.5	0
		50RB	829	20450	21.90	22.5	0	
			836.5	20525	21.90	22.5	0	
			844	20600	21.95	22.5	0	
			829	20450	22.19	22.5	0	
			836.5	20525	22.09	22.5	0	
			844	20600	22.18	22.5	0	
			829	20450	22.30	22.5	0	
			836.5	20525	22.37	22.5	0	
			844	20600	21.93	22.5	0	
	16-QAM	1 RB	0	829	20450	21.95	22.5	0
				836.5	20525	21.92	22.5	0
				844	20600	21.95	22.5	0
				829	20450	21.96	22.5	0
				836.5	20525	21.85	22.5	0
				844	20600	22.04	22.5	0
			25	829	20450	21.92	22.5	0
				836.5	20525	21.89	22.5	0
				844	20600	21.94	22.5	0
				829	20450	21.92	22.5	0
				836.5	20525	21.90	22.5	0
				844	20600	22.06	22.5	0
			49	829	20450	21.91	22.5	0
				836.5	20525	21.92	22.5	0
				844	20600	21.98	22.5	0
				829	20450	21.88	22.5	0
				836.5	20525	21.83	22.5	0
				844	20600	21.90	22.5	0
		25 RB	0	829	20450	21.90	22.5	0
				836.5	20525	22.04	22.5	0
				844	20600	21.70	22.5	0
				829	20450	21.67	22.5	0
				836.5	20525	21.51	22.5	0
				844	20600	21.60	22.5	0
			12	829	20450	21.67	22.5	0
				836.5	20525	21.48	22.5	0
				844	20600	21.73	22.5	0
				829	20450	21.66	22.5	0
				836.5	20525	21.61	22.5	0
				844	20600	21.54	22.5	0
			25	829	20450	21.59	22.5	0
				836.5	20525	21.67	22.5	0
				844	20600	21.78	22.5	0
				829	20450	21.50	22.5	0
				836.5	20525	21.57	22.5	0
				844	20600	21.69	22.5	0
	64-QAM	1 RB	0	829	20450	21.88	22.5	0
				836.5	20525	21.83	22.5	0
				844	20600	21.90	22.5	0
			25	829	20450	21.90	22.5	0
				836.5	20525	22.04	22.5	0
				844	20600	21.70	22.5	0
			49	829	20450	21.67	22.5	0
				836.5	20525	21.51	22.5	0
				844	20600	21.60	22.5	0
		25 RB	0	829	20450	21.67	22.5	0
				836.5	20525	21.48	22.5	0
				844	20600	21.73	22.5	0
				829	20450	21.66	22.5	0
				836.5	20525	21.61	22.5	0
				844	20600	21.54	22.5	0
			12	829	20450	21.59	22.5	0
				836.5	20525	21.67	22.5	0
				844	20600	21.78	22.5	0
	500RB	829	20450	21.50	22.5	0		
		836.5	20525	21.57	22.5	0		
		844	20600	21.69	22.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	826.5	20425	21.86	22.5	0		
				836.5	20525	22.28	22.5	0		
				846.5	20625	21.69	22.5	0		
			12	826.5	20425	21.67	22.5	0		
				836.5	20525	21.70	22.5	0		
				846.5	20625	21.87	22.5	0		
			24	826.5	20425	21.75	22.5	0		
				836.5	20525	21.68	22.5	0		
				846.5	20625	21.85	22.5	0		
		12 RB	0	826.5	20425	21.85	22.5	0		
				836.5	20525	21.83	22.5	0		
				846.5	20625	21.90	22.5	0		
			6	826.5	20425	21.80	22.5	0		
				836.5	20525	21.79	22.5	0		
				846.5	20625	21.87	22.5	0		
			13	826.5	20425	21.86	22.5	0		
				836.5	20525	21.81	22.5	0		
				846.5	20625	21.96	22.5	0		
			25RB	826.5	20425	21.70	22.5	0		
				836.5	20525	21.79	22.5	0		
				846.5	20625	21.84	22.5	0		
			16-QAM	1 RB	0	826.5	20425	22.08	22.5	0
						836.5	20525	21.98	22.5	0
						846.5	20625	22.07	22.5	0
					12	826.5	20425	22.19	22.5	0
						836.5	20525	22.26	22.5	0
						846.5	20625	21.82	22.5	0
		24			826.5	20425	21.84	22.5	0	
					836.5	20525	21.81	22.5	0	
					846.5	20625	21.84	22.5	0	
		12 RB			0	826.5	20425	21.85	22.5	0
						836.5	20525	21.74	22.5	0
						846.5	20625	21.93	22.5	0
					6	826.5	20425	21.81	22.5	0
						836.5	20525	21.78	22.5	0
						846.5	20625	21.83	22.5	0
	13				826.5	20425	21.81	22.5	0	
					836.5	20525	21.79	22.5	0	
					846.5	20625	21.95	22.5	0	
	25RB	826.5		20425	21.80	22.5	0			
		836.5		20525	21.81	22.5	0			
		846.5		20625	21.87	22.5	0			
	64-QAM	1 RB		0	826.5	20425	21.77	22.5	0	
					836.5	20525	21.72	22.5	0	
					846.5	20625	21.79	22.5	0	
				12	826.5	20425	21.79	22.5	0	
					836.5	20525	21.93	22.5	0	
					846.5	20625	21.59	22.5	0	
				24	826.5	20425	21.56	22.5	0	
					836.5	20525	21.40	22.5	0	
					846.5	20625	21.49	22.5	0	
				12 RB	0	826.5	20425	21.56	22.5	0
						836.5	20525	21.37	22.5	0
						846.5	20625	21.62	22.5	0
					6	826.5	20425	21.55	22.5	0
						836.5	20525	21.50	22.5	0
						846.5	20625	21.43	22.5	0
			13		826.5	20425	21.48	22.5	0	
					836.5	20525	21.56	22.5	0	
					846.5	20625	21.67	22.5	0	
		25RB	826.5	20425	21.39	22.5	0			
			836.5	20525	21.46	22.5	0			
			846.5	20625	21.58	22.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
3	QPSK	1 RB	0	825.5	20415	21.76	22.5	0		
				836.5	20525	22.18	22.5	0		
				847.5	20635	21.59	22.5	0		
			7	825.5	20415	21.57	22.5	0		
				836.5	20525	21.60	22.5	0		
				847.5	20635	21.77	22.5	0		
			14	825.5	20415	21.65	22.5	0		
				836.5	20525	21.58	22.5	0		
				847.5	20635	21.75	22.5	0		
		8 RB	0	825.5	20415	21.75	22.5	0		
				836.5	20525	21.73	22.5	0		
				847.5	20635	21.80	22.5	0		
				4	825.5	20415	21.70	22.5	0	
					836.5	20525	21.69	22.5	0	
					847.5	20635	21.77	22.5	0	
			7	825.5	20415	21.76	22.5	0		
				836.5	20525	21.71	22.5	0		
				847.5	20635	21.86	22.5	0		
				15RB	825.5	20415	21.60	22.5	0	
					836.5	20525	21.69	22.5	0	
					847.5	20635	21.74	22.5	0	
			16-QAM	1 RB	0	825.5	20415	21.98	22.5	0
						836.5	20525	21.88	22.5	0
						847.5	20635	21.97	22.5	0
					7	825.5	20415	22.09	22.5	0
						836.5	20525	22.16	22.5	0
						847.5	20635	21.72	22.5	0
		14			825.5	20415	21.74	22.5	0	
					836.5	20525	21.71	22.5	0	
					847.5	20635	21.74	22.5	0	
		8 RB			0	825.5	20415	21.75	22.5	0
						836.5	20525	21.64	22.5	0
						847.5	20635	21.83	22.5	0
				4		825.5	20415	21.71	22.5	0
						836.5	20525	21.68	22.5	0
						847.5	20635	21.73	22.5	0
	7			825.5	20415	21.71	22.5	0		
				836.5	20525	21.69	22.5	0		
				847.5	20635	21.85	22.5	0		
	15RB			825.5	20415	21.70	22.5	0		
				836.5	20525	21.71	22.5	0		
				847.5	20635	21.77	22.5	0		
		64-QAM		1 RB	0	825.5	20415	21.67	22.5	0
						836.5	20525	21.62	22.5	0
						847.5	20635	21.69	22.5	0
	7	825.5			20415	21.69	22.5	0		
		836.5			20525	21.83	22.5	0		
		847.5			20635	21.49	22.5	0		
	14	825.5			20415	21.46	22.5	0		
		836.5			20525	21.30	22.5	0		
		847.5			20635	21.39	22.5	0		
	8 RB	0		825.5	20415	21.46	22.5	0		
				836.5	20525	21.27	22.5	0		
				847.5	20635	21.52	22.5	0		
				4	825.5	20415	21.45	22.5	0	
					836.5	20525	21.40	22.5	0	
					847.5	20635	21.33	22.5	0	
		7	825.5	20415	21.38	22.5	0			
			836.5	20525	21.46	22.5	0			
			847.5	20635	21.57	22.5	0			
		15RB	825.5	20415	21.29	22.5	0			
			836.5	20525	21.36	22.5	0			
			847.5	20635	21.48	22.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5 (Reduced Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
1.4	QPSK	1 RB	0	824.7	20407	21.65	22.5	0			
				836.5	20525	22.07	22.5	0			
				848.3	20643	21.48	22.5	0			
			2	824.7	20407	21.46	22.5	0			
				836.5	20525	21.49	22.5	0			
				848.3	20643	21.66	22.5	0			
		5	824.7	20407	21.54	22.5	0				
			836.5	20525	21.47	22.5	0				
			848.3	20643	21.64	22.5	0				
			0	824.7	20407	21.64	22.5	0			
				836.5	20525	21.62	22.5	0			
				848.3	20643	21.69	22.5	0			
		2	824.7	20407	21.59	22.5	0				
			836.5	20525	21.58	22.5	0				
			848.3	20643	21.66	22.5	0				
			3	824.7	20407	21.65	22.5	0			
				836.5	20525	21.60	22.5	0			
				848.3	20643	21.75	22.5	0			
		6RB	824.7	20407	21.49	22.5	0				
			836.5	20525	21.58	22.5	0				
			848.3	20643	21.63	22.5	0				
		16-QAM	1 RB	0	824.7	20407	21.87	22.5	0		
					836.5	20525	21.77	22.5	0		
					848.3	20643	21.86	22.5	0		
				2	824.7	20407	21.98	22.5	0		
					836.5	20525	22.05	22.5	0		
					848.3	20643	21.61	22.5	0		
				5	824.7	20407	21.63	22.5	0		
					836.5	20525	21.60	22.5	0		
					848.3	20643	21.63	22.5	0		
					3 RB	0	824.7	20407	21.64	22.5	0
							836.5	20525	21.53	22.5	0
							848.3	20643	21.72	22.5	0
			2	824.7	20407	21.60	22.5	0			
				836.5	20525	21.57	22.5	0			
				848.3	20643	21.62	22.5	0			
	3			824.7	20407	21.60	22.5	0			
				836.5	20525	21.58	22.5	0			
				848.3	20643	21.74	22.5	0			
	6RB		824.7	20407	21.59	22.5	0				
			836.5	20525	21.60	22.5	0				
			848.3	20643	21.66	22.5	0				
	64-QAM		1 RB	0	824.7	20407	21.56	22.5	0		
					836.5	20525	21.51	22.5	0		
					848.3	20643	21.58	22.5	0		
				2	824.7	20407	21.58	22.5	0		
					836.5	20525	21.72	22.5	0		
					848.3	20643	21.38	22.5	0		
				5	824.7	20407	21.35	22.5	0		
					836.5	20525	21.19	22.5	0		
					848.3	20643	21.28	22.5	0		
					3 RB	0	824.7	20407	21.35	22.5	0
							836.5	20525	21.16	22.5	0
							848.3	20643	21.41	22.5	0
			2	824.7	20407	21.34	22.5	0			
				836.5	20525	21.29	22.5	0			
				848.3	20643	21.22	22.5	0			
		3		824.7	20407	21.27	22.5	0			
				836.5	20525	21.35	22.5	0			
				848.3	20643	21.46	22.5	0			
		6RB	824.7	20407	21.18	22.5	0				
			836.5	20525	21.25	22.5	0				
			848.3	20643	21.37	22.5	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	704	23060	23.03	25	0		
				707.5	23095	23.00	25	0		
				711	23130	23.02	25	0		
			25	704	23060	23.16	25	0		
				707.5	23095	23.08	25	0		
				711	23130	23.01	25	0		
			49	704	23060	23.06	25	0		
				707.5	23095	23.07	25	0		
				711	23130	23.09	25	0		
		25 RB	0	704	23060	22.09	24	0-1		
				707.5	23095	22.12	24	0-1		
				711	23130	22.10	24	0-1		
				12	704	23060	22.22	24	0-1	
					707.5	23095	22.16	24	0-1	
					711	23130	22.11	24	0-1	
			25	704	23060	22.17	24	0-1		
				707.5	23095	22.15	24	0-1		
				711	23130	22.21	24	0-1		
				50RB	704	23060	22.20	24	0-1	
					707.5	23095	22.16	24	0-1	
					711	23130	22.09	24	0-1	
			16-QAM	1 RB	0	704	23060	22.31	24	0-1
						707.5	23095	22.28	24	0-1
						711	23130	22.35	24	0-1
					25	704	23060	22.42	24	0-1
						707.5	23095	22.38	24	0-1
						711	23130	22.29	24	0-1
		49			704	23060	22.38	24	0-1	
					707.5	23095	22.36	24	0-1	
					711	23130	22.33	24	0-1	
		25 RB			0	704	23060	21.10	23	0-2
						707.5	23095	21.15	23	0-2
						711	23130	21.11	23	0-2
					12	704	23060	21.21	23	0-2
						707.5	23095	21.15	23	0-2
						711	23130	21.14	23	0-2
	25				704	23060	21.18	23	0-2	
					707.5	23095	21.15	23	0-2	
					711	23130	21.19	23	0-2	
	50RB	704		23060	21.20	23	0-2			
		707.5		23095	21.16	23	0-2			
		711		23130	21.10	23	0-2			
	64-QAM	1 RB		0	704	23060	22.33	24	0-1	
					707.5	23095	22.22	24	0-1	
					711	23130	22.42	24	0-1	
				25	704	23060	22.27	24	0-1	
					707.5	23095	22.43	24	0-1	
					711	23130	22.27	24	0-1	
				49	704	23060	22.47	24	0-1	
					707.5	23095	22.52	24	0-1	
					711	23130	22.28	24	0-1	
				25 RB	0	704	23060	21.07	23	0-2
						707.5	23095	21.17	23	0-2
						711	23130	21.05	23	0-2
					12	704	23060	21.28	23	0-2
						707.5	23095	21.00	23	0-2
						711	23130	21.19	23	0-2
			25		704	23060	21.16	23	0-2	
					707.5	23095	21.24	23	0-2	
					711	23130	21.35	23	0-2	
		50RB	704	23060	21.15	23	0-2			
			707.5	23095	21.13	23	0-2			
			711	23130	21.12	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	701.5	23035	23.08	25	0	
				707.5	23095	23.08	25	0	
				713.5	23155	23.00	25	0	
			12	701.5	23035	23.06	25	0	
				707.5	23095	23.07	25	0	
				713.5	23155	23.08	25	0	
			24	701.5	23035	23.14	25	0	
				707.5	23095	23.08	25	0	
				713.5	23155	23.06	25	0	
		12 RB	0	701.5	23035	22.15	24	0-1	
				707.5	23095	22.13	24	0-1	
				713.5	23155	22.19	24	0-1	
				701.5	23035	22.12	24	0-1	
				707.5	23095	22.15	24	0-1	
				713.5	23155	22.19	24	0-1	
			6	701.5	23035	22.11	24	0-1	
				707.5	23095	22.13	24	0-1	
				713.5	23155	22.15	24	0-1	
				701.5	23035	22.12	24	0-1	
				707.5	23095	22.13	24	0-1	
				713.5	23155	22.19	24	0-1	
			13	701.5	23035	22.11	24	0-1	
				707.5	23095	22.13	24	0-1	
				713.5	23155	22.15	24	0-1	
				701.5	23035	22.12	24	0-1	
				707.5	23095	22.13	24	0-1	
				713.5	23155	22.19	24	0-1	
		25RB	701.5	23035	22.12	24	0-1		
			707.5	23095	22.13	24	0-1		
			713.5	23155	22.19	24	0-1		
			701.5	23035	22.33	24	0-1		
			707.5	23095	22.37	24	0-1		
			713.5	23155	22.26	24	0-1		
		16-QAM	1 RB	0	701.5	23035	22.33	24	0-1
					707.5	23095	22.37	24	0-1
					713.5	23155	22.26	24	0-1
	701.5				23035	22.37	24	0-1	
	707.5				23095	22.35	24	0-1	
	713.5				23155	22.35	24	0-1	
	12			701.5	23035	22.43	24	0-1	
				707.5	23095	22.34	24	0-1	
				713.5	23155	22.38	24	0-1	
				701.5	23035	21.14	23	0-2	
				707.5	23095	21.17	23	0-2	
				713.5	23155	21.16	23	0-2	
	13			701.5	23035	21.18	23	0-2	
				707.5	23095	21.15	23	0-2	
				713.5	23155	21.18	23	0-2	
				701.5	23035	21.10	23	0-2	
				707.5	23095	21.16	23	0-2	
				713.5	23155	21.14	23	0-2	
	25RB		701.5	23035	21.13	23	0-2		
			707.5	23095	21.16	23	0-2		
			713.5	23155	21.17	23	0-2		
			701.5	23035	22.35	24	0-1		
			707.5	23095	22.31	24	0-1		
			713.5	23155	22.33	24	0-1		
			701.5	23035	22.22	24	0-1		
			707.5	23095	22.40	24	0-1		
			713.5	23155	22.33	24	0-1		
	64-QAM		1 RB	0	701.5	23035	21.11	23	0-2
					707.5	23095	21.19	23	0-2
					713.5	23155	21.10	23	0-2
					701.5	23035	21.25	23	0-2
					707.5	23095	21.00	23	0-2
					713.5	23155	21.23	23	0-2
				12	701.5	23035	21.08	23	0-2
					707.5	23095	21.25	23	0-2
					713.5	23155	21.30	23	0-2
		701.5			23035	21.08	23	0-2	
		707.5			23095	21.13	23	0-2	
		713.5			23155	21.19	23	0-2	
		25RB		701.5	23035	21.08	23	0-2	
				707.5	23095	21.13	23	0-2	
				713.5	23155	21.19	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
3	QPSK	1 RB	0	700.5	23025	23.03	25	0	
				707.5	23095	23.03	25	0	
				714.5	23165	23.04	25	0	
			7	700.5	23025	23.10	25	0	
				707.5	23095	23.11	25	0	
				714.5	23165	23.11	25	0	
			14	700.5	23025	23.01	25	0	
				707.5	23095	23.01	25	0	
				714.5	23165	23.01	25	0	
		8 RB	0	700.5	23025	22.07	24	0-1	
				707.5	23095	22.06	24	0-1	
				714.5	23165	22.09	24	0-1	
				700.5	23025	22.09	24	0-1	
				707.5	23095	22.09	24	0-1	
				714.5	23165	22.11	24	0-1	
			4	700.5	23025	22.07	24	0-1	
				707.5	23095	22.06	24	0-1	
				714.5	23165	22.08	24	0-1	
				700.5	23025	22.08	24	0-1	
				707.5	23095	22.08	24	0-1	
				714.5	23165	22.06	24	0-1	
			15RB	700.5	23025	22.08	24	0-1	
				707.5	23095	22.08	24	0-1	
				714.5	23165	22.06	24	0-1	
				700.5	23025	22.24	24	0-1	
				707.5	23095	22.28	24	0-1	
				714.5	23165	22.23	24	0-1	
		16-QAM	1 RB	0	700.5	23025	22.42	24	0-1
					707.5	23095	22.41	24	0-1
					714.5	23165	22.37	24	0-1
					700.5	23025	22.30	24	0-1
					707.5	23095	22.30	24	0-1
					714.5	23165	22.22	24	0-1
				7	700.5	23025	21.12	23	0-2
					707.5	23095	21.16	23	0-2
					714.5	23165	21.15	23	0-2
	700.5				23025	21.15	23	0-2	
	707.5				23095	21.18	23	0-2	
	714.5				23165	21.15	23	0-2	
	14			700.5	23025	21.15	23	0-2	
				707.5	23095	21.12	23	0-2	
				714.5	23165	21.14	23	0-2	
				700.5	23025	21.09	23	0-2	
				707.5	23095	21.10	23	0-2	
				714.5	23165	21.11	23	0-2	
	8 RB		0	700.5	23025	22.23	24	0-1	
				707.5	23095	22.19	24	0-1	
				714.5	23165	22.27	24	0-1	
				700.5	23025	22.24	24	0-1	
				707.5	23095	22.43	24	0-1	
				714.5	23165	22.32	24	0-1	
			7	700.5	23025	22.36	24	0-1	
				707.5	23095	22.43	24	0-1	
				714.5	23165	22.14	24	0-1	
				700.5	23025	21.06	23	0-2	
				707.5	23095	21.15	23	0-2	
				714.5	23165	21.06	23	0-2	
			15RB	700.5	23025	21.19	23	0-2	
				707.5	23095	21.00	23	0-2	
				714.5	23165	21.17	23	0-2	
				700.5	23025	21.10	23	0-2	
				707.5	23095	21.18	23	0-2	
				714.5	23165	21.27	23	0-2	
	64-QAM	15RB	700.5	23025	21.01	23	0-2		
			707.5	23095	21.04	23	0-2		
			714.5	23165	21.10	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	699.7	23017	23.04	25	0		
				707.5	23095	23.01	25	0		
				715.3	23173	23.02	25	0		
			2	699.7	23017	23.10	25	0		
				707.5	23095	23.09	25	0		
				715.3	23173	23.04	25	0		
		5	699.7	23017	23.04	25	0			
			707.5	23095	23.05	25	0			
			715.3	23173	23.01	25	0			
		3 RB	0	699.7	23017	23.09	25	0-1		
				707.5	23095	23.07	25	0-1		
				715.3	23173	23.06	25	0-1		
			2	699.7	23017	23.14	25	0-1		
				707.5	23095	23.12	25	0-1		
				715.3	23173	23.12	25	0-1		
			3	699.7	23017	23.06	25	0-1		
				707.5	23095	23.09	25	0-1		
				715.3	23173	23.06	25	0-1		
			6RB	699.7	23017	22.10	24	0-1		
				707.5	23095	22.14	24	0-1		
				715.3	23173	22.03	24	0-1		
		16-QAM	1 RB	0	699.7	23017	22.31	24	0-1	
					707.5	23095	22.33	24	0-1	
					715.3	23173	22.27	24	0-1	
				2	699.7	23017	22.36	24	0-1	
					707.5	23095	22.38	24	0-1	
					715.3	23173	22.33	24	0-1	
				5	699.7	23017	22.35	24	0-1	
					707.5	23095	22.33	24	0-1	
					715.3	23173	22.22	24	0-1	
				3 RB	0	699.7	23017	22.14	24	0-1
						707.5	23095	22.09	24	0-1
						715.3	23173	22.06	24	0-1
			2		699.7	23017	22.17	24	0-1	
					707.5	23095	22.14	24	0-1	
					715.3	23173	22.11	24	0-1	
	3		699.7		23017	22.12	24	0-1		
			707.5		23095	22.11	24	0-1		
			715.3		23173	22.09	24	0-1		
	6RB		699.7	23017	21.17	23	0-2			
			707.5	23095	21.15	23	0-2			
			715.3	23173	21.15	23	0-2			
	64-QAM		1 RB	0	699.7	23017	22.24	24	0-1	
					707.5	23095	22.18	24	0-1	
					715.3	23173	22.25	24	0-1	
				2	699.7	23017	22.12	24	0-1	
					707.5	23095	22.34	24	0-1	
					715.3	23173	22.22	24	0-1	
				5	699.7	23017	22.35	24	0-1	
					707.5	23095	22.40	24	0-1	
					715.3	23173	22.08	24	0-1	
				3 RB	0	699.7	23017	22.02	24	0-1
						707.5	23095	22.02	24	0-1
						715.3	23173	22.01	24	0-1
			2		699.7	23017	22.15	24	0-1	
					707.5	23095	22.09	24	0-1	
					715.3	23173	22.07	24	0-1	
		3	699.7		23017	22.01	24	0-1		
			707.5		23095	22.11	24	0-1		
			715.3		23173	22.16	24	0-1		
		6RB	699.7	23017	21.03	23	0-2			
			707.5	23095	21.03	23	0-2			
			715.3	23173	21.08	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	704	23060	18.64	19.5	0		
				707.5	23095	19.49	19.5	0		
				711	23130	18.77	19.5	0		
			25	704	23060	19.00	19.5	0		
				707.5	23095	18.83	19.5	0		
				711	23130	18.85	19.5	0		
			49	704	23060	18.87	19.5	0		
				707.5	23095	18.78	19.5	0		
				711	23130	19.04	19.5	0		
		25 RB	0	704	23060	18.85	19.5	0		
				707.5	23095	18.94	19.5	0		
				711	23130	18.89	19.5	0		
			12	704	23060	18.98	19.5	0		
				707.5	23095	18.95	19.5	0		
				711	23130	18.88	19.5	0		
			25	704	23060	19.05	19.5	0		
				707.5	23095	18.94	19.5	0		
				711	23130	18.88	19.5	0		
			50RB	704	23060	18.90	19.5	0		
				707.5	23095	18.91	19.5	0		
				711	23130	18.87	19.5	0		
			16-QAM	1 RB	0	704	23060	19.30	19.5	0
						707.5	23095	18.63	19.5	0
						711	23130	19.05	19.5	0
					25	704	23060	19.13	19.5	0
						707.5	23095	19.47	19.5	0
						711	23130	19.05	19.5	0
		49			704	23060	19.39	19.5	0	
					707.5	23095	19.14	19.5	0	
					711	23130	19.01	19.5	0	
		25 RB			0	704	23060	18.95	19.5	0
						707.5	23095	18.81	19.5	0
						711	23130	18.90	19.5	0
					12	704	23060	18.93	19.5	0
						707.5	23095	18.80	19.5	0
						711	23130	18.98	19.5	0
	25				704	23060	18.98	19.5	0	
					707.5	23095	18.88	19.5	0	
					711	23130	18.86	19.5	0	
	50RB	704		23060	18.95	19.5	0			
		707.5		23095	18.98	19.5	0			
		711		23130	18.94	19.5	0			
	64-QAM	1 RB		0	704	23060	18.99	19.5	0	
					707.5	23095	18.37	19.5	0	
					711	23130	18.77	19.5	0	
				25	704	23060	18.73	19.5	0	
					707.5	23095	19.14	19.5	0	
					711	23130	18.82	19.5	0	
				49	704	23060	19.11	19.5	0	
					707.5	23095	18.73	19.5	0	
					711	23130	18.66	19.5	0	
				25 RB	0	704	23060	18.66	19.5	0
						707.5	23095	18.44	19.5	0
						711	23130	18.59	19.5	0
					12	704	23060	18.67	19.5	0
						707.5	23095	18.52	19.5	0
						711	23130	18.58	19.5	0
			25		704	23060	18.65	19.5	0	
					707.5	23095	18.65	19.5	0	
					711	23130	18.58	19.5	0	
		50RB	704	23060	18.54	19.5	0			
			707.5	23095	18.63	19.5	0			
			711	23130	18.65	19.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	701.5	23035	18.43	19.5	0	
				707.5	23095	19.34	19.5	0	
				713.5	23155	18.56	19.5	0	
			12	701.5	23035	18.79	19.5	0	
				707.5	23095	18.62	19.5	0	
				713.5	23155	18.64	19.5	0	
			24	701.5	23035	18.66	19.5	0	
				707.5	23095	18.57	19.5	0	
				713.5	23155	18.83	19.5	0	
		12 RB	0	701.5	23035	18.64	19.5	0	
				707.5	23095	18.73	19.5	0	
				713.5	23155	18.68	19.5	0	
				701.5	23035	18.77	19.5	0	
				707.5	23095	18.74	19.5	0	
				713.5	23155	18.67	19.5	0	
			6	701.5	23035	18.84	19.5	0	
				707.5	23095	18.74	19.5	0	
				713.5	23155	18.67	19.5	0	
				701.5	23035	18.84	19.5	0	
				707.5	23095	18.74	19.5	0	
				713.5	23155	18.67	19.5	0	
			13	701.5	23035	18.84	19.5	0	
				707.5	23095	18.74	19.5	0	
				713.5	23155	18.67	19.5	0	
				701.5	23035	18.69	19.5	0	
				707.5	23095	18.70	19.5	0	
				713.5	23155	18.66	19.5	0	
		25RB	701.5	23035	18.69	19.5	0		
			707.5	23095	18.70	19.5	0		
			713.5	23155	18.66	19.5	0		
		16-QAM	1 RB	0	701.5	23035	19.09	19.5	0
					707.5	23095	18.42	19.5	0
					713.5	23155	18.84	19.5	0
				12	701.5	23035	18.92	19.5	0
					707.5	23095	19.26	19.5	0
					713.5	23155	18.84	19.5	0
	24			701.5	23035	19.18	19.5	0	
				707.5	23095	18.93	19.5	0	
				713.5	23155	18.80	19.5	0	
	12 RB			0	701.5	23035	18.74	19.5	0
					707.5	23095	18.60	19.5	0
					713.5	23155	18.69	19.5	0
			701.5		23035	18.72	19.5	0	
			707.5		23095	18.59	19.5	0	
			713.5		23155	18.77	19.5	0	
			6	701.5	23035	18.77	19.5	0	
				707.5	23095	18.59	19.5	0	
				713.5	23155	18.77	19.5	0	
				701.5	23035	18.77	19.5	0	
				707.5	23095	18.67	19.5	0	
				713.5	23155	18.65	19.5	0	
	13		701.5	23035	18.74	19.5	0		
			707.5	23095	18.77	19.5	0		
			713.5	23155	18.73	19.5	0		
			701.5	23035	18.77	19.5	0		
			707.5	23095	18.77	19.5	0		
			713.5	23155	18.73	19.5	0		
	25RB		701.5	23035	18.74	19.5	0		
			707.5	23095	18.77	19.5	0		
			713.5	23155	18.73	19.5	0		
	64-QAM		1 RB	0	701.5	23035	18.78	19.5	0
					707.5	23095	18.16	19.5	0
					713.5	23155	18.56	19.5	0
				12	701.5	23035	18.52	19.5	0
					707.5	23095	18.93	19.5	0
					713.5	23155	18.61	19.5	0
		24		701.5	23035	18.90	19.5	0	
				707.5	23095	18.52	19.5	0	
				713.5	23155	18.45	19.5	0	
		12 RB		0	701.5	23035	18.45	19.5	0
					707.5	23095	18.23	19.5	0
					713.5	23155	18.38	19.5	0
			701.5		23035	18.46	19.5	0	
			707.5		23095	18.31	19.5	0	
			713.5		23155	18.37	19.5	0	
			6	701.5	23035	18.44	19.5	0	
				707.5	23095	18.44	19.5	0	
				713.5	23155	18.37	19.5	0	
				701.5	23035	18.44	19.5	0	
				707.5	23095	18.44	19.5	0	
				713.5	23155	18.37	19.5	0	
		13	701.5	23035	18.33	19.5	0		
			707.5	23095	18.42	19.5	0		
			713.5	23155	18.44	19.5	0		
			701.5	23035	18.33	19.5	0		
			707.5	23095	18.42	19.5	0		
			713.5	23155	18.44	19.5	0		
		25RB	701.5	23035	18.33	19.5	0		
			707.5	23095	18.42	19.5	0		
			713.5	23155	18.44	19.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
3	QPSK	1 RB	0	700.5	23025	18.40	19.5	0	
				707.5	23095	19.31	19.5	0	
				714.5	23165	18.53	19.5	0	
			7	700.5	23025	18.76	19.5	0	
				707.5	23095	18.59	19.5	0	
				714.5	23165	18.61	19.5	0	
			14	700.5	23025	18.63	19.5	0	
				707.5	23095	18.54	19.5	0	
				714.5	23165	18.80	19.5	0	
		8 RB	0	700.5	23025	18.61	19.5	0	
				707.5	23095	18.70	19.5	0	
				714.5	23165	18.65	19.5	0	
				700.5	23025	18.74	19.5	0	
				707.5	23095	18.71	19.5	0	
				714.5	23165	18.64	19.5	0	
			4	700.5	23025	18.81	19.5	0	
				707.5	23095	18.71	19.5	0	
				714.5	23165	18.64	19.5	0	
				700.5	23025	18.81	19.5	0	
				707.5	23095	18.71	19.5	0	
				714.5	23165	18.64	19.5	0	
			7	700.5	23025	18.81	19.5	0	
				707.5	23095	18.71	19.5	0	
				714.5	23165	18.64	19.5	0	
				700.5	23025	18.81	19.5	0	
				707.5	23095	18.71	19.5	0	
				714.5	23165	18.64	19.5	0	
		15RB	700.5	23025	18.66	19.5	0		
			707.5	23095	18.67	19.5	0		
			714.5	23165	18.63	19.5	0		
		16-QAM	1 RB	0	700.5	23025	19.06	19.5	0
					707.5	23095	18.39	19.5	0
					714.5	23165	18.81	19.5	0
				7	700.5	23025	18.89	19.5	0
					707.5	23095	19.23	19.5	0
					714.5	23165	18.81	19.5	0
	14			700.5	23025	19.15	19.5	0	
				707.5	23095	18.90	19.5	0	
				714.5	23165	18.77	19.5	0	
	8 RB			0	700.5	23025	18.71	19.5	0
					707.5	23095	18.57	19.5	0
					714.5	23165	18.66	19.5	0
			700.5		23025	18.69	19.5	0	
			707.5		23095	18.56	19.5	0	
			714.5		23165	18.74	19.5	0	
			4	700.5	23025	18.74	19.5	0	
				707.5	23095	18.64	19.5	0	
				714.5	23165	18.62	19.5	0	
				700.5	23025	18.71	19.5	0	
				707.5	23095	18.74	19.5	0	
				714.5	23165	18.70	19.5	0	
	7		700.5	23025	18.74	19.5	0		
			707.5	23095	18.64	19.5	0		
			714.5	23165	18.62	19.5	0		
	15RB		700.5	23025	18.71	19.5	0		
			707.5	23095	18.74	19.5	0		
			714.5	23165	18.70	19.5	0		
			700.5	23025	18.75	19.5	0		
			707.5	23095	18.13	19.5	0		
			714.5	23165	18.53	19.5	0		
			700.5	23025	18.49	19.5	0		
			707.5	23095	18.90	19.5	0		
			714.5	23165	18.58	19.5	0		
	64-QAM		1 RB	0	700.5	23025	18.75	19.5	0
					707.5	23095	18.13	19.5	0
					714.5	23165	18.53	19.5	0
		7		700.5	23025	18.49	19.5	0	
				707.5	23095	18.90	19.5	0	
				714.5	23165	18.58	19.5	0	
		14		700.5	23025	18.87	19.5	0	
				707.5	23095	18.49	19.5	0	
				714.5	23165	18.42	19.5	0	
		8 RB		0	700.5	23025	18.42	19.5	0
					707.5	23095	18.42	19.5	0
					714.5	23165	18.42	19.5	0
			700.5		23025	18.42	19.5	0	
			707.5		23095	18.20	19.5	0	
			714.5		23165	18.35	19.5	0	
			4	700.5	23025	18.43	19.5	0	
				707.5	23095	18.28	19.5	0	
				714.5	23165	18.34	19.5	0	
				700.5	23025	18.41	19.5	0	
				707.5	23095	18.41	19.5	0	
				714.5	23165	18.34	19.5	0	
			7	700.5	23025	18.30	19.5	0	
				707.5	23095	18.39	19.5	0	
				714.5	23165	18.41	19.5	0	
				700.5	23025	18.30	19.5	0	
				707.5	23095	18.39	19.5	0	
				714.5	23165	18.41	19.5	0	
		15RB	700.5	23025	18.30	19.5	0		
			707.5	23095	18.39	19.5	0		
			714.5	23165	18.41	19.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 12 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	699.7	23017	18.31	19.5	0		
				707.5	23095	19.22	19.5	0		
				715.3	23173	18.44	19.5	0		
			2	699.7	23017	18.67	19.5	0		
				707.5	23095	18.50	19.5	0		
				715.3	23173	18.52	19.5	0		
			5	699.7	23017	18.54	19.5	0		
				707.5	23095	18.45	19.5	0		
				715.3	23173	18.71	19.5	0		
		3 RB	0	699.7	23017	18.52	19.5	0		
				707.5	23095	18.61	19.5	0		
				715.3	23173	18.56	19.5	0		
			2	699.7	23017	18.65	19.5	0		
				707.5	23095	18.62	19.5	0		
				715.3	23173	18.55	19.5	0		
			3	699.7	23017	18.72	19.5	0		
				707.5	23095	18.62	19.5	0		
				715.3	23173	18.55	19.5	0		
			6RB	699.7	23017	18.57	19.5	0		
				707.5	23095	18.58	19.5	0		
				715.3	23173	18.54	19.5	0		
		16-QAM	1 RB	0	699.7	23017	18.97	19.5	0	
					707.5	23095	18.30	19.5	0	
					715.3	23173	18.72	19.5	0	
				2	699.7	23017	18.80	19.5	0	
					707.5	23095	19.14	19.5	0	
					715.3	23173	18.72	19.5	0	
				5	699.7	23017	19.06	19.5	0	
					707.5	23095	18.81	19.5	0	
					715.3	23173	18.68	19.5	0	
				3 RB	0	699.7	23017	18.62	19.5	0
						707.5	23095	18.48	19.5	0
						715.3	23173	18.57	19.5	0
			2		699.7	23017	18.60	19.5	0	
					707.5	23095	18.47	19.5	0	
					715.3	23173	18.65	19.5	0	
	3		699.7		23017	18.65	19.5	0		
			707.5		23095	18.55	19.5	0		
			715.3		23173	18.53	19.5	0		
	6RB		699.7	23017	18.62	19.5	0			
			707.5	23095	18.65	19.5	0			
			715.3	23173	18.61	19.5	0			
	64-QAM		1 RB	0	699.7	23017	18.66	19.5	0	
					707.5	23095	18.04	19.5	0	
					715.3	23173	18.44	19.5	0	
				2	699.7	23017	18.40	19.5	0	
					707.5	23095	18.81	19.5	0	
					715.3	23173	18.49	19.5	0	
				5	699.7	23017	18.78	19.5	0	
					707.5	23095	18.40	19.5	0	
					715.3	23173	18.33	19.5	0	
				3 RB	0	699.7	23017	18.33	19.5	0
						707.5	23095	18.11	19.5	0
						715.3	23173	18.26	19.5	0
			2		699.7	23017	18.34	19.5	0	
					707.5	23095	18.19	19.5	0	
					715.3	23173	18.25	19.5	0	
		3	699.7		23017	18.32	19.5	0		
			707.5		23095	18.32	19.5	0		
			715.3		23173	18.25	19.5	0		
		6RB	699.7	23017	18.21	19.5	0			
			707.5	23095	18.30	19.5	0			
			715.3	23173	18.32	19.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 13 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
10	QPSK	1 RB	0	782	23230	23.49	25	0	
			25	782	23230	23.39	25	0	
			49	782	23230	23.31	25	0	
		25 RB	0	782	23230	22.50	24	0-1	
			12	782	23230	22.47	24	0-1	
			25	782	23230	22.43	24	0-1	
		50RB		782	23230	22.46	24	0-1	
		16-QAM	1 RB	0	782	23230	22.61	24	0-1
				25	782	23230	22.69	24	0-1
	49			782	23230	22.61	24	0-1	
	25 RB		0	782	23230	21.50	23	0-2	
			12	782	23230	21.47	23	0-2	
			25	782	23230	21.41	23	0-2	
	50RB		782	23230	21.47	23	0-2		
	64-QAM		1 RB	0	782	23230	22.28	24	0-1
				25	782	23230	22.28	24	0-1
		49		782	23230	22.33	24	0-1	
		25 RB	0	782	23230	21.00	23	0-2	
			12	782	23230	21.17	23	0-2	
			25	782	23230	21.04	23	0-2	
		50RB		782	23230	21.21	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 13 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	779.5	23205	23.41	25	0		
				782	23230	23.44	25	0		
				784.5	23255	23.42	25	0		
			12	779.5	23205	23.34	25	0		
				782	23230	23.36	25	0		
				784.5	23255	23.38	25	0		
			24	779.5	23205	23.39	25	0		
				782	23230	23.35	25	0		
				784.5	23255	23.34	25	0		
		12 RB	0	779.5	23205	22.40	24	0-1		
				782	23230	22.46	24	0-1		
				784.5	23255	22.41	24	0-1		
			6	779.5	23205	22.42	24	0-1		
				782	23230	22.48	24	0-1		
				784.5	23255	22.41	24	0-1		
			13	779.5	23205	22.46	24	0-1		
				782	23230	22.40	24	0-1		
				784.5	23255	22.38	24	0-1		
			25RB	779.5	23205	22.36	24	0-1		
				782	23230	22.42	24	0-1		
				784.5	23255	22.41	24	0-1		
			16-QAM	1 RB	0	779.5	23205	22.63	24	0-1
						782	23230	22.79	24	0-1
						784.5	23255	22.74	24	0-1
					12	779.5	23205	22.69	24	0-1
						782	23230	22.62	24	0-1
						784.5	23255	22.64	24	0-1
		24			779.5	23205	22.66	24	0-1	
					782	23230	22.65	24	0-1	
					784.5	23255	22.62	24	0-1	
		12 RB			0	779.5	23205	21.39	23	0-2
						782	23230	21.53	23	0-2
						784.5	23255	21.44	23	0-2
					6	779.5	23205	21.44	23	0-2
						782	23230	21.48	23	0-2
						784.5	23255	21.44	23	0-2
	13				779.5	23205	21.50	23	0-2	
					782	23230	21.38	23	0-2	
					784.5	23255	21.40	23	0-2	
	25RB	779.5		23205	21.38	23	0-2			
		782		23230	21.45	23	0-2			
		784.5		23255	21.40	23	0-2			
	64-QAM	1 RB		0	779.5	23205	22.32	24	0-1	
					782	23230	22.40	24	0-1	
					784.5	23255	22.48	24	0-1	
				12	779.5	23205	22.21	24	0-1	
					782	23230	22.34	24	0-1	
					784.5	23255	22.29	24	0-1	
				24	779.5	23205	22.42	24	0-1	
					782	23230	22.48	24	0-1	
					784.5	23255	22.24	24	0-1	
				12 RB	0	779.5	23205	21.03	23	0-2
						782	23230	21.22	23	0-2
						784.5	23255	21.05	23	0-2
					6	779.5	23205	21.18	23	0-2
						782	23230	21.00	23	0-2
						784.5	23255	21.16	23	0-2
			13		779.5	23205	21.15	23	0-2	
					782	23230	21.14	23	0-2	
					784.5	23255	21.23	23	0-2	
		25RB	779.5	23205	21.00	23	0-2			
			782	23230	21.09	23	0-2			
			784.5	23255	21.09	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 13 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
10	QPSK	1 RB	0	782	23230	21.05	21.5	0	
			25	782	23230	21.38	21.5	0	
			49	782	23230	21.29	21.5	0	
		25 RB	0	782	23230	20.93	21.5	0	
			12	782	23230	20.76	21.5	0	
			25	782	23230	20.82	21.5	0	
		50RB			782	23230	20.96	21.5	0
		16-QAM	1 RB	0	782	23230	21.36	21.5	0
				25	782	23230	20.93	21.5	0
	49			782	23230	20.85	21.5	0	
	25 RB		0	782	23230	20.88	21.5	0	
			12	782	23230	20.89	21.5	0	
			25	782	23230	20.76	21.5	0	
	50RB			782	23230	20.86	21.5	0	
	64-QAM		1 RB	0	782	23230	21.05	21.5	0
				25	782	23230	20.67	21.5	0
		49		782	23230	20.57	21.5	0	
		25 RB	0	782	23230	20.48	21.5	0	
			12	782	23230	20.56	21.5	0	
			25	782	23230	20.53	21.5	0	
		50RB			782	23230	20.58	21.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 13 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	779.5	23205	21.01	21.5	0	
				782	23230	21.04	21.5	0	
				784.5	23255	21.02	21.5	0	
			12	779.5	23205	20.94	21.5	0	
				782	23230	20.96	21.5	0	
				784.5	23255	20.98	21.5	0	
			24	779.5	23205	20.99	21.5	0	
				782	23230	20.95	21.5	0	
				784.5	23255	20.94	21.5	0	
		12 RB	0	779.5	23205	20.03	21.5	0	
				782	23230	20.06	21.5	0	
				784.5	23255	20.01	21.5	0	
				779.5	23205	20.02	21.5	0	
				782	23230	20.08	21.5	0	
				784.5	23255	20.01	21.5	0	
			6	779.5	23205	20.06	21.5	0	
				782	23230	20.12	21.5	0	
				784.5	23255	19.98	21.5	0	
				779.5	23205	19.96	21.5	0	
				782	23230	20.02	21.5	0	
				784.5	23255	20.01	21.5	0	
			13	779.5	23205	20.03	21.5	0	
				782	23230	20.12	21.5	0	
				784.5	23255	19.98	21.5	0	
				779.5	23205	19.96	21.5	0	
				782	23230	20.02	21.5	0	
				784.5	23255	20.01	21.5	0	
		25RB	779.5	23205	19.96	21.5	0		
			782	23230	20.02	21.5	0		
			784.5	23255	20.01	21.5	0		
			779.5	23205	20.23	21.5	0		
			782	23230	20.39	21.5	0		
			784.5	23255	20.34	21.5	0		
		16-QAM	1 RB	0	779.5	23205	20.23	21.5	0
					782	23230	20.39	21.5	0
					784.5	23255	20.34	21.5	0
	779.5				23205	20.29	21.5	0	
	782				23230	20.22	21.5	0	
	784.5				23255	20.24	21.5	0	
	12			779.5	23205	20.26	21.5	0	
				782	23230	20.25	21.5	0	
				784.5	23255	20.22	21.5	0	
				779.5	23205	19.59	21.5	0	
				782	23230	19.73	21.5	0	
				784.5	23255	19.64	21.5	0	
	13			779.5	23205	19.64	21.5	0	
				782	23230	19.68	21.5	0	
				784.5	23255	19.64	21.5	0	
				779.5	23205	19.70	21.5	0	
				782	23230	19.58	21.5	0	
				784.5	23255	19.71	21.5	0	
	25RB		779.5	23205	19.58	21.5	0		
			782	23230	19.65	21.5	0		
			784.5	23255	19.81	21.5	0		
			779.5	23205	19.92	21.5	0		
			782	23230	20.13	21.5	0		
			784.5	23255	20.06	21.5	0		
	64-QAM		1 RB	0	779.5	23205	19.89	21.5	0
					782	23230	19.89	21.5	0
					784.5	23255	20.01	21.5	0
					779.5	23205	19.98	21.5	0
					782	23230	19.84	21.5	0
					784.5	23255	19.87	21.5	0
				12	779.5	23205	19.50	21.5	0
					782	23230	19.56	21.5	0
					784.5	23255	19.53	21.5	0
					779.5	23205	19.58	21.5	0
					782	23230	19.60	21.5	0
					784.5	23255	19.54	21.5	0
		13		779.5	23205	19.57	21.5	0	
				782	23230	19.55	21.5	0	
				784.5	23255	19.63	21.5	0	
				779.5	23205	19.57	21.5	0	
				782	23230	19.50	21.5	0	
				784.5	23255	19.52	21.5	0	
		25RB	779.5	23205	19.50	21.5	0		
			782	23230	19.50	21.5	0		
			784.5	23255	19.52	21.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 17 (Full Power)								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	709	23780	23.68	25	0
				710	23790	23.65	25	0
				711	23800	23.80	25	0
			25	709	23780	23.54	25	0
				710	23790	23.61	25	0
				711	23800	23.58	25	0
			49	709	23780	23.78	25	0
				710	23790	23.67	25	0
				711	23800	23.75	25	0
		25 RB	0	709	23780	22.70	24	0-1
				710	23790	22.73	24	0-1
				711	23800	22.75	24	0-1
				709	23780	22.73	24	0-1
				710	23790	22.73	24	0-1
				711	23800	22.72	24	0-1
			12	709	23780	22.72	24	0-1
				710	23790	22.70	24	0-1
				711	23800	22.72	24	0-1
				709	23780	22.72	24	0-1
				710	23790	22.70	24	0-1
				711	23800	22.72	24	0-1
			25	709	23780	22.72	24	0-1
				710	23790	22.70	24	0-1
				711	23800	22.72	24	0-1
				709	23780	22.67	24	0-1
				710	23790	22.68	24	0-1
				711	23800	22.64	24	0-1
		50RB	709	23780	23.21	24	0-1	
			710	23790	23.05	24	0-1	
			711	23800	23.18	24	0-1	
			709	23780	22.96	24	0-1	
			710	23790	23.01	24	0-1	
			711	23800	22.78	24	0-1	
			709	23780	22.75	24	0-1	
			710	23790	22.48	24	0-1	
			711	23800	22.88	24	0-1	
	16-QAM	1 RB	0	709	23780	21.76	23	0-2
				710	23790	21.76	23	0-2
				711	23800	21.72	23	0-2
			12	709	23780	21.70	23	0-2
				710	23790	21.76	23	0-2
				711	23800	21.72	23	0-2
			25	709	23780	21.69	23	0-2
				710	23790	21.77	23	0-2
				711	23800	21.73	23	0-2
		709		23780	21.67	23	0-2	
		710		23790	21.62	23	0-2	
		711		23800	21.76	23	0-2	
		50RB	709	23780	22.48	24	0-1	
			710	23790	22.24	24	0-1	
			711	23800	22.50	24	0-1	
			709	23780	22.06	24	0-1	
			710	23790	22.31	24	0-1	
			711	23800	22.01	24	0-1	
	709		23780	22.09	24	0-1		
	710		23790	22.09	24	0-1		
	711		23800	22.08	24	0-1		
	64-QAM	1 RB	0	709	23780	21.18	23	0-2
				710	23790	21.03	23	0-2
				711	23800	21.11	23	0-2
			12	709	23780	21.02	23	0-2
				710	23790	21.06	23	0-2
				711	23800	21.02	23	0-2
			25	709	23780	21.12	23	0-2
				710	23790	21.11	23	0-2
				711	23800	21.14	23	0-2
		709		23780	21.07	23	0-2	
		710		23790	21.04	23	0-2	
		711		23800	21.03	23	0-2	
		50RB	709	23780	22.48	24	0-1	
			710	23790	22.24	24	0-1	
			711	23800	22.50	24	0-1	
			709	23780	22.06	24	0-1	
			710	23790	22.31	24	0-1	
			711	23800	22.01	24	0-1	
	709		23780	22.09	24	0-1		
	710		23790	22.09	24	0-1		
	711		23800	22.08	24	0-1		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 17 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	706.5	23755	23.68	25	0		
				710	23790	23.65	25	0		
				713.5	23825	23.43	25	0		
			12	706.5	23755	23.62	25	0		
				710	23790	23.57	25	0		
				713.5	23825	23.60	25	0		
			24	706.5	23755	23.58	25	0		
				710	23790	23.72	25	0		
				713.5	23825	23.53	25	0		
		12 RB	0	706.5	23755	22.75	24	0-1		
				710	23790	22.71	24	0-1		
				713.5	23825	22.71	24	0-1		
				706.5	23755	22.73	24	0-1		
				710	23790	22.66	24	0-1		
				713.5	23825	22.74	24	0-1		
			6	706.5	23755	22.72	24	0-1		
				710	23790	22.69	24	0-1		
				713.5	23825	22.66	24	0-1		
				706.5	23755	22.71	24	0-1		
				710	23790	22.64	24	0-1		
				713.5	23825	22.72	24	0-1		
			13	706.5	23755	22.66	24	0-1		
				710	23790	22.71	24	0-1		
				713.5	23825	22.64	24	0-1		
				706.5	23755	22.66	24	0-1		
				710	23790	22.64	24	0-1		
				713.5	23825	22.72	24	0-1		
		25RB	706.5	23755	22.66	24	0-1			
			710	23790	22.54	24	0-1			
			713.5	23825	23.08	24	0-1			
			706.5	23755	23.25	24	0-1			
			710	23790	23.09	24	0-1			
			713.5	23825	22.65	24	0-1			
			706.5	23755	22.98	24	0-1			
			710	23790	22.70	24	0-1			
			713.5	23825	23.10	24	0-1			
	16-QAM	1 RB	0	706.5	23755	21.81	23	0-2		
				710	23790	21.69	23	0-2		
				713.5	23825	21.68	23	0-2		
			6	706.5	23755	21.76	23	0-2		
				710	23790	21.68	23	0-2		
				713.5	23825	21.73	23	0-2		
			13	706.5	23755	21.67	23	0-2		
				710	23790	21.69	23	0-2		
				713.5	23825	21.61	23	0-2		
		706.5		23755	21.76	23	0-2			
		710		23790	21.69	23	0-2			
		713.5		23825	21.67	23	0-2			
		25RB	706.5	23755	21.61	23	0-2			
			710	23790	21.69	23	0-2			
			713.5	23825	21.67	23	0-2			
			706.5	23755	22.15	24	0-1			
			710	23790	22.05	24	0-1			
			713.5	23825	22.40	24	0-1			
	706.5		23755	22.35	24	0-1				
	710		23790	22.39	24	0-1				
	713.5		23825	22.10	24	0-1				
	64-QAM	1 RB	0	706.5	23755	21.03	23	0-2		
				710	23790	21.18	23	0-2		
				713.5	23825	21.09	23	0-2		
				706.5	23755	21.08	23	0-2		
				710	23790	21.00	23	0-2		
				713.5	23825	21.03	23	0-2		
			6	706.5	23755	21.12	23	0-2		
				710	23790	21.03	23	0-2		
				713.5	23825	21.02	23	0-2		
				706.5	23755	21.18	23	0-2		
				710	23790	21.13	23	0-2		
				713.5	23825	21.16	23	0-2		
			25RB	706.5	23755	21.18	23	0-2		
				710	23790	21.13	23	0-2		
				713.5	23825	21.16	23	0-2		
				12 RB	0	706.5	23755	21.03	23	0-2
						710	23790	21.18	23	0-2
						713.5	23825	21.09	23	0-2
		6			706.5	23755	21.08	23	0-2	
					710	23790	21.00	23	0-2	
					713.5	23825	21.03	23	0-2	
		13	706.5	23755	21.12	23	0-2			
			710	23790	21.03	23	0-2			
			713.5	23825	21.02	23	0-2			
			706.5	23755	21.18	23	0-2			
			710	23790	21.13	23	0-2			
			713.5	23825	21.16	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 17 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	709	23780	18.79	19	0		
				710	23790	18.76	19	0		
				711	23800	18.99	19	0		
			25	709	23780	18.87	19	0		
				710	23790	18.85	19	0		
				711	23800	18.85	19	0		
			49	709	23780	18.94	19	0		
				710	23790	18.93	19	0		
				711	23800	18.94	19	0		
		25 RB	0	709	23780	18.91	19	0		
				710	23790	18.91	19	0		
				711	23800	18.88	19	0		
				12	709	23780	18.94	19	0	
					710	23790	18.95	19	0	
					711	23800	18.90	19	0	
			25	709	23780	18.93	19	0		
				710	23790	18.91	19	0		
				711	23800	18.91	19	0		
				50RB	709	23780	18.94	19	0	
					710	23790	18.90	19	0	
					711	23800	18.88	19	0	
			16-QAM	1 RB	0	709	23780	18.76	19	0
						710	23790	18.78	19	0
						711	23800	18.87	19	0
					25	709	23780	18.89	19	0
						710	23790	18.83	19	0
						711	23800	18.81	19	0
		49			709	23780	18.96	19	0	
					710	23790	18.92	19	0	
					711	23800	18.89	19	0	
		25 RB			0	709	23780	18.94	19	0
						710	23790	18.95	19	0
						711	23800	18.91	19	0
					12	709	23780	18.93	19	0
						710	23790	18.96	19	0
						711	23800	18.94	19	0
	25				709	23780	18.94	19	0	
					710	23790	18.72	19	0	
					711	23800	18.72	19	0	
	50RB	709		23780	18.95	19	0			
		710		23790	18.93	19	0			
		711		23800	18.93	19	0			
	64-QAM	1 RB		0	709	23780	18.95	19	0	
					710	23790	18.71	19	0	
					711	23800	18.77	19	0	
				25	709	23780	18.81	19	0	
					710	23790	18.75	19	0	
					711	23800	18.73	19	0	
				49	709	23780	18.86	19	0	
					710	23790	18.84	19	0	
					711	23800	18.79	19	0	
				25 RB	0	709	23780	18.86	19	0
						710	23790	18.88	19	0
						711	23800	18.83	19	0
					12	709	23780	18.92	19	0
						710	23790	18.85	19	0
						711	23800	18.83	19	0
			25		709	23780	18.86	19	0	
					710	23790	18.91	19	0	
					711	23800	18.93	19	0	
		50RB	709	23780	18.75	19	0			
			710	23790	18.82	19	0			
			711	23800	18.79	19	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 17 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	706.5	23755	18.81	19	0		
				710	23790	18.88	19	0		
				713.5	23825	18.81	19	0		
			12	706.5	23755	18.89	19	0		
				710	23790	18.86	19	0		
				713.5	23825	18.93	19	0		
			24	706.5	23755	18.89	19	0		
				710	23790	18.98	19	0		
				713.5	23825	18.92	19	0		
		12 RB	0	706.5	23755	18.83	19	0		
				710	23790	18.90	19	0		
				713.5	23825	18.97	19	0		
				6	706.5	23755	18.94	19	0	
					710	23790	18.91	19	0	
					713.5	23825	18.97	19	0	
			13	706.5	23755	18.94	19	0		
				710	23790	18.89	19	0		
				713.5	23825	18.97	19	0		
				25RB	706.5	23755	18.95	19	0	
					710	23790	18.89	19	0	
					713.5	23825	18.98	19	0	
			16-QAM	1 RB	0	706.5	23755	18.82	19	0
						710	23790	18.85	19	0
						713.5	23825	18.78	19	0
					12	706.5	23755	18.85	19	0
						710	23790	18.85	19	0
						713.5	23825	18.90	19	0
		24			706.5	23755	18.88	19	0	
					710	23790	18.96	19	0	
					713.5	23825	18.89	19	0	
		12 RB			0	706.5	23755	18.86	19	0
						710	23790	18.94	19	0
						713.5	23825	18.72	19	0
					6	706.5	23755	18.98	19	0
						710	23790	18.93	19	0
						713.5	23825	18.72	19	0
	13				706.5	23755	18.97	19	0	
					710	23790	18.92	19	0	
					713.5	23825	18.98	19	0	
	25RB	706.5		23755	18.94	19	0			
		710		23790	18.95	19	0			
		713.5		23825	18.71	19	0			
	64-QAM	1 RB		0	706.5	23755	18.78	19	0	
					710	23790	18.81	19	0	
					713.5	23825	18.74	19	0	
				12	706.5	23755	18.81	19	0	
					710	23790	18.81	19	0	
					713.5	23825	18.86	19	0	
				24	706.5	23755	18.84	19	0	
					710	23790	18.92	19	0	
					713.5	23825	18.85	19	0	
				12 RB	0	706.5	23755	18.82	19	0
						710	23790	18.90	19	0
						713.5	23825	18.98	19	0
					6	706.5	23755	18.94	19	0
						710	23790	18.89	19	0
						713.5	23825	18.98	19	0
			13		706.5	23755	18.93	19	0	
					710	23790	18.88	19	0	
					713.5	23825	18.94	19	0	
		25RB	706.5	23755	18.95	19	0			
			710	23790	18.91	19	0			
			713.5	23825	18.97	19	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
20	QPSK	1 RB	0	1860	26140	23.79	25	0		
				1882.5	26365	23.97	25	0		
				1905	26590	23.99	25	0		
			50	1860	26140	23.48	25	0		
				1882.5	26365	23.52	25	0		
				1905	26590	23.72	25	0		
			99	1860	26140	23.47	25	0		
				1882.5	26365	23.77	25	0		
				1905	26590	23.05	25	0		
		50 RB	0	1860	26140	22.67	24	0-1		
				1882.5	26365	22.68	24	0-1		
				1905	26590	23.18	24	0-1		
			25	1860	26140	22.55	24	0-1		
				1882.5	26365	22.61	24	0-1		
				1905	26590	23.02	24	0-1		
			50	1860	26140	22.56	24	0-1		
				1882.5	26365	22.81	24	0-1		
				1905	26590	22.20	24	0-1		
			100RB	1860	26140	22.53	24	0-1		
				1882.5	26365	22.69	24	0-1		
				1905	26590	23.23	24	0-1		
			16-QAM	1 RB	0	1860	26140	23.29	24	0-1
						1882.5	26365	23.52	24	0-1
						1905	26590	23.66	24	0-1
					50	1860	26140	22.89	24	0-1
						1882.5	26365	22.51	24	0-1
						1905	26590	22.73	24	0-1
		99			1860	26140	22.52	24	0-1	
					1882.5	26365	23.15	24	0-1	
					1905	26590	22.19	24	0-1	
		50 RB		0	1860	26140	21.62	23	0-2	
					1882.5	26365	21.68	23	0-2	
					1905	26590	22.25	23	0-2	
				25	1860	26140	21.64	23	0-2	
					1882.5	26365	21.65	23	0-2	
					1905	26590	21.99	23	0-2	
	50			1860	26140	21.56	23	0-2		
				1882.5	26365	21.80	23	0-2		
				1905	26590	21.29	23	0-2		
	100RB	1860		26140	21.52	23	0-2			
		1882.5		26365	21.68	23	0-2			
		1905		26590	22.16	23	0-2			
	64-QAM	1 RB		0	1860	26140	22.56	24	0-1	
					1882.5	26365	22.71	24	0-1	
					1905	26590	22.98	24	0-1	
				50	1860	26140	22.29	24	0-1	
					1882.5	26365	22.11	24	0-1	
					1905	26590	22.26	24	0-1	
				99	1860	26140	22.16	24	0-1	
					1882.5	26365	22.56	24	0-1	
					1905	26590	22.29	24	0-1	
		50 RB		0	1860	26140	21.14	23	0-2	
					1882.5	26365	21.25	23	0-2	
					1905	26590	21.44	23	0-2	
				25	1860	26140	21.26	23	0-2	
					1882.5	26365	21.05	23	0-2	
					1905	26590	21.29	23	0-2	
			50	1860	26140	21.09	23	0-2		
				1882.5	26365	21.14	23	0-2		
				1905	26590	21.00	23	0-2		
		100RB	1860	26140	21.02	23	0-2			
			1882.5	26365	21.20	23	0-2			
			1905	26590	21.43	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
15	QPSK	1 RB	0	1857.5	26115	23.56	25	0		
				1882.5	26365	23.72	25	0		
				1907.5	26615	23.24	25	0		
			36	1857.5	26115	23.36	25	0		
				1882.5	26365	23.62	25	0		
				1907.5	26615	23.11	25	0		
			74	1857.5	26115	23.54	25	0		
				1882.5	26365	23.60	25	0		
				1907.5	26615	23.31	25	0		
		36 RB	0	1857.5	26115	22.52	24	0-1		
				1882.5	26365	22.67	24	0-1		
				1907.5	26615	23.19	24	0-1		
				1857.5	26115	22.54	24	0-1		
				1882.5	26365	22.77	24	0-1		
				1907.5	26615	22.34	24	0-1		
			18	1857.5	26115	22.41	24	0-1		
				1882.5	26365	22.65	24	0-1		
				1907.5	26615	22.19	24	0-1		
				37	1857.5	26115	22.41	24	0-1	
					1882.5	26365	22.65	24	0-1	
					1907.5	26615	22.19	24	0-1	
			75RB	1857.5	26115	22.56	24	0-1		
				1882.5	26365	22.69	24	0-1		
				1907.5	26615	22.39	24	0-1		
			16-QAM	1 RB	0	1857.5	26115	23.04	24	0-1
						1882.5	26365	23.20	24	0-1
						1907.5	26615	23.55	24	0-1
		36			1857.5	26115	22.33	24	0-1	
					1882.5	26365	23.14	24	0-1	
					1907.5	26615	22.38	24	0-1	
		74			1857.5	26115	22.73	24	0-1	
					1882.5	26365	22.79	24	0-1	
					1907.5	26615	22.57	24	0-1	
		36 RB			0	1857.5	26115	21.45	23	0-2
						1882.5	26365	21.70	23	0-2
						1907.5	26615	22.15	23	0-2
	1857.5					26115	21.52	23	0-2	
	1882.5					26365	21.74	23	0-2	
	1907.5					26615	21.33	23	0-2	
	18				1857.5	26115	21.46	23	0-2	
					1882.5	26365	21.66	23	0-2	
					1907.5	26615	21.83	23	0-2	
				37	1857.5	26115	21.52	23	0-2	
					1882.5	26365	21.67	23	0-2	
					1907.5	26615	21.32	23	0-2	
	75RB	1857.5		26115	21.32	23	0-2			
		1882.5		26365	21.67	23	0-2			
		1907.5		26615	21.32	23	0-2			
		1857.5		26115	22.31	24	0-1			
		1882.5		26365	22.39	24	0-1			
		1907.5		26615	22.87	24	0-1			
		1 RB		0	1857.5	26115	22.19	24	0-1	
					1882.5	26365	22.44	24	0-1	
					1907.5	26615	22.37	24	0-1	
	36	1857.5		26115	22.07	24	0-1			
		1882.5		26365	22.20	24	0-1			
		1907.5		26615	22.53	24	0-1			
	74	1857.5		26115	21.43	23	0-2			
		1882.5		26365	21.73	23	0-2			
		1907.5		26615	21.34	23	0-2			
	64-QAM	36 RB	0	1857.5	26115	21.60	23	0-2		
				1882.5	26365	21.60	23	0-2		
				1907.5	26615	21.39	23	0-2		
				1857.5	26115	21.45	23	0-2		
				1882.5	26365	21.00	23	0-2		
				1907.5	26615	21.00	23	0-2		
			18	1857.5	26115	21.48	23	0-2		
				1882.5	26365	21.65	23	0-2		
				1907.5	26615	21.35	23	0-2		
				75RB	1857.5	26115	21.48	23	0-2	
					1882.5	26365	21.65	23	0-2	
					1907.5	26615	21.35	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	1855	26090	23.58	25	0		
				1882.5	26365	23.79	25	0		
				1910	26640	23.82	25	0		
			25	1855	26090	23.45	25	0		
				1882.5	26365	23.66	25	0		
				1910	26640	23.20	25	0		
			49	1855	26090	23.59	25	0		
				1882.5	26365	23.78	25	0		
				1910	26640	23.41	25	0		
		25 RB	0	1855	26090	22.47	24	0-1		
				1882.5	26365	22.76	24	0-1		
				1910	26640	22.51	24	0-1		
			12	1855	26090	22.51	24	0-1		
				1882.5	26365	22.61	24	0-1		
				1910	26640	22.34	24	0-1		
			25	1855	26090	22.43	24	0-1		
				1882.5	26365	22.68	24	0-1		
				1910	26640	22.53	24	0-1		
			50RB	1855	26090	22.50	24	0-1		
				1882.5	26365	22.64	24	0-1		
				1910	26640	22.54	24	0-1		
			16-QAM	1 RB	0	1855	26090	22.58	24	0-1
						1882.5	26365	22.92	24	0-1
						1910	26640	23.38	24	0-1
					25	1855	26090	22.93	24	0-1
						1882.5	26365	23.16	24	0-1
						1910	26640	22.63	24	0-1
		49			1855	26090	23.10	24	0-1	
					1882.5	26365	23.16	24	0-1	
					1910	26640	22.57	24	0-1	
		25 RB			0	1855	26090	21.34	23	0-2
						1882.5	26365	21.75	23	0-2
						1910	26640	21.54	23	0-2
					12	1855	26090	21.47	23	0-2
						1882.5	26365	21.71	23	0-2
						1910	26640	21.39	23	0-2
	25				1855	26090	21.41	23	0-2	
					1882.5	26365	21.52	23	0-2	
					1910	26640	21.53	23	0-2	
	50RB	1855		26090	21.56	23	0-2			
		1882.5		26365	21.66	23	0-2			
		1910		26640	21.59	23	0-2			
	64-QAM	1 RB		0	1855	26090	22.29	24	0-1	
					1882.5	26365	22.11	24	0-1	
					1910	26640	22.70	24	0-1	
				25	1855	26090	22.03	24	0-1	
					1882.5	26365	22.46	24	0-1	
					1910	26640	22.30	24	0-1	
				49	1855	26090	22.44	24	0-1	
					1882.5	26365	22.57	24	0-1	
					1910	26640	22.21	24	0-1	
				25 RB	0	1855	26090	21.00	23	0-2
						1882.5	26365	21.02	23	0-2
						1910	26640	21.17	23	0-2
					12	1855	26090	21.23	23	0-2
						1882.5	26365	21.25	23	0-2
						1910	26640	21.13	23	0-2
			25		1855	26090	21.08	23	0-2	
					1882.5	26365	21.30	23	0-2	
					1910	26640	21.38	23	0-2	
		50RB	1855	26090	21.20	23	0-2			
			1882.5	26365	21.32	23	0-2			
			1910	26640	21.30	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	1852.5	26065	23.31	25	0	
				1882.5	26365	23.65	25	0	
				1912.5	26665	23.24	25	0	
			12	1852.5	26065	23.23	25	0	
				1882.5	26365	23.62	25	0	
				1912.5	26665	23.67	25	0	
			24	1852.5	26065	23.45	25	0	
				1882.5	26365	23.46	25	0	
				1912.5	26665	23.41	25	0	
		12 RB	0	1852.5	26065	22.36	24	0-1	
				1882.5	26365	22.65	24	0-1	
				1912.5	26665	22.46	24	0-1	
				1852.5	26065	22.37	24	0-1	
				1882.5	26365	22.62	24	0-1	
				1912.5	26665	22.63	24	0-1	
			6	1852.5	26065	22.32	24	0-1	
				1882.5	26365	22.62	24	0-1	
				1912.5	26665	22.66	24	0-1	
				1852.5	26065	22.38	24	0-1	
				1882.5	26365	22.59	24	0-1	
				1912.5	26665	22.56	24	0-1	
			25RB	1852.5	26065	22.61	24	0-1	
				1882.5	26365	23.17	24	0-1	
				1912.5	26665	22.60	24	0-1	
				1852.5	26065	22.78	24	0-1	
				1882.5	26365	22.90	24	0-1	
				1912.5	26665	22.45	24	0-1	
		16-QAM	1 RB	0	1852.5	26065	22.60	24	0-1
					1882.5	26365	23.17	24	0-1
					1912.5	26665	22.60	24	0-1
				12	1852.5	26065	22.78	24	0-1
					1882.5	26365	22.90	24	0-1
					1912.5	26665	22.45	24	0-1
				24	1852.5	26065	22.53	24	0-1
					1882.5	26365	22.55	24	0-1
					1912.5	26665	22.86	24	0-1
	12 RB			0	1852.5	26065	21.37	23	0-2
					1882.5	26365	21.70	23	0-2
					1912.5	26665	21.43	23	0-2
			1852.5		26065	21.37	23	0-2	
			1882.5		26365	21.65	23	0-2	
			1912.5		26665	21.62	23	0-2	
			6	1852.5	26065	21.29	23	0-2	
				1882.5	26365	21.62	23	0-2	
				1912.5	26665	21.76	23	0-2	
				1852.5	26065	21.49	23	0-2	
				1882.5	26365	21.60	23	0-2	
				1912.5	26665	21.59	23	0-2	
	25RB		1852.5	26065	22.36	24	0-1		
			1882.5	26365	22.36	24	0-1		
			1912.5	26665	22.40	24	0-1		
			1852.5	26065	22.36	24	0-1		
			1882.5	26365	22.20	24	0-1		
			1912.5	26665	22.16	24	0-1		
	64-QAM		1 RB	0	1852.5	26065	22.36	24	0-1
					1882.5	26365	22.36	24	0-1
					1912.5	26665	22.40	24	0-1
				12	1852.5	26065	22.36	24	0-1
					1882.5	26365	22.20	24	0-1
					1912.5	26665	22.16	24	0-1
				24	1852.5	26065	22.35	24	0-1
					1882.5	26365	22.44	24	0-1
					1912.5	26665	22.06	24	0-1
		12 RB		0	1852.5	26065	21.07	23	0-2
					1882.5	26365	21.45	23	0-2
					1912.5	26665	21.10	23	0-2
			1852.5		26065	21.17	23	0-2	
			1882.5		26365	21.23	23	0-2	
			1912.5		26665	21.40	23	0-2	
			6	1852.5	26065	21.00	23	0-2	
				1882.5	26365	21.44	23	0-2	
				1912.5	26665	21.17	23	0-2	
				1852.5	26065	21.17	23	0-2	
				1882.5	26365	21.30	23	0-2	
				1912.5	26665	21.34	23	0-2	
		25RB	1852.5	26065	21.17	23	0-2		
			1882.5	26365	21.30	23	0-2		
			1912.5	26665	21.34	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
3	QPSK	1 RB	0	1851.5	26055	23.32	25	0		
				1882.5	26365	23.67	25	0		
				1913.5	26675	23.50	25	0		
			7	1851.5	26055	23.34	25	0		
				1882.5	26365	23.71	25	0		
				1913.5	26675	23.76	25	0		
			14	1851.5	26055	23.33	25	0		
				1882.5	26365	23.57	25	0		
				1913.5	26675	23.24	25	0		
		8 RB	0	1851.5	26055	22.32	24	0-1		
				1882.5	26365	22.61	24	0-1		
				1913.5	26675	22.69	24	0-1		
				1851.5	26055	22.36	24	0-1		
				1882.5	26365	22.61	24	0-1		
				1913.5	26675	22.69	24	0-1		
			4	1851.5	26055	22.38	24	0-1		
				1882.5	26365	22.64	24	0-1		
				1913.5	26675	22.61	24	0-1		
				1851.5	26055	22.31	24	0-1		
				1882.5	26365	22.62	24	0-1		
				1913.5	26675	22.63	24	0-1		
			15RB	1851.5	26055	22.90	24	0-1		
				1882.5	26365	22.74	24	0-1		
				1913.5	26675	22.76	24	0-1		
				1851.5	26055	22.76	24	0-1		
				1882.5	26365	22.87	24	0-1		
				1913.5	26675	23.24	24	0-1		
		16-QAM	1 RB	0	1851.5	26055	22.17	24	0-1	
					1882.5	26365	22.40	24	0-1	
					1913.5	26675	22.08	24	0-1	
				7	1851.5	26055	22.33	24	0-1	
					1882.5	26365	22.17	24	0-1	
					1913.5	26675	22.47	24	0-1	
				14	1851.5	26055	22.23	24	0-1	
					1882.5	26365	22.40	24	0-1	
					1913.5	26675	22.40	24	0-1	
	8 RB			0	1851.5	26055	21.19	23	0-2	
					1882.5	26365	21.37	23	0-2	
					1913.5	26675	21.02	23	0-2	
				4	1851.5	26055	21.20	23	0-2	
					1882.5	26365	21.14	23	0-2	
					1913.5	26675	21.10	23	0-2	
				7	1851.5	26055	21.09	23	0-2	
					1882.5	26365	21.02	23	0-2	
					1913.5	26675	21.12	23	0-2	
	15RB		1851.5	26055	21.03	23	0-2			
			1882.5	26365	21.28	23	0-2			
			1913.5	26675	21.02	23	0-2			
			64-QAM	1 RB	0	1851.5	26055	22.17	24	0-1
						1882.5	26365	22.40	24	0-1
						1913.5	26675	22.08	24	0-1
					7	1851.5	26055	22.33	24	0-1
						1882.5	26365	22.17	24	0-1
						1913.5	26675	22.47	24	0-1
	14				1851.5	26055	22.23	24	0-1	
					1882.5	26365	22.40	24	0-1	
					1913.5	26675	22.40	24	0-1	
	8 RB			0	1851.5	26055	21.19	23	0-2	
					1882.5	26365	21.37	23	0-2	
					1913.5	26675	21.02	23	0-2	
				4	1851.5	26055	21.20	23	0-2	
					1882.5	26365	21.14	23	0-2	
					1913.5	26675	21.10	23	0-2	
		7		1851.5	26055	21.09	23	0-2		
				1882.5	26365	21.02	23	0-2		
				1913.5	26675	21.12	23	0-2		
	15RB	1851.5	26055	21.03	23	0-2				
		1882.5	26365	21.28	23	0-2				
		1913.5	26675	21.02	23	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	1850.7	26047	23.39	25	0		
				1882.5	26365	23.71	25	0		
				1914.3	26683	23.49	25	0		
			2	1850.7	26047	23.48	25	0		
				1882.5	26365	23.78	25	0		
				1914.3	26683	23.47	25	0		
		5	1850.7	26047	23.32	25	0			
				1882.5	26365	23.71	25	0		
				1914.3	26683	23.24	25	0		
			1850.7	26047	23.43	25	0			
				1882.5	26365	23.82	25	0		
				1914.3	26683	23.43	25	0		
		3 RB	2	1850.7	26047	23.38	25	0		
				1882.5	26365	23.89	25	0		
				1914.3	26683	23.49	25	0		
			3	1850.7	26047	23.30	25	0		
				1882.5	26365	23.78	25	0		
				1914.3	26683	23.31	25	0		
			6RB	1850.7	26047	22.26	24	0-1		
				1882.5	26365	22.83	24	0-1		
				1914.3	26683	22.56	24	0-1		
		16-QAM	1 RB	0	1850.7	26047	22.14	24	0-1	
					1882.5	26365	22.67	24	0-1	
					1914.3	26683	22.70	24	0-1	
				2	1850.7	26047	22.66	24	0-1	
					1882.5	26365	23.27	24	0-1	
					1914.3	26683	22.86	24	0-1	
				5	1850.7	26047	22.50	24	0-1	
						1882.5	26365	22.62	24	0-1
						1914.3	26683	22.83	24	0-1
					1850.7	26047	22.42	24	0-1	
						1882.5	26365	22.83	24	0-1
						1914.3	26683	22.49	24	0-1
			3 RB	2	1850.7	26047	22.25	24	0-1	
					1882.5	26365	22.81	24	0-1	
					1914.3	26683	22.57	24	0-1	
	3			1850.7	26047	22.36	24	0-1		
				1882.5	26365	22.81	24	0-1		
				1914.3	26683	22.52	24	0-1		
	6RB			1850.7	26047	21.33	23	0-2		
				1882.5	26365	21.83	23	0-2		
				1914.3	26683	21.83	23	0-2		
	64-QAM		1 RB	0	1850.7	26047	22.66	24	0-1	
					1882.5	26365	22.43	24	0-1	
					1914.3	26683	22.02	24	0-1	
				2	1850.7	26047	22.33	24	0-1	
					1882.5	26365	22.57	24	0-1	
					1914.3	26683	22.09	24	0-1	
				5	1850.7	26047	22.41	24	0-1	
						1882.5	26365	22.03	24	0-1
						1914.3	26683	22.03	24	0-1
					1850.7	26047	22.21	24	0-1	
						1882.5	26365	22.10	24	0-1
						1914.3	26683	22.25	24	0-1
			3 RB	2	1850.7	26047	22.14	24	0-1	
					1882.5	26365	22.48	24	0-1	
					1914.3	26683	22.44	24	0-1	
		3		1850.7	26047	22.16	24	0-1		
				1882.5	26365	22.15	24	0-1		
				1914.3	26683	22.50	24	0-1		
		6RB		1850.7	26047	21.10	23	0-2		
				1882.5	26365	21.05	23	0-2		
				1914.3	26683	21.10	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
20	QPSK	1 RB	0	1860	26140	15.55	16	0		
				1882.5	26365	15.27	16	0		
				1905	26590	15.97	16	0		
			50	1860	26140	15.28	16	0		
				1882.5	26365	15.02	16	0		
				1905	26590	15.47	16	0		
			99	1860	26140	15.22	16	0		
				1882.5	26365	15.31	16	0		
				1905	26590	15.74	16	0		
		50 RB	0	1860	26140	15.16	16	0		
				1882.5	26365	15.13	16	0		
				1905	26590	15.64	16	0		
				1860	26140	15.09	16	0		
				1882.5	26365	15.14	16	0		
				1905	26590	15.60	16	0		
			25	1860	26140	15.19	16	0		
				1882.5	26365	15.23	16	0		
				1905	26590	15.65	16	0		
				1860	26140	15.13	16	0		
				1882.5	26365	15.15	16	0		
				1905	26590	15.62	16	0		
			100RB	1860	26140	15.65	16	0		
				1882.5	26365	15.58	16	0		
				1905	26590	15.89	16	0		
				1860	26140	15.29	16	0		
				1882.5	26365	15.32	16	0		
				1905	26590	15.82	16	0		
		16-QAM	1 RB	0	1860	26140	15.51	16	0	
					1882.5	26365	15.56	16	0	
					1905	26590	15.54	16	0	
				50	1860	26140	15.51	16	0	
					1882.5	26365	15.56	16	0	
					1905	26590	15.54	16	0	
				99	1860	26140	15.19	16	0	
					1882.5	26365	15.14	16	0	
					1905	26590	15.67	16	0	
	50 RB			0	1860	26140	15.12	16	0	
					1882.5	26365	15.18	16	0	
					1905	26590	15.62	16	0	
				25	1860	26140	15.16	16	0	
					1882.5	26365	15.23	16	0	
					1905	26590	15.70	16	0	
				50	1860	26140	15.14	16	0	
					1882.5	26365	15.17	16	0	
					1905	26590	15.63	16	0	
	100RB		1860	26140	15.14	16	0			
			1882.5	26365	15.17	16	0			
			1905	26590	15.63	16	0			
			64-QAM	1 RB	0	1860	26140	15.63	16	0
						1882.5	26365	15.56	16	0
						1905	26590	15.83	16	0
					50	1860	26140	15.23	16	0
						1882.5	26365	15.30	16	0
						1905	26590	14.74	16	0
	99				1860	26140	15.49	16	0	
					1882.5	26365	15.52	16	0	
					1905	26590	15.68	16	0	
	50 RB			0	1860	26140	15.17	16	0	
					1882.5	26365	15.13	16	0	
					1905	26590	15.65	16	0	
				25	1860	26140	15.10	16	0	
					1882.5	26365	15.16	16	0	
					1905	26590	15.55	16	0	
		50		1860	26140	15.14	16	0		
				1882.5	26365	15.17	16	0		
				1905	26590	15.68	16	0		
	100RB	1860	26140	15.12	16	0				
		1882.5	26365	15.15	16	0				
		1905	26590	15.59	16	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
15	QPSK	1 RB	0	1857.5	26115	15.33	16	0		
				1882.5	26365	15.19	16	0		
				1907.5	26615	15.54	16	0		
			36	1857.5	26115	14.89	16	0		
				1882.5	26365	14.99	16	0		
				1907.5	26615	15.45	16	0		
			74	1857.5	26115	15.17	16	0		
				1882.5	26365	15.27	16	0		
				1907.5	26615	15.69	16	0		
		36 RB	0	1857.5	26115	15.10	16	0		
				1882.5	26365	15.05	16	0		
				1907.5	26615	15.55	16	0		
				1857.5	26115	15.08	16	0		
				1882.5	26365	15.06	16	0		
				1907.5	26615	15.51	16	0		
			18	1857.5	26115	15.11	16	0		
				1882.5	26365	15.14	16	0		
				1907.5	26615	15.63	16	0		
				37	1857.5	26115	15.08	16	0	
					1882.5	26365	15.13	16	0	
					1907.5	26615	15.57	16	0	
			75RB	1857.5	26115	15.57	16	0		
				1882.5	26365	15.55	16	0		
				1907.5	26615	15.85	16	0		
				1857.5	26115	15.25	16	0		
				1882.5	26365	15.27	16	0		
				1907.5	26615	15.73	16	0		
		1857.5		26115	15.49	16	0			
		1882.5		26365	15.53	16	0			
		1907.5		26615	15.45	16	0			
		16-QAM	1 RB	0	1857.5	26115	15.57	16	0	
					1882.5	26365	15.55	16	0	
					1907.5	26615	15.85	16	0	
				36	1857.5	26115	15.25	16	0	
					1882.5	26365	15.27	16	0	
					1907.5	26615	15.73	16	0	
	74			1857.5	26115	15.49	16	0		
				1882.5	26365	15.53	16	0		
				1907.5	26615	15.45	16	0		
	36 RB			0	1857.5	26115	15.18	16	0	
					1882.5	26365	15.05	16	0	
					1907.5	26615	15.64	16	0	
				18	1857.5	26115	15.08	16	0	
					1882.5	26365	15.13	16	0	
					1907.5	26615	15.55	16	0	
				37	1857.5	26115	15.09	16	0	
					1882.5	26365	15.18	16	0	
					1907.5	26615	15.62	16	0	
	75RB		1857.5	26115	15.08	16	0			
			1882.5	26365	15.14	16	0			
			1907.5	26615	15.61	16	0			
			64-QAM	1 RB	0	1857.5	26115	15.55	16	0
						1882.5	26365	15.49	16	0
						1907.5	26615	15.74	16	0
					36	1857.5	26115	15.22	16	0
						1882.5	26365	15.28	16	0
						1907.5	26615	14.67	16	0
	74				1857.5	26115	15.43	16	0	
					1882.5	26365	15.51	16	0	
					1907.5	26615	15.63	16	0	
	36 RB			0	1857.5	26115	15.11	16	0	
					1882.5	26365	15.11	16	0	
					1907.5	26615	15.61	16	0	
				18	1857.5	26115	15.05	16	0	
					1882.5	26365	15.13	16	0	
					1907.5	26615	15.47	16	0	
		37		1857.5	26115	15.08	16	0		
				1882.5	26365	15.09	16	0		
				1907.5	26615	15.67	16	0		
	75RB	1857.5	26115	15.08	16	0				
		1882.5	26365	15.08	16	0				
		1907.5	26615	15.53	16	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
10	QPSK	1 RB	0	1855	26090	15.33	16	0	
				1882.5	26365	15.19	16	0	
				1910	26640	15.49	16	0	
			25	1855	26090	14.94	16	0	
				1882.5	26365	14.93	16	0	
				1910	26640	15.45	16	0	
			49	1855	26090	15.15	16	0	
				1882.5	26365	15.28	16	0	
				1910	26640	15.71	16	0	
		25 RB	0	1855	26090	15.14	16	0	
				1882.5	26365	15.04	16	0	
				1910	26640	15.59	16	0	
				1855	26090	15.01	16	0	
				1882.5	26365	15.05	16	0	
				1910	26640	15.59	16	0	
			12	1855	26090	15.18	16	0	
				1882.5	26365	15.22	16	0	
				1910	26640	15.61	16	0	
				1855	26090	15.12	16	0	
				1882.5	26365	15.11	16	0	
				1910	26640	15.58	16	0	
			25	1855	26090	15.12	16	0	
				1882.5	26365	15.15	16	0	
				1910	26640	15.60	16	0	
				1855	26090	15.12	16	0	
				1882.5	26365	15.15	16	0	
				1910	26640	15.60	16	0	
		50RB			1855	26090	15.12	16	0
		50RB			1882.5	26365	15.15	16	0
		50RB			1910	26640	15.60	16	0
		16-QAM	1 RB	0	1855	26090	15.55	16	0
					1882.5	26365	15.48	16	0
					1910	26640	15.78	16	0
					1855	26090	15.20	16	0
					1882.5	26365	15.22	16	0
					1910	26640	14.69	16	0
	25			1855	26090	15.42	16	0	
				1882.5	26365	15.50	16	0	
				1910	26640	15.90	16	0	
				1855	26090	15.12	16	0	
				1882.5	26365	15.09	16	0	
				1910	26640	15.58	16	0	
	25 RB			0	1855	26090	15.08	16	0
					1882.5	26365	15.08	16	0
					1910	26640	15.66	16	0
					1855	26090	15.10	16	0
					1882.5	26365	15.14	16	0
					1910	26640	15.59	16	0
			12	1855	26090	15.14	16	0	
				1882.5	26365	15.20	16	0	
				1910	26640	15.65	16	0	
				1855	26090	15.12	16	0	
				1882.5	26365	15.15	16	0	
				1910	26640	15.60	16	0	
			25	1855	26090	15.12	16	0	
				1882.5	26365	15.15	16	0	
				1910	26640	15.60	16	0	
				1855	26090	15.12	16	0	
				1882.5	26365	15.15	16	0	
				1910	26640	15.60	16	0	
	50RB			1855	26090	15.12	16	0	
	50RB			1882.5	26365	15.15	16	0	
	50RB			1910	26640	15.60	16	0	
	64-QAM		1 RB	0	1855	26090	15.55	16	0
					1882.5	26365	15.48	16	0
					1910	26640	15.78	16	0
		1855			26090	15.20	16	0	
		1882.5			26365	15.22	16	0	
		1910			26640	14.69	16	0	
		25		1855	26090	15.42	16	0	
				1882.5	26365	15.50	16	0	
				1910	26640	15.90	16	0	
				1855	26090	15.12	16	0	
				1882.5	26365	15.09	16	0	
				1910	26640	15.58	16	0	
		25 RB		0	1855	26090	15.08	16	0
					1882.5	26365	15.09	16	0
					1910	26640	15.58	16	0
					1855	26090	15.08	16	0
					1882.5	26365	15.11	16	0
					1910	26640	15.51	16	0
			12	1855	26090	15.08	16	0	
				1882.5	26365	15.13	16	0	
				1910	26640	15.62	16	0	
				1855	26090	15.08	16	0	
				1882.5	26365	15.13	16	0	
				1910	26640	15.62	16	0	
			25	1855	26090	15.08	16	0	
				1882.5	26365	15.13	16	0	
				1910	26640	15.62	16	0	
				1855	26090	15.08	16	0	
				1882.5	26365	15.06	16	0	
				1910	26640	15.57	16	0	
		50RB			1855	26090	15.08	16	0
		50RB			1882.5	26365	15.06	16	0
		50RB			1910	26640	15.57	16	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	1852.5	26065	15.30	16	0	
				1882.5	26365	15.18	16	0	
				1912.5	26665	15.52	16	0	
			12	1852.5	26065	14.92	16	0	
				1882.5	26365	14.99	16	0	
				1912.5	26665	15.45	16	0	
			24	1852.5	26065	15.20	16	0	
				1882.5	26365	15.23	16	0	
				1912.5	26665	15.70	16	0	
		12 RB	0	1852.5	26065	15.07	16	0	
				1882.5	26365	15.08	16	0	
				1912.5	26665	15.60	16	0	
				1852.5	26065	15.01	16	0	
				1882.5	26365	15.11	16	0	
				1912.5	26665	15.53	16	0	
			6	1852.5	26065	15.15	16	0	
				1882.5	26365	15.16	16	0	
				1912.5	26665	15.62	16	0	
				1852.5	26065	15.11	16	0	
				1882.5	26365	15.11	16	0	
				1912.5	26665	15.61	16	0	
			13	1852.5	26065	15.62	16	0	
				1882.5	26365	15.11	16	0	
				1912.5	26665	15.61	16	0	
				1852.5	26065	15.62	16	0	
				1882.5	26365	15.11	16	0	
				1912.5	26665	15.61	16	0	
		25RB	1852.5	26065	15.62	16	0		
			1882.5	26365	15.11	16	0		
			1912.5	26665	15.61	16	0		
			1852.5	26065	15.62	16	0		
			1882.5	26365	15.11	16	0		
			1912.5	26665	15.61	16	0		
		16-QAM	1 RB	0	1852.5	26065	15.62	16	0
					1882.5	26365	15.51	16	0
					1912.5	26665	15.82	16	0
	12			1852.5	26065	15.22	16	0	
				1882.5	26365	15.24	16	0	
				1912.5	26665	15.78	16	0	
	24			1852.5	26065	15.43	16	0	
				1882.5	26365	15.52	16	0	
				1912.5	26665	15.50	16	0	
	12 RB			0	1852.5	26065	15.15	16	0
					1882.5	26365	15.05	16	0
					1912.5	26665	15.62	16	0
					1852.5	26065	15.11	16	0
					1882.5	26365	15.10	16	0
					1912.5	26665	15.55	16	0
				6	1852.5	26065	15.08	16	0
					1882.5	26365	15.22	16	0
					1912.5	26665	15.61	16	0
			1852.5		26065	15.06	16	0	
			1882.5		26365	15.15	16	0	
			1912.5		26665	15.58	16	0	
			13	1852.5	26065	15.54	16	0	
				1882.5	26365	15.47	16	0	
				1912.5	26665	15.82	16	0	
				1852.5	26065	15.16	16	0	
				1882.5	26365	15.29	16	0	
				1912.5	26665	14.68	16	0	
	64-QAM		1 RB	0	1852.5	26065	15.43	16	0
					1882.5	26365	15.45	16	0
					1912.5	26665	15.62	16	0
				12	1852.5	26065	15.16	16	0
					1882.5	26365	15.29	16	0
					1912.5	26665	14.68	16	0
				24	1852.5	26065	15.43	16	0
					1882.5	26365	15.45	16	0
					1912.5	26665	15.62	16	0
		12 RB		0	1852.5	26065	15.08	16	0
					1882.5	26365	15.11	16	0
					1912.5	26665	15.64	16	0
					1852.5	26065	15.03	16	0
					1882.5	26365	15.07	16	0
					1912.5	26665	15.52	16	0
				6	1852.5	26065	15.11	16	0
					1882.5	26365	15.12	16	0
					1912.5	26665	15.66	16	0
			1852.5		26065	15.05	16	0	
			1882.5		26365	15.12	16	0	
			1912.5		26665	15.54	16	0	
			25RB	1852.5	26065	15.05	16	0	
				1882.5	26365	15.12	16	0	
				1912.5	26665	15.54	16	0	
				1852.5	26065	15.05	16	0	
				1882.5	26365	15.12	16	0	
				1912.5	26665	15.54	16	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
3	QPSK	1 RB	0	1851.5	26055	15.29	16	0	
				1882.5	26365	15.20	16	0	
				1913.5	26675	15.54	16	0	
			7	1851.5	26055	14.94	16	0	
				1882.5	26365	14.95	16	0	
				1913.5	26675	15.45	16	0	
			14	1851.5	26055	15.19	16	0	
				1882.5	26365	15.26	16	0	
				1913.5	26675	15.65	16	0	
		8 RB	0	1851.5	26055	15.07	16	0	
				1882.5	26365	15.05	16	0	
				1913.5	26675	15.55	16	0	
				1851.5	26055	15.01	16	0	
				1882.5	26365	15.13	16	0	
				1913.5	26675	15.59	16	0	
			4	1851.5	26055	15.17	16	0	
				1882.5	26365	15.19	16	0	
				1913.5	26675	15.56	16	0	
				1851.5	26055	15.11	16	0	
				1882.5	26365	15.09	16	0	
				1913.5	26675	15.59	16	0	
			15RB	1851.5	26055	15.63	16	0	
				1882.5	26365	15.55	16	0	
				1913.5	26675	15.81	16	0	
				1851.5	26055	15.27	16	0	
				1882.5	26365	15.29	16	0	
				1913.5	26675	15.77	16	0	
		16-QAM	1 RB	0	1851.5	26055	15.48	16	0
					1882.5	26365	15.48	16	0
					1913.5	26675	15.51	16	0
					1851.5	26055	15.27	16	0
					1882.5	26365	15.29	16	0
					1913.5	26675	15.77	16	0
				7	1851.5	26055	15.48	16	0
					1882.5	26365	15.48	16	0
					1913.5	26675	15.51	16	0
	1851.5				26055	15.27	16	0	
	1882.5				26365	15.29	16	0	
	1913.5				26675	15.77	16	0	
	14			1851.5	26055	15.48	16	0	
				1882.5	26365	15.48	16	0	
				1913.5	26675	15.51	16	0	
				1851.5	26055	15.27	16	0	
				1882.5	26365	15.29	16	0	
				1913.5	26675	15.77	16	0	
	8 RB		0	1851.5	26055	15.12	16	0	
				1882.5	26365	15.10	16	0	
				1913.5	26675	15.66	16	0	
			4	1851.5	26055	15.11	16	0	
				1882.5	26365	15.14	16	0	
				1913.5	26675	15.58	16	0	
			7	1851.5	26055	15.10	16	0	
				1882.5	26365	15.19	16	0	
				1913.5	26675	15.65	16	0	
	15RB		1851.5	26055	15.65	16	0		
			1882.5	26365	15.05	16	0		
			1913.5	26675	15.55	16	0		
			1851.5	26055	15.57	16	0		
			1882.5	26365	15.52	16	0		
			1913.5	26675	15.78	16	0		
			1851.5	26055	15.20	16	0		
			1882.5	26365	15.22	16	0		
			1913.5	26675	14.65	16	0		
	64-QAM	1 RB	0	1851.5	26055	15.44	16	0	
				1882.5	26365	15.50	16	0	
				1913.5	26675	15.42	16	0	
				1851.5	26055	15.12	16	0	
				1882.5	26365	15.12	16	0	
				1913.5	26675	15.56	16	0	
			7	1851.5	26055	15.01	16	0	
				1882.5	26365	15.12	16	0	
				1913.5	26675	15.52	16	0	
				1851.5	26055	15.12	16	0	
				1882.5	26365	15.16	16	0	
				1913.5	26675	15.64	16	0	
			14	1851.5	26055	15.12	16	0	
				1882.5	26365	15.12	16	0	
				1913.5	26675	15.52	16	0	
				1851.5	26055	15.12	16	0	
				1882.5	26365	15.16	16	0	
				1913.5	26675	15.64	16	0	
		8 RB	0	1851.5	26055	15.06	16	0	
				1882.5	26365	15.14	16	0	
				1913.5	26675	15.50	16	0	
			4	1851.5	26055	15.12	16	0	
				1882.5	26365	15.12	16	0	
				1913.5	26675	15.52	16	0	
			7	1851.5	26055	15.12	16	0	
				1882.5	26365	15.16	16	0	
				1913.5	26675	15.64	16	0	
		15RB	1851.5	26055	15.06	16	0		
			1882.5	26365	15.14	16	0		
			1913.5	26675	15.50	16	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 25 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	1850.7	26047	15.33	16	0		
				1882.5	26365	15.21	16	0		
				1914.3	26683	15.51	16	0		
			2	1850.7	26047	14.92	16	0		
				1882.5	26365	14.93	16	0		
				1914.3	26683	15.45	16	0		
			5	1850.7	26047	15.15	16	0		
				1882.5	26365	15.22	16	0		
				1914.3	26683	15.66	16	0		
		3 RB	0	1850.7	26047	15.15	16	0		
				1882.5	26365	15.07	16	0		
				1914.3	26683	15.59	16	0		
			2	1850.7	26047	15.02	16	0		
				1882.5	26365	15.12	16	0		
				1914.3	26683	15.58	16	0		
			3	1850.7	26047	15.15	16	0		
				1882.5	26365	15.21	16	0		
				1914.3	26683	15.58	16	0		
		6RB	1850.7	26047	15.07	16	0			
			1882.5	26365	15.12	16	0			
			1914.3	26683	15.54	16	0			
		16-QAM	1 RB	0	1850.7	26047	15.57	16	0	
					1882.5	26365	15.57	16	0	
					1914.3	26683	15.84	16	0	
				2	1850.7	26047	15.20	16	0	
					1882.5	26365	15.29	16	0	
					1914.3	26683	15.78	16	0	
				5	1850.7	26047	15.48	16	0	
					1882.5	26365	15.51	16	0	
					1914.3	26683	15.46	16	0	
				3 RB	0	1850.7	26047	15.18	16	0
						1882.5	26365	15.11	16	0
						1914.3	26683	15.58	16	0
					2	1850.7	26047	15.04	16	0
						1882.5	26365	15.09	16	0
						1914.3	26683	15.55	16	0
	3				1850.7	26047	15.11	16	0	
					1882.5	26365	15.15	16	0	
					1914.3	26683	15.68	16	0	
	6RB		1850.7	26047	15.11	16	0			
			1882.5	26365	15.12	16	0			
			1914.3	26683	15.57	16	0			
	64-QAM		1 RB	0	1850.7	26047	15.58	16	0	
					1882.5	26365	15.51	16	0	
					1914.3	26683	15.80	16	0	
				2	1850.7	26047	15.22	16	0	
					1882.5	26365	15.24	16	0	
					1914.3	26683	14.66	16	0	
				5	1850.7	26047	15.42	16	0	
					1882.5	26365	15.50	16	0	
					1914.3	26683	15.63	16	0	
				3 RB	0	1850.7	26047	15.10	16	0
						1882.5	26365	15.08	16	0
						1914.3	26683	15.64	16	0
					2	1850.7	26047	15.06	16	0
						1882.5	26365	15.14	16	0
						1914.3	26683	15.48	16	0
		3			1850.7	26047	15.05	16	0	
					1882.5	26365	15.16	16	0	
					1914.3	26683	15.65	16	0	
		6RB	1850.7	26047	15.09	16	0			
			1882.5	26365	15.08	16	0			
			1914.3	26683	15.52	16	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
15	QPSK	1 RB	0	822.5	26825	23.14	25	0	
				831.5	26865	23.33	25	0	
				841.5	26965	23.32	25	0	
			36	822.5	26825	23.44	25	0	
				831.5	26865	23.34	25	0	
				841.5	26965	23.48	25	0	
			74	822.5	26825	23.32	25	0	
				831.5	26865	23.30	25	0	
				841.5	26965	23.29	25	0	
		36 RB	0	822.5	26825	22.38	24	0-1	
				831.5	26865	22.36	24	0-1	
				841.5	26965	22.39	24	0-1	
				822.5	26825	22.47	24	0-1	
				831.5	26865	22.37	24	0-1	
				841.5	26965	22.44	24	0-1	
			18	822.5	26825	22.43	24	0-1	
				831.5	26865	22.44	24	0-1	
				841.5	26965	22.43	24	0-1	
				822.5	26825	22.37	24	0-1	
				831.5	26865	22.33	24	0-1	
				841.5	26965	22.44	24	0-1	
			37	822.5	26825	22.43	24	0-1	
				831.5	26865	22.43	24	0-1	
				841.5	26965	22.43	24	0-1	
				822.5	26825	22.37	24	0-1	
				831.5	26865	22.33	24	0-1	
				841.5	26965	22.44	24	0-1	
		75RB	822.5	26825	22.37	24	0-1		
			831.5	26865	22.33	24	0-1		
			841.5	26965	22.44	24	0-1		
			822.5	26825	22.46	24	0-1		
			831.5	26865	22.48	24	0-1		
			841.5	26965	22.84	24	0-1		
			822.5	26825	22.46	24	0-1		
			831.5	26865	22.48	24	0-1		
			841.5	26965	22.84	24	0-1		
	16-QAM	1 RB	0	822.5	26825	22.96	24	0-1	
				831.5	26865	22.58	24	0-1	
				841.5	26965	22.57	24	0-1	
			36	822.5	26825	22.86	24	0-1	
				831.5	26865	22.56	24	0-1	
				841.5	26965	22.40	24	0-1	
			74	822.5	26825	22.40	24	0-1	
				831.5	26865	21.39	23	0-2	
				841.5	26965	21.45	23	0-2	
			36 RB	0	822.5	26825	21.45	23	0-2
					831.5	26865	21.41	23	0-2
					841.5	26965	21.48	23	0-2
		822.5			26825	21.44	23	0-2	
		831.5			26865	21.47	23	0-2	
		841.5			26965	21.40	23	0-2	
		18		822.5	26825	21.31	23	0-2	
				831.5	26865	21.41	23	0-2	
				841.5	26965	21.53	23	0-2	
				822.5	26825	21.45	23	0-2	
				831.5	26865	21.41	23	0-2	
				841.5	26965	21.53	23	0-2	
		75RB	822.5	26825	21.31	23	0-2		
			831.5	26865	21.41	23	0-2		
			841.5	26965	21.53	23	0-2		
			822.5	26825	22.22	24	0-1		
			831.5	26865	22.16	24	0-1		
			841.5	26965	22.16	24	0-1		
			822.5	26825	22.06	24	0-1		
			831.5	26865	22.37	24	0-1		
			841.5	26965	22.29	24	0-1		
		64-QAM	1 RB	0	822.5	26825	22.20	24	0-1
					831.5	26865	22.46	24	0-1
					841.5	26965	22.29	24	0-1
				36	822.5	26825	22.20	24	0-1
					831.5	26865	22.46	24	0-1
					841.5	26965	22.09	24	0-1
	74			822.5	26825	21.10	23	0-2	
				831.5	26865	21.25	23	0-2	
				841.5	26965	21.13	23	0-2	
	36 RB			0	822.5	26825	21.26	23	0-2
					831.5	26865	21.00	23	0-2
					841.5	26965	21.27	23	0-2
			822.5		26825	21.16	23	0-2	
			831.5		26865	21.30	23	0-2	
			841.5		26965	21.30	23	0-2	
			18	822.5	26825	21.00	23	0-2	
				831.5	26865	21.12	23	0-2	
				841.5	26965	21.29	23	0-2	
				822.5	26825	21.12	23	0-2	
				831.5	26865	21.12	23	0-2	
				841.5	26965	21.29	23	0-2	
	75RB		822.5	26825	21.00	23	0-2		
			831.5	26865	21.12	23	0-2		
			841.5	26965	21.29	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	820	26800	23.23	25	0		
				831.5	26865	23.42	25	0		
				844	26990	23.19	25	0		
			25	820	26800	23.13	25	0		
				831.5	26865	23.44	25	0		
				844	26990	23.42	25	0		
			49	820	26800	23.41	25	0		
				831.5	26865	23.42	25	0		
				844	26990	23.26	25	0		
		25 RB	0	820	26800	22.38	24	0-1		
				831.5	26865	22.49	24	0-1		
				844	26990	22.45	24	0-1		
				820	26800	22.31	24	0-1		
				831.5	26865	22.36	24	0-1		
				844	26990	22.49	24	0-1		
			12	820	26800	22.40	24	0-1		
				831.5	26865	22.46	24	0-1		
				844	26990	22.41	24	0-1		
				820	26800	22.29	24	0-1		
				831.5	26865	22.40	24	0-1		
				844	26990	22.42	24	0-1		
			25	820	26800	22.40	24	0-1		
				831.5	26865	22.46	24	0-1		
				844	26990	22.41	24	0-1		
				820	26800	22.29	24	0-1		
				831.5	26865	22.40	24	0-1		
				844	26990	22.42	24	0-1		
		50RB	820	26800	22.29	24	0-1			
			831.5	26865	22.40	24	0-1			
			844	26990	22.42	24	0-1			
			820	26800	22.40	24	0-1			
			831.5	26865	22.86	24	0-1			
			844	26990	22.47	24	0-1			
			820	26800	22.21	24	0-1			
			831.5	26865	22.46	24	0-1			
			844	26990	22.66	24	0-1			
	16-QAM	1 RB	0	820	26800	22.87	24	0-1		
				831.5	26865	22.58	24	0-1		
				844	26990	22.47	24	0-1		
			25	820	26800	21.45	23	0-2		
				831.5	26865	21.54	23	0-2		
				844	26990	21.51	23	0-2		
			12	820	26800	21.37	23	0-2		
				831.5	26865	21.43	23	0-2		
				844	26990	21.42	23	0-2		
			25	820	26800	21.54	23	0-2		
				831.5	26865	21.50	23	0-2		
				844	26990	21.41	23	0-2		
			50RB	820	26800	21.33	23	0-2		
				831.5	26865	21.42	23	0-2		
				844	26990	21.44	23	0-2		
				820	26800	22.14	24	0-1		
				831.5	26865	22.05	24	0-1		
				844	26990	22.26	24	0-1		
		820		26800	22.25	24	0-1			
		831.5		26865	22.23	24	0-1			
		844		26990	22.36	24	0-1			
		64-QAM	1 RB	0	820	26800	22.21	24	0-1	
					831.5	26865	22.46	24	0-1	
					844	26990	22.21	24	0-1	
				25	820	26800	22.21	24	0-1	
					831.5	26865	22.46	24	0-1	
					844	26990	22.14	24	0-1	
				49	820	26800	21.14	23	0-2	
					831.5	26865	21.28	23	0-2	
					844	26990	21.17	23	0-2	
				25 RB	0	820	26800	21.16	23	0-2
						831.5	26865	21.00	23	0-2
						844	26990	21.19	23	0-2
						820	26800	21.24	23	0-2
						831.5	26865	21.31	23	0-2
						844	26990	21.29	23	0-2
	12				820	26800	21.00	23	0-2	
					831.5	26865	21.11	23	0-2	
					844	26990	21.18	23	0-2	
			25		820	26800	21.11	23	0-2	
					831.5	26865	21.11	23	0-2	
					844	26990	21.18	23	0-2	
	50RB				820	26800	21.11	23	0-2	
					831.5	26865	21.11	23	0-2	
					844	26990	21.18	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	816.5	26715	23.13	25	0		
				831.5	26865	23.37	25	0		
				846.5	27015	23.38	25	0		
			12	816.5	26715	23.27	25	0		
				831.5	26865	23.22	25	0		
				846.5	27015	23.42	25	0		
			24	816.5	26715	23.32	25	0		
				831.5	26865	23.42	25	0		
				846.5	27015	23.18	25	0		
		12 RB	0	816.5	26715	22.27	24	0-1		
				831.5	26865	22.33	24	0-1		
				846.5	27015	22.42	24	0-1		
				816.5	26715	22.26	24	0-1		
				831.5	26865	22.36	24	0-1		
				846.5	27015	22.34	24	0-1		
			6	816.5	26715	22.27	24	0-1		
				831.5	26865	22.27	24	0-1		
				846.5	27015	22.39	24	0-1		
				816.5	26715	22.32	24	0-1		
				831.5	26865	22.36	24	0-1		
				846.5	27015	22.39	24	0-1		
			25RB	816.5	26715	22.32	24	0-1		
				831.5	26865	22.36	24	0-1		
				846.5	27015	22.39	24	0-1		
				816.5	26715	22.40	24	0-1		
				831.5	26865	22.38	24	0-1		
				846.5	27015	22.56	24	0-1		
		16-QAM	1 RB	0	816.5	26715	22.37	24	0-1	
					831.5	26865	22.33	24	0-1	
					846.5	27015	22.88	24	0-1	
				12	816.5	26715	22.47	24	0-1	
					831.5	26865	22.61	24	0-1	
					846.5	27015	22.39	24	0-1	
				12 RB	0	816.5	26715	21.24	23	0-2
						831.5	26865	21.46	23	0-2
						846.5	27015	21.48	23	0-2
	6				816.5	26715	21.21	23	0-2	
					831.5	26865	21.49	23	0-2	
					846.5	27015	21.47	23	0-2	
	13		816.5		26715	21.29	23	0-2		
			831.5		26865	21.36	23	0-2		
			846.5		27015	21.40	23	0-2		
	25RB		816.5	26715	21.30	23	0-2			
			831.5	26865	21.35	23	0-2			
			846.5	27015	21.42	23	0-2			
			816.5	26715	22.21	24	0-1			
			831.5	26865	22.11	24	0-1			
			846.5	27015	22.42	24	0-1			
	64-QAM		1 RB	0	816.5	26715	22.01	24	0-1	
					831.5	26865	22.17	24	0-1	
					846.5	27015	22.65	24	0-1	
				12	816.5	26715	22.35	24	0-1	
					831.5	26865	22.56	24	0-1	
					846.5	27015	22.13	24	0-1	
				12 RB	0	816.5	26715	21.00	23	0-2
						831.5	26865	21.27	23	0-2
						846.5	27015	21.21	23	0-2
					6	816.5	26715	21.07	23	0-2
						831.5	26865	21.13	23	0-2
						846.5	27015	21.31	23	0-2
			13		816.5	26715	21.06	23	0-2	
					831.5	26865	21.24	23	0-2	
					846.5	27015	21.35	23	0-2	
		25RB	816.5	26715	21.04	23	0-2			
			831.5	26865	21.11	23	0-2			
			846.5	27015	21.23	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
3	QPSK	1 RB	0	815.5	26705	23.18	25	0		
				831.5	26865	23.29	25	0		
				847.5	27025	23.46	25	0		
			7	815.5	26705	23.28	25	0		
				831.5	26865	23.38	25	0		
				847.5	27025	23.35	25	0		
			14	815.5	26705	23.26	25	0		
				831.5	26865	23.29	25	0		
				847.5	27025	23.29	25	0		
		8 RB	0	815.5	26705	22.19	24	0-1		
				831.5	26865	22.37	24	0-1		
				847.5	27025	22.39	24	0-1		
				815.5	26705	22.28	24	0-1		
				831.5	26865	22.43	24	0-1		
				847.5	27025	22.35	24	0-1		
			4	815.5	26705	22.22	24	0-1		
				831.5	26865	22.29	24	0-1		
				847.5	27025	22.35	24	0-1		
				815.5	26705	22.19	24	0-1		
				831.5	26865	22.28	24	0-1		
				847.5	27025	22.36	24	0-1		
			15RB	815.5	26705	22.30	24	0-1		
				831.5	26865	22.39	24	0-1		
				847.5	27025	22.66	24	0-1		
				815.5	26705	22.47	24	0-1		
				831.5	26865	22.52	24	0-1		
				847.5	27025	22.64	24	0-1		
		16-QAM	1 RB	0	815.5	26705	22.65	24	0-1	
					831.5	26865	22.71	24	0-1	
					847.5	27025	22.37	24	0-1	
				7	815.5	26705	21.16	23	0-2	
					831.5	26865	21.47	23	0-2	
					847.5	27025	21.39	23	0-2	
				14	815.5	26705	21.38	23	0-2	
					831.5	26865	21.41	23	0-2	
					847.5	27025	21.49	23	0-2	
	8 RB			4	815.5	26705	21.25	23	0-2	
					831.5	26865	21.51	23	0-2	
					847.5	27025	21.36	23	0-2	
			7	815.5	26705	21.28	23	0-2		
				831.5	26865	21.46	23	0-2		
				847.5	27025	21.37	23	0-2		
	15RB		815.5	26705	21.28	23	0-2			
			831.5	26865	21.46	23	0-2			
			847.5	27025	21.37	23	0-2			
			815.5	26705	22.19	24	0-1			
			831.5	26865	22.20	24	0-1			
			847.5	27025	22.60	24	0-1			
	64-QAM		1 RB	0	815.5	26705	22.19	24	0-1	
					831.5	26865	22.20	24	0-1	
					847.5	27025	22.60	24	0-1	
				7	815.5	26705	22.19	24	0-1	
					831.5	26865	22.44	24	0-1	
					847.5	27025	22.49	24	0-1	
				14	815.5	26705	22.61	24	0-1	
					831.5	26865	22.74	24	0-1	
					847.5	27025	22.19	24	0-1	
				8 RB	0	815.5	26705	21.00	23	0-2
						831.5	26865	21.36	23	0-2
						847.5	27025	21.20	23	0-2
			815.5			26705	21.32	23	0-2	
			831.5			26865	21.13	23	0-2	
			847.5			27025	21.41	23	0-2	
		4	815.5		26705	21.10	23	0-2		
			831.5		26865	21.47	23	0-2		
			847.5		27025	21.39	23	0-2		
			815.5		26705	21.10	23	0-2		
			831.5		26865	21.30	23	0-2		
			847.5		27025	21.26	23	0-2		
		15RB	815.5	26705	21.10	23	0-2			
			831.5	26865	21.30	23	0-2			
			847.5	27025	21.26	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	814.7	26697	23.11	25	0		
				831.5	26865	23.19	25	0		
				848.3	27033	23.28	25	0		
			2	814.7	26697	23.23	25	0		
				831.5	26865	23.29	25	0		
				848.3	27033	23.31	25	0		
		5	0	814.7	26697	23.05	25	0		
				831.5	26865	23.26	25	0		
				848.3	27033	23.18	25	0		
			2	814.7	26697	23.17	25	0-1		
				831.5	26865	23.21	25	0-1		
				848.3	27033	23.25	25	0-1		
		3	0	814.7	26697	23.12	25	0-1		
				831.5	26865	23.33	25	0-1		
				848.3	27033	23.27	25	0-1		
			2	814.7	26697	23.12	25	0-1		
				831.5	26865	23.33	25	0-1		
				848.3	27033	23.26	25	0-1		
		3	0	814.7	26697	23.12	25	0-1		
				831.5	26865	23.33	25	0-1		
				848.3	27033	23.26	25	0-1		
			2	814.7	26697	23.12	25	0-1		
				831.5	26865	23.33	25	0-1		
				848.3	27033	23.26	25	0-1		
		6RB	0	814.7	26697	22.06	24	0-1		
				831.5	26865	22.26	24	0-1		
				848.3	27033	22.31	24	0-1		
			2	814.7	26697	22.35	24	0-1		
				831.5	26865	22.79	24	0-1		
				848.3	27033	22.34	24	0-1		
		16-QAM	1 RB	0	814.7	26697	22.28	24	0-1	
					831.5	26865	22.53	24	0-1	
					848.3	27033	22.78	24	0-1	
					2	814.7	26697	22.28	24	0-1
						831.5	26865	22.54	24	0-1
						848.3	27033	22.36	24	0-1
	3			0	814.7	26697	22.14	24	0-1	
					831.5	26865	22.30	24	0-1	
					848.3	27033	22.28	24	0-1	
				2	814.7	26697	22.20	24	0-1	
					831.5	26865	22.28	24	0-1	
					848.3	27033	22.24	24	0-1	
	3			0	814.7	26697	22.01	24	0-1	
					831.5	26865	22.13	24	0-1	
					848.3	27033	22.29	24	0-1	
				2	814.7	26697	21.37	23	0-2	
					831.5	26865	21.37	23	0-2	
					848.3	27033	21.30	23	0-2	
	64-QAM		1 RB	0	814.7	26697	22.05	24	0-1	
					831.5	26865	22.41	24	0-1	
					848.3	27033	22.09	24	0-1	
				2	814.7	26697	22.24	24	0-1	
					831.5	26865	22.26	24	0-1	
					848.3	27033	22.44	24	0-1	
				5	0	814.7	26697	22.05	24	0-1
						831.5	26865	22.38	24	0-1
						848.3	27033	22.42	24	0-1
			3 RB	0	814.7	26697	22.22	24	0-1	
					831.5	26865	22.00	24	0-1	
					848.3	27033	22.33	24	0-1	
				2	814.7	26697	22.38	24	0-1	
					831.5	26865	22.24	24	0-1	
					848.3	27033	22.40	24	0-1	
				3	0	814.7	26697	22.10	24	0-1
						831.5	26865	22.33	24	0-1
						848.3	27033	22.13	24	0-1
	6RB	0	814.7	26697	21.00	23	0-2			
			831.5	26865	21.02	23	0-2			
			848.3	27033	21.00	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Reduced Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
15	QPSK	1 RB	0	822.5	26825	21.49	22.5	0			
				831.5	26865	21.38	22.5	0			
				841.5	26965	21.16	22.5	0			
			36	822.5	26825	20.61	22.5	0			
				831.5	26865	20.56	22.5	0			
				841.5	26965	20.62	22.5	0			
			74	822.5	26825	20.53	22.5	0			
				831.5	26865	20.64	22.5	0			
				841.5	26965	20.61	22.5	0			
		36 RB	0	822.5	26825	20.56	22.5	0			
				831.5	26865	20.63	22.5	0			
				841.5	26965	20.79	22.5	0			
				822.5	26825	20.66	22.5	0			
				831.5	26865	20.68	22.5	0			
				841.5	26965	20.70	22.5	0			
			18	822.5	26825	20.57	22.5	0			
				831.5	26865	20.69	22.5	0			
				841.5	26965	20.76	22.5	0			
				37	822.5	26825	20.65	22.5	0		
					831.5	26865	20.63	22.5	0		
					841.5	26965	20.72	22.5	0		
			75RB			822.5	26825	20.51	22.5	0	
			75RB			831.5	26865	20.72	22.5	0	
			75RB			841.5	26965	20.72	22.5	0	
			16-QAM	1 RB	0	822.5	26825	20.51	22.5	0	
						831.5	26865	20.72	22.5	0	
						841.5	26965	21.05	22.5	0	
		36				822.5	26825	20.78	22.5	0	
						831.5	26865	20.71	22.5	0	
						841.5	26965	20.74	22.5	0	
		74			822.5	26825	21.15	22.5	0		
					831.5	26865	21.29	22.5	0		
					841.5	26965	21.12	22.5	0		
					36 RB	0	822.5	26825	20.62	22.5	0
							831.5	26865	20.73	22.5	0
							841.5	26965	20.79	22.5	0
	18	822.5				26825	20.69	22.5	0		
		831.5				26865	20.69	22.5	0		
		841.5				26965	20.72	22.5	0		
	37	822.5			26825	20.70	22.5	0			
		831.5			26865	20.71	22.5	0			
		841.5			26965	20.73	22.5	0			
		75RB			822.5	26825	20.72	22.5	0		
		75RB			831.5	26865	20.58	22.5	0		
		75RB			841.5	26965	20.74	22.5	0		
	64-QAM	1 RB		0	822.5	26825	20.50	22.5	0		
					831.5	26865	20.56	22.5	0		
					841.5	26965	20.77	22.5	0		
					36	822.5	26825	20.58	22.5	0	
						831.5	26865	20.58	22.5	0	
						841.5	26965	20.51	22.5	0	
				74	822.5	26825	20.87	22.5	0		
					831.5	26865	20.88	22.5	0		
					841.5	26965	20.77	22.5	0		
					36 RB	0	822.5	26825	20.53	22.5	0
							831.5	26865	20.56	22.5	0
							841.5	26965	20.68	22.5	0
				18		822.5	26825	20.63	22.5	0	
						831.5	26865	20.61	22.5	0	
						841.5	26965	20.52	22.5	0	
			37	822.5	26825	20.57	22.5	0			
				831.5	26865	20.68	22.5	0			
				841.5	26965	20.65	22.5	0			
		75RB			822.5	26825	20.51	22.5	0		
		75RB			831.5	26865	20.53	22.5	0		
		75RB			841.5	26965	20.65	22.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	820	26800	21.31	22.5	0		
				831.5	26865	21.18	22.5	0		
				844	26990	20.96	22.5	0		
			25	820	26800	20.61	22.5	0		
				831.5	26865	20.56	22.5	0		
				844	26990	20.62	22.5	0		
			49	820	26800	20.53	22.5	0		
				831.5	26865	20.64	22.5	0		
				844	26990	20.61	22.5	0		
		25 RB	0	820	26800	20.56	22.5	0		
				831.5	26865	20.63	22.5	0		
				844	26990	20.79	22.5	0		
			12	820	26800	20.66	22.5	0		
				831.5	26865	20.68	22.5	0		
				844	26990	20.70	22.5	0		
			25	820	26800	20.57	22.5	0		
				831.5	26865	20.69	22.5	0		
				844	26990	20.76	22.5	0		
		50RB	820	26800	20.65	22.5	0			
			831.5	26865	20.63	22.5	0			
			844	26990	20.72	22.5	0			
		16-QAM	1 RB	0	820	26800	20.52	22.5	0	
					831.5	26865	20.72	22.5	0	
					844	26990	21.05	22.5	0	
				25	820	26800	20.78	22.5	0	
					831.5	26865	20.71	22.5	0	
					844	26990	20.74	22.5	0	
				49	820	26800	21.15	22.5	0	
					831.5	26865	21.29	22.5	0	
					844	26990	21.12	22.5	0	
				25 RB	0	820	26800	20.62	22.5	0
						831.5	26865	20.73	22.5	0
						844	26990	20.79	22.5	0
					12	820	26800	20.69	22.5	0
						831.5	26865	20.69	22.5	0
						844	26990	20.72	22.5	0
	25				820	26800	20.70	22.5	0	
					831.5	26865	20.71	22.5	0	
					844	26990	20.73	22.5	0	
	50RB		820	26800	20.72	22.5	0			
			831.5	26865	20.58	22.5	0			
			844	26990	20.74	22.5	0			
	64-QAM		1 RB	0	820	26800	20.54	22.5	0	
					831.5	26865	20.52	22.5	0	
					844	26990	20.76	22.5	0	
				25	820	26800	20.50	22.5	0	
					831.5	26865	20.50	22.5	0	
					844	26990	20.58	22.5	0	
				49	820	26800	20.84	22.5	0	
					831.5	26865	20.79	22.5	0	
					844	26990	20.75	22.5	0	
				25 RB	0	820	26800	20.57	22.5	0
						831.5	26865	20.51	22.5	0
						844	26990	20.61	22.5	0
					12	820	26800	20.54	22.5	0
						831.5	26865	20.52	22.5	0
						844	26990	20.54	22.5	0
		25			820	26800	20.52	22.5	0	
					831.5	26865	20.66	22.5	0	
					844	26990	20.60	22.5	0	
		50RB	820	26800	20.55	22.5	0			
			831.5	26865	20.59	22.5	0			
			844	26990	20.63	22.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Reduced Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
5	QPSK	1 RB	0	816.5	26715	21.20	22.5	0			
				831.5	26865	21.07	22.5	0			
				846.5	27015	20.85	22.5	0			
			12	816.5	26715	20.50	22.5	0			
				831.5	26865	20.65	22.5	0			
				846.5	27015	20.71	22.5	0			
			24	816.5	26715	20.62	22.5	0			
				831.5	26865	20.53	22.5	0			
				846.5	27015	20.50	22.5	0			
		12 RB	0	816.5	26715	20.65	22.5	0			
				831.5	26865	20.52	22.5	0			
				846.5	27015	20.68	22.5	0			
				816.5	26715	20.55	22.5	0			
				831.5	26865	20.57	22.5	0			
				846.5	27015	20.59	22.5	0			
			6	816.5	26715	20.66	22.5	0			
				831.5	26865	20.58	22.5	0			
				846.5	27015	20.65	22.5	0			
				13	816.5	26715	20.54	22.5	0		
					831.5	26865	20.52	22.5	0		
					846.5	27015	20.61	22.5	0		
			25RB			816.5	26715	20.54	22.5	0	
			25RB			831.5	26865	20.52	22.5	0	
			25RB			846.5	27015	20.61	22.5	0	
			16-QAM	1 RB	0	816.5	26715	20.57	22.5	0	
						831.5	26865	20.61	22.5	0	
						846.5	27015	20.94	22.5	0	
		816.5				26715	20.67	22.5	0		
		831.5				26865	20.60	22.5	0		
		846.5				27015	20.63	22.5	0		
		12			816.5	26715	21.04	22.5	0		
					831.5	26865	21.18	22.5	0		
					846.5	27015	21.01	22.5	0		
					24	816.5	26715	20.51	22.5	0	
						831.5	26865	20.62	22.5	0	
						846.5	27015	20.68	22.5	0	
	12 RB	0				816.5	26715	20.58	22.5	0	
						831.5	26865	20.58	22.5	0	
						846.5	27015	20.61	22.5	0	
		6			816.5	26715	20.59	22.5	0		
					831.5	26865	20.60	22.5	0		
					846.5	27015	20.62	22.5	0		
	13	816.5		26715	20.61	22.5	0				
		831.5		26865	20.67	22.5	0				
		846.5		27015	20.63	22.5	0				
		25RB			816.5	26715	20.61	22.5	0		
		25RB			831.5	26865	20.67	22.5	0		
		25RB			846.5	27015	20.63	22.5	0		
	64-QAM	1 RB		0	816.5	26715	20.56	22.5	0		
					831.5	26865	20.65	22.5	0		
					846.5	27015	20.66	22.5	0		
					816.5	26715	20.57	22.5	0		
					831.5	26865	20.57	22.5	0		
					846.5	27015	20.70	22.5	0		
				12	816.5	26715	20.76	22.5	0		
					831.5	26865	20.77	22.5	0		
					846.5	27015	20.66	22.5	0		
					24	816.5	26715	20.52	22.5	0	
						831.5	26865	20.55	22.5	0	
						846.5	27015	20.67	22.5	0	
			12 RB	0		816.5	26715	20.62	22.5	0	
						831.5	26865	20.60	22.5	0	
						846.5	27015	20.51	22.5	0	
				6	816.5	26715	20.56	22.5	0		
					831.5	26865	20.67	22.5	0		
					846.5	27015	20.64	22.5	0		
		13	816.5	26715	20.50	22.5	0				
			831.5	26865	20.62	22.5	0				
			846.5	27015	20.64	22.5	0				
			25RB			816.5	26715	20.50	22.5	0	
			25RB			831.5	26865	20.62	22.5	0	
			25RB			846.5	27015	20.64	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Reduced Power)								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	815.5	26705	21.18	22.5	0
				831.5	26865	21.05	22.5	0
				847.5	27025	20.83	22.5	0
			7	815.5	26705	20.68	22.5	0
				831.5	26865	20.63	22.5	0
				847.5	27025	20.69	22.5	0
			14	815.5	26705	20.60	22.5	0
				831.5	26865	20.71	22.5	0
				847.5	27025	20.68	22.5	0
		8 RB	0	815.5	26705	20.63	22.5	0
				831.5	26865	20.50	22.5	0
				847.5	27025	20.66	22.5	0
				815.5	26705	20.53	22.5	0
				831.5	26865	20.55	22.5	0
				847.5	27025	20.57	22.5	0
			4	815.5	26705	20.53	22.5	0
				831.5	26865	20.56	22.5	0
				847.5	27025	20.63	22.5	0
				815.5	26705	20.52	22.5	0
				831.5	26865	20.50	22.5	0
				847.5	27025	20.59	22.5	0
			7	815.5	26705	20.53	22.5	0
				831.5	26865	20.56	22.5	0
				847.5	27025	20.63	22.5	0
				815.5	26705	20.52	22.5	0
				831.5	26865	20.50	22.5	0
				847.5	27025	20.59	22.5	0
		15RB	815.5	26705	20.53	22.5	0	
			831.5	26865	20.58	22.5	0	
			847.5	27025	20.92	22.5	0	
			815.5	26705	20.65	22.5	0	
			831.5	26865	20.58	22.5	0	
			847.5	27025	20.61	22.5	0	
			815.5	26705	21.02	22.5	0	
			831.5	26865	21.16	22.5	0	
			847.5	27025	20.99	22.5	0	
	16-QAM	1 RB	0	815.5	26705	20.53	22.5	0
				831.5	26865	20.59	22.5	0
				847.5	27025	20.92	22.5	0
			7	815.5	26705	20.65	22.5	0
				831.5	26865	20.58	22.5	0
				847.5	27025	20.61	22.5	0
			14	815.5	26705	21.02	22.5	0
				831.5	26865	21.16	22.5	0
				847.5	27025	20.99	22.5	0
		8 RB	0	815.5	26705	20.53	22.5	0
				831.5	26865	20.60	22.5	0
				847.5	27025	20.66	22.5	0
				815.5	26705	20.56	22.5	0
				831.5	26865	20.56	22.5	0
				847.5	27025	20.59	22.5	0
			4	815.5	26705	20.57	22.5	0
				831.5	26865	20.58	22.5	0
				847.5	27025	20.60	22.5	0
	7	815.5	26705	20.59	22.5	0		
		831.5	26865	20.53	22.5	0		
		847.5	27025	20.61	22.5	0		
		815.5	26705	20.59	22.5	0		
		831.5	26865	20.53	22.5	0		
		847.5	27025	20.61	22.5	0		
	64-QAM	1 RB	0	815.5	26705	20.52	22.5	0
				831.5	26865	20.63	22.5	0
				847.5	27025	20.94	22.5	0
			7	815.5	26705	20.55	22.5	0
				831.5	26865	20.55	22.5	0
				847.5	27025	20.68	22.5	0
			14	815.5	26705	21.04	22.5	0
				831.5	26865	21.05	22.5	0
				847.5	27025	20.94	22.5	0
		8 RB	0	815.5	26705	20.54	22.5	0
				831.5	26865	20.53	22.5	0
				847.5	27025	20.65	22.5	0
				815.5	26705	20.60	22.5	0
				831.5	26865	20.58	22.5	0
				847.5	27025	20.59	22.5	0
			4	815.5	26705	20.54	22.5	0
				831.5	26865	20.65	22.5	0
				847.5	27025	20.62	22.5	0
	7	815.5	26705	20.54	22.5	0		
		831.5	26865	20.65	22.5	0		
		847.5	27025	20.62	22.5	0		
		815.5	26705	20.58	22.5	0		
		831.5	26865	20.58	22.5	0		
		847.5	27025	20.62	22.5	0		
	15RB	815.5	26705	20.58	22.5	0		
		831.5	26865	20.58	22.5	0		
		847.5	27025	20.62	22.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 26 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	814.7	26697	21.12	22.5	0		
				831.5	26865	20.99	22.5	0		
				848.3	27033	20.77	22.5	0		
			2	814.7	26697	20.62	22.5	0		
				831.5	26865	20.57	22.5	0		
				848.3	27033	20.63	22.5	0		
		5	814.7	26697	20.54	22.5	0			
			831.5	26865	20.65	22.5	0			
			848.3	27033	20.62	22.5	0			
			0	814.7	26697	20.57	22.5	0		
				831.5	26865	20.64	22.5	0		
				848.3	27033	20.80	22.5	0		
		2	814.7	26697	20.67	22.5	0			
			831.5	26865	20.69	22.5	0			
			848.3	27033	20.71	22.5	0			
			3	814.7	26697	20.58	22.5	0		
				831.5	26865	20.70	22.5	0		
				848.3	27033	20.77	22.5	0		
		6RB	814.7	26697	20.66	22.5	0			
			831.5	26865	20.64	22.5	0			
			848.3	27033	20.73	22.5	0			
		16-QAM	1 RB	0	814.7	26697	20.52	22.5	0	
					831.5	26865	20.73	22.5	0	
					848.3	27033	21.06	22.5	0	
				2	814.7	26697	20.79	22.5	0	
					831.5	26865	20.72	22.5	0	
					848.3	27033	20.75	22.5	0	
				5	814.7	26697	21.16	22.5	0	
					831.5	26865	21.30	22.5	0	
					848.3	27033	21.13	22.5	0	
					0	814.7	26697	20.63	22.5	0
						831.5	26865	20.74	22.5	0
						848.3	27033	20.80	22.5	0
			2	814.7	26697	20.70	22.5	0		
				831.5	26865	20.70	22.5	0		
				848.3	27033	20.73	22.5	0		
	3			814.7	26697	20.71	22.5	0		
				831.5	26865	20.72	22.5	0		
				848.3	27033	20.74	22.5	0		
	6RB		814.7	26697	20.73	22.5	0			
			831.5	26865	20.59	22.5	0			
			848.3	27033	20.55	22.5	0			
	64-QAM		1 RB	0	814.7	26697	20.51	22.5	0	
					831.5	26865	20.77	22.5	0	
					848.3	27033	21.08	22.5	0	
				2	814.7	26697	20.69	22.5	0	
					831.5	26865	20.69	22.5	0	
					848.3	27033	20.82	22.5	0	
				5	814.7	26697	21.18	22.5	0	
					831.5	26865	21.19	22.5	0	
					848.3	27033	21.08	22.5	0	
					0	814.7	26697	20.64	22.5	0
						831.5	26865	20.67	22.5	0
						848.3	27033	20.79	22.5	0
			2	814.7	26697	20.74	22.5	0		
				831.5	26865	20.72	22.5	0		
				848.3	27033	20.63	22.5	0		
		3		814.7	26697	20.68	22.5	0		
				831.5	26865	20.79	22.5	0		
				848.3	27033	20.76	22.5	0		
		6RB	814.7	26697	20.62	22.5	0			
			831.5	26865	20.54	22.5	0			
			848.3	27033	20.56	22.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 30 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	2310	27710	23.81	24	0		
			25	2310	27710	23.65	24	0		
			49	2310	27710	23.64	24	0		
		25 RB	0	2310	27710	22.83	23	0-1		
			12	2310	27710	22.70	23	0-1		
			25	2310	27710	22.56	23	0-1		
			50RB		2310	27710	22.75	23	0-1	
			16-QAM	1 RB	0	2310	27710	22.98	23	0-1
					25	2310	27710	22.93	23	0-1
	49	2310			27710	22.65	23	0-1		
	25 RB	0		2310	27710	21.81	22	0-2		
		12		2310	27710	21.83	22	0-2		
		25		2310	27710	21.50	22	0-2		
	50RB		2310	27710	21.74	22	0-2			
	64-QAM	1 RB	0	2310	27710	22.68	23	0-1		
			25	2310	27710	22.41	23	0-1		
			49	2310	27710	22.34	23	0-1		
		25 RB	0	2310	27710	21.28	22	0-2		
			12	2310	27710	21.13	22	0-2		
			25	2310	27710	21.10	22	0-2		
		50RB		2310	27710	21.08	22	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 30 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	2307.5	27685	23.67	24	0	
				2310	27710	23.62	24	0	
				2312.5	27735	23.71	24	0	
			12	2307.5	27685	23.72	24	0	
				2310	27710	23.71	24	0	
				2312.5	27735	23.34	24	0	
			24	2307.5	27685	23.62	24	0	
				2310	27710	23.55	24	0	
				2312.5	27735	23.35	24	0	
		12 RB	0	2307.5	27685	22.71	23	0-1	
				2310	27710	22.77	23	0-1	
				2312.5	27735	22.57	23	0-1	
			6	2307.5	27685	22.70	23	0-1	
				2310	27710	22.70	23	0-1	
				2312.5	27735	22.47	23	0-1	
			13	2307.5	27685	22.70	23	0-1	
				2310	27710	22.72	23	0-1	
				2312.5	27735	22.42	23	0-1	
		25RB	2307.5	27685	22.71	23	0-1		
			2310	27710	22.70	23	0-1		
			2312.5	27735	22.50	23	0-1		
		16-QAM	1 RB	0	2307.5	27685	22.93	23	0-1
					2310	27710	22.96	23	0-1
					2312.5	27735	22.49	23	0-1
				12	2307.5	27685	22.95	23	0-1
					2310	27710	22.85	23	0-1
					2312.5	27735	22.96	23	0-1
				24	2307.5	27685	22.66	23	0-1
					2310	27710	22.86	23	0-1
					2312.5	27735	22.68	23	0-1
			12 RB	0	2307.5	27685	21.78	22	0-2
					2310	27710	21.73	22	0-2
					2312.5	27735	21.59	22	0-2
				6	2307.5	27685	21.77	22	0-2
					2310	27710	21.80	22	0-2
					2312.5	27735	21.56	22	0-2
	13			2307.5	27685	21.72	22	0-2	
				2310	27710	21.62	22	0-2	
				2312.5	27735	21.42	22	0-2	
	25RB		2307.5	27685	21.77	22	0-2		
			2310	27710	21.69	22	0-2		
			2312.5	27735	21.56	22	0-2		
	64-QAM		1 RB	0	2307.5	27685	22.20	23	0-1
					2310	27710	22.25	23	0-1
					2312.5	27735	22.15	23	0-1
				12	2307.5	27685	22.25	23	0-1
					2310	27710	22.15	23	0-1
					2312.5	27735	22.19	23	0-1
				24	2307.5	27685	22.00	23	0-1
					2310	27710	22.27	23	0-1
					2312.5	27735	22.05	23	0-1
			12 RB	0	2307.5	27685	21.00	22	0-2
					2310	27710	21.00	22	0-2
					2312.5	27735	21.12	22	0-2
				6	2307.5	27685	21.09	22	0-2
					2310	27710	21.07	22	0-2
					2312.5	27735	21.03	22	0-2
		13		2307.5	27685	21.12	22	0-2	
				2310	27710	21.13	22	0-2	
				2312.5	27735	21.00	22	0-2	
		25RB	2307.5	27685	21.14	22	0-2		
			2310	27710	21.08	22	0-2		
			2312.5	27735	21.00	22	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 30 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
10	QPSK	1 RB	0	2310	27710	23.81	24	0	
			25	2310	27710	23.65	24	0	
			49	2310	27710	23.64	24	0	
		25 RB	0	2310	27710	22.83	23	0-1	
			12	2310	27710	22.70	23	0-1	
			25	2310	27710	22.56	23	0-1	
			50RB		2310	27710	22.75	23	0-1
			0	2310	27710	22.98	23	0-1	
			25	2310	27710	22.93	23	0-1	
	16-QAM	1 RB	49	2310	27710	22.65	23	0-1	
			0	2310	27710	21.81	22	0-2	
			12	2310	27710	21.83	22	0-2	
		25 RB	25	2310	27710	21.50	22	0-2	
			50RB		2310	27710	21.74	22	0-2
			0	2310	27710	22.68	23	0-1	
		64-QAM	1 RB	25	2310	27710	22.41	23	0-1
				49	2310	27710	22.34	23	0-1
				0	2310	27710	21.28	22	0-2
	25 RB		12	2310	27710	21.13	22	0-2	
			25	2310	27710	21.10	22	0-2	
			50RB		2310	27710	21.08	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 30 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	2307.5	27685	12.88	13	0		
				2310	27710	12.88	13	0		
				2312.5	27735	12.79	13	0		
			12	2307.5	27685	12.76	13	0		
				2310	27710	12.91	13	0		
				2312.5	27735	12.79	13	0		
			24	2307.5	27685	12.78	13	0		
				2310	27710	12.73	13	0		
				2312.5	27735	12.75	13	0		
		12 RB	0	2307.5	27685	12.87	13	0		
				2310	27710	12.86	13	0		
				2312.5	27735	12.86	13	0		
			6	2307.5	27685	12.90	13	0		
				2310	27710	12.87	13	0		
				2312.5	27735	12.85	13	0		
			13	2307.5	27685	12.85	13	0		
				2310	27710	12.80	13	0		
				2312.5	27735	12.79	13	0		
		25RB	2307.5	27685	12.82	13	0			
			2310	27710	12.90	13	0			
			2312.5	27735	12.82	13	0			
		16-QAM	1 RB	0	2307.5	27685	12.86	13	0	
					2310	27710	12.81	13	0	
					2312.5	27735	12.70	13	0	
				12	2307.5	27685	12.73	13	0	
					2310	27710	12.90	13	0	
					2312.5	27735	12.73	13	0	
				24	2307.5	27685	12.70	13	0	
					2310	27710	12.69	13	0	
					2312.5	27735	12.73	13	0	
				12 RB	0	2307.5	27685	12.81	13	0
						2310	27710	12.82	13	0
						2312.5	27735	12.77	13	0
					6	2307.5	27685	12.85	13	0
						2310	27710	12.78	13	0
						2312.5	27735	12.83	13	0
	13				2307.5	27685	12.81	13	0	
					2310	27710	12.71	13	0	
					2312.5	27735	12.71	13	0	
	25RB		2307.5	27685	12.74	13	0			
			2310	27710	12.81	13	0			
			2312.5	27735	12.81	13	0			
	64-QAM		1 RB	0	2307.5	27685	12.83	13	0	
					2310	27710	12.84	13	0	
					2312.5	27735	12.75	13	0	
				12	2307.5	27685	12.73	13	0	
					2310	27710	12.86	13	0	
					2312.5	27735	12.77	13	0	
				24	2307.5	27685	12.75	13	0	
					2310	27710	12.69	13	0	
					2312.5	27735	12.69	13	0	
				12 RB	0	2307.5	27685	12.79	13	0
						2310	27710	12.84	13	0
						2312.5	27735	12.82	13	0
					6	2307.5	27685	12.86	13	0
						2310	27710	12.82	13	0
						2312.5	27735	12.76	13	0
		13			2307.5	27685	12.80	13	0	
					2310	27710	12.72	13	0	
					2312.5	27735	12.77	13	0	
		25RB	2307.5	27685	12.75	13	0			
			2310	27710	12.82	13	0			
			2312.5	27735	12.80	13	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
20	QPSK	1 RB	0	1720	132072	24.26	25	0		
				1745	132322	24.69	25	0		
				1770	132572	24.71	25	0		
			50	1720	132072	23.90	25	0		
				1745	132322	23.39	25	0		
				1770	132572	23.73	25	0		
			99	1720	132072	23.94	25	0		
				1745	132322	23.60	25	0		
				1770	132572	23.70	25	0		
		50 RB	0	1720	132072	22.83	24	0-1		
				1745	132322	23.96	24	0-1		
				1770	132572	23.05	24	0-1		
			25	1720	132072	23.00	24	0-1		
				1745	132322	22.05	24	0-1		
				1770	132572	22.58	24	0-1		
			50	1720	132072	22.92	24	0-1		
				1745	132322	22.32	24	0-1		
				1770	132572	22.27	24	0-1		
		100RB	1720	132072	22.94	24	0-1			
			1745	132322	22.12	24	0-1			
			1770	132572	22.46	24	0-1			
		16-QAM	1 RB	0	1720	132072	23.82	24	0-1	
					1745	132322	22.38	24	0-1	
					1770	132572	23.36	24	0-1	
				50	1720	132072	23.36	24	0-1	
					1745	132322	22.29	24	0-1	
					1770	132572	22.69	24	0-1	
				99	1720	132072	22.82	24	0-1	
					1745	132322	23.11	24	0-1	
					1770	132572	23.14	24	0-1	
				50 RB	0	1720	132072	22.00	23	0-2
						1745	132322	21.18	23	0-2
						1770	132572	22.02	23	0-2
					25	1720	132072	22.14	23	0-2
						1745	132322	21.22	23	0-2
						1770	132572	21.54	23	0-2
	50				1720	132072	21.91	23	0-2	
					1745	132322	21.30	23	0-2	
					1770	132572	21.28	23	0-2	
	100RB		1720	132072	21.81	23	0-2			
			1745	132322	21.14	23	0-2			
			1770	132572	21.73	23	0-2			
	64-QAM		1 RB	0	1720	132072	23.09	24	0-1	
					1745	132322	23.57	24	0-1	
					1770	132572	22.68	24	0-1	
				50	1720	132072	22.46	24	0-1	
					1745	132322	23.59	24	0-1	
					1770	132572	23.92	24	0-1	
				99	1720	132072	22.16	24	0-1	
					1745	132322	22.52	24	0-1	
					1770	132572	22.34	24	0-1	
				50 RB	0	1720	132072	21.22	23	0-2
						1745	132322	22.45	23	0-2
						1770	132572	21.21	23	0-2
					25	1720	132072	21.46	23	0-2
						1745	132322	22.32	23	0-2
						1770	132572	22.84	23	0-2
		50			1720	132072	21.14	23	0-2	
					1745	132322	22.64	23	0-2	
					1770	132572	22.69	23	0-2	
		100RB	1720	132072	21.01	23	0-2			
			1745	132322	22.36	23	0-2			
			1770	132572	21.00	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
15	QPSK	1 RB	0	1717.5	132047	24.61	25	0			
				1745	132322	24.66	25	0			
				1772.5	132597	23.90	25	0			
			36	1717.5	132047	23.81	25	0			
				1745	132322	23.15	25	0			
				1772.5	132597	23.24	25	0			
			74	1717.5	132047	23.79	25	0			
				1745	132322	23.27	25	0			
				1772.5	132597	23.62	25	0			
		36 RB	0	1717.5	132047	22.33	24	0-1			
				1745	132322	22.01	24	0-1			
				1772.5	132597	22.59	24	0-1			
			18	1717.5	132047	23.00	24	0-1			
				1745	132322	22.06	24	0-1			
				1772.5	132597	22.33	24	0-1			
			37	1717.5	132047	22.93	24	0-1			
				1745	132322	22.38	24	0-1			
				1772.5	132597	22.12	24	0-1			
			75RB	1717.5	132047	22.94	24	0-1			
				1745	132322	22.96	24	0-1			
				1772.5	132597	22.19	24	0-1			
			16-QAM	1 RB	0	1717.5	132047	22.41	24	0-1	
						1745	132322	22.01	24	0-1	
						1772.5	132597	23.32	24	0-1	
		36			1717.5	132047	23.01	24	0-1		
					1745	132322	22.67	24	0-1		
					1772.5	132597	22.56	24	0-1		
		74			1717.5	132047	23.41	24	0-1		
					1745	132322	22.45	24	0-1		
					1772.5	132597	23.00	24	0-1		
		36 RB			0	1717.5	132047	21.58	23	0-2	
						1745	132322	21.16	23	0-2	
						1772.5	132597	21.70	23	0-2	
					18	1717.5	132047	21.90	23	0-2	
						1745	132322	21.27	23	0-2	
						1772.5	132597	21.41	23	0-2	
				37	1717.5	132047	21.88	23	0-2		
					1745	132322	21.41	23	0-2		
					1772.5	132597	21.01	23	0-2		
				75RB	1717.5	132047	21.93	23	0-2		
					1745	132322	21.08	23	0-2		
					1772.5	132597	21.48	23	0-2		
				64-QAM	1 RB	0	1717.5	132047	22.68	24	0-1
							1745	132322	22.20	24	0-1
							1772.5	132597	22.64	24	0-1
	36	1717.5				132047	22.11	24	0-1		
		1745				132322	22.97	24	0-1		
		1772.5				132597	22.79	24	0-1		
	74	1717.5				132047	22.75	24	0-1		
		1745				132322	22.86	24	0-1		
		1772.5				132597	22.20	24	0-1		
	36 RB	0				1717.5	132047	21.80	23	0-2	
						1745	132322	21.43	23	0-2	
						1772.5	132597	21.89	23	0-2	
		18				1717.5	132047	21.22	23	0-2	
						1745	132322	21.37	23	0-2	
						1772.5	132597	21.71	23	0-2	
		37			1717.5	132047	21.11	23	0-2		
					1745	132322	21.75	23	0-2		
					1772.5	132597	21.42	23	0-2		
		75RB			1717.5	132047	21.13	23	0-2		
					1745	132322	21.30	23	0-2		
					1772.5	132597	21.75	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Full Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
10	QPSK	1 RB	0	1715	132022	23.58	25	0	
				1745	132322	23.67	25	0	
				1775	132622	23.42	25	0	
			25	1715	132022	23.48	25	0	
				1745	132322	23.91	25	0	
				1775	132622	23.00	25	0	
			49	1715	132022	23.89	25	0	
				1745	132322	23.63	25	0	
				1775	132622	23.61	25	0	
		25 RB	0	1715	132022	22.02	24	0-1	
				1745	132322	22.84	24	0-1	
				1775	132622	22.32	24	0-1	
				1715	132022	22.34	24	0-1	
				1745	132322	22.03	24	0-1	
				1775	132622	22.24	24	0-1	
			12	1715	132022	22.95	24	0-1	
				1745	132322	22.19	24	0-1	
				1775	132622	22.45	24	0-1	
				1715	132022	22.33	24	0-1	
				1745	132322	22.80	24	0-1	
				1775	132622	22.08	24	0-1	
			50RB	1715	132022	22.66	24	0-1	
				1745	132322	22.84	24	0-1	
				1775	132622	22.41	24	0-1	
				1715	132022	23.12	24	0-1	
				1745	132322	22.34	24	0-1	
				1775	132622	22.44	24	0-1	
		16-QAM	1 RB	0	1715	132022	22.94	24	0-1
					1745	132322	22.76	24	0-1
					1775	132622	22.80	24	0-1
				25	1715	132022	21.23	23	0-2
					1745	132322	21.04	23	0-2
					1775	132622	21.37	23	0-2
				12	1715	132022	21.55	23	0-2
					1745	132322	21.29	23	0-2
					1775	132622	21.15	23	0-2
	1715				132022	22.03	23	0-2	
	1745				132322	21.46	23	0-2	
	1775				132622	21.51	23	0-2	
	50RB			1715	132022	21.65	23	0-2	
				1745	132322	21.05	23	0-2	
				1775	132622	21.55	23	0-2	
				1715	132022	22.13	24	0-1	
				1745	132322	22.03	24	0-1	
				1775	132622	22.66	24	0-1	
	64-QAM		1 RB	0	1715	132022	22.22	24	0-1
					1745	132322	22.57	24	0-1
					1775	132622	22.60	24	0-1
				25	1715	132022	22.28	24	0-1
					1745	132322	22.17	24	0-1
					1775	132622	22.00	24	0-1
				12	1715	132022	21.38	23	0-2
					1745	132322	21.24	23	0-2
					1775	132622	21.49	23	0-2
					1715	132022	21.80	23	0-2
					1745	132322	21.32	23	0-2
					1775	132622	21.38	23	0-2
				25	1715	132022	21.26	23	0-2
					1745	132322	21.73	23	0-2
					1775	132622	21.85	23	0-2
					1715	132022	21.78	23	0-2
					1745	132322	21.20	23	0-2
					1775	132622	21.75	23	0-2
		50RB	1715	132022	21.78	23	0-2		
			1745	132322	21.20	23	0-2		
			1775	132622	21.75	23	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
5	QPSK	1 RB	0	1712.5	131997	23.47	25	0		
				1745	132322	23.66	25	0		
				1777.5	132647	23.68	25	0		
			12	1712.5	131997	23.04	25	0		
				1745	132322	23.28	25	0		
				1777.5	132647	23.57	25	0		
			24	1712.5	131997	23.29	25	0		
				1745	132322	23.33	25	0		
				1777.5	132647	23.62	25	0		
		12 RB	0	1712.5	131997	22.70	24	0-1		
				1745	132322	22.06	24	0-1		
				1777.5	132647	22.39	24	0-1		
			6	1712.5	131997	22.07	24	0-1		
				1745	132322	22.15	24	0-1		
				1777.5	132647	22.50	24	0-1		
			13	1712.5	131997	22.19	24	0-1		
				1745	132322	22.20	24	0-1		
				1777.5	132647	22.68	24	0-1		
			25RB	1712.5	131997	22.63	24	0-1		
				1745	132322	22.72	24	0-1		
				1777.5	132647	22.14	24	0-1		
		16-QAM	1 RB	0	1712.5	131997	22.06	24	0-1	
					1745	132322	22.72	24	0-1	
					1777.5	132647	22.70	24	0-1	
				12	1712.5	131997	22.06	24	0-1	
					1745	132322	22.68	24	0-1	
					1777.5	132647	22.20	24	0-1	
				24	1712.5	131997	22.93	24	0-1	
					1745	132322	22.70	24	0-1	
					1777.5	132647	23.10	24	0-1	
				12 RB	0	1712.5	131997	21.03	23	0-2
						1745	132322	21.27	23	0-2
						1777.5	132647	21.41	23	0-2
					6	1712.5	131997	21.18	23	0-2
						1745	132322	21.30	23	0-2
						1777.5	132647	21.56	23	0-2
	13				1712.5	131997	21.35	23	0-2	
					1745	132322	21.32	23	0-2	
					1777.5	132647	21.74	23	0-2	
	25RB		1712.5	131997	21.10	23	0-2			
			1745	132322	21.23	23	0-2			
			1777.5	132647	21.43	23	0-2			
	16-QAM		1 RB	0	1712.5	131997	22.08	24	0-1	
					1745	132322	22.66	24	0-1	
					1777.5	132647	22.02	24	0-1	
				12	1712.5	131997	22.66	24	0-1	
					1745	132322	22.73	24	0-1	
					1777.5	132647	22.18	24	0-1	
				24	1712.5	131997	22.27	24	0-1	
					1745	132322	22.11	24	0-1	
					1777.5	132647	22.30	24	0-1	
				12 RB	0	1712.5	131997	21.00	23	0-2
						1745	132322	21.29	23	0-2
						1777.5	132647	21.35	23	0-2
					6	1712.5	131997	21.25	23	0-2
						1745	132322	21.15	23	0-2
						1777.5	132647	21.61	23	0-2
		13			1712.5	131997	21.33	23	0-2	
					1745	132322	21.41	23	0-2	
					1777.5	132647	21.15	23	0-2	
		25RB	1712.5	131997	21.05	23	0-2			
			1745	132322	21.20	23	0-2			
			1777.5	132647	21.45	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
3	QPSK	1 RB	0	1711.5	131987	23.63	25	0		
				1745	132322	23.71	25	0		
				1778.5	132657	23.25	25	0		
			7	1711.5	131987	23.01	25	0		
				1745	132322	23.46	25	0		
				1778.5	132657	23.65	25	0		
			14	1711.5	131987	23.13	25	0		
				1745	132322	23.10	25	0		
				1778.5	132657	23.77	25	0		
		8 RB	0	1711.5	131987	22.76	24	0-1		
				1745	132322	22.15	24	0-1		
				1778.5	132657	22.33	24	0-1		
				1711.5	131987	22.02	24	0-1		
				1745	132322	22.20	24	0-1		
				1778.5	132657	22.69	24	0-1		
			4	1711.5	131987	22.07	24	0-1		
				1745	132322	22.22	24	0-1		
				1778.5	132657	22.64	24	0-1		
				1711.5	131987	22.70	24	0-1		
				1745	132322	22.08	24	0-1		
				1778.5	132657	22.74	24	0-1		
			15RB	1711.5	131987	22.02	24	0-1		
				1745	132322	22.62	24	0-1		
				1778.5	132657	22.41	24	0-1		
				1711.5	131987	22.18	24	0-1		
				1745	132322	22.60	24	0-1		
				1778.5	132657	23.03	24	0-1		
		16-QAM	1 RB	0	1711.5	131987	22.71	24	0-1	
					1745	132322	22.41	24	0-1	
					1778.5	132657	22.41	24	0-1	
				7	1711.5	131987	22.18	24	0-1	
					1745	132322	22.60	24	0-1	
					1778.5	132657	23.03	24	0-1	
				14	1711.5	131987	22.71	24	0-1	
					1745	132322	22.49	24	0-1	
					1778.5	132657	22.81	24	0-1	
	8 RB			0	1711.5	131987	21.19	23	0-2	
					1745	132322	21.36	23	0-2	
					1778.5	132657	21.68	23	0-2	
			1711.5		131987	21.14	23	0-2		
			1745		132322	21.48	23	0-2		
			1778.5		132657	21.73	23	0-2		
			4	1711.5	131987	21.18	23	0-2		
				1745	132322	21.49	23	0-2		
				1778.5	132657	21.70	23	0-2		
				1711.5	131987	21.00	23	0-2		
				1745	132322	21.25	23	0-2		
				1778.5	132657	21.70	23	0-2		
	15RB		1711.5	131987	21.00	23	0-2			
			1745	132322	21.25	23	0-2			
			1778.5	132657	21.70	23	0-2			
			1711.5	131987	22.09	24	0-1			
			1745	132322	22.61	24	0-1			
			1778.5	132657	22.53	24	0-1			
			64-QAM	1 RB	0	1711.5	131987	22.08	24	0-1
						1745	132322	22.70	24	0-1
						1778.5	132657	22.26	24	0-1
					7	1711.5	131987	22.05	24	0-1
						1745	132322	22.70	24	0-1
						1778.5	132657	22.01	24	0-1
	8 RB			0	1711.5	131987	21.21	23	0-2	
					1745	132322	21.43	23	0-2	
					1778.5	132657	21.67	23	0-2	
		1711.5			131987	21.26	23	0-2		
		1745			132322	21.38	23	0-2		
		1778.5			132657	21.03	23	0-2		
		4	1711.5	131987	21.21	23	0-2			
			1745	132322	21.63	23	0-2			
			1778.5	132657	21.11	23	0-2			
			1711.5	131987	21.00	23	0-2			
			1745	132322	21.27	23	0-2			
			1778.5	132657	21.77	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Full Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	1710.7	131979	23.34	25	0		
				1745	132322	23.01	25	0		
				1779.3	132665	23.45	25	0		
			2	1710.7	131979	23.50	25	0		
				1745	132322	23.16	25	0		
				1779.3	132665	23.68	25	0		
			5	1710.7	131979	23.40	25	0		
				1745	132322	23.62	25	0		
				1779.3	132665	23.55	25	0		
		3 RB	0	1710.7	131979	23.43	25	0		
				1745	132322	23.10	25	0		
				1779.3	132665	23.63	25	0		
			2	1710.7	131979	23.49	25	0		
				1745	132322	23.16	25	0		
				1779.3	132665	23.81	25	0		
			3	1710.7	131979	23.52	25	0		
				1745	132322	23.09	25	0		
				1779.3	132665	23.70	25	0		
			6RB	1710.7	131979	22.61	24	0-1		
				1745	132322	22.17	24	0-1		
				1779.3	132665	22.66	24	0-1		
		16-QAM	1 RB	0	1710.7	131979	22.58	24	0-1	
					1745	132322	22.37	24	0-1	
					1779.3	132665	22.68	24	0-1	
				2	1710.7	131979	22.07	24	0-1	
					1745	132322	22.34	24	0-1	
					1779.3	132665	23.15	24	0-1	
				5	1710.7	131979	22.10	24	0-1	
					1745	132322	22.28	24	0-1	
					1779.3	132665	22.78	24	0-1	
				3 RB	0	1710.7	131979	22.60	24	0-1
						1745	132322	22.13	24	0-1
						1779.3	132665	22.77	24	0-1
			2		1710.7	131979	22.07	24	0-1	
					1745	132322	22.37	24	0-1	
					1779.3	132665	22.76	24	0-1	
	3		1710.7		131979	22.55	24	0-1		
			1745		132322	22.25	24	0-1		
			1779.3		132665	22.62	24	0-1		
	6RB		1710.7	131979	21.16	23	0-2			
			1745	132322	21.47	23	0-2			
			1779.3	132665	21.78	23	0-2			
	64-QAM		1 RB	0	1710.7	131979	22.49	24	0-1	
					1745	132322	22.20	24	0-1	
					1779.3	132665	22.00	24	0-1	
				2	1710.7	131979	22.45	24	0-1	
					1745	132322	22.28	24	0-1	
					1779.3	132665	22.38	24	0-1	
				5	1710.7	131979	22.08	24	0-1	
					1745	132322	22.33	24	0-1	
					1779.3	132665	22.62	24	0-1	
				3 RB	0	1710.7	131979	22.46	24	0-1
						1745	132322	22.04	24	0-1
						1779.3	132665	22.60	24	0-1
			2		1710.7	131979	22.03	24	0-1	
					1745	132322	22.11	24	0-1	
					1779.3	132665	22.06	24	0-1	
		3	1710.7		131979	22.42	24	0-1		
			1745		132322	22.23	24	0-1		
			1779.3		132665	22.03	24	0-1		
		6RB	1710.7	131979	21.00	23	0-2			
			1745	132322	21.33	23	0-2			
			1779.3	132665	21.05	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
20	QPSK	1 RB	0	1720	132072	16.39	16.5	0		
				1745	132322	16.34	16.5	0		
				1770	132572	16.47	16.5	0		
			50	1720	132072	16.21	16.5	0		
				1745	132322	16.09	16.5	0		
				1770	132572	16.00	16.5	0		
			99	1720	132072	16.16	16.5	0		
				1745	132322	16.10	16.5	0		
				1770	132572	16.02	16.5	0		
		50 RB	0	1720	132072	16.39	16.5	0		
				1745	132322	16.28	16.5	0		
				1770	132572	16.19	16.5	0		
				1720	132072	16.32	16.5	0		
				1745	132322	16.20	16.5	0		
				1770	132572	16.12	16.5	0		
			25	1720	132072	16.32	16.5	0		
				1745	132322	16.16	16.5	0		
				1770	132572	16.07	16.5	0		
				1720	132072	15.52	16.5	0		
				1745	132322	16.24	16.5	0		
				1770	132572	16.15	16.5	0		
			100RB	1720	132072	16.46	16.5	0		
				1745	132322	16.43	16.5	0		
				1770	132572	16.31	16.5	0		
				1720	132072	16.31	16.5	0		
				1745	132322	16.16	16.5	0		
				1770	132572	16.12	16.5	0		
		16-QAM	1 RB	0	1720	132072	16.31	16.5	0	
					1745	132322	16.16	16.5	0	
					1770	132572	16.12	16.5	0	
				50	1720	132072	16.27	16.5	0	
					1745	132322	16.17	16.5	0	
					1770	132572	16.16	16.5	0	
				99	1720	132072	16.18	16.5	0	
					1745	132322	16.12	16.5	0	
					1770	132572	16.00	16.5	0	
	50 RB			0	1720	132072	16.17	16.5	0	
					1745	132322	16.04	16.5	0	
					1770	132572	15.91	16.5	0	
				25	1720	132072	16.11	16.5	0	
					1745	132322	16.02	16.5	0	
					1770	132572	15.91	16.5	0	
				50	1720	132072	15.54	16.5	0	
					1745	132322	16.03	16.5	0	
					1770	132572	15.96	16.5	0	
	100RB		1720	132072	16.33	16.5	0			
			1745	132322	16.29	16.5	0			
			1770	132572	16.15	16.5	0			
			1720	132072	16.18	16.5	0			
			1745	132322	16.01	16.5	0			
			1770	132572	15.99	16.5	0			
	64-QAM		1 RB	0	1720	132072	16.16	16.5	0	
					1745	132322	16.06	16.5	0	
					1770	132572	16.03	16.5	0	
				50	1720	132072	16.05	16.5	0	
					1745	132322	16.02	16.5	0	
					1770	132572	15.87	16.5	0	
				99	1720	132072	16.04	16.5	0	
					1745	132322	15.91	16.5	0	
					1770	132572	15.65	16.5	0	
				50 RB	0	1720	132072	15.98	16.5	0
						1745	132322	15.92	16.5	0
						1770	132572	15.81	16.5	0
		25			1720	132072	15.41	16.5	0	
					1745	132322	15.98	16.5	0	
					1770	132572	15.87	16.5	0	
		50			1720	132072	15.41	16.5	0	
					1745	132322	15.98	16.5	0	
					1770	132572	15.87	16.5	0	
		100RB	1720	132072	15.41	16.5	0			
			1745	132322	15.98	16.5	0			
			1770	132572	15.87	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
15	QPSK	1 RB	0	1717.5	132047	16.04	16.5	0		
				1745	132322	16.05	16.5	0		
				1772.5	132597	16.00	16.5	0		
			36	1717.5	132047	15.85	16.5	0		
				1745	132322	15.85	16.5	0		
				1772.5	132597	15.76	16.5	0		
			74	1717.5	132047	15.77	16.5	0		
				1745	132322	15.89	16.5	0		
				1772.5	132597	15.72	16.5	0		
		36 RB	0	1717.5	132047	16.07	16.5	0		
				1745	132322	16.03	16.5	0		
				1772.5	132597	15.82	16.5	0		
				1717.5	132047	16.07	16.5	0		
				1745	132322	15.84	16.5	0		
				1772.5	132597	15.83	16.5	0		
			18	1717.5	132047	16.07	16.5	0		
				1745	132322	15.85	16.5	0		
				1772.5	132597	15.70	16.5	0		
				37	1717.5	132047	15.19	16.5	0	
					1745	132322	15.92	16.5	0	
					1772.5	132597	15.86	16.5	0	
			75RB	1717.5	132047	16.26	16.5	0		
				1745	132322	16.29	16.5	0		
				1772.5	132597	16.18	16.5	0		
			16-QAM	1 RB	0	1717.5	132047	16.19	16.5	0
						1745	132322	16.03	16.5	0
						1772.5	132597	16.02	16.5	0
		36			1717.5	132047	16.18	16.5	0	
					1745	132322	16.16	16.5	0	
					1772.5	132597	16.07	16.5	0	
		36 RB			0	1717.5	132047	16.05	16.5	0
						1745	132322	16.03	16.5	0
						1772.5	132597	15.93	16.5	0
					18	1717.5	132047	15.98	16.5	0
						1745	132322	15.97	16.5	0
						1772.5	132597	15.78	16.5	0
	37				1717.5	132047	15.96	16.5	0	
					1745	132322	15.93	16.5	0	
					1772.5	132597	15.87	16.5	0	
	75RB	1717.5			132047	15.36	16.5	0		
		1745			132322	15.93	16.5	0		
		1772.5			132597	15.88	16.5	0		
	64-QAM	1 RB		0	1717.5	132047	16.32	16.5	0	
					1745	132322	16.18	16.5	0	
					1772.5	132597	16.13	16.5	0	
				36	1717.5	132047	16.05	16.5	0	
					1745	132322	15.89	16.5	0	
					1772.5	132597	15.89	16.5	0	
				74	1717.5	132047	15.98	16.5	0	
					1745	132322	16.00	16.5	0	
					1772.5	132597	15.99	16.5	0	
				36 RB	0	1717.5	132047	16.02	16.5	0
						1745	132322	15.99	16.5	0
						1772.5	132597	15.68	16.5	0
					18	1717.5	132047	15.91	16.5	0
						1745	132322	15.83	16.5	0
						1772.5	132597	15.58	16.5	0
					37	1717.5	132047	15.79	16.5	0
						1745	132322	15.74	16.5	0
						1772.5	132597	15.70	16.5	0
		75RB	1717.5	132047	15.38	16.5	0			
			1745	132322	15.86	16.5	0			
			1772.5	132597	15.70	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
10	QPSK	1 RB	0	1715	132022	16.04	16.5	0		
				1745	132322	16.10	16.5	0		
				1775	132622	15.84	16.5	0		
			25	1715	132022	15.96	16.5	0		
				1745	132322	15.81	16.5	0		
				1775	132622	15.61	16.5	0		
			49	1715	132022	15.79	16.5	0		
				1745	132322	15.87	16.5	0		
				1775	132622	15.70	16.5	0		
		25 RB	0	1715	132022	16.14	16.5	0		
				1745	132322	16.03	16.5	0		
				1775	132622	15.97	16.5	0		
				1715	132022	15.93	16.5	0		
				1745	132322	15.84	16.5	0		
				1775	132622	15.91	16.5	0		
			12	1715	132022	15.99	16.5	0		
				1745	132322	15.88	16.5	0		
				1775	132622	15.81	16.5	0		
				1715	132022	15.13	16.5	0		
				1745	132322	15.94	16.5	0		
				1775	132622	15.78	16.5	0		
			25	1715	132022	15.99	16.5	0		
				1745	132322	15.88	16.5	0		
				1775	132622	15.81	16.5	0		
				1715	132022	15.13	16.5	0		
				1745	132322	15.94	16.5	0		
				1775	132622	15.78	16.5	0		
		50RB	1715	132022	15.13	16.5	0			
			1745	132322	15.94	16.5	0			
			1775	132622	15.78	16.5	0			
			1715	132022	16.31	16.5	0			
			1745	132322	16.40	16.5	0			
			1775	132622	16.25	16.5	0			
		16-QAM	1 RB	0	1715	132022	16.26	16.5	0	
					1745	132322	16.06	16.5	0	
					1775	132622	16.03	16.5	0	
	25			1715	132022	16.22	16.5	0		
				1745	132322	16.16	16.5	0		
				1775	132622	16.13	16.5	0		
	49			1715	132022	16.10	16.5	0		
				1745	132322	16.10	16.5	0		
				1775	132622	15.83	16.5	0		
	25 RB			0	1715	132022	15.98	16.5	0	
					1745	132322	15.85	16.5	0	
					1775	132622	15.74	16.5	0	
					1715	132022	15.98	16.5	0	
					1745	132322	15.97	16.5	0	
					1775	132622	15.75	16.5	0	
				12	1715	132022	15.42	16.5	0	
					1745	132322	15.83	16.5	0	
					1775	132622	15.90	16.5	0	
			1715		132022	16.20	16.5	0		
			1745		132322	16.27	16.5	0		
			1775		132622	16.07	16.5	0		
			64-QAM	1 RB	0	1715	132022	15.98	16.5	0
						1745	132322	16.00	16.5	0
						1775	132622	15.84	16.5	0
					25	1715	132022	16.04	16.5	0
						1745	132322	16.01	16.5	0
						1775	132622	16.01	16.5	0
	49				1715	132022	16.00	16.5	0	
					1745	132322	15.93	16.5	0	
					1775	132622	15.81	16.5	0	
	25 RB			0	1715	132022	15.86	16.5	0	
					1745	132322	15.80	16.5	0	
					1775	132622	15.57	16.5	0	
				12	1715	132022	15.78	16.5	0	
					1745	132322	15.84	16.5	0	
					1775	132622	15.61	16.5	0	
		25		1715	132022	15.23	16.5	0		
				1745	132322	15.88	16.5	0		
				1775	132622	15.80	16.5	0		
	50RB	1715	132022	15.23	16.5	0				
		1745	132322	15.88	16.5	0				
		1775	132622	15.80	16.5	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Reduced Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	1712.5	131997	16.13	16.5	0	
				1745	132322	16.04	16.5	0	
				1777.5	132647	15.85	16.5	0	
			12	1712.5	131997	15.86	16.5	0	
				1745	132322	15.69	16.5	0	
				1777.5	132647	15.62	16.5	0	
			24	1712.5	131997	15.83	16.5	0	
				1745	132322	15.88	16.5	0	
				1777.5	132647	15.62	16.5	0	
		12 RB	0	1712.5	131997	16.01	16.5	0	
				1745	132322	15.89	16.5	0	
				1777.5	132647	15.98	16.5	0	
				1712.5	131997	15.92	16.5	0	
				1745	132322	15.84	16.5	0	
				1777.5	132647	15.74	16.5	0	
			6	1712.5	131997	16.09	16.5	0	
				1745	132322	15.85	16.5	0	
				1777.5	132647	15.86	16.5	0	
				1712.5	131997	15.14	16.5	0	
				1745	132322	15.95	16.5	0	
				1777.5	132647	15.91	16.5	0	
			25RB	1712.5	131997	16.32	16.5	0	
				1745	132322	16.36	16.5	0	
				1777.5	132647	16.11	16.5	0	
				1712.5	131997	16.25	16.5	0	
				1745	132322	15.97	16.5	0	
				1777.5	132647	15.92	16.5	0	
		1712.5		131997	16.13	16.5	0		
		1745		132322	16.07	16.5	0		
		1777.5		132647	16.11	16.5	0		
		16-QAM	1 RB	0	1712.5	131997	16.08	16.5	0
					1745	132322	16.02	16.5	0
					1777.5	132647	15.89	16.5	0
				12	1712.5	131997	16.12	16.5	0
					1745	132322	15.92	16.5	0
					1777.5	132647	15.90	16.5	0
	24			1712.5	131997	15.98	16.5	0	
				1745	132322	15.92	16.5	0	
				1777.5	132647	15.78	16.5	0	
	12 RB		6	1712.5	131997	15.43	16.5	0	
				1745	132322	15.96	16.5	0	
				1777.5	132647	15.95	16.5	0	
			13	1712.5	131997	16.24	16.5	0	
				1745	132322	16.18	16.5	0	
				1777.5	132647	16.13	16.5	0	
				1712.5	131997	16.05	16.5	0	
				1745	132322	15.95	16.5	0	
				1777.5	132647	15.98	16.5	0	
	16-QAM	1 RB	0	1712.5	131997	16.15	16.5	0	
				1745	132322	15.96	16.5	0	
				1777.5	132647	15.86	16.5	0	
			12	1712.5	131997	16.04	16.5	0	
				1745	132322	15.87	16.5	0	
				1777.5	132647	15.67	16.5	0	
			24	1712.5	131997	15.98	16.5	0	
				1745	132322	15.80	16.5	0	
				1777.5	132647	15.47	16.5	0	
		12 RB	6	1712.5	131997	15.78	16.5	0	
				1745	132322	15.76	16.5	0	
				1777.5	132647	15.78	16.5	0	
			13	1712.5	131997	15.23	16.5	0	
				1745	132322	15.92	16.5	0	
				1777.5	132647	15.84	16.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
3	QPSK	1 RB	0	1711.5	131987	16.02	16.5	0		
				1745	132322	16.01	16.5	0		
				1778.5	132657	15.94	16.5	0		
			7	1711.5	131987	15.94	16.5	0		
				1745	132322	15.84	16.5	0		
				1778.5	132657	15.75	16.5	0		
			14	1711.5	131987	15.95	16.5	0		
				1745	132322	15.85	16.5	0		
				1778.5	132657	15.78	16.5	0		
		8 RB	0	1711.5	131987	16.13	16.5	0		
				1745	132322	16.00	16.5	0		
				1778.5	132657	15.81	16.5	0		
			4	1711.5	131987	16.03	16.5	0		
				1745	132322	15.80	16.5	0		
				1778.5	132657	15.91	16.5	0		
			7	1711.5	131987	16.03	16.5	0		
				1745	132322	15.91	16.5	0		
				1778.5	132657	15.80	16.5	0		
			15RB	1711.5	131987	15.27	16.5	0		
				1745	132322	16.00	16.5	0		
				1778.5	132657	15.75	16.5	0		
		16-QAM	1 RB	0	1711.5	131987	16.30	16.5	0	
					1745	132322	16.35	16.5	0	
					1778.5	132657	16.21	16.5	0	
				7	1711.5	131987	16.24	16.5	0	
					1745	132322	16.15	16.5	0	
					1778.5	132657	16.11	16.5	0	
				14	1711.5	131987	16.22	16.5	0	
					1745	132322	16.09	16.5	0	
					1778.5	132657	16.08	16.5	0	
				8 RB	0	1711.5	131987	16.17	16.5	0
						1745	132322	15.99	16.5	0
						1778.5	132657	15.82	16.5	0
			4		1711.5	131987	16.07	16.5	0	
					1745	132322	15.96	16.5	0	
					1778.5	132657	15.78	16.5	0	
	7		1711.5		131987	15.97	16.5	0		
			1745		132322	15.85	16.5	0		
			1778.5		132657	15.80	16.5	0		
	15RB		1711.5	131987	15.45	16.5	0			
			1745	132322	15.97	16.5	0			
			1778.5	132657	15.77	16.5	0			
	64-QAM		1 RB	0	1711.5	131987	16.17	16.5	0	
					1745	132322	16.11	16.5	0	
					1778.5	132657	16.08	16.5	0	
				7	1711.5	131987	16.13	16.5	0	
					1745	132322	15.95	16.5	0	
					1778.5	132657	15.83	16.5	0	
				14	1711.5	131987	16.03	16.5	0	
					1745	132322	16.02	16.5	0	
					1778.5	132657	15.83	16.5	0	
				8 RB	0	1711.5	131987	15.96	16.5	0
						1745	132322	16.01	16.5	0
						1778.5	132657	15.70	16.5	0
			4		1711.5	131987	15.85	16.5	0	
					1745	132322	15.86	16.5	0	
					1778.5	132657	15.50	16.5	0	
		7	1711.5		131987	15.88	16.5	0		
			1745		132322	15.91	16.5	0		
			1778.5		132657	15.73	16.5	0		
		15RB	1711.5	131987	15.38	16.5	0			
			1745	132322	15.90	16.5	0			
			1778.5	132657	15.81	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 66 (Reduced Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
1.4	QPSK	1 RB	0	1710.7	131979	16.08	16.5	0		
				1745	132322	16.06	16.5	0		
				1779.3	132665	15.83	16.5	0		
			2	1710.7	131979	15.97	16.5	0		
				1745	132322	15.75	16.5	0		
				1779.3	132665	15.77	16.5	0		
			5	1710.7	131979	15.90	16.5	0		
				1745	132322	15.81	16.5	0		
				1779.3	132665	15.74	16.5	0		
		3 RB	0	1710.7	131979	16.17	16.5	0		
				1745	132322	15.91	16.5	0		
				1779.3	132665	15.98	16.5	0		
			2	1710.7	131979	16.02	16.5	0		
				1745	132322	15.87	16.5	0		
				1779.3	132665	15.81	16.5	0		
			3	1710.7	131979	15.94	16.5	0		
				1745	132322	15.77	16.5	0		
				1779.3	132665	15.83	16.5	0		
		6RB	1710.7	131979	15.21	16.5	0			
			1745	132322	15.89	16.5	0			
			1779.3	132665	15.76	16.5	0			
		16-QAM	1 RB	0	1710.7	131979	16.38	16.5	0	
					1745	132322	16.40	16.5	0	
					1779.3	132665	16.24	16.5	0	
				2	1710.7	131979	16.15	16.5	0	
					1745	132322	16.00	16.5	0	
					1779.3	132665	15.93	16.5	0	
				5	1710.7	131979	16.11	16.5	0	
					1745	132322	15.98	16.5	0	
					1779.3	132665	15.97	16.5	0	
				3 RB	0	1710.7	131979	16.01	16.5	0
						1745	132322	15.97	16.5	0
						1779.3	132665	15.92	16.5	0
					2	1710.7	131979	16.00	16.5	0
						1745	132322	15.88	16.5	0
						1779.3	132665	15.81	16.5	0
	3				1710.7	131979	15.94	16.5	0	
					1745	132322	15.83	16.5	0	
					1779.3	132665	15.71	16.5	0	
	6RB		1710.7	131979	15.48	16.5	0			
			1745	132322	15.96	16.5	0			
			1779.3	132665	15.83	16.5	0			
	64-QAM		1 RB	0	1710.7	131979	16.21	16.5	0	
					1745	132322	16.14	16.5	0	
					1779.3	132665	15.97	16.5	0	
				2	1710.7	131979	16.03	16.5	0	
					1745	132322	15.85	16.5	0	
					1779.3	132665	15.80	16.5	0	
				5	1710.7	131979	16.09	16.5	0	
					1745	132322	16.04	16.5	0	
					1779.3	132665	15.87	16.5	0	
				3 RB	0	1710.7	131979	15.95	16.5	0
						1745	132322	15.82	16.5	0
						1779.3	132665	15.75	16.5	0
					2	1710.7	131979	15.87	16.5	0
						1745	132322	15.76	16.5	0
						1779.3	132665	15.45	16.5	0
		3			1710.7	131979	15.83	16.5	0	
					1745	132322	15.75	16.5	0	
					1779.3	132665	15.79	16.5	0	
		6RB	1710.7	131979	15.37	16.5	0			
			1745	132322	15.85	16.5	0			
			1779.3	132665	15.86	16.5	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 power table:

TDD Band 41 (Full Power)								
BW(MHz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	2506	39750	24.95	25	0
				2549.5	40185	24.77	25	0
				2593	40620	24.76	25	0
				2636.5	41055	24.00	25	0
			2680	41490	24.99	25	0	
			2506	39750	23.76	25	0	
			2549.5	40185	23.91	25	0	
			2593	40620	24.12	25	0	
			2636.5	41055	24.05	25	0	
			2680	41490	24.00	25	0	
			2506	39750	23.01	25	0	
			2549.5	40185	23.09	25	0	
		2593	40620	23.00	25	0		
		2636.5	41055	23.05	25	0		
		2680	41490	24.91	25	0		
		2506	39750	23.83	24	0-1		
		2549.5	40185	23.99	24	0-1		
		2593	40620	23.88	24	0-1		
		2636.5	41055	23.81	24	0-1		
		2680	41490	23.67	24	0-1		
		2506	39750	23.82	24	0-1		
		2549.5	40185	23.33	24	0-1		
		2593	40620	23.75	24	0-1		
		2636.5	41055	23.83	24	0-1		
		2680	41490	22.89	24	0-1		
		2506	39750	22.82	24	0-1		
		2549.5	40185	22.78	24	0-1		
		2593	40620	22.83	24	0-1		
		2636.5	41055	23.91	24	0-1		
		2680	41490	23.94	24	0-1		
		2506	39750	23.74	24	0-1		
		2549.5	40185	23.71	24	0-1		
		2593	40620	23.68	24	0-1		
		2636.5	41055	23.70	24	0-1		
		2680	41490	23.64	24	0-1		
		2506	39750	23.47	24	0-1		
		2549.5	40185	23.77	24	0-1		
		2593	40620	23.66	24	0-1		
		2636.5	41055	22.83	24	0-1		
		2680	41490	22.71	24	0-1		
		2506	39750	22.73	24	0-1		
		2549.5	40185	22.70	24	0-1		
		2593	40620	23.86	24	0-1		
		2636.5	41055	24.00	24	0-1		
		2680	41490	23.79	24	0-1		
		2506	39750	22.93	24	0-1		
		2549.5	40185	23.46	24	0-1		
		2593	40620	23.35	24	0-1		
		2636.5	41055	23.52	24	0-1		
		2680	41490	23.76	24	0-1		
		2506	39750	23.00	23	0-2		
		2549.5	40185	22.83	23	0-2		
		2593	40620	22.63	23	0-2		
		2636.5	41055	22.54	23	0-2		
		2680	41490	22.42	23	0-2		
		2506	39750	22.49	23	0-2		
		2549.5	40185	22.80	23	0-2		
		2593	40620	22.58	23	0-2		
		2636.5	41055	22.57	23	0-2		
		2680	41490	22.53	23	0-2		
	2506	39750	22.88	23	0-2			
	2549.5	40185	22.88	23	0-2			
	2593	40620	22.97	23	0-2			
	2636.5	41055	22.72	23	0-2			
	2680	41490	23.00	23	0-2			
	2506	39750	22.69	23	0-2			
	2549.5	40185	22.63	23	0-2			
	2593	40620	22.50	23	0-2			
	2636.5	41055	22.40	23	0-2			
	2680	41490	22.62	23	0-2			
	2506	39750	23.37	24	0-1			
	2549.5	40185	22.96	24	0-1			
	2593	40620	22.98	24	0-1			
	2636.5	41055	22.00	24	0-1			
	2680	41490	22.01	24	0-1			
	2506	39750	22.03	24	0-1			
	2549.5	40185	22.04	24	0-1			
	2593	40620	23.90	24	0-1			
	2636.5	41055	23.83	24	0-1			
	2680	41490	23.64	24	0-1			
	2506	39750	22.83	24	0-1			
	2549.5	40185	22.67	24	0-1			
	2593	40620	22.67	24	0-1			
	2636.5	41055	22.62	24	0-1			
	2680	41490	23.06	24	0-1			
	2506	39750	22.81	23	0-2			
	2549.5	40185	22.75	23	0-2			
	2593	40620	22.04	23	0-2			
	2636.5	41055	21.74	23	0-2			
	2680	41490	21.64	23	0-2			
	2506	39750	21.76	23	0-2			
	2549.5	40185	22.54	23	0-2			
	2593	40620	22.81	23	0-2			
	2636.5	41055	22.52	23	0-2			
	2680	41490	22.88	23	0-2			
	2506	39750	22.78	23	0-2			
	2549.5	40185	22.97	23	0-2			
	2593	40620	22.85	23	0-2			
	2636.5	41055	22.95	23	0-2			
	2680	41490	22.92	23	0-2			
	2506	39750	22.76	23	0-2			
	2549.5	40185	21.97	23	0-2			
	2593	40620	21.91	23	0-2			
	2636.5	41055	21.60	23	0-2			
	2680	41490	21.84	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41 (Full Power)								
BW(MHz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	2503.5	39725	24.79	25	0
				2548.3	40173	24.72	25	0
				2593	40620	24.56	25	0
				2637.8	41068	23.72	25	0
				2682.5	41515	23.65	25	0
				2503.5	39725	23.61	25	0
			36	2548.3	40173	23.71	25	0
				2593	40620	24.00	25	0
				2637.8	41068	23.90	25	0
				2682.5	41515	23.78	25	0
				2503.5	39725	23.00	25	0
				2548.3	40173	23.10	25	0
		74	2593	40620	23.04	25	0	
			2637.8	41068	23.20	25	0	
			2682.5	41515	24.74	25	0	
			2503.5	39725	24.00	24	0-1	
			2548.3	40173	23.91	24	0-1	
			2593	40620	23.76	24	0-1	
		36 RB	18	2637.8	41068	23.68	24	0-1
				2682.5	41515	23.63	24	0-1
				2503.5	39725	23.67	24	0-1
				2548.3	40173	23.81	24	0-1
				2593	40620	23.78	24	0-1
				2637.8	41068	23.68	24	0-1
			37	2682.5	41515	22.67	24	0-1
				2503.5	39725	22.65	24	0-1
				2548.3	40173	22.55	24	0-1
				2593	40620	22.68	24	0-1
				2637.8	41068	23.97	24	0-1
				2682.5	41515	23.85	24	0-1
		75RB	0	2503.5	39725	23.83	24	0-1
				2548.3	40173	23.55	24	0-1
				2593	40620	23.47	24	0-1
				2637.8	41068	23.45	24	0-1
				2682.5	41515	23.49	24	0-1
				2503.5	39725	23.75	24	0-1
			36	2548.3	40173	23.65	24	0-1
				2593	40620	23.54	24	0-1
				2637.8	41068	22.82	24	0-1
				2682.5	41515	22.55	24	0-1
				2503.5	39725	22.38	24	0-1
				2548.3	40173	22.56	24	0-1
		36 RB	18	2593	40620	23.83	24	0-1
				2637.8	41068	23.86	24	0-1
				2682.5	41515	23.67	24	0-1
				2503.5	39725	23.41	24	0-1
				2548.3	40173	23.38	24	0-1
				2593	40620	23.20	24	0-1
			37	2637.8	41068	23.40	24	0-1
				2682.5	41515	23.51	24	0-1
				2503.5	39725	23.00	23	0-2
				2548.3	40173	22.78	23	0-2
				2593	40620	22.33	23	0-2
				2637.8	41068	22.45	23	0-2
		75RB	0	2682.5	41515	22.19	23	0-2
				2503.5	39725	22.37	23	0-2
				2548.3	40173	22.69	23	0-2
				2593	40620	22.60	23	0-2
				2637.8	41068	22.90	23	0-2
				2682.5	41515	22.79	23	0-2
			36	2503.5	39725	22.73	23	0-2
				2548.3	40173	22.71	23	0-2
				2593	40620	22.65	23	0-2
				2637.8	41068	22.88	23	0-2
				2682.5	41515	22.90	23	0-2
				2503.5	39725	22.86	23	0-2
		75RB	0	2548.3	40173	22.28	23	0-2
				2593	40620	22.18	23	0-2
				2637.8	41068	22.14	23	0-2
				2682.5	41515	22.27	23	0-2
				2503.5	39725	23.02	24	0-1
				2548.3	40173	22.84	24	0-1
			36	2593	40620	22.86	24	0-1
				2637.8	41068	22.11	24	0-1
				2682.5	41515	22.24	24	0-1
				2503.5	39725	22.00	24	0-1
				2548.3	40173	22.29	24	0-1
				2593	40620	23.75	24	0-1
		36 RB	18	2637.8	41068	23.57	24	0-1
				2682.5	41515	23.40	24	0-1
				2503.5	39725	22.88	24	0-1
				2548.3	40173	22.57	24	0-1
				2593	40620	22.52	24	0-1
				2637.8	41068	22.50	24	0-1
			37	2682.5	41515	22.81	24	0-1
				2503.5	39725	22.74	23	0-2
				2548.3	40173	22.63	23	0-2
				2593	40620	21.74	23	0-2
				2637.8	41068	21.65	23	0-2
				2682.5	41515	21.41	23	0-2
		75RB	0	2503.5	39725	21.84	23	0-2
				2548.3	40173	23.00	23	0-2
				2593	40620	22.93	23	0-2
				2637.8	41068	22.77	23	0-2
				2682.5	41515	22.49	23	0-2
				2503.5	39725	22.58	23	0-2
			36	2548.3	40173	22.32	23	0-2
				2593	40620	22.46	23	0-2
				2637.8	41068	22.62	23	0-2
				2682.5	41515	22.75	23	0-2
				2503.5	39725	22.40	23	0-2
				2548.3	40173	21.62	23	0-2
		75RB	2593	40620	21.59	23	0-2	
			2637.8	41068	21.34	23	0-2	
			2682.5	41515	21.49	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41 (Full Power)								
BW(MHz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2501	39700	24.63	25	0
				2547	40160	24.58	25	0
				2593	40620	24.67	25	0
				2639	41080	23.82	25	0
				2685	41540	23.88	25	0
			2501	39700	23.49	25	0	
			2547	40160	23.71	25	0	
			2593	40620	23.87	25	0	
			2639	41080	23.70	25	0	
			2685	41540	23.74	25	0	
			2501	39700	23.09	25	0	
			2547	40160	23.10	25	0	
			2593	40620	23.00	25	0	
			2639	41080	23.12	25	0	
			2685	41540	24.53	25	0	
		2501	39700	23.99	24	0-1		
		2547	40160	23.96	24	0-1		
		2593	40620	23.47	24	0-1		
		2639	41080	23.54	24	0-1		
		2685	41540	23.41	24	0-1		
		2501	39700	23.80	24	0-1		
		2547	40160	23.69	24	0-1		
		2593	40620	23.75	24	0-1		
		2639	41080	23.69	24	0-1		
		2685	41540	22.65	24	0-1		
		2501	39700	22.81	24	0-1		
		2547	40160	22.47	24	0-1		
		2593	40620	22.60	24	0-1		
		2639	41080	23.98	24	0-1		
		2685	41540	24.00	24	0-1		
		2501	39700	23.96	24	0-1		
		2547	40160	23.47	24	0-1		
		2593	40620	23.41	24	0-1		
		2639	41080	23.46	24	0-1		
		2685	41540	23.40	24	0-1		
		2501	39700	23.69	24	0-1		
		2547	40160	23.51	24	0-1		
		2593	40620	23.46	24	0-1		
		2639	41080	22.45	24	0-1		
		2685	41540	22.58	24	0-1		
		2501	39700	22.33	24	0-1		
		2547	40160	22.46	24	0-1		
		2593	40620	23.17	24	0-1		
		2639	41080	23.25	24	0-1		
		2685	41540	23.18	24	0-1		
		2501	39700	23.27	24	0-1		
		2547	40160	23.34	24	0-1		
		2593	40620	23.15	24	0-1		
		2639	41080	23.28	24	0-1		
		2685	41540	23.46	24	0-1		
		2501	39700	22.44	23	0-2		
		2547	40160	22.27	23	0-2		
		2593	40620	22.39	23	0-2		
		2639	41080	22.27	23	0-2		
		2685	41540	22.28	23	0-2		
		2501	39700	22.26	23	0-2		
		2547	40160	22.63	23	0-2		
		2593	40620	22.10	23	0-2		
		2639	41080	22.52	23	0-2		
		2685	41540	22.38	23	0-2		
		2501	39700	22.15	23	0-2		
		2547	40160	22.28	23	0-2		
		2593	40620	22.39	23	0-2		
		2639	41080	22.87	23	0-2		
		2685	41540	22.56	23	0-2		
		2501	39700	23.00	23	0-2		
		2547	40160	22.46	23	0-2		
		2593	40620	22.23	23	0-2		
		2639	41080	22.26	23	0-2		
		2685	41540	22.34	23	0-2		
		2501	39700	22.96	24	0-1		
		2547	40160	22.70	24	0-1		
		2593	40620	22.78	24	0-1		
		2639	41080	22.00	24	0-1		
		2685	41540	22.33	24	0-1		
		2501	39700	22.01	24	0-1		
		2547	40160	22.25	24	0-1		
		2593	40620	23.54	24	0-1		
		2639	41080	23.41	24	0-1		
		2685	41540	23.36	24	0-1		
		2501	39700	22.54	24	0-1		
		2547	40160	22.53	24	0-1		
		2593	40620	22.47	24	0-1		
		2639	41080	22.38	24	0-1		
		2685	41540	22.76	24	0-1		
		2501	39700	22.63	23	0-2		
		2547	40160	22.57	23	0-2		
		2593	40620	21.80	23	0-2		
		2639	41080	21.47	23	0-2		
		2685	41540	21.50	23	0-2		
		2501	39700	21.53	23	0-2		
		2547	40160	23.00	23	0-2		
		2593	40620	22.49	23	0-2		
		2639	41080	22.96	23	0-2		
		2685	41540	22.53	23	0-2		
		2501	39700	22.43	23	0-2		
		2547	40160	22.35	23	0-2		
		2593	40620	22.65	23	0-2		
		2639	41080	22.31	23	0-2		
		2685	41540	22.86	23	0-2		
2501	39700	22.44	23	0-2				
2547	40160	21.80	23	0-2				
2593	40620	21.64	23	0-2				
2639	41080	21.46	23	0-2				
2685	41540	21.56	23	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41 (Full Power)									
BW(MHz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	2498.5	39675	24.50	25	0	
				2547.8	40148	24.67	25	0	
				2593	40620	24.49	25	0	
				2640.3	41093	23.80	25	0	
				2687.5	41565	23.54	25	0	
				2498.5	39675	23.61	25	0	
			12	2547.8	40148	23.62	25	0	
				2593	40620	23.67	25	0	
				2640.3	41093	23.82	25	0	
				2687.5	41565	23.73	25	0	
				2498.5	39675	23.03	25	0	
				2547.8	40148	23.00	25	0	
			24	2593	40620	23.01	25	0	
				2640.3	41093	23.05	25	0	
				2687.5	41565	24.38	25	0	
				2498.5	39675	24.00	24	0-1	
				2547.8	40148	23.94	24	0-1	
				2593	40620	23.54	24	0-1	
			12 RB	6	2640.3	41093	23.50	24	0-1
					2687.5	41565	23.45	24	0-1
					2498.5	39675	23.51	24	0-1
					2547.8	40148	23.50	24	0-1
					2593	40620	23.94	24	0-1
					2640.3	41093	23.58	24	0-1
		13		2687.5	41565	22.50	24	0-1	
				2498.5	39675	22.99	24	0-1	
				2547.8	40148	22.41	24	0-1	
				2593	40620	22.49	24	0-1	
				2640.3	41093	23.80	24	0-1	
				2687.5	41565	23.69	24	0-1	
		25RB	0	2498.5	39675	23.68	24	0-1	
				2547.8	40148	23.39	24	0-1	
				2593	40620	23.46	24	0-1	
				2640.3	41093	23.31	24	0-1	
				2687.5	41565	23.26	24	0-1	
				2498.5	39675	23.54	24	0-1	
			12	2547.8	40148	23.56	24	0-1	
				2593	40620	23.47	24	0-1	
				2640.3	41093	22.40	24	0-1	
				2687.5	41565	22.43	24	0-1	
				2498.5	39675	23.19	24	0-1	
				2547.8	40148	22.95	24	0-1	
		24	2593	40620	23.15	24	0-1		
			2640.3	41093	23.11	24	0-1		
			2687.5	41565	23.25	24	0-1		
			2498.5	39675	22.43	23	0-2		
			2547.8	40148	22.89	23	0-2		
			2593	40620	22.23	23	0-2		
		12 RB	6	2640.3	41093	22.30	23	0-2	
				2687.5	41565	22.14	23	0-2	
				2498.5	39675	22.22	23	0-2	
				2547.8	40148	23.00	23	0-2	
				2593	40620	22.90	23	0-2	
				2640.3	41093	22.96	23	0-2	
			13	2687.5	41565	22.97	23	0-2	
				2498.5	39675	22.13	23	0-2	
				2547.8	40148	22.96	23	0-2	
				2593	40620	22.98	23	0-2	
				2640.3	41093	22.24	23	0-2	
				2687.5	41565	22.31	23	0-2	
		25RB	0	2498.5	39675	22.09	23	0-2	
				2547.8	40148	22.05	23	0-2	
				2593	40620	22.03	23	0-2	
				2640.3	41093	21.99	23	0-2	
				2687.5	41565	22.04	23	0-2	
				2498.5	39675	22.81	24	0-1	
			12	2547.8	40148	22.75	24	0-1	
				2593	40620	22.79	24	0-1	
				2640.3	41093	22.00	24	0-1	
				2687.5	41565	22.23	24	0-1	
				2498.5	39675	22.10	24	0-1	
				2547.8	40148	22.19	24	0-1	
		24	2593	40620	23.55	24	0-1		
			2640.3	41093	23.29	24	0-1		
			2687.5	41565	23.42	24	0-1		
			2498.5	39675	22.46	24	0-1		
			2547.8	40148	22.39	24	0-1		
			2593	40620	22.47	24	0-1		
		64-QAM	12 RB	6	2640.3	41093	22.21	24	0-1
					2687.5	41565	22.55	24	0-1
					2498.5	39675	22.59	23	0-2
					2547.8	40148	22.96	23	0-2
					2593	40620	21.64	23	0-2
					2640.3	41093	21.50	23	0-2
			13	2687.5	41565	21.36	23	0-2	
				2498.5	39675	21.49	23	0-2	
				2547.8	40148	22.97	23	0-2	
				2593	40620	22.89	23	0-2	
				2640.3	41093	23.00	23	0-2	
				2687.5	41565	22.16	23	0-2	
		25RB	0	2498.5	39675	22.38	23	0-2	
				2547.8	40148	22.06	23	0-2	
				2593	40620	22.28	23	0-2	
				2640.3	41093	22.40	23	0-2	
				2687.5	41565	22.58	23	0-2	
				2498.5	39675	21.39	23	0-2	
			12	2547.8	40148	21.44	23	0-2	
				2593	40620	21.44	23	0-2	
				2640.3	41093	21.19	23	0-2	
				2687.5	41565	21.26	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

		TDD Band 41 (Reduced Power)																		
BW(MHz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)												
20	QPSK	1 RB	0	2506	39750	15.47	15.5	0												
				2549.5	40185	15.27	15.5	0												
				2593	40620	15.40	15.5	0												
				2636.5	41055	15.14	15.5	0												
				2680	41490	15.50	15.5	0												
			50	2506	39750	15.26	15.5	0												
				2549.5	40185	15.33	15.5	0												
				2593	40620	15.11	15.5	0												
				2636.5	41055	14.88	15.5	0												
				2680	41490	14.86	15.5	0												
			99	2506	39750	15.07	15.5	0												
				2549.5	40185	15.19	15.5	0												
				2593	40620	14.97	15.5	0												
				2636.5	41055	14.74	15.5	0												
				2680	41490	15.44	15.5	0												
			16-QAM	50 RB	0	2506	39750	15.43	15.5	0										
						2549.5	40185	15.46	15.5	0										
						2593	40620	15.27	15.5	0										
						2636.5	41055	15.19	15.5	0										
						2680	41490	15.28	15.5	0										
						25	2506	39750	15.36	15.5	0									
							2549.5	40185	15.44	15.5	0									
							2593	40620	15.21	15.5	0									
							2636.5	41055	15.10	15.5	0									
							2680	41490	15.04	15.5	0									
							50	2506	39750	15.23	15.5	0								
								2549.5	40185	15.35	15.5	0								
								2593	40620	15.22	15.5	0								
								2636.5	41055	15.05	15.5	0								
								2680	41490	15.07	15.5	0								
								100RB	2506	39750	15.37	15.5	0							
									2549.5	40185	15.35	15.5	0							
									2593	40620	15.13	15.5	0							
									2636.5	41055	15.12	15.5	0							
									2680	41490	15.23	15.5	0							
									1 RB	0	2506	39750	15.35	15.5	0					
											2549.5	40185	15.43	15.5	0					
											2593	40620	15.41	15.5	0					
											2636.5	41055	15.20	15.5	0					
											2680	41490	15.43	15.5	0					
											50	2506	39750	15.15	15.5	0				
												2549.5	40185	15.33	15.5	0				
												2593	40620	15.18	15.5	0				
												2636.5	41055	14.93	15.5	0				
												2680	41490	14.93	15.5	0				
												99	2506	39750	15.07	15.5	0			
													2549.5	40185	15.39	15.5	0			
													2593	40620	14.96	15.5	0			
													2636.5	41055	15.39	15.5	0			
													2680	41490	15.16	15.5	0			
													50 RB	0	2506	39750	15.49	15.5	0	
															2549.5	40185	15.32	15.5	0	
															2593	40620	15.30	15.5	0	
															2636.5	41055	15.02	15.5	0	
															2680	41490	15.31	15.5	0	
															25	2506	39750	15.45	15.5	0
																2549.5	40185	15.39	15.5	0
																2593	40620	15.15	15.5	0
																2636.5	41055	15.12	15.5	0
																2680	41490	15.10	15.5	0
										100RB						2506	39750	15.42	15.5	0
																2549.5	40185	15.29	15.5	0
														2593		40620	15.23	15.5	0	
														2636.5		41055	15.07	15.5	0	
														2680		41490	15.13	15.5	0	
					1 RB						0			2506		39750	15.18	15.5	0	
														2549.5		40185	15.33	15.5	0	
														2593		40620	15.33	15.5	0	
														2636.5	41055	15.17	15.5	0		
														2680	41490	15.38	15.5	0		
						50				2506		39750		15.06	15.5	0				
										2549.5		40185		15.27	15.5	0				
										2593		40620		15.13	15.5	0				
										2636.5		41055		14.92	15.5	0				
										2680		41490		14.88	15.5	0				
							99			2506		39750	15.00	15.5	0					
										2549.5		40185	15.35	15.5	0					
										2593	40620	14.92	15.5	0						
										2636.5	41055	15.37	15.5	0						
										2680	41490	15.14	15.5	0						
								50 RB		0	2506	39750	15.41	15.5	0					
											2549.5	40185	15.30	15.5	0					
											2593	40620	15.22	15.5	0					
						2636.5					41055	15.01	15.5	0						
						2680					41490	15.25	15.5	0						
						25	2506		39750		15.42	15.5	0							
							2549.5		40185		15.31	15.5	0							
							2593		40620		15.14	15.5	0							
							2636.5		41055		15.10	15.5	0							
							2680		41490		15.02	15.5	0							
					50		2506		39750		15.34	15.5	0							
							2549.5		40185		15.24	15.5	0							
							2593		40620	15.21	15.5	0								
							2636.5		41055	15.00	15.5	0								
							2680		41490	15.07	15.5	0								
							100RB		2506	39750	15.40	15.5	0							
									2549.5	40185	15.35	15.5	0							
									2593	40620	15.22	15.5	0							
						2636.5			41055	15.04	15.5	0								
						2680			41490	15.13	15.5	0								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BW(MHz)	Modulation	RB Size	RB Offset	TDD Band 41 (Reduced Power)					
				Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
15	QPSK	1 RB	0	2503.5	39725	15.43	15.5	0	
				2548.3	40173	15.27	15.5	0	
				2593	40620	15.38	15.5	0	
				2637.8	41068	15.11	15.5	0	
				2682.5	41515	15.42	15.5	0	
				2503.5	39725	15.21	15.5	0	
			36	2548.3	40173	15.27	15.5	0	
				2593	40620	15.04	15.5	0	
				2637.8	41068	14.84	15.5	0	
				2682.5	41515	14.83	15.5	0	
				2503.5	39725	15.03	15.5	0	
				2548.3	40173	15.13	15.5	0	
		74	2593	40620	14.90	15.5	0		
			2637.8	41068	14.66	15.5	0		
			2682.5	41515	15.38	15.5	0		
			2503.5	39725	15.37	15.5	0		
			2548.3	40173	15.41	15.5	0		
			2593	40620	15.22	15.5	0		
		36 RB	18	0	2637.8	41068	15.14	15.5	0
					2682.5	41515	15.27	15.5	0
					2503.5	39725	15.33	15.5	0
					2548.3	40173	15.40	15.5	0
					2593	40620	15.15	15.5	0
					2637.8	41068	15.09	15.5	0
			37	0	2682.5	41515	15.01	15.5	0
					2503.5	39725	15.17	15.5	0
					2548.3	40173	15.34	15.5	0
					2593	40620	15.14	15.5	0
					2637.8	41068	15.03	15.5	0
					2682.5	41515	15.06	15.5	0
		75RB	0	2503.5	39725	15.33	15.5	0	
				2548.3	40173	15.29	15.5	0	
				2593	40620	15.12	15.5	0	
				2637.8	41068	15.09	15.5	0	
				2682.5	41515	15.15	15.5	0	
				2503.5	39725	15.31	15.5	0	
		1 RB	36	0	2548.3	40173	15.43	15.5	0
					2593	40620	15.32	15.5	0
					2637.8	41068	15.19	15.5	0
					2682.5	41515	15.40	15.5	0
					2503.5	39725	15.13	15.5	0
					2548.3	40173	15.25	15.5	0
			74	0	2593	40620	15.17	15.5	0
					2637.8	41068	14.88	15.5	0
					2682.5	41515	14.85	15.5	0
					2503.5	39725	14.99	15.5	0
					2548.3	40173	15.36	15.5	0
					2593	40620	14.94	15.5	0
		36 RB	18	0	2637.8	41068	15.38	15.5	0
					2682.5	41515	15.10	15.5	0
					2503.5	39725	15.42	15.5	0
					2548.3	40173	15.29	15.5	0
					2593	40620	15.06	15.5	0
					2637.8	41068	15.10	15.5	0
			37	0	2682.5	41515	15.06	15.5	0
					2503.5	39725	15.41	15.5	0
					2548.3	40173	15.21	15.5	0
					2593	40620	15.18	15.5	0
					2637.8	41068	15.03	15.5	0
					2682.5	41515	15.05	15.5	0
		75RB	0	2503.5	39725	15.40	15.5	0	
				2548.3	40173	15.35	15.5	0	
				2593	40620	15.24	15.5	0	
				2637.8	41068	15.08	15.5	0	
				2682.5	41515	15.14	15.5	0	
				2503.5	39725	15.29	15.5	0	
		1 RB	36	0	2548.3	40173	15.41	15.5	0
					2593	40620	15.27	15.5	0
					2637.8	41068	15.16	15.5	0
					2682.5	41515	15.30	15.5	0
					2503.5	39725	14.98	15.5	0
					2548.3	40173	15.20	15.5	0
			74	0	2593	40620	15.07	15.5	0
					2637.8	41068	14.86	15.5	0
					2682.5	41515	14.82	15.5	0
					2503.5	39725	14.99	15.5	0
					2548.3	40173	15.27	15.5	0
					2593	40620	14.90	15.5	0
		36 RB	18	0	2637.8	41068	15.28	15.5	0
					2682.5	41515	15.12	15.5	0
					2503.5	39725	15.38	15.5	0
					2548.3	40173	15.26	15.5	0
					2593	40620	15.07	15.5	0
					2637.8	41068	15.02	15.5	0
			37	0	2682.5	41515	14.86	15.5	0
					2503.5	39725	15.27	15.5	0
					2548.3	40173	15.20	15.5	0
					2593	40620	15.14	15.5	0
					2637.8	41068	14.98	15.5	0
					2682.5	41515	15.03	15.5	0
		75RB	0	2503.5	39725	15.39	15.5	0	
				2548.3	40173	15.29	15.5	0	
				2593	40620	15.14	15.5	0	
				2637.8	41068	15.00	15.5	0	
				2682.5	41515	15.07	15.5	0	
				2503.5	39725	15.39	15.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41 (Reduced Power)												
BW(MHz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
10	QPSK	1 RB	0	2501	39700	15.45	15.5	0	0			
				2547	40160	15.19	15.5	0	0			
				2593	40620	15.31	15.5	0	0			
				2639	41080	15.10	15.5	0	0			
				2685	41540	15.44	15.5	0	0			
				2501	39700	15.23	15.5	0	0			
			25	0	2547	40160	15.30	15.5	0	0		
					2593	40620	15.08	15.5	0	0		
					2639	41080	14.86	15.5	0	0		
					2685	41540	14.77	15.5	0	0		
					2501	39700	14.99	15.5	0	0		
					2547	40160	15.40	15.5	0	0		
		49	0	2593	40620	14.88	15.5	0	0			
				2639	41080	14.70	15.5	0	0			
				2685	41540	15.35	15.5	0	0			
				2501	39700	15.35	15.5	0	0			
				2547	40160	15.40	15.5	0	0			
				2593	40620	15.25	15.5	0	0			
		25 RB	12	0	2639	41080	15.10	15.5	0	0		
					2685	41540	15.20	15.5	0	0		
					2501	39700	15.32	15.5	0	0		
					2547	40160	15.36	15.5	0	0		
					2593	40620	15.13	15.5	0	0		
					2639	41080	15.01	15.5	0	0		
			25	0	2685	41540	14.88	15.5	0	0		
					2501	39700	15.14	15.5	0	0		
					2547	40160	15.29	15.5	0	0		
					2593	40620	15.18	15.5	0	0		
					2639	41080	14.96	15.5	0	0		
					2685	41540	14.88	15.5	0	0		
		50RB	0	2501	39700	15.29	15.5	0	0			
				2547	40160	15.27	15.5	0	0			
				2593	40620	15.08	15.5	0	0			
				2639	41080	15.03	15.5	0	0			
				2685	41540	15.17	15.5	0	0			
				2501	39700	15.29	15.5	0	0			
		16-QAM	1 RB	0	2501	39700	15.45	15.5	0	0		
					2547	40160	15.31	15.5	0	0		
					2593	40620	15.36	15.5	0	0		
					2639	41080	15.16	15.5	0	0		
					2685	41540	15.34	15.5	0	0		
					2501	39700	15.07	15.5	0	0		
				25	0	2547	40160	15.31	15.5	0	0	
						2593	40620	15.17	15.5	0	0	
						2639	41080	14.87	15.5	0	0	
						2685	41540	14.92	15.5	0	0	
						2501	39700	15.05	15.5	0	0	
						2547	40160	15.32	15.5	0	0	
				49	0	2593	40620	14.90	15.5	0	0	
						2639	41080	15.37	15.5	0	0	
						2685	41540	15.10	15.5	0	0	
						2501	39700	15.44	15.5	0	0	
						2547	40160	15.26	15.5	0	0	
						2593	40620	15.28	15.5	0	0	
				25 RB	12	0	2639	41080	14.97	15.5	0	0
							2685	41540	15.30	15.5	0	0
							2501	39700	15.34	15.5	0	0
							2547	40160	15.34	15.5	0	0
							2593	40620	15.06	15.5	0	0
							2639	41080	15.03	15.5	0	0
	25				0	2685	41540	15.04	15.5	0	0	
						2501	39700	15.34	15.5	0	0	
						2547	40160	15.23	15.5	0	0	
						2593	40620	15.15	15.5	0	0	
						2639	41080	14.98	15.5	0	0	
						2685	41540	15.05	15.5	0	0	
	50RB		0	2501	39700	15.36	15.5	0	0			
				2547	40160	15.39	15.5	0	0			
				2593	40620	15.21	15.5	0	0			
				2639	41080	15.12	15.5	0	0			
				2685	41540	15.17	15.5	0	0			
				2501	39700	15.27	15.5	0	0			
	64-QAM		1 RB	0	2501	39700	15.27	15.5	0	0		
					2547	40160	15.39	15.5	0	0		
					2593	40620	15.24	15.5	0	0		
					2639	41080	15.16	15.5	0	0		
					2685	41540	15.31	15.5	0	0		
					2501	39700	14.99	15.5	0	0		
				25	0	2547	40160	15.26	15.5	0	0	
						2593	40620	15.09	15.5	0	0	
						2639	41080	14.85	15.5	0	0	
						2685	41540	14.83	15.5	0	0	
						2501	39700	14.91	15.5	0	0	
						2547	40160	15.26	15.5	0	0	
				49	0	2593	40620	14.87	15.5	0	0	
						2639	41080	15.33	15.5	0	0	
						2685	41540	15.13	15.5	0	0	
						2501	39700	15.35	15.5	0	0	
						2547	40160	15.21	15.5	0	0	
						2593	40620	15.18	15.5	0	0	
				25 RB	12	0	2639	41080	14.94	15.5	0	0
							2685	41540	15.23	15.5	0	0
							2501	39700	15.40	15.5	0	0
							2547	40160	15.26	15.5	0	0
							2593	40620	15.06	15.5	0	0
							2639	41080	15.01	15.5	0	0
		25			0	2685	41540	14.96	15.5	0	0	
						2501	39700	15.27	15.5	0	0	
						2547	40160	15.19	15.5	0	0	
						2593	40620	15.12	15.5	0	0	
						2639	41080	14.92	15.5	0	0	
						2685	41540	15.06	15.5	0	0	
		50RB	0	2501	39700	15.39	15.5	0	0			
				2547	40160	15.32	15.5	0	0			
				2593	40620	15.21	15.5	0	0			
				2639	41080	14.96	15.5	0	0			
				2685	41540	15.05	15.5	0	0			
				2501	39700	15.39	15.5	0	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41 (Reduced Power)									
BW(MHz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
5	QPSK	1 RB	0	2495.5	39675	15.41	15.5	0	
				2547.8	40148	15.20	15.5	0	
				2593	40620	15.36	15.5	0	
				2640.3	41093	15.07	15.5	0	
				2687.5	41565	15.40	15.5	0	
				2495.5	39675	15.19	15.5	0	
			12	2547.8	40148	15.26	15.5	0	
				2593	40620	15.07	15.5	0	
				2640.3	41093	14.87	15.5	0	
				2687.5	41565	14.78	15.5	0	
				2495.5	39675	14.99	15.5	0	
				2547.8	40148	15.16	15.5	0	
		24	2593	40620	14.96	15.5	0		
			2640.3	41093	14.87	15.5	0		
			2687.5	41565	15.41	15.5	0		
			2495.5	39675	15.42	15.5	0		
			2547.8	40148	15.40	15.5	0		
			2593	40620	15.20	15.5	0		
		12 RB	6	2640.3	41093	15.17	15.5	0	
				2687.5	41565	15.25	15.5	0	
				2495.5	39675	15.29	15.5	0	
				2547.8	40148	15.40	15.5	0	
				2593	40620	15.13	15.5	0	
				2640.3	41093	15.09	15.5	0	
			13	2687.5	41565	15.01	15.5	0	
				2495.5	39675	15.20	15.5	0	
				2547.8	40148	15.30	15.5	0	
				2593	40620	15.14	15.5	0	
				2640.3	41093	14.99	15.5	0	
				2687.5	41565	14.88	15.5	0	
		25RB	0	2495.5	39675	15.36	15.5	0	
				2547.8	40148	15.27	15.5	0	
				2593	40620	15.11	15.5	0	
				2640.3	41093	15.03	15.5	0	
				2687.5	41565	15.19	15.5	0	
				2495.5	39675	15.31	15.5	0	
			12	2547.8	40148	15.46	15.5	0	
				2593	40620	15.35	15.5	0	
				2640.3	41093	15.15	15.5	0	
				2687.5	41565	15.36	15.5	0	
				2495.5	39675	15.06	15.5	0	
				2547.8	40148	15.30	15.5	0	
		12 RB	6	2593	40620	15.27	15.5	0	
				2640.3	41093	14.95	15.5	0	
				2687.5	41565	15.24	15.5	0	
				2495.5	39675	15.44	15.5	0	
				2547.8	40148	15.38	15.5	0	
				2593	40620	15.12	15.5	0	
			13	2640.3	41093	15.11	15.5	0	
				2687.5	41565	15.04	15.5	0	
				2495.5	39675	15.35	15.5	0	
				2547.8	40148	15.28	15.5	0	
				2593	40620	15.14	15.5	0	
				2640.3	41093	14.99	15.5	0	
		25RB	0	2687.5	41565	15.07	15.5	0	
				2495.5	39675	15.37	15.5	0	
				2547.8	40148	15.37	15.5	0	
				2593	40620	15.23	15.5	0	
				2640.3	41093	15.11	15.5	0	
				2687.5	41565	15.13	15.5	0	
			12	2495.5	39675	15.29	15.5	0	
				2547.8	40148	15.42	15.5	0	
				2593	40620	15.26	15.5	0	
				2640.3	41093	15.13	15.5	0	
				2687.5	41565	15.35	15.5	0	
				2495.5	39675	15.03	15.5	0	
		12 RB	6	2547.8	40148	15.24	15.5	0	
				2593	40620	15.06	15.5	0	
				2640.3	41093	14.85	15.5	0	
				2687.5	41565	14.87	15.5	0	
				2495.5	39675	14.93	15.5	0	
				2547.8	40148	15.34	15.5	0	
			13	2593	40620	14.85	15.5	0	
				2640.3	41093	15.34	15.5	0	
				2687.5	41565	15.07	15.5	0	
				2495.5	39675	15.36	15.5	0	
				2547.8	40148	15.29	15.5	0	
				2593	40620	15.17	15.5	0	
		64-QAM	12 RB	2640.3	41093	14.99	15.5	0	
				2687.5	41565	15.17	15.5	0	
				2495.5	39675	15.37	15.5	0	
				2547.8	40148	15.22	15.5	0	
				2593	40620	15.11	15.5	0	
				2640.3	41093	15.09	15.5	0	
			25RB	2687.5	41565	14.97	15.5	0	
				2495.5	39675	15.26	15.5	0	
				2547.8	40148	15.31	15.5	0	
				2593	40620	15.12	15.5	0	
				2640.3	41093	14.91	15.5	0	
				2687.5	41565	15.04	15.5	0	
		1 RB	0	2495.5	39675	15.39	15.5	0	
				2547.8	40148	15.34	15.5	0	
				2593	40620	15.19	15.5	0	
				2640.3	41093	14.99	15.5	0	
				2687.5	41565	15.05	15.5	0	
				2495.5	39675	15.31	15.5	0	
			12	2547.8	40148	15.29	15.5	0	
				2593	40620	15.28	15.5	0	
				2640.3	41093	15.06	15.5	0	
				2687.5	41565	14.87	15.5	0	
				2495.5	39675	14.93	15.5	0	
				2547.8	40148	15.34	15.5	0	
		1 RB	24	2593	40620	14.85	15.5	0	
				2640.3	41093	15.34	15.5	0	
				2687.5	41565	15.07	15.5	0	
				2495.5	39675	15.36	15.5	0	
				2547.8	40148	15.29	15.5	0	
				2593	40620	15.17	15.5	0	
			12 RB	2640.3	41093	14.99	15.5	0	
				2687.5	41565	15.17	15.5	0	
				2495.5	39675	15.37	15.5	0	
				2547.8	40148	15.22	15.5	0	
				2593	40620	15.11	15.5	0	
				2640.3	41093	15.09	15.5	0	
		25RB	2687.5	41565	14.97	15.5	0		
			2495.5	39675	15.26	15.5	0		
			2547.8	40148	15.31	15.5	0		
			2593	40620	15.12	15.5	0		
			2640.3	41093	14.91	15.5	0		
			2687.5	41565	15.04	15.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN802.11 a/b/g/n(20M/40M)/ac(20M/40M/80M) conducted power table:

Band \ Antenna	SISO		MIMO
	Chain 0	Chain 1	Chain0+1
WLAN802.11b	V	V	—
WLAN802.11g	V	V	—
WLAN802.11n(20M)	V	V	V
WLAN802.11n(40M)	V	V	V
WLAN802.11ac	V	V	V
WLAN802.11a	V	V	—
WLAN802.11n(20M) 5G	V	V	V
WLAN802.11n(40M) 5G	V	V	V
WLAN802.11ac(20M) 5G	V	V	V
WLAN802.11ac(40M) 5G	V	V	V
WLAN802.11ac(80M) 5G	V	V	V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main (CH0)

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
2450 MHz	802.11b	1	2412	1Mbps	15.00	14.95
		6	2437		15.00	14.99
		11	2462		15.00	14.94
		12	2467		14.00	13.90
		13	2472		8.00	7.67
	802.11g	1	2412	6Mbps	15.00	14.82
		6	2437		15.00	14.96
		11	2462		15.00	14.66
		12	2467		12.00	11.76
		13	2472		-3.00	—
	802.11n-HT20	1	2412	MCS0	15.00	14.75
		6	2437		15.00	14.70
		11	2462		15.00	14.82
		12	2467		12.00	11.82
		13	2472		-3.00	—
	802.11n-HT40	3	2422	MCS0	15.00	14.66
		6	2437		15.00	14.74
		9	2452		15.00	14.66
		10	2457		12.00	11.85
		11	2462		-4.00	—

#.Power measurement for 802.11g/n(20) CH13 & n(40) CH11 is not required since the maximum output power of those channels is far below the other channels.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	14.00	13.83
		40	5200		14.00	13.71
		44	5220		14.00	13.85
		48	5240		14.00	13.89
	802.11n-HT20	36	5180	MCS0	14.00	13.85
		40	5200		14.00	13.94
		44	5220		14.00	13.59
		48	5240		14.00	13.86
	802.11n-VHT20	36	5180	MCS0	14.00	13.67
		40	5200		14.00	13.94
		44	5220		14.00	13.55
		48	5240		14.00	13.70
	802.11n-HT40	38	5190	MCS0	14.00	13.95
		46	5230		14.00	13.78
	802.11n-VHT40	38	5190	MCS0	14.00	13.80
		46	5230		14.00	13.68
802.11n-VHT80	42	5210	MCS0	13.00	12.87	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	14.00	13.76
		56	5280		14.00	13.80
		60	5300		14.00	13.77
		64	5320		14.00	13.83
	802.11n-HT20	52	5260	MCS0	14.00	13.91
		56	5280		14.00	13.81
		60	5300		14.00	13.94
		64	5320		14.00	13.85
	802.11n-VHT20	52	5260	MCS0	14.00	13.59
		56	5280		14.00	13.68
		60	5300		14.00	13.95
		64	5320		14.00	13.71
	802.11n-HT40	54	5270	MCS0	14.00	13.94
		62	5310		14.00	13.99
	802.11n-VHT40	54	5270	MCS0	14.00	13.75
		62	5310		13.00	12.90
802.11n-VHT80	58	5290	MCS0	11.00	10.61	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5600 MHz	802.11a	100	5500	6Mbps	14.00	13.53
		120	5600		14.00	13.77
		124	5620		14.00	13.69
		128	5640		14.00	13.81
		140	5700		14.00	13.50
	802.11n-HT20	100	5500	MCS0	14.00	13.57
		120	5600		14.00	13.49
		124	5620		14.00	13.70
		128	5640		14.00	13.47
		140	5700		14.00	13.50
	802.11n-VHT20	100	5500	MCS0	14.00	13.51
		120	5600		14.00	13.80
		124	5620		14.00	13.78
		128	5640		14.00	13.60
		140	5700		14.00	13.75
		144	5720		14.00	13.76
	802.11n-HT40	102	5510	MCS0	14.00	13.43
		110	5550		14.00	13.71
		118	5590		14.00	13.73
		126	5630		14.00	13.86
		134	5670		14.00	13.82
	802.11n-VHT40	102	5510	MCS0	14.00	13.46
		118	5590		14.00	13.72
		126	5630		14.00	13.87
		134	5670		14.00	13.85
		142	5710		14.00	13.68
	802.11n-VHT80	106	5530	MCS0	13.00	12.66
		122	5610		14.00	13.88
		138	5690		14.00	13.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main Antenna						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5800 MHz	802.11a	149	5745	6Mbps	14.00	13.98
		157	5785		14.00	13.67
		165	5825		14.00	13.95
	802.11n-HT20	149	5745	MCS0	14.00	13.71
		157	5785		14.00	13.65
		165	5825		14.00	13.83
	802.11n-VHT20	149	5745	MCS0	14.00	13.76
		157	5785		14.00	13.75
		165	5825		14.00	13.66
	802.11n-HT40	151	5755	MCS0	14.00	13.76
		159	5795		14.00	13.56
	802.11n-VHT40	151	5755	MCS0	14.00	13.82
		159	5795		14.00	13.98
	802.11n-VHT80	155	5775	MCS0	14.00	13.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux (CH1)

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
2450 MHz	802.11b	1	2412	1Mbps	15.00	14.90
		6	2437		15.00	14.92
		11	2462		15.00	14.83
		12	2467		15.00	14.90
		13	2472		8.00	7.55
	802.11g	1	2412	6Mbps	15.00	14.92
		6	2437		15.00	14.88
		11	2462		15.00	14.88
		12	2467		13.00	12.91
		13	2472		-3.00	—
	802.11n-HT20	1	2412	MCS0	15.00	14.69
		6	2437		15.00	14.81
		11	2462		15.00	14.63
		12	2467		13.00	12.94
		13	2472		-3.00	—
	802.11n-HT40	3	2422	MCS0	15.00	14.73
		6	2437		15.00	14.63
		9	2452		15.00	14.61
		10	2457		12.00	11.94
		11	2462		-4.00	—

#.Power measurement for 802.11g/n(20) CH13 & n(40) CH11 is not required since the maximum output power of those channels is far below the other channels.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	14.00	13.76
		40	5200		14.00	13.82
		44	5220		14.00	13.90
		48	5240		14.00	13.72
	802.11n-HT20	36	5180	MCS0	14.00	13.80
		40	5200		14.00	13.84
		44	5220		14.00	13.87
		48	5240		14.00	13.93
	802.11n-VHT20	36	5180	MCS0	14.00	13.63
		40	5200		14.00	13.79
		44	5220		14.00	13.89
		48	5240		14.00	13.85
	802.11n-HT40	38	5190	MCS0	14.00	13.98
		46	5230		14.00	13.96
	802.11n-VHT40	38	5190	MCS0	14.00	13.66
		46	5230		14.00	13.88
802.11n-VHT80	42	5210	MCS0	13.00	12.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	14.00	13.97
		56	5280		14.00	13.75
		60	5300		14.00	13.99
		64	5320		14.00	13.78
	802.11n-HT20	52	5260	MCS0	14.00	13.82
		56	5280		14.00	13.75
		60	5300		14.00	13.84
		64	5320		14.00	13.71
	802.11n-VHT20	52	5260	MCS0	14.00	13.84
		56	5280		14.00	13.73
		60	5300		14.00	13.84
		64	5320		14.00	13.76
	802.11n-HT40	54	5270	MCS0	14.00	13.78
		62	5310		14.00	13.99
	802.11n-VHT40	54	5270	MCS0	14.00	13.64
		62	5310		14.00	13.52
802.11n-VHT80	58	5290	MCS0	12.00	11.86	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5600 MHz	802.11a	100	5500	6Mbps	14.00	13.69
		120	5600		14.00	13.58
		124	5620		14.00	13.86
		128	5640		14.00	13.89
		140	5700		14.00	13.86
	802.11n-HT20	100	5500	MCS0	14.00	13.75
		120	5600		14.00	13.90
		124	5620		14.00	13.84
		128	5640		14.00	13.57
		140	5700		14.00	13.84
	802.11n-VHT20	100	5500	MCS0	14.00	13.75
		120	5600		14.00	13.84
		124	5620		14.00	13.83
		128	5640		14.00	13.55
		140	5700		14.00	13.69
		144	5720		14.00	13.72
	802.11n-HT40	102	5510	MCS0	14.00	13.96
		110	5550		14.00	13.75
		118	5590		14.00	13.79
		126	5630		14.00	13.85
		134	5670		14.00	13.97
	802.11n-VHT40	102	5510	MCS0	14.00	13.81
		118	5590		14.00	13.51
		126	5630		14.00	13.96
		134	5670		14.00	13.86
		142	5710		14.00	13.97
	802.11n-VHT80	106	5530	MCS0	14.00	13.76
		122	5610		14.00	13.98
		138	5690		14.00	13.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux Antenna						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance	Average power (dBm)
5800 MHz	802.11a	149	5745	6Mbps	14.00	13.92
		157	5785		14.00	13.90
		165	5825		14.00	13.51
	802.11n-HT20	149	5745	MCS0	14.00	13.59
		157	5785		14.00	13.72
		165	5825		14.00	13.77
	802.11n-VHT20	149	5745	MCS0	14.00	13.94
		157	5785		14.00	13.73
		165	5825		14.00	13.63
	802.11n-HT40	151	5755	MCS0	14.00	13.71
		159	5795		14.00	13.84
	802.11n-VHT40	151	5755	MCS0	14.00	13.75
		159	5795		14.00	13.57
	802.11n-VHT80	155	5775	MCS0	14.00	13.99

Bluetooth conducted power table:

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)			Max. Rated Avg. Power + Max. Tolerance (dBm)
			1Mbps	2Mbps	3Mbps	
BR/EDR	CH 00	2402	7.33	4.44	4.39	8
	CH 39	2441	6.42	3.32	3.31	
	CH 78	2480	7.03	3.61	3.52	

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)
			GFSK	
LE	CH 00	2402	-4.76	7
	CH 19	2440	-5.84	
	CH 39	2480	-5.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3.1 LTE Downlink CA specification

LTE Downlink 2CA conducted power table

Two Component Carrier Maximum Conducted Power																
PCC					SCC					Power		Configurations	Max. Power			
PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel			SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)
LTE B2	20	19100	1900	QPSK	100	0	1100	1980	LTE B2	5	625	1932.5	22.58	22.79	CA_2A-2A	Full power
LTE B2	20	19100	1900	16QAM	100	0	1100	1980	LTE B2	5	625	1932.5	15.94	16.09	CA_2A-2A	Reduced power
LTE B4	20	20050	1720	QPSK	100	0	2050	2120	LTE B4	20	2300	2145	22.39	23.11	CA_4A-4A	Full power
LTE B4	20	20050	1720	16QAM	100	0	2050	2120	LTE B4	20	2300	2145	13.55	15.56	CA_4A-4A	Reduced power
LTE B5	10	20600	844	QPSK	50	0	2600	889	LTE B5	5	2528	881.8	22.21	22.52	CA_5B	Full power
LTE B5	10	20600	844	16QAM	50	0	2600	889	LTE B5	5	2528	881.8	21.60	21.98	CA_5B	Reduced power
LTE B2	20	19100	1900	QPSK	100	0	1100	1980	LTE B4	20	2175	2132.5	22.23	22.79	CA_2A-4A	Full power
LTE B2	20	19100	1900	16QAM	100	0	1100	1980	LTE B4	20	2175	2132.5	15.56	16.09	CA_2A-4A	Reduced power
LTE B4	20	20050	1720	QPSK	100	0	2050	2120	LTE B2	20	900	1960	23.09	23.11	CA_2A-4A	Full power
LTE B4	20	20050	1720	16QAM	100	0	2050	2120	LTE B2	20	900	1960	14.21	15.56	CA_2A-4A	Reduced power
LTE B2	20	19100	1900	QPSK	100	0	1100	1980	LTE B5	10	2525	881.5	21.63	22.79	CA_2A-5A	Full power
LTE B2	20	19100	1900	16QAM	100	0	1100	1980	LTE B5	10	2525	881.5	15.17	16.09	CA_2A-5A	Reduced power
LTE B5	10	20600	844	QPSK	50	0	2600	889	LTE B2	20	900	1960	21.87	22.52	CA_2A-5A	Full power
LTE B5	10	20600	844	16QAM	50	0	2600	889	LTE B2	20	900	1960	21.43	21.98	CA_2A-5A	Reduced power
LTE B2	20	19100	1900	QPSK	100	0	1100	1980	LTE B13	10	5230	751	22.49	22.79	CA_2A-13A	Full power
LTE B2	20	19100	1900	16QAM	100	0	1100	1980	LTE B13	10	5230	751	15.42	16.09	CA_2A-13A	Reduced power
LTE B13	10	23230	782	QPSK	50	0	5230	751	LTE B2	20	900	1960	21.95	22.46	CA_2A-13A	Full power
LTE B13	10	23230	782	QPSK	50	0	5230	751	LTE B2	20	900	1960	20.72	20.96	CA_2A-13A	Reduced power
LTE B2	20	19100	1900	QPSK	100	0	1100	1980	LTE B29	10	9715	722.5	21.58	22.79	CA_2A-29A	Full power
LTE B2	20	19100	1900	16QAM	100	0	1100	1980	LTE B29	10	9715	722.5	15.31	16.09	CA_2A-29A	Reduced power
LTE B4	20	20050	1720	QPSK	100	0	2050	2120	LTE B5	10	2525	881.5	23.00	23.11	CA_4A-5A	Full power
LTE B4	20	20050	1720	16QAM	100	0	2050	2120	LTE B5	10	2525	881.5	14.79	15.56	CA_4A-5A	Reduced power
LTE B5	10	20600	844	QPSK	50	0	2600	889	LTE B4	20	2175	2132.5	21.83	22.52	CA_4A-5A	Full power
LTE B5	10	20600	844	16QAM	50	0	2600	889	LTE B4	20	2175	2132.5	21.52	21.98	CA_4A-5A	Reduced power
LTE B4	20	20050	1720	QPSK	100	0	2050	2120	LTE B13	10	782	5230	22.90	23.11	CA_4A-13A	Full power
LTE B4	20	20050	1720	16QAM	100	0	2050	2120	LTE B13	10	782	5230	15.02	15.56	CA_4A-13A	Reduced power
LTE B13	10	23230	782	QPSK	50	0	5230	751	LTE B4	20	2175	2132.5	22.07	22.46	CA_4A-13A	Full power
LTE B13	10	23230	782	QPSK	50	0	5230	751	LTE B4	20	2175	2132.5	20.25	20.96	CA_4A-13A	Reduced power
LTE B5	10	20600	844	QPSK	50	0	2600	889	LTE B3	20	1575	1842.5	21.99	22.52	CA_3A-5A	Full power
LTE B5	10	20600	844	16QAM	50	0	2600	889	LTE B3	20	1575	1842.5	21.04	21.98	CA_3A-5A	Reduced power

LTE Downlink 3CA conducted power table

Three Component Carrier Maximum Conducted Power																				
PCC					SCC 1					SCC 2					Power		Configurations	Max. Power		
PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]			LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)
LTE B2	20	19100	1900	QPSK	100	0	1100	1980	LTE B2	5	625	1932.5	LTE B5	10	2525	881.5	22.54	22.79	CA_2A-2A-5A	Full power
LTE B2	20	19100	1900	16QAM	100	0	1100	1980	LTE B2	5	625	1932.5	LTE B5	10	2525	881.5	16.01	16.09	CA_2A-2A-5A	Reduced power
LTE B5	10	20525	836.5	QPSK	1	25	2525	881.5	LTE B2	20	1100	1980	LTE B2	5	625	1932.5	22.50	23.45	CA_2A-2A-5A	Full power
LTE B5	10	20525	836.5	QPSK	1	25	2525	881.5	LTE B2	20	1100	1980	LTE B2	5	625	1932.5	21.72	22.39	CA_2A-2A-5A	Reduced power
LTE B2	20	19100	1900	QPSK	100	0	1100	1980	LTE B2	5	625	1932.5	LTE B13	10	5230	751	22.44	22.79	CA_2A-2A-13A	Full power
LTE B2	20	19100	1900	16QAM	100	0	1100	1980	LTE B2	5	625	1932.5	LTE B13	10	5230	751	15.95	16.09	CA_2A-2A-13A	Reduced power
LTE B13	10	23230	782	QPSK	1	0	5230	751	LTE B2	20	1100	1980	LTE B2	5	625	1932.5	22.42	23.49	CA_2A-2A-13A	Full power
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B2	20	1100	1980	LTE B2	5	625	1932.5	19.80	21.38	CA_2A-2A-13A	Reduced power
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	22.58	23.82	CA_2A-4A-5A	Full power
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	16.16	16.39	CA_2A-4A-5A	Reduced power
LTE B4	10	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B2	20	900	1960	LTE B5	10	2525	881.5	23.14	24.20	CA_2A-4A-5A	Full power
LTE B4	15	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B2	20	900	1960	LTE B5	10	2525	881.5	14.81	16.37	CA_2A-4A-5A	Reduced power
LTE B5	10	20525	836.5	QPSK	1	25	2525	881.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	22.74	23.45	CA_2A-4A-5A	Full power
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	21.65	22.39	CA_2A-4A-5A	Reduced power
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B4	20	2175	2132.5	LTE B13	10	5230	751	23.11	23.82	CA_2A-4A-13A	Full power
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B4	20	2175	2132.5	LTE B13	10	5230	751	16.24	16.39	CA_2A-4A-13A	Reduced power
LTE B4	10	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B2	20	900	1960	LTE B13	10	5230	751	22.88	24.20	CA_2A-4A-13A	Full power
LTE B4	15	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B2	20	900	1960	LTE B13	10	5230	751	14.67	16.37	CA_2A-4A-13A	Reduced power
LTE B13	10	23230	782	QPSK	1	0	5230	751	LTE B2	20	1100	1980	LTE B4	20	2175	2132.5	22.70	23.49	CA_2A-4A-13A	Full power
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B2	20	1100	1980	LTE B4	20	2175	2132.5	20.35	21.38	CA_2A-4A-13A	Reduced power
LTE B4	20	20050	1720	QPSK	100	0	2050	2120	LTE B4	20	2300	2145	LTE B5	10	2525	881.5	20.76	23.11	CA_4A-4A-5A	Full power
LTE B4	20	20050	1720	16QAM	100	0	2050	2120	LTE B4	20	2300	2145	LTE B5	10	2525	881.5	14.09	15.56	CA_4A-4A-5A	Reduced power
LTE B5	10	20525	836.5	QPSK	1	25	2525	881.5	LTE B4	20	2050	2120	LTE B4	20	2300	2145	22.84	23.45	CA_4A-4A-5A	Full power
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B4	20	2050	2120	LTE B4	20	2300	2145	21.92	22.39	CA_4A-4A-5A	Reduced power
LTE B4	20	20050	1720	QPSK	100	0	2050	2120	LTE B4	20	2300	2145	LTE B13	10	5230	751	21.68	23.11	CA_4A-4A-13A	Full power
LTE B4	20	20050	1720	16QAM	100	0	2050	2120	LTE B4	20	2300	2145	LTE B13	10	5230	751	13.20	15.56	CA_4A-4A-13A	Reduced power
LTE B13	10	23230	782	QPSK	1	0	5230	751	LTE B4	20	2050	2120	LTE B4	20	2300	2145	22.90	23.49	CA_4A-4A-13A	Full power
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B4	20	2050	2120	LTE B4	20	2300	2145	20.27	21.38	CA_4A-4A-13A	Reduced power
LTE B5	10	20525	836.5	QPSK	1	25	2525	881.5	LTE B3	20	1550	1840	LTE B3	5	1667	1851.7	23.01	23.45	CA_3C-5A	Full power
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B3	20	1550	1840	LTE B3	5	1667	1851.7	21.46	22.39	CA_3C-5A	Reduced power

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE CA information

A) The device supports downlink LTE Carrier Aggregation (CA) only. It supports a maximum of 3 carriers in the downlink. Other Release 10 features or higher features are not supported, including Uplink Carrier Aggregation, Enhanced SC-FDMA and Uplink MIMO or other antenna diversity configurations etc. All uplink communications are identical to the Release 8 Specifications.

The possible downlink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.521-1 V14.3.0. The conducted power measurement results of downlink LTE CA are provided as above per 3GPP TS 36.521-1 V14.3.0. According to KDB 941225 D05A, the downlink LTE CA SAR test is not required.

B)

i) Combinations supported for intra-band carrier aggregation.

Table 1: intra-band contiguous CA

E-UTRA CA configuration	Component carriers in order of increasing carrier frequency			Maximum aggregated bandwidth [MHz]	Bandwidth combination set
	Channel bandwidths for carrier [MHz]	Channel bandwidths for carrier [MHz]	Channel bandwidths for carrier [MHz]		
CA_5B	5,10	10		20	0
	20	20			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 2: intra-band non-contiguous CA (with two sub-blocks)

-UTRACA configuration	Component carriers in order of increasing carrier frequency			Maximum aggregated bandwidth [MHz]	Bandwidth combination set
	Channel bandwidths for carrier [MHz]	Channel bandwidths for carrier [MHz]	Channel bandwidths for carrier [MHz]		
CA_2A-2A	5,10,15,20	5,10,15,20		40	0
CA_4A-4A	5,10,15,20	5,10,15,20		40	0
	5,10	5,10		20	1

ii) The frequency band combinations supported for inter-band carrier aggregation.

Inter-band CA combinations

2 bands / 2 CC	2 bands / 3 CC	3 bands / 3 CC
CA_2A-4A		CA_2A-4A-5A
CA_2A-5A	CA_2A-2A-5A	
CA_2A-13A	CA_2A-2A-13A	CA_2A-4A-13A
CA_2A-29A		
CA_3A-5A	CA_3C-5A	
CA_4A-5A	CA_4A-4A-5A	
CA_4A-13A	CA_4A-4A-13A	

Table 3: inter-band CA (two bands)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

E-UTRA CA Configuration	E-UTRA Bands	1.4 MHz	3 MHz	5 MHz	10 MHz	15 MHz	20 MHz	Maximum aggregated bandwidth [MHz]	Bandwidth combination set
CA_2A-4A	2	Yes	Yes	Yes	Yes	Yes	Yes	40	0
	4			Yes	Yes	Yes	Yes		
	2			Yes	Yes			20	1
	4			Yes	Yes				
	2			Yes	Yes	Yes	Yes	40	2
	4			Yes	Yes	Yes	Yes		
CA_2A-5A	2			Yes	Yes	Yes	Yes	30	0
	5			Yes	Yes				
	2			Yes	Yes			20	1
	5			Yes	Yes				
CA_2A-2A-5A	2	See CA_2A-2A Bandwidth Combination Set 0 in table 2						50	0
	5			Yes	Yes				
CA_2A-13A	2			Yes	Yes	Yes	Yes	30	0
	13				Yes				
	2			Yes	Yes			20	1
	13				Yes				
CA_2A-2A-13A	2	See CA_2A-2A Bandwidth Combination Set 0 in table 2						50	0
	13				Yes				
CA_2A-29A	2			Yes	Yes			20	0
	29		Yes	Yes	Yes				
	2			Yes	Yes			20	1
	29			Yes	Yes				
	2			Yes	Yes	Yes	Yes	30	2
	29			Yes	Yes				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CA_3A-5A	3				Yes	Yes	Yes	30	0
	5			Yes	Yes				
	3				Yes			20	1
	5			Yes	Yes				
	3				Yes	Yes	Yes	30	2
	5			Yes	Yes				
	3				Yes	Yes	Yes	30	3
	5	Yes	Yes	Yes					
	3		Yes	Yes	Yes			20	4
	5		Yes	Yes	Yes				
CA_3C-5A	3	See CA_3C Bandwidth Combination Set						50	0
	5			Yes	Yes				
CA_4A-5A	4			Yes	Yes			20	0
	5			Yes	Yes				
	4			Yes	Yes	Yes	Yes	30	1
	5			Yes	Yes				
CA_4A-4A-5A	4	See CA_4A-4A Bandwidth Combination Set 0 in table 2						50	0
	5			Yes	Yes				
CA_4A-13A	4			Yes	Yes	Yes	Yes	30	0
	13				Yes				
E-UTRA CA Configuration	E-UTRA Bands	1.4 MHz	3 MHz	5 MHz	10 MHz	15 MHz	20 MHz	Maximum aggregated bandwidth [MHz]	Bandwidth combination set
	4			Yes	Yes			20	1
	13				Yes				
CA_4A-4A-13A	4	See CA_4A-4A Bandwidth Combination Set 0 in table 2						50	0
	13				Yes				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 4: inter-band CA (three bands)

E-UTRA CA Configuration	E-UTRA Bands	1.4 MHz	3 MHz	5 MHz	10 MHz	15 MHz	20 MHz	Maximum aggregated bandwidth [MHz]	Bandwidth combination set
CA_2A-4A-5A	2			Yes	Yes	Yes	Yes	50	0
	4			Yes	Yes	Yes	Yes		
	5			Yes	Yes				
CA_2A-4A-13A	2			Yes	Yes	Yes	Yes	50	0
	4			Yes	Yes	Yes	Yes		
	13				Yes				

Note:

- 1) For the inter-band CA combinations, except B29 can't be PCC, other listed bands above can be used as PCC or SCC.
- 2) The channel spacing and aggregated channel bandwidth for CA are identical to the associated specification in 3GPP TS 36.521-1 V14.3.0.
- 3) The reference test frequencies for CA refers to 3GPP TS 36.508 V14.2.0
- 4) Testing is not required in bands or modes not intended/allowed for US operation

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4 Test Environment

Ambient Temperature: 22±2° C
Tissue Simulating Liquid: 22±2° C

1.5 Operation Description

For WWAN, the EUT is controlled by using a Radio Communication Tester (Anritsu MT8820C and R&S CMW500), and the communication between the EUT and the tester is established by air link.

For WLAN, using chipset specific software to control the EUT, and makes it transmit in maximum power. The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.

EUT was tested as below,

WWAN (UMTS B2/4/5, LTE B2/4/5/12/13/26)

Back/top_0mm with power reduction

Back/top_10mm and right/Left sides_0mm without power reduction

(Testing backside SAR in 10mm without power reduction is more conservative than 12mm.)

WWAN (LTE B17/25/30/41/66)

Back/top_0mm with power reduction

Back_12mm / top_10mm and right/Left sides_0mm without power reduction

(For backside, the worst trigger distance of proximity sensor is 13mm, thus we test backside SAR in 12mm without power reduction.)


WLAN

Back/top/left sides_0mm without power reduction

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Antenna location

(The p-sensor is colocated with WWAN antenna)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note:

1. During the SAR testing, the DASY 5 system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.
2. The 3G SAR test reduction procedure is applied to HSDPA with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSDPA) is $\leq \frac{1}{4}$ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSDPA).
3. The 3G SAR test reduction procedure is applied to HSPA (HSUPA/HSDPA with RMC) with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA) is $\leq \frac{1}{4}$ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA).
4. The 3G SAR test reduction procedure is applied to HSPA+ with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA+) is $\leq \frac{1}{4}$ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA+).
5. LTE modes test according to **KDB 941225D05v02r05**.
 - a. Per Section 5.2.1, the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation.
 - Using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
 - When the reported SAR is ≤ 0.8 W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel.
 - When the reported SAR of a required test channel is > 1.45 W/kg, SAR is required for all three RB offset configurations for that required test channel.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

b. Per Section 5.2.2, the largest channel bandwidth and measure SAR for QPSK with 50% RB allocation

- The procedures required for 1 RB allocation in 5.2.1 are applied to measure the SAR for QPSK with 50% RB allocation.

c. Per Section 5.2.3, the largest channel bandwidth and measure SAR for QPSK with 100% RB allocation

- For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 5.2.1 and 5.2.2 are ≤ 0.8 W/kg.
- Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.

d. Per Section 5.2.4, Higher order modulations

- For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in sections 5.2.1, 5.2.2 and 5.2.3 to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is $> \frac{1}{2}$ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.

e. Per Section 5.3, other channel bandwidth standalone SAR test requirements

- For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section 5.2 to determine the channels and RB configurations that need SAR testing and only measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is $> \frac{1}{2}$ dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg. The equivalent channel configuration for the RB allocation, RB offset and modulation etc. is determined for the smaller channel bandwidth according to the same number of RB allocated in the largest channel bandwidth.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- TDD LTE was tested at highest duty factor using UL-DL configuration 0 with 6 UL subframes and 2 S subframes using extended cyclic prefix only and special subframe configuration 6. SAR tests were performed at maximum output power and worst-case transmission duty factor in extended cyclic prefix. Per 3GPP 36.211 Section 4, the duty factor for special subframe configuration 6 using extended cyclic prefix is 0.633.

LTE downlink CA (KDB942225 D05A)

6. The device supports a maximum of 3 carriers in the downlink. All uplink communications are identical to the Release 8 specifications. Uplink maximum output power is measured with downlink carrier aggregation active, only for the channel with highest measured maximum output power when downlink carrier aggregation is inactive, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive.
7. The downlink channels selected to perform the uplink power measurement must satisfy 3GPP channel spacing (5.4.1A of 3GPP TS 36.521 or equivalent) and channel bandwidth (5.4.2A) requirements. The nominal channel spacing is determined by $[BW1 + BW2 - 0.1 * |BW1 - BW2|] / 2$ MHz, where BW1 and BW2 are the channel bandwidths of the CC in a 2-CC aggregation configuration.
8. The downlink PCC channel should be paired with the uplink channel according to normal configurations, as if there is no carrier aggregation. The downlink SCC should be adjacent to the PCC and remain within the downlink transmission band for contiguous intra-band CA. For non-contiguous intra-band CA, the SCC should be selected to provide maximum separation from the PCC and must remain fully within the downlink transmission band. For inter-band CA, the SCC should be near the middle of its transmission band.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9. When downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than $\frac{1}{4}$ dB higher than the maximum output power measured when downlink carrier aggregation inactive, so SAR evaluation is not required for downlink carrier aggregation.

802.11b DSSS SAR Test Requirements:

10. SAR is measured for 2.4 GHz 802.11b DSSS mode using the highest measured maximum output power channel, when the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration.
11. When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.

802.11g/n OFDM SAR Test Exclusion Requirements:

12. SAR is not required for 802.11g/n since the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Initial Test Configuration:

13. An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band.
14. SAR is measured using the highest measured maximum output power channel. When the reported SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for the subsequent next highest measured output power channel(s) in the initial test configuration until the reported SAR is ≤ 1.2 W/kg or all required channels are tested.
15. For WLAN Main/Aux, 5.2n(40)/5.3a/n(40)/5.6ac(80)/5.8ac(80) is chosen to be the initial test configuration.
16. Since the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for subsequent test configuration.
17. According to KDB447498D01v06, testing of other required channels is not required Based on KDB447498D01,

- (1) SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

$$\frac{\text{Max. tune up power(mW)}}{\text{Min. test separation distance(mm)}} \times \sqrt{f(\text{GHz})} \leq 3$$

When the minimum test separation distance is < 5 mm, 5mm is applied to determine SAR test exclusion.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

(2) For test separation distances > 50 mm, and the frequency at 100 MHz to 1500MHz, the SAR test exclusion threshold is determined according to the following, and as illustrated in Appendix B of KDB447498 D01.

$$\left[\left(\text{Threshold at 50mm in step1} \right) + \left(\text{test separation distance} - 50\text{mm} \right) \times \left(\frac{f(\text{MHz})}{100} \right) \right] (\text{mW}),$$

(3) For test separation distances > 50 mm, and the frequency at >1500MHz to 6GHz, the SAR test exclusion threshold is determined according to the following, and as illustrated in Appendix B of KDB447498 D01.

Mode	WCDMA B2	WCDMA B4	WCDMA B5	LTE Band 2	LTE Band 4	LTE Band 5	LTE Band 12	LTE Band 13	LTE Band 17	LTE Band 25	LTE Band 26	LTE Band 30	LTE Band 41	LTE Band 66	
Max. tune-up power(dBm)	25	25	25	25	25	25	25	25	25	25	25	24	25	25	
Max. tune-up power(mW)	316.228	316.228	316.228	316.228	316.228	316.228	316.228	316.228	316.228	316.228	316.228	251.189	316.228	316.228	
Right side	Test separation distance (mm)	29.25	29.25	29.25	29.25	29.25	29.25	29.25	29.25	29.25	29.25	29.25	29.25	29.25	
	Calculation value	14.932	14.313	9.947	14.902	14.281	9.932	9.116	9.560	9.116	14.922	9.917	13.052	17.699	14.383
	Require SAR testing?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Left side	Test separation distance (mm)	170.7	170.7	170.7	170.7	170.7	170.7	170.7	170.7	170.7	170.7	170.7	170.7	170.7	
	Calculation value	1215.735	1215.373	687.050	1215.718	1215.355	684.949	577.451	634.842	577.451	1215.729	682.929	1214.635	1217.354	1215.414
	Require SAR testing?	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Bottom side	Test separation distance (mm)	196.2	196.2	196.2	196.2	196.2	196.2	196.2	196.2	196.2	196.2	196.2	196.2	196.2	
	Calculation value	1434.735	1434.373	810.654	1434.718	1434.355	808.173	681.257	749.014	698.321	1470.729	805.788	1469.635	1472.354	1470.414
	Require SAR testing?	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Mode	WCDMA B2	WCDMA B4	WCDMA B5	LTE Band 2	LTE Band 4	LTE Band 5	LTE Band 12	LTE Band 13	LTE Band 17	LTE Band 25	LTE Band 26	LTE Band 30	LTE Band 41	LTE Band 66	
Max. tune-up power(dBm)	16.5	16.5	22.5	16.5	16.5	22.5	19.5	21.5	19	16	22.5	13	15.5	16.5	
Max. tune-up power(mW)	44.668	44.668	177.828	44.668	44.668	177.828	89.125	141.250	79.433	39.811	177.828	19.953	35.481	44.668	
Top side	Test separation distance (mm)	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	
	Calculation value	12.339	11.827	32.724	12.314	11.801	32.674	15.030	24.982	13.396	10.989	32.625	6.065	11.617	11.885
	Require SAR testing?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Back side	Test separation distance (mm)	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	less than 5	
	Calculation value	12.339	11.827	32.724	12.314	11.801	32.674	15.030	24.982	13.396	10.989	32.625	6.065	11.617	11.885
	Require SAR testing?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode		WLAN Main 2.45GHz	WLAN Main 5GHz	BT
Max. tune-up power(dBm)		15	14	8
Max. tune-up power(mW)		31.623	25.119	6.310
Right side	Test separation distance (mm)	260	260	260
	>20cm	YES	YES	YES
	Require SAR testing?	NO	NO	NO
Left side	Test separation distance (mm)	5.05	5.05	5.05
	Calculation value	9.825	12.005	1.968
	Require SAR testing?	YES	YES	NO
Bottom side	Test separation distance (mm)	192.6	192.6	192.6
	Calculation value	1426.992	1427.212	1426.199
	Require SAR testing?	NO	NO	NO
Top side	Test separation distance (mm)	less than 5	less than 5	less than 5
	Calculation value	9.924	12.125	1.987
	Require SAR testing?	YES	YES	NO
Back side	Test separation distance	less than 5	less than 5	less than 5
	Calculation value	9.924	12.125	1.987
	Require SAR testing?	YES	YES	NO

Mode		WLAN Aux 2.45GHz	WLAN Aux 5GHz
Max. tune-up power(dBm)		15	14
Max. tune-up power(mW)		31.623	25.119
Right side	Test separation distance (mm)	195	195
	Calculation value	1450.992	1451.212
	Require SAR testing?	NO	NO
Left side	Test separation distance (mm)	66.05	66.05
	Calculation value	161.492	161.712
	Require SAR testing?	YES	YES
Bottom side	Test separation distance (mm)	192.6	192.6
	Calculation value	1426.992	1427.212
	Require SAR testing?	NO	NO
Top side	Test separation distance (mm)	less than 5	less than 5
	Calculation value	9.924	12.125
	Require SAR testing?	YES	YES
Back side	Test separation distance	less than 5	less than 5
	Calculation value	9.924	12.125
	Require SAR testing?	YES	YES

18. According to **KDB447498D01v06**, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is ≤ 0.8 W/kg, when the transmission band is ≤ 100 MHz.
19. According to **KDB865664D01v01r04**, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6 Proximity sensor operation description

The P-sensor being used to reduce output power is capacitive in which when the object such as human body, metal or plastic is being approached, the sensing capacitance would be increased with the antenna pad. Once the capacitance is accumulated, and reached over the threshold as set in MCU of the microchip, the interruption signal is pulled low (High state without trigger) and further inform modem module of the transmitter to make power reduction.




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.1 Proximity sensor measurement procedure

1. The proximity sensor is collocated with WWAN antenna.
2. Output power is measured, and monitored by using the communication tester. A RF cables with sufficient length was being attached from the antenna port of the module, and used for the measurement. The appropriate loss attenuated from cable is compensated in the communication tester.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.2 Trigger distances for back/top side

Test procedure:

1. The entire back surface or edge of the tablet is positioned below a flat phantom filled with the required tissue equivalent medium and positioned at least 20 mm further than the distance that triggers power reduction.
2. The back surface or edge is moved toward the phantom in 3 mm steps until the sensor triggers.
3. The back surface or edge is then moved back (further away) from the phantom until maximum output power is returned to the normal maximum level.
4. The back surface or edge is again moved toward the phantom, but in 1 mm steps, until it is at least 5 mm past the triggering point or touching the phantom
5. If the tablet is not touching the phantom, it is moved in 3 mm steps until it touches the phantom to confirm that the sensor remains triggered and the maximum power stays reduced.
6. The process is then reversed by moving the tablet away from the phantom to determine triggering release, until it is at least 10 mm beyond the point that triggers the return of normal maximum power.
7. The measured output power within ± 5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom should be tabulated.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8. To ensure all production units are compliant, it is generally necessary to reduce the triggering distance determined from the triggering tests by 1 mm, or more if it is necessary, and use the smallest distance for movements to and from the phantom, minus 1 mm, as the sensor triggering distance for determining the SAR measurement distance.
9. For back side, the trigger distance of proximity sensor is 13mm.
10. For top side, the trigger distance of proximity sensor is 12mm, and we perform the 1.6.3 tilt angle testing in next step.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.3 Tilt angle testing

Test procedure:

1. The influence of table tilt angles to proximity sensor triggering is determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom, at the smallest sensor triggering test distance determined in sections 1.6.2 by rotating the tablet around the edge next to the phantom in ≤ 10 deg increments until the tablet is ± 45 deg or more from the vertical position at 0 deg.
2. If sensor triggering is released and normal maximum output power is restored within the ± 45 deg range, the procedures in step 1) should be repeated by reducing the tablet to phantom separation distance by 1 mm until the proximity sensor no longer releases triggering, and maximum output power remains in the reduced mode.
3. The smallest separation distance determined in steps 1) and 2), minus 1 mm, is the sensor triggering distance for tablet tilt coverage. The smallest separation distance determined in sections 1.6.2, 1.6.3 minus 1 mm should be used in the SAR measurements.
4. The influence of tablet tilt angles to proximity sensor triggering is determined by positioning top and right sides, please refer to table 1.6.5 and 1.6.6.
5. After the tilt angle testing for top side, the sensor is not released during ± 45 deg, so $12-1=11$ mm, is the sensor triggering distance for tablet tilt coverage. The smallest separation distance minus 1 mm ($11-1=10$ mm) should be used in the SAR measurements.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.4 Proximity sensor coverage

The following procedures do not apply and are not required for configurations where the antenna and sensor are collocated and the peak SAR location is overlapping with the sensor.

Test procedure:

1. The back surface or edges of the tablet is positioned at a test separation distance less than or equal to the distance required for back surface or edge triggering, with both the antenna and sensor pad located at least 20 mm laterally outside the edge (boundary) of the phantom, along the direction of maximum antenna and sensor offset.
2. The similar sequence of steps applied to determine sensor triggering distance in section 1.6.2 are used to verify back surface and edge sensor coverage by moving the tablet (sensor and antenna) horizontally toward the phantom while maintaining the same vertical separation between the back surface or edge and the phantom.
3. After the exact location where triggering of power reduction is determined, with respect to the sensor and antenna, the tablet movement should be continued, in 3 mm increments, until both the sensor and antenna(s) are fully under the phantom and at least 20 mm inside the phantom edge.
4. The process is then repeated from the other direction, at the opposite end of maximum antenna and sensor offset, by rotating the tablet 180 degrees.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.5 Results

The measured output power within ± 5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom is tabulated in the following.

Back side

Moving device toward the phantom




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Moving device away from the phantom



For back side, the worst trigger distance of proximity sensor is 13mm, thus we test back side SAR in 12mm without power reduction and 0mm with power reduction. (For UMTS B2/4/5 & LTE B2/4/5/12/13/26, backside SAR without power reduction at 10mm is performed and 10mm is more conservative than 12mm.)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Top side

Moving device toward the phantom



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Moving device away from the phantom




Table 1.6.5 Tilt angle test results for top side

P-sensor ON/OFF	-50 deg	-45 deg	-40 deg	-30 deg	-20 deg	-10 deg	0 deg	10 deg	20 deg	30 deg	40 deg	45 deg	50 deg
12mm	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON

During the tilt angle testing for top side, the sensor is not released in 12mm, so 12-1=11mm, is the sensor triggering distance for tablet tilt coverage. The smallest separation distance minus 1 mm(11-1=10mm) should be used in the SAR measurements for top side.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note:

1. The triggering variations and hysteresis effect has been evaluated separately according to the tissue-equivalent medium required for each frequency band, and sensor triggering does not change with different tissue-equivalent media.
2. The default power level for sensor failure and malfunctioning, including all compliance concerns, has been addressed in the client's operation description (1.6.6) for the proximity sensor implementation to be acceptable.
3. Conducted power is monitored qualitatively to identify the general triggering characteristics and recorded quantitatively, versus spacing.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.6 Operation description for P-sensor

Power Reduction Design Specification (for P-sensor)

The mechanism of power reduction is used only for WWAN, not for Wi-Fi and Bluetooth. The reduced power for each technology/band is defined in Table1-1. With P-sensor mechanism, the WCDMA/LTE default power when P-sensor failure or malfunction are show in Table1-2 as below.

Table1-1 : The power reduction scenario table

Band	Power Reduction
WCDMA B2	YES
WCDMA B4	YES
WCDMA B5	YES
LTE B2/4/5/12/13/17/25/26/30/41/66	YES
WLAN	NO
BT	NO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table1-2 : The default maximum power when p-sensor failure or malfunction

Technology / Band	Mode	Default Maximum Power (dBm)
UMTS B2	All	16.5
UMTS B4	All	16.5
UMTS B5	All	22.5
LTE B2	All	16.5
LTE B4	All	16.5
LTE B5	All	22.5
LTE B12	All	19.5
LTE B13	All	21.5
LTE B17	All	19
LTE B25	All	16
LTE B26	All	22.5
LTE B30	All	13
LTE B41	All	15.5
LTE B66	All	16.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.7 The SAR Measurement System

A block diagram of the SAR measurement System is given in Fig. a. This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (SPEAG DASY 5 professional system). The model EX3DV4 field probe is used to determine the internal electric fields. The SAR can be obtained from the equation $SAR = \sigma (|E_i|^2) / \rho$ where σ and ρ are the conductivity and mass density of the tissue-simulant.

The DASY 5 system for performing compliance tests consists of the following items:

1. A standard high precision 6-axis robot (Staubli RX family) with controller, teach pendant and software. An arm extension is for accommodating the data acquisition electronics (DAE).
2. A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.
3. A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.




Fig. a The block diagram of SAR system

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4. The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to the DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.
5. The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
6. A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
7. A computer operating Windows 7.
8. DASY 5 software.
9. Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
10. The SAM twin phantom enabling testing left-hand and right-hand usage.
11. The device holder for handheld mobile phones.
12. Tissue simulating liquid mixed according to the given recipes.
13. Validation dipole kits allowing to validate the proper functioning of the system.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.8 System Components

EX3DV4 E-Field Probe


Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 750/835/1750/1900/2300/2450/2600/5200/ 5300/5600/5800MHz Additional CF for other liquids and frequencies upon request	
Frequency	10 MHz to > 6 GHz	
Directivity	± 0.3 dB in HSL (rotation around probe axis) ± 0.5 dB in tissue material (rotation normal to probe axis)	
Dynamic Range	10 µW/g to > 100 mW/g Linearity: ± 0.2 dB (noise: typically < 1 µW/g)	
Dimensions	Tip diameter: 2.5 mm	
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

PHANTOM

Model	ELI	
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.	
Shell Thickness	2 ± 0.2 mm	
Filling Volume	Approx. 30 liters	
Dimensions	Major axis: 600 mm Minor axis: 400 mm	

DEVICE HOLDER

Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin) , which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.9 SAR System Verification

The microwave circuit arrangement for system verification is sketched in Fig. b. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values. These tests were done at 750/835/1750/1900/2300/2450/2600/5200/5300 /5600/5800MHz. The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed in the table 1 (SAR values are normalized to 1W forward power delivered to the dipole). During the tests, the ambient temperature of the laboratory was 21.7°C, the relative humidity was 62% and the liquid depth above the ear reference points was $\geq 15 \text{ cm} \pm 5 \text{ mm}$ (frequency $\leq 3 \text{ GHz}$) or $\geq 10 \text{ cm} \pm 5 \text{ mm}$ (frequency $> 3 \text{ GHz}$) in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.




Fig. b The block diagram of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Validation Kit	S/N	Frequency (MHz)		1W Target SAR-1g (mW/g)	Measured SAR-1g (mW/g)	Measured SAR-1g normalized to 1W	Deviation (%)	Measured Date
D750V3	1015	750	Body	8.76	2.18	8.72	-0.46%	Sep. 06, 2017
D835V2	4d063	835	Body	9.57	2.44	9.76	1.99%	Sep. 07, 2017
D1750V2	1008	1750	Body	36.7	9.35	37.40	1.91%	Sep. 08, 2017
D1900V2	5d173	1900	Body	40.2	10	40.00	-0.50%	Sep. 11, 2017
D2450V2	727	2450	Body	50.6	12.5	50.00	-1.19%	Sep. 12, 2017
D2600V2	1005	2600	Body	55.1	13.9	55.60	0.91%	Sep. 12, 2017
D5GHzV2	1023	5200	Body	72.8	7.52	75.20	3.30%	Sep. 13, 2017
		5300	Body	76.1	7.67	76.70	0.79%	Sep. 13, 2017
		5600	Body	79.6	7.70	77.00	-3.27%	Sep. 14, 2017
		5800	Body	75.9	7.51	75.10	-1.05%	Sep. 14, 2017

Validation Kit	S/N	Frequency (MHz)		1W Target SAR-1g (mW/g)	Measured SAR-1g (mW/g)	Measured SAR-1g normalized to 1W	Deviation (%)	Measured Date
D750V3	1015	750	Body	8.76	2.23	8.92	1.83%	Nov. 21, 2017
D1750V2	1008	1750	Body	36.7	9.08	36.32	-1.04%	Nov. 23, 2017
D1900V2	5d173	1900	Body	40.2	9.99	39.96	-0.60%	Nov. 25, 2017
D2300V2	1023	2300	Body	46.4	11.5	46.00	-0.86%	Nov. 26, 2017
D2600V2	1005	2600	Body	55.1	13.9	55.60	0.91%	Nov. 27, 2017

Table 1. Results of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.10 Tissue Simulant Fluid for the Frequency Band

The dielectric properties for this Head-simulant fluid were measured by using the Agilent Model 85070E Dielectric Probe (rates frequency band 200 MHz to 20 GHz) in conjunction with Network Analyzer.

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within $\pm 5\%$ of the target values.

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ	
Body	Sep. 6, 2017	704	55.710	0.960	57.713	0.941	-3.59%	1.96%	
		707.5	55.697	0.960	57.706	0.943	-3.61%	1.80%	
		711	55.683	0.960	57.698	0.945	-3.62%	1.65%	
		750	55.531	0.963	57.616	0.964	-3.76%	-0.06%	
		782	55.406	0.966	57.549	0.980	-3.87%	-1.46%	
	Sep. 7, 2017	822.5	55.249	0.969	56.449	0.951	-2.17%	1.86%	
		826.4	55.234	0.969	56.433	0.953	-2.17%	1.68%	
		829	55.223	0.970	56.423	0.956	-2.17%	1.44%	
		831.5	55.214	0.970	56.414	0.957	-2.17%	1.28%	
		835	55.200	0.970	56.398	0.960	-2.17%	1.06%	
		836.5	55.195	0.972	56.395	0.961	-2.17%	1.14%	
		836.6	55.195	0.972	56.381	0.963	-2.15%	0.91%	
		841.5	55.180	0.978	56.372	0.964	-2.16%	1.40%	
		844	55.172	0.981	56.361	0.966	-2.15%	1.53%	
	Sep. 8, 2017	846.6	55.164	0.984	56.222	0.968	-1.92%	1.65%	
		1712.4	53.531	1.465	54.112	1.452	-1.09%	0.87%	
		1720	53.511	1.469	54.092	1.455	-1.09%	0.98%	
		1732.4	53.478	1.477	54.063	1.462	-1.09%	1.04%	
		1732.5	53.478	1.477	54.064	1.463	-1.10%	0.97%	
		1745	53.445	1.485	54.032	1.468	-1.10%	1.16%	
		1750	53.432	1.488	54.020	1.470	-1.10%	1.24%	
	Sep. 11, 2017	1752.6	53.425	1.490	54.014	1.472	-1.10%	1.21%	
		1852.4	53.300	1.520	53.321	1.501	-0.04%	1.25%	
		1860	53.300	1.520	53.312	1.506	-0.02%	0.92%	
		1880	53.300	1.520	53.290	1.520	0.02%	0.00%	
		1900	53.300	1.520	53.268	1.534	0.06%	-0.92%	
			1907.6	53.300	1.520	53.261	1.539	0.07%	-1.25%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Body	Sep. 12, 2017	2402	52.764	1.904	53.119	1.885	-0.67%	1.00%
		2437	52.717	1.938	53.045	1.934	-0.62%	0.18%
		2441	52.712	1.941	53.037	1.939	-0.62%	0.12%
		2450	52.700	1.950	53.018	1.952	-0.60%	-0.10%
		2580	52.535	2.134	52.745	2.134	-0.40%	0.02%
		2595	52.515	2.156	52.713	2.155	-0.38%	0.03%
		2600	52.509	2.163	52.703	2.162	-0.37%	0.03%
	2610	52.496	2.177	52.682	2.176	-0.35%	0.04%	
	Sep. 13, 2017	5190	49.028	5.288	50.978	5.415	-3.98%	-2.41%
		5200	49.014	5.299	50.955	5.431	-3.96%	-2.49%
		5230	48.974	5.334	50.886	5.479	-3.91%	-2.71%
		5260	48.933	5.369	50.817	5.527	-3.85%	-2.94%
		5270	48.919	5.381	50.794	5.543	-3.83%	-3.01%
		5300	48.879	5.416	50.725	5.591	-3.78%	-3.23%
		5310	48.865	5.428	50.702	5.607	-3.76%	-3.30%
	5320	48.851	5.439	50.679	5.623	-3.74%	-3.37%	
	Sep. 14, 2017	5600	48.471	5.766	47.521	5.774	1.96%	-0.13%
		5610	48.458	5.778	47.505	5.793	1.97%	-0.26%
		5690	48.349	5.872	47.377	5.945	2.01%	-1.25%
		5775	48.234	5.971	47.241	6.107	2.06%	-2.27%
		5800	48.200	6.000	47.201	6.154	2.07%	-2.57%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Body	Nov, 21. 2017	709	55.691	0.960	54.693	0.923	1.79%	3.87%
		710	55.687	0.960	54.626	0.924	1.91%	3.78%
		711	55.683	0.960	54.612	0.925	1.92%	3.68%
		750	55.531	0.963	54.545	0.927	1.78%	3.78%
	Nov, 23. 2017	1720	53.511	1.469	54.484	1.497	-1.82%	-1.87%
		1745	53.445	1.485	54.460	1.514	-1.90%	-1.93%
		1750	53.432	1.488	54.453	1.516	-1.91%	-1.85%
		1770	53.381	1.501	54.332	1.529	-1.78%	-1.87%
	Nov, 25. 2017	1860	53.300	1.520	52.735	1.534	1.06%	-0.92%
		1882.5	53.300	1.520	52.719	1.535	1.09%	-0.99%
		1900	53.300	1.520	52.703	1.536	1.12%	-1.05%
	Nov, 26. 2017	1905	53.300	1.520	52.698	1.538	1.13%	-1.18%
		2300	52.900	1.807	51.461	1.747	2.72%	3.30%
	Nov, 27. 2017	2310	52.887	1.816	51.453	1.756	2.71%	3.32%
		2506	52.629	2.029	51.093	2.093	2.92%	-3.13%
		2549.5	52.573	2.091	51.057	2.156	2.88%	-3.10%
		2593	52.518	2.153	51.005	2.218	2.88%	-3.03%
		2600	52.509	2.163	50.960	2.230	2.95%	-3.11%
		2636.5	52.463	2.214	50.925	2.284	2.93%	-3.14%
			2680	52.407	2.276	50.872	2.347	2.93%

Table 2. Dielectric Parameters of Tissue Simulant Fluid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The composition of the body tissue simulating liquid:

Frequency (MHz)	Mode	Ingredient						Total amount
		DGMBE	Water	Salt	Preventol D-7	Cellulose	Sugar	
750	Body	—	631.68 g	11.72 g	1.2 g	—	600 g	1.0L(Kg)
850	Body	—	631.68 g	11.72 g	1.2 g	—	600 g	1.0L(Kg)
1750	Body	300.67 g	716.56 g	4.0 g	—	—	—	1.0L(Kg)
1900	Body	300.67 g	716.56 g	4.0 g	—	—	—	1.0L(Kg)
2300	Body	301.7ml	698.3ml	—	—	—	—	1.0L(Kg)
2450	Body	301.7ml	698.3ml	—	—	—	—	1.0L(Kg)
2600	Body	301.7ml	698.3ml	—	—	—	—	1.0L(Kg)

Simulating Liquids for 5 GHz, Manufactured by SPEAG:

Ingredients	Water	Esters, Emulsifiers, Inhibitors	Sodium and Salt
(% by weight)	60-80	20-40	0-1.5

Table 3. Recipes for Tissue Simulating Liquid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.11 Evaluation Procedures

The entire evaluation of the spatial peak values is performed within the Post-processing engine (SEMCAD). The system always gives the maximum values for the 1 g and 10 g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

1. The extraction of the measured data (grid and values) from the Zoom Scan.
2. The calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
3. The generation of a high-resolution mesh within the measured volume
4. The interpolation of all measured values from the measurement grid to the high-resolution grid
5. The extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
6. The calculation of the averaged SAR within masses of 1g and 10g.

The probe is calibrated at the center of the dipole sensors that is located 1 to 2.7mm away from the probe tip. During measurements, the probe stops shortly above the phantom surface, depending on the probe and the surface detecting system. Both distances are included as parameters in the probe configuration file. The software always knows exactly how far away the measured point is from the surface. As the probe cannot directly measure at the surface, the values between the deepest measured point and the surface must be extrapolated. The angle between the probe axis and the surface normal line is less than 30 degree.

In the Area Scan, the gradient of the interpolation function is evaluated to find all the extreme of the SAR distribution. The uncertainty on the locations of the extreme is less than 1/20 of the grid size. Only local maximum within -2 dB of the global maximum are searched and passed for the Cube Scan measurement. In the Cube Scan, the interpolation function is used to extrapolate the Peak SAR from the lowest measurement points to the inner phantom surface (the extrapolation distance). The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1 g and 10 g cubes, the extrapolation distance should not be larger than 5mm.

The maximum search is automatically performed after each area scan measurement. It is based on splines in two or three dimensions. The procedure can find the maximum for most SAR distributions even with relatively large grid spacing. After the area scanning measurement, the probe is automatically moved to a position at the interpolated maximum. The following scan can directly use this position for reference, e.g., for a finer resolution grid or the cube evaluations. The 1g and 10g peak evaluations are only available for the predefined cube 7x7x7 scans. The routines are verified and optimized for the grid dimensions used in

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

these cube measurements.

The measured volume of 30x30x30mm contains about 30g of tissue.

The first procedure is an extrapolation (incl. Boundary correction) to get the points between the lowest measured plane and the surface. The next step uses 3D interpolation to get all points within the measured volume. In the last step, a 1g cube is placed numerically into the volume and its averaged SAR is calculated. This cube is moved around until the highest averaged SAR is found. If the highest SAR is found at the edge of the measured volume, the system will issue a warning: higher SAR values might be found outside of the measured volume. In that case the cube measurement can be repeated, using the new interpolated maximum as the center.

1.12 Probe Calibration Procedures

For the calibration of E-field probes in lossy liquids, an electric field with an accurately known field strength must be produced within the measured liquid. For standardization purposes it would be desirable if all measurements which are necessary to assess the correct field strength would be traceable to standardized measurement procedures. In the following two different calibration techniques are summarized:

1.12.1 Transfer Calibration with Temperature Probes

In lossy liquids the specific absorption rate (SAR) is related both to the electric field (E) and the temperature gradient ($\delta T / \delta t$) in the liquid.

$$SAR = \frac{\sigma}{\rho} |E|^2 = c \frac{\delta T}{\delta t}$$

whereby σ is the conductivity, ρ the density and c the heat capacity of the liquid.

Hence, the electric field in lossy liquid can be measured indirectly by measuring the temperature gradient in the liquid. Non-disturbing temperature probes (optical probes or thermistor probes with resistive lines) with high spatial resolution (<1-2 mm) and fast reaction time (<1 s) are available and can be easily calibrated with high precision [1]. The setup and the exciting source have no influence on the calibration; only the relative positioning uncertainties of the standard temperature probe and the E-field probe to be calibrated must be considered. However, several problems limit the available accuracy of probe calibrations with temperature probes:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. The temperature gradient is not directly measurable but must be evaluated from temperature measurements at different time steps. Special precaution is necessary to avoid measurement errors caused by temperature gradients due to energy equalizing effects or convection currents in the liquid. Such effects cannot be completely avoided, as the measured field itself destroys the thermal equilibrium in the liquid. With a careful setup these errors can be kept small.
2. The measured volume around the temperature probe is not well defined. It is difficult to calculate the energy transfer from a surrounding gradient temperature field into the probe. These effects must be considered, since temperature probes are calibrated in liquid with homogeneous temperatures. There is no traceable standard for temperature rise measurements.
3. The calibration depends on the assessment of the specific density, the heat capacity and the conductivity of the medium. While the specific density and heat capacity can be measured accurately with standardized procedures ($\sim 2\%$ for c ; much better for ρ), there is no standard for the measurement of the conductivity. Depending on the method and liquid, the error can well exceed $\pm 5\%$.
4. Temperature rise measurements are not very sensitive and therefore are often performed at a higher power level than the E-field measurements. The nonlinearities in the system (e.g., power measurements, different components, etc.) must be considered.

Considering these problems, the possible accuracy of the calibration of E-field probes with temperature gradient measurements in a carefully designed setup is about $\pm 10\%$ (RSS) [2]. Recently, a setup which is a combination of the waveguide techniques and the thermal measurements was presented in [3]. The estimated uncertainty of the setup is $\pm 5\%$ (RSS) when the same liquid is used for the calibration and for actual measurements and $\pm 7-9\%$ (RSS) when not, which is in good agreement with the estimates given in [2].

1.12.2 Calibration with Analytical Fields

In this method a technical setup is used in which the field can be calculated analytically from measurements of other physical magnitudes (e.g., input power). This corresponds to the standard field method for probe calibration in air; however, there is no standard defined for fields in lossy liquids.

When using calculated fields in lossy liquids for probe calibration, several points must be considered in the assessment of the uncertainty:

1. The setup must enable accurate determination of the incident power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. The accuracy of the calculated field strength will depend on the assessment of the dielectric parameters of the liquid.
3. Due to the small wavelength in liquids with high permittivity, even small setups might be above the resonant cutoff frequencies. The field distribution in the setup must be carefully checked for conformity with the theoretical field distribution.

References

1. N. Kuster, Q. Balzano, and J.C. Lin, Eds., *Mobile Communications Safety*, Chapman & Hall, London, 1997.
2. K. Meier, M. Burkhardt, T. Schmid, and N. Kuster, "Broadband calibration of E-field probes in lossy media", *IEEE Transactions on Microwave Theory and Techniques*, vol. 44, no. 10, pp. 1954-1962, Oct. 1996.
3. K. Jokela, P. Hyysalo, and L. Puranen, "Calibration of specific absorption rate (SAR) probes in waveguide at 900 MHz", *IEEE Transactions on Instrumentation and Measurements*, vol. 47, no. 2, pp. 432-438, Apr. 1998.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.13 Test Standards and Limits

According to FCC 47CFR §2.1093(d) The limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized specific absorption rate (“SAR”) in Section 4.2 of “IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz,” ANSI/IEEE C95.1, By the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in “Biological Effects and Exposure Criteria for Radio frequency Electromagnetic Fields,” NCRP Report No. 86, Section 17.4.5. Copyright NCRP, 1986, Bethesda, Maryland 20814. SAR is a measure of the rate of energy absorption due to exposure to an RF transmitting source. SAR values have been related to threshold levels for potential biological hazards. The criteria to be used are specified in paragraphs (d)(1) and (d)(2) of this section and shall apply for portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz are to be evaluated in terms of the MPE limits specified in § 1.1310 of this chapter. Measurements and calculations to demonstrate compliance with MPE field strength or power density limits for devices operating above 6 GHz should be made at a minimum distance of 5 cm from the radiating source.

1. Limits for Occupational/Controlled exposure: 0.4 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 8 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 20 W/kg, as averaged over an 10 grams of tissue (defined as a tissue volume in the shape of a cube).
2. Occupational/Controlled limits apply when persons are exposed as a consequence of their employment provided these persons are fully aware of and exercise control over their exposure. Awareness of exposure can be accomplished by use of warning labels or by specific training or education through appropriate means, such as an RF safety program in a work environment.
3. Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section. (Table 4.)

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational
Spatial Peak SAR (Brain)	1.60 W/Kg	8.00 W/Kg
Spatial Average SAR (Whole Body)	0.08 W/Kg	0.40 W/Kg
Spatial Peak SAR (Hands/Feet/Ankle/Wrist)	4.00 W/Kg	20.00 W/Kg

Table 4. RF exposure limits

Notes:

1. Uncontrolled environments are defined as locations where there is potential exposure of individuals who have no knowledge or control of their potential exposure.
2. Controlled environments are defined as locations where there is potential exposure of individuals who have knowledge of their potential exposure and can exercise control over their exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. Summary of Results

WCDMA Band II (without power reduction)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band II	Back side	10	9262	1852.4	25	23.24	49.97%	0.842	1.263	-
	Back side	10	9400	1880	25	23.71	34.59%	0.997	1.342	-
	Back side	10	9538	1907.6	25	23.66	36.14%	1.000	1.361	-
	Top side	10	9400	1880	25	23.71	34.59%	0.524	0.705	-
	Right side	0	9400	1880	25	23.71	34.59%	0.178	0.240	-
	Left side	0	9400	1880	25	23.71	34.59%	0.280	0.377	-

WCDMA Band II (with power reduction)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band II	Back side	0	9262	1852.4	16.5	16.14	8.64%	0.841	0.914	-
	Back side	0	9400	1880	16.5	16.32	4.23%	1.050	1.094	433
	Back side	0	9538	1907.6	16.5	16.09	9.90%	0.938	1.031	-
	Back side*	0	9400	1880	16.5	16.32	4.23%	1.040	1.084	-
	Top side	0	9400	1880	16.5	16.32	4.23%	0.437	0.455	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV (without power reduction)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band IV	Back side	10	1312	1712.4	24	22.26	49.28%	0.495	0.739	-
	Back side	10	1412	1732.4	25	23.23	50.31%	0.651	0.979	-
	Back side	10	1513	1752.6	25	23.69	35.21%	0.974	1.317	435
	Back side*	10	1513	1752.6	25	23.69	35.21%	0.967	1.307	-
	Top side	10	1513	1752.6	25	23.69	35.21%	0.418	0.565	-
	Right side	0	1513	1752.6	25	23.69	35.21%	0.285	0.385	-
Left side	0	1513	1752.6	25	23.69	35.21%	0.041	0.055	-	

WCDMA Band IV (with power reduction)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band IV	Back side	0	1712	1312	16.5	15.29	32.13%	0.485	0.641	-
	Back side	0	1732	1412	16.5	15.38	29.42%	0.752	0.973	-
	Back side	0	1753	1513	16.5	15.28	32.43%	0.777	1.029	-
	Top side	0	1732	1412	16.5	15.38	29.42%	0.265	0.343	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V (without power reduction)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band V	Back side	10	4132	826.4	25	23.82	31.22%	0.897	1.177	-
	Back side	10	4183	836.6	25	23.70	34.90%	0.881	1.188	-
	Back side	10	4233	846.6	25	24.15	21.62%	0.919	1.118	436
	Back side*	10	4233	846.6	25	24.15	21.62%	0.911	1.108	-
	Top side	10	4233	846.6	25	24.15	21.62%	0.341	0.415	-
	Right side	0	4233	846.6	25	24.15	21.62%	0.091	0.111	-
	Left side	0	4233	846.6	25	24.15	21.62%	0.107	0.130	-

WCDMA Band V (with power reduction)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band V	Back side	0	4132	826.4	22.5	21.88	15.35%	0.906	1.045	-
	Back side	0	4183	836.6	22.5	21.96	13.24%	0.776	0.879	-
	Back side	0	4233	846.6	22.5	21.98	12.72%	0.831	0.937	-
	Top side	0	4233	846.6	22.5	21.98	12.72%	0.663	0.747	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1 RB	0	Back side	10	18700	1860	25	23.82	31.22%	0.841	1.104	-
					Back side	10	18900	1880	25	23.72	34.28%	0.880	1.182	-
					Top side	10	18700	1860	25	23.82	31.22%	0.475	0.623	-
					Right side	0	18700	1860	25	23.82	31.22%	0.173	0.227	-
					Left side	0	18700	1860	25	23.82	31.22%	0.149	0.196	-
			50 RB	0	Back side	10	19100	1900	25	23.81	31.52%	0.951	1.251	-
					Back side	10	18700	1860	24	22.64	36.77%	0.671	0.918	-
					Back side	10	18900	1880	24	22.63	37.09%	0.643	0.881	-
					Back side	10	19100	1900	24	22.84	30.62%	0.681	0.890	-
					Top side	10	19100	1900	24	22.84	30.62%	0.389	0.508	-
			100 RB	0	Right side	0	19100	1900	24	22.84	30.62%	0.138	0.180	-
					Left side	0	19100	1900	24	22.84	30.62%	0.119	0.155	-
					Back side	10	18700	1860	24	22.56	39.32%	0.618	0.861	-
					Back side	10	18900	1880	24	22.58	38.68%	0.611	0.847	-
					Back side	10	19100	1900	24	22.79	32.13%	0.621	0.821	-
					Top side	10	19100	1900	24	22.79	32.13%	0.354	0.468	-
					Right side	0	19100	1900	24	22.79	32.13%	0.136	0.180	-
					Left side	0	19100	1900	24	22.79	32.13%	0.118	0.156	-

LTE FDD Band 2 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1 RB	0	Back side	0	18700	1860	16.5	16.08	10.15%	0.787	0.867	-
					Back side	0	18900	1880	16.5	16.39	2.57%	0.993	1.018	437
					Back side*	0	18900	1880	16.5	16.39	2.57%	0.990	1.015	-
					Top side	0	18900	1880	16.5	16.39	2.57%	0.371	0.381	-
					Back side	0	19100	1900	16.5	16.32	4.23%	0.937	0.977	-
			50 RB	0	Back side	0	18700	1860	16.5	15.71	19.95%	0.845	1.014	-
					Back side	0	19100	1900	16.5	16.22	6.66%	0.871	0.929	-
					Top side	0	19100	1900	16.5	16.22	6.66%	0.325	0.347	-
					Back side	0	18900	1880	16.5	15.88	15.35%	0.881	1.016	-
					Back side	0	18700	1860	16.5	15.76	18.58%	0.827	0.981	-
			100 RB	0	Back side	0	18900	1880	16.5	15.78	18.03%	0.829	0.978	-
					Back side	0	19100	1900	16.5	16.07	10.41%	0.839	0.926	-
					Top side	0	19100	1900	16.5	16.07	10.41%	0.327	0.361	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 4 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 4	20MHz	QPSK	1 RB	0	Back side	10	20175	1732.5	25	23.91	28.53%	1.070	1.375	438
					Back side*	10	20175	1732.5	25	23.91	28.53%	1.060	1.362	-
					Top side	10	20175	1732.5	25	23.91	28.53%	0.384	0.494	-
					Right side	0	20175	1732.5	25	23.91	28.53%	0.167	0.215	-
					Left side	0	20175	1732.5	25	23.91	28.53%	0.024	0.031	-
				99	Back side	10	20050	1720	25	23.88	29.42%	0.784	1.015	-
					Back side	10	20300	1745	25	23.73	33.97%	0.613	0.821	-
					Back side	10	20050	1720	24	22.93	27.94%	0.834	1.067	-
					Back side	10	20175	1732.5	24	22.95	27.35%	0.842	1.072	-
					Top side	10	20175	1732.5	24	22.95	27.35%	0.298	0.380	-
			50 RB	0	Right side	0	20175	1732.5	24	22.95	27.35%	0.134	0.171	-
					Left side	0	20175	1732.5	24	22.95	27.35%	0.019	0.024	-
					Back side	10	20300	1745	24	22.89	29.12%	0.833	1.076	-
					Back side	10	20050	1720	24	23.11	22.74%	0.881	1.081	-
					Back side	10	20175	1732.5	24	23.02	25.31%	0.869	1.089	-
			100 RB	0	Back side	10	20300	1745	24	22.74	33.66%	0.817	1.092	-
					Top side	10	20050	1720	24	23.11	22.74%	0.293	0.360	-
					Right side	0	20050	1720	24	23.11	22.74%	0.139	0.171	-
					Left side	0	20050	1720	24	23.11	22.74%	0.020	0.025	-

LTE FDD Band 4 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 4	20MHz	QPSK	1 RB	0	Back side	0	20175	1732.5	16.5	16.12	9.14%	0.859	0.938	-
					Top side	0	20175	1732.5	16.5	16.12	9.14%	0.337	0.368	-
					Back side	0	20050	1720	16.5	15.58	23.59%	0.850	1.051	-
					Back side	0	20300	1745	16.5	16.05	10.92%	0.890	0.987	-
				99	Back side	0	20300	1745	16.5	16.05	10.92%	0.888	0.985	-
					Back side	0	20050	1720	16.5	15.44	27.64%	0.731	0.933	-
					Back side	0	20300	1745	16.5	15.41	28.53%	0.727	0.934	-
					Back side	0	20175	1732.5	16.5	15.47	26.77%	0.773	0.980	-
			50 RB	0	Top side	0	20175	1732.5	16.5	15.47	26.77%	0.286	0.363	-
					Back side	0	20050	1720	16.5	15.44	27.64%	0.771	0.984	-
					Back side	0	20175	1732.5	16.5	14.99	41.58%	0.698	0.988	-
				100 RB	Back side	0	20300	1745	16.5	15.18	35.52%	0.716	0.970	-
					Back side	0	20050	1720	16.5	15.44	27.64%	0.274	0.350	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 5 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page	
												Measured	Reported		
LTE Band 5	10MHz	QPSK	1 RB	25	Back side	10	20525	836.5	25	23.45	42.89%	0.844	1.206	-	
					Back side	10	20600	844	25	23.44	43.22%	0.903	1.293	-	
					Top side	10	20525	836.5	25	23.45	42.89%	0.513	0.733	-	
					Right side	0	20525	836.5	25	23.45	42.89%	0.239	0.342	-	
					Left side	0	20525	836.5	25	23.45	42.89%	0.054	0.077	-	
				49	Back side	10	20450	829	25	23.40	44.54%	0.811	1.172	-	
				25 RB	12	Back side	10	20525	836.5	24	22.52	40.60%	0.673	0.946	-
						Back side	10	20600	844	24	22.59	38.36%	0.682	0.944	-
						Top side	10	20600	844	24	22.59	38.36%	0.411	0.569	-
						Right side	0	20600	844	24	22.59	38.36%	0.196	0.271	-
			Left side			0	20600	844	24	22.59	38.36%	0.044	0.061	-	
			50 RB	25	Back side	10	20450	829	24	22.35	46.22%	0.641	0.937	-	
					Back side	10	20450	829	24	22.26	49.28%	0.637	0.951	-	
					Back side	10	20525	836.5	24	22.44	43.22%	0.655	0.938	-	
					Back side	10	20600	844	24	22.52	40.60%	0.671	0.943	-	
					Top side	10	20600	844	24	22.52	40.60%	0.403	0.567	-	
			50 RB	25	Right side	0	20600	844	24	22.52	40.60%	0.193	0.271	-	
					Left side	0	20600	844	24	22.52	40.60%	0.044	0.062	-	

LTE FDD Band 5 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1 RB	0	Back side	0	20450	829	22.5	21.97	12.98%	1.010	1.141	439
					Back side*	0	20450	829	22.5	21.97	12.98%	1.000	1.130	-
					Back side	0	20525	836.5	22.5	22.39	2.57%	0.973	0.998	-
					Top side	0	20525	836.5	22.5	22.39	2.57%	0.708	0.726	-
					Back side	0	20600	844	22.5	21.98	12.72%	0.925	1.043	-
			25 RB	25	Back side	0	20525	836.5	22.5	21.94	13.76%	0.847	0.964	-
					Back side	0	20450	829	22.5	21.97	12.98%	0.871	0.984	-
					Back side	0	20600	844	22.5	22.07	10.41%	0.894	0.987	-
					Top side	0	20600	844	22.5	22.07	10.41%	0.641	0.708	-
					Back side	0	20450	829	22.5	21.81	17.22%	0.849	0.995	-
			50 RB	25	Back side	0	20525	836.5	22.5	21.90	14.82%	0.845	0.970	-
					Back side	0	20600	844	22.5	21.95	13.50%	0.869	0.986	-
					Top side	0	20600	844	22.5	21.95	13.50%	0.639	0.725	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 12 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 12	10MHz	QPSK	1 RB	25	Back side	10	23060	704	25	23.16	52.76%	0.771	1.178	-
					Back side	10	23095	707.5	25	23.08	55.60%	0.856	1.332	-
					Top side	10	23060	704	25	23.16	52.76%	0.352	0.538	-
					Right side	0	23060	704	25	23.16	52.76%	0.165	0.252	-
					Left side	0	23060	704	25	23.16	52.76%	0.060	0.092	-
			25 RB	12	Back side	10	23130	711	25	23.09	55.24%	0.792	1.229	-
					Back side	10	23095	707.5	24	22.22	50.66%	0.616	0.928	-
					Back side	10	23095	707.5	24	22.16	52.76%	0.604	0.923	-
					Top side	10	23060	704	24	22.22	50.66%	0.271	0.408	-
			50 RB	25	Right side	0	23060	704	24	22.22	50.66%	0.133	0.200	-
					Left side	0	23060	704	24	22.22	50.66%	0.048	0.072	-
					Back side	10	23130	711	24	22.21	51.01%	0.611	0.923	-
					Back side	10	23060	704	24	22.20	51.36%	0.628	0.951	-
					Back side	10	23095	707.5	24	22.16	52.76%	0.612	0.935	-
					Back side	10	23130	711	24	22.09	55.24%	0.596	0.925	-
					Top side	10	23060	704	24	22.20	51.36%	0.273	0.413	-
50 RB	25	Right side	0	23060	704	24	22.20	51.36%	0.132	0.200	-			
		Left side	0	23060	704	24	22.20	51.36%	0.048	0.073	-			

LTE FDD Band 12 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page	
												Measured	Reported		
LTE Band 12	10MHz	QPSK	1 RB	0	Back side	0	23095	707.5	19.5	19.49	0.23%	0.916	0.918	440	
					Back side*	0	23095	707.5	19.5	19.49	0.23%	0.915	0.917	-	
					Top side	0	23095	707.5	19.5	19.49	0.23%	0.356	0.357	-	
				25	Back side	0	23060	704	19.5	19.00	12.20%	0.914	1.026	-	
					49	Back side	0	23130	711	19.5	19.04	11.17%	0.902	1.003	-
			25 RB	12	0	Back side	0	23130	711	19.5	18.89	15.08%	0.807	0.929	-
					Back side	0	23095	707.5	19.5	18.95	13.50%	0.815	0.925	-	
					Back side	0	23060	704	19.5	19.05	10.92%	0.817	0.906	-	
			50 RB	25	Top side	0	23060	704	19.5	19.05	10.92%	0.316	0.350	-	
					Back side	0	23060	704	19.5	18.90	14.82%	0.778	0.893	-	
					Back side	0	23095	707.5	19.5	18.91	14.55%	0.785	0.899	-	
					Back side	0	23130	711	19.5	18.87	15.61%	0.776	0.897	-	
			50 RB	25	Top side	0	23095	707.5	19.5	18.91	14.55%	0.309	0.354	-	

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 13 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 13	10MHz	QPSK	1 RB	0	Back side	10	23230	782	25	23.49	41.58%	0.933	1.321	441
					Back side*	10	23230	782	25	23.49	41.58%	0.921	1.304	-
					Top side	10	23230	782	25	23.49	41.58%	0.404	0.572	-
					Right side	0	23230	782	25	23.49	41.58%	0.279	0.395	-
			25 RB	0	Left side	0	23230	782	25	23.49	41.58%	0.063	0.089	-
					Back side	10	23230	782	24	22.50	41.25%	0.651	0.920	-
					Top side	10	23230	782	24	22.50	41.25%	0.299	0.422	-
					Right side	0	23230	782	24	22.50	41.25%	0.222	0.314	-
			50 RB	0	Left side	0	23230	782	24	22.50	41.25%	0.050	0.071	-
					Back side	10	23230	782	24	22.46	42.56%	0.592	0.844	-
					Top side	10	23230	782	24	22.46	42.56%	0.272	0.388	-
					Right side	0	23230	782	24	22.46	42.56%	0.220	0.314	-
				Left side	0	23230	782	24	22.46	42.56%	0.049	0.070	-	

LTE FDD Band 13 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 13	10MHz	QPSK	1 RB	25	Back side	0	23230	782	21.5	21.38	2.80%	0.868	0.892	-
					Top side	0	23230	782	21.5	21.38	2.80%	0.612	0.629	-
			25 RB	0	Back side	0	23230	782	21.5	20.93	14.02%	0.774	0.883	-
					Top side	0	23230	782	21.5	20.93	14.02%	0.546	0.623	-
			50 RB	0	Back side	0	23230	782	21.5	20.96	13.24%	0.779	0.882	-
					Top side	0	23230	782	21.5	20.96	13.24%	0.546	0.618	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 17 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 17	10MHz	QPSK	1 RB	0	Back side	12	23800	711	25	23.80	31.83%	0.668	0.881	-
					Top side	10	23800	711	25	23.80	31.83%	0.392	0.517	-
					Right side	0	23800	711	25	23.80	31.83%	0.191	0.252	-
				49	Left side	0	23800	711	25	23.80	31.83%	0.017	0.022	-
					Back side	12	23780	709	25	23.78	32.43%	0.632	0.837	-
					Back side	12	23790	710	25	23.67	35.83%	0.628	0.853	-
			25 RB	0	Back side	12	23800	711	24	22.75	33.35%	0.525	0.700	-
					Top side	10	23800	711	24	22.75	33.35%	0.308	0.411	-
					Right side	0	23800	711	24	22.75	33.35%	0.150	0.200	-
				50 RB	Left side	0	23800	711	24	22.75	33.35%	0.013	0.017	-
					Back side	12	23790	710	24	22.68	35.52%	0.507	0.687	-
					Top side	10	23790	710	24	22.68	35.52%	0.297	0.402	-
			50 RB	Right side	0	23790	710	24	22.68	35.52%	0.145	0.197	-	
				Left side	0	23790	710	24	22.68	35.52%	0.012	0.016	-	

LTE FDD Band 17 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 17	10MHz	QPSK	1 RB	0	Back side	0	23800	711	19	18.99	0.23%	0.853	0.855	442
					Back side*	0	23800	711	19	18.99	0.23%	0.848	0.850	-
					Top side	0	23800	711	19	18.99	0.23%	0.417	0.418	-
				49	Back side	0	23780	709	19	18.94	1.39%	0.825	0.836	-
					Back side	0	23790	710	19	18.93	1.62%	0.819	0.832	-
					25 RB	Back side	0	23790	710	19	18.95	1.16%	0.652	0.660
			Top side	0		23790	710	19	18.95	1.16%	0.305	0.309	-	
			50 RB	Back side	0	23780	709	19	18.94	1.39%	0.633	0.642	-	
				Top side	0	23780	709	19	18.94	1.39%	0.256	0.260	-	

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 25 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 25	20MHz	QPSK	1 RB	0	Back side	12	26140	1860	25	23.79	32.13%	0.810	1.070	-
					Back side	12	26365	1882.5	25	23.97	26.77%	0.789	1.000	-
					Back side	12	26590	1905	25	23.99	26.18%	0.950	1.199	-
					Top side	10	26590	1905	25	23.99	26.18%	0.520	0.656	-
					Right side	0	26590	1905	25	23.99	26.18%	0.120	0.151	-
			50 RB	0	Left side	0	26590	1905	25	23.99	26.18%	0.203	0.256	-
					Back side	12	26140	1860	24	22.67	35.83%	0.707	0.960	-
					Back side	12	26590	1905	24	23.18	20.78%	0.797	0.963	-
					Top side	10	26590	1905	24	23.18	20.78%	0.437	0.528	-
			100 RB	50	Right side	0	26590	1905	24	23.18	20.78%	0.101	0.122	-
					Left side	0	26590	1905	24	23.18	20.78%	0.170	0.205	-
					Back side	12	26365	1882.5	24	22.81	31.52%	0.687	0.904	-
					Back side	12	26140	1860	24	22.53	40.28%	0.660	0.926	-
					Back side	12	26365	1882.5	24	22.69	35.21%	0.674	0.911	-
					Back side	12	26590	1905	24	23.23	19.40%	0.788	0.941	-
					Top side	10	26590	1905	24	23.23	19.40%	0.432	0.516	-
Right side	0	26590	1905	24	23.23	19.40%	0.100	0.119	-					
Left side	0	26590	1905	24	23.23	19.40%	0.168	0.201	-					

LTE FDD Band 25 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 25	20MHz	QPSK	1 RB	0	Back side	0	26140	1860	16	15.55	10.92%	0.901	0.999	-
					Back side	0	26590	1905	16	15.97	0.69%	1.000	1.007	443
					Back side*	0	26590	1905	16	15.97	0.69%	0.997	1.004	-
					Top side	0	26590	1905	16	15.97	0.69%	0.506	0.510	-
			50 RB	50	Back side	0	26365	1882.5	16	15.31	17.22%	0.831	0.974	-
					Back side	0	26140	1860	16	15.19	20.50%	0.812	0.978	-
			100 RB	50	Back side	0	26365	1882.5	16	15.23	19.40%	0.810	0.967	-
					Back side	0	26590	1905	16	15.65	8.39%	0.828	0.897	-
					Top side	0	26590	1905	16	15.65	8.39%	0.392	0.425	-
					Back side	0	26140	1860	16	15.13	22.18%	0.695	0.850	-
					Back side	0	26365	1882.5	16	15.15	21.62%	0.661	0.804	-
			Back side	0	26590	1905	16	15.62	9.14%	0.809	0.883	-		
			Top side	0	26590	1905	16	15.62	9.14%	0.306	0.334	-		

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 26 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 26	15MHz	QPSK	1 RB	36	Back side	10	26825	822.5	25	23.44	43.22%	0.913	1.308	-
					Back side	10	26865	831.5	25	23.34	46.55%	0.844	1.237	-
					Back side	10	26965	841.5	25	23.48	41.91%	0.930	1.320	444
					Back side*	10	26965	841.5	25	23.48	41.91%	0.926	1.314	-
					Top side	10	26825	822.5	25	23.44	43.22%	0.561	0.803	-
					Top side	10	26865	831.5	25	23.34	46.55%	0.551	0.808	-
					Top side	10	26965	841.5	25	23.48	41.91%	0.570	0.809	-
			Right side	0	26965	841.5	25	23.48	41.91%	0.069	0.098	-		
			Left side	0	26965	841.5	25	23.48	41.91%	0.057	0.081	-		
			36 RB	18	Back side	10	26825	822.5	24	22.47	42.23%	0.728	1.035	-
					Back side	10	26965	841.5	24	22.44	43.22%	0.722	1.034	-
					Top side	10	26825	822.5	24	22.47	42.23%	0.449	0.639	-
					Right side	0	26825	822.5	24	22.47	42.23%	0.055	0.078	-
					Left side	0	26825	822.5	24	22.47	42.23%	0.045	0.064	-
			75 RB	37	Back side	10	26865	831.5	24	22.44	43.22%	0.724	1.037	-
					Back side	10	26825	822.5	24	22.37	45.55%	0.713	1.038	-
					Back side	10	26865	831.5	24	22.33	46.89%	0.701	1.030	-
					Back side	10	26965	841.5	24	22.44	43.22%	0.725	1.038	-
					Top side	10	26965	841.5	24	22.44	43.22%	0.441	0.632	-
					Right side	0	26965	841.5	24	22.44	43.22%	0.054	0.077	-
					Left side	0	26965	841.5	24	22.44	43.22%	0.045	0.064	-

LTE FDD Band 26 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 26	15MHz	QPSK	1 RB	0	Back side	0	26825	822.5	22.5	21.49	26.18%	0.790	0.997	-
					Back side	0	26865	831.5	22.5	21.38	29.42%	0.771	0.998	-
					Back side	0	26965	841.5	22.5	21.16	36.14%	0.746	1.016	-
					Top side	0	26825	822.5	22.5	21.49	26.18%	0.535	0.675	-
			36 RB	0	Back side	0	26965	841.5	22.5	20.79	48.25%	0.671	0.995	-
					Top side	0	26965	841.5	22.5	20.79	48.25%	0.453	0.672	-
					18	Back side	0	26825	822.5	22.5	20.66	52.76%	0.654	0.999
			75 RB	37	Back side	0	26865	831.5	22.5	20.69	51.71%	0.657	0.997	-
					Back side	0	26825	822.5	22.5	20.65	53.11%	0.646	0.989	-
					Back side	0	26865	831.5	22.5	20.63	53.82%	0.650	1.000	-
					Back side	0	26965	841.5	22.5	20.72	50.66%	0.660	0.994	-
					Top side	0	26965	841.5	22.5	20.72	50.66%	0.444	0.669	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 30 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 30	10MHz	QPSK	1 RB	0	Back side	12	27710	2310	24	23.81	4.47%	1.290	1.348	445
					Back side*	12	27710	2310	24	23.81	4.47%	1.280	1.337	-
					Top side	10	27710	2310	24	23.81	4.47%	0.344	0.359	-
					Right side	0	27710	2310	24	23.81	4.47%	0.201	0.210	-
			25 RB	0	Left side	0	27710	2310	24	23.81	4.47%	0.042	0.044	-
					Back side	12	27710	2310	23	22.83	3.99%	1.029	1.070	-
					Top side	10	27710	2310	23	22.83	3.99%	0.275	0.286	-
					Right side	0	27710	2310	23	22.83	3.99%	0.160	0.166	-
			50 RB	0	Left side	0	27710	2310	23	22.83	3.99%	0.034	0.035	-
					Back side	12	27710	2310	23	22.75	5.93%	1.011	1.071	-
					Top side	10	27710	2310	23	22.75	5.93%	0.269	0.285	-
					Right side	0	27710	2310	23	22.75	5.93%	0.157	0.166	-
				Left side	0	27710	2310	23	22.75	5.93%	0.033	0.035	-	

* - repeated at the highest SAR measurement according to the KDB 865664 D01

LTE FDD Band 30 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 30	10MHz	QPSK	1 RB	0	Back side	0	27710	2310	13	12.98	0.46%	1.020	1.025	-
					Top side	0	27710	2310	13	12.98	0.46%	0.163	0.164	-
			25 RB	0	Back side	0	27710	2310	13	12.96	0.93%	0.903	0.911	-
					Top side	0	27710	2310	13	12.96	0.93%	0.110	0.111	-
			50 RB	0	Back side	0	27710	2310	13	12.91	2.09%	0.797	0.814	-
					Top side	0	27710	2310	13	12.91	2.09%	0.095	0.097	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 41	20MHz	QPSK	1 RB	0	Back side	12	41490	2680	25	24.99	0.23%	0.708	0.710	-
					Top side	10	41490	2680	25	24.99	0.23%	0.118	0.118	-
					Right side	0	41490	2680	25	24.99	0.23%	0.120	0.120	-
					Left side	0	41490	2680	25	24.99	0.23%	0.039	0.039	-
			50 RB	0	Back side	12	40185	2549.5	24	23.99	0.23%	0.562	0.564	-
					Top side	10	40185	2549.5	24	23.99	0.23%	0.094	0.094	-
					Right side	0	40185	2549.5	24	23.99	0.23%	0.095	0.096	-
					Left side	0	40185	2549.5	24	23.99	0.23%	0.031	0.031	-
			100 RB	0	Back side	12	39750	2506	24	23.74	6.17%	0.531	0.564	-
					Top side	10	39750	2506	24	23.74	6.17%	0.088	0.094	-
					Right side	0	39750	2506	24	23.74	6.17%	0.090	0.096	-
					Left side	0	39750	2506	24	23.74	6.17%	0.029	0.031	-

LTE TDD Band 41 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 41	20MHz	QPSK	1 RB	0	Back side	0	39750	2506	15.5	15.47	0.69%	0.633	0.637	-
					Back side	0	40620	2593	15.5	15.40	2.33%	0.734	0.751	-
					Back side	0	41055	2636.4	15.5	15.14	8.64%	0.654	0.711	-
					Back side	0	41490	2680	15.5	15.50	0.00%	0.974	0.974	446
					Back side*	0	41490	2680	15.5	15.50	0.00%	0.971	0.971	-
					Top side	0	41490	2680	15.5	15.50	0.00%	0.147	0.147	-
			50 RB	0	Back side	0	40185	2549.5	15.5	15.33	3.99%	0.629	0.654	-
					Back side	0	40185	2549.5	15.5	15.48	0.46%	0.468	0.470	-
			100 RB	0	Back side	0	40185	2549.5	15.5	15.48	0.46%	0.098	0.098	-
					Back side	0	39750	2506	15.5	15.37	3.04%	0.394	0.406	-
					Top side	0	39750	2506	15.5	15.37	3.04%	0.055	0.057	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 66 (without power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 66	20MHz	QPSK	1 RB	0	Back side	12	132072	1720	25	24.26	18.58%	0.813	0.964	-
					Back side	12	132322	1745	25	24.69	7.40%	0.809	0.869	-
					Back side	12	132572	1770	25	24.71	6.91%	0.910	0.973	-
					Top side	10	132572	1770	25	24.71	6.91%	0.528	0.564	-
					Right side	0	132572	1770	25	24.71	6.91%	0.219	0.234	-
			50 RB	0	Left side	0	132572	1770	25	24.71	6.91%	0.079	0.084	-
					Back side	12	132322	1745	24	23.96	0.93%	0.766	0.773	-
					Top side	12	132322	1745	24	23.96	0.93%	0.444	0.448	-
			100 RB	0	Right side	10	132322	1745	24	23.96	0.93%	0.184	0.186	-
					Left side	0	132322	1745	24	23.96	0.93%	0.066	0.067	-
					Back side	12	132072	1720	24	22.94	27.64%	0.605	0.772	-
					Top side	10	132072	1720	24	22.94	27.64%	0.351	0.448	-
				Right side	0	132072	1720	24	22.94	27.64%	0.145	0.185	-	
				Left side	0	132072	1720	24	22.94	27.64%	0.052	0.066	-	

LTE FDD Band 66 (with power reduction)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 66	20MHz	QPSK	1 RB	0	Back side	0	132072	1720	16.5	16.39	2.57%	1.000	1.026	-
					Back side	0	132322	1745	16.5	16.34	3.75%	1.030	1.069	-
					Back side	0	132572	1770	16.5	16.47	0.69%	1.090	1.098	447
					Back side*	0	132572	1770	16.5	16.47	0.69%	1.080	1.087	-
					Top side	0	132572	1770	16.5	16.47	0.69%	0.500	0.503	-
			50 RB	0	Back side	0	132072	1720	16.5	16.39	2.57%	0.903	0.926	-
					Back side	0	132322	1745	16.5	16.28	5.20%	0.899	0.946	-
					Back side	0	132572	1770	16.5	16.19	7.40%	0.902	0.969	-
			100 RB	0	Top side	0	132072	1720	16.5	16.39	2.57%	0.433	0.444	-
					Back side	0	132072	1720	16.5	15.52	25.31%	0.787	0.986	-
					Back side	0	132322	1745	16.5	16.24	6.17%	0.833	0.884	-
					Back side	0	132572	1770	16.5	16.15	8.39%	0.796	0.863	-
				Top side	0	132322	1745	16.5	16.24	6.17%	0.397	0.421	-	

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN Main Antenna

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
									Measured	Reported	
Main	WLAN 802.11b	Back side	0	6	2437	15	14.99	100.23%	0.710	0.712	448
		Top side	0	6	2437	15	14.99	100.23%	0.160	0.160	-
		Left side	0	6	2437	15	14.99	100.23%	0.659	0.661	-
	Bluetooth (GFSK)	Back side	0	0	2402	8	7.33	116.68%	0.130	0.152	449
		Top side	0	39	2441	8	7.33	116.68%	0.026	0.030	-
		Left side	0	78	2480	8	7.33	116.68%	0.005	0.006	-
	WLAN 802.11n(40M) 5.2G	Back side	0	38	5190	14	13.95	101.16%	0.409	0.414	-
		Top side	0	38	5190	14	13.95	101.16%	0.141	0.143	-
		Left side	0	38	5190	14	13.95	101.16%	0.489	0.495	450
	WLAN 802.11a 5.3G	Back side	0	64	5320	14	13.83	103.99%	0.337	0.350	451
		Top side	0	64	5320	14	13.83	103.99%	0.117	0.122	-
		Left side	0	64	5320	14	13.83	103.99%	0.297	0.309	-
	WLAN 802.11n(40M) 5.3G	Back side	0	62	5310	14	13.99	100.23%	0.354	0.355	452
		Top side	0	62	5310	14	13.99	100.23%	0.117	0.117	-
		Left side	0	62	5310	14	13.99	100.23%	0.342	0.343	-
	WLAN 802.11ac(80M) 5.6G	Back side	0	122	5610	14	13.88	102.80%	0.089	0.091	453
		Top side	0	122	5610	14	13.88	102.80%	0.040	0.041	-
		Left side	0	122	5610	14	13.88	102.80%	0.074	0.076	-
	WLAN 802.1ac(80M) 5.8G	Back side	0	155	5775	14	13.99	100.23%	0.459	0.460	454
		Top side	0	155	5775	14	13.99	100.23%	0.127	0.127	-
		Left side	0	155	5775	14	13.99	100.23%	0.127	0.127	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN Aux Antenna

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
									Measured	Reported	
Aux	WLAN 802.11b	Back side	0	6	2437	15	14.92	101.86%	0.568	0.579	455
		Top side	0	6	2437	15	14.92	101.86%	0.098	0.100	-
		Left side	0	6	2437	15	14.92	101.86%	0.018	0.018	-
	WLAN 802.11n(40M) 5.2G	Back side	0	38	5190	14	13.98	100.46%	0.934	0.938	-
		Back side*	0	38	5190	14	13.98	100.46%	0.912	0.916	-
		Back side	0	46	5230	14	13.96	100.93%	0.904	0.912	-
		Top side	0	38	5190	14	13.98	100.46%	0.948	0.952	456
		Top side*	0	38	5190	14	13.98	100.46%	0.937	0.941	-
		Top side	0	46	5230	14	13.96	100.93%	0.807	0.814	-
		Left side	0	38	5190	14	13.98	100.46%	0.047	0.047	-
		Left side	0	38	5190	14	13.98	100.46%	0.047	0.047	-
	WLAN 802.11a 5.3G	Back side	0	52	5260	14	13.97	100.69%	0.876	0.882	-
		Back side	0	60	5300	14	13.99	100.23%	0.941	0.943	457
		Back side*	0	60	5300	14	13.99	100.23%	0.910	0.912	-
		Top side	0	60	5300	14	13.99	100.23%	0.666	0.668	-
		Left side	0	60	5300	14	13.99	100.23%	0.037	0.037	-
	WLAN 802.11n(40M) 5.3G	Back side	0	54	5270	14	13.78	105.20%	0.865	0.910	-
		Back side	0	62	5310	14	13.99	100.23%	0.881	0.883	458
		Back side*	0	54	5270	14	13.78	105.20%	0.860	0.905	-
		Top side	0	62	5310	14	13.99	100.23%	0.625	0.626	-
		Left side	0	62	5310	14	13.99	100.23%	0.029	0.029	-
	WLAN 802.11ac(80M) 5.6G	Back side	0	138	5690	14	13.99	100.23%	0.716	0.718	459
		Top side	0	138	5690	14	13.99	100.23%	0.386	0.387	-
		Left side	0	138	5690	14	13.99	100.23%	0.033	0.033	-
WLAN 802.11ac(80M) 5.8G	Back side	0	155	5775	14	13.99	100.23%	0.608	0.609	460	
	Top side	0	155	5775	14	13.99	100.23%	0.363	0.364	-	
	Left side	0	155	5775	14	13.99	100.23%	0.014	0.014	-	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3. Simultaneous Transmission Analysis

Simultaneous Transmission Scenarios:

NO.	Simultaneous Transmit Configurations	Body
1	UMTS + 2.4GHz WLAN Main / 2.4GHz WLAN Aux / 2.4GHz MIMO	YES
2	UMTS + 5GHz WLAN Main / 5GHz WLAN Aux / 5GHz MIMO	YES
3	UMTS + BT	YES
4	UMTS + 2.4/5GHz WLAN Aux + BT	YES
5	LTE + 2.4GHz WLAN Main / 2.4GHz WLAN Aux / 2.4GHz MIMO	YES
6	LTE + 5GHz WLAN Main / 5GHz WLAN Aux / 5GHz MIMO	YES
7	LTE + BT	YES
8	LTE + 2.4/5GHz WLAN Aux + BT	YES

Note :

- 1) WWAN and WLAN may transmit simultaneously.
- 2) Bluetooth and WLAN Main share the same antenna path.
- 3) Bluetooth can transmit with WLAN Aux simultaneously.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3.1 Estimated SAR calculation

According to KDB447498 D01 – When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

$$\text{Estimated SAR} = \frac{\text{Max.tune up power(mW)}}{\text{Min.test separation distance(mm)}} \times \frac{\sqrt{f(\text{GHz})}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

Mode / Band	Test position	test separation distance(mm)	Estimated SAR(W/kg)
WLAN Aux 2.4 / 5G	right	> 50mm	0.4
WLAN Main 2.4 / 5G	right	> 50mm	0.4
BT	right	> 50mm	0.4

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3.2 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by $(SAR1 + SAR2)^{1.5}/R_i$, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and R_i is the separation distance between the peak SAR locations for the antenna pair in mm.

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
1	WCDMA Band II	Back side	0	1.094	0.712	0.579	2.385	Analyzed as below
		Top side	0	0.455	0.160	0.100	0.715	Σ SAR<1.6, Not required
		Right side	0	0.240	0.400	0.400	1.040	Σ SAR<1.6, Not required
		Left side	0	0.377	0.661	0.018	1.056	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	1.806	190.7	0.013	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	1.673	124.3	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
2	WCDMA Band IV	Back side	0	1.029	0.712	0.579	2.320	Analyzed as below
		Top side	0	0.265	0.160	0.100	0.525	Σ SAR<1.6, Not required
		Right side	0	0.385	0.400	0.400	1.185	Σ SAR<1.6, Not required
		Left side	0	0.055	0.661	0.018	0.734	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.741	190.71	0.012	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.608	124.3	0.016	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
3	WCDMA Band V	Back side	0	1.045	0.712	0.579	2.336	Analyzed as below
		Top side	0	0.747	0.160	0.100	1.007	Σ SAR<1.6, Not required
		Right side	0	0.111	0.400	0.400	0.911	Σ SAR<1.6, Not required
		Left side	0	0.130	0.661	0.018	0.809	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.757	191.25	0.012	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.624	124.92	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
4	LTE FDD Band 2	Back side	0	1.018	0.712	0.579	2.309	Analyzed as below
		Top side	0	0.381	0.160	0.100	0.641	Σ SAR<1.6, Not required
		Right side	0	0.227	0.400	0.400	1.027	Σ SAR<1.6, Not required
		Left side	0	0.196	0.661	0.018	0.875	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.730	190.92	0.012	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.597	124.56	0.016	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 4 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
5	LTE FDD Band 4	Back side	0	1.051	0.712	0.579	2.342	Analyzed as below
		Top side	0	0.368	0.160	0.100	0.628	Σ SAR<1.6, Not required
		Right side	0	0.215	0.400	0.400	1.015	Σ SAR<1.6, Not required
		Left side	0	0.031	0.661	0.018	0.710	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.763	192.3	0.012	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.630	125.9	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 5 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
6	LTE FDD Band 5	Back side	0	1.141	0.712	0.579	2.432	Analyzed as below
		Top side	0	0.726	0.160	0.100	0.986	Σ SAR<1.6, Not required
		Right side	0	0.342	0.400	0.400	1.142	Σ SAR<1.6, Not required
		Left side	0	0.077	0.661	0.018	0.756	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	1.853	191.22	0.013	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	1.720	124.87	0.018	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 12 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
7	LTE FDD Band 12	Back side	0	1.026	0.712	0.579	2.317	Analyzed as below
		Top side	0	0.357	0.160	0.100	0.617	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.092	0.661	0.018	0.771	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.738	210.33	0.011	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.605	144.05	0.014	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 13 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
8	LTE FDD Band 13	Back side	0	0.892	0.712	0.579	2.183	Analyzed as below
		Top side	0	0.629	0.160	0.100	0.889	Σ SAR<1.6, Not required
		Right side	0	0.395	0.400	0.400	1.195	Σ SAR<1.6, Not required
		Left side	0	0.089	0.661	0.018	0.768	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.604	192.75	0.011	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.471	126.42	0.014	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 17 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
9	LTE FDD Band 17	Back side	0	0.855	0.712	0.579	2.146	Analyzed as below
		Top side	0	0.418	0.160	0.100	0.678	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.022	0.661	0.018	0.701	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.855	10.16	9.24	-0.07	1.567	215.88	0.009	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.855	10.16	9.24	-0.07	1.434	149.69	0.011	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 25 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
10	LTE FDD Band 25	Back side	0	1.007	0.712	0.579	2.298	Analyzed as below
		Top side	0	0.510	0.160	0.100	0.770	Σ SAR<1.6, Not required
		Right side	0	0.151	0.400	0.400	0.951	Σ SAR<1.6, Not required
		Left side	0	0.256	0.661	0.018	0.935	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.719	186.78	0.012	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.586	120.55	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 26 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
11	LTE FDD Band 26	Back side	0	1.016	0.712	0.579	2.307	Analyzed as below
		Top side	0	0.675	0.160	0.100	0.935	Σ SAR<1.6, Not required
		Right side	0	0.098	0.400	0.400	0.898	Σ SAR<1.6, Not required
		Left side	0	0.081	0.661	0.018	0.760	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.728	194.32	0.012	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.595	127.96	0.016	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 30 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
12	LTE FDD Band 30	Back side	0	1.025	0.712	0.579	2.316	Analyzed as below
		Top side	0	0.164	0.160	0.100	0.424	Σ SAR<1.6, Not required
		Right side	0	0.210	0.400	0.400	1.010	Σ SAR<1.6, Not required
		Left side	0	0.044	0.661	0.018	0.723	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.737	162.43	0.014	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.604	96.03	0.021	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
13	LTE TDD Band 41	Back side	0	0.974	0.712	0.579	2.265	Analyzed as below
		Top side	0	0.147	0.160	0.100	0.407	Σ SAR<1.6, Not required
		Right side	0	0.120	0.400	0.400	0.920	Σ SAR<1.6, Not required
		Left side	0	0.039	0.661	0.018	0.718	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.686	162.43	0.013	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.553	96.04	0.020	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 66 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
14	LTE FDD Band 66	Back side	0	1.098	0.712	0.579	2.389	Analyzed as below
		Top side	0	0.503	0.160	0.100	0.763	Σ SAR<1.6, Not required
		Right side	0	0.234	0.400	0.400	1.034	Σ SAR<1.6, Not required
		Left side	0	0.084	0.661	0.018	0.763	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	1.810	188.88	0.013	SPLSR<0.04, Not required
WLAN Main		0.712	9.12	-12.32	-0.24				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	1.677	122.56	0.018	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.712	9.12	-12.32	-0.24	1.291	66.41	0.022	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
15	WCDMA Band II	Back side	0	1.094	0.460	0.943	2.497	Analyzed as below
		Top side	0	0.455	0.143	0.952	1.550	Σ SAR<1.6, Not required
		Right side	0	0.240	0.400	0.400	1.040	Σ SAR<1.6, Not required
		Left side	0	0.377	0.495	0.047	0.919	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	1.554	194.12	0.010	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	2.037	124.3	0.023	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
16	WCDMA Band IV	Back side	0	1.029	0.460	0.943	2.432	Analyzed as below
		Top side	0	0.265	0.143	0.952	1.360	Σ SAR<1.6, Not required
		Right side	0	0.385	0.400	0.400	1.185	Σ SAR<1.6, Not required
		Left side	0	0.055	0.495	0.047	0.597	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.489	194.14	0.009	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.972	124.32	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
17	WCDMA Band V	Back side	0	1.045	0.460	0.943	2.448	Analyzed as below
		Top side	0	0.747	0.143	0.952	1.842	Analyzed as below
		Right side	0	0.111	0.400	0.400	0.911	Σ SAR<1.6, Not required
		Left side	0	0.130	0.495	0.047	0.672	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.505	194.61	0.009	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.747	-0.30	8.50	-0.50	0.890	216.1	0.004	SPLSR<0.04, Not required
WLAN Main		0.143	-0.38	-13.56	-3.99				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.988	124.86	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.747	-0.30	8.50	-0.50	1.699	162.1	0.014	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Top side	0.143	-0.38	-13.56	-3.99	1.095	54	0.021	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
18	LTE FDD Band 2	Back side	0	1.018	0.460	0.943	2.421	Analyzed as below
		Top side	0	0.381	0.143	0.952	1.476	Σ SAR<1.6, Not required
		Right side	0	0.227	0.400	0.400	1.027	Σ SAR<1.6, Not required
		Left side	0	0.196	0.495	0.047	0.738	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.478	190.92	0.009	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.961	124.56	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 4 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
19	LTE FDD Band 4	Back side	0	1.051	0.460	0.943	2.454	Analyzed as below
		Top side	0	0.368	0.143	0.952	1.463	Σ SAR<1.6, Not required
		Right side	0	0.215	0.400	0.400	1.015	Σ SAR<1.6, Not required
		Left side	0	0.031	0.495	0.047	0.573	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.511	195.72	0.009	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.994	125.9	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 5 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
20	LTE FDD Band 5	Back side	0	1.141	0.460	0.943	2.544	Analyzed as below
		Top side	0	0.726	0.143	0.952	1.821	Analyzed as below
		Right side	0	0.342	0.400	0.400	1.142	Σ SAR<1.6, Not required
		Left side	0	0.077	0.495	0.047	0.619	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	1.601	194.6	0.010	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.726	-0.30	8.20	-0.50	0.869	217.6	0.004	SPLSR<0.04, Not required
WLAN Main		0.143	-0.38	-13.56	-3.99				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	2.084	124.83	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.726	-0.30	8.20	-0.50	1.678	163.6	0.013	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Top side	0.143	-0.38	-13.56	-3.99	1.095	54	0.021	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 12 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
21	LTE FDD Band 12	Back side	0	1.026	0.460	0.943	2.429	Analyzed as below
		Top side	0	0.357	0.143	0.952	1.452	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.092	0.495	0.047	0.634	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.486	213.66	0.008	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.969	143.97	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 13 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
22	LTE FDD Band 13	Back side	0	0.892	0.460	0.943	2.295	Analyzed as below
		Top side	0	0.629	0.143	0.952	1.724	Analyzed as below
		Right side	0	0.395	0.400	0.400	1.195	Σ SAR<1.6, Not required
		Left side	0	0.089	0.495	0.047	0.631	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.352	192.75	0.008	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.892	-0.30	8.05	-0.50	1.352	159.7	0.010	SPLSR<0.04, Not required
WLAN Main		0.460	-0.30	-7.92	-0.44				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.835	126.42	0.020	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.892	-0.30	8.05	-0.50	1.835	162.9	0.015	SPLSR<0.04, Not required
WLAN Aux		0.943	-0.40	-8.24	-0.45				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Top side	0.143	-0.38	-13.56	-3.99	1.095	54	0.021	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 17 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
23	LTE FDD Band 17	Back side	0	0.855	0.460	0.943	2.258	Analyzed as below
		Top side	0	0.418	0.143	0.952	1.513	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.022	0.495	0.047	0.564	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.855	10.16	9.24	-0.07	1.315	219.18	0.007	SPLSR<0.04, Not required
WLAN Main		0.460	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.855	10.16	9.24	-0.07	1.798	149.81	0.016	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 25 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
24	LTE FDD Band 25	Back side	0	1.007	0.460	0.943	2.410	Analyzed as below
		Top side	0	0.510	0.143	0.952	1.605	Analyzed as below
		Right side	0	0.151	0.400	0.400	0.951	Σ SAR<1.6, Not required
		Left side	0	0.256	0.495	0.047	0.798	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.467	190.1	0.009	SPLSR<0.04, Not required
WLAN Main		0.460	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.510	-0.28	6.14	-0.27	0.970	140.63	0.007	SPLSR<0.04, Not required
WLAN Main		0.460	-0.30	-7.92	-0.44				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.950	120.67	0.023	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.510	-0.28	6.14	-0.27	1.453	143.84	0.012	SPLSR<0.04, Not required
WLAN Aux		0.943	-0.40	-8.24	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Top side	0.143	-0.38	-13.56	-3.99	1.095	54	0.021	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 26 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
25	LTE FDD Band 26	Back side	0	1.016	0.460	0.943	2.419	Analyzed as below
		Top side	0	0.675	0.143	0.952	1.770	Analyzed as below
		Right side	0	0.098	0.400	0.400	0.898	Σ SAR<1.6, Not required
		Left side	0	0.081	0.495	0.047	0.623	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.476	194.32	0.009	SPLSR<0.04, Not required
WLAN Main		0.46	9.34	-12.66	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.675	-0.45	8.20	-0.44	0.818	217.6	0.003	SPLSR<0.04, Not required
WLAN Main		0.143	-0.38	-13.56	-3.99				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.959	127.96	0.021	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.675	-0.45	8.20	-0.44	1.627	163.6	0.013	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Top side	0.143	-0.38	-13.56	-3.99	1.095	54	0.021	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 30 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
26	LTE FDD Band 30	Back side	0	1.025	0.460	0.943	2.428	Analyzed as below
		Top side	0	0.164	0.143	0.952	1.259	Σ SAR<1.6, Not required
		Right side	0	0.210	0.400	0.400	1.010	Σ SAR<1.6, Not required
		Left side	0	0.044	0.495	0.047	0.586	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.485	165.85	0.011	SPLSR<0.04, Not required
WLAN Main		0.460	9.34	-12.66	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.968	96.23	0.029	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
27	LTE TDD Band 41	Back side	0	0.974	0.460	0.943	2.377	Analyzed as below
		Top side	0	0.147	0.143	0.952	1.242	Σ SAR<1.6, Not required
		Right side	0	0.120	0.400	0.400	0.920	Σ SAR<1.6, Not required
		Left side	0	0.039	0.495	0.047	0.581	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.434	165.84	0.010	SPLSR<0.04, Not required
WLAN Main		0.460	9.34	-12.66	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.917	96.23	0.028	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 66 + 5GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	Max. WLAN Main	Max. WLAN Aux	SAR Sum	SPLSR
28	LTE FDD Band 66	Back side	0	1.098	0.460	0.943	2.501	Analyzed as below
		Top side	0	0.503	0.143	0.952	1.598	Σ SAR<1.6, Not required
		Right side	0	0.234	0.400	0.400	1.034	Σ SAR<1.6, Not required
		Left side	0	0.084	0.495	0.047	0.626	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Main

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	1.558	192.24	0.010	SPLSR<0.04, Not required
WLAN Main		0.460	9.34	-12.66	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	2.041	122.71	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN MIMO

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WLAN Main	Back side	0.46	9.34	-12.66	-0.17	1.403	69.82	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
29	WCDMA Band II	Back side	0	1.094	0.152	0.579	1.825	Analyzed as below
		Top side	0	0.455	0.030	0.100	0.585	Σ SAR<1.6, Not required
		Right side	0	0.240	0.400	0.400	1.040	Σ SAR<1.6, Not required
		Left side	0	0.377	0.006	0.018	0.401	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	1.673	124.3	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	1.246	183.48	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
30	WCDMA Band IV	Back side	0	1.029	0.152	0.579	1.760	Analyzed as below
		Top side	0	0.265	0.030	0.100	0.395	Σ SAR<1.6, Not required
		Right side	0	0.385	0.400	0.400	1.185	Σ SAR<1.6, Not required
		Left side	0	0.055	0.006	0.018	0.079	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.608	124.3	0.016	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.181	183.55	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
31	WCDMA Band V	Back side	0	1.045	0.152	0.579	1.776	Analyzed as below
		Top side	0	0.747	0.030	0.100	0.877	Σ SAR<1.6, Not required
		Right side	0	0.111	0.400	0.400	0.911	Σ SAR<1.6, Not required
		Left side	0	0.130	0.006	0.018	0.154	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.624	124.92	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.197	183.83	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
32	LTE FDD Band 2	Back side	0	1.018	0.152	0.579	1.749	Analyzed as below
		Top side	0	0.381	0.030	0.100	0.511	Σ SAR<1.6, Not required
		Right side	0	0.227	0.400	0.400	1.027	Σ SAR<1.6, Not required
		Left side	0	0.196	0.006	0.018	0.220	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.597	124.56	0.016	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.170	183.57	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 4 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
33	LTE FDD Band 4	Back side	0	1.051	0.152	0.579	1.782	Analyzed as below
		Top side	0	0.368	0.030	0.100	0.498	Σ SAR<1.6, Not required
		Right side	0	0.215	0.400	0.400	1.015	Σ SAR<1.6, Not required
		Left side	0	0.031	0.006	0.018	0.055	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.630	125.9	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.630	125.9	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 5 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
34	LTE FDD Band 5	Back side	0	1.141	0.152	0.579	1.872	Analyzed as below
		Top side	0	0.726	0.030	0.100	0.856	Σ SAR<1.6, Not required
		Right side	0	0.342	0.400	0.400	1.142	Σ SAR<1.6, Not required
		Left side	0	0.077	0.006	0.018	0.101	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	1.720	124.87	0.018	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	1.293	183.87	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 12 + 2.4GHz WLAN MIMO

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
35	LTE FDD Band 12	Back side	0	1.026	0.152	0.579	1.757	Analyzed as below
		Top side	0	0.357	0.030	0.100	0.487	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.092	0.006	0.018	0.116	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.605	144.05	0.014	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.178	202.8	0.006	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 13 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
36	LTE FDD Band 13	Back side	0	0.892	0.152	0.579	1.623	Analyzed as below
		Top side	0	0.629	0.030	0.100	0.759	Σ SAR<1.6, Not required
		Right side	0	0.395	0.400	0.400	1.195	Σ SAR<1.6, Not required
		Left side	0	0.089	0.006	0.018	0.113	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.471	126.42	0.014	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.044	185.33	0.006	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 17 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
37	LTE FDD Band 17	Back side	0	0.855	0.152	0.579	1.586	Σ SAR<1.6, Not required
		Top side	0	0.418	0.030	0.100	0.548	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.022	0.006	0.018	0.046	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 25 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
38	LTE FDD Band 25	Back side	0	1.007	0.152	0.579	1.738	Analyzed as below
		Top side	0	0.510	0.030	0.100	0.640	Σ SAR<1.6, Not required
		Right side	0	0.151	0.400	0.400	0.951	Σ SAR<1.6, Not required
		Left side	0	0.256	0.006	0.018	0.280	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.586	120.55	0.017	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.159	179.23	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 26 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
39	LTE FDD Band 26	Back side	0	1.016	0.152	0.579	1.747	Analyzed as below
		Top side	0	0.675	0.030	0.100	0.805	Σ SAR<1.6, Not required
		Right side	0	0.098	0.400	0.400	0.898	Σ SAR<1.6, Not required
		Left side	0	0.081	0.006	0.018	0.105	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.595	127.96	0.016	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.168	186.97	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 30 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
40	LTE FDD Band 30	Back side	0	1.025	0.152	0.579	1.756	Analyzed as below
		Top side	0	0.164	0.030	0.100	0.294	Σ SAR<1.6, Not required
		Right side	0	0.210	0.400	0.400	1.010	Σ SAR<1.6, Not required
		Left side	0	0.044	0.006	0.018	0.068	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.604	96.03	0.021	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.177	155.26	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
41	LTE TDD Band 41	Back side	0	0.974	0.152	0.579	1.705	Analyzed as below
		Top side	0	0.147	0.030	0.100	0.277	Σ SAR<1.6, Not required
		Right side	0	0.120	0.400	0.400	0.920	Σ SAR<1.6, Not required
		Left side	0	0.039	0.006	0.018	0.063	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.553	96.04	0.020	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.126	155.22	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 66 + BT + 2.4GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
42	LTE FDD Band 66	Back side	0	1.098	0.152	0.579	1.829	Analyzed as below
		Top side	0	0.503	0.030	0.100	0.633	Σ SAR<1.6, Not required
		Right side	0	0.234	0.400	0.400	1.034	Σ SAR<1.6, Not required
		Left side	0	0.084	0.006	0.018	0.108	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	1.677	122.56	0.018	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	1.250	181.47	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	0.731	59.68	0.010	SPLSR<0.04, Not required
WLAN Aux		0.579	9.00	-5.68	-0.23				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
43	WCDMA Band II	Back side	0	1.094	0.152	0.943	2.189	Analyzed as below
		Top side	0	0.455	0.030	0.952	1.437	Σ SAR<1.6, Not required
		Right side	0	0.240	0.400	0.400	1.040	Σ SAR<1.6, Not required
		Left side	0	0.377	0.006	0.047	0.430	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	2.037	124.3	0.023	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.094	9.09	6.75	-0.24	1.246	183.48	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
44	WCDMA Band IV	Back side	0	1.029	0.152	0.943	2.124	Analyzed as below
		Top side	0	0.265	0.030	0.952	1.247	Σ SAR<1.6, Not required
		Right side	0	0.385	0.400	0.400	1.185	Σ SAR<1.6, Not required
		Left side	0	0.055	0.006	0.047	0.108	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.972	124.32	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.029	8.94	6.75	-0.24	1.181	183.55	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
45	WCDMA Band V	Back side	0	1.045	0.152	0.943	2.140	Analyzed as below
		Top side	0	0.747	0.030	0.952	1.729	Analyzed as below
		Right side	0	0.111	0.400	0.400	0.911	Σ SAR<1.6, Not required
		Left side	0	0.130	0.006	0.047	0.183	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.988	124.86	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.747	-0.30	8.50	-0.50	1.699	162.1	0.014	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.045	9.55	6.80	-0.26	1.197	183.83	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.747	-0.30	8.50	-0.50	0.777	215.9	0.003	SPLSR<0.04, Not required
BT		0.03	0.00	-1.35	-0.04				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Top side	0.03	0.00	-13.54	-0.39	0.982	54	0.018	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
46	LTE FDD Band 2	Back side	0	1.018	0.152	0.943	2.113	Analyzed as below
		Top side	0	0.381	0.030	0.952	1.363	Σ SAR<1.6, Not required
		Right side	0	0.227	0.400	0.400	1.027	Σ SAR<1.6, Not required
		Left side	0	0.196	0.006	0.047	0.249	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.961	124.56	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.018	9.39	6.77	-0.20	1.170	183.57	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 4 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
47	LTE FDD Band 4	Back side	0	1.051	0.152	0.943	2.146	Analyzed as below
		Top side	0	0.368	0.030	0.952	1.350	Σ SAR<1.6, Not required
		Right side	0	0.215	0.400	0.400	1.015	Σ SAR<1.6, Not required
		Left side	0	0.031	0.006	0.047	0.084	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.994	125.9	0.022	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.051	9.09	6.91	-0.24	1.203	185.08	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 5 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
48	LTE FDD Band 5	Back side	0	1.141	0.152	0.943	2.236	Analyzed as below
		Top side	0	0.726	0.030	0.952	1.708	Analyzed as below
		Right side	0	0.342	0.400	0.400	1.142	Σ SAR<1.6, Not required
		Left side	0	0.077	0.006	0.047	0.130	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	2.084	124.83	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.726	-0.30	8.20	-0.50	1.678	163.6	0.013	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.141	9.40	6.80	-0.29	1.293	183.87	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.726	-0.30	8.20	-0.50	0.756	217.4	0.003	SPLSR<0.04, Not required
BT		0.03	0.00	-1.35	-0.04				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Top side	0.03	0.00	-13.54	-0.39	0.982	54	0.018	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 12 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
49	LTE FDD Band 12	Back side	0	1.026	0.152	0.943	2.121	Analyzed as below
		Top side	0	0.357	0.030	0.952	1.339	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.092	0.006	0.047	0.145	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.969	143.97	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.026	9.85	8.70	-0.27	1.178	202.8	0.006	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 13 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
50	LTE FDD Band 13	Back side	0	0.892	0.152	0.943	1.987	Analyzed as below
		Top side	0	0.629	0.030	0.952	1.611	Analyzed as below
		Right side	0	0.395	0.400	0.400	1.195	Σ SAR<1.6, Not required
		Left side	0	0.089	0.006	0.047	0.142	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.835	126.42	0.020	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.629	-0.30	8.05	-0.50	1.581	162.1	0.012	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.892	9.55	6.95	-0.29	1.044	185.33	0.006	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.629	-0.30	8.05	-0.50	0.659	215.9	0.002	SPLSR<0.04, Not required
BT		0.03	0.00	-1.35	-0.04				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Top side	0.03	0.00	-13.54	-0.39	0.982	54	0.018	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 17 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
51	LTE FDD Band 17	Back side	0	0.855	0.152	0.943	1.950	Analyzed as below
		Top side	0	0.418	0.030	0.952	1.400	Σ SAR<1.6, Not required
		Right side	0	0.252	0.400	0.400	1.052	Σ SAR<1.6, Not required
		Left side	0	0.022	0.006	0.047	0.075	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.855	10.16	9.24	-0.07	1.798	149.81	0.016	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.855	10.16	9.24	-0.07	1.007	208.25	0.005	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 25 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
52	LTE FDD Band 25	Back side	0	1.007	0.152	0.943	2.102	Analyzed as below
		Top side	0	0.510	0.030	0.952	1.492	Σ SAR<1.6, Not required
		Right side	0	0.151	0.400	0.400	0.951	Σ SAR<1.6, Not required
		Left side	0	0.256	0.006	0.047	0.309	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.950	120.67	0.023	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.007	9.87	6.34	-0.03	1.159	179.23	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 26 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
53	LTE FDD Band 26	Back side	0	1.016	0.152	0.943	2.111	Analyzed as below
		Top side	0	0.675	0.030	0.952	1.657	Analyzed as below
		Right side	0	0.098	0.400	0.400	0.898	Σ SAR<1.6, Not required
		Left side	0	0.081	0.006	0.047	0.134	Σ SAR<1.6, Not required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.959	127.96	0.021	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.675	-0.45	8.20	-0.44	1.627	163.6	0.013	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.016	9.39	7.11	-0.23	1.168	186.97	0.007	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Top side	0.675	-0.45	8.20	-0.44	0.705	217.4	0.003	SPLSR<0.04, Not required
BT		0.03	0.00	-1.35	-0.04				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Top side	0.03	0.00	-13.54	-0.39	0.982	54	0.018	SPLSR<0.04, Not required
WLAN Aux		0.952	-0.40	-8.16	-0.45				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 30 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
54	LTE FDD Band 30	Back side	0	1.025	0.152	0.943	2.120	Analyzed as below
		Top side	0	0.164	0.030	0.952	1.146	Σ SAR<1.6, Not required
		Right side	0	0.210	0.400	0.400	1.010	Σ SAR<1.6, Not required
		Left side	0	0.044	0.006	0.047	0.097	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.968	96.23	0.029	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.025	9.05	3.92	-0.08	1.177	155.26	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
55	LTE TDD Band 41	Back side	0	0.974	0.152	0.943	2.069	Analyzed as below
		Top side	0	0.147	0.030	0.952	1.129	Σ SAR<1.6, Not required
		Right side	0	0.120	0.400	0.400	0.920	Σ SAR<1.6, Not required
		Left side	0	0.039	0.006	0.047	0.092	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.917	96.23	0.028	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	0.974	9.14	3.92	-0.07	1.126	155.22	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 66 + BT + 5GHz WLAN Aux

No.	Conditions	Position	Distance (mm)	Max. WWAN	BT	Max. WLAN Aux	SAR Sum	SPLSR
56	LTE FDD Band 66	Back side	0	1.098	0.152	0.943	2.193	Analyzed as below
		Top side	0	0.503	0.030	0.952	1.485	Σ SAR<1.6, Not required
		Right side	0	0.234	0.400	0.400	1.034	Σ SAR<1.6, Not required
		Left side	0	0.084	0.006	0.047	0.137	Σ SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	2.041	122.71	0.024	SPLSR<0.04, Not required
WLAN Aux		0.943	9.10	-5.70	-0.19				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WWAN + BT

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
WWAN	Back side	1.098	9.55	62.00	-0.07	1.250	181.47	0.008	SPLSR<0.04, Not required
BT		0.152	9.90	-11.58	-0.25				




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

BT + WLAN Aux

Conditions	Position	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
BT	Back side	0.152	9.90	-11.58	-0.25	1.095	59.47	0.019	SPLSR<0.04, Not required
WLAN Aux		0.943	9.16	-5.68	-0.17				


Conclusion:

Simultaneous transmission SAR measurement (Volume Scan) is not required because either the sum of the 1-g SAR is < 1.6 W/kg or the SPLSR is ≤ 0.04 for all circumstances that require SPLSR calculation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4. Instruments List

Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
Schmid & Partner Engineering AG	Dosimetric E-Field Probe	EX3DV4	3831	Jan.23,2017	Jan.22,2018
			7466	Jul.04,2017	Jul.03,2018
Schmid & Partner Engineering AG	System Validation Dipole	D750V2	1015	Aug.21,2017	Aug.20,2018
		D835V2	4d063	Aug.21,2017	Aug.20,2018
		D1750V2	1008	Aug.21,2017	Aug.20,2018
		D1900V2	5d173	May.31,2017	May.30,2018
		D2300V2	1023	Aug.17,2017	Aug.16,2018
		D2450V2	727	Apr.21,2017	Apr.20,2018
		D2600V2	1005	Jan.25,2017	Jan.24,2018
		D5GHzV2	1023	Jan.20,2017	Jan.19,2018
Schmid & Partner Engineering AG	Data acquisition Electronics	DAE4	547	Mar.22,2017	Mar.21,2018
			1336	Nov.22,2016	Nov.21,2017
Schmid & Partner Engineering AG	Software	DASY 52 V52.8.8	N/A	Calibration not required	Calibration not required
Schmid & Partner Engineering AG	Phantom	ELI	N/A	Calibration not required	Calibration not required
Agilent	Network Analyzer	E5071C	MY46107530	Jan.20,2017	Jan.19,2018
Agilent	Dielectric Probe Kit	85070E	MY44300677	Calibration not required	Calibration not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
Agilent	Dual-directional coupler	772D	MY52180142	Apr.13,2017	Apr.12,2018
		778D	MY52180302	Apr.13,2017	Apr.12,2018
Agilent	RF Signal Generator	N5181A	MY50144143	Mar.01,2017	Feb.28,2018
Agilent	Power Meter	E4417A	MY52240003	Oct.17,2016	Oct.16,2017
			MY51410006	Jan.20,2017	Jan.19,2018
Agilent	Power Sensor	E9301H	MY52200003	Oct.17,2016	Oct.16,2017
			MY51470001	Jan.20,2017	Jan.19,2018
			MY52200004	Oct.17,2016	Oct.16,2017
			MY51470002	Jan.20,2017	Jan.19,2018
TECPEL	Digital thermometer	DTM-303A	TP130075	Mar.09,2017	Mar.08,2018
Anritsu	Radio Communication Test	MT8820C	6201061014	Jan.05,2017	Jan.04,2018
R&S	Radio Communication Test	CMW 500	125470	Aug.22,2017	Aug.21,2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5. Measurements

Date: 2017/9/11

WCDMA Band II_Body_Back side_CH 9400_0mm

Communication System: WCDMA; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1880$ MHz; $\sigma = 1.52$ S/m; $\epsilon_r = 53.29$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.7°C; Liquid temperature: 21.5°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(8.14, 8.14, 8.14); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.30 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 4.351 V/m; Power Drift = 0.19 dB

Peak SAR (extrapolated) = 1.74 W/kg

SAR(1 g) = 1.05 W/kg; SAR(10 g) = 0.454 W/kg

Maximum value of SAR (measured) = 1.32 W/kg



0 dB = 1.32 W/kg = 1.21 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/8

WCDMA Band IV_Body_Back side_CH 1513_10mm

Communication System: WCDMA; Frequency: 1752.6 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1752.6 \text{ MHz}$; $\sigma = 1.472 \text{ S/m}$; $\epsilon_r = 54.014$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(8.52, 8.52, 8.52); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.36 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.840 V/m; Power Drift = 0.12 dB

Peak SAR (extrapolated) = 1.65 W/kg

SAR(1 g) = 0.974 W/kg; SAR(10 g) = 0.557 W/kg

Maximum value of SAR (measured) = 1.32 W/kg



0 dB = 1.32 W/kg = 1.21 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/7

WCDMA Band V_Body_Back side_CH 4233_10mm

Communication System: WCDMA; Frequency: 846.6 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 847 \text{ MHz}$; $\sigma = 0.968 \text{ S/m}$; $\epsilon_r = 56.222$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(10.24, 10.24, 10.24); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.09 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.581 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 1.36 W/kg

SAR(1 g) = 0.919 W/kg; SAR(10 g) = 0.580 W/kg

Maximum value of SAR (measured) = 1.13 W/kg



0 dB = 1.13 W/kg = 0.55 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/11

LTE Band 2 (20MHz)_Body_Back side_CH 18900_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1880 \text{ MHz}$; $\sigma = 1.52 \text{ S/m}$; $\epsilon_r = 53.29$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.7°C ; Liquid temperature: 21.5°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(8.14, 8.14, 8.14); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 1.32 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 4.376 V/m ; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 1.63 W/kg

SAR(1 g) = 0.993 W/kg ; SAR(10 g) = 0.469 W/kg

Maximum value of SAR (measured) = 1.30 W/kg



$0 \text{ dB} = 1.30 \text{ W/kg} = 1.14 \text{ dBW/kg}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/8

LTE Band 4 (20MHz)_Body_Back side_CH 20175_QPSK_1-0_10mm

Communication System: LTE; Frequency: 1732.5 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1732.5$ MHz; $\sigma = 1.463$ S/m; $\epsilon_r = 54.064$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(8.52, 8.52, 8.52); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.49 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.674 V/m; Power Drift = 0.19 dB

Peak SAR (extrapolated) = 1.79 W/kg

SAR(1 g) = 1.07 W/kg; SAR(10 g) = 0.608 W/kg

Maximum value of SAR (measured) = 1.46 W/kg



0 dB = 1.46 W/kg = 1.65 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/7

LTE Band 5 (10MHz)_Body_Back side_CH 20450_QPSK_1-0_0mm

Communication System: LTE; Frequency: 829 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 829 \text{ MHz}$; $\sigma = 0.955 \text{ S/m}$; $\epsilon_r = 56.423$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(10.24, 10.24, 10.24); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.10 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.578 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 1.38 W/kg

SAR(1 g) = 1.01 W/kg; SAR(10 g) = 0.628 W/kg

Maximum value of SAR (measured) = 1.17 W/kg



0 dB = 1.17 W/kg = 0.69 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/6

LTE Band 12 (10MHz)_Body_Back side_CH 23095_QPSK_1-0_0mm

Communication System: LTE; Frequency: 707.5 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 708 \text{ MHz}$; $\sigma = 0.943 \text{ S/m}$; $\epsilon_r = 57.706$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C ; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(9.59, 9.59, 9.59); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.977 W/kg



Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.040 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 1.21 W/kg

SAR(1 g) = 0.916 W/kg; SAR(10 g) = 0.525 W/kg

Maximum value of SAR (measured) = 1.01 W/kg



0 dB = 1.01 W/kg = 0.04 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/6

LTE Band 13 (10MHz)_Body_Back side_CH 23230_QPSK_1-0_10mm

Communication System: LTE; Frequency: 782 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 782 \text{ MHz}$; $\sigma = 0.98 \text{ S/m}$; $\epsilon_r = 57.549$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C ; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(9.59, 9.59, 9.59); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.17 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 7.269 V/m; Power Drift = -0.01 dB

Peak SAR (extrapolated) = 1.45 W/kg

SAR(1 g) = 0.933 W/kg; SAR(10 g) = 0.583 W/kg

Maximum value of SAR (measured) = 1.21 W/kg



0 dB = 1.21 W/kg = 0.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/21

LTE Band 17 (10MHz)_Body_Back side_CH 23800_QPSK_1-0_0mm

Communication System: LTE; Frequency: 711 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 711 \text{ MHz}$; $\sigma = 0.925 \text{ S/m}$; $\epsilon_r = 53.937$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.6°C; Liquid temperature: 21.2°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(9.59, 9.59, 9.59); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.15 W/kg



Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.906 V/m; Power Drift = 0.15 dB

Peak SAR (extrapolated) = 1.56 W/kg

SAR(1 g) = 0.853 W/kg; SAR(10 g) = 0.485 W/kg

Maximum value of SAR (measured) = 1.22 W/kg



0 dB = 1.22 W/kg = 0.86 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/25

LTE Band 25 (20MHz)_Body_Back side_CH 26590_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1905 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1905 \text{ MHz}$; $\sigma = 1.538 \text{ S/m}$; $\epsilon_r = 52.698$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.53, 7.53, 7.53); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.69 W/kg



Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 1.312 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 1.99 W/kg

SAR(1 g) = 1 W/kg; SAR(10 g) = 0.478 W/kg

Maximum value of SAR (measured) = 1.39 W/kg



0 dB = 1.39 W/kg = 1.43 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/7

LTE Band 26 (15MHz)_Body_Back side_CH 26965_QPSK_1-36_10mm

Communication System: LTE; Frequency: 841.5 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 841.5 \text{ MHz}$; $\sigma = 0.964 \text{ S/m}$; $\epsilon_r = 56.372$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(10.24, 10.24, 10.24); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.17 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.839 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 1.43 W/kg

SAR(1 g) = 0.930 W/kg; SAR(10 g) = 0.590 W/kg

Maximum value of SAR (measured) = 1.21 W/kg



0 dB = 1.21 W/kg = 0.82 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/26

LTE Band 30 (10MHz)_Body_Back side_CH 27710_QPSK_1-0_12mm

Communication System: LTE; Frequency: 2310 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2310$ MHz; $\sigma = 1.756$ S/m; $\epsilon_r = 51.453$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.32, 7.32, 7.32); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x131x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.82 W/kg


Configuration/Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 6.189 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 2.23 W/kg

SAR(1 g) = 1.29 W/kg; SAR(10 g) = 0.722 W/kg

Maximum value of SAR (measured) = 1.79 W/kg



0 dB = 1.79 W/kg = 2.54 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/27

LTE Band 41 (20MHz)_Body_Back side_CH 41490_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2687.5 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 2.23$ S/m; $\epsilon_r = 50.96$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.05, 7.05, 7.05); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.67 W/kg


Configuration/Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 5.154 V/m; Power Drift = 0.09 dB

Peak SAR (extrapolated) = 2.39 W/kg

SAR(1 g) = 0.974 W/kg; SAR(10 g) = 0.401 W/kg

Maximum value of SAR (measured) = 1.59 W/kg



0 dB = 1.59 W/kg = 2.00 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/23

LTE Band 66 (20MHz)_Body_Back side_CH 132572_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1770 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1770.3$ MHz; $\sigma = 1.529$ S/m; $\epsilon_r = 54.332$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.5°C; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.78, 7.78, 7.78); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.87 W/kg


Configuration/Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 1.150 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 2.14 W/kg

SAR(1 g) = 1.09 W/kg; SAR(10 g) = 0.554 W/kg

Maximum value of SAR (measured) = 1.64 W/kg



0 dB = 1.64 W/kg = 2.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/12

WLAN 802.11b_Body_Back side_CH 6_0mm_Main

Communication System: WLAN 2.45G; Frequency: 2437 MHz; Duty Cycle: 1:1
 Medium parameters used: $f = 2437 \text{ MHz}$; $\sigma = 1.934 \text{ S/m}$; $\epsilon_r = 53.045$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Ambient temperature: 22.1°C ; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(7.94, 7.94, 7.94); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (51x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.33 W/kg



Configuration/Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 0.6760 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 1.84 W/kg

SAR(1 g) = 0.710 W/kg; SAR(10 g) = 0.340 W/kg

Maximum value of SAR (measured) = 1.24 W/kg



0 dB = 1.24 W/kg = 0.94 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/12

Bluetooth(GFSK)_Body_Back side_CH 0_0mm

Communication System: Bluetooth; Frequency: 2402 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2402 \text{ MHz}$; $\sigma = 1.885 \text{ S/m}$; $\epsilon_r = 53.119$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(7.94, 7.94, 7.94); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (51x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.210 W/kg


Configuration/Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 0.2273 V/m; Power Drift = 0.10 dB

Peak SAR (extrapolated) = 0.335 W/kg

SAR(1 g) = 0.130 W/kg; SAR(10 g) = 0.056 W/kg

Maximum value of SAR (measured) = 0.205 W/kg



0 dB = 0.205 W/kg = -6.87 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

WLAN 802.11n(40M) 5.2G_Body_Left side_CH 38_0mm_Main

Communication System: WLAN 5G; Frequency: 5190 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5190 \text{ MHz}$; $\sigma = 5.415 \text{ S/m}$; $\epsilon_r = 50.978$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.9°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.2, 5.2, 5.2); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.01 W/kg



Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.331 V/m; Power Drift = 0.10 dB

Peak SAR (extrapolated) = 2.22 W/kg

SAR(1 g) = 0.489 W/kg; SAR(10 g) = 0.156 W/kg

Maximum value of SAR (measured) = 0.967 W/kg



0 dB = 0.967 W/kg = -0.15 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

WLAN 802.11a 5.3G_Body_Back side_CH 64_0mm_Main

Communication System: WLAN 5G; Frequency: 5320 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5320 \text{ MHz}$; $\sigma = 5.623 \text{ S/m}$; $\epsilon_r = 50.679$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.6°C ; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.1, 5.1, 5.1); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.655 W/kg

Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 0.1108 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 1.60 W/kg

SAR(1 g) = 0.337 W/kg; SAR(10 g) = 0.100 W/kg

Maximum value of SAR (measured) = 0.716 W/kg



0 dB = 0.716 W/kg = -1.45 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

WLAN 802.11n(40M) 5.3G_Body_Back side_CH 62_0mm_Main

Communication System: WLAN 5G; Frequency: 5310 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5310 \text{ MHz}$; $\sigma = 5.607 \text{ S/m}$; $\epsilon_r = 50.702$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.6°C ; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.1, 5.1, 5.1); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.659 W/kg

Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 0.1149 V/m; Power Drift = 0.12 dB

Peak SAR (extrapolated) = 1.66 W/kg

SAR(1 g) = 0.354 W/kg; SAR(10 g) = 0.098 W/kg

Maximum value of SAR (measured) = 0.712 W/kg



0 dB = 0.712 W/kg = -1.47 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/14

WLAN 802.11ac(80M) 5.6G_Body_Back side_CH 122_0mm_Main

Communication System: WLAN 5G; Frequency: 5610 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5610 \text{ MHz}$; $\sigma = 5.793 \text{ S/m}$; $\epsilon_r = 47.505$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(4.27, 4.27, 4.27); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.229 W/kg


Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.217 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 0.465 W/kg

SAR(1 g) = 0.089 W/kg; SAR(10 g) = 0.033 W/kg

Maximum value of SAR (measured) = 0.189 W/kg



0 dB = 0.189 W/kg = -7.24 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/14

WLAN 802.11ac(80M) 5.8G_Body_Back side_CH 155_0mm_Main

Communication System: WLAN 5G; Frequency: 5775 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5775 \text{ MHz}$; $\sigma = 6.107 \text{ S/m}$; $\epsilon_r = 47.241$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.2°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(4.48, 4.48, 4.48); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.889 W/kg


Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 0.1512 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 2.49 W/kg

SAR(1 g) = 0.459 W/kg; SAR(10 g) = 0.126 W/kg

Maximum value of SAR (measured) = 1.02 W/kg



0 dB = 1.02 W/kg = 0.07 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/12

WLAN 802.11b_Body_Back side_CH 6_0mm_Aux

Communication System: WLAN 2.45G; Frequency: 2437 MHz; Duty Cycle: 1:1
 Medium parameters used: $f = 2437 \text{ MHz}$; $\sigma = 1.934 \text{ S/m}$; $\epsilon_r = 53.045$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Ambient temperature: 22.1°C ; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(7.94, 7.94, 7.94); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (51x101x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 0.967 W/kg


Configuration/Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 0.1891 V/m ; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 1.40 W/kg

SAR(1 g) = 0.568 W/kg ; SAR(10 g) = 0.226 W/kg

Maximum value of SAR (measured) = 0.972 W/kg



$0 \text{ dB} = 0.972 \text{ W/kg} = -0.12 \text{ dBW/kg}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

WLAN 802.11n(40M) 5.2G_Body_Top side_CH 38_0mm_Aux

Communication System: WLAN 5G; Frequency: 5190 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5190 \text{ MHz}$; $\sigma = 5.415 \text{ S/m}$; $\epsilon_r = 50.978$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.9°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.2, 5.2, 5.2); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.07 W/kg

Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 3.912 V/m; Power Drift = 0.86 dB

Peak SAR (extrapolated) = 4.32 W/kg

SAR(1 g) = 0.948 W/kg; SAR(10 g) = 0.236 W/kg

Maximum value of SAR (measured) = 2.09 W/kg



Configuration/Body/Zoom Scan (7x7x12)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 3.912 V/m; Power Drift = 0.16 dB

Peak SAR (extrapolated) = 3.05 W/kg

SAR(1 g) = 0.742 W/kg; SAR(10 g) = 0.218 W/kg

Maximum value of SAR (measured) = 1.54 W/kg



0 dB = 1.54 W/kg = 1.87 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

WLAN 802.11a 5.3G_Body_Back side_CH 60_0mm_Aux

Communication System: WLAN 5G; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5300 \text{ MHz}$; $\sigma = 5.591 \text{ S/m}$; $\epsilon_r = 50.725$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.6°C; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.1, 5.1, 5.1); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.99 W/kg



Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 0.3314 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 4.01 W/kg

SAR(1 g) = 0.941 W/kg; SAR(10 g) = 0.264 W/kg

Maximum value of SAR (measured) = 1.92 W/kg



0 dB = 1.92 W/kg = 2.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

WLAN 802.11n(40M) 5.3G_Body_Back side_CH 62_0mm_Aux

Communication System: WLAN 5G; Frequency: 5310 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5310 \text{ MHz}$; $\sigma = 5.607 \text{ S/m}$; $\epsilon_r = 50.702$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.6°C; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.1, 5.1, 5.1); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.80 W/kg



Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 0.2982 V/m; Power Drift = 0.19 dB

Peak SAR (extrapolated) = 3.63 W/kg

SAR(1 g) = 0.881 W/kg; SAR(10 g) = 0.254 W/kg

Maximum value of SAR (measured) = 1.78 W/kg



0 dB = 1.78 W/kg = 2.52 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/14

WLAN 802.11ac(80M) 5.6G_Body_Back side_CH 138_0mm_Aux

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5690$ MHz; $\sigma = 5.945$ S/m; $\epsilon_r = 47.377$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(4.27, 4.27, 4.27); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.28 W/kg


Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 0.2399 V/m; Power Drift = 0.09 dB

Peak SAR (extrapolated) = 2.91 W/kg

SAR(1 g) = 0.716 W/kg; SAR(10 g) = 0.200 W/kg

Maximum value of SAR (measured) = 1.52 W/kg



0 dB = 1.52 W/kg = 1.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/14

WLAN 802.11ac(80M) 5.8G_Body_Back side_CH 155_0mm_Aux

Communication System: WLAN 5G; Frequency: 5775 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5775 \text{ MHz}$; $\sigma = 6.107 \text{ S/m}$; $\epsilon_r = 47.241$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.2°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(4.48, 4.48, 4.48); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Body/Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.12 W/kg


Configuration/Body/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 0.2840 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 2.79 W/kg

SAR(1 g) = 0.608 W/kg; SAR(10 g) = 0.169 W/kg

Maximum value of SAR (measured) = 1.32 W/kg



0 dB = 1.32 W/kg = 1.20 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6. SAR System Performance Verification

Date: 2017/9/6

Dipole 750 MHz_SN:1015

Communication System: CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.964 \text{ S/m}$; $\epsilon_r = 57.616$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C ; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(9.59, 9.59, 9.59); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (51x141x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.79 W/kg



Configuration/Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 53.30 V/m ; Power Drift = -0.10 dB

Peak SAR (extrapolated) = 3.33 W/kg

SAR(1 g) = 2.18 W/kg ; SAR(10 g) = 1.4 W/kg

Maximum value of SAR (measured) = 2.81 W/kg



0 dB = 2.81 W/kg = 4.48 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/7

Dipole 835 MHz_SN:4d063

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1
 Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.96 \text{ S/m}$; $\epsilon_r = 56.398$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Ambient temperature: 22.2°C ; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(10.24, 10.24, 10.24); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (51x131x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 3.12 W/kg



Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 55.70 V/m ; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 3.74 W/kg

SAR(1 g) = 2.44 W/kg ; SAR(10 g) = 1.57 W/kg

Maximum value of SAR (measured) = 3.14 W/kg



0 dB = $3.14 \text{ W/kg} = 4.96 \text{ dBW/kg}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/8

Dipole 1750 MHz_SN:1008

Communication System: CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1750 \text{ MHz}$; $\sigma = 1.47 \text{ S/m}$; $\epsilon_r = 54.02$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.3°C ; Liquid temperature: 21.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(8.52, 8.52, 8.52); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (41x71x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 13.5 W/kg


Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 92.96 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 15.9 W/kg

SAR(1 g) = 9.35 W/kg; SAR(10 g) = 4.97 W/kg

Maximum value of SAR (measured) = 12.8 W/kg



0 dB = 12.8 W/kg = 11.08 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/11

Dipole 1900 MHz_SN:5d173

Communication System: CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1900 \text{ MHz}$; $\sigma = 1.534 \text{ S/m}$; $\epsilon_r = 53.268$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.7°C ; Liquid temperature: 21.5°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(8.14, 8.14, 8.14); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (41x71x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 15.4 W/kg



Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 96.42 V/m ; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 18.6 W/kg

SAR(1 g) = 10 W/kg ; SAR(10 g) = 5.25 W/kg

Maximum value of SAR (measured) = 14.5 W/kg



$0 \text{ dB} = 14.5 \text{ W/kg} = 11.61 \text{ dBW/kg}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/12

Dipole 2450 MHz_SN:727

Communication System: CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2450 \text{ MHz}$; $\sigma = 1.952 \text{ S/m}$; $\epsilon_r = 53.018$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C ; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(7.94, 7.94, 7.94); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (61x131x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 20.3 W/kg



Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 97.69 V/m ; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 26.7 W/kg

SAR(1 g) = 12.5 W/kg ; SAR(10 g) = 6.02 W/kg

Maximum value of SAR (measured) = 19.4 W/kg



$0 \text{ dB} = 19.4 \text{ W/kg} = 12.89 \text{ dBW/kg}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/12

Dipole 2600 MHz_SN:1005

Communication System: CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 2.162$ S/m; $\epsilon_r = 52.703$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.8°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(7.66, 7.66, 7.66); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (71x91x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 23.4 W/kg



Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 100.1 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 31.2 W/kg

SAR(1 g) = 13.9 W/kg; SAR(10 g) = 6.08 W/kg

Maximum value of SAR (measured) = 22.2 W/kg



0 dB = 22.2 W/kg = 13.46 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

Dipole 5200MHz_SN:1023

Communication System: CW; Frequency: 5200 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5200 \text{ MHz}$; $\sigma = 5.431 \text{ S/m}$; $\epsilon_r = 50.955$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.9°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.2, 5.2, 5.2); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=100mW/Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 16.2 W/kg


Configuration/Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 58.78 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 31.4 W/kg

SAR(1 g) = 7.52 W/kg; SAR(10 g) = 2.21 W/kg

Maximum value of SAR (measured) = 16.5 W/kg



0 dB = 16.5 W/kg = 12.17 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/13

Dipole 5300MHz_SN:1023

Communication System: CW; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5300 \text{ MHz}$; $\sigma = 5.591 \text{ S/m}$; $\epsilon_r = 50.725$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.6°C; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(5.1, 5.1, 5.1); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=100mW/Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 16.3 W/kg


Configuration/Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 59.09 V/m; Power Drift = -0.09 dB

Peak SAR (extrapolated) = 32.0 W/kg

SAR(1 g) = 7.67 W/kg; SAR(10 g) = 2.15 W/kg

Maximum value of SAR (measured) = 16.3 W/kg



0 dB = 16.3 W/kg = 12.13 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/14

Dipole 5600MHz_SN:1023

Communication System: CW; Frequency: 5600 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5600 \text{ MHz}$; $\sigma = 5.774 \text{ S/m}$; $\epsilon_r = 47.521$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(4.27, 4.27, 4.27); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=100mW/Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 16.8 W/kg

Configuration/Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 58.88 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 34.0 W/kg

SAR(1 g) = 7.7 W/kg; SAR(10 g) = 2.14 W/kg

Maximum value of SAR (measured) = 16.7 W/kg



0 dB = 16.7 W/kg = 12.23 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/9/14

Dipole 5800MHz_SN:1023

Communication System: CW; Frequency: 5800 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5800 \text{ MHz}$; $\sigma = 6.154 \text{ S/m}$; $\epsilon_r = 47.201$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.2°C

DASY5 Configuration:

- Probe: EX3DV4 - SN7466; ConvF(4.48, 4.48, 4.48); Calibrated: 2017/7/5;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1336; Calibrated: 2016/11/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=100mW/Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 16.5 W/kg

Configuration/Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 56.64 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 34.7 W/kg

SAR(1 g) = 7.51 W/kg; SAR(10 g) = 2.09 W/kg

Maximum value of SAR (measured) = 16.4 W/kg



0 dB = 16.4 W/kg = 12.15 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/21

Dipole 750 MHz_SN:1015

Communication System: CW; Frequency: 750 MHz; Duty Cycle: 1:1
 Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.927 \text{ S/m}$; $\epsilon_r = 54.545$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Ambient temperature: 22.6°C ; Liquid temperature: 21.2°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.53, 7.53, 7.53); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (51x141x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.86 W/kg


Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 52.99 V/m; Power Drift = 0.15 dB

Peak SAR (extrapolated) = 3.40 W/kg

SAR(1 g) = 2.23 W/kg; SAR(10 g) = 1.46 W/kg

Maximum value of SAR (measured) = 2.86 W/kg



0 dB = 2.86 W/kg = 4.56 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/23

Dipole 1750 MHz_SN:1008

Communication System: CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1750$ MHz; $\sigma = 1.516$ S/m; $\epsilon_r = 54.453$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.5°C; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.53, 7.53, 7.53); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (41x71x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 14.3 W/kg



Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 95.60 V/m; Power Drift = -0.01 dB

Peak SAR (extrapolated) = 16.9 W/kg

SAR(1 g) = 9.08 W/kg; SAR(10 g) = 4.81 W/kg

Maximum value of SAR (measured) = 13.5 W/kg



0 dB = 13.5 W/kg = 11.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/25

Dipole 1900 MHz_SN:5d027

Communication System: CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1900 \text{ MHz}$; $\sigma = 1.536 \text{ S/m}$; $\epsilon_r = 52.703$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C ; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.53, 7.53, 7.53); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (41x71x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 14.7 W/kg


Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 94.40 V/m ; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 17.9 W/kg

SAR(1 g) = 9.99 W/kg ; SAR(10 g) = 5.29 W/kg

Maximum value of SAR (measured) = 13.9 W/kg



0 dB = $13.9 \text{ W/kg} = 11.44 \text{ dBW/kg}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/26

Dipole 2300 MHz_SN:1023

Communication System: CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2300 \text{ MHz}$; $\sigma = 1.747 \text{ S/m}$; $\epsilon_r = 51.461$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.53, 7.53, 7.53); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (61x131x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 19.5 W/kg



Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 101.2 V/m; Power Drift = -0.10 dB

Peak SAR (extrapolated) = 25.1 W/kg

SAR(1 g) = 11.5 W/kg; SAR(10 g) = 5.64 W/kg

Maximum value of SAR (measured) = 18.8 W/kg



0 dB = 18.8 W/kg = 12.74 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2017/11/27

Dipole 2600 MHz_SN:1005

Communication System: CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2600 \text{ MHz}$; $\sigma = 2.23 \text{ S/m}$; $\epsilon_r = 50.69$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C ; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3831; ConvF(7.53, 7.53, 7.53); Calibrated: 2017/1/23;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2017/3/22
- Phantom: Body
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7373)

Configuration/Pin=250mW/Area Scan (71x91x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 23.4 W/kg



Configuration/Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 100.1 V/m ; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 31.3 W/kg

SAR(1 g) = 13.9 W/kg ; SAR(10 g) = 6.17 W/kg

Maximum value of SAR (measured) = 22.3 W/kg



0 dB = $22.3 \text{ W/kg} = 13.48 \text{ dBW/kg}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.DAE & Probe Calibration Certificate

Calibration Laboratory of
Schmid & Partner
Engineering AG
Zaughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 0108

Client SGS - TW (Auden)

Certificate No: DAE4-547_Mar17

CALIBRATION CERTIFICATE

Object DAE4 - SD 000 D04 BM - SN: 547

Calibration procedure(s) QA CAL-06.v29
Calibration procedure for the data acquisition electronics (DAE)

Calibration date: March 22, 2017

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility, environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Kethley Multimeter Type-2001	SN: 0810278	09-Sep-16 (No:19065)	Sep-17
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Auto DAE Calibration Unit	SE UWS 053 AA 1001	05-Jan-17 (in house check)	In house check: Jan-18
Calibrator Box V2.1	SE LMS 006 AA 1002	05-Jan-17 (in house check)	In house check: Jan-18

Calibrated by: Name: Eric Harfeld Function: Technician Signature:

Approved by: Fin Bornhöf Deputy Technical Manager Signature:

Issued: March 22, 2017

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
S Service suisse d'étalonnage
C Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the SWISS Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary

DAE data acquisition electronics
Connector angle information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters

- **DC Voltage Measurement:** Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- **Connector angle:** The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
 - **DC Voltage Measurement Linearity:** Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this measurement.
 - **Common mode sensitivity:** Influence of a positive or negative common mode voltage on the differential measurement.
 - **Channel separation:** Influence of a voltage on the neighbor channels not subject to an input voltage.
 - **AD Converter Values with inputs shorted:** Values on the internal AD converter corresponding to zero input voltage
 - **Input Offset Measurement:** Output voltage and statistical results over a large number of zero voltage measurements.
 - **Input Offset Current:** Typical value for information; Maximum channel input offset current, not considering the input resistance.
 - **Input resistance:** Typical value for information; DAE input resistance at the connector, during internal auto-zeroing and during measurement.
 - **Low Battery Alarm Voltage:** Typical value for information. Below this voltage, a battery alarm signal is generated.
 - **Power consumption:** Typical value for information. Supply currents in various operating modes.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DC Voltage Measurement

A/D - Converter Resolution nominal

High Range: 1LSB = 0.1mV, full range = -100...+300 mV

Low Range: 1LSB = 51mV, full range = -1.....+3mV

DASY measurement parameters: Auto Zero Time: 3 sec, Measuring time: 3 sec

Calibration Factors	X	Y	Z
High Range	-403.188 ± 0.02% (k=2)	403.093 ± 0.02% (k=2)	402.739 ± 0.02% (k=2)
Low Range	3.95348 ± 1.50% (k=2)	3.90456 ± 1.50% (k=2)	3.96243 ± 1.50% (k=2)

Connector Angle

Connector Angle to be used in DASY system	91.0 ° ± 1 °
---	--------------

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS0108)
1. DC Voltage Linearity

High Range	Reading (μV)	Difference (μV)	Error (%)
Channel X + Input	200031.23	0.59	0.00
Channel X + Input	20005.44	2.04	0.01
Channel X - Input	-20000.97	4.91	-0.02
Channel Y + Input	200029.80	-1.03	-0.00
Channel Y + Input	20000.30	-3.03	-0.02
Channel Y - Input	-20007.73	-1.72	0.01
Channel Z + Input	200030.21	-0.96	-0.00
Channel Z + Input	20003.13	-0.23	-0.00
Channel Z - Input	-20005.14	0.81	-0.00

Low Range	Reading (μV)	Difference (μV)	Error (%)
Channel X + Input	2000.02	-0.08	-0.00
Channel X + Input	200.18	0.35	0.18
Channel X - Input	-200.18	0.00	-0.00
Channel Y + Input	2000.10	0.06	0.00
Channel Y + Input	199.43	-0.40	-0.20
Channel Y - Input	-200.77	-0.70	0.35
Channel Z + Input	2000.19	0.28	0.01
Channel Z + Input	198.82	-1.00	-0.50
Channel Z - Input	-201.46	-1.37	0.68

2. Common mode sensitivity

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Common mode Input Voltage (mV)	High Range Average Reading (μV)	Low Range Average Reading (μV)
Channel X	200	-2.05	-5.00
	-200	5.80	4.50
Channel Y	200	-0.57	-1.21
	-200	0.37	-0.41
Channel Z	200	5.07	4.93
	-200	-7.67	-8.12

3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (μV)	Channel Y (μV)	Channel Z (μV)
Channel X	200	-	2.65	-2.08
Channel Y	200	10.58	-	3.60
Channel Z	200	4.55	7.85	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4. AD-Converter Values with inputs shorted

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	High Range (LSB)	Low Range (LSB)
Channel X	16364	15364
Channel Y	16476	16801
Channel Z	16077	16468

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Input 10mV

	Average (μ V)	min. Offset (μ V)	max. Offset (μ V)	Std. Deviation (μ V)
Channel X	-0.53	-1.14	0.26	0.31
Channel Y	-1.03	-2.43	-0.21	0.32
Channel Z	-1.56	-2.31	-0.62	0.35

6. Input Offset Current

Nominal input circuitry offset current on all channels: <25fA

7. Input Resistance (Typical values for information)

	Zeroing (kOhm)	Measuring (MOhm)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)
Supply (+ Vcc)	+7.8
Supply (- Vcc)	-7.6

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+5	+14
Supply (- Vcc)	-0.01	-8	-9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client: **SGS - TW (Auden)**

Certificate No.: **DAE4-1336_Nov16**

CALIBRATION CERTIFICATE

Object:	DAE4 - SD 000 D04 BM - SN: 1336		
Calibration procedure(s):	QA CAL-06.v29 Calibration procedure for the data acquisition electronics (DAE)		
Calibration date:	November 22, 2016		
This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.			
All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.			
Calibration Equipment used (M&TE critical for calibration)			
Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Kathley Multimeter Type 2001	SN: 0810270	09-Sep-16 (No.19065)	Sep-17
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Auto DAE Calibration Unit	SE UWS 003 AA 1001	05-Jan-16 (in house check)	In house check: Jan-17
Calibrator Box V2.1	SE UMS 006 AA 1002	05-Jan-16 (in house check)	In house check: Jan-17
Calibrated by:	Name Adrian Gering	Function Technician	Signature
Approved by:	Name Fin Bornhoff	Function Deputy Technical Manager	Signature
			Issued: November 22, 2016
This calibration certificate shall not be reproduced except in full without written approval of the laboratory.			

Certificate No.: DAE4-1336_Nov16

Page 1 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary

DAE data acquisition electronics
Connector angle information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters

- **DC Voltage Measurement:** Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- **Connector angle:** The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
 - **DC Voltage Measurement Linearity:** Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this measurement.
 - **Common mode sensitivity:** Influence of a positive or negative common mode voltage on the differential measurement.
 - **Channel separation:** Influence of a voltage on the neighbor channels not subject to an input voltage.
 - **AD Converter Values with inputs shorted:** Values on the internal AD converter corresponding to zero input voltage
 - **Input Offset Measurement:** Output voltage and statistical results over a large number of zero voltage measurements.
 - **Input Offset Current:** Typical value for information; Maximum channel input offset current, not considering the input resistance.
 - **Input resistance:** Typical value for information; DAE input resistance at the connector, during internal auto-zeroing and during measurement.
 - **Low Battery Alarm Voltage:** Typical value for information. Below this voltage, a battery alarm signal is generated.
 - **Power consumption:** Typical value for information. Supply currents in various operating modes.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DC Voltage Measurement

A/D - Converter Resolution nominal

High Range: 1LSB = 8.1μV full range = -100...+300 mV

Low Range 1LSB = 61nV full range = -1...+3mV

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	X	Y	Z
High Range	403.332 ± 0.02% (k=2)	403.635 ± 0.02% (k=2)	403.121 ± 0.02% (k=2)
Low Range	3.95216 ± 1.50% (k=2)	3.98718 ± 1.50% (k=2)	3.99680 ± 1.50% (k=2)

Connector Angle

Connector Angle to be used in DASY system:	122.0° ± 1°
--	-------------

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS0108)
1. DC Voltage Linearity

High Range	Reading (μV)	Difference (μV)	Error (%)
Channel X + Input	19996.24	0.16	0.00
Channel X + Input	20001.25	-0.04	-0.00
Channel X - Input	-19999.61	1.36	-0.01
Channel Y + Input	19994.04	-1.88	-0.00
Channel Y + Input	20000.88	-0.82	-0.00
Channel Y - Input	-20002.64	-1.77	0.01
Channel Z + Input	19997.44	1.49	0.00
Channel Z + Input	19999.78	-1.62	-0.01
Channel Z - Input	-20003.24	-2.19	0.01

Low Range	Reading (μV)	Difference (μV)	Error (%)
Channel X + Input	2001.87	-0.66	0.03
Channel X + Input	201.36	-0.11	-0.06
Channel X - Input	-198.27	0.04	-0.02
Channel Y + Input	2001.34	-0.04	-0.00
Channel Y + Input	201.35	-0.36	-0.18
Channel Y - Input	-198.77	-0.62	0.31
Channel Z + Input	2001.30	0.10	0.01
Channel Z + Input	200.72	-0.71	-0.35
Channel Z - Input	-199.12	-0.78	0.39

2. Common mode sensitivity

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Common mode Input Voltage (mV)	High Range Average Reading (μV)	Low Range Average Reading (μV)
Channel X	200	5.23	3.90
	-200	-3.72	-5.31
Channel Y	200	-4.23	-3.73
	-200	2.71	2.31
Channel Z	200	20.93	21.36
	-200	-23.91	-24.44

3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (μV)	Channel Y (μV)	Channel Z (μV)
Channel X	200	-	6.47	-1.27
Channel Y	200	7.97	-	6.72
Channel Z	200	7.84	6.96	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4. AD-Converter Values with inputs shorted

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	High Range (LSB)	Low Range (LSB)
Channel X	15860	15861
Channel Y	15906	15597
Channel Z	15853	15173

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

 Input 10M Ω

	Average (μ V)	min. Offset (μ V)	max. Offset (μ V)	Std. Deviation (μ V)
Channel X	-0.26	-1.07	0.97	0.38
Channel Y	-0.22	-0.92	0.62	0.34
Channel Z	-0.97	-1.73	0.29	0.36

6. Input Offset Current

Nominal input circuitry offset current on all channels: <25fA

7. Input Resistance (Typical values for information)

	Zeroing (k Ω m)	Measuring (M Ω m)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)
Supply (+ Vcc)	+7.9
Supply (- Vcc)	-7.6

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+6	+14
Supply (- Vcc)	-0.01	-6	-9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zaughausstrasse 43, 8004 Zurich, Switzerland



SCS Schweizerischer Kalibrierdienst
Service suisse d'étalonnage
Servizio svizzero di tarature
Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **SGS-TW (Auden)**

Certificate No: **EX3-3831, Jan17**

CALIBRATION CERTIFICATE

Object: EX3DV4 - SN:3831

Calibration procedure(s): QA CAL-01.v9, QA CAL-14.v4, DA CAL-23.v5, DA CAL-25.v6
Calibration procedure for dosimetric E-field probes

Calibration date: January 23, 2017

This calibration certificate documents the traceability to national standards which realize the physical units of measurements (SI).
The measurements and the uncertainties with coverage probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closest laboratory facility, environment temperature (22 ± 5)°C and humidity = 70%.

Calibration Equipment used (MATE critical for calibration):

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	06-Apr-16 (No. 217-02289/02289)	Apr-17
Power sensor NRP-Z01	SN: 103244	06-Apr-16 (No. 217-02288)	Apr-17
Power sensor NRP-Z91	SN: 103245	06-Apr-16 (No. 217-02288)	Apr-17
Reference 20 dB Attenuator	SN: S5277 (20x)	05-Apr-16 (No. 217-02283)	Apr-17
Reference Probe E530V2	SN: 0013	31-Dec-16 (No. E53-3013, Dec16)	Dec-17
DAE4	SN: 560	7-Dec-16 (No. DAF4-660, Dec16)	Dec-17

Secondary Standards	ID	Check Date (in House)	Scheduled Check
Power meter E4419B	SN: G8141293874	06-Apr-16 (in house check Jun-16)	in house check: Jun-16
Power sensor E4412A	SN: MY41626037	06-Apr-16 (in house check Jun-16)	in house check: Jun-16
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-16)	in house check: Jun-16
RF generator HF 8648C	SN: U530642061700	04-Aug-08 (in house check Jun-16)	in house check: Jun-16
Network Analyzer HP 8752E	SN: U537390385	18-Oct-01 (in house check Dec-16)	in house check: Oct-17

Calibrated by:	Name	Function	Signature
	Jason Kostari	Laboratory Technician	
Approved by:	Rajja Polovic	Technical Manager	

Issued: January 24, 2017

The calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



SCS Schweizerischer Kalibrierdienst
Service suisse d'étalonnage
Servizio svizzero di taratura
Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the IIA
Multilateral Agreement for the recognition of calibration certificates.

Accreditation No.: SCS 0108

Glossary:

TSL	tissue simulating liquid
NORM _{x,y,z}	sensitivity in free space
CorvF	sensitivity in TSL / NORM _{x,y,z}
DCP	diode compensation point
CF	crest factor (1/duty cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization φ	ϕ rotation around probe axis
Polarization θ	θ rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., $\theta = 0$ is normal to probe axis
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORM_{x,y,z}: Assessed for E-field polarization $\theta = 0$ ($f \leq 900$ MHz in TEM cell, $f > 1800$ MHz: R22 waveguide). NORM_{x,y,z} are only intermediate values, i.e., the uncertainties of NORM_{x,y,z} does not affect the E²-field uncertainty inside TSL (see below CorvF).
- NORM φ (_{x,y,z}) = NORM_{x,y,z} * frequency response (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of CorvF.
- DGP_{x,y,z}: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics.
- A_{x,y,z}; B_{x,y,z}; C_{x,y,z}; D_{x,y,z}; VR_{x,y,z}: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the minimum calibration range expressed in RMS voltage across the diode.
- CorvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for $f \leq 900$ MHz) and inside waveguide using analytical field distributions based on power measurements for $f \leq 900$ MHz. The same setups are used for assessment of the parameters applied for boundary compensation (pitch, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORM_{x,y,z} * CorvF whereby the uncertainty corresponds to that given for CorvF. A frequency dependent CorvF is used in DASY version 4A and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): In a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe lip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORM_x (no uncertainty required).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4 - SN 3831

January 23, 2017

Probe EX3DV4

SN:3831

Manufactured: September 6, 2011
Calibrated: January 23, 2017

Calibrated for DASY/EASY Systems
(Note: non-compatible with DASY2 system!)

Certified No. EX3-3831_4an17

Page 3 of 3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4- SN:3831

January 25, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3831

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm ($\mu V/(V/m)^2$) ^a	0.43	0.41	0.42	$\pm 10.1\%$
DCP (mV) ^b	101.7	102.0	100.5	

Modulation Calibration Parameters

Mod	Communication System Name		A dB	B dB $\sqrt{\mu V}$	C	D dB	VR mV	Unc (k=2)
H	CW	X	0.0	0.0	1.0	0.00	149.3	$\pm 2.2\%$
		Y	0.0	0.0	1.0		136.4	
		Z	0.0	0.0	1.0		142.6	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^a The uncertainties of Norm X,Y,Z do not allow for E-Field uncertainty noted in Table 1 (see Pages 6 and 8).

^b Numerical integration parameters uncertainty not required.

^c Uncertainty is determined using the maximum deviation from 1.0 for the cosine applying rectangular distribution and is expressed for the maximum field value.

Certificate No: EX3-3831_Jen17

Page 4 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EX3DV4- SN:3831

January 23, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3831

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ¹	Relative Permittivity ²	Conductivity (S/m) ³	ConvF X	ConvF Y	ConvF Z	Alpha ⁴	Depth (mm)	Unc (k=2)
750	41.9	0.89	9.83	9.83	9.83	0.57	0.80	± 12.0 %
835	41.5	0.90	9.15	9.15	9.15	0.53	0.81	± 12.0 %
900	41.5	0.97	9.08	9.08	9.08	0.42	0.96	± 12.0 %
1450	40.5	1.20	8.41	8.41	8.41	0.35	0.80	± 12.0 %
1750	40.1	1.37	8.17	8.17	8.17	0.32	0.80	± 12.0 %
1900	40.0	1.40	7.86	7.86	7.86	0.39	0.80	± 12.0 %
2000	40.0	1.40	7.80	7.80	7.80	0.35	0.80	± 12.0 %
2300	39.5	1.67	7.59	7.59	7.59	0.26	1.02	± 12.0 %
2450	39.2	1.80	7.21	7.21	7.21	0.40	0.80	± 12.0 %
2600	39.0	1.96	6.99	6.99	6.99	0.38	0.80	± 12.0 %
3500	37.4	2.91	6.55	6.55	6.55	0.30	1.20	± 13.1 %
5200	36.0	4.66	5.02	5.02	5.02	0.30	1.80	± 13.1 %
5300	35.9	4.76	4.70	4.70	4.70	0.35	1.80	± 13.1 %
5600	35.5	5.07	4.51	4.51	4.51	0.40	1.80	± 13.1 %
5900	35.3	5.27	4.46	4.46	4.46	0.40	1.80	± 13.1 %

¹ Frequency validity above 300 MHz of 1-100 MHz only applies for DASY vs 4 and higher (see Page 21), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 60 and 70 MHz for ConvF assessments at 30, 60, 120, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

² At frequencies below 3 GHz, the validity of below continuous (i) and (ii) can be relaxed to ± 10%, if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (i) and (ii) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

³ Alpha/Depth are determined during calibration. SPEAG warns that the remaining deviation due to the boundary effect after compensation is always 0.5% SAR ± 1% for frequencies above 3 GHz and below ± 2% for frequencies between 3-6 GHz if any deviation larger than half the probe tip diameter from the boundary.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4-SN 3831

January 23, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3831

Calibration Parameter Determined in Body Tissue Simulating Media

f (MHz) ^c	Relative Permittivity ^e	Conductivity (S/m) ^f	ConvF X	ConvF Y	ConvF Z	Alpha ^g	Depth ^h (mm)	Unc (k=2)
750	55.5	0.96	9.59	9.69	9.59	0.46	0.80	± 12.0 %
835	55.2	0.97	9.25	9.25	9.25	0.46	0.80	± 12.0 %
900	55.0	1.05	9.15	9.15	9.15	0.35	0.80	± 12.0 %
1750	53.4	1.49	7.78	7.78	7.78	0.36	0.80	± 12.0 %
1900	53.3	1.52	7.53	7.53	7.53	0.38	0.80	± 12.0 %
2000	53.3	1.52	7.66	7.66	7.66	0.32	0.80	± 12.0 %
2300	52.9	1.81	7.32	7.32	7.32	0.29	1.00	± 12.0 %
2450	52.7	1.95	7.30	7.30	7.30	0.33	0.80	± 12.0 %
2800	52.5	2.16	7.05	7.05	7.05	0.30	0.80	± 12.0 %
5200	49.0	5.30	4.47	4.47	4.47	0.40	1.90	± 13.1 %
5300	48.9	5.42	4.21	4.21	4.21	0.45	1.90	± 13.1 %
5600	48.5	5.77	3.67	3.67	3.67	0.50	1.90	± 13.1 %
5800	48.2	6.00	3.67	3.67	3.67	0.50	1.90	± 13.1 %

^c Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), also it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz (i.e. ± 10, 25, 40, 50 and 70 MHz for ConvF assessments) at 30, 64, 120, 150 and 320 MHz respectively. Above 6 GHz frequency validity can be extended to ± 110 MHz.

^e At frequencies below 3 GHz, the validity of tissue parameters (ε and σ) can be relaxed to ± 10% if liquid compensation limits is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

^f Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe's diameter from the boundary.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4- 5N3831

January 23, 2017

Frequency Response of E-Field (TEM-Cell: ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: $\pm 6.3\%$ (k=2)

Certificate No: EX3-3831_Jan17

Page 7 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



EX3DV4-SN-3831

January 23, 2017

Receiving Pattern (ϕ), $\theta = 0^\circ$

f=600 MHz, TEM

f=1800 MHz, R22



Uncertainty of Axial Isotropy Assessment: $\pm 0.5\%$ (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4- SN3831

January 23, 2017

Dynamic Range $f(SAR_{head})$ (TEM cell, $f_{eval}=1900$ MHz)



Uncertainty of Linearity Assessment: $\pm 0.6\%$ ($k=2$)

Certificate No. EX3-3831_Jan17

Page 9 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EX30V4- SN:3831

January 23, 2017

Conversion Factor Assessment



Deviation from Isotropy in Liquid Error (ϕ , θ), f = 900 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4 - SN:3831

January 29, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3831

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	-16.3
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Calibration Laboratory of
Schmid & Partner
Engineering AG
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 0108

Client: **SGS-TW (Auden)**

Certificate No: **EX3-7486_Jul17**

CALIBRATION CERTIFICATE

Object: **EX3DVA - SN:7486**

Calibration procedure(s): **QA CAL-01.v9, QA CAL-14.v1, QA CAL-23.v5, QA CAL-25.v6**
Calibration procedure for dosimetric E-field probes

Calibration date: **July 4, 2017**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (MSTE critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521/02522)	Apr-18
Power sensor NRP-Z91	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z91	SN: 103245	04-Apr-17 (No. 217-02525)	Apr-18
Reference 20 dB Attenuator	SN: S8277 (20x)	07-Apr-17 (No. 217-02528)	Apr-18
Reference Probe EB3DV2	SN: 3013	31-Dec-16 (No. E53-3013, Dec16)	Dec-17
DAA4	SN: 660	7-Dec-16 (No. DAA4-660, Dec16)	Dec-17
Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: C841251074	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
Power sensor E4412A	SN: MY41498067	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
Power sensor E4412A	SN: C00110210	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
RF generator HP 8548C	SN: US3642U01700	04-Aug-09 (in house check Jun-16)	In house check: Jun-18
Network Analyzer HP 8753E	SN: US37380585	18-Oct-01 (in house check Oct-16)	In house check: Oct-17

Calibrated by:	Name	Function	Signature
	Leif Klymen	Laboratory Technician	
Approved by:	Kalla Pokovic	Technical Manager	

Issued: July 5, 2017

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Certificate No: EX3-7486_Jul17

Page 1 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Calibration Laboratory of
Schmid & Partner
Engineering AG
Zughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates.

Accreditation No.: SCS 0108

Glossary:

TSL	liquid simulating liquid
NORM _{x,y,z}	sensitivity in free space
ConvF	sensitivity in TSL / NORM _{x,y,z}
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization φ	φ rotation around probe axis
Polarization θ	θ rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., θ = 0 is normal to probe axis
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORM_{x,y,z}: Assessed for E-field polarization θ = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORM_{x,y,z} are only intermediate values, i.e., the uncertainties of NORM_{x,y,z} does not affect the E¹-field uncertainty inside TSL (see below ConvF).
- NORM(f)_{x,y,z} = NORM_{x,y,z} * frequency_response (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCP_{x,y,z}: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics.
- A_{n,y,z}; B_{x,y,z}; C_{x,y,z}; D_{x,y,z}; VR_{x,y,z}: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 600 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORM_{x,y,z} * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORM_x (no uncertainty required).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4 – SN:7466

July 4, 2017

Probe EX3DV4

SN:7466

Manufactured: October 25, 2016

Calibrated: July 4, 2017

Calibrated for DASY/EASY Systems
(Note: non-compatible with DASY2 system!)

Certificate No: EX3-7486_Jul17

Page 3 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EX3DV4- SN:7486

July 4, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466
Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm ($\mu\text{V}/(\text{V/m})^2$) ^A	0.46	0.40	0.63	± 10.1 %
DCP (mV) ^B	96.7	100.3	93.7	

Modulation Calibration Parameters

UID	Communication System Name		A dB	B dB√ μV	C	D dB	VR mV	Unc ^C (k=2)
0	CW	X	0.0	0.0	1.0	0.00	145.9	±3.0 %
		Y	0.0	0.0	1.0		148.6	
		Z	0.0	0.0	1.0		130.0	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 6).

^B Numerical linearization parameter; uncertainty not required.

^C Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4- SN:7466

July 4, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^c	Relative Permittivity ^f	Conductivity (S/m) ^f	ConvF X	ConvF Y	ConvF Z	Alpha ^g	Depth ^h (mm)	Unc (k=2)
835	41.5	0.90	10.20	10.20	10.20	0.60	0.84	± 12.0 %
900	41.5	0.97	9.95	9.95	9.95	0.42	0.94	± 12.0 %
1750	40.1	1.37	8.84	8.84	8.84	0.34	0.80	± 12.0 %
1900	40.0	1.40	8.52	8.52	8.52	0.35	0.80	± 12.0 %
2000	40.0	1.40	8.47	8.47	8.47	0.35	0.80	± 12.0 %
2450	39.2	1.80	7.81	7.81	7.81	0.35	0.99	± 12.0 %
2600	39.0	1.96	7.58	7.58	7.58	0.37	0.95	± 12.0 %
5200	36.0	4.66	5.81	5.81	5.81	0.35	1.80	± 13.1 %
5300	35.9	4.76	5.56	5.56	5.56	0.35	1.80	± 13.1 %
5600	35.5	5.07	4.98	4.98	4.98	0.40	1.80	± 13.1 %
5800	35.3	5.27	5.17	5.17	5.17	0.40	1.80	± 13.1 %

^c Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v1.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF^f uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

^f At frequencies below 3 GHz, the validity of tissue parameters (ϵ and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ϵ and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

^g Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4- SN:7466

July 4, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

Calibration Parameter Determined in Body Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth (mm) ^H	Unc (k=2)
835	55.2	0.97	10.24	10.24	10.24	0.39	0.96	± 12.0 %
900	55.0	1.05	10.06	10.06	10.06	0.34	1.01	± 12.0 %
1750	53.4	1.49	8.52	8.52	8.52	0.39	0.87	± 12.0 %
1900	53.3	1.52	8.14	8.14	8.14	0.34	0.91	± 12.0 %
2000	53.3	1.52	8.30	8.30	8.30	0.33	0.94	± 12.0 %
2450	52.7	1.95	7.94	7.94	7.94	0.26	1.10	± 12.0 %
2600	52.5	2.16	7.66	7.66	7.66	0.27	1.15	± 12.0 %
5200	49.0	5.30	5.20	5.20	5.20	0.40	1.90	± 13.1 %
5300	48.9	5.42	5.10	5.10	5.10	0.40	1.90	± 13.1 %
5600	48.5	5.77	4.27	4.27	4.27	0.50	1.90	± 13.1 %
5800	48.2	6.00	4.48	4.48	4.48	0.50	1.90	± 13.1 %

^C Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

^F At frequencies below 3 GHz, the validity of tissue parameters (ϵ and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ϵ and σ) is restricted to ± 6%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

^G Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-5 GHz at any distance larger than half the probe tip diameter from the boundary.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3D4- SN:746R

July 4, 2017

Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: $\pm 6.3\%$ (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4-5N/7466

July 4, 2017

Receiving Pattern (ϕ), $\vartheta = 0^\circ$



Uncertainty of Axial Isotropy Assessment: $\pm 0.5\%$ ($k=2$)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4-SN.7466

July 4, 2017

Dynamic Range f(SAR_{head}) (TEM cell, f_{test}= 1900 MHz)



Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


EX3DV4-SN:7466

July 4, 2017

Conversion Factor Assessment



Deviation from Isotropy in Liquid Error (ϕ , θ), $f = 900$ MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4- SN:7466

July 4, 2017

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	-3.3
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8. Uncertainty Budget

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

A	c	D	e		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	∞
<i>Isotropy , Axial</i>	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
<i>Isotropy, Hemispherical</i>	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)									
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	3.98%	N	1	1	0.64	0.43	2.55%	1.71%	M
Liquid Conductivity (mea.)	3.37%	N	1	1	0.6	0.49	2.02%	1.65%	M
Combined standard uncertainty		RSS					12.16%	11.95%	
Expant uncertainty (95% confidence)							24.32%	23.89%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

A	c	D	e		f	g	$h=c * f / e$	$i=c * g / e$	k
Source of Uncertainty	Tolerance/ Uncertainty	Probabilit y	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
Isotropy , Axial	3.50%	R	$\sqrt{3}$	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	$\sqrt{3}$	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	$\sqrt{3}$	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	$\sqrt{3}$	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	$\sqrt{3}$	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	$\sqrt{3}$	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)									
RF ambient condition - noise	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	$\sqrt{3}$	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom	2.90%	R	$\sqrt{3}$	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	$\sqrt{3}$	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	$\sqrt{3}$	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	3.87%	N	1	1	0.64	0.43	2.48%	1.66%	M
Liquid Conductivity (mea.)	3.87%	N	1	1	0.6	0.49	2.32%	1.90%	M
Combined standard uncertainty		RSS					11.91%	11.68%	
Expant uncertainty (95% confidence)							23.82%	23.37%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9. System Validation from Original Equipment Supplier

Calibration Laboratory of Schmid & Partner Engineering AG
 Zeughausstrasse 43, 8004 Zurich, Switzerland




S Schweizerischer Kalibrierdienst
 C Service suisse d'étalonnage
 S Servizio svizzero di taratura
 S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client: **SGS-TW (Auden)** Certificate No.: **D750V3-1015_Aug17**

CALIBRATION CERTIFICATE			
Object	D750V3 - SN:1015		
Calibration procedure(s)	QA CAL-05_v9 Calibration procedure for dipole validation kits: above 700 MHz		
Calibration date	August 21, 2017		
This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.			
All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.			
Calibration Equipment used (M&TE critical for calibration)			
Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521/02522)	Apr-18
Power sensor NRP-Z91	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z01	SN: 103245	04-Apr-17 (No. 217-02522)	Apr-18
Reference 20 dB Attenuator	SN: 5055 (20k)	07-Apr-17 (No. 217-02528)	Apr-18
Type-N mismatch combination	SN: 5047.2 / 05327	07-Apr-17 (No. 217-02529)	Apr-18
Reference Probe EX3DVA	SN: 7349	31-May-17 (No. EX3-7349_May17)	May-18
DAB4	SN: 601	29-Mar-17 (No. DAB4-601_Mar17)	Mar-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37460704	07-Oct-15 (in house check Oct-16)	in house check Oct-18
Power sensor HP 8461A	SN: US37292783	07-Oct-15 (in house check Oct-16)	in house check Oct-18
Power sensor HP B401A	SN: MY41092317	07-Oct-15 (in house check Oct-16)	in house check Oct-18
RF generator R&S SMT-08	SN: 100072	15-Jun-15 (in house check Oct-16)	in house check Oct-18
Network Analyzer HP 8753E	SN: US37340565	18-Oct-01 (in house check Oct-16)	in house check Oct-17
Calibrated by:	Name: Claudio Laubler	Function: Laboratory Technician	Signature: 
Approved by:	Name: Katja Pokranc	Function: Technical Manager	Signature: 
This calibration certificate shall not be reproduced except in full without written approval of the laboratory.			Issued: August 21, 2017

Certificate No: D750V3-1015_Aug17

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
S Service suisse d'étalonnage
C Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL tissue simulating liquid
ConvF sensitivity in TSL / NORM x.y.z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- *Measurement Conditions:* Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- *Antenna Parameters with TSL:* The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- *Feed Point Impedance and Return Loss:* These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- *Electrical Delay:* One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- *SAR measured:* SAR measured at the stated antenna input power.
- *SAR normalized:* SAR as measured, normalized to an input power of 1 W at the antenna connector.
- *SAR for nominal TSL parameters:* The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	$\Delta x, \Delta y, \Delta z = 5 \text{ mm}$	
Frequency	750 MHz \pm 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.9	0.89 mho/m
Measured Head TSL parameters	$(22.0 \pm 0.2) \text{ }^\circ\text{C}$	$41.1 \pm 6 \%$	$0.90 \text{ mho/m} \pm 5 \%$
Head TSL temperature change during test	< 0.5 °C	—	—

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.09 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	$8.25 \text{ W/kg} \pm 17.0 \%$ (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	Condition	
SAR measured	250 mW input power	1.35 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	$5.35 \text{ W/kg} \pm 16.5 \%$ (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.5	0.96 mho/m
Measured Body TSL parameters	$(22.0 \pm 0.2) \text{ }^\circ\text{C}$	$55.5 \pm 6 \%$	$0.96 \text{ mho/m} \pm 6 \%$
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.19 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	$8.76 \text{ W/kg} \pm 17.0 \%$ (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	Condition	
SAR measured	250 mW input power	1.44 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	$5.76 \text{ W/kg} \pm 16.5 \%$ (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0108)
Antenna Parameters with Head TSL

Impedance, transformed to feed point	53.9 Ω + 0.3 j Ω
Return Loss	- 28.6 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	48.6 Ω - 3.4 j Ω
Return Loss	- 28.4 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.037 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	March 22, 2010

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 18.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1015


Communication System: UID 0 - CW; Frequency: 750 MHz
 Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.9 \text{ S/m}$; $\epsilon_r = 41.1$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.49, 10.49, 10.49); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$
 Reference Value = 58.52 V/m; Power Drift = 0.01 dB
 Peak SAR (extrapolated) = 3.21 W/kg
SAR(1 g) = 2.09 W/kg; SAR(10 g) = 1.35 W/kg
 Maximum value of SAR (measured) = 2.82 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 21.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1015


Communication System: UID 0 - CW; Frequency: 750 MHz
 Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.96 \text{ S/m}$; $\epsilon_r = 55.5$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.35, 10.35, 10.35); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 4.9 (Back); Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$
 Reference Value = 57.77 V/m; Power Drift = -0.00 dB
 Peak SAR (extrapolated) = 3.27 W/kg
SAR(1 g) = 2.19 W/kg; SAR(10 g) = 1.44 W/kg
 Maximum value of SAR (measured) = 2.89 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8604 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **SGS-TW (Auden)**

Certificate No: **D835V2-4d063_Aug17**

CALIBRATION CERTIFICATE

Object: **D835V2 - SN:4d063**

Calibration procedure(s): **QA CAL-05_v9
Calibration procedure for dipole validation kits above 700 MHz**

Calibration date: **August 21, 2017**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility, environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521/02522)	Apr-18
Power sensor NRP-Z51	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z51	SN: 103245	04-Apr-17 (No. 217-02522)	Apr-18
Reference 20 dB Attenuator	SN: 5058 (20k)	07-Apr-17 (No. 217-02528)	Apr-18
Type-N mismatch combination	SN: 5047.2 / 09327	07-Apr-17 (No. 217-02529)	Apr-18
Reference Probe EX3DV4	SN: 7349	31-May-17 (No. EX3-7349_May17)	May-18
DAEA	SN: 601	28-Mar-17 (No. DAE4-601_Mar17)	Mar-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37480704	07-Oct-15 (in house check Oct-16)	In house check Oct-18
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-16)	In house check Oct-18
Power sensor HP 8481A	SN: MY41002317	07-Oct-15 (in house check Oct-16)	In house check Oct-18
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-16)	In house check Oct-18
Network Analyzer HP 8753E	SN: US37380985	18-Oct-04 (in house check Oct-16)	In house check Oct-17

Calibrated by: **Claudio Leubner** (Name), **Laboratory Technician** (Function), *[Signature]* (Signature)

Approved by: **Katja Polovic** (Name), **Technical Manager** (Function), *[Signature]* (Signature)

Issued: August 21, 2017

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Certificate No: D835V2-4d063_Aug17

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8064 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
S Service suisse d'étalonnage
C Servizio svizzero di tarature
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL tissue simulating liquid
ConvF sensitivity in TSL / NORM x,y,z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- *Measurement Conditions:* Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- *Antenna Parameters with TSL:* The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- *Feed Point Impedance and Return Loss:* These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- *Electrical Delay:* One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- *SAR measured:* SAR measured at the stated antenna input power.
- *SAR normalized:* SAR as measured, normalized to an input power of 1 W at the antenna connector.
- *SAR for nominal TSL parameters:* The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

OASYS system configuration, as far as not given on page 1.

DASY Version	OASYS	v52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	835 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.5	0.90 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	40.9 ± 6 %	0.93 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	—	—

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.40 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.34 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.55 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.07 W/kg ± 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	56.2	0.97 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	55.3 ± 6 %	0.98 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.41 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	9.57 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	1.58 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	6.28 W/kg ± 16.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0108)
Antenna Parameters with Head TSL

Impedance, transformed to feed point	51.1 Ω - 2.7 $j\Omega$
Return Loss	-30.6 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	47.2 Ω - 5.2 $j\Omega$
Return Loss	-24.4 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.367 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	November 27, 2006

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 18.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d063


Communication System: UID 0 - CW; Frequency: 835 MHz
 Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.93 \text{ S/m}$; $\epsilon_r = 40.9$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.07, 10.07, 10.07); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 61.74 V/m; Power Drift = 0.02 dB
 Peak SAR (extrapolated) = 3.71 W/kg
SAR(1 g) = 2.4 W/kg; SAR(10 g) = 1.55 W/kg
 Maximum value of SAR (measured) = 3.26 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 21.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d063


Communication System: UID 0 - CW; Frequency: 835 MHz
 Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.98 \text{ S/m}$; $\epsilon_r = 55.3$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.2, 10.2, 10.2); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 4.9 (Back); Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 59.86 V/m; Power Drift = 0.01 dB
 Peak SAR (extrapolated) = 3.64 W/kg
SAR(1 g) = 2.41 W/kg; SAR(10 g) = 1.58 W/kg
 Maximum value of SAR (measured) = 3.20 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zaughäuserstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **SGS-TW (Auden)**

Certificate No: **D1750V2-1008_Aug17**

CALIBRATION CERTIFICATE

Object: **D1750V2 - SN:1008**

Calibration procedure(s): **QA CAL-05.v9
Calibration procedure for dipole validation kits above 700 MHz**

Calibration date: **August 21, 2017**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (MATE critical for calibration):

Primary Standards	ID #	Cal Data (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521,02522)	Apr-18
Power sensor NRP-Z91	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z91	SN: 103245	04-Apr-17 (No. 217-02522)	Apr-18
Reference 20 dB Attenuator	SN: 5058 (20K)	07-Apr-17 (No. 217-02528)	Apr-18
Type-N mismatch combination	SN: 5047.2 / 06327	07-Apr-17 (No. 217-02528)	Apr-18
Reference Probe EX3DV4	SN: 7349	31-May-17 (No. EX3-7349_May17)	May-18
DAE4	SN: 601	28-Mar-17 (No. DAE4-601_Mar17)	Mar-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: 0837480704	07-Oct-15 (in house check Oct-15)	In house check: Oct-18
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-15)	In house check: Oct-18
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-15)	In house check: Oct-18
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-15)	In house check: Oct-18
Network Analyzer HP 8753E	SN: US37390585	18-Oct-01 (in house check Oct-15)	In house check: Oct-17

Calibrated by: **Gaudio Leubler** (Name) / **Laboratory Technician** (Function)

Signature

Approved by: **Kalja Rokovic** (Name) / **Technical Manager** (Function)

Issued: August 21, 2017

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Certificate No: D1750V2-1008_Aug17

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**

Zughausstrasse 43, 8904 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL tissue simulating liquid
ConvF sensitivity in TSL / NORM x,y,z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- **Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- **Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- **Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- **Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- **SAR measured:** SAR measured at the stated antenna input power.
- **SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- **SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

DASY system configuration, as far as not given on page 1

DASY Version	DASY5	V52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1750 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.1	1.37 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	39.1 ± 6 %	1.35 mho/m ± 8 %
Head TSL temperature change during test	< 0.5 °C	—	—

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	8.98 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	36.0 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	4.75 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	19.0 W/kg ± 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.4	1.49 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	53.9 ± 6 %	1.47 mho/m ± 8 %
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.09 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	36.7 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	4.87 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	19.0 W/kg ± 16.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0106)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	49.9 Ω - 0.4 jΩ
Return Loss	-48.7 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	46.3 Ω - 1.4 jΩ
Return Loss	-27.6 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.221 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the 'Measurement Conditions' paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	February 11, 2009

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 21.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: D1750V2 - SN:1008


Communication System: UID 0 - CW; Frequency: 1750 MHz
 Medium parameters used: $f = 1750$ MHz; $\sigma = 1.35$ S/m; $\epsilon_r = 39.1$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.73, 8.73, 8.73); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 104.0 V/m; Power Drift = -0.06 dB
 Peak SAR (extrapolated) = 16.8 W/kg
SAR(1 g) = 8.98 W/kg; SAR(10 g) = 4.75 W/kg
 Maximum value of SAR (measured) = 13.7 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 18.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: D1750V2 - SN:1008


Communication System: UID 0 - CW; Frequency: 1750 MHz
 Medium parameters used: $f = 1750$ MHz; $\sigma = 1.47$ S/m; $\epsilon_r = 53.9$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/TEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.46, 8.46, 8.46); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.0(1446); SEMCAD X (4.6.10(7417))

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 99.85 V/m; Power Drift = -0.00 dB
 Peak SAR (extrapolated) = 15.8 W/kg
SAR(1 g) = 9.09 W/kg; SAR(10 g) = 4.87 W/kg
 Maximum value of SAR (measured) = 13.3 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zaughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 0108

Client **SGS-TW (Auden)**

Certificate No: **D1900V2-5d173_May17**

CALIBRATION CERTIFICATE

Object	D1900V2 - SN:5d173		
Calibration procedure(s)	QA CAL-05.v9 Calibration procedure for dipole validation kits above 700 MHz		
Calibration date:	May 31, 2017		
This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.			
All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.			
Calibration Equipment used (M&TE critical for calibration)			
Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521,02522)	Apr-18
Power sensor NRP-291	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-291	SN: 103245	04-Apr-17 (No. 217-02522)	Apr-18
Reference 20 dB Attenuator	SN: 5058 (20k)	07-Apr-17 (No. 217-02528)	Apr-18
Type-N mismatch combination	SN: 5047.2 / 05327	07-Apr-17 (No. 217-02529)	Apr-18
Reference Probe EX3DV4	SN: 7460	19-May-17 (No. EX3-7460_May17)	May-18
DAEs	SN: 601	28-Mar-17 (No. DAE4-601_Mar17)	Mar-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB97480704	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP B481A	SN: US37292783	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP B481A	SN: MY41092817	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
RF generator R&S SMT 05	SN: 100972	15-Jun-15 (in house check Oct-16)	In house check: Oct-18
Network Analyzer HP 8753E	SN: US37386595	18-Oct-01 (in house check Oct-16)	In house check: Oct-17
Calibrated by:	Name Jelko Kastrič	Function Laboratory Technician	Signature
Approved by:	Name Katja Pokovic	Function Technical Manager	Signature
			issued: May 31, 2017
This calibration certificate shall not be reproduced except in full without written approval of the laboratory.			

Certificate No: D1900V2-5d173_May17

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zaughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
S Service suisse d'étalonnage
C Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL Iissue simulating liquid
ConvF sensitivity in TSL / NORM x,y,z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- *Measurement Conditions:* Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- *Antenna Parameters with TSL:* The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- *Feed Point Impedance and Return Loss:* These parameters are measured with the dipole positioned under the liquid filled phantom. The Impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- *Electrical Delay:* One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- *SAR measured:* SAR measured at the stated antenna input power.
- *SAR normalized:* SAR as measured, normalized to an input power of 1 W at the antenna connector.
- *SAR for nominal TSL parameters:* The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	$dx, dy, dz = 5$ mm	
Frequency	1900 MHz \pm 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.0	1.40 mho/m
Measured Head TSL parameters	(22.0 \pm 0.2) °C	41.3 \pm 6 %	1.40 mho/m \pm 8 %
Head TSL temperature change during test	< 0.5 °C	---	---

SAR result with Head TSL

SAR averaged over 1 cm ² (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	10.1 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	40.7 W/kg \pm 17.0 % (k=2)

SAR averaged over 10 cm ² (10 g) of Head TSL	condition	
SAR measured	250 mW input power	5.26 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	21.1 W/kg \pm 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.3	1.52 mho/m
Measured Body TSL parameters	(22.0 \pm 0.2) °C	54.2 \pm 6 %	1.51 mho/m \pm 6 %
Body TSL temperature change during test	< 0.5 °C	---	---

SAR result with Body TSL

SAR averaged over 1 cm ² (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.96 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	40.2 W/kg \pm 17.0 % (k=2)

SAR averaged over 10 cm ² (10 g) of Body TSL	condition	
SAR measured	250 mW input power	5.30 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.3 W/kg \pm 16.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0108)
Antenna Parameters with Head TSL

Impedance, transformed to feed point	51.3 Ω + 4.9 j Ω
Return Loss	-26.1 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	47.5 Ω + 6.0 j Ω
Return Loss	-23.5 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.199 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	June 06, 2012

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 31.05.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d173


Communication System: UID 0 - CW; Frequency: 1900 MHz
 Medium parameters used: $f = 1900$ MHz; $\sigma = 1.4$ S/m; $\epsilon_r = 41.3$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7460; ConvF(7.98, 7.98, 7.98); Calibrated: 19.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 107.7 V/m; Power Drift = 0.03 dB
 Peak SAR (extrapolated) = 18.9 W/kg
SAR(1 g) = 10.1 W/kg; SAR(10 g) = 5.26 W/kg
 Maximum value of SAR (measured) = 15.3 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 31.05.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d173


Communication System: UID 0 - CW; Frequency: 1900 MHz
 Medium parameters used: $f = 1900$ MHz; $\sigma = 1.51$ S/m; $\epsilon_r = 54.2$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7460; ConvF(7.82, 7.82, 7.82); Calibrated: 19.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 102.9 V/m; Power Drift = -0.08 dB
 Peak SAR (extrapolated) = 17.5 W/kg
SAR(1 g) = 9.98 W/kg; SAR(10 g) = 5.3 W/kg
 Maximum value of SAR (measured) = 14.3 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
S Service suisse d'étalonnage
C Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client: **SGS-TW (Auden)**

Certificate No: **D2300V2-1023_Aug17**

CALIBRATION CERTIFICATE

Object	D2300V2 - SN:1023		
Calibration procedure(s)	QA CAL-05.v9 Calibration procedure for dipole validation kits above 700 MHz		
Calibration date:	August 17, 2017		
This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.			
All calibrations have been conducted in the closed laboratory facility; environment temperature (22 ± 3)°C and humidity < 70%.			
Calibration Equipment used (MATE critical for calibration)			
Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 106778	04-Apr-17 (No. 217-02521/02522)	Apr-18
Power sensor NRP-Z91	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z91	SN: 103245	04-Apr-17 (No. 217-02522)	Apr-18
Reference 20 dB Attenuator	SN: S058 (20K)	07-Apr-17 (No. 217-02528)	Apr-18
Type-N mismatch combination	SN: 5047.2 / 06327	07-Apr-17 (No. 217-02529)	Apr-18
Reference Probe EX30V4	SN: 7349	31-May-17 (No. EX3-7349_May17)	May-18
DAE4	SN: 601	28-Mar-17 (No. DAE4-601_Mar17)	Mar-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GBS7480704	07-Oct-15 (in house check Oct-15)	in house check: Oct-18
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-15)	in house check: Oct-18
Power sensor HP 8461A	SN: MY41092317	07-Oct-15 (in house check Oct-15)	in house check: Oct-18
RF generator R&S SMT-05	SN: 100972	15-Jun-15 (in house check Oct-16)	in house check: Oct-18
Network Analyzer HP 8753E	SN: US37390585	15-Oct-01 (in house check Oct-16)	in house check: Oct-17
Calibrated by:	Name: Michael Weber	Function: Laboratory Technician	Signature:
Approved by:	Name: Katja Pokanic	Function: Technical Manager	Signature:
			Issued: August 17, 2017
This calibration certificate shall not be reproduced except in full without written approval of the laboratory.			

Certificate No: D2300V2-1023_Aug17

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Calibration Laboratory of
Schmid & Partner
Engineering AG
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di tarature
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL tissue simulating liquid
ConvF sensitivity in TSL / NORM x,y,z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- e) DAS4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- *Measurement Conditions:* Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- *Antenna Parameters with TSL:* The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- *Feed Point Impedance and Return Loss:* These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- *Electrical Delay:* One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- *SAR measured:* SAR measured at the stated antenna input power.
- *SAR normalized:* SAR as measured, normalized to an input power of 1 W at the antenna connector.
- *SAR for nominal TSL parameters:* The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

DASY system configuration, as far as not given on page 1

DASY Version	DASY5	V52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	2300 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	38.5	1.67 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	38.3 ± 6 %	1.70 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	—	—

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	12.0 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	47.2 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	Condition	
SAR measured	250 mW input power	5.74 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	22.7 W/kg ± 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	52.9	1.01 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	52.3 ± 6 %	1.06 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	11.8 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	46.4 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	Condition	
SAR measured	250 mW input power	5.68 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	22.5 W/kg ± 16.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0108)
Antenna Parameters with Head TSL

Impedance, transformed to feed point	48.4 Ω - 3.1 $j\Omega$
Return Loss	-29.0 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	44.9 Ω - 2.2 $j\Omega$
Return Loss	-24.7 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.171 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	March 30, 2009

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 17.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: D2300V2 - SN: 1023


Communication System: UID 0 - CW; Frequency: 2300 MHz
 Medium parameters used: $f = 2300 \text{ MHz}$; $\sigma = 1.7 \text{ S/m}$; $\epsilon_r = 38.3$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.31, 8.31, 8.31); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$
 Reference Value = 109.5 V/m; Power Drift = -0.07 dB
 Peak SAR (extrapolated) = 23.6 W/kg
SAR(1 g) = 12 W/kg; SAR(10 g) = 5.74 W/kg
 Maximum value of SAR (measured) = 18.5 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 17.08.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: D2300V2 - SN: 1023

Communication System: UID 0 - CW; Frequency: 2300 MHz

Medium parameters used: $f = 2300$ MHz; $\sigma = 1.86$ S/m; $\epsilon_r = 52.3$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.22, 8.22, 8.22); Calibrated: 31.05.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 102.2 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 22.3 W/kg

SAR(1 g) = 11.8 W/kg; SAR(10 g) = 5.68 W/kg

Maximum value of SAR (measured) = 17.6 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **SGS -TW (Auden)**

Certificate No.: **D2450V2-727_Apr17**

CALIBRATION CERTIFICATE

Object	D2450V2 - SN: 727		
Calibration procedure(s)	QA CAL-05.v9 Calibration procedure for dipole validation kits above 700 MHz		
Calibration date	April 21, 2017		
This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.			
All calibrations have been conducted in the closed laboratory facility; environment temperature (22 ± 3)°C and humidity < 70%.			
Calibration Equipment used (MSTE critical for calibration)			
Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521/02522)	Apr-18
Power sensor NRP-Z91	SN: 103264	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z91	SN: 103265	04-Apr-17 (No. 217-02522)	Apr-18
Reference 20 dB Attenuator	SN: 505B (29K)	07-Apr-17 (No. 217-02529)	Apr-18
Type-N mismatch combination	SN: 5047.2 / 06327	07-Apr-17 (No. 217-02529)	Apr-18
Reference Probe EX30W4	SN: 7348	31-Dec-16 (No. EX3-7348_Dec16)	Dec-17
DAE4	SN: 601	28-Mar-17 (No. DAE4-001_Mar17)	Mar-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37480704	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP 8411A	SN: US37292783	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP 1401A	SN: MY41092317	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-16)	In house check: Oct-18
Network Analyzer HP 8753E	SN: US37380585	19-Oct-01 (in house check Oct-16)	In house check: Oct-17
Calibrated by:	Name: Michael Weber	Function: Laboratory Technician	Signature:
Approved by:	Name: Katja Pokovic	Function: Technical Manager	Signature:
This calibration certificate shall not be reproduced except in full without written approval of the laboratory.			Issued: April 21, 2017

Certificate No: D2450V2-727_Apr17

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 0108

Glossary:

TSL tissue simulating liquid
ConvF sensitivity in TSL / NORM x,y,z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- **Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- **Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- **Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- **Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- **SAR measured:** SAR measured at the stated antenna input power.
- **SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- **SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	2450 MHz \pm 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	39.2	1.80 mho/m
Measured Head TSL parameters	(22.0 \pm 0.2) °C	37.7 \pm 6 %	1.87 mho/m \pm 6 %
Head TSL temperature change during test	< 0.5 °C	---	---

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	13.4 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	52.2 W/kg \pm 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	6.18 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	24.3 W/kg \pm 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	52.7	1.95 mho/m
Measured Body TSL parameters	(22.0 \pm 0.2) °C	52.5 \pm 6 %	2.03 mho/m \pm 6 %
Body TSL temperature change during test	< 0.5 °C	---	---

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	12.9 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	50.6 W/kg \pm 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	6.01 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	23.8 W/kg \pm 16.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0108)
Antenna Parameters with Head TSL

Impedance, transformed to feed point	56.3 Ω + 2.1 j Ω
Return Loss	- 24.0 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	51.1 Ω + 4.1 j Ω
Return Loss	- 27.5 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.149 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	January 09, 2003

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 21.04.2017

Test Laboratory: SPEAG, Zürich, Switzerland

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN: 727

Communication System: UID 0 - CW; Frequency: 2450 MHz

Medium parameters used: $f = 2450$ MHz; $\sigma = 1.87$ S/m; $\epsilon_r = 37.7$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(7.72, 7.72, 7.72); Calibrated: 31.12.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.0(1442); SEMCAD X 14.6.10(7413)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 109.8 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 27.3 W/kg

SAR(1 g) = 13.4 W/kg; SAR(10 g) = 6.18 W/kg

Maximum value of SAR (measured) = 21.1 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 21.04.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN: 727


Communication System: UID 0 - CW; Frequency: 2450 MHz
 Medium parameters used: $f = 2450$ MHz; $\sigma = 2.03$ S/m; $\epsilon_r = 52.5$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(7.79, 7.79, 7.79); Calibrated: 31.12.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 28.03.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.0(1442); SEMCAD X 14.6.10(7413)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 105.0 V/m; Power Drift = -0.01 dB
 Peak SAR (extrapolated) = 25.4 W/kg
SAR(1 g) = 12.9 W/kg; SAR(10 g) = 6.01 W/kg
 Maximum value of SAR (measured) = 20.0 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **SGS-TW (Auden)**

Certificate No: **D2600V2-1005_Jan17**

CALIBRATION CERTIFICATE

Object **D2600V2 - SN:1005**

Calibration procedure(s) **QA CAL-05.v9
Calibration procedure for dipole validation kits above 700 MHz**

Calibration date: **January 25, 2017**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 10%.

Calibration Equipment used (MSTE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	06-Apr-16 (No. 217-02288/02289)	Apr-17
Power sensor NRP-Z91	SN: 103244	06-Apr-16 (No. 217-02288)	Apr-17
Power sensor NRP-Z91	SN: 103245	06-Apr-16 (No. 217-02288)	Apr-17
Reference 20 dB Attenuator	SN: 5058 (20k)	06-Apr-16 (No. 217-02292)	Apr-17
Type-N mismatch combination	SN: 5047.2 / 05327	06-Apr-16 (No. 217-02296)	Apr-17
Reference Probe EX3DV4	SN: 7249	31-Dec-16 (No. EX3-7349_Dec16)	Dec-17
DAE4	SN: 601	04-Jan-17 (No. DAE4-601_Jan17)	Jan-18
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: G837480704	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP 8481A	SN: US37292753	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
Power sensor HP 8481A	SN: MY41032917	07-Oct-15 (in house check Oct-16)	In house check: Oct-18
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-16)	In house check: Oct-18
Network Analyzer HP 8753E	SN: US37380565	16-Oct-01 (in house check Oct-16)	In house check: Oct-17

Calibrated by: **Johannes Kurikka** (Name) **Laboratory Technician** (Function)  (Signature)

Approved by: **Katja Pekovic** (Name) **Technical Manager** (Function)  (Signature)

Issued: January 25, 2017

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.8.8
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Specar
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	2600 MHz \pm 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	39.0	1.95 mho/m
Measured Head TSL parameters	(22.0 \pm 0.2) °C	37.4 \pm 6 %	2.05 mho/m \pm 6 %
Head TSL temperature change during test	< 0.5 °C	---	---

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	14.3 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	55.5 W/kg \pm 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	6.32 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	24.8 W/kg \pm 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	52.5	2.16 mho/m
Measured Body TSL parameters	(22.0 \pm 0.2) °C	52.3 \pm 6 %	2.20 mho/m \pm 6 %
Body TSL temperature change during test	< 0.5 °C	---	---

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	13.9 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	55.1 W/kg \pm 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	6.20 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	24.7 W/kg \pm 16.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	49.3 Ω - 4.7 jΩ
Return Loss	- 26.5 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	44.7 Ω - 3.2 jΩ
Return Loss	-23.7 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.154 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	December 23, 2006

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 25.01.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: D2600V2 - SN:1005

Communication System: UID 0 - CW; Frequency: 2600 MHz

Medium parameters used: $f = 2600$ MHz; $\sigma = 2.05$ S/m; $\epsilon_r = 37.4$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(7.56, 7.56, 7.56); Calibrated: 31.12.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.01.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 116.2 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 30.5 W/kg

SAR(1 g) = 14.3 W/kg; SAR(10 g) = 6.32 W/kg

Maximum value of SAR (measured) = 24.2 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 18.01.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: D2600V2 - SN:1005

Communication System: UID 0 - CW; Frequency: 2600 MHz
 Medium parameters used: $f = 2600$ MHz; $\sigma = 2.2$ S/m; $\epsilon_r = 52.3$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section
 Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(7.48, 7.48, 7.48); Calibrated: 31.12.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.01.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm
 Reference Value = 108.8 V/m; Power Drift = -0.04 dB
 Peak SAR (extrapolated) = 28.8 W/kg
SAR(1 g) = 13.9 W/kg; SAR(10 g) = 6.2 W/kg
 Maximum value of SAR (measured) = 23.3 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'établissement
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **SGS-TW (Auden)**

Certificate No: **D5GHzV2-1023_Jan17**

CALIBRATION CERTIFICATE

Object: **D5GHzV2 - SN:1023**

Calibration procedure(s): **QA CAL-22.V2
Calibration procedure for dipole validation kits between 3-6 GHz**

Calibration date: **January 20, 2017**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurement (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate

All calibrations have been conducted in the closed laboratory facility, environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (MSTE: critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	06-Apr-16 (No. 217-02289/02288)	Apr-17
Power sensor NRP-Z91	SN: 103244	06-Apr-16 (No. 217-02288)	Apr-17
Power sensor NRP-Z91	SN: 103245	06-Apr-16 (No. 217-02289)	Apr-17
Reference 20 dB Attenuator	SN: 5058 (20K)	05-Apr-16 (No. 217-02292)	Apr-17
Type-N mismatch combination	SN: 5047.2 / 06327	05-Apr-16 (No. 217-02295)	Apr-17
Reference Probe EX30V4	SN: 3608	31-Dec-16 (No. EX3-3503_Dec16)	Dec-17
DAE4	SN: 601	04-Jan-17 (No. DAE4-G01_Jan17)	Jan-18

Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: 0637480704	07-Oct-15 (in house check Oct-16)	In house check: Oct-16
Power sensor HP B481A	SN: US37292783	07-Oct-15 (in house check Oct-16)	In house check: Oct-16
Power sensor HP B481A	SN: MY41092317	07-Oct-15 (in house check Oct-16)	In house check: Oct-16
RF generator R&S SMT-08	SN: 100972	15-Jun-15 (in house check Oct-16)	In house check: Oct-16
Network Analyzer HP 8753E	SN: US37390585	18-Oct-01 (in house check Oct-16)	In house check: Oct-17

	Name	Function	Signature
Calibrated by:	Jeton Kasirati	Laboratory Technician	
Approved by:	Kolja Pokroyc	Technical Manager	

Issued: January 24, 2017

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SEAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL tissue simulating liquid
ConvF sensitivity in TSL / NORM x,y,z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- c) KDB 865664, 'SAR Measurement Requirements for 100 MHz to 6 GHz'

Additional Documentation:

- d) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- **Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- **Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- **Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- **Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- **SAR measured:** SAR measured at the stated antenna input power.
- **SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- **SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.8.6
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom V5.0	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy = 4.0 mm, dz = 1.4 mm	Graded Ratio = 1.4 (Z direction)
Frequency	5200 MHz ± 1 MHz 5300 MHz ± 1 MHz 5600 MHz ± 1 MHz 5800 MHz ± 1 MHz	

Head TSL parameters at 5200 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	38.0	4.66 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	35.4 ± 6 %	4.45 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	—	—

SAR result with Head TSL at 5200 MHz

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	7.55 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	75.2 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.16 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	21.5 W/kg ± 19.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Head TSL parameters at 5300 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.8	4.76 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	35.2 ± 6 %	4.55 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	---	---

SAR result with Head TSL at 5300 MHz

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	8.22 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	81.8 W / kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.35 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	23.3 W/kg ± 19.5 % (k=2)

Head TSL parameters at 5600 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.5	5.07 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	34.7 ± 6 %	4.85 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	---	---

SAR result with Head TSL at 5600 MHz

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	8.22 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	81.7 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.33 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	23.1 W/kg ± 19.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Head TSL parameters at 5800 MHz

The following parameters and calculations were applied

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.3	5.27 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	34.4 ± 6 %	5.05 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	—	—

SAR result with Head TSL at 5800 MHz

SAR averaged over 1 cm ² (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	7.82 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	77.6 W/kg ± 19.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.22 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	22.0 W/kg ± 19.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Body TSL parameters at 5200 MHz

The following parameters and calculations were applied:

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	49.0	5.36 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	47.5 ± 6 %	5.36 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL at 5200 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.32 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	72.8 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.05 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	20.3 W/kg ± 19.5 % (k=2)

Body TSL parameters at 5300 MHz

The following parameters and calculations were applied:

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.9	5.42 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	47.3 ± 6 %	5.50 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL at 5300 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.63 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	76.1 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.15 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.3 W/kg ± 19.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Body TSL parameters at 5600 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.5	5.77 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	46.6 ± 6 %	5.90 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL at 5600 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	8.02 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	79.6 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.26 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	22.4 W/kg ± 19.5 % (k=2)

Body TSL parameters at 5800 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.2	6.00 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	46.3 ± 6 %	6.17 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	—	—

SAR result with Body TSL at 5800 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.64 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	75.9 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.15 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.1 W/kg ± 19.5 % (k=2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix (Additional assessments outside the scope of SCS 0108)
Antenna Parameters with Head TSL at 5200 MHz

Impedance, transformed to feed point	49.6 Ω - 6.7 $\mu\Omega$
Return Loss	-23.4 dB

Antenna Parameters with Head TSL at 5300 MHz

Impedance, transformed to feed point	49.0 Ω - 1.8 $\mu\Omega$
Return Loss	-33.5 dB

Antenna Parameters with Head TSL at 5600 MHz

Impedance, transformed to feed point	54.1 Ω - 0.2 $\mu\Omega$
Return Loss	-28.2 dB

Antenna Parameters with Head TSL at 5800 MHz

Impedance, transformed to feed point	55.4 Ω + 2.8 $\mu\Omega$
Return Loss	-24.8 dB

Antenna Parameters with Body TSL at 5200 MHz

Impedance, transformed to feed point	48.9 Ω - 7.0 $\mu\Omega$
Return Loss	-22.9 dB

Antenna Parameters with Body TSL at 5300 MHz

Impedance, transformed to feed point	51.0 Ω - 1.0 $\mu\Omega$
Return Loss	-37.0 dB

Antenna Parameters with Body TSL at 5600 MHz

Impedance, transformed to feed point	55.8 Ω - 1.5 $\mu\Omega$
Return Loss	-25.2 dB

Antenna Parameters with Body TSL at 5800 MHz

Impedance, transformed to feed point	56.6 Ω + 2.7 $\mu\Omega$
Return Loss	-23.6 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

General Antenna Parameters and Design

Electrical Delay (one direction)	1.199 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	February 05, 2004

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Head TSL

Date: 20.01.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: D5GHzV2 - SN:1023

Communication System: IID 0 - CW;

Frequency: 5200 MHz, Frequency: 5300 MHz, Frequency: 5600 MHz, Frequency: 5800 MHz

Medium parameters used: $f = 5200$ MHz; $\sigma = 4.45$ S/m; $\epsilon_r = 35.4$; $\rho = 1000$ kg/m³,

Medium parameters used: $f = 5300$ MHz; $\sigma = 4.35$ S/m; $\epsilon_r = 35.2$; $\rho = 1000$ kg/m³,

Medium parameters used: $f = 5600$ MHz; $\sigma = 4.85$ S/m; $\epsilon_r = 34.7$; $\rho = 1000$ kg/m³,

Medium parameters used: $f = 5800$ MHz; $\sigma = 5.05$ S/m; $\epsilon_r = 34.4$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN3503; ConvF(5.76, 5.76, 5.76); Calibrated: 31.12.2016, ConvF(5.35, 5.35, 5.35); Calibrated: 31.12.2016, ConvF(5.09, 5.09, 5.09); Calibrated: 31.12.2016, ConvF(5.01, 5.01, 5.01); Calibrated: 31.12.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.01.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5200 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0; Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 70.58 V/m; Power Drift = -0.08 dB

Peak SAR (extrapolated) = 27.6 W/kg

SAR(1 g) = 7.55 W/kg; SAR(10 g) = 2.16 W/kg

Maximum value of SAR (measured) = 17.4 W/kg

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5300 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0; Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 73.01 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 31.6 W/kg

SAR(1 g) = 8.22 W/kg; SAR(10 g) = 2.35 W/kg

Maximum value of SAR (measured) = 19.3 W/kg

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5600 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0; Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 71.94 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 33.2 W/kg

SAR(1 g) = 8.22 W/kg; SAR(10 g) = 2.33 W/kg


Maximum value of SAR (measured) = 19.8 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5800 MHz/Zoom Scan,
dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm
 Reference Value = 69.84 V/m; Power Drift = -0.08 dB
 Peak SAR (extrapolated) = 32.7 W/kg
SAR(1 g) = 7.82 W/kg; SAR(10 g) = 2.22 W/kg
 Maximum value of SAR (measured) = 19.5 W/kg




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Head TSL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DASY5 Validation Report for Body TSL

Date: 19.01.2017

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: D5GHzV2 - SN:1023

Communication System: UID 0 - CW;

Frequency: 5200 MHz, Frequency: 5300 MHz, Frequency: 5600 MHz, Frequency: 5800 MHz;

Medium parameters used: $f = 5200$ MHz; $\sigma = 5.36$ S/m; $\epsilon_r = 47.5$; $\rho = 1000$ kg/m³;

Medium parameters used: $f = 5300$ MHz; $\sigma = 5.5$ S/m; $\epsilon_r = 47.3$; $\rho = 1000$ kg/m³;

Medium parameters used: $f = 5600$ MHz; $\sigma = 5.9$ S/m; $\epsilon_r = 46.6$; $\rho = 1000$ kg/m³;

Medium parameters used: $f = 5800$ MHz; $\sigma = 6.17$ S/m; $\epsilon_r = 46.3$; $\rho = 1000$ kg/m³;

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN3503; ConvF(5.29, 5.29, 5.29); Calibrated: 31.12.2016, ConvF(5.04, 5.04, 5.04); Calibrated: 31.12.2016, ConvF(4.57, 4.57, 4.57); Calibrated: 31.12.2016, ConvF(4.48, 4.48, 4.48); Calibrated: 31.12.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 S0601, Calibrated: 04.01.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5200 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 65.54 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 28.1 W/kg

SAR(1 g) = 7.32 W/kg; SAR(10 g) = 2.05 W/kg

Maximum value of SAR (measured) = 16.6 W/kg

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5300 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 66.93 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 30.1 W/kg

SAR(1 g) = 7.66 W/kg; SAR(10 g) = 2.15 W/kg

Maximum value of SAR (measured) = 17.6 W/kg

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5600 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 67.09 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 33.7 W/kg

SAR(1 g) = 8.02 W/kg; SAR(10 g) = 2.26 W/kg

Maximum value of SAR (measured) = 18.9 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5800 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 65.14 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 34.0 W/kg

SAR(1 g) = 7.64 W/kg; SAR(10 g) = 2.13 W/kg

Maximum value of SAR (measured) = 18.3 W/kg




0 dB = 16,6 W/kg = 12.20 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Impedance Measurement Plot for Body TSL



- End of 1st part of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.