



Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5180MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 10360.000 | 48.35 | 68.22 | -19.87 | 52.65 | -4.30 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5180MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 10360.000 | 47.60 | 68.22 | -20.62 | 51.90 | -4.30 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5220MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 10440.000 | 46.46 | 68.22 | -21.76 | 50.69 | -4.23 | Peak |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.





Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5220MHz
 Test BY :Bob Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 10440.000 | 47.00 | 68.22 | -21.22 | 51.23 | -4.23 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.






Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax40_5190MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|--------|
| 1 | 10380.000 | 48.38 | 68.22 | -19.84 | 52.66 | -4.28 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax40_5190MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|--------|
| 1 | 10380.000 | 48.33 | 68.22 | -19.89 | 52.61 | -4.28 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|--------|
| 1 | 10460.000 | 47.69 | 68.22 | -20.53 | 51.93 | -4.24 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|--------|
| 1 | 10460.000 | 47.27 | 68.22 | -20.95 | 51.51 | -4.24 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 11510.000 | 48.31 | 74.00 | -25.69 | 49.52 | -1.21 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 11510.000 | 48.20 | 74.00 | -25.80 | 49.41 | -1.21 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 11590.000 | 48.19 | 74.00 | -25.81 | 49.36 | -1.17 | Peak |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax40_5755MHz
 Test BY :Bob Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 11590.000 | 47.85 | 74.00 | -26.15 | 49.02 | -1.17 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.




Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_au80_5775MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-----------------|---------------------|-----------------------|----------------|--------|
| 1 | 55.220 | 15.17 | 40.00 | -24.83 | 38.89 | -23.72 | QP |
| 2 | 129.910 | 26.68 | 43.50 | -16.82 | 51.83 | -25.15 | QP |
| 3 | 263.770 | 26.89 | 46.00 | -19.11 | 51.08 | -24.19 | QP |
| 4 | 398.600 | 20.57 | 46.00 | -25.43 | 40.73 | -20.16 | QP |
| 5 | 588.720 | 23.64 | 46.00 | -22.36 | 39.27 | -15.63 | QP |
| 6 | 654.600 | 24.62 | 46.00 | -21.38 | 39.27 | -14.65 | QP |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.





Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_au80_5775MHz
 Test BY :Bob Chiu




| No. | Frequency MHz | Level dBuV/m | Limit dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-----------------|---------------------|-----------------------|----------------|--------|
| 1 | 52.310 | 15.68 | 40.00 | -24.32 | 39.06 | -23.38 | QP |
| 2 | 113.420 | 19.41 | 43.50 | -24.09 | 46.05 | -26.64 | QP |
| 3 | 292.870 | 16.99 | 46.00 | -29.01 | 40.09 | -23.10 | QP |
| 4 | 445.160 | 21.58 | 46.00 | -24.42 | 40.41 | -18.83 | QP |
| 5 | 593.570 | 23.60 | 46.00 | -22.40 | 39.08 | -15.48 | QP |
| 6 | 688.630 | 24.51 | 46.00 | -21.49 | 38.58 | -14.07 | QP |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.






Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_a_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5560.500 | 56.56 | 68.20 | -11.64 | 39.71 | 16.85 | Peak |
| 2 | 5650.000 | 55.82 | 68.21 | -12.39 | 38.63 | 17.19 | Peak |
| 3 | 5724.500 | 70.69 | 121.06 | -50.37 | 53.03 | 17.66 | Peak |
| 4 | 5744.000 | 99.59 | ----- | ----- | 81.61 | 17.70 | Peak |
| 5 | 5853.000 | 97.85 | 115.36 | -17.51 | 39.93 | 17.92 | Peak |
| 6 | 5925.000 | 55.71 | 68.21 | -12.50 | 37.79 | 17.92 | Peak |
| 7 | 5969.500 | 59.33 | 68.20 | -8.87 | 41.33 | 18.00 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_a_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5546.500 | 57.32 | 68.20 | -10.88 | 40.57 | 16.75 | Peak |
| 2 | 5650.000 | 55.78 | 68.21 | -12.43 | 38.59 | 17.19 | Peak |
| 3 | 5725.000 | 70.97 | 122.20 | -51.23 | 53.31 | 17.66 | Peak |
| 4 | 5745.500 | 101.19 | ----- | ----- | 83.39 | 17.80 | Peak |
| 5 | 5883.500 | 57.68 | 98.91 | -41.23 | 39.78 | 17.90 | Peak |
| 6 | 5925.000 | 56.19 | 68.21 | -12.02 | 38.27 | 17.92 | Peak |
| 7 | 5949.500 | 58.39 | 68.20 | -9.81 | 40.42 | 17.97 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_a_5825MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5600.000 | 56.15 | 68.20 | -12.05 | 39.06 | 17.09 | Peak |
| 2 | 5650.000 | 54.47 | 68.21 | -13.74 | 37.28 | 17.19 | Peak |
| 3 | 5692.500 | 56.82 | 99.65 | -42.83 | 39.39 | 17.43 | Peak |
| 4 | 5829.000 | 100.73 | ----- | ----- | 82.82 | 17.91 | Peak |
| 5 | 5850.000 | 69.82 | 122.20 | -52.38 | 51.89 | 17.93 | Peak |
| 6 | 5925.000 | 56.78 | 68.21 | -11.43 | 38.86 | 17.92 | Peak |
| 7 | 5967.500 | 58.18 | 68.20 | -10.02 | 40.19 | 17.99 | Peak |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.





Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_a_5825MHz
 Test BY :Ashton Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5611.000 | 56.49 | 68.20 | -11.71 | 39.38 | 17.11 | Peak |
| 2 | 5650.000 | 54.90 | 68.21 | -13.31 | 37.71 | 17.19 | Peak |
| 3 | 5721.500 | 56.42 | 114.22 | -57.80 | 38.79 | 17.63 | Peak |
| 4 | 5827.000 | 101.12 | ----- | ----- | 83.21 | 17.91 | Peak |
| 5 | 5851.000 | 71.27 | 119.92 | -48.65 | 53.34 | 17.93 | Peak |
| 6 | 5925.000 | 55.49 | 68.21 | -12.72 | 37.57 | 17.92 | Peak |
| 7 | 5988.000 | 58.27 | 68.20 | -9.93 | 40.24 | 18.03 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.






Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_n20_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5592.500 | 58.20 | 68.20 | -10.00 | 41.14 | 17.06 | Peak |
| 2 | 5650.000 | 54.57 | 68.21 | -13.64 | 37.38 | 17.19 | Peak |
| 3 | 5723.000 | 70.82 | 117.64 | -46.82 | 53.17 | 17.65 | Peak |
| 4 | 5746.500 | 97.07 | ----- | ----- | 79.26 | 17.81 | Peak |
| 5 | 5901.500 | 57.92 | 85.59 | -27.67 | 40.03 | 17.89 | Peak |
| 6 | 5925.000 | 56.22 | 68.21 | -11.99 | 38.30 | 17.92 | Peak |
| 7 | 6004.500 | 58.35 | 68.20 | -9.85 | 40.28 | 18.07 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_n20_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5606.000 | 56.49 | 68.20 | -11.71 | 39.39 | 17.10 | Peak |
| 2 | 5650.000 | 55.19 | 68.21 | -13.02 | 38.00 | 17.19 | Peak |
| 3 | 5724.500 | 73.02 | 121.06 | -48.04 | 55.36 | 17.66 | Peak |
| 4 | 5746.000 | 99.49 | ----- | ----- | 81.68 | 17.81 | Peak |
| 5 | 5918.500 | 57.82 | 73.02 | -15.20 | 39.90 | 17.92 | Peak |
| 6 | 5925.000 | 55.92 | 68.21 | -12.29 | 38.00 | 17.92 | Peak |
| 7 | 6033.000 | 58.04 | 68.20 | -10.16 | 39.90 | 18.14 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_n20_5825MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5564.500 | 56.83 | 68.20 | -11.37 | 39.95 | 16.88 | Peak |
| 2 | 5650.000 | 55.36 | 68.21 | -12.85 | 38.17 | 17.19 | Peak |
| 3 | 5667.000 | 56.53 | 80.78 | -24.25 | 39.27 | 17.26 | Peak |
| 4 | 5828.000 | 99.19 | ----- | ----- | 81.28 | 17.91 | Peak |
| 5 | 5853.000 | 72.74 | 115.36 | -42.62 | 54.82 | 17.92 | Peak |
| 6 | 5925.000 | 56.03 | 68.21 | -12.18 | 38.11 | 17.92 | Peak |
| 7 | 5957.000 | 58.23 | 68.20 | -9.97 | 40.25 | 17.98 | Peak |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_n20_5825MHz
 Test BY :Ashton Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5546.500 | 56.34 | 68.20 | -11.86 | 39.59 | 16.75 | Peak |
| 2 | 5650.000 | 55.04 | 68.21 | -13.17 | 37.85 | 17.19 | Peak |
| 3 | 5690.500 | 56.53 | 98.17 | -41.64 | 39.13 | 17.40 | Peak |
| 4 | 5827.500 | 100.67 | ----- | ----- | 82.76 | 17.91 | Peak |
| 5 | 5852.500 | 73.00 | 116.50 | -43.50 | 55.07 | 17.93 | Peak |
| 6 | 5925.000 | 56.12 | 68.21 | -12.09 | 38.20 | 17.92 | Peak |
| 7 | 5979.000 | 59.37 | 68.20 | -8.83 | 41.36 | 18.01 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.




Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_n40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|---------|
| 1 | 5226.000 | 90.08 | ----- | ----- | 74.21 | 15.87 | Average |
| 2 | 5420.700 | 42.85 | 54.00 | -11.15 | 26.47 | 16.38 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_n40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|--------|
| 1 | 5223.900 | 101.12 | ----- | ----- | 85.25 | 15.87 | Peak |
| 2 | 5406.600 | 56.49 | 74.00 | -17.51 | 40.23 | 16.26 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_n40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|---------|
| 1 | 5237.400 | 93.17 | ----- | ----- | 77.29 | 15.88 | Average |
| 2 | 5377.200 | 43.43 | 54.00 | -10.57 | 27.29 | 16.14 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_n40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency MHz | Level dBuV/m | Limit Line dBuV/m | Over Limit dB | Read Level dBuV | Factor dB/m | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|----------------|--------|
| 1 | 5237.400 | 103.47 | ----- | ----- | 87.59 | 15.88 | Peak |
| 2 | 5448.600 | 56.77 | 74.00 | -17.23 | 40.34 | 16.43 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_n40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5597.500 | 57.70 | 68.20 | -10.50 | 40.62 | 17.08 | Peak |
| 2 | 5650.000 | 55.08 | 68.21 | -13.13 | 37.89 | 17.19 | Peak |
| 3 | 5721.500 | 67.14 | 114.22 | -47.08 | 49.51 | 17.63 | Peak |
| 4 | 5752.500 | 94.27 | ----- | ----- | 76.43 | 17.84 | Peak |
| 5 | 5883.500 | 57.77 | 98.91 | -41.14 | 39.87 | 17.90 | Peak |
| 6 | 5925.000 | 55.63 | 68.21 | -12.58 | 37.71 | 17.92 | Peak |
| 7 | 6017.500 | 58.70 | 68.20 | -9.50 | 40.60 | 18.10 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_n40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5644.000 | 56.76 | 68.20 | -11.44 | 39.57 | 17.19 | Peak |
| 2 | 5650.000 | 55.08 | 68.21 | -13.13 | 37.89 | 17.19 | Peak |
| 3 | 5721.500 | 60.34 | 114.22 | -53.88 | 42.71 | 17.63 | Peak |
| 4 | 5744.000 | 93.61 | ----- | ----- | 75.03 | 17.78 | Peak |
| 5 | 5912.000 | 57.84 | 77.83 | -19.99 | 39.93 | 17.91 | Peak |
| 6 | 5925.000 | 55.54 | 68.21 | -12.67 | 37.62 | 17.92 | Peak |
| 7 | 6034.500 | 58.57 | 68.20 | -9.63 | 40.43 | 18.14 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_n40_5795MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5582.000 | 56.37 | 68.20 | -11.83 | 39.36 | 17.01 | Peak |
| 2 | 5650.000 | 55.21 | 68.21 | -13.00 | 38.02 | 17.19 | Peak |
| 3 | 5722.500 | 56.91 | 116.50 | -59.59 | 39.27 | 17.64 | Peak |
| 4 | 5799.500 | 94.47 | ----- | ----- | 76.59 | 17.88 | Peak |
| 5 | 5902.500 | 57.73 | 84.85 | -27.12 | 39.84 | 17.89 | Peak |
| 6 | 5925.000 | 55.55 | 68.21 | -12.66 | 37.63 | 17.92 | Peak |
| 7 | 6026.500 | 57.75 | 68.20 | -10.45 | 39.63 | 18.12 | Peak |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.





Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_n40_5795MHz
 Test BY :Bob Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5596.500 | 56.83 | 68.20 | -11.37 | 39.74 | 17.09 | Peak |
| 2 | 5650.000 | 54.83 | 68.21 | -13.38 | 37.64 | 17.19 | Peak |
| 3 | 5653.500 | 56.36 | 70.80 | -14.44 | 39.15 | 17.21 | Peak |
| 4 | 5780.000 | 94.64 | ----- | ----- | 76.78 | 17.86 | Peak |
| 5 | 5855.000 | 57.86 | 110.80 | -52.94 | 39.94 | 17.92 | Peak |
| 6 | 5925.000 | 55.45 | 68.21 | -12.76 | 37.53 | 17.92 | Peak |
| 7 | 5960.000 | 57.73 | 68.20 | -10.47 | 39.75 | 17.98 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.






Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ac20_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5563.000 | 56.20 | 68.20 | -12.00 | 39.33 | 16.87 | Peak |
| 2 | 5650.000 | 54.93 | 68.21 | -13.28 | 37.74 | 17.19 | Peak |
| 3 | 5725.000 | 69.90 | 122.20 | -52.30 | 52.24 | 17.66 | Peak |
| 4 | 5743.500 | 98.04 | ----- | ----- | 80.26 | 17.78 | Peak |
| 5 | 5865.000 | 57.54 | 108.00 | -50.46 | 39.63 | 17.91 | Peak |
| 6 | 5925.000 | 57.12 | 68.21 | -11.09 | 39.20 | 17.92 | Peak |
| 7 | 5941.000 | 57.93 | 68.20 | -10.27 | 39.98 | 17.95 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ac20_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5628.500 | 57.44 | 68.20 | -10.76 | 40.30 | 17.14 | Peak |
| 2 | 5650.000 | 55.08 | 68.21 | -13.13 | 37.89 | 17.19 | Peak |
| 3 | 5725.000 | 75.11 | 122.20 | -47.09 | 57.45 | 17.66 | Peak |
| 4 | 5746.000 | 99.47 | ----- | ----- | 81.66 | 17.81 | Peak |
| 5 | 5917.500 | 59.00 | 73.76 | -14.76 | 41.08 | 17.92 | Peak |
| 6 | 5925.000 | 56.31 | 68.21 | -11.90 | 38.39 | 17.92 | Peak |
| 7 | 6030.500 | 58.02 | 68.20 | -10.18 | 39.89 | 18.13 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ac20_5825MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5643.000 | 56.71 | 68.20 | -11.49 | 39.53 | 17.18 | Peak |
| 2 | 5650.000 | 54.57 | 68.21 | -13.64 | 37.38 | 17.19 | Peak |
| 3 | 5785.500 | 56.23 | 106.74 | -50.51 | 38.72 | 17.51 | Peak |
| 4 | 5828.000 | 98.87 | ----- | ----- | 80.96 | 17.91 | Peak |
| 5 | 5853.000 | 70.65 | 115.36 | -44.71 | 52.73 | 17.92 | Peak |
| 6 | 5925.000 | 55.46 | 68.21 | -12.75 | 37.54 | 17.92 | Peak |
| 7 | 6016.500 | 57.74 | 68.20 | -10.46 | 39.64 | 18.10 | Peak |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.





Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ac20_5825MHz
 Test BY :Ashton Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5611.500 | 56.43 | 68.20 | -11.77 | 39.32 | 17.11 | Peak |
| 2 | 5650.000 | 54.76 | 68.21 | -13.45 | 37.57 | 17.19 | Peak |
| 3 | 5711.500 | 56.65 | 108.42 | -51.77 | 39.10 | 17.55 | Peak |
| 4 | 5826.500 | 100.62 | ----- | ----- | 82.72 | 17.90 | Peak |
| 5 | 5851.000 | 73.14 | 119.92 | -46.78 | 55.21 | 17.93 | Peak |
| 6 | 5925.000 | 55.92 | 68.21 | -12.29 | 38.00 | 17.92 | Peak |
| 7 | 6030.500 | 58.06 | 68.20 | -10.14 | 39.93 | 18.13 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.






Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ac40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5614.500 | 56.80 | 68.20 | -11.40 | 39.68 | 17.12 | Peak |
| 2 | 5650.000 | 56.12 | 68.21 | -12.09 | 38.93 | 17.19 | Peak |
| 3 | 5722.500 | 65.73 | 116.50 | -50.77 | 48.09 | 17.64 | Peak |
| 4 | 5739.500 | 93.70 | ----- | ----- | 75.94 | 17.76 | Peak |
| 5 | 5916.000 | 57.55 | 74.87 | -17.32 | 39.63 | 17.92 | Peak |
| 6 | 5925.000 | 56.39 | 68.21 | -11.82 | 38.47 | 17.92 | Peak |
| 7 | 6001.500 | 58.69 | 68.20 | -9.51 | 40.64 | 18.05 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ac40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5631.000 | 57.35 | 68.20 | -10.85 | 40.21 | 17.14 | Peak |
| 2 | 5650.000 | 55.13 | 68.21 | -13.08 | 37.94 | 17.19 | Peak |
| 3 | 5723.500 | 59.02 | 118.78 | -59.76 | 41.37 | 17.65 | Peak |
| 4 | 5740.000 | 94.44 | ----- | ----- | 76.68 | 17.76 | Peak |
| 5 | 5883.000 | 57.98 | 99.28 | -41.30 | 40.08 | 17.90 | Peak |
| 6 | 5925.000 | 55.69 | 68.21 | -12.52 | 37.77 | 17.92 | Peak |
| 7 | 6007.000 | 58.04 | 68.20 | -10.16 | 39.97 | 18.07 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ac40_5795MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5616.500 | 56.43 | 68.20 | -11.77 | 39.31 | 17.12 | Peak |
| 2 | 5650.000 | 54.81 | 68.21 | -13.40 | 37.62 | 17.19 | Peak |
| 3 | 5714.000 | 56.68 | 109.12 | -52.44 | 39.10 | 17.58 | Peak |
| 4 | 5799.500 | 95.13 | ----- | ----- | 77.25 | 17.88 | Peak |
| 5 | 5856.500 | 58.11 | 110.38 | -52.27 | 40.19 | 17.92 | Peak |
| 6 | 5925.000 | 56.51 | 68.21 | -11.70 | 38.59 | 17.92 | Peak |
| 7 | 6013.500 | 58.50 | 68.20 | -9.70 | 40.40 | 18.10 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ac40_5795MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5620.000 | 56.95 | 68.20 | -11.25 | 39.82 | 17.13 | Peak |
| 2 | 5650.000 | 54.81 | 68.21 | -13.40 | 37.62 | 17.19 | Peak |
| 3 | 5707.500 | 57.04 | 107.30 | -50.26 | 39.51 | 17.53 | Peak |
| 4 | 5799.500 | 95.07 | ----- | ----- | 77.19 | 17.88 | Peak |
| 5 | 5878.000 | 57.45 | 102.98 | -45.53 | 39.55 | 17.90 | Peak |
| 6 | 5925.000 | 56.55 | 68.21 | -11.66 | 38.63 | 17.92 | Peak |
| 7 | 6012.500 | 57.74 | 68.20 | -10.46 | 39.64 | 18.10 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ac80_5210MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5149.700 | 49.47 | 54.00 | -4.53 | 33.74 | 15.73 | Average |
| 2 | 5239.100 | 82.30 | ----- | ----- | 66.43 | 15.87 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ac80_5210MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5144.000 | 63.93 | 74.00 | -10.07 | 48.20 | 15.73 | Peak |
| 2 | 5219.000 | 93.78 | ----- | ----- | 77.92 | 15.86 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ac80_5210MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5150.000 | 51.27 | 54.00 | -2.73 | 35.54 | 15.73 | Average |
| 2 | 5219.900 | 88.06 | ----- | ----- | 72.20 | 15.86 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ac80_5210MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5146.100 | 68.05 | 74.00 | -5.95 | 52.31 | 15.74 | Peak |
| 2 | 5215.100 | 99.00 | ----- | ----- | 83.13 | 15.87 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax0_5775MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5587.500 | 56.87 | 68.20 | -11.33 | 39.83 | 17.04 | Peak |
| 2 | 5650.000 | 55.07 | 68.21 | -13.14 | 37.88 | 17.19 | Peak |
| 3 | 5719.500 | 61.40 | 110.66 | -49.26 | 43.78 | 17.62 | Peak |
| 4 | 5761.000 | 90.77 | ----- | ----- | 72.92 | 17.85 | Peak |
| 5 | 5850.500 | 98.84 | 121.06 | -62.22 | 40.91 | 17.93 | Peak |
| 6 | 5925.000 | 56.37 | 68.21 | -11.84 | 38.45 | 17.92 | Peak |
| 7 | 5926.500 | 57.71 | 68.20 | -10.49 | 39.78 | 17.93 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax0_5775MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5629.000 | 57.20 | 68.20 | -11.00 | 40.05 | 17.15 | Peak |
| 2 | 5650.000 | 54.59 | 68.21 | -13.62 | 37.40 | 17.19 | Peak |
| 3 | 5720.500 | 58.29 | 111.94 | -53.65 | 40.67 | 17.62 | Peak |
| 4 | 5780.000 | 91.15 | ----- | ----- | 73.29 | 17.86 | Peak |
| 5 | 5852.500 | 57.91 | 116.50 | -58.59 | 39.98 | 17.93 | Peak |
| 6 | 5925.000 | 55.82 | 68.21 | -12.39 | 37.90 | 17.92 | Peak |
| 7 | 5983.500 | 57.97 | 68.20 | -10.23 | 39.94 | 18.03 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5180MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5150.000 | 44.72 | 54.00 | -9.28 | 28.99 | 15.73 | Average |
| 2 | 5180.600 | 94.59 | ----- | ----- | 78.79 | 15.80 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5180MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5148.200 | 63.29 | 74.00 | -10.71 | 47.56 | 15.73 | Peak |
| 2 | 5180.600 | 108.00 | ----- | ----- | 92.20 | 15.80 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5180MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit Line | Over Limit | Read Level | Factor | Remark |
|-----|-----------|--------|------------|------------|------------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5149.100 | 46.17 | 54.00 | -7.83 | 30.44 | 15.73 | Average |
| 2 | 5179.400 | 97.97 | ----- | ----- | 82.18 | 15.79 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5180MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit Line | Over Limit | Read Level | Factor | Remark |
|-----|-----------|--------|------------|------------|------------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5149.400 | 62.94 | 74.00 | -11.06 | 47.21 | 15.73 | Peak |
| 2 | 5182.100 | 110.69 | ----- | ----- | 94.88 | 15.81 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5240MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit Line | Over Limit | Read Level | Factor | Remark |
|-----|-----------|--------|------------|------------|------------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5238.600 | 95.48 | ----- | ----- | 79.61 | 15.87 | Average |
| 2 | 5418.000 | 42.89 | 54.00 | -11.11 | 26.53 | 16.36 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5240MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit Line | Over Limit | Read Level | Factor | Remark |
|-----|-----------|--------|------------|------------|------------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5238.600 | 108.69 | ----- | ----- | 92.82 | 15.87 | Peak |
| 2 | 5359.500 | 56.46 | 74.00 | -17.54 | 40.38 | 16.08 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5240MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5239.500 | 96.61 | ----- | ----- | 80.74 | 15.87 | Average |
| 2 | 5420.400 | 43.20 | 54.00 | -10.80 | 26.82 | 16.38 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5240MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5239.800 | 110.11 | ----- | ----- | 94.24 | 15.87 | Peak |
| 2 | 5443.800 | 56.69 | 74.00 | -17.31 | 40.25 | 16.44 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5618.500 | 56.57 | 68.20 | -11.63 | 39.45 | 17.12 | Peak |
| 2 | 5650.000 | 54.30 | 68.21 | -13.91 | 37.11 | 17.19 | Peak |
| 3 | 5725.000 | 70.32 | 122.20 | -51.88 | 52.66 | 17.66 | Peak |
| 4 | 5744.500 | 100.55 | ----- | ----- | 82.75 | 17.80 | Peak |
| 5 | 5900.000 | 58.05 | 86.70 | -28.65 | 40.16 | 17.89 | Peak |
| 6 | 5925.000 | 55.68 | 68.21 | -12.53 | 37.76 | 17.92 | Peak |
| 7 | 6034.500 | 57.74 | 68.20 | -10.46 | 39.60 | 18.14 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5745MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5564.000 | 56.62 | 68.20 | -11.58 | 39.74 | 16.88 | Peak |
| 2 | 5650.000 | 55.10 | 68.21 | -13.11 | 37.91 | 17.19 | Peak |
| 3 | 5724.500 | 72.55 | 121.06 | -48.51 | 54.89 | 17.66 | Peak |
| 4 | 5743.500 | 101.75 | ----- | ----- | 83.97 | 17.78 | Peak |
| 5 | 5917.000 | 57.46 | 74.13 | -16.67 | 39.54 | 17.92 | Peak |
| 6 | 5925.000 | 56.48 | 68.21 | -11.73 | 38.56 | 17.92 | Peak |
| 7 | 5956.500 | 58.18 | 68.20 | -10.02 | 40.20 | 17.98 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax20_5825MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5620.000 | 56.80 | 68.20 | -11.40 | 39.67 | 17.13 | Peak |
| 2 | 5650.000 | 54.58 | 68.21 | -13.63 | 37.39 | 17.19 | Peak |
| 3 | 5724.500 | 56.71 | 121.06 | -64.35 | 39.05 | 17.66 | Peak |
| 4 | 5826.000 | 101.39 | ----- | ----- | 83.49 | 17.90 | Peak |
| 5 | 5850.000 | 71.65 | 122.20 | -50.55 | 53.72 | 17.93 | Peak |
| 6 | 5925.000 | 57.41 | 68.21 | -10.80 | 39.49 | 17.92 | Peak |
| 7 | 5991.500 | 58.27 | 68.20 | -9.93 | 40.23 | 18.04 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax20_5825MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5572.500 | 56.85 | 68.20 | -11.35 | 39.91 | 16.94 | Peak |
| 2 | 5650.000 | 54.28 | 68.21 | -13.93 | 37.09 | 17.19 | Peak |
| 3 | 5652.000 | 57.17 | 69.69 | -12.52 | 39.97 | 17.20 | Peak |
| 4 | 5826.000 | 102.92 | ----- | ----- | 85.01 | 17.91 | Peak |
| 5 | 5853.500 | 71.17 | 114.22 | -43.05 | 53.25 | 17.92 | Peak |
| 6 | 5925.000 | 55.81 | 68.21 | -12.40 | 37.89 | 17.92 | Peak |
| 7 | 5974.000 | 58.23 | 68.20 | -9.97 | 40.23 | 18.00 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax40_5190MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5148.500 | 45.92 | 54.00 | -8.08 | 30.19 | 15.73 | Average |
| 2 | 5186.000 | 87.42 | ----- | ----- | 71.61 | 15.81 | Average |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax40_5190MHz
 Test BY :Ashton Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5146.400 | 63.55 | 74.00 | -10.45 | 47.81 | 15.74 | Peak |
| 2 | 5186.000 | 100.52 | ----- | ----- | 84.71 | 15.81 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.




Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5247.600 | 92.85 | ----- | ----- | 76.97 | 15.88 | Average |
| 2 | 5410.200 | 43.86 | 54.00 | -10.14 | 27.57 | 16.29 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax40_5230MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5238.000 | 107.33 | ----- | ----- | 91.46 | 15.87 | Peak |
| 2 | 5421.600 | 57.99 | 74.00 | -16.01 | 41.60 | 16.39 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax40_5755MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5607.000 | 56.41 | 68.20 | -11.79 | 39.31 | 17.10 | Peak |
| 2 | 5650.000 | 54.38 | 68.21 | -13.83 | 37.19 | 17.19 | Peak |
| 3 | 5719.000 | 64.11 | 110.52 | -46.41 | 46.50 | 17.61 | Peak |
| 4 | 5759.500 | 96.45 | ----- | ----- | 78.60 | 17.85 | Peak |
| 5 | 5901.000 | 58.10 | 85.96 | -27.86 | 40.21 | 17.89 | Peak |
| 6 | 5925.000 | 55.84 | 68.21 | -12.37 | 37.92 | 17.92 | Peak |
| 7 | 5928.500 | 57.56 | 68.20 | -10.64 | 39.63 | 17.93 | Peak |





Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax40_5755MHz
 Test BY :Bob Chiu




| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5617.000 | 57.27 | 68.20 | -10.93 | 40.15 | 17.12 | Peak |
| 2 | 5650.000 | 55.86 | 68.21 | -12.35 | 38.67 | 17.19 | Peak |
| 3 | 5724.500 | 58.03 | 121.06 | -63.03 | 40.37 | 17.66 | Peak |
| 4 | 5744.500 | 96.05 | ----- | ----- | 78.25 | 17.80 | Peak |
| 5 | 5912.500 | 57.66 | 77.46 | -19.80 | 39.75 | 17.91 | Peak |
| 6 | 5925.000 | 55.41 | 68.21 | -12.80 | 37.49 | 17.92 | Peak |
| 7 | 5980.000 | 57.61 | 68.20 | -10.59 | 39.60 | 18.01 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.




Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax80_5210MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|---------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5150.000 | 51.61 | 54.00 | -2.39 | 35.88 | 15.73 | Average |
| 2 | 5220.200 | 89.51 | ----- | ----- | 73.65 | 15.86 | Average |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax80_5210MHz
 Test BY :Ashton Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5145.000 | 68.14 | 74.00 | -5.86 | 52.40 | 15.74 | Peak |
| 2 | 5220.500 | 101.19 | ----- | ----- | 85.33 | 15.86 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
 Condition :3m Horizontal
 Mode :TX_ax80_5775MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5566.000 | 56.30 | 68.20 | -11.90 | 39.41 | 16.89 | Peak |
| 2 | 5650.000 | 55.49 | 68.21 | -12.72 | 38.30 | 17.19 | Peak |
| 3 | 5710.500 | 57.33 | 110.38 | -53.05 | 39.72 | 17.61 | Peak |
| 4 | 5786.000 | 92.14 | ----- | ----- | 74.27 | 17.87 | Peak |
| 5 | 5924.000 | 57.59 | 68.95 | -11.36 | 39.67 | 17.92 | Peak |
| 6 | 5925.000 | 56.71 | 68.21 | -11.50 | 38.79 | 17.92 | Peak |
| 7 | 5949.500 | 58.42 | 68.20 | -9.78 | 40.45 | 17.97 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
 Condition :3m Vertical
 Mode :TX_ax80_5775MHz
 Test BY :Bob Chiu



| No. | Frequency | Level | Limit | Over | Read | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | |
| 1 | 5632.000 | 57.00 | 68.20 | -11.20 | 39.85 | 17.15 | Peak |
| 2 | 5650.000 | 56.21 | 68.21 | -12.00 | 39.02 | 17.19 | Peak |
| 3 | 5725.000 | 58.24 | 122.20 | -63.96 | 40.58 | 17.66 | Peak |
| 4 | 5767.500 | 93.32 | ----- | ----- | 75.47 | 17.85 | Peak |
| 5 | 5898.500 | 58.04 | 68.81 | -9.77 | 40.15 | 17.89 | Peak |
| 6 | 5925.000 | 55.79 | 68.21 | -12.42 | 37.87 | 17.92 | Peak |
| 7 | 5971.500 | 57.97 | 68.20 | -10.23 | 39.97 | 18.00 | Peak |

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Band Edge Data_802.11a

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5248.75 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5248.71 | <5250 | PASS |




Band Edge Data_802.11n20

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5249.19 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5249.03 | <5250 | PASS |




Band Edge Data_802.11n40

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5230 | 5248.30 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5230 | 5248.14 | <5250 | PASS |




Band Edge Data_802.11ac20

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5249.31 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5249.07 | <5250 | PASS |




Band Edge Data_802.11ac40

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5230 | 5248.38 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5230 | 5248.14 | <5250 | PASS |




Band Edge Data_802.11ac80

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5210 | 5247.88 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5210 | 5247.88 | <5250 | PASS |




Band Edge Data_802.11ax20

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5249.51 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|----------------------|-------------------------|-------------|--------|
| 5240 | 5249.43 | <5250 | PASS |




Band Edge Data_802.11ax40

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|-------------------------|----------------------------|----------------|--------|
| 5230 | 5248.78 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|-------------------------|----------------------------|----------------|--------|
| 5230 | 5248.78 | <5250 | PASS |



Band Edge Data_802.11ax80

Chain A

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|-------------------------|----------------------------|----------------|--------|
| 5210 | 5248.68 | <5250 | PASS |

Chain B

| Test Frequency (MHz) | Measurement Level (MHz) | Limit (MHz) | Result |
|-------------------------|----------------------------|----------------|--------|
| 5210 | 5248.68 | <5250 | PASS |

