

EXHIBIT 3

EXAMPLE OF COMPLIANCE LABEL

DC INPUT 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40

HOST INTERFACE (ATAPI)

CSEL
Slow
Huster

DIGITAL AUDIO
R GND L

Use CSEL Slow Huster

RICOH MP7040A

SERIAL NO. 5V = 2.0A
12V = 0.7A

MANUFACTURED JULY 1998
REVISION NO. ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxy

MADE IN JAPAN

This laser product complies with 21 CFR Chapter I, Subchapter J
RICOH COMPANY, LTD.
Hadano Plant
423 Hirasawa, Hadano-shi
KANAGAWA-Ken JAPAN

DANGER

INVISIBLE LASER RADIATION
WHEN OPEN
AVOID DIRECT EXPOSURE
TO BEAM

E139782

FCC ID : BBP7040A

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

CAUTION

VORSICHT

UNSICHTBARE LASERSTRAHLUNG.
WENN ABDECKUNG GEÖFFNET
NICHT DEM STRAHL AUSSETZEN


LASER CLASS 1 TO IEC 825
LASER KLASSE 1 NACH IEC 825


FCC ID : BBP7040A

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

This Class B digital apparatus complies with Canadian ICES-003

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada





RICOH MP7040A

SERIAL NO. 5V ≐ 2.0A
12V ≐ 0.7A

MANUFACTURED JULY 1998
REVISION NO. ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxy

MADE IN JAPAN

This laser product complies with 21 CFR Chapter 1, Subchapter J

RICOH COMPANY, LTD
Hadano Plant
423 Hirasawa, Hadano-shi
KANAGAWA-Ken JAPAN

DANGER

INVISIBLE LASER RADIATION
WHEN OPEN
AVOID DIRECT EXPOSURE
TO BEAM



CAUTION

DO NOT OPEN THE DRIVE
NO USER ADJUSTMENTS
OR SERVICEABLE PARTS
INSIDE



VORSICHT

UNSIHTBARE LASERSTRAHLUNG,
WENN ABDECKUNG GEÖFFNET
NICHT DEM STRAHL AUSSETZEN

LASER CLASS 1 TO IEC 825
LASER KLASSE 1 NACH IEC 825



FCC ID : BBP7040A

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada

EXHIBIT 4

PRODUCT PHOTOGRAPHS

#