

AC Adapter.1





# AC ADAPTER

## CAUTION!

FOR INDOOR USE ONLY.  
RISK OF ELECTRIC SHOCK.  
DRY LOCATION USE ONLY.  
SHOCK HAZARD-DO NOT OPEN.

## 注意：屋内専用

- ・可燃物などで熱が伝わらないでください。
- ・使用中表面が熱くなる場合があります。
- ・落下させたり衝撃を与えないでください。
- ・撥水剤や洗剤などは使用しないでください。
- ・感電の危険があります。

INPUT 100-240V~ 1.3-0.7A  
50-60Hz  
OUTPUT 12V --- 3.5A

## ATTENTION!

POUR UTILISATION À  
L'INTERIEUR SEULEMENT.  
RISQUE DE CHOC ELECTRIQUE  
-NE PAS OUVRIIR.

## ZUR BEACHTUNG!

Nur zur Verwendung  
in geschlossenen Räumen.

THIS EQUIPMENT USE INFORMATION TECHNOLOGY ONLY.

91-59490



SEA60N2-120

INPUT : AC100-240V 50-60Hz 98-115VA  
OUTPUT : DC12V 3.5A



DL943W-1



L.T.E  
Power Supply  
7187  
E142327



SER. NO.

03120046

SANKEN ELECTRIC CO.,LTD.  
MADE IN INDONESIA E





AC Adapter.2



**CASIO** MPC-577ADP  
AC ADAPTOR



MODEL: SQS45W16P-02  
INPUT: 100V-240V ~ 1.0A-0.5A  
50-60Hz  
OUTPUT: 16V = 2.8A

CE  
DOUBLE INSULATED  
L.T.E. POWER SUPPLY  
UL LISTED 22LK  
E133304  
CLASS 2

91-57825 [JIS]  
入力: AC100V-240V 95VA-110VA  
出力: DC16V 2.8A

CAUTION  
DO NOT OPEN THE COVER  
REPAIRS SHOULD BE MADE BY A QUALIFIED SERVICE PERSONNEL  
THIS ADAPTER IS NOT TO BE USED FOR ANY OTHER PURPOSES  
INPUT: 100V-240V ~ 1.0A-0.5A 50-60Hz  
OUTPUT: 16V = 2.8A  
MADE IN CHINA  
© HIRAYAMA INC.





TCOTT® Flexible Stainless Steel Ruler