



Appendix B


RF power output conducted



FCC part 15.247

Peak output power conducted

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	



Date: 6.APR.2006 08:08:30


Measurement diagram



FCC part 15.247

Peak output power conducted

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Date: 6.APR.2006 08:24:31


Measurement diagram



FCC part 15.247

Peak output power conducted

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	



Date: 6.APR.2006 08:27:34

Measurement diagram

Appendix C

RF power output radiated (EIRP)




Appendix D

20 dB bandwidth



FCC part 15.247
20 dB bandwidth

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	




Date: 6.APR.2006 08:46:22

Measurement diagram



**FCC part 15.247
20 dB bandwidth**

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	




Date: 6.APR.2006 10:32:56

Measurement diagram



**FCC part 15.247
20 dB bandwidth**

EUT Bluetooth music adaptor
 Model Jabra A125s
 Applicant GN Mobile A/S
 Temperature 23°C / Unom: 3.7 V DC
 Test Site / Operator ETS / Mr. Handrik
 Test Specification FCC part 15 section 247(a)
 Comment 1 20 dB bandwidth
 Comment 2 Channel.: 78 / 2480 MHz
 Comment 3



Date: 6.APR.2006 10:30:29

Measurement diagram


Appendix E

Time of occupancy (dwell time)



FCC part 15.247
Time of occupancy (dwell time)

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Time of occupancy
Comment 2	Channel.: 39 / 2441 MHz (Hopping mode)
Comment 3	63 events * 2.920 ms result: 183.963 ms




Date: 11.APR.2006 07:19:58

Measurement diagram



FCC part 15.247
Time of occupancy inquiry

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Time of occupancy inquiry
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	Inquiry mode 330events * 0.116994ms = 38.60802ms




Date: 11.APR.2006 07:52:10

Measurement diagram

FCC part 15.247
Duty cycle

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(b)
Comment 1	Duty cycle
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Date: 11.APR.2006 06:46:35


Measurement diagram

Appendix F

Number of hopping frequencies

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 0-13
Comment 3	




Date: 11.APR.2006 06:50:47

Measurement diagram



FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.:39-63
Comment 3	




Date: 11.APR.2006 06:57:00

Measurement diagram

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 64-78
Comment 3	




Date: 11.APR.2006 06:58:57

Measurement diagram



FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	inquiry mode
Comment 3	




Date: 11.APR.2006 07:30:48

Measurement diagram

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	inquiry mode
Comment 3	




Date: 11.APR.2006 07:35:58

Measurement diagram



FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	inquiry mode
Comment 3	



Date: 11.APR.2006 07:39:19

Measurement diagram

Appendix G


Carrier frequency separation



**FCC part 15.247
Carrier frequency separation**

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(b)
Comment 1	Carrier frequency separation
Comment 2	Channel.: 39/40 / 2441/2442 MHz
Comment 3	Hopping mode

	Delta 1 [T1]	RBW	100 kHz	RF Att	30 dB
	Ref Lvl	0.26 dB	VBW	100 kHz	
	10 dBm	983.16633267 kHz	SWT	5 ms	Unit



Date: 11.APR.2006 06:36:57

Measurement diagram

Appendix H

Spurious emission conducted


Appendix I

Spurious emission radiated

Carrier power (Field Strength)

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.480GHz, Emax: 97.78dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 190.120MHz, Emax: 35.33dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 149.920MHz, Emax: 33.63dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 200.000MHz, Emax: 29.65dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 328.257MHz, Emax: 27.35dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.895GHz, Emax: 50.78dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.898GHz, Emax: 52.21dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 41.67dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 7.976GHz, Emax: 37.77dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9i20D, ampl.+HP.
Comment 2: Freq: 11.583GHz, Emax: 40.94dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.391GHz, Emax: 41.50dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.244GHz, Emax: 43.25dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.355GHz, Emax: 44.02dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.095GHz, Emax: 43.37dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.133GHz, Emax: 44.19dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 190.461MHz, Emax: 35.82dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 191.142MHz, Emax: 33.15dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 200.000MHz, Emax: 29.22dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 334.669MHz, Emax: 27.88dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.895GHz, Emax: 49.47dB μ V/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.895GHz, Emax: 49.14dB μ V/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 45.66dB μ V/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 7.984GHz, Emax: 38.10dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.078GHz, Emax: 41.81dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.134GHz, Emax: 41.32dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.415GHz, Emax: 43.72dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.545GHz, Emax: 43.79dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 45.17dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.057GHz, Emax: 43.86dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 190.461MHz, Emax: 35.90dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 150.261MHz, Emax: 34.17dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 200.000MHz, Emax: 29.70dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 334.669MHz, Emax: 29.55dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.895GHz, Emax: 50.35dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.895GHz, Emax: 50.53dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.962GHz, Emax: 40.83dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 7.912GHz, Emax: 37.40dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.158GHz, Emax: 40.61dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.383GHz, Emax: 41.20dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.585GHz, Emax: 43.33dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.435GHz, Emax: 43.15dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C

Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.038GHz, Emax: 43.76dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C

Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 44.41dBµV/m, RBW: 1MHz

