




Appendix J

Band-edge compliance



FCC part 15.247
Band-edge compliance of RF conducted emissions

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	Single frequency mode




Date: 6.APR.2006 10:49:34

Measurement diagram



FCC part 15.247
Band-edge compliance of RF conducted emissions

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	Single frequency mode




Date: 6.APR.2006 10:53:54

Measurement diagram



FCC part 15.247
Band-edge compliance of RF conducted emissions

EUT	Bluetooth music adaptor
Model	Jabra A125s
Applicant	GN Mobile A/S
Temperature	23°C / Unom: 3.7 V DC
Test Site / Operator	ETS / Mr. Handrik
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	Hopping mode



Date: 6.APR.2006 11:21:31


Measurement diagram



FCC part 15.247

Band-edge compliance of RF conducted emissions

EUT Bluetooth music adaptor
 Model Jabra A125s
 Applicant GN Mobile A/S
 Temperature 23°C / Unom: 3.7 V DC
 Test Site / Operator ETS / Mr. Handrik
 Test Specification FCC part 15 section 247(c)
 Comment 1 Band-edge compliance
 Comment 2 Channel.: 78 / 2480 MHz
 Comment 3 Hopping mode



Date: 6.APR.2006 11:06:33


Measurement diagram

Appendix K

AC power line conducted emissions


EMI voltage test in the ac-mains according to FCC part 15

EUT: Bluetooth music adapter
 Manufacturer: GN Mobile A/S
 Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom: 23°C
 Test Site: ETS
 Operator: Mr. Pflug
 Test Specification: V-Network: ESH2-Z5 (L1)
 Comment: model: A125s mode: charging
 Adaptor: FW7600/05



EMI voltage test in the ac-mains according to FCC part 15

EUT: Bluetooth music adapter
Manufacturer: GN Mobile A/S
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom: 23°C
Test Site: ETS
Operator: Mr. Pflug
Test Specification: V-Network: ESH2-Z5 (N)
Comment: model: A125s mode: charging
Adaptor: FW7600/05




Appendix L

Receiver radiated emissions

Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HK 116, ampl.: None
Comment 2: Freq:194.208MHz Pmax:-65.90dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HK 116, ampl.: None
Comment 2: Freq:151.283MHz Pmax:-68.85dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.: 0.1-1GHz
Comment 2: Freq:272.144MHz Pmax:-69.50dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.: 0.1-1GHz
Comment 2: Freq:446.894MHz Pmax:-71.25dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 1-4GHz
Comment 2: Freq:1.601GHz Pmax:-54.45dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 1-4GHz
Comment 2: Freq:1.601GHz Pmax:-55.12dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 4-8GHz
Comment 2: Freq:7.800GHz Pmax:-68.01dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 4-8GHz
Comment 2: Freq:7.888GHz Pmax:-68.16dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 8-18GHz
Comment 2: Freq:12.607GHz Pmax:-61.66dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2402 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 8-18GHz
Comment 2: Freq:12.731GHz Pmax:-62.91dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HK 116, ampl.: None
Comment 2: Freq:192.164MHz Pmax:-65.95dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HK 116, ampl.: None
Comment 2: Freq:150.601MHz Pmax:-68.62dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.: 0.1-1GHz
Comment 2: Freq:270.541MHz Pmax:-68.14dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.: 0.1-1GHz
Comment 2: Freq: 336.273MHz Pmax: -69.54dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 1-4GHz
Comment 2: Freq:3.309GHz Pmax:-54.51dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 1-4GHz
Comment 2: Freq:3.309GHz Pmax:-53.68dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 4-8GHz
Comment 2: Freq:7.896GHz Pmax:-68.67dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328


Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 4-8GHz
Comment 2: Freq: 6.902GHz Pmax: -68.82dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328

Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 8-18GHz
Comment 2: Freq:12.636GHz Pmax:-61.83dBm RBW: 100 kHz



Spurious emissions under normal conditions

in accordance to the EN 300 328

Approval Holder: GN Mobile A/S
EUT: Bluetooth music adapter
Model: Jabra A125s
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom: 3.7 V DC / 2480 MHz
Test Specification: Fully anechoic chamber / mode: RX
Comment 1: Dist.: 1m, Ant.: BBHA9120D, ampl.: 8-18GHz
Comment 2: Freq:12.721GHz Pmax:-62.65dBm RBW: 100 kHz

