




Appendix B

Peak Output Power



Ref Lvl	25 dBm	Marker 1 [T1]	0.70 dBm	RBW	1 MHz	RF Att	50 dB
			2.44117034 GHz	VBW	1 MHz	Unit	dBm
				SWT	5 ms		




Center 2.441 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Ch.: 39
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 20:27:18



Ref Lvl	25 dBm	Marker 1 [T1]	2.48017034 GHz	RBW	1 MHz	RF Att.	50 dB
				VBW	1 MHz		
				SWT	5 ms	Unit	dBm




Title: Peak Output Power Ch.: 78
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 20:28:45

Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: -1.26dBm, RBW: 5MHz


Tx 2402 MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

Tx 2402 MHz


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: 0.97dBm, RBW: 5MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.441GHz, Pmax: -1.55dBm, RBW: 5MHz


Tx 2441 MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

Tx 2441 MHz


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.441GHz, Pmax: 1.87dBm, RBW: 5MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.481GHz, Pmax: 1.28dBm, RBW: 5MHz


Tx 2480 MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.480GHz, Pmax: 0.24dBm, RBW: 5MHz

Tx 2480 MHz






Appendix C

Spurious Emissions radiated - Transmitter operating

**Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.441GHz, Emax: 96.95dBµV/m, RBW: 1MHz

Tx2402 MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset Tx2402 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 191.142MHz, Emax: 31.67dBµV/m, RBW: 100kHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 198.297MHz, Emax: 32.25dBµV/m, RBW: 100kHz


Tx2402 MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 559.118MHz, Emax: 23.89dBµV/m, RBW: 100kHz


Tx2402 MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 288.176MHz, Emax: 27.56dBµV/m, RBW: 100kHz

Tx2402 MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300 Tx2402 MHz
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 68.74dBµV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 64.18dBµV/m, RBW: 1MHz

Tx2402 MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.431GHz, Emax: 40.29dBuV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.511GHz, Emax: 41.11dBµV/m, RBW: 1MHz

Tx 2402 MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.222GHz, Emax: 44.00dB μ V/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.238GHz, Emax: 43.91dBµV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / U_{nom}: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.415GHz, Emax: 46.66dB μ V/m, RBW: 1MHz

Tx 2402 MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.966GHz, Emax: 46.96dBµV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C


EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 47.29dBµV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 46.93dBµV/m, RBW: 1MHz

Tx 2402 MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx2441 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.934MHz, Emax: 32.06dBµV/m, RBW: 100kHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx2441 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 195.912MHz, Emax: 32.10dBµV/m, RBW: 100kHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx2441 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 288.176MHz, Emax: 25.36dBµV/m, RBW: 100kHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx2441 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 286.573MHz, Emax: 25.34dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx2441 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 1.220GHz, Emax: 49.59dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx2441 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 1.220GHz, Emax: 49.61dBuV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.735GHz, Emax: 41.20dBµV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 41.54dBµV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

Tx 2441 MHz


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.134GHz, Emax: 44.11dBµV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.206GHz, Emax: 44.03dBµV/m, RBW: 1MHz


Tx 2441 MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.645GHz, Emax: 47.30dBµV/m, RBW: 1MHz


Tx 2441 MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

Tx 2441 MHz


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.645GHz, Emax: 47.62dBµV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.019GHz, Emax: 47.13dBµV/m, RBW: 1MHz


Tx 2441 MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.019GHz, Emax: 47.83dBµV/m, RBW: 1MHz


Tx 2441 MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 184.329MHz, Emax: 32.44dBuV/m, RBW: 100kHz


Tx2480 MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

Tx2480 MHz


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 173.086MHz, Emax: 32.14dBμV/m, RBW: 100kHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


Tx2480 MHz

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 286.573MHz, Emax: 25.94dBµV/m, RBW: 100kHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C


EUT : Bluetooth Wireless Headset Tx2480 MHz
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 288.176MHz, Emax: 26.93dBµV/m, RBW: 100kHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

Tx2480 MHz


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.484GHz, Emax: 51.14dBμV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C


EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Series 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. Treffke
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.484GHz, Emax: 54.64dBµV/m, RBW: 1MHz

Tx2480 MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C


EUT : Bluetooth Wireless Headset Tx 2480 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.928GHz, Emax: 40.31dBµV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.962GHz, Emax: 44.17dBµV/m, RBW: 1MHz

Tx 2480 MHz




— MES 4. FCC_part_15
— LIM FCC_restricted

**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


Tx 2480 MHz

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 10.782GHz, Emax: 43.77dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2480 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.230GHz, Emax: 44.73dBuV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**


EUT : Bluetooth Wireless Headset Tx 2480 MHz
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.575GHz, Emax: 46.62dBµV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.675GHz, Emax: 47.01dBµV/m, RBW: 1MHz


Tx 2480 MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.057GHz, Emax: 47.64dBµV/m, RBW: 1MHz


Tx 2480 MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset
Model: JABRA Model: BT100 Serie 9300
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.038GHz, Emax: 48.68dBµV/m, RBW: 1MHz

Tx 2480 MHz






Appendix D

Spurious Emissions radiated – Charging mode


Spurious emission under normal conditions
according to FCC part 15

EUT: BLUETOOTH
Manufacturer: GN NETCOM
Operating Condition: Unom: 120VAC, Tnom: 23°C
Test Site: ETS
Operator: Mr. Pflug
Test Specification: Ant: HL 223, vertical/horizontal
Comment: model: MOTOROLA/JABRA mode: charging



Spurious emission under normal conditions
according to FCC part 15

EUT: BLUETOOTH
 Manufacturer: GN NETCOM
 Operating Condition: Unom: 120VAC, Tnom: 23°C
 Test Site: ETS
 Operator: Mr. Pflug
 Test Specification: Ant: HK 116, vertical/horizontal
 Comment: model: MOTOROLA/JABRA mode: charging



— MES MOT/JAB_pre PK
 — LIM FCC ClassB F QP/AV FCC ClassB, field strength 3m
 — LIM FCC ClassB F QP/AV FCC ClassB, field strength 3m



Appendix E

Spurious Emissions conducted - Transmitter operating




Appendix F

Carrier Frequency Separation



Delta 1 [T1]	RBW	100 kHz	RF Att	40 dB
-0.27 dB	VBW	100 kHz		
1.01402806 MHz	SWT	5 ms	Unit	dBm
Ref Lvl				
15 dBm				



Title: Carrier Frequency Separation
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 8.JUL.2002 06:40:07




Appendix G

Number of Hopping Frequencies



Ref Lvl	0.01 dBm	RBW	50 kHz	RF Att	50 dB
25 dBm	2.41504910 GHz	VBW	50 kHz	Unit	dBm
		SWT	25 ms		




Center 2.403 GHz 2.5 MHz/ Span 25 MHz

Title: Number of Hopping Frequencies Ch.: 0-13
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 8.JUL.2002 06:14:26



Marker 1 [T1] RBW 50 kHz RF Att 50 dB
Ref Lvl -0.33 dBm VBW 50 kHz
25 dBm 2.44004910 GHz SWF 25 ms Unit dBm




Center 2.428 GHz 2.5 MHz/ Span 25 MHz

Title: Number of Hopping Frequencies Ch.: 14-38
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 8.JUL.2002 06:20:24



Marker 1 [T1]	RBW	50 kHz	RF Att	50 dB	
		0.67 dBm	VBW	50 kHz	
Ref Lvl	2.46504910 GHz	SWT	25 ms	Unit	dBm
25 dBm					




Center 2.453 GHz 2.5 MHz/ Span 25 MHz

Title: Number of Hopping Frequencies Ch.: 39-63
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 8.JUL.2002 06:25:22



Ref Lvl	25 dBm	Marker 1 [T1]	-1.16 dBm	RBW	50 kHz	RF Att	50 dB
			2.46605110 GHz	VBW	50 kHz	Unit	dBm
				SWT	25 ms		



Center 2.478 GHz 2.5 MHz/ Span 25 MHz

Title: Number of Hopping Frequencies Ch.: 64-78
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 8.JUL.2002 06:30:56




Appendix H

Time of Occupancy (Dwell Time)



Delta 2 [T1] RBW 1 MHz RF Att 60 dB
Ref Lvl 0.32 dB VBW 1 MHz
30 dBm 6.268537 ms SWT 11.5 ms Unit dBm



Title: Dwell Time
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 21:05:25




Appendix I

20dB Bandwidth



Ref Lvl	Delta 1 [T1]	RBW	10 kHz	RF Att	50 dB
25 dBm	-0.17 dB	VBW	10 kHz		
	877.35470942 kHz	SWT	56 ms	Unit	dBm




Center 2.402 GHz 220 kHz/ Span 2.2 MHz

Title: -20 dB Bandwidth Ch.: 0
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 20:44:42



Ref Lvl	Delta 1 [T1]	RBW	10 kHz	RF Att	50 dB
25 dBm	-0.43 dB	VBW	10 kHz	Unit	dBm
	877.35470942 kHz	SWT	56 ms		




Center 2.441 GHz 220 kHz/ Span 2.2 MHz

Title: -20 dB Bandwidth Ch.: 39
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 20:47:09



Delta 1 [T1]	RBW	10 kHz	RF Att	50 dB	
Ref Lvl	-0.05 dB	VBW	10 kHz		
25 dBm	677.35470942 kHz	SWT	56 ms	Unit	dBm



Title: -20 dB Bandwidth Ch.: 78
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 20:49:38




Appendix J

Band-edge Compliance of RF Emissions




Marker 1 [T1] RBW 50 kHz RF Att 50 dB
Ref Lvl -20.07 dBm VBW 50 kHz
25 dBm 2.40151904 GHz SWT 5 ms Unit dBm



Title: Band-edge Compliance of RF Conducted Emissions Ch.: 0
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 20:41:58



Ref Lvl	25 dBm	Marker 1 [T1]	2.48048675 GHz	RBW	50 kHz	RF Att	50 dB
				VBW	50 kHz	Unit	dBm
				SWT	5 ms		



Center 2.481283342 GHz 500 kHz/ Span 5 MHz

Title: Band-edge Compliance of RF Conducted Emissions Ch.: 78
Comment A: GN Netcom Bluetooth Wireless Headset Jabra
Date: 5.JUL.2002 20:40:17




Appendix K

Conducted Measurement at (AC) Power Line

EMI voltage test in the ac-mains according to FCC part 15

EUT: BLUETOOTH
Manufacturer: GN NETCOM
Operating Condition: Unom: 120VAC, Tnom: 23°C
Test Site: ETS
Operator: Mr. Pflug
Test Specification: V-Network: ESH2-Z5
Comment: model: MOTOROLA/JABRA mode: charging






Appendix L


Peak Power Spectral Density (Master Inquiry Mode)

Ref 35 dBm *Att 20 dB *RBW 3 kHz -10.65 dBm
*VBW 3 kHz 2.408050000 GHz
*SWT 10 s




Comment A: Peak Power Spectral Density *Master Inquiry Mode* GN Netcom
Jabra BT100
Date: 12.JUL.2002 14:51:19

Ref 35 dBm *Att 20 dB *RBW 3 kHz Marker 1 [T1] -13.51 dBm
*VBW 3 kHz 2.416000000 GHz
*SWT 10 s




Comment A: Peak Power Spectral Density *Master Inquiry Mode* GN Netcom
Jabra BT100
Date: 12.JUL.2002 14:49:21

Ref 35 dBm *Att 20 dB *RBW 3 kHz Marker 1 [T1] -14.11 dBm
*VBW 3 kHz
*SWT 10 s 2.465050000 GHz



Comment A: Peak Power Spectral Density *Master Inquiry Mode* GN Netcom
Jabra BT100
Date: 12.JUL.2002 14:47:33

*RBW 3 kHz Marker 1 [T1]
 *VBW 3 kHz -13.89 dBm
 *SWT 10 s 2.477000000 GHz
 Ref 35 dBm *Att 20 dB



Comment A: Peak Power Spectral Density *Master Inquiry Mode* GN Netcom
 Jabra BT100
 Date: 12.JUL.2002 14:42:50