




## Appendix B

Peak Output Power

**ETS**

**Peak Output Power conducted**

EUT	Bluetooth Headset
Model	Jabra BT 160
Approval Holder	GN Netcom
Temperature / Voltage	23°C
Test Site / Operator	ETS
Test Specification	FCC part 15 § 15247
Test Case	Peak Output Power conducted
Comment 1	Channel : 0
Comment 2	



Date: 20.DEC.2005 15:25:59


Measurement diagram



**ETS**

**Peak Output Power conducted**

EUT	Bluetooth Headset
Model	Jabra BT 160
Approval Holder	GN Netcom
Temperature / Voltage	23°C
Test Site / Operator	ETS
Test Specification	FCC part 15 § 15247
Test Case	Peak Output Power conducted
Comment 1	Channel : 39
Comment 2	




Date: 20.DEC.2005 15:30:25

Measurement diagram

**ETS**

**Peak Output Power conducted**

EUT	Bluetooth Headset
Model	Jabra BT 160
Approval Holder	GN Netcom
Temperature / Voltage	23°C
Test Site / Operator	ETS
Test Specification	FCC part 15 § 15247
Test Case	Peak Output Power conducted
Comment 1	Channel : 78
Comment 2	



Date: 20.DEC.2005 15:34:14

Measurement diagram



## Appendix C


Spurious Emissions radiated - Transmitter operating

**Carrier power (Field Strength)**

**FCC RULES PART 15, SUBPART C**

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq: 2.441GHz, Emax: 106.09dBµV/m, RBW: 100kHz




**Carrier power (Field Strength)**

**FCC RULES PART 15, SUBPART C**

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq: 2.441GHz, Emax: 95.45dBµV/m, RBW: 100kHz




# Spurious emissions Field Strength

## FCC RULES PART 15, SUBPART C

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247, peak detector  
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.  
Comment 2: Freq: 3.881GHz, Emax: 49.50dBµV/m, RBW: 1MHz






# Spurious emissions Field Strength

## FCC RULES PART 15, SUBPART C

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247, peak detector  
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.  
Comment 2: Freq: 3.763GHz, Emax: 49.55dBuV/m, RBW: 1MHz




# Spurious emissions Field Strength

## FCC RULES PART 15, SUBPART C

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247, peak detector  
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.  
Comment 2: Freq: 4.882GHz, Emax: 42.20dBuV/m, RBW: 1MHz




# Spurious emissions Field Strength

## FCC RULES PART 15, SUBPART C

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247, peak detector  
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.  
Comment 2: Freq: 7.327GHz, Emax: 42.71dBuV/m, RBW: 1MHz




# Spurious emissions Field Strength

## FCC RULES PART 15, SUBPART C

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247, peak detector  
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.  
Comment 2: Freq: 11.046GHz, Emax: 41.50dBµV/m, RBW: 1MHz




# Spurious emissions Field Strength

## FCC RULES PART 15, SUBPART C

Approval Holder: GN Netcom A/S  
EUT / Model: Bluetooth Headset / Jabra BT 160

Test Site / Operator: ETS / Mr. Cersovsky  
Temperature/ Voltage: 25°C / Unom: 3,7 V-  
Test Specification: according to §15.247, peak detector  
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.  
Comment 2: Freq: 11.150GHz, Emax: 41.36dBµV/m, RBW: 1MHz





## Appendix D

Spurious Emissions conducted - Transmitter operating



## Appendix E

Carrier Frequency Separation



## Appendix F

Number of Hopping Frequencies





## Appendix G

Time of Occupancy (Dwell Time)



## Appendix H

20dB Bandwidth



# Appendix I

## Band-edge Compliance of RF Emissions

## Appendix J

Conducted Measurement at (AC) Power Line