




Appendix B

Peak Output Power




Ref Lvl	Marker 1 [T1]	RBW	1 MHz	RF Att.	50 dB
25 dBm	0.15 dBm	VBW	1 MHz		
	2.40182966 GHz	SWT	5 ms	Unit	dBm



Title: Peak Output Power Ch.: 0
Comment A: GN Netcom A/S
Jabra FreeSpeak Bluetooth Phone Dongle BT200A
Date: 21.AUG.2002 09:51:24




Marker 1 [T1]	REW	1 MHz	RF Att.	50 dB
0.34 dBm	VEW	1 MHz		
25 dBm	SWT	5 ms	Unit	dBm



Title: Peak Output Power Ch.: 39
Comment A: GN Ntcom A/S
Jabra FreeSpeak Bluetooth Phone Dongle BT200A
Date: 21.AUG.2002 09:54:36




Ref Lvl	25 dBm	Marker 1 [T1]	0.74 dBm	RBW	1 MHz	RF Att	50 dB
			2.47982966 GHz	VBW	1 MHz	Unit	dBm
				SWT	5 ms		



Title: Peak Output Power Ch.: 78
Comment A: GN Netcom A/S
Jabra FreeSpeak Bluetooth Phone Dongle BT200A
Date: 21.AUG.2002 09:56:56


Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: -1.61dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: -1.44dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.441GHz, Pmax: 1.08dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.441GHz, Pmax: -1.76dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2480 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.480GHz, Pmax: 3.67dBm, RBW: 5MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2480 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.481GHz, Pmax: -4.06dBm, RBW: 5MHz




Appendix C

Spurious Emissions radiated - Transmitter operating


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.934MHz, Emax: 31.80dBuV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 182.966MHz, Emax: 32.01dBµV/m, RBW: 100kHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 908.617MHz, Emax: 38.19dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 908.617MHz, Emax: 33.30dBuV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 66.15dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 65.12dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 66.15dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 65.12dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 40.73dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.543GHz, Emax: 40.44dBμV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.495GHz, Emax: 44.17dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.671GHz, Emax: 44.26dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.194GHz, Emax: 47.79dBμV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.475GHz, Emax: 46.79dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.095GHz, Emax: 47.59dBuV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2402 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.038GHz, Emax: 47.99dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 190.802MHz, Emax: 32.30dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.275MHz, Emax: 32.47dBμV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 238.477MHz, Emax: 27.74dBµV/m, RBW: 100kHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 972.745MHz, Emax: 23.22dBµV/m, RBW: 100kHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 1.220GHz, Emax: 50.92dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 1.220GHz, Emax: 45.47dBμV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 1.220GHz, Emax: 50.92dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 1.220GHz, Emax: 45.47dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Thom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.992GHz, Emax: 40.03dB μ V/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 41.84dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.086GHz, Emax: 44.56dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.086GHz, Emax: 44.40dBuV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.385GHz, Emax: 46.81dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.595GHz, Emax: 48.06dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 47.56dBμV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2441 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.038GHz, Emax: 48.40dBµV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2480 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.593MHz, Emax: 32.14dBµV/m, RBW: 100kHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Jabra FreeSpeak Bluetooth Wireless Headset Tx 2480 MHz
Model: BT200A
Approval Holder: GN Netcom A/S
Operating Condition: Tnom:23°C / Unom: 3.7 VDC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 188.417MHz, Emax: 31.32dBµV/m, RBW: 100kHz

