




Appendix B

Peak Output Power



Ref Lvl	25 dBm	Marker 1 [T1]	2.40215030 GHz	RBW	1 MHz	RF Att	50 dB
				VBW	1 MHz	Unit	dBm
				SWT	5 ms		




Center 2.402 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Ch.: 0
Comment A: GN Netcom Bluetooth Wireless Headset Shark
Date: 5.JUL.2002 20:14:52



Ref Lvl 25 dBm
 Marker 1 [T1] 0.24 dBm
 2.44090982 GHz
 RBW 1 MHz
 VBW 1 MHz
 SWT 5 ms
 RF Att 50 dB
 Unit dBm




Center 2.441 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Ch.: 39
 Comment A: GN Netcom Bluetooth Wireless Headset Shark
 Date: 5.JUL.2002 20:16:27




Ref Lvl	0.24 dBm	RBW	1 MHz	RF Att	50 dB
25 dBm	2.48013026 GHz	VBW	1 MHz	Unit	dBm
		SWT	5 ms		



Title: Peak Output Power Ch.: 78
Comment A: GN Netcom Bluetooth Wireless Headset Shark
Date: 5.JUL.2002 20:18:01


Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: -0.85dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: 2.91dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.441GHz, Pmax: -0.20dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.441GHz, Pmax: 2.01dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2480
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.481GHz, Pmax: 2.62dBm, RBW: 5MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2480
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.480GHz, Pmax: -0.28dBm, RBW: 5MHz






Appendix C

Spurious Emissions radiated - Transmitter operating


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 193.527MHz, Emax: 32.35dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 172.405MHz, Emax: 32.34dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 688.978MHz, Emax: 25.73dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 900.601MHz, Emax: 27.23dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 72.04dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 72.04dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 72.20dBuV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 72.20dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.888GHz, Emax: 40.16dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.527GHz, Emax: 38.74dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.230GHz, Emax: 44.63dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.174GHz, Emax: 44.29dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.756GHz, Emax: 47.22dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 16.770GHz, Emax: 46.62dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.324GHz, Emax: 47.82dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2402 MHz
 Model: Shark Siemens/ Jabra
 Approval Holder: GN Netcom
 Operating Condition: Tnom:23°C / Unom: 3.7 V DC
 Test Site / Operator: ETS / Mr. F.Schulz
 Test Specification: according to §15.247, Limit 20 dB up peak detector
 Comment 1: Dist.: 3m, Ant.: HL025, amplif.
 Comment 2: Freq: 17.171GHz, Emax: 47.44dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 195.230MHz, Emax: 31.77dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 194.890MHz, Emax: 31.97dBuV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 687.375MHz, Emax: 26.64dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 575.150MHz, Emax: 24.68dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.849GHz, Emax: 43.99dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.849GHz, Emax: 43.99dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.894GHz, Emax: 43.83dBuV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.894GHz, Emax: 43.83dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.824GHz, Emax: 39.71dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 41.63dBµV/m, RBW: 1MHz




**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.222GHz, Emax: 43.60dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.711GHz, Emax: 44.28dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.385GHz, Emax: 46.89dBuV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.375GHz, Emax: 46.42dBµV/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 47.86dB μ V/m, RBW: 1MHz



**Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C**

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 47.50dBµV/m, RBW: 1MHz

