




## Appendix B

Peak Output Power




Ref Lvl	Marker 1 [T1]	RBW	1 MHz	RF Att	60 dB
35 dBm	26.23 dBm	VBW	1 MHz		
	2.40093006 GHz	SWT	5 ms	Unit	dBm



Title: Peak Output Power Conducted Ch.: 0 Unom  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 08:12:46



Marker 1 [T1] RBW 1 MHz RF Att 60 dB  
Ref Lvl 26.21 dBm VBW 1 MHz  
35 dBm 2.40091002 GHz SWT 5 ms Unit dBm




Center 2.4009 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Conducted Ch.: 0 Unom-15%  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 08:12:02



Marker 1 [T1] RBW 1 MHz RF Att 60 dB  
Ref Lvl 26.16 dBm VBW 1 MHz  
35 dBm 2.40109038 GHz SWT 5 ms Unit dBm




Center 2.4009 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Conducted Ch.: 0 Unom+158  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 08:10:47



Marker 1 [T1] RBW 1 MHz RF Att 60 dB  
Ref Lvl 25.38 dBm VBW 1 MHz  
35 dBm 2.44246246 GHz SWT 5 ms Unit dBm




Center 2.442232 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Conducted Ch.: 40 Unom  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 07:53:34



Marker 1 [T1] RBW 1 MHz RF Att 60 dB  
Ref Lvl 25.39 dBm VBW 1 MHz  
35 dBm 2.44248250 GHz SWT 5 ms Unit dBm




Center 2.442232 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Conducted Ch.: 40 Unom-15%  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 07:52:02



Marker 1 [T1]	RBW	1 MHz	RF Att	60 dB
Ref Lvl	25.36 dBm	VBW	1 MHz	
35 dBm	2.44248250 GHz	SWT	5 ms	Unit dBm




Center 2.442232 GHz      1 MHz/      Span 10 MHz

Title: Peak Output Power Conducted Ch.: 40 Unom+15%  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 07:54:28



Marker 1 [T1] RBW 1 MHz RF Att 60 dB  
Ref Lvl 25.91 dBm VBW 1 MHz  
35 dBm 2.48173038 GHz SWT 5 ms Unit dBm




Center 2.48154 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Conducted Ch.: 78 Unom  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 08:16:56





Marker 1 [T1] RBW 1 MHz RF Att 60 dB  
Ref Lvl 25.93 dBm VBW 1 MHz  
35 dBm 2.48179050 GHz SWT 5 ms Unit dBm




Center 2.48154 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Conducted Ch.: 78 Unom-15%  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 08:17:55



Marker 1 [T1] RBW 1 MHz RF Att 60 dB  
Ref Lvl 25.93 dBm VBW 1 MHz  
35 dBm 2.48173038 GHz SWT 5 ms Unit dBm




Center 2.48154 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Conducted Ch.: 78 Unom+15%  
Comment A: GN Netcom Cordless Headset Gn 9050 Base  
Date: 26.OCT.2001 08:18:58


**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:17.03dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15.247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:23.76dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:16.62dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Thom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:23.75dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: GN 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:16.63dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:23.76dBm RBW: 5 MHz





**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.442GHz Pmax:17.85dBm RBW: 5 MHz



— MES 10. FCC\_2.4G\_dBm\_v  
— LIM FCC\_30dBm


**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.443GHz Pmax:22.51dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.442GHz Pmax:17.66dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.442GHz Pmax:22.36dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.443GHz Pmax:17.67dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.442GHz Pmax:22.43dBm RBW: 5 MHz



— MES 10. FCC\_2.4G\_dBm\_h  
— LIM FCC\_30dBm


**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:23.15dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:23.02dBm RBW: 5 MHz






**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:23.15dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:22.92dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:23.01dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:22.91dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:14.98dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15.247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:17.63dBm RBW: 5 MHz



— MES 10. FCC 2.4G\_dBm\_h  
— LIM FCC\_30dBm


**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15.247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:15.21dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:17.59dBm RBW: 5 MHz






**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:15.21dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.401GHz Pmax:17.87dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.443GHz Pmax:18.41dBm RBW: 5 MHz



— MES 10. FCC\_2.4G\_dBm\_v  
— LIM FCC\_30dBm

**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.442GHz Pmax:20.19dBm RBW: 5 MHz



— MES 10. FCC\_2.4G\_dBm\_h  
— LIM FCC\_30dBm

**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.443GHz Pmax:18.47dBm RBW: 5 MHz



— MES 10. FCC\_2.4G\_dBm\_v  
— LIM FCC\_30dBm

**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.443GHz Pmax:20.18dBm RBW: 5 MHz



— MES 10. FCC\_2.4G\_dBm\_h  
— LIM FCC\_30dBm

**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.442GHz Pmax:18.34dBm RBW: 5 MHz



— MES 10. FCC 2.4G\_dBm\_v  
— LIM FCC\_30dBm

**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.442GHz Pmax:20.20dBm RBW: 5 MHz




— MES 10. FCC\_2.4G\_dBm\_h  
— LIM FCC\_30dBm




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:24.73dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:23.19dBm RBW: 5 MHz



— MES 10. FCC\_2.4G\_dBm\_h  
— LIM FCC\_30dBm


**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.481GHz Pmax:24.85dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC -15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:23.26dBm RBW: 5 MHz




**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:24.86dBm RBW: 5 MHz



**Carrier power (dBm)**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 2 / Ch.: 78  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC +15% (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA9120D  
Comment 2: Freq:2.482GHz Pmax:23.14dBm RBW: 5 MHz






## Appendix C

Spurious Emissions radiated - Transmitter operating

**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq:191.483MHz Emax:32.65dBμV/m RBW: 100 kHz






**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq:185.351MHz Emax:32.82dBμV/m RBW: 100 kHz




**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.  
Comment 2: Freq:688.978MHz Emax:27.14dBµV/m RBW: 100 kHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.  
Comment 2: Freq:669.739MHz Emax:26.83dBuV/m RBW: 100 kHz




**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.  
Comment 2: Freq:2.400GHz Emax:64.84dBμV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.  
Comment 2: Freq:2.400GHz Emax:68.41dBµV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15.247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
Comment 2: Freq:4.802GHz Emax:48.14dBµV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
Comment 2: Freq:7.206GHz Emax:58.18dBμV/m RBW: 1 MHz



**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
Comment 2: Freq:9.603GHz Emax:44.73dBµV/m RBW: 1 MHz






**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
 Model: Gn 9050  
 Manufacturer: GN Netcom  
 Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
 Test Site / Operator: ETS / Mr. Treffke  
 Test Specification: according to §15247, Limit 20 dB up peak detector / mode: Tx  
 Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
 Comment 2: Freq:11.375GHz Emax:43.14dBµV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
 Model: Gn 9050  
 Manufacturer: GN Netcom  
 Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
 Test Site / Operator: ETS / Mr. Treffke  
 Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
 Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
 Comment 2: Freq:14.996GHz Emax:45.72dBµV/m RBW: 1 MHz



**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq:14.405GHz Emax:54.78dBµV/m RBW: 1 MHz



— MES 6 . FCC\_part\_15  
— LIM FCC\_restricted


**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15.247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq:26.272GHz Emax:50.33dBµV/m RBW: 1 MHz



**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 0  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15.247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq:26.081GHz Emax:50.11dBµV/m RBW: 1 MHz



— MES 7. FCC\_part\_15  
— LIM FCC\_restricted


**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq:189.098MHz Emax:32.87dBµV/m RBW: 100 kHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Hoppe  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq:189.780MHz Emax:33.08dBµV/m RBW: 100 kHz



**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.  
Comment 2: Freq:688.978MHz Emax:27.31dBµV/m RBW: 100 kHz






**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247 / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.  
Comment 2: Freq:669.739MHz Emax:26.61dBµV/m RBW: 100 kHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15.247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.  
Comment 2: Freq:3.849GHz Emax:39.46dBµV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.  
Comment 2: Freq:2.354GHz Emax:44.98dBμV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx  
FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
Comment 2: Freq:4.882GHz Emax:53.08dBµV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
Comment 2: Freq:4.882GHz Emax:52.65dBµV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
Comment 2: Freq:10.758GHz Emax:42.81dBμV/m RBW: 1 MHz




**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.  
Comment 2: Freq:11.230GHz Emax:42.95dBμV/m RBW: 1 MHz



**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to §15.247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq:14.655GHz Emax:47.05dBμV/m RBW: 1 MHz





**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**


EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq:14.655GHz Emax:53.11dBµV/m RBW: 1 MHz



— MES 60. FCC\_part\_15  
— LIM FCC\_restricted

**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq:25.929GHz Emax:50.20dBμV/m RBW: 1 MHz



**Spurious emissions Field Strength Tx**  
**FCC RULES PART 15, SUBPART C**

EUT : Cordless Headset / Base / Ant.: 1 / Ch.: 40  
Model: Gn 9050  
Manufacturer: GN Netcom  
Operating Condition: Unom: 120 V AC (AC/DC adaptor), Tnom:23°C  
Test Site / Operator: ETS / Mr. Treffke  
Test Specification: according to S15247, Limit 20 dB up peak detector / mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq:25.339GHz Emax:50.90dBµV/m RBW: 1 MHz

