




Appendix B

Peak Output Power




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 17.02 dBm VBW 3 MHz
20 dBm 903.21907816 MHz SWT 5 ms Unit dBm



Title: Output Power Conducted Ch.: 0
Comment A: GN9300 Headset
Date: 28.SEP.2005 13:31:37




Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
Ref Lvl	16.86 dBm	VBW	3 MHz	
20 dBm	916.18844088 MHz	SWT	5 ms	Unit dBm



Title: Output Power Conducted Ch.: 6
Comment A: GN9300 Headset
Date: 28.SEP.2005 13:30:25



Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 20 dBm 16.76 dBm VBW 3 MHz
925.62683768 MHz SWT 5 ms Unit dBm




Title: Output Power Conducted Ch.: 11
Comment A: GN9300 Headset
Date: 28.SEP.2005 13:28:20

Carrier power (dBm)

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 903.317MHz, Emax: 11.92dBm, RBW: 3MHz



Carrier power (dBm)

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 903.669MHz, Emax: 4.52dBm, RBW: 3MHz



Carrier power (dBm)

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 915.309MHz, Emax: 11.41dBm, RBW: 3MHz



Carrier power (dBm)

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 915.573MHz, Emax: 5.48dBm, RBW: 3MHz



Carrier power (dBm)

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 925.625MHz, Emax: 10.56dBm, RBW: 3MHz



Carrier power (dBm)

FCC RULES PART 15, SUBPART C

Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 925.537MHz, Emax: 5.58dBm, RBW: 3MHz






Appendix C

Spurious Emissions radiated - Transmitter operating

Carrier power (Field Strength)

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 915.573MHz, Emax: 107.73dBµV/m, RBW: 100kHz



Carrier power (Field Strength)

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 915.485MHz, Emax: 103.34dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 195.912MHz, Emax: 32.03dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.593MHz, Emax: 32.33dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 928.433MHz, Emax: 44.75dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 902.000MHz, Emax: 69.95dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.806GHz, Emax: 61.62dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.806GHz, Emax: 57.62dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.513GHz, Emax: 45.86dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.513GHz, Emax: 53.60dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.022GHz, Emax: 40.78dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 0
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.375GHz, Emax: 41.64dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 190.120MHz, Emax: 32.32dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 185.351MHz, Emax: 31.81dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 928:144MHz, Emax: 61.34dBuV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 928.000MHz, Emax: 55.50dBuV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / U_{nom}= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.830GHz, E_{max}: 64.54dB μ V/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.830GHz, Emax: 58.31dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.577GHz, Emax: 51.09dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.577GHz, Emax: 49.81dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.615GHz, Emax: 41.51dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 6
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.126GHz, Emax: 41.50dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 188.758MHz, Emax: 32.06dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 172.405MHz, Emax: 31.63dB μ V/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300.900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 928.000MHz, Emax: 68.61dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 928.144MHz, Emax: 70.16dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.848GHz, Emax: 67.62dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.854GHz, Emax: 61.13dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 6.477GHz, Emax: 46.91dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.625GHz, Emax: 51.44dB μ V/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.054GHz, Emax: 41.58dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C

Approval Holder: RTX Telecom A/S
EUT: GN9300 900 MHz / headset / Ch.: 11
Model: GN9300
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / Unom= 3,6 V-
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.423GHz, Emax: 41.74dBµV/m, RBW: 1MHz






Appendix E

Maximum 6 dB Bandwidth



Delta 1 [T1] RBW 100 kHz RF Att 50 dB
Ref Lvl 0.00 dB VBW 1 MHz
20 dBm 1.36272545 MHz SWT 5 ms Unit dBm



Title: 6 dB Bandwidth Ch.: 11
Comment A: GN9300 Headset
Date: 28.SEP.2005 13:24:12




Appendix F

Peak Power Spectral Density




Marker 1 [T2] RBW 3 kHz RF Att 50 dB
Ref Lvl 6.43 dBm VBW 100 kHz
20 dBm 903.77168337 MHz SWT 500 s Unit dBm



Title: Power Spectral Density Ch.: 0
Comment A: GN9300 Headset
Date: 28.SEP.2005 13:35:58




Marker 1 [T2] RBW 3 kHz RF Att 50 dB
Ref Lvl 6.00 dBm VBW 100 kHz
20 dBm 916.07471343 MHz SWT 500 s Unit dBm



Title: Power Spectral Density Ch.: 6
Comment A: GN9300 Headset
Date: 28.SEP.2005 13:39:12



Marker 1 [T2] RBW 3 kHz RF Att 50 dB
Ref Lvl 6.31 dBm VBW 100 kHz
20 dBm 926.29968337 MHz SWT 500 s Unit dBm



Center 926.208 MHz 150 kHz/ Span 1.5 MHz

Title: Power Spectral Density Ch.: 11
Comment A: GN9300 Headset
Date: 28.SEP.2005 13:43:55