

Inter**Lab** Photo Report on

Test Setups

Related to the Test Reports:

- MDE_GNAUD_1601_FCCa_rev01
- MDE_GNAUD_1601_FCCb_rev01

Report Reference: MDE_GNAUD_1601_FCC_Photo_Report_rev01

Jabra Speak 710

FCC ID: BCE-PHS040W IC: 2386C-PHS040W

Test Laboratory:

7layers GmbH Borsigstrasse 11 40880 Ratingen Germany



The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbH

Geschäftsführer/ Borsigstraße 11 Managing Directors: 40880 Ratingen, Germany Frank Spiller T +49 (0) 2102 749 0

Bernhard Retka F +49 (0) 2102 749 350 Alexandre Norré-Oudard Registergericht/registered: Düsseldorf HRB 75554

USt-Id.-Nr./VAT-No. DE203159652 Steuer-Nr./TAX-No. 147/5869/0385 a Bureau Veritas Group Company

www.7layers.com

Commerzbank AG Account No. 303 016 000 Bank Code 300 400 00 IBAN DE81 3004 0000 0303 0160 00 Swift Code COBADEFF





Photo 1: Test setup for conducted measurements on AC port, standalone setup, EUT supplied by AC/DC adapter, USB connected, used for intentional and unintentional radiator measurements.



Photo 1: Test setup for conducted measurements on AC port, computer peripheral setup, EUT supplied by computer, USB connected, used for unintentional radiator measurements.






Photo 3: Test setup for radiated measurements in the range 30 – 1000 MHz, EUT supplied by computer, computer peripheral setup, used for unintentional radiator measurements.



Photo 6: Test setup for radiated measurements in the range 30 – 1000 MHz, EUT supplied by AC/DC adapter, USB connected, used for intentional and unintentional radiator measurements.





Photo 7: Test setup for radiated measurements in the range 9 KHz – 30 MHz, used for intentional radiator measurements.




Photo 8: Test setup for radiated measurements in the range 1-13 GHz, used for unintentional radiator measurements.





Photo 9: Test setup for radiated measurements in the range 1 – 26 GHz, used for intentional radiator measurements.