

TIT	AND	PRODUCT INFORM	ATION
	\boldsymbol{A}	/	\mathbf{A}

Type of Equipment	UPCS (DECT 6.0)		
Applicant Name	GN Netcom inc		
Address	77 Northeastern Blvd., Nashua, NH 03062		
Contact	Steen Kaiser		

	FP	PP	Repeater		
EUT Type/System	\boxtimes				
FCC ID	BCE-WHB004BS	BCE-WHB004HS			
Industry Canada ID	2386C-WHB004BS	2386C-WHB004HS			
Model name	WHB004BS	WHB004HS			
HW Version	E	Н			
SW Version	1.8.0	1.8.0			
Max antenna Gain					
Can the EUT be Initiating Device	⊠ YES	YES	YES		
Does the EUT transmit signaling channels	⊠ YES	YES	YES		
Max number of slots in use simultaneously	2	2			
Test standard:	FCC part 15D	RSS-213, Issue 2 / RSS-GEN, Issue 3			
Frequency Band	1921.536 – 1928.448 MHz				
# of RF Channels	5				
Frame Period	10 ms				
Max. Burst length					
Min. Burst Length					
# of System Channels	60 (12 duplex channels per RF carrier)				
Operating Mode	Simplex	□ Duplex			



ANTENNAS	<u> </u>						
Base (FP)	Antenna	Type			Internal	External	
` ,	1					\square	
	2						
	3					$\overline{\Box}$	
	4						
	Does RX and	ΓX use	the same antenn	a(s)?		Yes	No
Handset (PP)	Antenna		Typ	oe .		Internal	External
	1						
	2						
	Does RX and	ΓX use	the same antenr	a(s)?	\triangleright	Yes	☐ No
ANTENNA I	DIVERSITY						
	Antenna	ı	Diversity Supported				
			TX			RX	
Base (FP)	1						
	2						
	3						
	4						
Handset (PP)							
	2						
VOLTAGE	AND TEMPI	ERAT	URE RANG	ES			
VOLTAGES		FP PP		PP	Repeater		
Nominal Voltage		5 3.7		3.7			
Cut-Off Voltag	ge (if applicable)						
POWER SOURCE		Type			Manufacturer		
Base or Repeater		USB connection			-		
Handset (PP) ((charger)	Battery			Synergy		
Data Connections		☐ PSTN ☐ Others (please specify)USB					



ANCILLARY EQUIPMENT		
Description		
Туре		
Manufacturer		
HOST DEVICE		
Description		
Туре		
Manufacturer		
ADDITIONAL INFORM	IATION	



MANUFACTURERS DECLARATIONS					
FCC part 15.323 (c)(5)					
	•	plication has more than 40 duplex system access ag in Least Interfered Channel (LIC) mode in			
Applicant Agrees	rant Agrees				
FCC part 15.323 (c)(5)					
No device or group of co-operating devices located within 1m of each other shall during any frame period occupy more than 6 MHz of aggregate bandwidth, or alternatively, more than one third of the time and spectrum windows defined by the system.					
Applicant Agrees	⊠ Yes	□No			
FCC part 15.323 (c)(10)					
The applicant hereby declares that the system in this application does use the criteria of $(c)(10)$ of this section.					
Applicant Agrees	⊠ Yes	□No			
FCC part 15.323 (c)(11)					
The applicant hereby declares that system in this application does not use the criteria of (c)(11) of this section.					
Applicant Agrees	⊠ Yes	□No			
FCC part 15.323 (c)(12)		•			
The provisions of (c)(10) or (c)(11) of this section shall not be used to extend the range of spectrum occupied over space or time for the purpose of denying fair access to spectrum to other devices.					
Applicant Agrees	⊠ Yes	□No			
FCC part 15.307 (b)					
The Applicant is a participating member of UTAM, Inc. and will provide an affidavit from UTAM, Inc. certifying this.					
Confirmed By Applicant Yes		□No			
ADDITIONAL REMARKS:					
>					
DECLARED BY:					
2012-09-25 Sto	een Kaiser	De 130			
Date Na	ame (print)	Signature Ala Car			