



Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vertical
Start of Test: 10.05.2000 / 13:09:32




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horizontal
Start of Test: 10.05.2000 / 13:05:16




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vertical
Start of Test: 10.05.2000 / 12:41:56




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horizontal
Start of Test: 10.05.2000 / 12:49:16




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vertical
Start of Test: 10.05.2000 / 13:20:01




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horizontal
Start of Test: 10.05.2000 / 13:24:11




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HK 116, vertical
Start of Test: 10.05.2000 / 14:11:53




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HK 116, horizontal
Start of Test: 10.05.2000 / 14:17:02




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch.40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HK 116, vertical
Start of Test: 10.05.2000 / 14:08:23




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch.40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HK 116, horizontal
Start of Test: 10.05.2000 / 14:05:55




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch.78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HK 116, vertical
Start of Test: 10.05.2000 / 13:50:01




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch.78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HK 116, horizontal
Start of Test: 10.05.2000 / 14:03:00




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL223, vertical
Start of Test: 10.05.2000 / 14:23:14




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL223, horizontal
Start of Test: 10.05.2000 / 14:25:56




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL223, vertical
Start of Test: 10.05.2000 / 14:31:55




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL223, horizontal
Start of Test: 10.05.2000 / 14:28:42




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL223, vertical
Start of Test: 10.05.2000 / 14:37:37




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL223, horizontal
Start of Test: 10.05.2000 / 14:40:39




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vertical
Start of Test: 10.05.2000 / 15:28:11




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horizontal
Start of Test: 10.05.2000 / 15:34:14




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vertical
Start of Test: 10.05.2000 / 15:20:10




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horizontal
Start of Test: 10.05.2000 / 15:15:33




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vertical
Start of Test: 10.05.2000 / 15:02:26




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horizontal
Start of Test: 10.05.2000 / 15:09:03




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horiz., HP, amplif.5-18GHz
Start of Test: 10.05.2000 / 18:48:11




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 0)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horiz., HP, amplif.5-18GHz
Start of Test: 10.05.2000 / 18:52:14




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vert., HP, amplif.5-18GHz
Start of Test: 10.05.2000 / 18:56:24




Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 40)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horiz., HP, amplif.5-18GHz
Start of Test: 10.05.2000 / 19:04:34



Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, vert., HP, amplif.5-18GHz
Start of Test: 10.05.2000 / 19:09:54



Fieldstrength
FCC RULES PART 15, SUBPART C

EUT: MARS / ACTIVA 2G4 CORDLESS (PP, ch. 78)
Manufacturer: GN NETCOM INC
Operating Condition: 1.2 V DC (battery) / t=23°C
Test Site: ETS
Operator: Mr. Treffke
Test Specification: according to §15.247
Comment: Dist.: 3m, Antenna: HL025, horiz., HP, amplif.5-18GHz
Start of Test: 11.05.2000 / 11:23:25

