



FCC CFR47 PART 22H, 24E, 27 AND 90S

CERTIFICATION TEST REPORT

FOR

CELLULAR PHONE WITH BLUETOOTH AND WLAN RADIOS

MODEL NUMBER: A1660, A1780

FCC ID: BCG-E3085A

REPORT NUMBER: 16U23309-E8V3

ISSUE DATE: JULY 26, 2016

Prepared for
APPLE, INC.
1 INFINITE LOOP
CUPERTINO, CA 95014, U.S.A.

Prepared by
UL VERIFICATION SERVICES INC.
47173 BENICIA STREET
FREMONT, CA 94538, U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888



NVLAP LAB CODE 200065-0

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	7/07/2016	Initial Review	Mengistu Mekuria
V2	7/21/2016	Revised report to address TCB's questions	Tina Chu
V3	7/26/2016	Address TCB's Question on Section 5.4	Chin Pang

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	8
2. TEST METHODOLOGY	9
3. FACILITIES AND ACCREDITATION	9
4. CALIBRATION AND UNCERTAINTY	10
4.1. MEASURING INSTRUMENT CALIBRATION	10
4.2. SAMPLE CALCULATION	10
4.3. MEASUREMENT UNCERTAINTY	10
5. EQUIPMENT UNDER TEST	11
5.1. DESCRIPTION OF EUT	11
5.2. MAXIMUM OUTPUT POWER.....	11
5.2.1. LAT	11
5.2.2. UAT	17
5.3. SOFTWARE AND FIRMWARE.....	22
5.4. MAXIMUM ANTENNA GAIN.....	22
5.5. WORST-CASE CONFIGURATION AND MODE	23
5.6. DESCRIPTION OF TEST SETUP.....	24
6. TEST AND MEASUREMENT EQUIPMENT	26
7. RF POWER OUTPUT VERIFICATION	27
7.1. LAT	28
7.1.1. LTE BAND 2	28
7.1.2. LTE BAND 4	34
7.1.3. LTE BAND 5	40
7.1.4. LTE BAND 7	44
7.1.5. LTE BAND 12	48
7.1.6. LTE BAND 13	52
7.1.7. LTE BAND 17	54
7.1.8. LTE BAND 25	56
7.1.9. LTE BAND 26	62
7.1.10. LTE BAND 27.....	66
7.1.11. LTE BAND 30.....	70
7.1.12. LTE BAND 41.....	72

7.2.	UAT	76
7.2.1.	LTE BAND 2	76
7.2.2.	LTE BAND 4	82
7.2.3.	LTE BAND 5	88
7.2.4.	LTE BAND 7	92
7.2.5.	LTE BAND 12	96
7.2.6.	LTE BAND 13	100
7.2.7.	LTE BAND 17	102
7.2.8.	LTE BAND 25	104
7.2.9.	LTE BAND 26	110
7.2.10.	LTE BAND 27.....	114
7.2.11.	LTE BAND 30.....	118
7.2.12	LTE BAND 41	120
8.	CONDUCTED TEST RESULTS	124
8.1.	OCCUPIED BANDWIDTH	124
8.1.1.	LTE BAND 2	132
8.1.2.	LTE BAND 4	138
8.1.3.	LTE BAND 5	144
8.1.4.	LTE BAND 7	148
8.1.5.	LTE BAND 12	152
8.1.6.	LTE BAND 13	156
8.1.7.	LTE BAND 17	158
8.1.8.	LTE BAND 25	160
8.1.9.	LTE BAND 26	166
8.1.10.	LTE BAND 27.....	170
8.1.11.	LTE BAND 30.....	174
8.1.12.	LTE BAND 41.....	176
8.2.	BANDEDGE AND EMISSION MASK	180
8.2.1.	LTE BAND 2 BANDEDGE	183
8.2.2.	LTE BAND 4 BANDEDGE	231
8.2.3.	LTE BAND 5 BANDEDGE	279
8.2.4.	LTE BAND 7 EMISSION MASK ACP	311
8.2.5.	LTE BAND 12 BANDEDGE	344
8.2.6.	LTE BAND 13 EMISSION MASK	376

8.2.7.	LTE BAND 17 BANDEDGE	393
8.2.8.	LTE BAND 25 BANDEDGE	409
8.2.9.	LTE BAND 26 EMISSION MASK	457
8.2.10.	LTE BAND 27 EMISSION MASK	479
8.2.11.	LTE BAND 30 EMISSION MASK ACP	501
8.2.12.	LTE BAND 41 EMISSION MASK ACP	508
8.3.	OUT OF BAND EMISSIONS.....	540
8.3.1.	LTE BAND 2	541
8.3.2.	LTE BAND 4	559
8.3.3.	LTE BAND 5	577
8.3.4.	LTE BAND 7	589
8.3.5.	LTE BAND 12	601
8.3.6.	LTE BAND 13	613
8.3.7.	LTE BAND 17	617
8.3.8.	LTE BAND 25	623
8.3.9.	LTE BAND 26	641
8.3.10.	LTE BAND 27.....	651
8.3.11.	LTE BAND 30.....	661
8.3.12	LTE BAND 41	673
9.	FREQUENCY STABILITY	685
9.1.	LTE BAND 2	686
9.2.	LTE BAND 4	687
9.3.	LTE BAND 5	688
9.4.	LTE BAND 7	689
9.5.	LTE BAND 12	690
9.6.	LTE BAND 13	691
9.7.	LTE BAND 17	692
9.8.	LTE BAND 25	693
9.9.	LTE BAND 26	694
9.10.	LTE BAND 27	695
9.11.	LTE BAND 30	696
9.12.	LTE BAND 41	697
10.	RADIATED TEST RESULTS	698
10.1.	RADIATED POWER (ERP & EIRP), LAT	698

10.1.1.	LTE BAND 2.....	714
10.1.2.	LTE BAND 4.....	726
10.1.3.	LTE BAND 5.....	738
10.1.4.	LTE BAND 7.....	746
10.1.5	LTE BAND 12	754
10.1.6.	LTE BAND 13.....	762
10.1.7.	LTE BAND 17.....	766
10.1.8.	LTE BAND 25.....	770
10.1.9.	LTE BAND 26.....	782
10.1.10.	LTE BAND 27.....	790
10.1.11.	LTE BAND 30.....	798
10.1.12	LTE BAND 41.....	802
10.2.	RADIATED POWER (ERP & EIRP), UAT	810
10.2.1.	LTE BAND 2.....	824
10.2.2.	LTE BAND 4.....	836
10.2.3.	LTE BAND 5.....	848
10.2.4.	LTE BAND 7.....	856
10.2.5	LTE BAND 12	864
10.2.6.	LTE BAND 13.....	872
10.2.7.	LTE BAND 17.....	876
10.2.8.	LTE BAND 25.....	880
10.2.9.	LTE BAND 26.....	892
10.2.10.	LTE BAND 27.....	900
10.2.11.	LTE BAND 30.....	908
10.2.12	LTE BAND 41.....	912
10.3.	PEAK-TO-AVERAGE RATIO	920
10.3.1.	LTE BAND 2.....	921
10.3.2.	LTE BAND 4.....	927
10.3.3.	LTE BAND 5.....	933
10.3.4.	LTE BAND 7.....	937
10.3.5.	LTE BAND 12.....	941
10.3.6.	LTE BAND 13.....	945
10.3.7.	LTE BAND 17.....	947
10.3.8.	LTE BAND 25.....	949
10.3.9.	LTE BAND 26.....	955

10.3.10.	LTE BAND 27.....	959
10.3.11.	LTE BAND 30.....	963
10.3.12.	LTE BAND 41.....	965
10.4.	FIELD STRENGTH OF SPURIOUS RADIATION, LAT	969
10.4.1.	LTE BAND 2.....	972
10.4.2.	LTE BAND 4.....	974
10.4.3.	LTE BAND 5.....	976
10.4.4.	LTE BAND 7.....	978
10.4.5.	LTE BAND 12.....	980
10.4.6.	LTE BAND 13.....	982
10.4.7.	LTE BAND 17.....	984
10.4.8.	LTE BAND 25.....	986
10.4.9.	LTE BAND 26.....	988
10.4.10.	LTE BAND 27.....	990
10.4.11.	LTE BAND 30.....	992
10.4.12.	LTE BAND 41.....	994
10.5.	FIELD STRENGTH OF SPURIOUS RADIATION, UAT.....	996
10.5.1.	LTE BAND 2.....	996
10.5.2.	LTE BAND 4.....	998
10.5.3.	LTE BAND 5.....	1000
10.5.4.	LTE BAND 7.....	1002
10.5.5.	LTE BAND 12.....	1004
10.5.6.	LTE BAND 13.....	1006
10.5.7.	LTE BAND 17.....	1008
10.5.8.	LTE BAND 25.....	1010
10.5.9.	LTE BAND 26.....	1012
10.5.10.	LTE BAND 27.....	1014
10.5.11.	LTE BAND 30.....	1016
10.5.12.	LTE BAND 41.....	1018
11.	SETUP PHOTOS	1020

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: APPLE
1 INFINITE LOOP
CUPERTINO, CA 95014, U.S.A.

EUT DESCRIPTION: CELLULAR PHONE WITH BLUETOOTH AND WLAN RADIOS

MODEL: A1660, A1780

SERIAL NUMBER: C7CRQ02JHCR3 (CONDUCTED),
C7CRP03MHCR3 (RADIATED)


DATE TESTED: MARCH 30, 2016 – JUNE 30, 2016

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC CFR47 PART 22H, 24E, 27 and 90S	Pass

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.


Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL Verification Services Inc. By:



MENGISTU MEKURIA
SENIOR ENGINEER
UL VERIFICATION SERVICES INC.

Prepared By:



MONA HUA
EMC TECHNICIAN
UL VERIFICATION SERVICES INC.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with TIA-603-D, FCC CFR 47 Part 2, FCC KDB 971168 D01 v02r02, Part 22, Part 24, Part 27 and Part 90.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, Fremont, California, USA. Line conducted emissions are measured only at the 47173 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

47173 Benicia Street	47266 Benicia Street
☐ Chamber A	☐ Chamber D
☐ Chamber B	☒ Chamber E
☐ Chamber C	☒ Chamber F
	☒ Chamber G
	☒ Chamber H

The above test sites and facilities are covered under FCC Test Firm Registration # 208313. Chambers A through H are covered under Industry Canada company address code 2324B with site numbers 2324B -1 through 2324B-8, respectively.

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0. The full scope of accreditation can be viewed at <http://ts.nist.gov/standards/scopes/2000650.htm>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\begin{aligned} \text{Field Strength (dBuV/m)} &= \text{Measured Voltage (dBuV)} + \text{Antenna Factor (dB/m)} + \\ &\text{Cable Loss (dB)} - \text{Preamp Gain (dB)} \\ 36.5 \text{ dBuV} + 18.7 \text{ dB/m} + 0.6 \text{ dB} - 26.9 \text{ dB} &= 28.9 \text{ dBuV/m} \end{aligned}$$

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 9KHz to 0.15 MHz	3.84 dB
Conducted Disturbance, 0.15 to 30 MHz	3.65 dB
Radiated Disturbance, 9KHz to 30 MHz	3.15 dB
Radiated Disturbance, 30 to 1000 MHz	5.36 dB
Radiated Disturbance, 1000 to 18000 MHz	4.32 dB
Radiated Disturbance, 18000 to 26000 MHz	4.45 dB
Radiated Disturbance, 26000 to 40000 MHz	5.24 dB

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT, Model A1660, A1780 is a mobile phone with multimedia functions (music, application support, and video), cellular GSM/GPRS/EGPRS/WCDMA/HSPA+/DC-HSDPA/LTE radio, IEEE 802.11a/b/g/n/ac, NFC and Bluetooth radio. The rechargeable battery is not user accessible.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum conducted and ERP / EIRP output powers as follows:

5.2.1. LAT

OUTPUT POWER FOR LTE BAND 2

Part 24 / RSS 133 LTE Band 2						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1910	QPSK	24.5	281.8	25.2	328.9
		16QAM	23.7	234.4	25.0	312.6
3		QPSK	24.5	281.8	24.4	274.8
		16QAM	23.7	234.4	23.4	220.3
5		QPSK	24.5	281.8	24.4	275.4
		16QAM	23.6	229.1	23.8	241.5
10		QPSK	24.5	281.8	24.4	276.7
		16QAM	23.6	229.1	23.9	245.5
15		QPSK	24.5	281.8	24.4	274.2
		16QAM	23.6	229.1	23.9	243.2
20		QPSK	24.5	281.8	24.4	274.2
		16QAM	23.6	229.1	23.9	246.0

OUTPUT POWER FOR LTE BAND 4

Part 27 / RSS 139 LTE Band 4						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP(Average)	
			dBm	mW	dBm	mW
1.4	1710 - 1755	QPSK	24.5	281.8	24.2	264.2
		16QAM	23.7	234.4	24.2	262.4
3		QPSK	24.5	281.8	23.4	216.3
		16QAM	23.7	234.4	22.4	173.8
5		QPSK	24.5	281.8	23.4	216.3
		16QAM	23.6	229.1	22.4	174.2
10		QPSK	24.5	281.8	23.5	221.8
		16QAM	23.7	234.4	22.5	178.6
15		QPSK	24.5	281.8	23.6	227.0
		16QAM	23.6	229.1	22.6	180.7
20		QPSK	24.5	281.8	23.8	238.2
		16QAM	23.8	239.9	22.8	188.4

OUTPUT POWER FOR LTE BAND 5 AND 26

Part 22 / RSS 132 LTE Band 5 and 26						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
1.4	824 - 849	QPSK	24.0	251.2	22.7	185.78
		16QAM	23.1	204.2	22.0	158.12
3		QPSK	24.0	251.2	22.3	169.04
		16QAM	23.0	199.5	21.3	133.97
5		QPSK	24.0	251.2	22.3	168.66
		16QAM	23.0	199.5	21.3	134.59
10		QPSK	24.0	251.2	22.4	171.79
		16QAM	23.1	204.2	21.3	134.90

OUTPUT POWER FOR LTE BAND 7

Part 27 / RSS 199 LTE Band 7						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2500 - 2570	QPSK	23.5	223.9	22.29	169.4
		16QAM	22.6	182.0	20.97	125.0
10		QPSK	23.5	223.9	22.29	169.4
		16QAM	22.7	186.2	20.90	123.0
15		QPSK	23.5	223.9	22.29	169.4
		16QAM	22.6	182.0	20.94	124.2
20		QPSK	23.5	223.9	22.21	166.3
		16QAM	22.6	182.0	20.79	119.9

OUTPUT POWER FOR LTE BAND 12

Part 27 / RSS 130 LTE Band 12						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	dBm
1.4	699-716	QPSK	24.5	281.8	18.6	71.78
		16QAM	23.6	229.1	17.5	56.36
3		QPSK	24.5	281.8	17.4	54.83
		16QAM	23.4	218.8	16.5	44.36
5		QPSK	24.5	281.8	17.1	51.17
		16QAM	23.8	239.9	16.2	41.69
10		QPSK	24.5	281.8	17.0	50.23
		16QAM	23.4	218.8	16.2	41.21

OUTPUT POWER FOR LTE BAND 13

Part 27 / RSS 130 LTE Band 13						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	777 - 787	QPSK	24.5	281.8	18.9	76.91
		16QAM	23.7	234.4	18.0	62.37
10		QPSK	24.5	281.8	17.7	58.21
		16QAM	23.5	223.9	16.8	47.32

OUTPUT POWER FOR LTE BAND 17

Part 27 / RSS 130 LTE Band 17						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	704-716	QPSK	24.5	281.8	17.3	54.0
		16QAM	23.7	234.4	16.4	43.6
10		QPSK	24.4	275.4	16.9	49.4
		16QAM	23.5	223.9	16.0	40.1

OUTPUT POWER FOR LTE BAND 25

Part 24 / RSS 133 LTE Band 25						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1915	QPSK	24.5	281.8	25.0	314.1
		16QAM	23.5	223.9	23.9	242.7
3		QPSK	24.4	275.4	24.7	292.4
		16QAM	23.4	218.8	23.7	236.6
5		QPSK	24.5	281.8	24.7	292.4
		16QAM	23.5	223.9	23.8	238.2
10		QPSK	24.5	281.8	24.8	303.4
		16QAM	23.6	229.1	24.0	253.5
15		QPSK	24.5	281.8	24.7	295.8
		16QAM	23.6	229.1	23.7	232.8
20		QPSK	24.5	281.8	25.0	313.3
		16QAM	23.6	229.1	23.1	206.1

OUTPUT POWER FOR LTE BAND 26

Part 90 LTE Band 26								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	24.0	251.2	21.4	138.7	23.57	227.5
		16QAM	23.0	199.5	20.4	109.1	22.53	179.1
3		QPSK	23.9	245.5	21.5	142.2	23.68	233.3
		16QAM	22.9	195.0	20.4	109.6	22.55	179.9
5		QPSK	24.0	251.2	21.5	141.9	23.67	232.8
		16QAM	23.3	213.8	20.5	111.2	22.61	182.4
10		QPSK	24.0	251.2	21.2	131.8	23.35	216.3
		16QAM	23.1	204.2	20.2	104.5	22.34	171.4

OUTPUT POWER FOR LTE BAND 27

Part 90 LTE Band 27								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	24.0	251.2	22.1	161.4	24.23	264.9
		16QAM	23.3	213.8	21.4	138.4	23.56	227.0
3		QPSK	24.0	251.2	22.5	178.2	24.66	292.4
		16QAM	23.2	208.9	21.5	141.6	23.66	232.3
5		QPSK	24.0	251.2	22.5	177.8	24.65	291.7
		16QAM	23.2	208.9	21.5	140.6	23.63	230.7
10		QPSK	24.0	251.2	22.2	167.1	24.38	274.2
		16QAM	23.1	204.2	21.2	132.4	23.37	217.3

OUTPUT POWER FOR LTE BAND 30

Part 27 / RSS 195 LTE Band 30						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2305-2315	QPSK	22.30	169.8	23.8	239.9
		16QAM	21.60	144.5	22.8	189.7
10		QPSK	22.20	166.0	23.6	230.1
		16QAM	21.30	134.9	22.7	187.1

OUTPUT POWER FOR LTE BAND 41

Part 27 LTE Band 41						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2496-2690	QPSK	22.5	177.8	21.0	126.5
		16QAM	21.5	141.3	20.1	102.6
10		QPSK	22.5	177.8	21.0	126.2
		16QAM	21.8	151.4	20.1	101.9
15		QPSK	22.5	177.8	21.0	125.9
		16QAM	21.8	151.4	20.1	102.1
20		QPSK	22.5	177.8	21.3	134.9
		16QAM	21.8	151.4	20.4	108.6

5.2.2. UAT

OUTPUT POWER FOR LTE BAND 2

Part 24 / RSS 133 LTE Band 2						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP(Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1910	QPSK	21.0	125.9	19.7	93.1
		16QAM	20.0	100.0	18.6	72.4
3		QPSK	21.0	125.9	19.3	84.3
		16QAM	20.0	100.0	18.3	67.8
5		QPSK	21.0	125.9	19.3	84.1
		16QAM	20.0	100.0	18.3	67.9
10		QPSK	21.0	125.9	19.5	88.7
		16QAM	20.2	104.7	18.4	69.7
15		QPSK	21.0	125.9	19.2	83.4
		16QAM	20.2	104.7	18.3	67.3
20		QPSK	21.0	125.9	19.3	84.9
		16QAM	20.3	107.2	18.4	69.8

OUTPUT POWER FOR LTE BAND 4

Part 27 / RSS 139 LTE Band 4						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP(Average)	
			dBm	mW	dBm	mW
1.4	1710 - 1755	QPSK	21.0	125.9	19.2	83.0
		16QAM	20.0	100.0	18.2	65.8
3		QPSK	21.0	125.9	19.2	82.8
		16QAM	20.0	100.0	18.2	65.6
5		QPSK	21.0	125.9	19.4	86.1
		16QAM	20.0	100.0	18.5	71.4
10		QPSK	21.0	125.9	19.4	87.3
		16QAM	20.0	100.0	18.5	70.1
15		QPSK	21.0	125.9	19.5	88.1
		16QAM	20.0	100.0	18.4	69.8
20		QPSK	21.0	125.9	19.5	88.5
		16QAM	20.0	100.0	18.5	70.3

OUTPUT POWER FOR LTE BAND 5 AND 26

Part 22 / RSS 132 LTE Band 5 and 26						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
1.4	824 - 849	QPSK	22.5	177.8	16.2	41.98
		16QAM	21.7	147.9	15.2	32.96
3		QPSK	22.5	177.8	15.9	38.73
		16QAM	21.6	144.5	14.9	30.76
5		QPSK	22.5	177.8	16.0	39.90
		16QAM	21.7	147.9	15.1	32.36
10		QPSK	22.5	177.8	15.8	37.76
		16QAM	21.6	144.5	14.8	30.20

OUTPUT POWER FOR LTE BAND 7

Part 27 / RSS 199 LTE Band 7						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2500 - 2570	QPSK	18.7	74.1	19.5	88.1
		16QAM	17.8	60.3	19.1	82.0
10		QPSK	18.7	74.1	19.6	91.4
		16QAM	17.7	58.9	19.2	82.2
15		QPSK	18.7	74.1	20.5	112.5
		16QAM	17.8	60.3	19.5	89.1
20		QPSK	18.7	74.1	19.6	91.8
		16QAM	18.0	63.1	19.0	78.7

OUTPUT POWER FOR LTE BAND 12

Part 27 / RSS 130 LTE Band 12						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	dBm
1.4	699-716	QPSK	23.4	218.8	13.4	21.98
		16QAM	22.5	177.8	13.0	20.09
3		QPSK	23.5	223.9	13.6	23.12
		16QAM	22.6	182.0	12.7	18.66
5		QPSK	23.5	223.9	13.8	23.93
		16QAM	22.6	182.0	12.9	19.54
10		QPSK	23.4	218.8	13.7	23.17
		16QAM	22.5	177.8	12.7	18.45

OUTPUT POWER FOR LTE BAND 13

Part 27 / RSS 130 LTE Band 13						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	777 - 787	QPSK	23.5	223.9	13.4	21.63
		16QAM	22.5	177.8	12.3	17.14
10		QPSK	23.4	218.8	13.4	21.83
		16QAM	22.5	177.8	12.4	17.46

OUTPUT POWER FOR LTE BAND 17

Part 27 / RSS 130 LTE Band 17						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	704-716	QPSK	23.5	223.9	13.7	23.2
		16QAM	22.6	182.0	12.7	18.6
10		QPSK	23.4	218.8	13.5	22.6
		16QAM	22.6	182.0	12.5	17.8

OUTPUT POWER FOR LTE BAND 25

Part 24 / RSS 133 LTE Band 25						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1915	QPSK	21.0	125.9	19.1	81.1
		16QAM	20.0	100.0	18.5	70.6
3		QPSK	20.9	123.0	19.3	85.7
		16QAM	20.1	102.3	18.4	68.5
5		QPSK	21.0	125.9	19.4	86.1
		16QAM	20.1	102.3	18.3	68.1
10		QPSK	20.9	123.0	19.3	85.9
		16QAM	20.2	104.7	18.4	68.4
15		QPSK	20.9	123.0	19.4	87.9
		16QAM	20.3	107.2	18.5	70.6
20		QPSK	20.9	123.0	19.5	88.7
		16QAM	20.2	104.7	18.6	72.6

OUTPUT POWER FOR LTE BAND 26

Part 90 LTE Band 26								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	22.5	177.8	16.4	44.0	18.58	72.1
		16QAM	21.5	141.3	16.4	43.6	18.54	71.4
3		QPSK	22.5	177.8	16.2	42.0	18.38	68.9
		16QAM	21.5	141.3	15.3	34.1	17.48	56.0
5		QPSK	22.5	177.8	16.2	41.3	18.31	67.8
		16QAM	21.6	144.5	15.1	32.5	17.27	53.3
10		QPSK	22.5	177.8	16.2	41.8	18.36	68.5
		16QAM	21.5	141.3	15.2	33.4	17.39	54.8

OUTPUT POWER FOR LTE BAND 27

Part 90 LTE Band 27								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	22.5	177.8	17.0	49.5	19.10	81.3
		16QAM	21.5	141.3	16.3	42.2	18.40	69.2
3		QPSK	22.5	177.8	15.8	38.1	17.96	62.5
		16QAM	21.6	144.5	14.8	30.1	16.94	49.4
5		QPSK	22.5	177.8	16.2	41.4	18.32	67.9
		16QAM	21.5	141.3	15.2	33.0	17.34	54.2
10		QPSK	22.5	177.8	15.6	36.0	17.71	59.0
		16QAM	21.5	141.3	14.6	29.0	16.77	47.5

OUTPUT POWER FOR LTE BAND 30

Part 27 / RSS 195 LTE Band 30						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2305-2315	QPSK	17.5	56.2	21.4	137.1
		16QAM	16.5	44.7	20.3	107.9
10		QPSK	17.5	56.2	21.0	126.5
		16QAM	16.4	43.7	20.1	101.6

OUTPUT POWER FOR LTE BAND 41

Part 27 LTE Band 41						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2496-2690	QPSK	20.5	112.2	17.6	57.4
		16QAM	19.5	89.1	16.7	46.2
10		QPSK	20.5	112.2	17.9	61.2
		16QAM	19.5	89.1	16.5	44.8
15		QPSK	20.5	112.2	17.8	60.1
		16QAM	19.5	89.1	16.5	44.6
20		QPSK	20.5	112.2	18.0	62.5
		16QAM	19.5	89.1	16.5	44.5

5.3. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was version 0.26.02.

5.4. MAXIMUM ANTENNA GAIN

Please see table below:

LTE BANDS	Port A (LAT) Antenna Gain (dBi)	Port B (UAT) Antenna Gain (dBi)
LTE Band 2, 1850 – 1910 MHz	-0.05	0.05
LTE Band 4, 1710 – 1755 MHz	-1.87	-0.57
LTE Band 5, 824 – 849 MHz	-2.17	-2.33
LTE Band 7, 2500 – 2570 MHz	-0.80	0.92
LTE Band 12, 699 – 716 MHz	-4.75	-4.99
LTE Band 13, 777 – 787 MHz	-4.58	-4.22
LTE Band 17, 704 – 716 MHz	-4.75	-4.99
LTE Band 25, 1850 – 1915 MHz	-0.05	0.05
LTE Band 26, 814 – 824 MHz	-3.37	-3.72
LTE Band 27, 814 – 824 MHz	-3.37	-3.72
LTE Band 30, 2305 – 2315 MHz	-1.80	-1.44
LTE Band 41, 2496 – 2690 MHz	2.26	0.96

5.5. WORST-CASE CONFIGURATION AND MODE

The worst-case scenario for all measurements is based on the investigation results.

The device has LTE Bands of:

Band 2, Band 4, Band 5, Band 7, Band 12, Band 13, Band 17, Band 25, Band 26, Band 27, Band 30, Band 38 and Band 41.

LTE Band 26 (824-849MHz) is covered by LTE Band 5 because of the same frequency range, output power, and supported bandwidths.

The RB Size was selected to measure for peak or average ERP and EIRP, which was based on the conducted power verification baseline data.

The fundamental of the EUT was investigated in three orthogonal orientations X/Y/Z, it was determined that Portrait orientation was worst-case orientation for cell bands without AC/DC adapter and headset; Flatbed orientation was worst-case orientation for pcs bands without AC/DC adapter and headset; Flatbed orientation was worst orientation for Band 30, Band 38, Band 41 and Band 7 without AC/DC adapter and headset.

5.6. DESCRIPTION OF TEST SETUP

TESTS SUPPORT EQUIPMENT

Support Equipment List			
Description	Manufacturer	Model	Serial Number
Laptop AC Adapter	Dell	Latitude D630	N/A
Laptop	Dell	PA-1900-02D	N/A
DC power supply	Sorensen	XT-20-3	N/A

I/O CABLES (RF CONDUCTED TEST)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	AC	3	US 115V	Un-shielded	2m	N/A
2	DC	1	DC	Un-shielded	1.4m	N/A
3	RF In/Out	1	EUT	Un-shielded	0.4m	N/A
4	RF In/Out	1	Barrel	N/A	N/A	N/A
5	RF In/Out	1	Communication Test Set	Un-shielded	1m	N/A


I/O CABLES (RF RADIATED TEST)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	RF In/Out	1	Antenna	Un-shielded	5m	NA


TEST SETUP

SETUP DIAGRAM FOR TESTS

CONDUCTED SETUP



RADIATED SETUP



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	T No.	Cal Due
Spectrum Analyzer, PSA, 3Hz to 44GHz	Agilent	E4446A	T123	10/21/16
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T971	07/22/16
Directional Coupler, 10dB SMA, 0.5GHz to 26.5GHz	Krytar	152610	T922	06/17/17
P - Series Power Meter	Keysight	N1911A	T1245	05/03/17
Wideband Power Sensor 50 MHz - 18 GHz	Keysight	N1921A	T1228	06/20/17
*Power Meter, P-series single channel	Keysight	N1911A	T1255	06/08/16
*Power Sensor, P - series, 50MHz to 18GHz, Wideband	Keysight	N1921A	T1226	05/06/16
Spectrum Analyzer, PSA, 3Hz to 26.5GHz	Agilent	E4440A	T200	09/01/16
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T954	05/03/17
Directional Coupler, 10dB SMA, 0.5GHz to 26.5GHz	Krytar	152613	T1538	04/11/17
Wireless Communications Test Set, 8960 Series 10	Agilent	E5515C	T211	11/18/16
Antenna, Horn 1-18GHz	Emco	3115	T59	11/18/16
Tuned Dipole, 400 - 1000MHz	ETS Lindgren	3121C DB4	T273	05/16/17
*Filter, Highpass 4.0GHz	Micro-Tronics	HPM13351	T1239	06/24/16
Filter, HPF 1.2GHz	Wainwright Instruments	WHKX1.2/15G-6ST	T1182	05/31/17
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	T754	09/14/16
Spectrum Analyzer, PXA, 3Hz to 44GHz	Keysight	N9030A	T1466	03/09/17
Directional Coupler, 10dB SMA, 0.5GHz to 26.5GHz	Krytar	152610	T1161	04/12/17
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	T712	01/12/17
Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	T408	10/27/16
Spectrum Analyzer, PXA, 3Hz to 44GHz	Agilent	N9030A	T341	10/14/16
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T260	07/09/16
Spectrum Analyzer, PXA, 3Hz to 44GHz	keysight	N9030A	T905	06/21/17
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T1526	04/15/17
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	T136	03/14/17
*Antenna, Horn 18 to 26.5GHz	ARA	MWH-1826	T447	05/18/16
Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	T900	05/03/17
Amplifier, 1 - 18GHz	Miteq	AFS42-00101800-25-S-42	T491	05/31/17
Amplifier, 10KHz to 1GHz, 32dB	Sonoma	310N	T834	06/17/17

NOTE: * testing is completed before equipment calibration expiration date.

7. RF POWER OUTPUT VERIFICATION

LTE Measurement Procedure:

All LTE bands conducted power peak and average are obtained from the CMW500 telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4.-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".3

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N_{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
			20	>10	≤ 1
NS_04	6.6.2.2.2	41	5	>6	≤ 1
			10, 15, 20	See Table 6.2.4-4	
NS_05	6.6.3.3.1	1	10, 15, 20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3 6.6.3.3.2	13	10	Table 6.2.4-2	Table 6.2.4-2
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

7.1. LAT

7.1.1. LTE BAND 2

ID:	50820	Date:	5/18/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 2 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	18607	1850.7	QPSK	1	0	24.3	27.7
				1	2	24.5	29.0
				1	5	24.2	27.7
				3	0	24.3	29.2
				3	1	24.2	27.7
				3	2	24.2	27.8
				6	0	23.5	29.0
			16QAM	1	0	23.4	29.0
				1	2	23.5	28.9
				1	5	23.4	28.9
				3	0	23.6	29.2
				3	1	23.6	29.2
				3	2	23.6	29.3
				6	0	22.5	28.5
1.4	18900	1880.0	QPSK	1	0	24.4	28.1
				1	2	24.3	27.5
				1	5	24.2	28.2
				3	0	24.2	28.7
				3	1	24.3	29.4
				3	2	24.4	29.4
				6	0	23.4	28.8
			16QAM	1	0	23.5	29.1
				1	2	23.5	29.0
				1	5	23.4	29.1
				3	0	23.5	29.3
				3	1	23.5	29.3
				3	2	23.5	29.3
				6	0	22.5	28.6
1.4	19193	1909.3	QPSK	1	0	24.4	29.09
				1	2	24.3	28.86
				1	5	24.3	29.06
				3	0	24.4	29.38
				3	1	24.4	29.34
				3	2	24.4	29.30
				6	0	23.7	28.98
			16QAM	1	0	23.7	28.92
				1	2	23.6	28.83
				1	5	23.6	28.79
				3	0	23.6	28.96
				3	1	23.7	28.94
				3	2	23.6	28.94
				6	0	22.5	29.16

OUTPUT POWER FOR LTE BAND 2 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	18615	1851.5	QPSK	1	0	24.3	27.8
				1	7	24.4	27.8
				1	14	24.4	27.9
				8	0	23.6	28.5
				8	4	23.6	28.3
				8	7	23.6	28.3
			16QAM	15	0	23.5	28.9
				1	0	23.5	29.0
				1	7	23.4	29.3
				1	14	23.6	29.4
				8	0	22.7	28.3
				8	4	22.7	28.2
				8	7	22.8	28.2
				15	0	22.5	28.7
3.0	18900	1880.0	QPSK	1	0	24.4	27.9
				1	7	24.4	27.8
				1	14	24.3	27.9
				8	0	23.7	28.7
				8	4	23.7	28.4
				8	7	23.7	28.5
			16QAM	15	0	23.7	28.9
				1	0	23.7	29.4
				1	7	23.6	29.3
				1	14	23.6	29.3
				8	0	22.8	28.5
				8	4	22.7	28.4
				8	7	22.8	28.4
				15	0	22.8	29.2
3.0	19185	1908.5	QPSK	1	0	24.5	28.8
				1	7	24.2	28.7
				1	14	24.3	28.6
				8	0	23.7	28.5
				8	4	23.7	28.4
				8	7	23.7	28.4
			16QAM	15	0	23.7	29.2
				1	0	23.6	29.3
				1	7	23.6	29.2
				1	14	23.5	29.1
				8	0	22.6	28.5
				8	4	22.6	28.4
				8	7	22.6	28.4
				15	0	22.8	28.8

OUTPUT POWER FOR LTE BAND 2 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak(dBm)
				Size	Offset		
5.0	18625	1852.5	QPSK	1	0	24.4	28.9
				1	12	24.2	27.9
				1	24	24.1	27.6
				12	0	23.5	28.5
				12	6	23.5	28.4
				12	11	23.5	28.5
				25	0	23.4	29.5
			16QAM	1	0	23.5	28.7
				1	12	23.4	28.9
				1	24	23.6	28.8
				12	0	22.6	28.3
				12	6	22.6	28.2
				12	11	22.6	28.3
				25	0	22.5	29.1
5.0	18900	1880.0	QPSK	1	0	24.3	27.7
				1	12	24.4	27.9
				1	24	24.5	27.8
				12	0	23.6	28.6
				12	6	23.6	28.6
				12	11	23.6	28.5
				25	0	23.6	29.5
			16QAM	1	0	23.5	29.4
				1	12	23.5	29.0
				1	24	23.5	29.5
				12	0	22.7	28.5
				12	6	22.7	28.4
				12	11	22.6	28.4
				25	0	22.5	29.1
5.0	19175	1907.5	QPSK	1	0	24.5	29.0
				1	12	24.2	28.8
				1	24	24.3	28.6
				12	0	23.6	28.6
				12	6	23.7	28.5
				12	11	23.7	28.7
				25	0	23.6	29.0
			16QAM	1	0	23.6	29.3
				1	12	23.6	28.9
				1	24	23.5	29.1
				12	0	22.6	28.5
				12	6	22.8	28.5
				12	11	22.7	28.5
				25	0	22.7	29.0

OUTPUT POWER FOR LTE BAND 2 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	18650	1855.0	QPSK	1	0	24.4	28.4
				1	24	24.4	27.9
				1	49	24.4	28.0
				25	0	23.5	28.6
				25	12	23.5	28.5
				25	24	23.6	28.7
				50	0	23.5	29.3
			16QAM	1	0	23.6	29.1
				1	24	23.5	29.0
				1	49	23.5	28.5
				25	0	22.5	28.5
				25	12	22.6	28.4
				25	24	22.6	28.5
				50	0	22.5	29.1
10.0	18900	1880.0	QPSK	1	0	24.5	27.8
				1	24	24.4	28.1
				1	49	24.4	27.8
				25	0	23.8	28.8
				25	12	23.7	28.7
				25	24	23.6	28.7
				50	0	23.7	29.3
			16QAM	1	0	23.6	29.4
				1	24	23.5	29.2
				1	49	23.5	29.4
				25	0	22.7	28.8
				25	12	22.7	28.6
				25	24	22.6	28.7
				50	0	22.6	29.1
10.0	19150	1905.0	QPSK	1	0	24.5	28.7
				1	24	24.3	28.1
				1	49	24.2	28.7
				25	0	23.7	28.7
				25	12	23.6	28.6
				25	24	23.6	28.6
				50	0	23.6	29.0
			16QAM	1	0	23.6	29.2
				1	24	23.5	29.1
				1	49	23.6	29.0
				25	0	22.6	28.6
				25	12	22.7	28.6
				25	24	22.7	28.6
				50	0	22.7	29.2

OUTPUT POWER FOR LTE BAND 2 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	18675	1857.5	QPSK	1	0	24.2	27.4
				1	37	24.3	27.9
				1	74	24.2	28.0
				36	0	23.6	28.8
				36	16	23.6	28.5
				36	35	23.7	28.7
				75	0	23.6	29.6
			16-QAM	1	0	23.6	29.0
				1	37	23.5	28.7
				1	74	23.6	28.2
				36	0	22.5	28.6
				36	16	22.5	28.5
				36	35	22.6	28.0
				75	0	22.5	29.4
15.0	18900	1880.0	QPSK	1	0	24.5	27.9
				1	37	24.2	28.1
				1	74	24.3	27.9
				36	0	23.6	28.8
				36	16	23.5	28.6
				36	35	23.6	28.7
				75	0	23.5	29.7
			16-QAM	1	0	23.6	29.2
				1	37	23.6	29.1
				1	74	23.5	28.7
				36	0	22.6	28.6
				36	16	22.6	28.6
				36	35	22.6	28.6
				75	0	22.5	29.5
15.0	19125	1902.5	QPSK	1	0	24.3	27.9
				1	37	24.2	27.5
				1	74	24.3	27.9
				36	0	23.6	28.8
				36	16	23.7	28.7
				36	35	23.7	28.7
				75	0	23.6	29.7
			16-QAM	1	0	23.6	28.7
				1	37	23.5	29.2
				1	74	23.5	29.0
				36	0	22.6	28.7
				36	16	22.7	28.6
				36	35	22.7	28.7
				75	0	22.7	29.5

OUTPUT POWER FOR LTE BAND 2 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	18700	1860.0	QPSK	1	0	24.2	27.7
				1	49	24.3	27.8
				1	99	24.2	27.9
				50	0	23.5	28.7
				50	24	23.5	28.5
				50	49	23.5	28.5
				100	0	23.6	29.4
			16-QAM	1	0	23.5	29.0
				1	49	23.5	29.0
				1	99	23.5	28.2
				50	0	22.5	28.5
				50	24	22.5	28.5
				50	49	22.5	28.5
				100	0	22.5	29.1
20.0	18900	1880.0	QPSK	1	0	24.3	27.8
				1	49	24.3	28.3
				1	99	24.2	27.9
				50	0	23.5	28.7
				50	24	23.5	28.5
				50	49	23.5	28.6
				100	0	23.5	29.1
			16-QAM	1	0	23.6	28.9
				1	49	23.4	29.2
				1	99	23.4	28.3
				50	0	22.5	28.5
				50	24	22.5	28.4
				50	49	22.5	28.5
				100	0	22.6	29.4
20.0	19100	1900.0	QPSK	1	0	24.5	27.9
				1	49	24.3	28.1
				1	99	24.3	28.2
				50	0	23.5	28.6
				50	24	23.4	28.6
				50	49	23.3	28.6
				100	0	23.6	29.4
			16-QAM	1	0	23.5	28.6
				1	49	23.6	29.0
				1	99	23.6	29.0
				50	0	22.6	28.8
				50	24	22.6	28.5
				50	49	22.5	28.6
				100	0	22.5	24.3

7.1.2. LTE BAND 4

ID:	50820	Date:	5/18/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 4 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	19957	1710.7	QPSK	1	0	24.3	28.3
				1	2	24.3	28.2
				1	5	24.2	28.2
				3	0	24.2	28.4
				3	1	24.5	28.4
				3	2	24.5	28.4
				6	0	23.6	28.4
			16QAM	1	0	23.6	28.0
				1	2	23.6	27.9
				1	5	23.7	28.0
				3	0	23.7	28.3
				3	1	23.6	28.1
				3	2	23.6	28.1
				6	0	23.0	28.6
1.4	20175	1732.5	QPSK	1	0	24.2	28.9
				1	2	24.3	28.9
				1	5	24.2	28.9
				3	0	24.3	29.3
				3	1	24.4	29.3
				3	2	24.4	29.3
				6	0	23.6	28.9
			16QAM	1	0	23.7	29.3
				1	2	23.7	29.3
				1	5	23.7	29.3
				3	0	23.7	29.4
				3	1	23.7	29.4
				3	2	23.7	29.4
				6	0	22.7	29.3
1.4	20393	1754.3	QPSK	1	0	24.1	28.8
				1	2	24.2	28.8
				1	5	24.1	28.9
				3	0	24.3	29.0
				3	1	24.4	29.1
				3	2	24.4	29.1
				6	0	23.7	29.1
			16QAM	1	0	23.7	29.0
				1	2	23.7	29.0
				1	5	23.7	29.0
				3	0	23.7	29.2
				3	1	23.7	29.2
				3	2	23.7	29.2
				6	0	22.6	28.7

OUTPUT POWER FOR LTE BAND 4 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	19965	1711.5	QPSK	1	0	24.3	28.1
				1	7	24.4	28.1
				1	14	24.5	28.3
				8	0	23.6	27.9
				8	4	23.6	28.0
				8	7	23.7	28.0
				15	0	23.7	28.6
			16QAM	1	0	23.6	27.9
				1	7	23.7	28.1
				1	14	23.7	28.3
				8	0	22.6	27.7
				8	4	22.7	27.8
				8	7	22.7	27.7
				15	0	22.8	28.9
3.0	20175	1732.5	QPSK	1	0	24.3	27.3
				1	7	24.3	28.8
				1	14	24.4	29.0
				8	0	23.6	28.6
				8	4	23.7	28.3
				8	7	23.7	28.4
				15	0	23.7	29.1
			16QAM	1	0	23.5	29.2
				1	7	23.7	29.3
				1	14	23.6	29.0
				8	0	22.7	28.4
				8	4	22.7	28.2
				8	7	22.8	28.3
				15	0	22.6	29.0
3.0	20385	1753.5	QPSK	1	0	24.3	28.9
				1	7	24.3	28.9
				1	14	24.3	29.0
				8	0	23.7	28.5
				8	4	23.7	28.4
				8	7	23.7	28.4
				15	0	23.7	29.2
			16QAM	1	0	23.7	28.9
				1	7	23.7	28.9
				1	14	23.7	29.0
				8	0	22.6	28.5
				8	4	22.5	28.3
				8	7	22.5	28.3
				15	0	22.7	28.8

OUTPUT POWER FOR LTE BAND 4 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	19975	1712.5	QPSK	1	0	24.2	28.0
				1	12	24.4	28.2
				1	24	24.4	28.4
				12	0	23.6	27.9
				12	6	23.6	28.1
				12	11	23.6	28.1
				25	0	23.6	28.8
			16QAM	1	0	23.5	27.8
				1	12	23.5	28.0
				1	24	23.5	28.2
				12	0	22.6	27.9
				12	6	22.7	28.1
				12	11	22.7	28.2
				25	0	22.6	28.5
5.0	20175	1732.5	QPSK	1	0	24.2	28.8
				1	12	24.3	28.8
				1	24	24.5	29.0
				12	0	23.6	28.6
				12	6	23.6	28.5
				12	11	23.6	28.6
				25	0	23.6	29.2
			16QAM	1	0	23.6	29.1
				1	12	23.6	28.9
				1	24	23.5	29.0
				12	0	22.7	28.5
				12	6	22.7	28.4
				12	11	22.7	28.4
				25	0	22.6	29.0
5.0	20375	1752.5	QPSK	1	0	24.2	28.7
				1	12	24.3	28.8
				1	24	24.4	28.9
				12	0	23.6	28.6
				12	6	23.6	28.5
				12	11	23.6	28.6
				25	0	23.6	29.3
			16QAM	1	0	23.6	28.7
				1	12	23.5	28.7
				1	24	23.5	28.8
				12	0	22.7	28.4
				12	6	22.7	28.4
				12	11	22.7	28.4
				25	0	22.6	28.9

OUTPUT POWER FOR LTE BAND 4 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20000	1715.0	QPSK	1	0	24.4	27.8
				1	24	24.3	28.3
				1	49	24.4	28.7
				25	0	23.6	28.0
				25	12	23.6	28.2
				25	24	23.6	28.4
				50	0	23.6	28.9
			16QAM	1	0	23.5	27.8
				1	24	23.5	28.3
				1	49	23.5	28.7
				25	0	22.7	28.0
				25	12	22.7	28.2
				25	24	22.6	28.4
				50	0	22.6	28.7
10.0	20175	1732.5	QPSK	1	0	24.5	29.0
				1	24	24.3	28.9
				1	49	24.3	28.9
				25	0	23.7	28.8
				25	12	23.7	28.7
				25	24	23.7	28.7
				50	0	23.7	29.1
			16QAM	1	0	23.6	29.1
				1	24	23.5	29.1
				1	49	23.6	28.6
				25	0	22.7	28.8
				25	12	22.7	28.6
				25	24	22.7	28.7
				50	0	22.7	29.0
10.0	20350	1750.0	QPSK	1	0	24.4	28.6
				1	24	24.3	28.8
				1	49	24.2	28.8
				25	0	23.7	28.6
				25	12	23.7	28.6
				25	24	23.6	28.6
				50	0	23.6	29.0
			16QAM	1	0	23.6	28.5
				1	24	23.7	28.7
				1	49	23.6	28.8
				25	0	22.7	28.6
				25	12	22.7	28.5
				25	24	22.6	28.6
				50	0	22.6	29.0

OUTPUT POWER FOR LTE BAND 4 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20025	1717.5	QPSK	1	0	24.5	28.1
				1	37	24.4	28.4
				1	74	24.3	28.6
				36	0	23.7	28.2
				36	16	23.4	28.5
				36	35	23.7	28.7
				75	0	23.7	29.1
			16-QAM	1	0	23.6	28.0
				1	37	23.6	28.6
				1	74	23.6	29.0
				36	0	22.7	28.2
				36	16	22.6	28.5
				36	35	22.6	28.6
				75	0	22.7	29.1
15.0	20175	1732.5	QPSK	1	0	24.5	29.0
				1	37	24.5	27.3
				1	74	24.2	28.8
				36	0	23.7	28.9
				36	16	23.6	28.6
				36	35	23.6	28.6
				75	0	23.6	29.4
			16-QAM	1	0	23.5	29.2
				1	37	23.5	29.0
				1	74	23.5	28.7
				36	0	22.7	28.7
				36	16	22.6	28.5
				36	35	22.7	28.7
				75	0	22.6	29.3
15.0	20325	1747.5	QPSK	1	0	24.4	28.8
				1	37	24.4	28.4
				1	74	24.2	28.7
				36	0	23.8	28.7
				36	16	23.7	28.6
				36	35	23.7	28.7
				75	0	23.7	29.4
			16-QAM	1	0	23.5	28.7
				1	37	23.5	28.6
				1	74	23.5	28.9
				36	0	22.6	28.5
				36	16	22.7	28.6
				36	35	22.7	28.6
				75	0	22.7	29.4

OUTPUT POWER FOR LTE BAND 4 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20050	1720.0	QPSK	1	0	24.5	28.1
				1	49	24.3	28.8
				1	99	24.4	28.9
				50	0	23.6	28.1
				50	24	23.6	28.6
				50	49	23.7	28.8
				100	0	23.5	28.8
			16-QAM	1	0	23.5	27.5
				1	49	23.6	27.3
				1	99	23.8	28.6
				50	0	22.6	28.6
				50	24	22.7	28.6
				50	49	22.6	28.6
				100	0	22.5	29.2
20.0	20175	1732.5	QPSK	1	0	24.5	29.1
				1	49	24.3	28.8
				1	99	24.5	28.7
				50	0	23.5	28.6
				50	24	23.3	28.3
				50	49	23.3	28.3
				100	0	23.4	28.8
			16-QAM	1	0	23.6	29.1
				1	49	23.6	29.0
				1	99	23.6	28.7
				50	0	22.5	28.5
				50	24	22.3	28.2
				50	49	22.3	28.3
				100	0	22.4	28.7
20.0	20300	1745.0	QPSK	1	0	24.5	28.9
				1	49	24.2	28.6
				1	99	24.3	28.8
				50	0	23.4	28.3
				50	24	23.2	28.1
				50	49	23.2	28.2
				100	0	23.3	28.7
			16-QAM	1	0	23.6	28.9
				1	49	23.6	28.6
				1	99	23.5	28.9
				50	0	22.7	28.6
				50	24	22.7	28.6
				50	49	22.7	28.7
				100	0	22.6	28.9

7.1.3. LTE BAND 5

ID:	50820	Date:	5/31/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 5 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	20407	824.7	QPSK	1	0	23.8	28.3
				1	2	23.9	28.3
				1	5	23.8	28.2
				3	0	24.0	28.4
				3	1	24.0	28.4
				3	2	23.9	28.4
			16QAM	6	0	22.9	28.3
				1	0	22.9	28.3
				1	2	23.0	28.3
				1	5	22.9	28.3
				3	0	23.1	28.4
				3	1	23.1	28.4
				3	2	23.1	28.4
				6	0	22.1	28.0
1.4	20525	836.5	QPSK	1	0	23.8	28.5
				1	2	23.8	28.3
				1	5	23.7	28.4
				3	0	23.9	28.8
				3	1	23.9	28.7
				3	2	23.8	28.6
			16QAM	6	0	22.8	28.0
				1	0	22.9	28.5
				1	2	23.1	28.4
				1	5	22.8	28.3
				3	0	23.0	28.8
				3	1	23.0	28.8
				3	2	22.9	28.7
				6	0	21.9	28.0
1.4	20643	848.3	QPSK	1	0	23.7	28.0
				1	2	23.6	27.9
				1	5	23.7	27.5
				3	0	23.8	28.1
				3	1	23.8	28.0
				3	2	23.7	27.9
			16QAM	6	0	22.8	27.9
				1	0	23.1	28.0
				1	2	23.1	27.9
				1	5	23.1	27.6
				3	0	23.0	28.1
				3	1	23.0	28.0
				3	2	22.9	27.9
				6	0	21.7	28.1

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	20415	825.5	QPSK	1	0	23.9	28.3
				1	7	23.7	28.1
				1	14	23.7	28.2
				8	0	22.8	27.7
				8	4	22.7	27.4
				8	7	22.7	27.4
				15	0	22.8	28.2
			16QAM	1	0	23.0	28.3
				1	7	22.8	28.2
				1	14	22.8	28.3
				8	0	22.0	27.5
				8	4	22.0	27.3
				8	7	21.9	27.4
				15	0	21.8	28.3
3.0	20525	836.5	QPSK	1	0	24.0	28.5
				1	7	23.6	27.9
				1	14	23.7	27.8
				8	0	22.6	27.2
				8	4	22.6	27.3
				8	7	22.8	27.2
				15	0	22.7	28.1
			16QAM	1	0	23.0	28.6
				1	7	22.7	28.1
				1	14	22.8	27.9
				8	0	21.8	27.2
				8	4	21.6	27.2
				8	7	21.6	27.0
				15	0	21.7	28.1
3.0	20635	847.5	QPSK	1	0	23.6	28.1
				1	7	23.6	27.9
				1	14	23.6	27.9
				8	0	22.7	27.4
				8	4	22.8	27.3
				8	7	22.7	27.2
				15	0	22.7	27.9
			16QAM	1	0	22.9	28.2
				1	7	22.8	28.0
				1	14	22.8	27.5
				8	0	21.6	27.5
				8	4	21.7	27.3
				8	7	21.6	27.2
				15	0	21.7	27.7

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20425	826.5	QPSK	1	0	24.0	28.4
				1	12	23.9	28.3
				1	24	23.9	28.5
				12	0	22.9	27.7
				12	6	22.9	27.7
				12	11	22.8	27.7
				25	0	22.8	28.6
			16QAM	1	0	22.9	28.5
				1	12	23.0	28.2
				1	24	22.9	28.6
				12	0	22.0	27.8
				12	6	22.0	27.8
				12	11	21.9	27.7
				25	0	21.8	28.2
5.0	20525	836.5	QPSK	1	0	23.9	27.1
				1	12	23.7	28.1
				1	24	23.8	27.9
				12	0	22.8	27.5
				12	6	22.7	27.5
				12	11	22.7	27.5
				25	0	22.7	28.2
			16QAM	1	0	23.0	27.9
				1	12	22.6	27.6
				1	24	22.7	27.8
				12	0	21.8	27.3
				12	6	21.8	27.5
				12	11	21.7	27.4
				25	0	21.7	28.1
5.0	20625	846.5	QPSK	1	0	24.0	28.2
				1	12	23.8	28.1
				1	24	23.8	27.5
				12	0	22.8	27.8
				12	6	22.8	27.7
				12	11	22.7	27.6
				25	0	22.7	28.1
			16QAM	1	0	22.9	27.8
				1	12	22.9	27.8
				1	24	22.8	27.2
				12	0	21.9	27.6
				12	6	21.9	27.5
				12	11	21.9	27.5
				25	0	21.8	28.4

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20450	829.0	QPSK	1	0	23.9	28.3
				1	24	24.0	28.5
				1	49	23.9	27.2
				25	0	23.0	28.1
				25	12	23.0	28.1
				25	24	22.9	27.8
				50	0	22.9	28.1
			16QAM	1	0	23.0	28.4
				1	24	22.9	28.5
				1	49	22.8	27.3
				25	0	22.1	28.0
				25	12	22.1	28.0
				25	24	22.0	28.1
				50	0	22.0	28.8
10.0	20525	836.5	QPSK	1	0	23.8	27.5
				1	24	23.8	28.3
				1	49	23.6	28.0
				25	0	23.0	27.4
				25	12	22.9	27.9
				25	24	22.8	27.8
				50	0	23.0	28.6
			16QAM	1	0	22.9	27.5
				1	24	22.8	28.3
				1	49	22.9	28.3
				25	0	22.0	27.4
				25	12	21.9	27.8
				25	24	21.8	27.7
				50	0	21.9	28.8
10.0	20600	844.0	QPSK	1	0	23.9	28.2
				1	24	23.9	28.0
				1	49	23.9	27.8
				25	0	23.0	28.0
				25	12	23.0	27.9
				25	24	22.9	27.9
				50	0	23.0	28.4
			16QAM	1	0	23.0	28.2
				1	24	23.0	28.1
				1	49	23.1	27.8
				25	0	22.0	27.8
				25	12	22.0	27.8
				25	24	21.9	27.8
				50	0	21.9	28.5

7.1.4. LTE BAND 7

ID:	38806	Date:	6/24/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 7 (5.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20775	2502.5	QPSK	1	0	23.3	27.7
				1	12	23.2	27.6
				1	24	23.3	27.8
				12	0	22.3	27.3
				12	6	22.3	27.2
				12	11	22.1	27.1
				25	0	22.2	27.4
			16QAM	1	0	22.5	27.8
				1	12	22.3	27.3
				1	24	22.4	27.8
				12	0	21.3	27.2
				12	6	21.4	27.0
				12	11	21.2	27.0
				25	0	21.3	27.7
5.0	21100	2535.0	QPSK	1	0	23.5	28.1
				1	12	23.4	27.9
				1	24	23.4	27.9
				12	0	22.3	27.4
				12	6	22.3	27.2
				12	11	22.2	27.2
				25	0	22.2	27.6
			16QAM	1	0	22.5	27.1
				1	12	22.6	27.7
				1	24	22.5	27.0
				12	0	21.4	26.5
				12	6	21.4	26.7
				12	11	21.4	26.9
				25	0	21.3	27.4
5.0	21425	2567.5	QPSK	1	0	23.1	27.5
				1	12	23.3	27.6
				1	24	23.1	27.5
				12	0	22.2	27.1
				12	6	22.3	27.1
				12	11	22.2	27.1
				25	0	22.3	28.1
			16QAM	1	0	22.5	27.8
				1	12	22.3	27.6
				1	24	22.5	27.5
				12	0	21.3	27.1
				12	6	21.3	27.1
				12	11	21.3	27.0
				25	0	21.2	27.5

OUTPUT POWER FOR LTE BAND 7 (10.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20800	2505.0	QPSK	1	0	23.5	27.8
				1	24	23.2	27.6
				1	49	23.3	27.4
				25	0	22.3	27.4
				25	12	22.2	27.2
				25	24	22.2	27.2
				50	0	22.3	27.6
			16QAM	1	0	22.7	27.7
				1	24	22.6	27.6
				1	49	22.5	27.7
				25	0	21.4	27.3
				25	12	21.3	27.1
				25	24	21.2	27.2
				50	0	21.3	27.6
10.0	21100	2535.0	QPSK	1	0	23.4	27.9
				1	24	23.3	27.7
				1	49	23.2	27.7
				25	0	22.4	27.5
				25	12	22.3	27.3
				25	24	22.3	27.4
				50	0	22.3	28.0
			16QAM	1	0	22.4	27.9
				1	24	22.3	27.8
				1	49	22.3	27.8
				25	0	21.4	27.3
				25	12	21.3	26.8
				25	24	21.3	27.2
				50	0	21.3	27.4
10.0	21400	2565.0	QPSK	1	0	23.5	27.9
				1	24	23.2	27.6
				1	49	23.3	27.4
				25	0	22.3	27.4
				25	12	22.2	27.2
				25	24	22.2	27.3
				50	0	22.3	27.8
			16QAM	1	0	22.5	27.8
				1	24	22.2	27.6
				1	49	22.3	27.4
				25	0	21.3	27.3
				25	12	21.3	27.2
				25	24	21.2	27.3
				50	0	21.3	27.5

OUTPUT POWER FOR LTE BAND 7 (15.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20825	2507.5	QPSK	1	0	23.3	27.7
				1	37	23.2	27.3
				1	74	23.2	26.5
				36	0	22.3	27.3
				36	16	22.0	27.1
				36	35	22.1	27.3
				75	0	22.2	28.2
			16-QAM	1	0	22.6	27.8
				1	37	22.5	27.5
				1	74	22.3	26.5
				36	0	21.4	27.4
				36	16	21.3	27.2
				36	35	21.1	27.1
				75	0	21.2	27.1
15.0	21100	2535.0	QPSK	1	0	23.4	27.6
				1	37	23.2	27.0
				1	74	23.1	27.0
				36	0	22.4	27.4
				36	16	22.2	27.2
				36	35	22.2	27.0
				75	0	22.3	28.1
			16-QAM	1	0	22.5	27.6
				1	37	22.5	27.3
				1	74	22.5	27.0
				36	0	21.2	26.7
				36	16	21.2	26.9
				36	35	21.1	26.5
				75	0	21.2	27.6
15.0	21375	2562.5	QPSK	1	0	23.5	27.9
				1	37	23.2	27.4
				1	74	23.1	27.4
				36	0	22.4	27.6
				36	16	22.3	27.3
				36	35	22.2	27.3
				75	0	22.3	28.3
			16-QAM	1	0	22.6	27.1
				1	37	22.1	27.5
				1	74	22.3	27.4
				36	0	21.4	27.4
				36	16	21.4	27.4
				36	35	21.3	27.2
				75	0	21.4	27.2

OUTPUT POWER FOR LTE BAND 7 (20.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20850	2510.0	QPSK	1	0	23.3	27.5
				1	49	23.2	27.3
				1	99	23.1	26.6
				50	0	22.3	27.3
				50	24	22.0	27.0
				50	49	22.0	26.6
				100	0	22.3	28.0
			16-QAM	1	0	22.5	27.5
				1	49	22.2	27.3
				1	99	22.3	26.2
				50	0	21.1	27.1
				50	24	21.2	26.8
				50	49	21.1	26.2
				100	0	21.4	27.6
20.0	21100	2535.0	QPSK	1	0	23.2	27.7
				1	49	23.2	27.4
				1	99	23.4	26.4
				50	0	22.2	27.3
				50	24	22.3	27.0
				50	49	22.2	27.1
				100	0	22.2	27.7
			16-QAM	1	0	22.6	27.7
				1	49	22.3	27.4
				1	99	22.1	26.4
				50	0	21.2	27.0
				50	24	21.1	26.9
				50	49	21.1	26.4
				100	0	21.3	27.1
20.0	21350	2560.0	QPSK	1	0	23.5	27.8
				1	49	23.0	27.3
				1	99	23.2	27.0
				50	0	22.2	27.3
				50	24	22.0	26.9
				50	49	22.2	26.9
				100	0	22.0	27.6
			16-QAM	1	0	22.6	27.8
				1	49	22.5	27.3
				1	99	22.4	27.1
				50	0	21.2	27.2
				50	24	21.1	26.9
				50	49	21.2	26.9
				100	0	21.1	27.5

7.1.5. LTE BAND 12

ID:	50820	Date:	5/31/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 12 (1.4MHZz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	23017	699.7	QPSK	1	0	24.4	29.2
				1	2	24.4	28.9
				1	5	24.4	29.1
				3	0	24.5	29.4
				3	1	24.4	29.3
				3	2	24.3	29.1
			16QAM	6	0	23.4	28.6
				1	0	23.5	28.9
				1	2	23.5	28.8
				1	5	23.5	28.6
				3	0	23.6	29.0
				3	1	23.6	28.9
				3	2	23.5	28.8
				6	0	22.6	28.6
1.4	23095	707.5	QPSK	1	0	24.3	29.0
				1	2	24.5	29.0
				1	5	24.3	29.1
				3	0	24.4	29.3
				3	1	24.5	29.3
				3	2	24.4	29.2
			16QAM	6	0	23.3	28.4
				1	0	23.5	28.2
				1	2	23.6	28.3
				1	5	23.6	28.4
				3	0	23.5	28.4
				3	1	23.5	28.4
				3	2	23.5	28.4
				6	0	22.2	28.6
1.4	23173	715.3	QPSK	1	0	24.3	28.8
				1	2	24.4	28.8
				1	5	24.2	28.6
				3	0	24.3	28.9
				3	1	24.4	28.9
				3	2	24.4	28.9
			16QAM	6	0	23.2	28.3
				1	0	23.3	27.9
				1	2	23.4	27.8
				1	5	23.3	27.8
				3	0	23.4	28.0
				3	1	23.5	28.0
				3	2	23.5	28.0
				6	0	22.4	28.0

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	23025	700.5	QPSK	1	0	24.5	28.9
				1	7	24.3	28.7
				1	14	24.2	28.6
				8	0	23.4	28.1
				8	4	23.4	27.9
				8	7	23.4	27.9
				15	0	23.3	28.5
			16QAM	1	0	23.4	28.7
				1	7	23.4	28.3
				1	14	23.3	27.9
				8	0	22.3	28.1
				8	4	22.3	27.9
				8	7	22.3	27.8
				15	0	22.4	28.3
3.0	23095	707.5	QPSK	1	0	24.2	28.7
				1	7	24.2	28.6
				1	14	24.3	28.8
				8	0	23.3	28.1
				8	4	23.3	27.9
				8	7	23.3	27.9
				15	0	23.2	28.4
			16QAM	1	0	23.2	28.1
				1	7	23.2	28.2
				1	14	23.3	28.6
				8	0	22.5	28.0
				8	4	22.5	27.9
				8	7	22.5	27.9
				15	0	22.4	28.4
3.0	23165	714.5	QPSK	1	0	24.4	28.8
				1	7	24.3	28.6
				1	14	24.3	28.7
				8	0	23.3	28.1
				8	4	23.3	27.8
				8	7	23.4	27.9
				15	0	23.3	28.3
			16QAM	1	0	23.2	28.2
				1	7	23.1	27.9
				1	14	23.2	27.7
				8	0	22.4	27.9
				8	4	22.4	27.8
				8	7	22.6	27.9
				15	0	22.3	28.3

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23035	701.5	QPSK	1	0	24.5	28.9
				1	12	24.4	28.7
				1	24	24.3	28.7
				12	0	23.4	28.4
				12	6	23.3	28.0
				12	11	23.3	27.9
				25	0	23.3	28.8
			16QAM	1	0	23.8	28.7
				1	12	23.7	27.5
				1	24	23.8	27.7
				12	0	22.5	28.1
				12	6	22.6	28.0
				12	11	22.5	27.9
				25	0	22.4	28.5
5.0	23095	707.5	QPSK	1	0	24.4	28.9
				1	12	24.3	28.7
				1	24	24.3	28.9
				12	0	23.3	28.0
				12	6	23.2	28.0
				12	11	23.3	28.3
				25	0	23.3	28.4
			16QAM	1	0	23.5	27.9
				1	12	23.7	28.2
				1	24	23.7	28.8
				12	0	22.4	28.0
				12	6	22.3	28.0
				12	11	22.4	28.1
				25	0	22.3	28.8
5.0	23155	713.5	QPSK	1	0	24.4	28.9
				1	12	24.3	28.6
				1	24	24.4	28.7
				12	0	23.3	28.3
				12	6	23.3	28.1
				12	11	23.3	27.9
				25	0	23.3	28.7
			16QAM	1	0	23.8	28.8
				1	12	23.6	28.1
				1	24	23.5	27.7
				12	0	22.4	28.2
				12	6	22.4	27.9
				12	11	22.4	27.9
				25	0	22.3	28.6

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23060	704.0	QPSK	1	0	24.2	28.6
				1	24	24.2	28.6
				1	49	24.5	29.0
				25	0	23.3	28.2
				25	12	23.4	27.9
				25	24	23.3	28.1
				50	0	23.3	28.8
			16QAM	1	0	23.4	28.7
				1	24	23.2	27.6
				1	49	23.2	28.6
				25	0	22.4	28.2
				25	12	22.4	27.9
				25	24	22.3	28.1
				50	0	22.3	28.4
10.0	23095	707.5	QPSK	1	0	24.4	28.7
				1	24	24.2	28.7
				1	49	24.1	28.5
				25	0	23.3	27.9
				25	12	23.3	28.2
				25	24	23.3	28.3
				50	0	23.3	28.8
			16QAM	1	0	23.4	27.7
				1	24	23.4	28.2
				1	49	23.3	28.5
				25	0	22.3	27.9
				25	12	22.4	28.2
				25	24	22.4	28.4
				50	0	22.3	28.5
10.0	23130	711.0	QPSK	1	0	24.2	28.7
				1	24	24.3	28.8
				1	49	24.2	28.6
				25	0	23.3	28.4
				25	12	23.4	28.2
				25	24	23.3	28.2
				50	0	23.4	28.7
			16QAM	1	0	23.3	28.2
				1	24	23.3	28.7
				1	49	23.2	27.8
				25	0	22.4	28.2
				25	12	22.5	28.2
				25	24	22.3	28.1
				50	0	22.3	28.4

7.1.6. LTE BAND 13

ID:	44366	Date:	6/1/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23207	779.5	QPSK	1	0	24.3	27.4
				1	12	24.4	28.3
				1	24	24.4	28.6
				12	0	23.6	28.2
				12	6	23.5	28.5
				12	11	23.4	28.4
				25	0	23.6	28.5
			16QAM	1	0	23.7	27.9
				1	12	23.5	27.9
				1	24	23.4	28.6
				12	0	22.6	28.2
				12	6	22.6	28.5
				12	11	22.5	28.4
				25	0	22.5	28.7
5.0	23230	782.0	QPSK	1	0	24.4	28.9
				1	12	24.3	28.8
				1	24	24.3	28.4
				12	0	23.4	28.6
				12	6	23.4	28.3
				12	11	23.3	28.2
				25	0	23.4	28.9
			16QAM	1	0	23.5	28.9
				1	12	23.4	28.7
				1	24	23.7	28.5
				12	0	22.5	28.4
				12	6	22.4	28.1
				12	11	22.4	28.1
				25	0	22.4	28.8
5.0	23255	784.5	QPSK	1	0	24.4	28.7
				1	12	24.3	28.0
				1	24	24.5	28.5
				12	0	23.3	28.4
				12	6	23.3	28.3
				12	11	23.4	28.4
				25	0	23.3	28.8
			16QAM	1	0	23.3	28.1
				1	12	23.6	27.8
				1	24	23.2	28.2
				12	0	22.5	28.1
				12	6	22.5	28.1
				12	11	22.4	28.2
				25	0	22.3	28.6

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23230	782.0	QPSK	1	0	24.4	27.8
				1	24	24.5	28.9
				1	49	24.3	28.7
				25	0	23.5	28.5
				25	12	23.4	28.5
				25	24	23.4	28.7
				50	0	23.5	28.9
			16QAM	1	0	23.4	27.7
				1	24	23.5	28.9
				1	49	23.4	28.8
				25	0	22.3	28.4
				25	12	22.2	28.1
				25	24	22.2	28.2
				50	0	22.2	28.6

7.1.7. LTE BAND 17

ID:	50820	Date:	5/31/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23755	706.5	QPSK	1	0	24.2	28.0
				1	12	24.3	28.0
				1	24	24.5	28.5
				12	0	23.7	28.4
				12	6	23.7	28.4
				12	11	23.6	28.6
				25	0	23.7	29.1
			16QAM	1	0	23.6	27.7
				1	12	23.4	27.9
				1	24	23.6	28.6
				12	0	22.3	27.9
				12	6	22.4	28.0
				12	11	22.3	28.1
				25	0	22.2	28.6
5.0	23790	710.0	QPSK	1	0	24.4	28.3
				1	12	24.2	28.3
				1	24	24.3	28.4
				12	0	23.6	28.1
				12	6	23.6	28.2
				12	11	23.6	28.6
				25	0	23.7	29.1
			16QAM	1	0	23.6	28.3
				1	12	23.4	27.5
				1	24	23.5	28.3
				12	0	22.3	27.8
				12	6	22.3	27.9
				12	11	22.4	28.2
				25	0	22.2	28.0
5.0	23825	713.5	QPSK	1	0	24.4	28.5
				1	12	24.3	28.0
				1	24	24.2	27.8
				12	0	23.7	28.4
				12	6	23.7	28.5
				12	11	23.7	28.3
				25	0	23.7	29.2
			16QAM	1	0	23.4	27.5
				1	12	23.7	27.4
				1	24	23.5	27.1
				12	0	22.5	28.0
				12	6	22.4	28.0
				12	11	22.4	27.9
				25	0	22.3	28.3

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23780	709.0	QPSK	1	0	24.4	28.2
				1	24	24.3	28.6
				1	49	24.2	28.4
				25	0	23.4	28.3
				25	12	23.4	28.4
				25	24	23.4	27.9
				50	0	23.4	28.8
			16QAM	1	0	23.4	27.8
				1	24	23.3	28.3
				1	49	23.5	27.4
				25	0	22.3	28.1
				25	12	22.4	28.2
				25	24	22.3	27.7
				50	0	22.2	28.3
10.0	23790	710.0	QPSK	1	0	24.3	28.3
				1	24	24.3	28.6
				1	49	24.2	28.2
				25	0	23.4	28.4
				25	12	23.4	28.4
				25	24	23.4	28.1
				50	0	23.4	28.8
			16QAM	1	0	23.3	28.0
				1	24	23.2	27.9
				1	49	23.2	27.8
				25	0	22.3	28.2
				25	12	22.4	28.2
				25	24	22.3	27.7
				50	0	22.3	28.3
10.0	23800	711.0	QPSK	1	0	24.3	28.4
				1	24	24.4	28.4
				1	49	24.2	28.1
				25	0	23.3	28.1
				25	12	23.4	28.3
				25	24	23.3	28.1
				50	0	23.5	28.9
			16QAM	1	0	23.2	28.2
				1	24	23.3	28.3
				1	49	23.2	27.7
				25	0	22.2	27.7
				25	12	22.3	28.1
				25	24	22.3	27.9
				50	0	22.3	28.8

7.1.8. LTE BAND 25

ID:	50820	Date:	5/31/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 25 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	26047	1850.7	QPSK	1	0	24.3	29.0
				1	2	24.4	29.0
				1	5	24.3	29.0
				3	0	24.2	28.8
				3	1	24.2	28.8
				3	2	24.2	28.8
				6	0	23.1	28.1
			16QAM	1	0	23.1	27.7
				1	2	23.1	27.6
				1	5	23.1	27.7
				3	0	23.3	27.9
				3	1	23.4	27.8
				3	2	23.3	27.8
				6	0	22.3	28.0
1.4	26365	1882.5	QPSK	1	0	24.1	28.9
				1	2	24.1	28.8
				1	5	24.2	28.9
				3	0	24.2	28.9
				3	1	24.3	29.0
				3	2	24.3	29.0
				6	0	23.2	28.2
			16QAM	1	0	23.2	27.9
				1	2	23.3	27.8
				1	5	23.2	27.9
				3	0	23.3	28.0
				3	1	23.5	28.0
				3	2	23.5	28.0
				6	0	22.4	28.2
1.4	26683	1914.3	QPSK	1	0	24.3	28.5
				1	2	24.4	28.3
				1	5	24.3	28.2
				3	0	24.4	28.6
				3	1	24.5	28.5
				3	2	24.5	28.4
				6	0	23.2	28.1
			16QAM	1	0	23.3	27.4
				1	2	23.3	27.2
				1	5	23.1	27.2
				3	0	23.1	27.5
				3	1	23.1	27.4
				3	2	23.1	27.4
				6	0	22.3	28.2

OUTPUT POWER FOR LTE BAND 25 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26055	1851.5	QPSK	1	0	24.3	28.8
				1	7	24.3	28.7
				1	14	24.1	28.7
				8	0	23.2	27.8
				8	4	23.1	27.7
				8	7	23.2	27.8
				15	0	23.2	28.2
			16QAM	1	0	23.2	27.7
				1	7	23.2	27.6
				1	14	23.0	27.6
				8	0	22.3	27.6
				8	4	22.2	27.6
				8	7	22.3	27.6
				15	0	22.1	28.1
3.0	26365	1882.5	QPSK	1	0	24.3	28.9
				1	7	24.3	28.8
				1	14	24.3	28.9
				8	0	23.3	27.9
				8	4	23.4	27.9
				8	7	23.4	27.9
				15	0	23.3	28.4
			16QAM	1	0	23.3	28.2
				1	7	23.2	28.1
				1	14	23.2	28.2
				8	0	22.3	27.8
				8	4	22.3	27.8
				8	7	22.3	27.8
				15	0	22.3	28.3
3.0	26675	1913.5	QPSK	1	0	24.4	28.1
				1	7	24.2	27.6
				1	14	24.3	27.3
				8	0	23.5	27.8
				8	4	23.3	27.7
				8	7	23.3	27.6
				15	0	23.3	28.1
			16QAM	1	0	23.4	27.7
				1	7	23.4	27.3
				1	14	23.2	27.1
				8	0	22.2	27.7
				8	4	22.2	27.6
				8	7	22.1	27.5
				15	0	22.3	28.0

OUTPUT POWER FOR LTE BAND 25 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26065	1852.5	QPSK	1	0	24.4	28.7
				1	12	24.4	28.7
				1	24	24.2	28.7
				12	0	23.3	27.8
				12	6	23.3	27.8
				12	11	23.3	27.8
				25	0	23.2	28.6
			16QAM	1	0	23.3	27.3
				1	12	23.5	27.7
				1	24	23.2	27.1
				12	0	22.2	27.5
				12	6	22.2	27.6
				12	11	22.2	27.5
				25	0	22.1	28.0
5.0	26365	1882.5	QPSK	1	0	24.4	28.8
				1	12	24.4	28.9
				1	24	24.4	29.0
				12	0	23.3	27.9
				12	6	23.3	28.0
				12	11	23.3	28.0
				25	0	23.3	28.5
			16QAM	1	0	23.3	27.6
				1	12	23.2	27.7
				1	24	23.4	27.7
				12	0	22.1	27.6
				12	6	22.1	27.7
				12	11	22.1	27.8
				25	0	22.1	28.1
5.0	26665	1912.5	QPSK	1	0	24.4	28.5
				1	12	24.5	27.9
				1	24	24.2	28.2
				12	0	23.3	28.0
				12	6	23.4	27.9
				12	11	23.3	27.7
				25	0	23.4	28.3
			16QAM	1	0	23.2	27.5
				1	12	23.3	27.6
				1	24	23.2	27.3
				12	0	22.2	27.8
				12	6	22.3	27.7
				12	11	22.2	27.5
				25	0	22.2	28.1

OUTPUT POWER FOR LTE BAND 25 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26090	1855.0	QPSK	1	0	24.4	28.7
				1	24	24.4	28.8
				1	49	24.4	28.9
				25	0	23.4	27.9
				25	12	23.4	28.0
				25	24	23.4	28.1
				50	0	23.4	28.2
			16QAM	1	0	23.2	28.0
				1	24	23.4	27.6
				1	49	23.3	27.9
				25	0	22.2	27.6
				25	12	22.2	27.6
				25	24	22.2	27.8
				50	0	22.1	28.2
10.0	26365	1882.5	QPSK	1	0	24.4	28.8
				1	24	24.3	28.9
				1	49	24.4	29.0
				25	0	23.4	28.0
				25	12	23.4	28.1
				25	24	23.4	28.1
				50	0	23.4	28.6
			16QAM	1	0	23.5	28.3
				1	24	23.2	28.0
				1	49	23.4	28.0
				25	0	22.1	27.7
				25	12	22.1	27.8
				25	24	22.1	27.9
				50	0	22.2	28.2
10.0	26640	1910.0	QPSK	1	0	24.5	28.9
				1	24	24.4	28.5
				1	49	24.3	28.2
				25	0	23.4	27.8
				25	12	23.5	28.3
				25	24	23.5	28.0
				50	0	23.5	28.6
			16QAM	1	0	23.6	28.2
				1	24	23.5	27.9
				1	49	23.3	27.0
				25	0	22.2	27.6
				25	12	22.3	28.0
				25	24	22.3	27.8
				50	0	22.2	28.2

OUTPUT POWER FOR LTE BAND 25 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	26115	1857.5	QPSK	1	0	24.5	29.0
				1	37	24.3	28.8
				1	74	24.5	29.0
				36	0	23.4	28.0
				36	16	23.5	28.1
				36	35	23.4	28.3
				75	0	23.5	28.9
			16-QAM	1	0	23.4	27.6
				1	37	23.6	27.8
				1	74	23.4	27.9
				36	0	22.2	27.7
				36	16	22.3	27.9
				36	35	22.2	28.1
				75	0	22.3	28.5
15.0	26365	1882.5	QPSK	1	0	24.4	28.8
				1	37	24.3	28.4
				1	74	24.2	28.6
				36	0	23.3	28.0
				36	16	23.4	28.0
				36	35	23.3	28.1
				75	0	23.4	28.7
			16-QAM	1	0	23.5	27.7
				1	37	23.4	27.6
				1	74	23.3	27.7
				36	0	22.1	27.7
				36	16	22.2	27.7
				36	35	22.0	27.8
				75	0	22.1	28.4
15.0	26615	1907.5	QPSK	1	0	24.2	28.8
				1	37	24.4	28.1
				1	74	24.4	28.4
				36	0	23.3	28.0
				36	16	23.5	28.0
				36	35	23.4	28.3
				75	0	23.4	29.1
			16-QAM	1	0	23.4	28.0
				1	37	23.2	27.8
				1	74	23.1	27.4
				36	0	22.0	27.8
				36	16	22.2	27.7
				36	35	22.2	28.1
				75	0	22.1	28.7

OUTPUT POWER FOR LTE BAND 25 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	26140	1860.0	QPSK	1	0	24.3	28.8
				1	49	24.4	29.0
				1	99	24.3	28.9
				50	0	23.4	28.1
				50	24	23.4	28.2
				50	49	23.4	28.2
				100	0	23.4	28.6
			16-QAM	1	0	23.3	27.6
				1	49	23.5	27.8
				1	99	23.4	27.7
				50	0	22.2	27.9
				50	24	22.3	28.0
				50	49	22.2	28.1
				100	0	22.3	28.4
20.0	26365	1882.5	QPSK	1	0	24.4	28.9
				1	49	24.5	28.9
				1	99	24.3	28.8
				50	0	23.4	28.0
				50	24	23.5	28.1
				50	49	23.4	28.1
				100	0	23.4	28.6
			16-QAM	1	0	23.3	27.4
				1	49	23.4	27.7
				1	99	23.2	27.2
				50	0	22.2	27.8
				50	24	22.3	27.9
				50	49	22.2	27.9
				100	0	22.3	28.3
20.0	26590	1905.0	QPSK	1	0	24.4	28.8
				1	49	24.4	28.8
				1	99	24.4	28.5
				50	0	23.3	28.0
				50	24	23.5	28.0
				50	49	23.5	28.4
				100	0	23.5	28.9
			16-QAM	1	0	23.6	28.0
				1	49	23.5	27.6
				1	99	23.3	27.2
				50	0	22.1	27.8
				50	24	22.3	27.8
				50	49	22.3	28.2
				100	0	22.3	28.8

7.1.9. LTE BAND 26

ID:	50820	Date:	5/31/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	26697	814.7	QPSK	1	0	23.9	28.2
				1	2	23.8	28.4
				1	5	23.7	28.4
				3	0	23.9	28.5
				3	1	24.0	28.5
				3	2	24.0	28.5
				6	0	22.8	28.3
			16QAM	1	0	23.0	28.2
				1	2	23.0	28.3
				1	5	22.9	28.4
				3	0	23.0	28.4
				3	1	22.9	28.5
				3	2	22.9	28.5
				6	0	21.9	28.3
1.4	26740	819.0	QPSK	1	0	23.8	28.7
				1	2	23.7	28.5
				1	5	23.8	28.6
				3	0	23.6	28.8
				3	1	23.7	28.9
				3	2	23.8	28.8
				6	0	22.5	28.0
			16QAM	1	0	22.9	28.4
				1	2	23.0	28.4
				1	5	22.9	28.4
				3	0	22.9	29.0
				3	1	22.9	28.9
				3	2	23.0	29.0
				6	0	21.8	28.4
1.4	26783	823.3	QPSK	1	0	23.7	28.0
				1	2	23.8	27.8
				1	5	23.8	27.5
				3	0	23.5	27.9
				3	1	23.6	28.0
				3	2	23.5	27.9
				6	0	22.5	27.9
			16QAM	1	0	22.5	27.8
				1	2	22.5	27.9
				1	5	22.6	27.6
				3	0	22.6	27.9
				3	1	22.6	27.8
				3	2	22.5	27.8
				6	0	21.7	27.5

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26705	815.5	QPSK	1	0	23.8	28.0
				1	7	23.6	28.1
				1	14	23.7	28.3
				8	0	22.5	27.4
				8	4	22.4	27.3
				8	7	22.5	27.4
				15	0	22.5	28.0
			16QAM	1	0	22.9	27.8
				1	7	22.6	28.0
				1	14	22.7	28.0
				8	0	21.6	27.7
				8	4	21.6	27.7
				8	7	21.5	27.5
				15	0	21.8	28.0
3.0	26740	819.0	QPSK	1	0	23.9	28.5
				1	7	23.9	28.5
				1	14	23.7	28.4
				8	0	22.7	27.8
				8	4	22.7	27.6
				8	7	22.8	27.7
				15	0	22.7	28.5
			16QAM	1	0	22.7	28.4
				1	7	22.7	28.3
				1	14	22.6	28.3
				8	0	21.7	27.6
				8	4	21.7	27.4
				8	7	21.7	27.4
				15	0	21.6	28.1
3.0	26775	822.5	QPSK	1	0	23.8	28.4
				1	7	23.7	28.1
				1	14	23.7	28.1
				8	0	22.7	27.8
				8	4	22.6	27.3
				8	7	22.5	27.2
				15	0	22.7	28.0
			16QAM	1	0	22.6	28.2
				1	7	22.5	27.9
				1	14	22.6	28.0
				8	0	21.5	27.3
				8	4	21.6	27.2
				8	7	21.5	27.1
				15	0	21.5	27.8

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26715	816.5	QPSK	1	0	24.0	28.4
				1	12	23.8	28.4
				1	24	23.8	28.4
				12	0	22.8	28.1
				12	6	22.8	27.9
				12	11	22.7	27.9
				25	0	22.7	28.1
			16QAM	1	0	23.3	28.4
				1	12	23.3	28.4
				1	24	23.1	28.1
				12	0	22.1	28.0
				12	6	22.1	28.0
				12	11	22.1	27.9
				25	0	22.0	28.5
5.0	26740	819.0	QPSK	1	0	23.7	28.3
				1	12	23.8	28.3
				1	24	23.7	28.2
				12	0	22.5	27.6
				12	6	22.5	27.7
				12	11	22.6	27.5
				25	0	22.5	28.5
			16QAM	1	0	23.2	28.9
				1	12	22.9	28.4
				1	24	23.0	28.7
				12	0	21.8	27.9
				12	6	21.8	27.9
				12	11	21.8	27.8
				25	0	21.7	28.9
5.0	26765	821.5	QPSK	1	0	23.8	28.2
				1	12	23.6	28.0
				1	24	23.8	28.1
				12	0	22.6	27.7
				12	6	22.6	27.7
				12	11	22.5	27.5
				25	0	22.5	28.1
			16QAM	1	0	23.2	28.5
				1	12	22.9	28.2
				1	24	23.0	27.8
				12	0	21.9	27.8
				12	6	21.9	27.7
				12	11	21.8	27.6
				25	0	21.8	28.0

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26740	819.0	QPSK	1	0	24.0	28.7
				1	24	23.9	28.5
				1	49	23.7	28.3
				25	0	23.0	28.1
				25	12	23.0	28.0
				25	24	22.9	27.9
				50	0	23.0	28.3
			16QAM	1	0	23.1	28.4
				1	24	23.0	28.2
				1	49	22.8	28.0
				25	0	22.0	28.1
				25	12	22.0	27.9
				25	24	21.9	27.9
				50	0	21.9	28.6

7.1.10. LTE BAND 27

ID:	50820	Date:	5/31/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 27 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	27117	814.7	QPSK	1	0	23.7	28.5
				1	2	23.8	28.4
				1	5	23.7	28.4
				3	0	23.7	28.5
				3	1	24.0	28.6
				3	2	24.0	28.6
				6	0	22.9	28.2
			16QAM	1	0	23.1	28.5
				1	2	23.0	28.5
				1	5	22.9	28.4
				3	0	22.8	28.6
				3	1	23.0	28.6
				3	2	23.1	28.6
				6	0	22.0	28.2
1.4	27160	819.0	QPSK	1	0	23.9	28.1
				1	2	23.8	28.1
				1	5	23.9	28.0
				3	0	23.9	28.3
				3	1	23.7	28.2
				3	2	23.8	28.2
				6	0	22.9	28.1
			16QAM	1	0	23.3	28.1
				1	2	23.3	28.1
				1	5	23.2	28.1
				3	0	23.1	28.3
				3	1	23.0	28.2
				3	2	23.0	28.2
				6	0	21.8	28.3
1.4	27203	823.3	QPSK	1	0	23.8	28.3
				1	2	23.8	28.2
				1	5	23.8	28.1
				3	0	24.0	28.4
				3	1	24.0	28.3
				3	2	23.9	28.3
				6	0	22.8	28.2
			16QAM	1	0	22.9	28.4
				1	2	22.8	28.2
				1	5	22.9	28.1
				3	0	23.0	28.4
				3	1	23.2	28.4
				3	2	23.1	28.3
				6	0	22.0	27.9

OUTPUT POWER FOR LTE BAND 27 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	27125	815.5	QPSK	1	0	23.8	28.3
				1	7	23.9	28.1
				1	14	23.7	28.0
				8	0	22.7	27.4
				8	4	22.6	27.3
				8	7	22.7	27.3
				15	0	22.7	28.0
			16QAM	1	0	23.2	28.4
				1	7	23.1	28.1
				1	14	23.2	28.0
				8	0	21.6	27.5
				8	4	21.5	27.2
				8	7	21.5	27.2
				15	0	21.7	27.8
3.0	27160	819.0	QPSK	1	0	24.0	28.0
				1	7	23.8	27.8
				1	14	23.7	28.0
				8	0	22.8	27.7
				8	4	22.7	27.1
				8	7	22.6	27.1
				15	0	22.7	27.9
			16QAM	1	0	23.1	28.0
				1	7	22.7	27.8
				1	14	22.7	28.0
				8	0	21.9	27.6
				8	4	21.7	27.2
				8	7	21.7	27.2
				15	0	21.6	27.7
3.0	27195	822.5	QPSK	1	0	23.9	28.5
				1	7	23.7	28.1
				1	14	23.8	27.8
				8	0	22.7	27.7
				8	4	22.7	27.3
				8	7	22.7	27.3
				15	0	22.6	28.0
			16QAM	1	0	22.9	28.5
				1	7	22.7	28.2
				1	14	22.7	27.9
				8	0	21.8	27.4
				8	4	21.8	27.2
				8	7	21.7	27.1
				15	0	21.7	27.8

OUTPUT POWER FOR LTE BAND 27 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27135	816.5	QPSK	1	0	24.0	28.5
				1	12	23.8	28.1
				1	24	24.0	27.9
				12	0	22.8	27.9
				12	6	22.8	27.7
				12	11	22.7	27.7
				25	0	22.7	28.5
			16QAM	1	0	22.9	27.9
				1	12	23.2	27.8
				1	24	22.8	27.6
				12	0	21.6	27.3
				12	6	21.6	27.2
				12	11	21.6	27.2
				25	0	21.5	27.9
5.0	27160	819.0	QPSK	1	0	23.9	28.2
				1	12	23.9	27.9
				1	24	24.0	28.3
				12	0	22.8	27.8
				12	6	22.8	27.7
				12	11	22.8	27.9
				25	0	22.9	28.1
			16QAM	1	0	22.7	27.8
				1	12	22.6	27.6
				1	24	22.8	27.9
				12	0	21.6	27.4
				12	6	21.5	27.4
				12	11	21.6	27.5
				25	0	21.5	27.6
5.0	27185	821.5	QPSK	1	0	24.0	28.6
				1	12	23.8	28.2
				1	24	23.8	27.9
				12	0	22.8	27.8
				12	6	22.8	27.7
				12	11	22.7	27.6
				25	0	22.8	28.4
			16QAM	1	0	22.8	28.3
				1	12	22.6	27.7
				1	24	22.7	27.7
				12	0	21.5	27.4
				12	6	21.5	27.3
				12	11	21.5	27.2
				25	0	21.4	27.6

OUTPUT POWER FOR LTE BAND 27 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27160	819.0	QPSK	1	0	24.0	28.5
				1	24	24.0	28.6
				1	49	23.8	28.2
				25	0	23.1	28.2
				25	12	23.1	28.2
				25	24	23.0	28.0
				50	0	23.1	28.3
			16QAM	1	0	23.1	28.6
				1	24	22.9	28.6
				1	49	22.9	28.3
				25	0	22.1	28.2
				25	12	22.1	28.1
				25	24	22.0	28.1
				50	0	22.1	28.9

7.1.11. LTE BAND 30

ID:	38806	Date:	6/24/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 30 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27685	2307.5	QPSK	1	0	21.9	25.3
				1	12	22.1	26.4
				1	24	22.1	26.7
				12	0	21.1	26.0
				12	6	21.0	25.6
				12	11	20.9	25.5
				25	0	21.1	26.6
			16QAM	1	0	21.5	26.8
				1	12	21.4	25.6
				1	24	21.3	26.6
				12	0	20.2	25.7
				12	6	20.2	25.8
				12	11	20.1	25.5
				25	0	20.1	26.3
5.0	27710	2310.0	QPSK	1	0	22.3	26.9
				1	12	22.2	26.7
				1	24	22.3	26.8
				12	0	21.1	26.3
				12	6	21.1	26.1
				12	11	21.0	26.2
				25	0	21.0	26.6
			16QAM	1	0	21.5	26.0
				1	12	21.6	26.4
				1	24	21.5	26.3
				12	0	20.3	26.0
				12	6	20.2	26.0
				12	11	20.2	26.0
				25	0	20.1	26.7
5.0	27735	2312.5	QPSK	1	0	22.2	26.8
				1	12	22.2	26.6
				1	24	22.1	26.6
				12	0	21.2	26.1
				12	6	21.1	26.1
				12	11	21.1	26.0
				25	0	21.2	27.2
			16QAM	1	0	21.4	26.8
				1	12	21.2	26.1
				1	24	21.6	27.0
				12	0	20.2	26.2
				12	6	20.2	26.1
				12	11	20.2	26.0
				25	0	20.2	26.9

OUTPUT POWER FOR LTE BAND 30 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27710	2310.0	QPSK	1	0	22.2	26.7
				1	24	21.9	26.4
				1	49	22.0	25.0
				25	0	21.0	26.2
				25	12	21.0	26.1
				25	24	21.0	26.1
				50	0	21.0	26.4
			16QAM	1	0	21.3	26.7
				1	24	21.1	26.4
				1	49	21.3	26.8
				25	0	20.1	26.1
				25	12	20.1	26.0
				25	24	20.0	26.0
				50	0	20.1	26.5

7.1.12. LTE BAND 41

ID:	44366	Date:	6/1/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 41 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	39675	2498.5	QPSK	1	0	22.5	26.3
				1	12	22.5	26.7
				1	24	22.5	27.1
				12	0	21.5	26.6
				12	6	21.5	27.0
				12	11	21.5	27.1
				25	0	21.5	27.4
			16QAM	1	0	21.4	26.2
				1	12	21.3	26.7
				1	24	21.5	27.1
				12	0	20.5	26.7
				12	6	20.5	27.0
				12	11	20.5	27.1
				25	0	20.5	27.3
5.0	40620	2593.0	QPSK	1	0	22.5	26.3
				1	12	22.3	26.3
				1	24	22.3	26.2
				12	0	21.4	26.3
				12	6	21.4	26.2
				12	11	21.3	26.2
				25	0	21.3	26.7
			16QAM	1	0	21.5	26.4
				1	12	21.5	26.3
				1	24	21.5	26.2
				12	0	20.4	26.3
				12	6	20.4	26.2
				12	11	20.4	26.2
				25	0	20.4	26.6
5.0	41565	2687.5	QPSK	1	0	22.4	26.3
				1	12	22.4	26.0
				1	24	22.5	25.9
				12	0	21.4	26.2
				12	6	21.3	26.1
				12	11	21.5	26.0
				25	0	21.5	26.3
			16QAM	1	0	21.4	26.2
				1	12	21.4	26.1
				1	24	21.4	25.9
				12	0	20.3	26.1
				12	6	20.4	26.0
				12	11	20.4	26.0
				25	0	20.5	26.1

OUTPUT POWER FOR LTE BAND 41 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	39700	2501.0	QPSK	1	0	22.4	26.5
				1	24	22.5	26.9
				1	49	22.4	26.9
				25	0	21.4	26.8
				25	12	21.5	26.9
				25	24	21.4	26.8
				50	0	21.5	27.2
			16QAM	1	0	21.8	26.7
				1	24	21.8	26.9
				1	49	21.8	27.0
				25	0	20.5	26.8
				25	12	20.5	26.8
				25	24	20.4	25.8
				50	0	20.5	27.1
10.0	40620	2593.0	QPSK	1	0	22.4	26.3
				1	24	22.4	26.2
				1	49	22.3	26.1
				25	0	21.3	26.2
				25	12	21.4	26.2
				25	24	21.3	26.2
				50	0	21.4	26.6
			16QAM	1	0	21.6	26.3
				1	24	21.6	26.2
				1	49	21.6	26.1
				25	0	20.3	26.2
				25	12	20.4	26.2
				25	24	20.3	26.2
				50	0	20.4	26.5
10.0	41540	2685.0	QPSK	1	0	22.4	26.1
				1	24	22.2	25.9
				1	49	22.4	25.6
				25	0	21.2	26.2
				25	12	21.2	26.2
				25	24	21.3	26.0
				50	0	21.3	26.4
			16QAM	1	0	21.6	26.1
				1	24	21.5	25.9
				1	49	21.7	25.6
				25	0	20.2	26.2
				25	12	20.2	26.2
				25	24	20.2	26.0
				50	0	20.3	26.4

OUTPUT POWER FOR LTE BAND 41 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	39725	2503.5	QPSK	1	0	22.5	26.7
				1	37	22.4	25.9
				1	74	22.4	26.9
				36	0	21.5	26.9
				36	16	21.4	26.7
				36	35	21.3	26.7
				75	0	21.3	27.5
			16-QAM	1	0	21.8	26.9
				1	37	21.5	26.9
				1	74	21.7	27.0
				36	0	20.5	26.8
				36	16	20.4	26.7
				36	35	20.5	26.7
				75	0	20.4	27.3
15.0	40620	2593.0	QPSK	1	0	22.4	26.2
				1	37	22.3	26.2
				1	74	22.3	26.2
				36	0	21.5	26.3
				36	16	21.4	26.2
				36	35	21.3	26.2
				75	0	21.3	26.9
			16-QAM	1	0	21.7	26.4
				1	37	21.5	26.2
				1	74	21.5	26.2
				36	0	20.5	26.3
				36	16	20.4	26.1
				36	35	20.3	26.2
				75	0	20.4	26.8
15.0	41515	2682.5	QPSK	1	0	22.4	26.5
				1	37	22.3	26.0
				1	74	22.3	25.7
				36	0	21.4	26.4
				36	16	21.3	26.4
				36	35	21.3	26.1
				75	0	21.3	26.9
			16-QAM	1	0	21.7	26.5
				1	37	21.6	26.0
				1	74	21.7	25.7
				36	0	20.4	26.5
				36	16	20.3	26.4
				36	35	20.2	26.1
				75	0	20.3	26.8

OUTPUT POWER FOR LTE BAND 41 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	39750	2506.0	QPSK	1	0	22.4	26.4
				1	49	22.4	27.0
				1	99	22.4	26.9
				50	0	21.5	26.9
				50	24	21.4	26.7
				50	49	21.3	26.6
				100	0	21.4	27.2
			16-QAM	1	0	21.7	26.4
				1	49	21.8	27.1
				1	99	21.8	27.1
				50	0	20.5	27.0
				50	24	20.5	26.8
				50	49	20.4	26.8
				100	0	20.4	27.2
20.0	40620	2593.0	QPSK	1	0	22.4	26.0
				1	49	22.3	26.2
				1	99	22.5	26.1
				50	0	21.4	26.3
				50	24	21.4	26.2
				50	49	21.3	26.2
				100	0	21.4	26.6
			16-QAM	1	0	21.8	26.4
				1	49	21.6	26.2
				1	99	21.8	26.2
				50	0	20.4	26.3
				50	24	20.4	26.2
				50	49	20.3	26.2
				100	0	20.4	26.6
20.0	41490	2680.0	QPSK	1	0	22.4	26.4
				1	49	22.2	26.2
				1	99	22.3	25.7
				50	0	21.4	26.7
				50	24	21.4	26.4
				50	49	21.2	26.2
				100	0	21.4	26.8
			16-QAM	1	0	21.7	26.6
				1	49	21.8	26.2
				1	99	21.6	25.7
				50	0	20.5	26.7
				50	24	20.4	26.4
				50	49	20.2	26.2
				100	0	20.4	26.8

7.2. UAT

7.2.1. LTE BAND 2

ID:	44366	Date:	6/1/16
-----	-------	-------	--------

OUTPUT POWER FOR LTE BAND 2 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	18607	1850.7	QPSK	1	0	20.9	24.6
				1	2	21.0	24.4
				1	5	20.9	24.3
				3	0	20.8	24.6
				3	1	20.9	24.4
				3	2	20.9	24.4
				6	0	20.0	24.7
			16QAM	1	0	20.0	24.3
				1	2	20.0	24.1
				1	5	19.9	24.1
				3	0	19.9	24.3
				3	1	19.9	24.2
				3	2	19.9	24.2
				6	0	19.1	24.6
1.4	18900	1880.0	QPSK	1	0	20.8	24.0
				1	2	20.8	23.8
				1	5	20.9	23.8
				3	0	20.9	24.2
				3	1	20.8	24.0
				3	2	20.8	24.0
				6	0	19.8	24.2
			16QAM	1	0	19.9	23.9
				1	2	19.9	23.8
				1	5	19.9	23.9
				3	0	19.7	24.1
				3	1	19.7	24.0
				3	2	19.7	24.0
				6	0	18.7	24.5
1.4	19193	1909.3	QPSK	1	0	20.9	23.9
				1	2	20.9	23.6
				1	5	20.8	23.4
				3	0	20.8	23.8
				3	1	20.8	23.6
				3	2	21.0	23.5
				6	0	19.9	23.9
			16QAM	1	0	19.8	23.5
				1	2	19.8	23.3
				1	5	19.8	23.2
				3	0	19.9	23.5
				3	1	19.8	23.4
				3	2	19.8	23.4
				6	0	18.9	23.9

OUTPUT POWER FOR LTE BAND 2 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	18615	1851.5	QPSK	1	0	21.0	24.2
				1	7	20.9	23.9
				1	14	20.7	23.9
				8	0	19.9	24.1
				8	4	19.9	24.1
				8	7	19.9	24.1
				15	0	19.9	24.8
			16QAM	1	0	20.0	24.1
				1	7	19.9	23.9
				1	14	19.7	23.9
				8	0	19.2	24.2
				8	4	19.2	24.2
				8	7	19.2	24.1
				15	0	19.0	24.7
3.0	18900	1880.0	QPSK	1	0	20.7	24.0
				1	7	20.9	23.7
				1	14	20.9	23.8
				8	0	19.7	24.0
				8	4	19.7	23.9
				8	7	19.7	23.9
				15	0	19.7	24.5
			16QAM	1	0	19.8	24.0
				1	7	19.8	23.8
				1	14	19.8	23.8
				8	0	18.9	24.0
				8	4	18.9	24.0
				8	7	18.9	24.0
				15	0	18.8	24.8
3.0	19185	1908.5	QPSK	1	0	20.9	23.7
				1	7	20.9	23.4
				1	14	20.9	23.1
				8	0	20.0	23.6
				8	4	19.9	23.5
				8	7	19.9	23.5
				15	0	19.9	24.2
			16QAM	1	0	19.7	23.6
				1	7	19.8	23.4
				1	14	19.8	23.1
				8	0	18.8	23.7
				8	4	18.9	23.6
				8	7	18.9	23.6
				15	0	18.9	24.1

OUTPUT POWER FOR LTE BAND 2 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak(dBm)
				Size	Offset		
5.0	18625	1852.5	QPSK	1	0	21.0	24.2
				1	12	20.7	23.9
				1	24	20.7	23.9
				12	0	19.9	24.1
				12	6	19.9	24.1
				12	11	19.9	24.1
				25	0	19.9	24.5
			16QAM	1	0	20.0	24.1
				1	12	19.8	23.9
				1	24	19.8	23.9
				12	0	19.0	24.2
				12	6	19.0	24.1
				12	11	19.0	24.1
				25	0	19.0	24.5
5.0	18900	1880.0	QPSK	1	0	20.7	24.0
				1	12	20.9	23.7
				1	24	20.9	23.8
				12	0	19.7	24.0
				12	6	19.7	23.9
				12	11	19.7	24.0
				25	0	19.7	24.5
			16QAM	1	0	19.9	24.0
				1	12	19.7	23.8
				1	24	19.7	23.8
				12	0	18.9	24.1
				12	6	18.9	24.1
				12	11	18.9	24.1
				25	0	18.9	24.5
5.0	19175	1907.5	QPSK	1	0	21.0	23.7
				1	12	20.9	23.5
				1	24	20.9	23.1
				12	0	19.9	23.7
				12	6	19.9	23.7
				12	11	19.9	23.6
				25	0	19.9	24.5
			16QAM	1	0	19.8	23.5
				1	12	19.8	23.5
				1	24	19.9	23.1
				12	0	18.8	23.7
				12	6	18.7	23.8
				12	11	18.7	23.7
				25	0	18.8	24.3

OUTPUT POWER FOR LTE BAND 2 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	18650	1855.0	QPSK	1	0	21.0	24.2
				1	24	20.8	24.0
				1	49	20.9	24.1
				25	0	19.9	24.2
				25	12	19.9	24.1
				25	24	20.0	24.2
				50	0	19.9	24.7
			16QAM	1	0	19.9	24.1
				1	24	19.8	24.0
				1	49	19.9	24.1
				25	0	19.0	24.2
				25	12	19.1	24.2
				25	24	19.1	24.3
				50	0	19.1	24.7
10.0	18900	1880.0	QPSK	1	0	20.9	24.2
				1	24	20.8	23.7
				1	49	20.8	23.9
				25	0	19.8	24.1
				25	12	19.7	24.0
				25	24	19.7	24.0
				50	0	19.8	24.8
			16QAM	1	0	19.9	24.2
				1	24	19.9	23.8
				1	49	19.8	23.9
				25	0	18.9	24.2
				25	12	18.9	24.1
				25	24	18.9	24.1
				50	0	18.9	24.9
10.0	19150	1905.0	QPSK	1	0	20.9	24.1
				1	24	20.9	23.5
				1	49	20.9	23.1
				25	0	19.7	23.9
				25	12	19.8	23.8
				25	24	19.9	23.8
				50	0	19.8	24.5
			16QAM	1	0	20.2	24.1
				1	24	19.7	23.6
				1	49	19.9	23.3
				25	0	18.7	24.0
				25	12	18.8	23.9
				25	24	18.8	23.9
				50	0	18.7	24.5

OUTPUT POWER FOR LTE BAND 2 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	18675	1857.5	QPSK	1	0	21.0	24.2
				1	37	20.8	24.1
				1	74	20.7	24.2
				36	0	19.8	24.2
				36	16	19.9	24.2
				36	35	20.0	24.5
				75	0	20.0	25.0
			16-QAM	1	0	20.2	24.1
				1	37	20.1	24.0
				1	74	20.2	24.3
				36	0	18.8	24.2
				36	16	19.0	24.2
				36	35	19.1	24.5
				75	0	19.0	25.0
15.0	18900	1880.0	QPSK	1	0	20.8	24.2
				1	37	20.9	23.6
				1	74	20.7	23.9
				36	0	19.8	24.2
				36	16	19.9	23.9
				36	35	19.7	24.0
				75	0	19.7	25.0
			16-QAM	1	0	19.8	24.1
				1	37	19.9	23.6
				1	74	19.7	24.0
				36	0	18.9	24.3
				36	16	18.7	24.0
				36	35	18.8	24.1
				75	0	18.9	24.9
15.0	19125	1902.5	QPSK	1	0	20.9	23.8
				1	37	20.9	23.6
				1	74	20.8	23.0
				36	0	19.8	24.2
				36	16	19.9	23.9
				36	35	20.0	23.8
				75	0	19.8	24.7
			16-QAM	1	0	20.0	23.8
				1	37	19.9	23.7
				1	74	19.8	23.2
				36	0	19.0	24.3
				36	16	18.8	24.0
				36	35	18.9	23.9
				75	0	18.8	24.7

OUTPUT POWER FOR LTE BAND 2 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	18700	1860.0	QPSK	1	0	21.0	24.2
				1	49	20.9	24.2
				1	99	20.7	24.0
				50	0	19.9	24.2
				50	24	20.2	24.4
				50	49	20.1	24.5
				100	0	20.0	24.9
			16-QAM	1	0	20.2	24.0
				1	49	20.3	24.2
				1	99	20.2	24.0
				50	0	18.9	24.2
				50	24	19.2	24.5
				50	49	19.1	24.5
				100	0	19.2	24.9
20.0	18900	1880.0	QPSK	1	0	20.8	24.0
				1	49	20.9	23.6
				1	99	20.7	23.9
				50	0	19.9	24.3
				50	24	19.7	24.0
				50	49	19.8	24.2
				100	0	19.9	24.7
			16-QAM	1	0	20.3	24.0
				1	49	20.0	23.7
				1	99	20.3	24.1
				50	0	19.0	24.4
				50	24	18.9	24.1
				50	49	19.0	24.3
				100	0	19.1	24.9
20.0	19100	1900.0	QPSK	1	0	20.9	24.1
				1	49	20.8	23.9
				1	99	20.9	23.0
				50	0	19.7	24.2
				50	24	19.7	24.0
				50	49	19.9	23.9
				100	0	19.7	24.7
			16-QAM	1	0	20.2	24.0
				1	49	20.1	23.9
				1	99	20.0	23.2
				50	0	18.9	24.3
				50	24	18.9	24.1
				50	49	18.8	24.0
				100	0	18.9	24.8

7.2.2. LTE BAND 4

ID:	50820	Date:	6/3/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 4 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	19957	1710.7	QPSK	1	0	20.9	24.7
				1	2	21.0	24.6
				1	5	20.8	24.6
				3	0	21.0	25.0
				3	1	21.0	24.9
				3	2	21.0	24.9
			16QAM	6	0	19.9	24.9
				1	0	20.0	24.6
				1	2	20.0	24.6
				1	5	20.0	24.6
				3	0	20.0	24.8
				3	1	20.0	24.7
				3	2	20.0	24.7
				6	0	19.0	24.8
1.4	20175	1732.5	QPSK	1	0	20.7	25.2
				1	2	20.7	25.1
				1	5	20.7	25.2
				3	0	20.8	25.2
				3	1	20.8	25.2
				3	2	20.8	25.2
			16QAM	6	0	19.7	25.6
				1	0	20.0	25.2
				1	2	20.0	25.2
				1	5	20.0	25.1
				3	0	19.9	25.3
				3	1	20.0	25.2
				3	2	19.9	25.2
				6	0	18.7	25.6
1.4	20393	1754.3	QPSK	1	0	20.9	25.1
				1	2	20.8	25.1
				1	5	20.9	25.1
				3	0	20.9	25.2
				3	1	20.7	25.2
				3	2	20.7	25.2
			16QAM	6	0	19.8	25.1
				1	0	19.8	25.1
				1	2	19.7	25.1
				1	5	19.8	25.1
				3	0	19.8	25.3
				3	1	19.9	25.2
				3	2	19.9	25.3
				6	0	18.8	24.8

OUTPUT POWER FOR LTE BAND 4 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	19965	1711.5	QPSK	1	0	20.9	24.6
				1	7	21.0	24.5
				1	14	20.9	24.5
				8	0	19.9	24.5
				8	4	19.9	24.4
				8	7	19.9	24.5
				15	0	19.9	24.8
			16QAM	1	0	19.9	24.6
				1	7	20.0	24.5
				1	14	19.9	24.6
				8	0	19.0	24.5
				8	4	19.0	24.4
				8	7	19.0	24.5
				15	0	18.9	24.8
3.0	20175	1732.5	QPSK	1	0	20.8	25.1
				1	7	20.8	25.0
				1	14	20.8	25.1
				8	0	19.7	24.8
				8	4	19.7	24.4
				8	7	19.7	24.4
				15	0	19.7	24.8
			16QAM	1	0	19.7	25.1
				1	7	19.7	25.0
				1	14	19.8	25.1
				8	0	18.8	24.5
				8	4	18.8	24.4
				8	7	18.8	24.4
				15	0	18.7	25.0
3.0	20385	1753.5	QPSK	1	0	20.8	25.1
				1	7	20.7	25.0
				1	14	20.9	25.0
				8	0	19.7	24.4
				8	4	19.7	24.3
				8	7	19.7	24.3
				15	0	19.8	24.8
			16QAM	1	0	19.9	25.1
				1	7	19.9	25.0
				1	14	20.0	25.1
				8	0	18.8	24.4
				8	4	18.9	24.4
				8	7	18.8	24.4
				15	0	18.7	24.8

OUTPUT POWER FOR LTE BAND 4 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	19975	1712.5	QPSK	1	0	21.0	24.6
				1	12	20.8	24.5
				1	24	20.8	24.5
				12	0	19.9	24.5
				12	6	19.9	24.5
				12	11	19.9	24.5
				25	0	19.8	24.8
			16QAM	1	0	20.0	24.4
				1	12	20.0	24.5
				1	24	20.0	24.5
				12	0	19.0	24.4
				12	6	19.0	24.5
				12	11	19.0	24.5
				25	0	19.0	25.0
5.0	20175	1732.5	QPSK	1	0	20.8	25.0
				1	12	20.7	25.0
				1	24	20.7	24.9
				12	0	19.7	24.5
				12	6	19.7	24.5
				12	11	19.8	24.5
				25	0	19.7	25.1
			16QAM	1	0	20.0	25.0
				1	12	19.8	25.0
				1	24	19.8	25.0
				12	0	18.7	24.6
				12	6	18.8	24.6
				12	11	18.7	24.5
				25	0	18.7	25.1
5.0	20375	1752.5	QPSK	1	0	20.9	25.1
				1	12	20.9	25.0
				1	24	20.9	25.0
				12	0	20.0	24.6
				12	6	20.0	24.6
				12	11	20.0	24.6
				25	0	20.0	25.3
			16QAM	1	0	19.8	25.1
				1	12	19.8	25.0
				1	24	19.8	25.0
				12	0	18.7	24.5
				12	6	18.8	24.5
				12	11	18.8	24.5
				25	0	18.7	24.8

OUTPUT POWER FOR LTE BAND 4 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20000	1715.0	QPSK	1	0	20.9	24.6
				1	24	20.8	24.4
				1	49	20.9	24.5
				25	0	19.9	24.4
				25	12	19.8	24.5
				25	24	19.8	24.5
				50	0	19.8	25.0
			16QAM	1	0	20.0	24.8
				1	24	19.8	24.4
				1	49	19.9	24.5
				25	0	19.0	24.4
				25	12	18.9	24.4
				25	24	18.9	24.5
				50	0	18.9	25.0
10.0	20175	1732.5	QPSK	1	0	21.0	24.9
				1	24	20.8	25.0
				1	49	20.7	25.3
				25	0	19.8	24.8
				25	12	19.7	24.5
				25	24	19.8	24.6
				50	0	19.7	25.9
			16QAM	1	0	19.9	24.8
				1	24	19.7	25.0
				1	49	19.8	25.3
				25	0	18.8	24.7
				25	12	18.8	24.6
				25	24	18.8	24.7
				50	0	18.7	25.8
10.0	20350	1750.0	QPSK	1	0	20.7	24.9
				1	24	20.9	24.9
				1	49	20.9	24.8
				25	0	19.8	24.7
				25	12	19.8	24.5
				25	24	19.9	24.5
				50	0	19.9	25.0
			16QAM	1	0	20.0	24.9
				1	24	19.9	25.0
				1	49	20.0	24.8
				25	0	18.8	24.6
				25	12	18.9	24.4
				25	24	18.8	24.7
				50	0	18.7	25.2

OUTPUT POWER FOR LTE BAND 4 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20025	1717.5	QPSK	1	0	21.0	24.6
				1	37	20.7	24.4
				1	74	20.7	24.6
				36	0	19.8	24.4
				36	16	19.7	24.4
				36	35	19.7	24.5
				75	0	19.8	25.2
			16-QAM	1	0	20.0	24.5
				1	37	20.0	24.4
				1	74	20.0	24.7
				36	0	18.8	24.4
				36	16	18.7	24.4
				36	35	18.7	24.5
				75	0	18.8	25.1
15.0	20175	1732.5	QPSK	1	0	20.9	24.7
				1	37	20.8	24.6
				1	74	21.0	25.1
				36	0	19.8	24.7
				36	16	19.9	24.6
				36	35	19.8	24.5
				75	0	19.9	25.3
			16-QAM	1	0	19.8	24.8
				1	37	19.9	24.7
				1	74	19.8	25.1
				36	0	18.7	24.7
				36	16	18.8	24.5
				36	35	18.8	24.5
				75	0	18.9	25.5
15.0	20325	1747.5	QPSK	1	0	20.8	25.4
				1	37	20.9	24.6
				1	74	20.9	24.8
				36	0	19.9	24.7
				36	16	19.9	24.5
				36	35	19.9	24.5
				75	0	19.9	25.5
			16-QAM	1	0	20.0	25.3
				1	37	19.8	24.8
				1	74	19.8	24.8
				36	0	18.9	24.6
				36	16	18.8	24.4
				36	35	18.9	24.6
				75	0	18.8	25.1

OUTPUT POWER FOR LTE BAND 4 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20050	1720.0	QPSK	1	0	20.9	24.7
				1	49	20.8	24.1
				1	99	20.9	24.4
				50	0	19.7	24.1
				50	24	19.9	24.1
				50	49	19.9	24.2
				100	0	19.9	24.7
			16-QAM	1	0	19.9	24.7
				1	49	19.8	24.1
				1	99	19.8	24.5
				50	0	18.8	24.1
				50	24	18.9	24.1
				50	49	18.9	24.2
				100	0	18.9	24.5
20.0	20175	1732.5	QPSK	1	0	21.0	24.6
				1	49	20.9	24.4
				1	99	20.9	24.8
				50	0	19.9	24.3
				50	24	19.9	24.2
				50	49	19.9	24.3
				100	0	19.9	24.5
			16-QAM	1	0	19.8	24.6
				1	49	19.7	24.4
				1	99	19.8	24.7
				50	0	18.8	24.4
				50	24	18.9	24.1
				50	49	18.9	24.2
				100	0	18.9	24.5
20.0	20300	1745.0	QPSK	1	0	20.8	25.3
				1	49	20.9	24.4
				1	99	20.9	24.4
				50	0	19.9	24.5
				50	24	19.9	24.1
				50	49	19.9	24.2
				100	0	19.9	25.6
			16-QAM	1	0	20.0	25.3
				1	49	19.8	24.3
				1	99	19.9	24.5
				50	0	19.0	24.4
				50	24	18.9	24.1
				50	49	18.9	24.2
				100	0	19.0	25.5

7.2.3. LTE BAND 5

ID:	44366	Date:	6/1/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 5 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	20407	824.7	QPSK	1	0	22.3	26.4
				1	2	22.4	26.3
				1	5	22.3	26.3
				3	0	22.5	26.6
				3	1	22.5	26.5
				3	2	22.4	26.5
				6	0	21.4	26.6
			16QAM	1	0	21.4	26.2
				1	2	21.5	26.2
				1	5	21.4	26.2
				3	0	21.6	26.4
				3	1	21.7	26.4
				3	2	21.7	26.4
				6	0	20.5	26.5
1.4	20525	836.5	QPSK	1	0	22.4	25.9
				1	2	22.5	25.8
				1	5	22.2	25.7
				3	0	22.3	26.2
				3	1	22.3	26.0
				3	2	22.2	26.0
				6	0	21.2	26.1
			16QAM	1	0	21.2	25.9
				1	2	21.2	25.8
				1	5	21.2	25.7
				3	0	21.4	26.0
				3	1	21.4	25.9
				3	2	21.4	25.9
				6	0	20.4	26.2
1.4	20643	848.3	QPSK	1	0	22.4	24.5
				1	2	22.5	24.2
				1	5	22.4	24.1
				3	0	22.5	24.8
				3	1	22.4	24.5
				3	2	22.4	24.4
				6	0	21.4	25.8
			16QAM	1	0	21.6	24.5
				1	2	21.4	24.3
				1	5	21.2	24.1
				3	0	21.3	24.7
				3	1	21.3	24.5
				3	2	21.2	24.4
				6	0	20.5	25.0

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	20415	825.5	QPSK	1	0	22.5	26.2
				1	7	22.5	26.0
				1	14	22.4	26.1
				8	0	21.3	26.1
				8	4	21.4	25.9
				8	7	21.4	25.9
				15	0	21.3	26.5
			16QAM	1	0	21.6	26.2
				1	7	21.4	26.1
				1	14	21.3	26.1
				8	0	20.5	26.0
				8	4	20.4	25.9
				8	7	20.4	25.9
				15	0	20.3	26.5
3.0	20525	836.5	QPSK	1	0	22.4	25.9
				1	7	22.5	25.6
				1	14	22.5	25.6
				8	0	21.2	25.9
				8	4	21.2	25.7
				8	7	21.3	25.7
				15	0	21.3	26.1
			16QAM	1	0	21.4	25.9
				1	7	21.5	25.6
				1	14	21.4	25.7
				8	0	20.4	25.9
				8	4	20.4	25.8
				8	7	20.3	25.7
				15	0	20.3	26.2
3.0	20635	847.5	QPSK	1	0	22.4	25.0
				1	7	22.4	24.3
				1	14	22.3	24.0
				8	0	21.6	24.9
				8	4	21.5	24.7
				8	7	21.3	24.5
				15	0	21.3	25.2
			16QAM	1	0	21.3	25.0
				1	7	21.6	24.4
				1	14	21.4	24.0
				8	0	20.5	24.9
				8	4	20.4	24.7
				8	7	20.5	24.5
				15	0	20.4	25.2

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20425	826.5	QPSK	1	0	22.5	26.4
				1	12	22.5	26.2
				1	24	22.4	26.3
				12	0	21.4	26.3
				12	6	21.4	26.3
				12	11	21.4	26.2
				25	0	21.5	26.6
			16QAM	1	0	21.7	26.4
				1	12	21.5	26.2
				1	24	21.7	26.3
				12	0	20.5	26.3
				12	6	20.6	26.3
				12	11	20.5	26.2
				25	0	20.4	26.9
5.0	20525	836.5	QPSK	1	0	22.5	26.2
				1	12	22.4	25.7
				1	24	22.4	25.7
				12	0	21.3	26.1
				12	6	21.3	25.9
				12	11	21.2	25.8
				25	0	21.3	26.5
			16QAM	1	0	21.6	26.2
				1	12	21.4	25.7
				1	24	21.5	25.8
				12	0	20.4	26.1
				12	6	20.5	25.9
				12	11	20.4	25.9
				25	0	20.4	26.5
5.0	20625	846.5	QPSK	1	0	22.3	25.5
				1	12	22.4	24.8
				1	24	22.3	24.1
				12	0	21.2	25.5
				12	6	21.4	25.1
				12	11	21.5	24.8
				25	0	21.5	25.7
			16QAM	1	0	21.4	25.6
				1	12	21.2	24.9
				1	24	21.5	24.1
				12	0	20.4	25.5
				12	6	20.4	25.2
				12	11	20.4	24.9
				25	0	20.4	25.8

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20450	829.0	QPSK	1	0	22.5	26.5
				1	24	22.5	26.4
				1	49	22.5	26.2
				25	0	21.6	26.5
				25	12	21.6	26.4
				25	24	21.5	26.4
				50	0	21.6	26.5
			16QAM	1	0	21.6	26.6
				1	24	21.5	26.4
				1	49	21.3	26.3
				25	0	20.6	26.4
				25	12	20.6	26.3
				25	24	20.6	26.4
				50	0	20.5	26.6
10.0	20525	836.5	QPSK	1	0	22.4	26.5
				1	24	22.3	25.8
				1	49	22.5	25.8
				25	0	21.4	26.2
				25	12	21.4	26.1
				25	24	21.4	26.0
				50	0	21.4	26.5
			16QAM	1	0	21.4	26.5
				1	24	21.2	25.8
				1	49	21.3	25.8
				25	0	20.4	26.3
				25	12	20.5	26.1
				25	24	20.5	26.0
				50	0	20.5	26.8
10.0	20600	844.0	QPSK	1	0	22.5	26.1
				1	24	22.5	25.5
				1	49	22.5	24.2
				25	0	21.5	26.1
				25	12	21.4	25.8
				25	24	21.4	25.3
				50	0	21.3	26.2
			16QAM	1	0	21.6	26.1
				1	24	21.6	25.5
				1	49	21.4	24.2
				25	0	20.5	26.1
				25	12	20.5	25.8
				25	24	20.0	25.4
				50	0	20.4	26.1

7.2.4. LTE BAND 7

ID:	38806	Date:	6/24/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 7 (5.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20775	2502.5	QPSK	1	0	18.5	19.8
				1	12	18.6	20.0
				1	24	18.6	20.4
				12	0	17.6	19.9
				12	6	17.6	20.1
				12	11	17.7	20.3
				25	0	17.8	20.8
			16QAM	1	0	17.4	19.5
				1	12	17.7	19.8
				1	24	17.6	20.2
				12	0	16.6	19.8
				12	6	16.5	20.1
				12	11	16.6	20.3
				25	0	16.7	20.6
5.0	21100	2535.0	QPSK	1	0	18.7	22.0
				1	12	18.7	21.9
				1	24	18.6	22.0
				12	0	17.7	22.1
				12	6	17.8	22.2
				12	11	17.8	22.2
				25	0	17.8	22.7
			16QAM	1	0	17.8	22.0
				1	12	17.8	22.0
				1	24	17.7	22.0
				12	0	16.9	22.2
				12	6	17.0	22.3
				12	11	17.0	22.3
				25	0	17.0	22.7
5.0	21425	2567.5	QPSK	1	0	18.6	21.4
				1	12	18.6	21.0
				1	24	18.4	20.7
				12	0	18.0	21.4
				12	6	18.0	21.3
				12	11	17.9	21.2
				25	0	18.0	22.1
			16QAM	1	0	17.5	21.3
				1	12	17.5	21.1
				1	24	17.6	20.8
				12	0	16.5	21.5
				12	6	16.6	21.5
				12	11	16.6	21.5
				25	0	16.6	22.1

OUTPUT POWER FOR LTE BAND 7 (10.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20800	2505.0	QPSK	1	0	18.4	19.6
				1	24	18.5	20.4
				1	49	18.5	20.8
				25	0	17.8	20.1
				25	12	17.6	20.5
				25	24	17.5	20.9
				50	0	17.5	20.9
			16QAM	1	0	17.6	19.4
				1	24	17.6	20.3
				1	49	17.5	20.7
				25	0	16.9	20.2
				25	12	16.5	20.6
				25	24	16.6	21.0
				50	0	16.5	21.1
10.0	21100	2535.0	QPSK	1	0	18.6	21.9
				1	24	18.6	21.9
				1	49	18.7	22.0
				25	0	17.6	22.0
				25	12	17.8	22.2
				25	24	17.8	22.3
				50	0	17.8	22.9
			16QAM	1	0	17.6	21.9
				1	24	17.6	22.0
				1	49	17.7	22.1
				25	0	16.8	22.2
				25	12	17.0	22.3
				25	24	16.8	22.4
				50	0	17.0	22.8
10.0	21400	2565.0	QPSK	1	0	18.6	21.4
				1	24	18.5	21.2
				1	49	18.6	20.6
				25	0	17.6	21.6
				25	12	17.6	21.5
				25	24	17.6	21.4
				50	0	17.6	21.9
			16QAM	1	0	17.5	21.4
				1	24	17.4	21.3
				1	49	17.5	20.8
				25	0	16.5	21.7
				25	12	16.4	21.7
				25	24	16.6	21.6
				50	0	16.4	22.3

OUTPUT POWER FOR LTE BAND 7 (15.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20825	2507.5	QPSK	1	0	18.5	19.7
				1	37	18.4	20.7
				1	74	18.6	21.3
				36	0	17.5	20.4
				36	16	17.5	20.9
				36	35	17.5	21.4
				75	0	17.5	21.6
			16-QAM	1	0	17.6	19.5
				1	37	17.7	20.6
				1	74	17.6	21.4
				36	0	16.6	20.5
				36	16	16.6	21.0
				36	35	16.6	21.5
				75	0	16.6	21.7
15.0	21100	2535.0	QPSK	1	0	18.7	22.0
				1	37	18.5	21.8
				1	74	18.7	22.0
				36	0	17.6	22.0
				36	16	17.8	22.2
				36	35	17.9	22.4
				75	0	17.8	23.1
			16-QAM	1	0	17.7	22.0
				1	37	17.5	21.9
				1	74	17.8	22.2
				36	0	16.8	22.2
				36	16	16.9	22.3
				36	35	16.9	22.4
				75	0	16.9	23.0
15.0	21375	2562.5	QPSK	1	0	18.4	21.6
				1	37	18.5	21.2
				1	74	18.4	20.6
				36	0	17.6	21.6
				36	16	17.5	21.6
				36	35	17.6	21.5
				75	0	17.6	22.4
			16-QAM	1	0	17.7	21.6
				1	37	17.4	21.3
				1	74	17.6	20.9
				36	0	16.4	21.8
				36	16	16.4	21.7
				36	35	16.5	21.7
				75	0	16.4	22.5

OUTPUT POWER FOR LTE BAND 7 (20.0 MHZ)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20850	2510.0	QPSK	1	0	18.4	19.7
				1	49	18.6	20.9
				1	99	18.5	21.7
				50	0	17.6	20.6
				50	24	17.7	21.3
				50	49	17.7	21.8
				100	0	17.7	21.5
			16-QAM	1	0	17.5	19.5
				1	49	17.6	20.7
				1	99	17.8	21.7
				50	0	16.5	20.6
				50	24	16.6	21.3
				50	49	16.4	21.8
				100	0	16.6	21.9
20.0	21100	2535.0	QPSK	1	0	18.6	21.9
				1	49	18.4	21.7
				1	99	18.7	21.9
				50	0	17.5	21.9
				50	24	17.7	22.0
				50	49	17.8	22.3
				100	0	17.8	22.8
			16-QAM	1	0	18.0	21.9
				1	49	17.9	21.8
				1	99	17.8	22.2
				50	0	16.7	22.1
				50	24	16.9	22.2
				50	49	16.8	22.4
				100	0	16.9	22.7
20.0	21350	2560.0	QPSK	1	0	18.6	21.8
				1	49	18.7	21.1
				1	99	18.4	20.6
				50	0	17.6	21.7
				50	24	17.6	21.5
				50	49	17.6	21.5
				100	0	17.7	22.3
			16-QAM	1	0	17.9	21.8
				1	49	17.5	21.2
				1	99	17.6	20.9
				50	0	16.4	21.8
				50	24	16.6	21.6
				50	49	16.6	21.6
				100	0	16.4	22.3

7.2.5. LTE BAND 12

ID:	44366	Date:	6/2/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 12 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	23017	699.7	QPSK	1	0	23.4	27.5
				1	2	23.3	27.4
				1	5	23.3	27.2
				3	0	23.4	27.7
				3	1	23.3	27.6
				3	2	23.3	27.5
			16QAM	6	0	22.2	27.6
				1	0	22.3	27.5
				1	2	22.4	27.4
				1	5	22.3	27.2
				3	0	22.5	27.6
				3	1	22.5	27.5
				3	2	22.5	27.5
				6	0	21.5	27.5
1.4	23095	707.5	QPSK	1	0	23.2	27.1
				1	2	23.2	27.1
				1	5	23.3	27.1
				3	0	23.3	27.4
				3	1	23.3	27.3
				3	2	23.3	27.3
			16QAM	6	0	22.2	27.4
				1	0	22.3	27.0
				1	2	22.3	27.1
				1	5	22.3	27.1
				3	0	22.4	27.2
				3	1	22.4	27.2
				3	2	22.4	27.2
				6	0	21.4	27.4
1.4	23173	715.3	QPSK	1	0	23.3	26.7
				1	2	23.2	26.6
				1	5	23.2	26.5
				3	0	23.2	27.1
				3	1	23.2	26.9
				3	2	23.2	26.9
			16QAM	6	0	22.1	27.1
				1	0	22.2	26.7
				1	2	22.2	26.6
				1	5	22.3	26.6
				3	0	22.3	26.8
				3	1	22.4	26.8
				3	2	22.4	26.8
				6	0	21.3	27.1

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	23025	700.5	QPSK	1	0	23.5	27.6
				1	7	23.4	27.2
				1	14	23.3	27.1
				8	0	22.4	27.3
				8	4	22.4	27.1
				8	7	22.4	27.1
				15	0	22.4	27.6
			16QAM	1	0	22.4	27.6
				1	7	22.5	27.2
				1	14	22.4	27.1
				8	0	21.6	27.3
				8	4	21.7	27.2
				8	7	21.7	27.2
				15	0	21.4	27.5
3.0	23095	707.5	QPSK	1	0	23.3	27.3
				1	7	23.3	27.1
				1	14	23.3	27.3
				8	0	22.4	27.2
				8	4	22.4	27.1
				8	7	22.4	27.2
				15	0	22.4	27.6
			16QAM	1	0	22.2	27.3
				1	7	22.3	27.1
				1	14	22.2	27.4
				8	0	21.5	27.2
				8	4	21.5	27.1
				8	7	21.6	27.2
				15	0	21.5	27.7
3.0	23165	714.5	QPSK	1	0	23.4	27.1
				1	7	23.3	26.8
				1	14	23.3	26.8
				8	0	22.3	26.9
				8	4	22.3	26.9
				8	7	22.3	26.9
				15	0	22.2	27.4
			16QAM	1	0	22.5	27.0
				1	7	22.6	26.8
				1	14	22.4	26.8
				8	0	21.2	27.0
				8	4	21.2	26.9
				8	7	21.3	26.9
				15	0	21.4	27.2

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23035	701.5	QPSK	1	0	23.4	27.6
				1	12	23.3	27.0
				1	24	23.3	27.1
				12	0	22.3	27.3
				12	6	22.4	27.1
				12	11	22.3	27.1
				25	0	22.4	27.7
			16QAM	1	0	22.5	27.2
				1	12	22.6	26.6
				1	24	22.4	26.7
				12	0	21.5	27.2
				12	6	21.5	27.1
				12	11	21.5	27.1
				25	0	21.4	27.5
5.0	23095	707.5	QPSK	1	0	23.5	27.2
				1	12	23.3	27.0
				1	24	23.2	27.1
				12	0	22.3	27.2
				12	6	22.3	27.2
				12	11	22.3	27.2
				25	0	22.3	27.6
			16QAM	1	0	22.5	27.2
				1	12	22.4	27.1
				1	24	22.3	27.2
				12	0	21.4	27.1
				12	6	21.4	27.1
				12	11	21.3	27.1
				25	0	21.3	27.8
5.0	23155	713.5	QPSK	1	0	23.2	27.0
				1	12	23.2	26.7
				1	24	23.3	26.6
				12	0	22.2	26.9
				12	6	22.2	26.9
				12	11	22.2	26.8
				25	0	22.2	27.6
			16QAM	1	0	22.4	27.0
				1	12	22.3	26.7
				1	24	22.3	26.6
				12	0	21.3	26.9
				12	6	21.3	26.9
				12	11	21.2	26.9
				25	0	21.2	27.3

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23060	704.0	QPSK	1	0	23.3	27.7
				1	24	23.3	27.1
				1	49	23.3	27.5
				25	0	22.5	27.3
				25	12	22.5	27.2
				25	24	22.4	27.3
				50	0	22.5	27.5
			16QAM	1	0	22.5	27.6
				1	24	22.4	27.1
				1	49	22.3	27.5
				25	0	21.5	27.3
				25	12	21.6	27.2
				25	24	21.5	27.3
				50	0	21.5	27.5
10.0	23095	707.5	QPSK	1	0	23.4	27.2
				1	24	23.3	27.1
				1	49	23.2	27.1
				25	0	22.5	27.2
				25	12	22.5	27.3
				25	24	22.3	27.2
				50	0	22.4	27.6
			16QAM	1	0	22.2	27.2
				1	24	22.3	27.2
				1	49	22.4	27.1
				25	0	21.4	27.3
				25	12	21.5	27.4
				25	24	21.3	27.2
				50	0	21.4	27.4
10.0	23130	711.0	QPSK	1	0	23.3	27.3
				1	24	23.3	27.0
				1	49	23.2	26.8
				25	0	22.5	27.3
				25	12	22.4	27.2
				25	24	22.3	27.1
				50	0	22.3	27.8
			16QAM	1	0	22.5	27.1
				1	24	22.5	26.8
				1	49	22.3	26.7
				25	0	21.5	27.3
				25	12	21.5	27.2
				25	24	21.4	27.1
				50	0	21.4	27.3

7.2.6. LTE BAND 13

ID:	44366	Date:	6/2/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23207	779.5	QPSK	1	0	23.4	25.9
				1	12	23.2	26.7
				1	24	23.4	26.9
				12	0	22.4	26.8
				12	6	22.6	27.2
				12	11	22.5	27.1
				25	0	22.6	27.8
			16QAM	1	0	22.5	25.8
				1	12	22.3	26.7
				1	24	22.5	26.9
				12	0	21.6	27.2
				12	6	21.6	27.2
				12	11	21.6	27.1
				25	0	21.6	27.6
5.0	23230	782.0	QPSK	1	0	23.4	26.6
				1	12	23.3	27.0
				1	24	23.3	26.7
				12	0	22.4	27.0
				12	6	22.4	27.0
				12	11	22.4	26.9
				25	0	22.4	27.6
			16QAM	1	0	22.5	26.6
				1	12	22.4	26.5
				1	24	22.3	26.2
				12	0	21.5	27.0
				12	6	21.5	27.0
				12	11	21.6	27.0
				25	0	21.4	27.4
5.0	23255	784.5	QPSK	1	0	23.5	27.2
				1	12	23.3	26.7
				1	24	23.3	26.8
				12	0	22.4	27.0
				12	6	22.5	27.0
				12	11	22.4	26.9
				25	0	22.3	27.5
			16QAM	1	0	22.5	27.2
				1	12	22.4	26.7
				1	24	21.9	26.3
				12	0	21.4	26.9
				12	6	21.3	26.6
				12	11	21.5	26.9
				25	0	21.2	26.9

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23230	782.0	QPSK	1	0	23.3	25.8
				1	24	23.4	27.2
				1	49	23.4	26.9
				25	0	22.5	27.3
				25	12	22.6	27.2
				25	24	22.4	27.1
				50	0	22.3	27.5
			16QAM	1	0	22.2	26.0
				1	24	22.5	26.8
				1	49	22.4	26.5
				25	0	20.4	26.2
				25	12	20.8	26.4
				25	24	20.7	26.4
				50	0	20.9	27.1

7.2.7. LTE BAND 17

ID:	44366	Date:	6/2/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23755	706.5	QPSK	1	0	23.4	27.3
				1	12	23.4	27.2
				1	24	23.4	27.4
				12	0	22.4	27.3
				12	6	22.4	27.2
				12	11	22.4	27.3
				25	0	22.4	27.7
			16QAM	1	0	22.5	27.2
				1	12	22.4	27.1
				1	24	22.3	27.3
				12	0	21.3	27.2
				12	6	21.5	27.2
				12	11	21.4	27.2
				25	0	21.4	27.6
5.0	23790	710.0	QPSK	1	0	23.5	27.4
				1	12	23.3	27.1
				1	24	23.3	27.1
				12	0	22.4	27.3
				12	6	22.3	27.1
				12	11	22.3	27.1
				25	0	22.2	28.0
			16QAM	1	0	22.6	27.2
				1	12	22.5	26.9
				1	24	22.5	26.9
				12	0	21.3	27.0
				12	6	21.3	26.9
				12	11	21.2	26.9
				25	0	21.3	27.2
5.0	23825	713.5	QPSK	1	0	23.4	27.2
				1	12	23.3	26.9
				1	24	23.4	26.7
				12	0	22.3	27.1
				12	6	22.3	27.0
				12	11	22.2	26.9
				25	0	22.3	27.2
			16QAM	1	0	22.4	27.2
				1	12	22.3	26.9
				1	24	22.3	26.8
				12	0	21.4	27.1
				12	6	21.4	27.0
				12	11	21.3	26.9
				25	0	21.2	27.4

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23780	709.0	QPSK	1	0	23.3	27.4
				1	24	23.3	27.3
				1	49	23.3	27.3
				25	0	22.4	27.4
				25	12	22.4	27.2
				25	24	22.2	27.2
				50	0	22.3	27.5
			16QAM	1	0	22.3	27.3
				1	24	22.3	27.3
				1	49	22.3	27.2
				25	0	21.5	27.3
				25	12	21.5	27.2
				25	24	21.4	27.2
				50	0	21.4	27.5
10.0	23790	710.0	QPSK	1	0	23.3	27.4
				1	24	23.3	27.1
				1	49	23.2	26.8
				25	0	22.4	27.3
				25	12	22.4	27.2
				25	24	22.3	27.1
				50	0	22.4	27.6
			16QAM	1	0	22.4	27.6
				1	24	22.4	27.4
				1	49	22.2	27.1
				25	0	21.4	27.3
				25	12	21.4	27.2
				25	24	21.3	27.2
				50	0	21.3	27.8
10.0	23800	711.0	QPSK	1	0	23.4	27.5
				1	24	23.4	27.1
				1	49	23.3	26.9
				25	0	22.4	27.3
				25	12	22.4	27.2
				25	24	22.3	27.1
				50	0	22.4	27.7
			16QAM	1	0	22.6	27.4
				1	24	22.6	27.1
				1	49	22.5	26.9
				25	0	21.4	27.3
				25	12	21.4	27.2
				25	24	21.3	27.1
				50	0	21.4	27.6

7.2.8. LTE BAND 25

ID:	44366	Date:	6/2/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 25 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	26047	1850.7	QPSK	1	0	21.0	24.9
				1	2	20.7	24.8
				1	5	20.7	24.8
				3	0	20.9	25.0
				3	1	20.9	25.0
				3	2	20.9	25.0
				6	0	20.1	25.4
			16QAM	1	0	20.0	24.8
				1	2	19.8	24.8
				1	5	19.7	24.8
				3	0	19.9	25.0
				3	1	20.0	24.9
				3	2	19.9	25.0
				6	0	19.3	25.2
1.4	26365	1882.5	QPSK	1	0	20.8	25.2
				1	2	20.8	25.1
				1	5	20.8	25.2
				3	0	20.9	25.3
				3	1	20.9	25.3
				3	2	21.0	25.3
				6	0	19.5	24.8
			16QAM	1	0	19.5	24.8
				1	2	19.5	24.8
				1	5	19.6	24.8
				3	0	19.5	24.9
				3	1	19.5	25.0
				3	2	19.6	25.0
				6	0	18.6	24.8
1.4	26683	1914.3	QPSK	1	0	20.8	24.3
				1	2	20.7	24.2
				1	5	20.6	24.1
				3	0	20.6	24.4
				3	1	20.6	24.3
				3	2	20.6	24.3
				6	0	19.7	24.6
			16QAM	1	0	20.0	24.1
				1	2	20.0	24.0
				1	5	19.9	24.1
				3	0	19.8	24.3
				3	1	19.8	24.2
				3	2	19.8	24.2
				6	0	18.9	25.0

OUTPUT POWER FOR LTE BAND 25 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26055	1851.5	QPSK	1	0	20.7	24.7
				1	7	20.8	24.7
				1	14	20.6	24.7
				8	0	19.7	24.6
				8	4	19.7	24.5
				8	7	19.7	24.5
				15	0	19.6	24.8
			16QAM	1	0	19.7	24.7
				1	7	19.8	24.8
				1	14	19.6	24.7
				8	0	18.9	24.6
				8	4	18.9	24.5
				8	7	18.9	24.5
				15	0	18.6	24.9
3.0	26365	1882.5	QPSK	1	0	20.7	24.7
				1	7	20.8	24.7
				1	14	20.8	24.7
				8	0	19.6	24.5
				8	4	19.7	24.1
				8	7	19.5	24.1
				15	0	19.5	24.8
			16QAM	1	0	19.7	24.7
				1	7	19.6	24.7
				1	14	19.8	24.8
				8	0	18.8	24.3
				8	4	18.8	24.1
				8	7	18.9	24.2
				15	0	18.8	24.8
3.0	26675	1913.5	QPSK	1	0	20.9	24.5
				1	7	20.7	24.0
				1	14	20.8	23.9
				8	0	19.8	24.2
				8	4	19.7	24.1
				8	7	19.7	24.1
				15	0	19.7	24.7
			16QAM	1	0	20.1	24.2
				1	7	20.0	23.9
				1	14	19.9	23.9
				8	0	18.7	24.3
				8	4	18.7	24.3
				8	7	18.7	24.2
				15	0	18.8	24.6

OUTPUT POWER FOR LTE BAND 25 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26065	1852.5	QPSK	1	0	20.9	24.8
				1	12	20.8	24.7
				1	24	20.7	24.6
				12	0	19.8	24.6
				12	6	19.8	24.6
				12	11	19.7	24.6
				25	0	19.7	24.7
			16QAM	1	0	20.0	24.8
				1	12	19.9	24.7
				1	24	19.8	24.7
				12	0	18.9	24.7
				12	6	18.8	24.6
				12	11	18.8	24.6
				25	0	18.7	25.1
5.0	26365	1882.5	QPSK	1	0	20.6	24.7
				1	12	20.6	24.8
				1	24	20.8	24.8
				12	0	19.5	24.5
				12	6	19.7	24.4
				12	11	19.6	24.5
				25	0	19.6	25.1
			16QAM	1	0	19.7	24.8
				1	12	19.7	24.8
				1	24	19.6	24.8
				12	0	18.6	24.5
				12	6	18.5	24.3
				12	11	18.6	24.4
				25	0	18.6	24.8
5.0	26665	1912.5	QPSK	1	0	21.0	24.9
				1	12	20.8	24.2
				1	24	20.7	24.0
				12	0	19.9	24.6
				12	6	19.8	24.4
				12	11	19.8	24.3
				25	0	19.8	24.7
			16QAM	1	0	20.1	24.4
				1	12	20.0	23.9
				1	24	19.9	23.7
				12	0	19.0	24.6
				12	6	19.0	24.5
				12	11	18.9	24.4
				25	0	18.9	25.0

OUTPUT POWER FOR LTE BAND 25 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26090	1855.0	QPSK	1	0	20.8	24.7
				1	24	20.7	24.7
				1	49	20.6	24.9
				25	0	19.8	24.7
				25	12	19.8	24.7
				25	24	19.6	24.8
				50	0	19.7	24.7
			16QAM	1	0	19.8	24.7
				1	24	19.7	24.7
				1	49	19.5	24.9
				25	0	18.9	24.7
				25	12	18.8	24.6
				25	24	18.7	24.7
				50	0	18.7	25.0
				50	0	18.7	25.0
10.0	26365	1882.5	QPSK	1	0	20.7	24.5
				1	24	20.8	24.7
				1	49	20.6	24.7
				25	0	19.6	24.6
				25	12	19.6	24.5
				25	24	19.7	24.5
				50	0	19.6	25.2
			16QAM	1	0	19.8	24.5
				1	24	19.9	24.8
				1	49	19.8	24.7
				25	0	18.8	24.5
				25	12	18.6	24.5
				25	24	18.7	24.6
				50	0	18.6	25.2
				50	0	18.6	25.2
10.0	26640	1910.0	QPSK	1	0	20.9	24.8
				1	24	20.9	24.9
				1	49	20.6	24.0
				25	0	19.9	24.4
				25	12	19.9	24.9
				25	24	19.8	24.6
				50	0	19.9	25.3
			16QAM	1	0	20.2	24.6
				1	24	20.2	24.8
				1	49	20.0	24.1
				25	0	18.9	24.5
				25	12	19.0	24.9
				25	24	18.9	24.7
				50	0	18.9	25.4
				50	0	18.9	25.4

OUTPUT POWER FOR LTE BAND 25 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	26115	1857.5	QPSK	1	0	20.8	25.2
				1	37	20.7	25.0
				1	74	20.7	24.9
				36	0	19.9	24.9
				36	16	19.9	24.9
				36	35	19.8	25.0
				75	0	19.8	25.5
			16-QAM	1	0	19.9	24.8
				1	37	19.9	24.7
				1	74	19.6	24.7
				36	0	18.8	24.9
				36	16	18.9	24.9
				36	35	18.8	24.9
				75	0	18.8	25.4
15.0	26365	1882.5	QPSK	1	0	20.8	24.9
				1	37	20.6	25.0
				1	74	20.7	25.0
				36	0	19.7	24.9
				36	16	19.8	24.9
				36	35	19.7	24.8
				75	0	19.8	25.5
			16-QAM	1	0	19.8	24.9
				1	37	19.6	25.0
				1	74	19.7	25.1
				36	0	18.7	24.8
				36	16	18.7	24.7
				36	35	18.7	24.7
				75	0	18.7	25.4
15.0	26615	1907.5	QPSK	1	0	20.9	24.9
				1	37	20.8	24.7
				1	74	20.8	24.4
				36	0	20.1	25.0
				36	16	19.9	24.9
				36	35	20.1	25.2
				75	0	20.1	25.4
			16-QAM	1	0	20.2	24.9
				1	37	20.3	24.7
				1	74	20.0	24.4
				36	0	19.1	25.1
				36	16	19.1	24.9
				36	35	19.1	25.1
				75	0	19.1	25.3

OUTPUT POWER FOR LTE BAND 25 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	26140	1860.0	QPSK	1	0	20.8	25.2
				1	49	20.8	25.1
				1	99	20.8	24.6
				50	0	19.7	24.8
				50	24	19.7	24.8
				50	49	19.5	24.7
				100	0	19.7	25.0
			16-QAM	1	0	20.0	25.0
				1	49	20.1	24.9
				1	99	19.9	24.6
				50	0	18.7	24.8
				50	24	18.7	24.7
				50	49	18.5	24.7
				100	0	19.0	25.4
20.0	26365	1882.5	QPSK	1	0	20.8	24.9
				1	49	20.9	25.1
				1	99	20.8	24.9
				50	0	19.5	24.7
				50	24	19.6	24.7
				50	49	19.6	24.7
				100	0	19.7	25.1
			16-QAM	1	0	20.1	24.6
				1	49	20.1	24.8
				1	99	20.0	24.7
				50	0	18.5	24.6
				50	24	18.7	24.6
				50	49	18.6	24.6
				100	0	18.9	25.4
20.0	26590	1905.0	QPSK	1	0	20.9	24.6
				1	49	20.9	24.8
				1	99	20.8	24.5
				50	0	19.8	24.8
				50	24	19.9	24.8
				50	49	19.9	25.0
				100	0	19.8	25.2
			16-QAM	1	0	20.0	24.2
				1	49	20.2	24.8
				1	99	19.9	24.3
				50	0	18.7	24.8
				50	24	18.9	24.8
				50	49	18.9	24.6
				100	0	18.9	25.2

7.2.9. LTE BAND 26

ID:	44366	Date:	6/2/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	26697	814.7	QPSK	1	0	22.3	26.9
				1	2	22.3	27.0
				1	5	22.3	27.2
				3	0	22.5	27.1
				3	1	22.5	27.2
				3	2	22.5	27.2
				6	0	21.4	26.9
			16QAM	1	0	21.5	26.9
				1	2	21.5	27.0
				1	5	21.5	27.2
				3	0	21.5	27.1
				3	1	21.5	27.2
				3	2	21.5	27.2
				6	0	20.5	26.9
1.4	26740	819.0	QPSK	1	0	22.3	27.3
				1	2	22.4	27.1
				1	5	22.3	27.4
				3	0	22.3	27.5
				3	1	22.3	27.5
				3	2	22.3	27.5
				6	0	21.2	27.6
			16QAM	1	0	21.5	27.3
				1	2	21.5	27.2
				1	5	21.5	27.3
				3	0	21.5	27.5
				3	1	21.5	27.6
				3	2	21.5	27.6
				6	0	20.3	27.6
1.4	26783	823.3	QPSK	1	0	22.5	26.7
				1	2	22.5	26.7
				1	5	22.5	26.6
				3	0	22.5	26.8
				3	1	22.5	26.9
				3	2	22.5	26.9
				6	0	21.5	26.6
			16QAM	1	0	21.5	26.7
				1	2	21.5	26.7
				1	5	21.4	26.7
				3	0	21.3	26.9
				3	1	21.3	26.9
				3	2	21.3	26.9
				6	0	20.2	26.4

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26705	815.5	QPSK	1	0	22.4	27.0
				1	7	22.5	27.2
				1	14	22.4	27.2
				8	0	21.5	26.6
				8	4	21.4	26.3
				8	7	21.5	26.4
				15	0	21.4	27.9
			16QAM	1	0	21.5	27.0
				1	7	21.5	27.3
				1	14	21.5	27.2
				8	0	20.6	26.4
				8	4	20.6	26.4
				8	7	20.6	26.4
				15	0	20.3	27.7
3.0	26740	819.0	QPSK	1	0	22.4	27.2
				1	7	22.4	27.1
				1	14	22.5	27.0
				8	0	21.3	26.5
				8	4	21.4	26.3
				8	7	21.4	26.3
				15	0	21.4	27.0
			16QAM	1	0	21.3	27.3
				1	7	21.4	27.3
				1	14	21.4	27.1
				8	0	20.4	26.4
				8	4	20.5	26.3
				8	7	20.5	26.3
				15	0	20.4	27.0
3.0	26775	822.5	QPSK	1	0	22.4	26.7
				1	7	22.5	26.6
				1	14	22.4	26.7
				8	0	21.4	26.0
				8	4	21.4	25.9
				8	7	21.4	25.9
				15	0	21.5	26.6
			16QAM	1	0	21.5	26.7
				1	7	21.5	26.6
				1	14	21.4	26.8
				8	0	20.5	26.1
				8	4	20.5	25.9
				8	7	20.5	25.9
				15	0	20.5	26.4

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26715	816.5	QPSK	1	0	22.4	27.1
				1	12	22.4	27.1
				1	24	22.3	27.1
				12	0	21.4	26.5
				12	6	21.4	26.5
				12	11	21.3	26.5
				25	0	21.4	27.3
			16QAM	1	0	21.6	27.1
				1	12	21.5	27.1
				1	24	21.4	27.1
				12	0	20.5	26.6
				12	6	20.4	26.6
				12	11	20.4	26.5
				25	0	20.3	26.7
5.0	26740	819.0	QPSK	1	0	22.4	27.2
				1	12	22.4	27.1
				1	24	22.3	27.2
				12	0	21.4	26.6
				12	6	21.3	26.5
				12	11	21.3	26.5
				25	0	21.3	27.4
			16QAM	1	0	21.6	27.1
				1	12	21.6	27.2
				1	24	21.4	27.1
				12	0	20.4	26.5
				12	6	20.4	26.4
				12	11	20.4	26.4
				25	0	20.3	27.4
5.0	26765	821.5	QPSK	1	0	22.4	26.8
				1	12	22.4	26.5
				1	24	22.5	26.7
				12	0	21.4	26.5
				12	6	21.4	26.4
				12	11	21.5	26.4
				25	0	21.4	26.9
			16QAM	1	0	21.5	26.7
				1	12	21.5	26.5
				1	24	21.5	26.7
				12	0	20.3	26.2
				12	6	20.4	26.1
				12	11	20.5	26.2
				25	0	20.4	27.0

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26740	819.0	QPSK	1	0	22.5	27.1
				1	24	22.5	27.1
				1	49	22.5	27.1
				25	0	21.4	26.8
				25	12	21.4	26.8
				25	24	21.4	26.8
				50	0	21.6	27.3
			16QAM	1	0	21.5	27.2
				1	24	21.4	27.1
				1	49	21.4	27.0
				25	0	20.5	26.8
				25	12	20.5	26.6
				25	24	20.5	26.5
				50	0	20.5	27.3

7.2.10. LTE BAND 27

ID:	44366	Date:	6/2/16
------------	-------	--------------	--------

OUTPUT POWER FOR LTE BAND 27 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	27117	814.7	QPSK	1	0	22.4	27.4
				1	2	22.3	27.1
				1	5	22.3	27.3
				3	0	22.5	27.6
				3	1	22.5	27.6
				3	2	22.5	27.6
				6	0	21.4	27.8
			16QAM	1	0	21.5	27.4
				1	2	21.5	27.2
				1	5	21.5	27.3
				3	0	21.5	27.7
				3	1	21.5	27.6
				3	2	21.5	27.6
				6	0	20.5	27.9
				1	0	22.3	26.4
1.4	27160	819.0	QPSK	1	2	22.3	26.5
				1	5	22.3	26.6
				3	0	22.4	26.8
				3	1	22.5	26.7
				3	2	22.4	26.7
				6	0	21.3	26.5
			16QAM	1	0	21.5	26.5
				1	2	21.5	26.6
				1	5	21.5	26.6
				3	0	21.5	26.6
				3	1	21.5	26.7
				3	2	21.5	26.7
				6	0	20.3	26.7
				1	0	22.3	27.0
1.4	27203	823.3	QPSK	1	2	22.4	27.0
				1	5	22.3	27.0
				3	0	22.4	27.3
				3	1	22.4	27.2
				3	2	22.4	27.1
				6	0	21.3	26.8
			16QAM	1	0	21.3	27.0
				1	2	21.3	26.8
				1	5	21.3	27.0
				3	0	21.5	27.2
				3	1	21.5	27.2
				3	2	21.5	27.1
				6	0	20.4	26.4

OUTPUT POWER FOR LTE BAND 27 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	27125	815.5	QPSK	1	0	22.4	27.1
				1	7	22.5	27.0
				1	14	22.4	26.9
				8	0	21.5	26.5
				8	4	21.5	26.3
				8	7	21.5	26.3
				15	0	21.5	27.2
			16QAM	1	0	21.5	27.2
				1	7	21.6	27.2
				1	14	21.5	27.0
				8	0	20.5	26.5
				8	4	20.5	26.2
				8	7	20.5	26.2
				15	0	20.5	27.8
3.0	27160	819.0	QPSK	1	0	22.4	26.8
				1	7	22.4	26.5
				1	14	22.3	26.7
				8	0	21.4	26.4
				8	4	21.4	26.3
				8	7	21.4	26.3
				15	0	21.5	26.9
			16QAM	1	0	21.3	26.8
				1	7	21.4	26.6
				1	14	21.3	26.7
				8	0	20.5	26.3
				8	4	20.5	26.1
				8	7	20.5	26.2
				15	0	20.5	26.9
3.0	27195	822.5	QPSK	1	0	22.4	27.1
				1	7	22.4	27.0
				1	14	22.3	26.9
				8	0	21.5	26.3
				8	4	21.4	26.1
				8	7	21.4	26.1
				15	0	21.4	26.8
			16QAM	1	0	21.4	27.1
				1	7	21.5	27.1
				1	14	21.5	26.9
				8	0	20.3	26.3
				8	4	20.3	26.0
				8	7	20.2	26.0
				15	0	20.4	26.5

OUTPUT POWER FOR LTE BAND 27 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27135	816.5	QPSK	1	0	22.5	27.2
				1	12	22.4	26.8
				1	24	22.4	26.9
				12	0	21.5	26.4
				12	6	21.5	26.3
				12	11	21.4	26.2
				25	0	21.4	27.0
			16QAM	1	0	21.5	27.2
				1	12	21.5	26.8
				1	24	21.5	26.9
				12	0	20.5	26.4
				12	6	20.5	26.3
				12	11	20.4	26.1
				25	0	20.4	27.6
5.0	27160	819.0	QPSK	1	0	22.4	26.9
				1	12	22.3	26.5
				1	24	22.3	26.8
				12	0	21.4	26.5
				12	6	21.4	26.5
				12	11	21.4	26.4
				25	0	21.4	27.1
			16QAM	1	0	21.5	26.8
				1	12	21.5	26.5
				1	24	21.5	26.8
				12	0	20.5	26.3
				12	6	20.5	26.3
				12	11	20.4	26.3
				25	0	20.4	26.7
5.0	27185	821.5	QPSK	1	0	22.5	27.2
				1	12	22.4	27.0
				1	24	22.3	26.9
				12	0	21.4	26.7
				12	6	21.4	26.5
				12	11	21.3	26.4
				25	0	21.3	27.5
			16QAM	1	0	21.5	27.0
				1	12	21.4	26.9
				1	24	21.5	26.8
				12	0	20.5	26.3
				12	6	20.5	26.2
				12	11	20.4	26.2
				25	0	20.4	26.6

OUTPUT POWER FOR LTE BAND 27 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27160	819.0	QPSK	1	0	22.5	27.0
				1	24	22.5	27.2
				1	49	22.4	26.9
				25	0	21.4	26.7
				25	12	21.5	26.7
				25	24	21.5	26.6
				50	0	21.5	27.5
			16QAM	1	0	21.5	27.0
				1	24	21.4	27.2
				1	49	21.5	27.0
				25	0	20.4	26.7
				25	12	20.5	26.6
				25	24	20.5	26.6
				50	0	20.5	27.3

7.2.11. LTE BAND 30

ID:	38806	Date:	6/24/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 30 (5.0 MH)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27685	2307.5	QPSK	1	0	17.5	22.0
				1	12	17.4	21.7
				1	24	17.3	21.2
				12	0	16.4	21.5
				12	6	16.4	21.3
				12	11	16.3	21.2
				25	0	16.4	22.1
			16QAM	1	0	16.5	21.9
				1	12	16.5	21.6
				1	24	16.4	21.3
				12	0	15.5	21.6
				12	6	15.5	21.4
				12	11	15.3	21.2
				25	0	15.4	22.0
5.0	27710	2310.0	QPSK	1	0	17.5	21.6
				1	12	17.3	21.1
				1	24	17.3	20.8
				12	0	16.4	21.4
				12	6	16.3	21.2
				12	11	16.3	21.0
				25	0	16.4	21.8
			16QAM	1	0	16.5	21.6
				1	12	16.4	21.2
				1	24	16.5	20.9
				12	0	15.5	21.2
				12	6	15.4	21.0
				12	11	15.4	21.0
				25	0	15.4	21.5
5.0	27735	2312.5	QPSK	1	0	17.4	21.2
				1	12	17.3	20.8
				1	24	17.4	21.1
				12	0	16.4	21.1
				12	6	16.4	21.0
				12	11	16.4	20.9
				25	0	16.3	21.7
			16QAM	1	0	16.5	21.2
				1	12	16.5	20.8
				1	24	16.5	20.8
				12	0	15.5	21.1
				12	6	15.5	20.9
				12	11	15.5	20.9
				25	0	15.5	21.6

OUTPUT POWER FOR LTE BAND 30 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27710	2310.0	QPSK	1	0	17.5	21.8
				1	24	17.2	21.0
				1	49	17.2	20.6
				25	0	16.3	21.4
				25	12	16.2	21.0
				25	24	16.2	20.8
				50	0	16.3	22.3
			16QAM	1	0	16.4	21.7
				1	24	16.3	21.0
				1	49	16.2	20.9
				25	0	15.4	21.4
				25	12	15.2	20.8
				25	24	15.2	20.7
				50	0	15.2	22.0

7.2.12 LTE BAND 41

ID:	38806	Date:	6/24/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 41 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	39675	2498.5	QPSK	1	0	20.5	24.3
				1	12	20.5	24.7
				1	24	20.5	25.1
				12	0	19.5	24.6
				12	6	19.5	25.0
				12	11	19.5	25.1
				25	0	19.5	25.4
			16QAM	1	0	19.4	24.2
				1	12	19.3	24.7
				1	24	19.5	25.1
				12	0	18.5	24.7
				12	6	18.5	25.0
				12	11	18.5	25.1
				25	0	18.5	25.3
5.0	40620	2593.0	QPSK	1	0	20.5	24.3
				1	12	20.3	24.3
				1	24	20.3	24.2
				12	0	19.4	24.3
				12	6	19.4	24.2
				12	11	19.3	24.2
				25	0	19.3	24.7
			16QAM	1	0	19.5	24.4
				1	12	19.5	24.3
				1	24	19.5	24.2
				12	0	18.4	24.3
				12	6	18.4	24.2
				12	11	18.4	24.2
				25	0	18.4	24.6
5.0	41565	2687.5	QPSK	1	0	20.4	24.3
				1	12	20.4	24.0
				1	24	20.5	23.9
				12	0	19.4	24.2
				12	6	19.3	24.1
				12	11	19.5	24.0
				25	0	19.5	24.3
			16QAM	1	0	19.4	24.2
				1	12	19.4	24.1
				1	24	19.4	23.9
				12	0	18.3	24.1
				12	6	18.4	24.0
				12	11	18.4	24.0
				25	0	18.5	24.1

OUTPUT POWER FOR LTE BAND 41 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	39700	2501.0	QPSK	1	0	20.2	22.8
				1	24	20.3	23.7
				1	49	20.3	24.1
				25	0	19.3	23.5
				25	12	19.3	24.0
				25	24	19.4	24.2
				50	0	19.4	24.3
			16QAM	1	0	19.5	22.8
				1	24	19.3	23.7
				1	49	19.5	24.2
				25	0	18.5	23.6
				25	12	18.4	23.9
				25	24	18.3	24.2
				50	0	18.3	24.2
10.0	40620	2593.0	QPSK	1	0	20.5	24.2
				1	24	20.3	24.2
				1	49	20.2	24.0
				25	0	19.5	24.3
				25	12	19.3	24.2
				25	24	19.3	24.1
				50	0	19.3	24.5
			16QAM	1	0	19.5	24.3
				1	24	19.5	24.2
				1	49	19.5	24.0
				25	0	18.4	24.3
				25	12	18.3	24.1
				25	24	18.2	24.1
				50	0	18.3	24.5
10.0	41540	2685.0	QPSK	1	0	20.5	24.5
				1	24	20.4	24.1
				1	49	20.4	23.7
				25	0	19.4	24.2
				25	12	19.5	24.1
				25	24	19.4	23.9
				50	0	19.4	24.3
			16QAM	1	0	19.2	24.5
				1	24	19.4	24.1
				1	49	19.4	23.7
				25	0	18.4	24.2
				25	12	18.4	24.0
				25	24	18.4	23.9
				50	0	18.4	24.5

OUTPUT POWER FOR LTE BAND 41 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	39725	2503.5	QPSK	1	0	20.4	23.0
				1	37	20.5	24.0
				1	74	20.3	24.6
				36	0	19.4	23.8
				36	16	19.4	24.2
				36	35	19.4	24.3
				75	0	19.3	24.9
			16-QAM	1	0	19.3	23.0
				1	37	19.4	24.1
				1	74	19.4	24.7
				36	0	18.3	23.8
				36	16	18.3	24.3
				36	35	18.3	24.3
				75	0	18.4	25.1
15.0	40620	2593.0	QPSK	1	0	20.5	24.4
				1	37	20.2	24.1
				1	74	20.3	23.9
				36	0	19.4	24.3
				36	16	19.3	24.1
				36	35	19.2	24.1
				75	0	19.3	24.8
			16-QAM	1	0	19.5	24.4
				1	37	19.4	24.2
				1	74	19.3	24.0
				36	0	18.4	24.3
				36	16	18.3	24.1
				36	35	18.2	24.1
				75	0	18.3	24.7
15.0	41515	2682.5	QPSK	1	0	20.5	24.8
				1	37	20.4	24.2
				1	74	20.3	23.8
				36	0	19.3	24.3
				36	16	19.4	24.2
				36	35	19.4	24.0
				75	0	19.4	24.7
			16-QAM	1	0	19.3	24.6
				1	37	19.4	24.2
				1	74	19.3	23.9
				36	0	18.4	24.1
				36	16	18.3	24.0
				36	35	18.3	23.8
				75	0	18.3	24.5

OUTPUT POWER FOR LTE BAND 41 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	39750	2506.0	QPSK	1	0	20.3	23.0
				1	49	20.3	24.3
				1	99	20.3	24.5
				50	0	19.4	23.9
				50	24	19.3	24.2
				50	49	19.4	24.2
				100	0	19.4	24.4
			16-QAM	1	0	19.4	22.9
				1	49	19.4	24.3
				1	99	19.3	24.5
				50	0	18.3	24.0
				50	24	18.4	24.3
				50	49	18.4	24.3
				100	0	18.3	24.6
20.0	40620	2593.0	QPSK	1	0	20.5	24.2
				1	49	20.4	24.0
				1	99	20.5	23.8
				50	0	19.4	24.2
				50	24	19.2	24.0
				50	49	19.4	23.9
				100	0	19.4	24.4
			16-QAM	1	0	19.5	24.3
				1	49	19.3	24.0
				1	99	19.2	23.8
				50	0	18.3	24.2
				50	24	18.3	24.0
				50	49	18.4	23.9
				100	0	18.4	24.3
20.0	41490	2680.0	QPSK	1	0	20.4	24.8
				1	49	20.3	24.2
				1	99	20.2	23.7
				50	0	19.5	24.2
				50	24	19.4	24.0
				50	49	19.2	23.8
				100	0	19.5	25.0
			16-QAM	1	0	19.4	24.5
				1	49	19.5	24.1
				1	99	19.3	23.7
				50	0	18.4	24.2
				50	24	18.3	23.8
				50	49	18.3	23.7
				100	0	18.4	24.4

8. CONDUCTED TEST RESULTS

8.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The -26dB bandwidth was also measured and recorded.

MODES TESTED

- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 27
- LTE Band 30
- LTE Band 41

RESULTS

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 2	1.4 MHz BAND QPSK	6/0	1880	1.0916	1.215
	1.4 MHz BAND 16QAM	6/0	1880	1.0855	1.232
	3.0 MHz BAND QPSK	15/0	1880	2.6848	2.913
	3.0 MHz BAND 16QAM	15/0	1880	2.6853	2.954
	5.0 MHz BAND QPSK	25/0	1880	4.4576	4.791
	5.0 MHz BAND 16QAM	25/0	1880	4.4634	4.828
	10.0 MHz BAND QPSK	50/0	1880	8.8852	9.473
	10.0 MHz BAND 16QAM	50/0	1880	8.9068	9.582
	15.0 MHz BAND QPSK	75/0	1880	13.4200	14.358
	15.0 MHz BAND 16QAM	75/0	1880	13.4008	14.298
	20.0 MHz BAND QPSK	100/0	1880	17.8618	19.160
	20.0 MHz BAND 16QAM	100/0	1880	17.8449	18.745

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 4	1.4 MHz BAND QPSK	6/0	1732.5	1.0913	1.237
	1.4 MHz BAND 16QAM	6/0	1732.5	1.0939	1.219
	3.0 MHz BAND QPSK	15/0	1732.5	2.6773	2.892
	3.0 MHz BAND 16QAM	15/0	1732.5	2.6840	2.907
	5.0 MHz BAND QPSK	25/0	1732.5	4.4627	4.914
	5.0 MHz BAND 16QAM	25/0	1732.5	4.4617	4.846
	10.0 MHz BAND QPSK	50/0	1732.5	8.9345	9.694
	10.0 MHz BAND 16QAM	50/0	1732.5	8.9544	9.628
	15.0 MHz BAND QPSK	75/0	1732.5	13.4185	14.234
	15.0 MHz BAND 16QAM	75/0	1732.5	13.4056	14.278
	20.0 MHz BAND QPSK	100/0	1732.5	17.8222	18.861
	20.0 MHz BAND 16QAM	100/0	1732.5	17.8010	18.679

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 5	1.4 MHz BAND QPSK	6/0	836.5	1.0893	1.219
	1.4 MHz BAND 16QAM	6/0	836.5	1.0946	1.229
	3.0 MHz BAND QPSK	15/0	836.5	2.6688	2.894
	3.0 MHz BAND 16QAM	15/0	836.5	2.6801	2.927
	5.0 MHz BAND QPSK	25/0	836.5	4.4572	4.885
	5.0 MHz BAND 16QAM	25/0	836.5	4.4606	4.843
	10.0 MHz BAND QPSK	50/0	836.5	8.9449	9.537
	10.0 MHz BAND 16QAM	50/0	836.5	8.9270	9.528

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 7	5.0 MHz BAND QPSK	25/0	2535	4.4564	4.878
	5.0 MHz BAND 16QAM	25/0	2535	4.4494	4.878
	10.0 MHz BAND QPSK	50/0	2535	8.9458	9.627
	10.0 MHz BAND 16QAM	50/0	2535	8.9509	9.545
	15.0 MHz BAND QPSK	75/0	2535	13.3746	14.314
	15.0 MHz BAND 16QAM	75/0	2535	13.4049	14.330
	20.0 MHz BAND QPSK	100/0	2535	17.8812	18.980
	20.0 MHz BAND 16QAM	100/0	2535	17.8792	19.060

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 12	1.4 MHz BAND QPSK	6/0	707.5	1.0808	1.238
	1.4 MHz BAND 16QAM	6/0	707.5	1.0970	1.233
	3.0 MHz BAND QPSK	15/0	707.5	2.6887	2.914
	3.0 MHz BAND 16QAM	15/0	707.5	2.6802	2.926
	5.0 MHz BAND QPSK	25/0	707.5	4.4617	4.834
	5.0 MHz BAND 16QAM	25/0	707.5	4.4601	4.772
	10.0 MHz BAND QPSK	50/0	707.5	8.9476	9.604
	10.0 MHz BAND 16QAM	50/0	707.5	8.9392	9.560

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 13	5.0 MHz BAND QPSK	25/0	782	4.4564	4.784
	5.0 MHz BAND 16QAM	25/0	782	4.4633	4.791
	10.0 MHz BAND QPSK	50/0	782	8.9036	9.474
	10.0 MHz BAND 16QAM	50/0	782	8.9126	9.543

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 17	5.0 MHz BAND QPSK	25/0	710	4.4575	4.789
	5.0 MHz BAND 16QAM	25/0	710	4.4661	4.807
	10.0 MHz BAND QPSK	50/0	710	8.9542	9.568
	10.0 MHz BAND 16QAM	50/0	710	8.9271	9.568

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 25	1.4 MHz BAND QPSK	6/0	1882.5	1.0879	1.229
	1.4 MHz BAND 16QAM	6/0	1882.5	1.0907	1.254
	3.0 MHz BAND QPSK	15/0	1882.5	2.6720	2.892
	3.0 MHz BAND 16QAM	15/0	1882.5	2.6845	2.938
	5.0 MHz BAND QPSK	25/0	1882.5	4.4542	4.796
	5.0 MHz BAND 16QAM	25/0	1882.5	4.4711	4.867
	10.0 MHz BAND QPSK	50/0	1882.5	8.9253	9.596
	10.0 MHz BAND 16QAM	50/0	1882.5	8.9412	9.422
	15.0 MHz BAND QPSK	75/0	1882.5	13.4271	14.241
	15.0 MHz BAND 16QAM	75/0	1882.5	13.4263	14.357
	20.0 MHz BAND QPSK	100/0	1882.5	17.8618	18.825
	20.0 MHz BAND 16QAM	100/0	1882.5	17.8278	18.654

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 26	1.4 MHz BAND QPSK	6/0	819	1.0887	1.244
	1.4 MHz BAND 16QAM	6/0	819	1.0963	1.244
	3.0 MHz BAND QPSK	15/0	819	2.6797	2.939
	3.0 MHz BAND 16QAM	15/0	819	2.6811	2.941
	5.0 MHz BAND QPSK	25/0	819	4.4503	4.857
	5.0 MHz BAND 16QAM	25/0	819	4.4677	4.809
	10.0 MHz BAND QPSK	50/0	819	8.9191	9.503
	10.0 MHz BAND 16QAM	50/0	819	8.9210	9.581


BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 27	1.4 MHz BAND QPSK	6/0	819	1.0883	1.217
	1.4 MHz BAND 16QAM	6/0	819	1.0847	1.228
	3.0 MHz BAND QPSK	15/0	819	2.6809	2.926
	3.0 MHz BAND 16QAM	15/0	819	2.6824	2.891
	5.0 MHz BAND QPSK	25/0	819	4.4886	4.844
	5.0 MHz BAND 16QAM	25/0	819	4.4663	4.830
	10.0 MHz BAND QPSK	50/0	819	8.9138	9.426
	10.0 MHz BAND 16QAM	50/0	819	8.9423	9.462

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 30	5.0 MHz BAND QPSK	25/0	2310	4.4567	4.862
	5.0 MHz BAND 16QAM	25/0	2310	4.456	4.860
	10.0 MHz BAND QPSK	50/0	2310	8.9229	9.566
	10.0 MHz BAND 16QAM	50/0	2310	8.9247	9.571


BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 41	5.0 MHz BAND QPSK	25/0	2593	4.4488	4.841
	5.0 MHz BAND 16QAM	25/0	2593	4.4463	4.846
	10.0 MHz BAND QPSK	50/0	2593	8.8776	9.585
	10.0 MHz BAND 16QAM	50/0	2593	8.8994	9.389
	15.0 MHz BAND QPSK	75/0	2593	13.3927	14.186
	15.0 MHz BAND 16QAM	75/0	2593	13.4052	14.326
	20.0 MHz BAND QPSK	100/0	2593	17.9177	18.648
	20.0 MHz BAND 16QAM	100/0	2593	17.9159	18.648

8.1.1. LTE BAND 2


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)




QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




QPSK, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




8.1.3. LTE BAND 5


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.4. LTE BAND 7


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




8.1.5. LTE BAND 12

QPSK, (1.4 MHz BAND WIDTH)



16QAM, (1.4 MHz BAND WIDTH)



MID CH, RB15-0

Agilent 19:21:29 Apr 13, 2016 R T

Ch Freq 707.5 MHz		Trig Free		Freq/Channel	
Occupied Bandwidth				Center Freq 707.500000 MHz	
				Start Freq 704.500000 MHz	
				Stop Freq 710.500000 MHz	
38806				CF Step 600.000000 kHz Auto Man	
Ref 30 dBm		#Atten 30 dB		Freq Offset 0.00000000 Hz	
#Peak				Freq Offset	
Log				On Off	
10					
dB/					
Offset					
11.1					
dB					
Center 707.500 MHz		Span 6 MHz			
#Res BW 30 kHz		VBW 91 kHz		Sweep 6.4 ms (1001 pts)	
Occupied Bandwidth		Occ BW % Pwr		99.00 %	
2.6887 MHz		x dB		-26.00 dB	
Transmit Freq Error		3.220 kHz			
x dB Bandwidth		2.914 MHz			
Copyright 2000-2010 Agilent Technologies					

Mid CH, RB15-0

Agilent 19:21:49 Apr 13, 2016

W R T

Ch Freq 707.5 MHz

Trig Free

Occupied Bandwidth

38806

Ref 30 dBm

#Atten 30 dB

#Peak

Log

10

dB/

Offst

11.1

dB

Center 707.500 MHz

Span 6 MHz

#Res BW 30 kHz

VBW 91 kHz

Sweep 6.4 ms (1001 pts)

Occupied Bandwidth

2.6802 MHz

Occ BW % Pwr

99.00 %

x dB

-26.00 dB

Transmit Freq Error

344.731 Hz

x dB Bandwidth

2.926 MHz

Center Freq

707.500000 MHz

Start Freq

704.500000 MHz

Stop Freq

710.500000 MHz

CF Step

600.000000 kHz

Auto Man

Freq Offset


0.00000000 Hz

Signal Track


On Off

Copyright 2000-2010 Agilent Technologies


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.6. LTE BAND 13


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.7. LTE BAND 17


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.8. LTE BAND 25


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)



QPSK, (15.0 MHz BAND WIDTH)



16QAM, (15.0 MHz BAND WIDTH)



MID CH, RB100-0

✱ Agilent 18:52:15 Apr 13, 2016
R T

Ch Freq 1.8825 GHz		Trig Free	Freq/Channel
Occupied Bandwidth			Center Freq 1.88250000 GHz
38806			Start Freq 1.86250000 GHz
Ref 30 dBm			Stop Freq 1.90250000 GHz
#Peak			CF Step 4.00000000 MHz
Log			Auto Man
dB/			Freq Offset 0.00000000 Hz
Offset			
11.3			
dB			

Center 1.882 50 GHz

#Res BW 200 kHz

VBW 620 kHz

Sweep 1 ms (1001 pts)

Occupied Bandwidth

17.8618 MHz

Transmit Freq Error 17.889 kHz

x dB Bandwidth 18.825 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Signal Track

On

CF

Copyright 2000-2010 Agilent Technologies

MID CH, RB100-0


Agilent 18:51:58 Apr 13, 2016 R T

Ch Freq 1.8825 GHz		Trig Free	Freq/Channel
Occupied Bandwidth			Center Freq 1.88250000 GHz
38806 Ref 30 dBm #Peak			Start Freq 1.86250000 GHz
Log 10 dB/Offt 11.3 dB			Stop Freq 1.90250000 GHz
#Atten 30 dB			CF Step 4.00000000 MHz Auto Man
Center 1.882 50 GHz #Res BW 200 kHz		Span 40 MHz VBW 620 kHz Sweep 1 ms (1001 pts)	Freq Cftset 0.00000000 Hz
Occupied Bandwidth 17.8278 MHz		Occ BW % Pwr 99.00 % x dB -26.00 dB	Signal Track On C/F
Transmit Freq Error 29.469 kHz x dB Bandwidth 18.654 MHz			


Copyright 2000-2010 Agilent Technologies

8.1.9. LTE BAND 26


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.10. LTE BAND 27


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.11. LTE BAND 30


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.12. LTE BAND 41


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)



16QAM, (20.0 MHz BAND WIDTH)



8.2. BANEDGE AND EMISSION MASK

RULE PART(S)

FCC: §2.1051, §22.901, §22.917, §24.238, §27.53, and §90.691

LIMITS

FCC: §24.238, §27.53

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.

FCC: §90.210, and §90.691 (LTE BAND 26)

(a)(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(a)(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

FCC: §27.53

(c) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(3) and (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

FCC: §27.53 (LTE BAND 41)

(m)(6) Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

(m)(4) For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees. Show citation box.

TEST PROCEDURE

The transmitter output was connected to a CMW500 Test Set and configured to operate at maximum power. The band edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.

For each band edge measurement:

Set the spectrum analyzer span to include the block edge frequency (704, 716, 824, 849, 1710 and 1755, 1850 and 1910 MHz)

Set a marker to point the corresponding band edge frequency in each test case.

Set display line at -13 dBm

Set resolution bandwidth to at least 1% of emission bandwidth.

MODES TESTED



- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 27
- LTE Band 30
- LTE Band 41



RESULTS



8.2.1. LTE BAND 2 BANDEDGE



ID:	38806	Date:	3/27/16
-----	-------	-------	---------

QPSK, (1.4 MHz BAND WIDTH)

















16QAM, (1.4 MHz BAND WIDTH)

















QPSK, (3.0 MHz BAND WIDTH)

















16QAM, (3.0 MHz BAND WIDTH)

















QPSK, (5.0 MHz BAND WIDTH)















16QAM, (5.0 MHz BAND WIDTH)







LOW CH, RB25-0

Agilent 08:40:18 Mar 27, 2016

R T

Freq/Channel

Ref 30 dBm #Atten 30 dB Mkr2 1.849 995 GHz
-30.906 dBm

Center Freq
1.85000000 GHz


Start Freq
1.84500000 GHz

Stop Freq
1.85500000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off



Center 1.850 000 GHz Span 10 MHz
#Res BW 51 kHz #VBW 150 kHz Sweep 11.66 ms (1000 pts)

File Operation Status, C:\FILE001.CSV file saved

HIGH CH, RB25-0

Agilent 08:50:18 Mar 27, 2016

R T

Freq/Channel

Ref 30 dBm #Atten 30 dB Mkr2 1.910 015 GHz
-31.147 dBm

Center Freq
1.91000000 GHz


Start Freq
1.90500000 GHz

Stop Freq
1.91500000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz



Signal Track
On Off







Center 1.910 000 GHz Span 10 MHz
#Res BW 51 kHz #VBW 150 kHz Sweep 11.66 ms (1000 pts)



File Operation Status, C:\FILE001.CSV file saved

QPSK, (10.0 MHz BAND WIDTH)

















16QAM, (10.0 MHz BAND WIDTH)

















QPSK, (15.0 MHz BAND WIDTH)

















16QAM, (15.0 MHz BAND WIDTH)

















QPSK, (20.0 MHz BAND WIDTH)

















16QAM, (20.0 MHz BAND WIDTH)















8.2.2. LTE BAND 4 BANDEDGE



ID:	38806	Date:	3/27/16
-----	-------	-------	---------

QPSK, (1.4 MHz BAND WIDTH)

















16QAM, (1.4 MHz BAND WIDTH)

















QPSK, (3.0 MHz BAND WIDTH)

















16QAM, (3.0 MHz BAND WIDTH)

















QPSK, (5.0 MHz BAND WIDTH)















16QAM, (5.0 MHz BAND WIDTH)








LOW CH, RB25-0

Agilent 02:03:36 Mar 27, 2016

R T




Freq/Channel
Center Freq 1.71000000 GHz
Start Freq 1.70500000 GHz
Stop Freq 1.71500000 GHz
CF Step 1.00000000 MHz Auto Man
Freq Offset 0.00000000 Hz
Signal Track On Off

File Operation Status, C:\FILE001.CSV file saved

HIGH CH, RB25-0

Agilent 02:12:36 Mar 27, 2016



R T







Freq/Channel
Center Freq 1.75500000 GHz
Start Freq 1.75000000 GHz
Stop Freq 1.76000000 GHz
CF Step 1.00000000 MHz Auto Man
Freq Offset 0.00000000 Hz
Signal Track On Off



File Operation Status, C:\FILE001.CSV file saved

QPSK, (10.0 MHz BAND WIDTH)

















16QAM, (10.0 MHz BAND WIDTH)

















QPSK, (15.0 MHz BAND WIDTH)

















16QAM, (15.0 MHz BAND WIDTH)

















QPSK, (20.0 MHz BAND WIDTH)

















16QAM, (20.0 MHz BAND WIDTH)















8.2.3. LTE BAND 5 BANDEDGE



ID:	38806	Date:	3/27/16
------------	-------	--------------	---------

QPSK, (1.4 MHz BAND WIDTH)

















16QAM, (1.4 MHz BAND WIDTH)

















QPSK, (3.0 MHz BAND WIDTH)

















16QAM, (3.0 MHz BAND WIDTH)

















QPSK, (5.0 MHz BAND WIDTH)















16QAM, (5.0 MHz BAND WIDTH)








LOW CH, RB25-0

Agilent 03:07:29 Mar 27, 2016

R T




Freq/Channel
Center Freq 824.000000 MHz
Start Freq 819.000000 MHz
Stop Freq 829.000000 MHz
CF Step 1.00000000 MHz Auto Man
Freq Offset 0.00000000 Hz
Signal Track On Off

File Operation Status, C:\FILE001.CSV file saved

HIGH CH, RB25-0

Agilent 03:17:09 Mar 27, 2016



R T







Freq/Channel
Center Freq 849.000000 MHz
Start Freq 844.000000 MHz
Stop Freq 854.000000 MHz
CF Step 1.00000000 MHz Auto Man
Freq Offset 0.00000000 Hz
Signal Track On Off



File Operation Status, C:\FILE001.CSV file saved

QPSK, (10.0 MHz BAND WIDTH)









16QAM, (10.0 MHz BAND WIDTH)

