



FCC CFR47 PART 22H, 24E, 27 AND 90S

CERTIFICATION TEST REPORT

FOR

CELLULAR PHONE WITH BLUETOOTH AND WLAN RADIOS

MODEL NUMBER: A1661, A1786

FCC ID: BCG-E3087A

REPORT NUMBER: 16U23287-E8V3

ISSUE DATE: JULY 31, 2016

Prepared for
APPLE, INC.
1 INFINITE LOOP
CUPERTINO, CA 95014, U.S.A.

Prepared by
UL VERIFICATION SERVICES INC.
47173 BENICIA STREET
FREMONT, CA 94538, U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888



NVLAP LAB CODE 200065-0

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	07/25/2016	Initial Review	Mengistu Mekuria
V2	07/30/2016	Revised reports to address TCB's questions	Tina Chu
V3	07/31/2016	Revised reports to address TCB's questions	Tina Chu

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	8
2. TEST METHODOLOGY	9
3. FACILITIES AND ACCREDITATION	9
4. CALIBRATION AND UNCERTAINTY	10
4.1. MEASURING INSTRUMENT CALIBRATION	10
4.2. SAMPLE CALCULATION	10
4.3. MEASUREMENT UNCERTAINTY	10
5. EQUIPMENT UNDER TEST	11
5.1. DESCRIPTION OF EUT	11
5.2. MAXIMUM OUTPUT POWER.....	11
5.2.1. LAT	11
5.2.2. UAT	17
5.3. SOFTWARE AND FIRMWARE.....	23
5.4. MAXIMUM ANTENNA GAIN.....	23
5.5. WORST-CASE CONFIGURATION AND MODE	24
5.6. DESCRIPTION OF TEST SETUP.....	25
6. TEST AND MEASUREMENT EQUIPMENT	27
7. RF POWER OUTPUT VERIFICATION	28
7.1. LAT	29
7.1.1. LTE BAND 2	29
7.1.2. LTE BAND 4	35
7.1.3. LTE BAND 5	41
7.1.4. LTE BAND 7	45
7.1.5. LTE BAND 12	49
7.1.6. LTE BAND 13	53
7.1.7. LTE BAND 17	55
7.1.8. LTE BAND 25	57
7.1.9. LTE BAND 26	63
7.1.10. LTE BAND 27.....	67
7.1.11. LTE BAND 30.....	71
7.1.12. LTE BAND 41.....	73

7.2.	UAT	77
7.2.1.	LTE BAND 2	77
7.2.2.	LTE BAND 4	83
7.2.3.	LTE BAND 5	89
7.2.4.	LTE BAND 7	93
7.2.5.	LTE BAND 12	97
7.2.6.	LTE BAND 13	101
7.2.7.	LTE BAND 17	103
7.2.8.	LTE BAND 25	105
7.2.9.	LTE BAND 26	111
7.2.10.	LTE BAND 27.....	115
7.2.11.	LTE BAND 30.....	119
7.2.12.	LTE BAND 41.....	121
8.	CONDUCTED TEST RESULTS	125
8.1.	OCCUPIED BANDWIDTH	125
8.1.1.	LTE BAND 2	134
8.1.2.	LTE BAND 4	140
8.1.3.	LTE BAND 5	146
8.1.4.	LTE BAND 7	150
8.1.5.	LTE BAND 12	154
8.1.6.	LTE BAND 13	158
8.1.7.	LTE BAND 17	160
8.1.8.	LTE BAND 25	162
8.1.9.	LTE BAND 26	168
8.1.10.	LTE BAND 27.....	176
8.1.11.	LTE BAND 30.....	184
8.1.12.	LTE BAND 41.....	186
8.2.	BANDEDGE AND EMISSION MASK	190
8.2.1.	LTE BAND 2 BANDEDGE	193
8.2.2.	LTE BAND 4 BANDEDGE	241
8.2.3.	LTE BAND 5 BANDEDGE	289
8.2.4.	LTE BAND 7 ADJACENT CHANNEL POWER	321
8.2.5.	LTE BAND 12 BANDEDGE	345
8.2.6.	LTE BAND 13 EMISSION MASK	377

8.2.7.	LTE BAND 17 BANDEDGE	393
8.2.8.	LTE BAND 25 BANDEDGE	409
8.2.9.	LTE BAND 26 EMISSION MASK	457
8.2.10.	LTE BAND 27 EMISSION MASK	479
8.2.11.	LTE BAND 30 ADJACENT CHANNEL POWER	501
8.2.12.	LTE BAND 41 ADJACENT CHANNEL POWER	511
8.3.	OUT OF BAND EMISSIONS	535
8.3.1.	LTE BAND 2	536
8.3.2.	LTE BAND 4	554
8.3.3.	LTE BAND 5	572
8.3.4.	LTE BAND 7	584
8.3.5.	LTE BAND 12	596
8.3.6.	LTE BAND 13	608
8.3.7.	LTE BAND 17	612
8.3.8.	LTE BAND 25	618
8.3.9.	LTE BAND 26	636
8.3.10.	LTE BAND 27	646
8.3.11.	LTE BAND 30	656
8.3.12.	LTE BAND 41	668
9.	FREQUENCY STABILITY	680
9.1.	LTE BAND 2	681
9.2.	LTE BAND 4	682
9.3.	LTE BAND 5	683
9.4.	LTE BAND 7	684
9.5.	LTE BAND 12	685
9.6.	LTE BAND 13	686
9.7.	LTE BAND 17	687
9.8.	LTE BAND 25	688
9.9.	LTE BAND 26	689
9.10.	LTE BAND 27	690
9.11.	LTE BAND 30	691
9.12.	LTE BAND 41	692
10.	RADIATED TEST RESULTS	693
10.1.	RADIATED POWER (ERP & EIRP), LAT	693

10.1.1.	LTE BAND 2.....	707
10.1.2.	LTE BAND 4.....	719
10.1.3.	LTE BAND 5.....	731
10.1.4.	LTE BAND 7.....	739
10.1.5.	LTE BAND 12.....	747
10.1.6.	LTE BAND 13.....	755
10.1.7.	LTE BAND 17.....	759
10.1.8.	LTE BAND 25.....	763
10.1.9.	LTE BAND 26.....	775
10.1.10.	LTE BAND 27.....	783
10.1.11.	LTE BAND 30.....	791
10.1.12.	LTE BAND 41.....	795
10.2.	RADIATED POWER (ERP & EIRP), UAT	803
10.2.1.	LTE BAND 2.....	815
10.2.2.	LTE BAND 4.....	827
10.2.3.	LTE BAND 5.....	839
10.2.5.	LTE BAND 7.....	847
10.2.6.	LTE BAND 12.....	855
10.2.7.	LTE BAND 13.....	863
10.2.8.	LTE BAND 17.....	867
10.2.9.	LTE BAND 25.....	871
10.2.10.	LTE BAND 26.....	883
10.2.11.	LTE BAND 27.....	891
10.2.12.	LTE BAND 30.....	899
10.2.13.	LTE BAND 41.....	903
10.3.	PEAK-TO-AVERAGE RATIO	911
10.3.1.	LTE BAND 2.....	912
10.3.2.	LTE BAND 4.....	918
10.3.3.	LTE BAND 5.....	924
10.3.4.	LTE BAND 7.....	928
10.3.5.	LTE BAND 12.....	932
10.3.6.	LTE BAND 13.....	936
10.3.7.	LTE BAND 17.....	938
10.3.8.	LTE BAND 25.....	940
10.3.9.	LTE BAND 26.....	946

10.3.10.	LTE BAND 27.....	950
10.3.11.	LTE BAND 30.....	954
10.3.12.	LTE BAND 41.....	956
10.4.	FIELD STRENGTH OF SPURIOUS RADIATION, LAT	960
10.4.1.	LTE BAND 2.....	962
10.4.2.	LTE BAND 4.....	964
10.4.3.	LTE BAND 5.....	966
10.4.4.	LTE BAND 7.....	968
10.4.5.	LTE BAND 12.....	970
10.4.6.	LTE BAND 13.....	972
10.4.7.	LTE BAND 17.....	974
10.4.8.	LTE BAND 25.....	976
10.4.9.	LTE BAND 26.....	978
10.4.10.	LTE BAND 27.....	980
10.4.11.	LTE BAND 30.....	982
10.4.12.	LTE BAND 41.....	984
10.5.	FIELD STRENGTH OF SPURIOUS RADIATION, UAT.....	986
10.5.1.	LTE BAND 2.....	986
10.5.2.	LTE BAND 4.....	988
10.5.3.	LTE BAND 5.....	990
10.5.4.	LTE BAND 7.....	992
10.5.5.	LTE BAND 12.....	994
10.5.6.	LTE BAND 13.....	996
10.5.7.	LTE BAND 17.....	998
10.5.8.	LTE BAND 25.....	1000
10.5.9.	LTE BAND 26.....	1002
10.5.10.	LTE BAND 27.....	1004
10.5.11.	LTE BAND 30.....	1006
10.5.12.	LTE BAND 41.....	1008
11.	SETUP PHOTOS	1010

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: APPLE
1 INFINITE LOOP
CUPERTINO, CA 95014, U.S.A.

EUT DESCRIPTION: CELLULAR PHONE WITH BLUETOOTH AND WLAN RADIOS

MODEL: A1661, A1786

SERIAL NUMBER: C39RV045HFNN (CONDUCTED); C39RV02LHFNN (RADIATED)


DATE TESTED: FEBRUARY 18, 2016 – JULY 13, 2016

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC CFR47 PART 22H, 24E, 27 and 90S	Pass

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.


Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL Verification Services Inc. By:



MENGISTU MEKURIA
SENIOR ENGINEER
UL VERIFICATION SERVICES INC.

Prepared By:



MONA HUA
EMC LAB ENGINEER
UL VERIFICATION SERVICES INC.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with TIA-603-D, FCC CFR 47 Part 2, FCC KDB 971168 D01 v02r02, Part 22, Part 24, Part 27 and Part 90.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, Fremont, California, USA. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

47173 Benicia Street	47266 Benicia Street
☐ Chamber A	☒ Chamber D
☐ Chamber B	☒ Chamber E
☐ Chamber C	☐ Chamber F
	☒ Chamber G
	☒ Chamber H

The above test sites and facilities are covered under FCC Test Firm Registration # 208313. Chambers A through H are covered under Industry Canada company address code 2324B with site numbers 2324B -1 through 2324B-8, respectively.

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0. The full scope of accreditation can be viewed at <http://ts.nist.gov/standards/scopes/2000650.htm>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\begin{aligned} \text{Field Strength (dBuV/m)} &= \text{Measured Voltage (dBuV)} + \text{Antenna Factor (dB/m)} + \\ &\text{Cable Loss (dB)} - \text{Preamp Gain (dB)} \\ 36.5 \text{ dBuV} + 18.7 \text{ dB/m} + 0.6 \text{ dB} - 26.9 \text{ dB} &= 28.9 \text{ dBuV/m} \end{aligned}$$

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 9KHz to 0.15 MHz	3.84 dB
Conducted Disturbance, 0.15 to 30 MHz	3.65 dB
Radiated Disturbance, 9KHz to 30 MHz	3.15 dB
Radiated Disturbance, 30 to 1000 MHz	5.36 dB
Radiated Disturbance, 1000 to 18000 MHz	4.32 dB
Radiated Disturbance, 18000 to 26000 MHz	4.45 dB
Radiated Disturbance, 26000 to 40000 MHz	5.24 dB

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT, Model A1661, A1786 is a mobile phone with multimedia functions (music, application support, and video), cellular GSM/GPRS/EGPRS/CDMA/EVDO/WCDMA/HSPA+/DC-HSDPA/LTE-radio, IEEE 802.11a/b/g/n/ac, NFC and Bluetooth radio. The rechargeable battery is not user accessible.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum conducted and ERP / EIRP output powers as follows:

5.2.1. LAT

OUTPUT POWER FOR LTE BAND 2

Part 24 / RSS 133 LTE Band 2						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1910	QPSK	24.5	281.8	22.8	188.8
		16QAM	23.7	234.4	22.0	158.1
3		QPSK	24.4	275.4	22.9	195.9
		16QAM	23.7	234.4	22.3	171.4
5		QPSK	24.4	275.4	22.9	192.8
		16QAM	23.8	239.9	22.4	173.4
10		QPSK	24.4	275.4	22.8	188.4
		16QAM	23.5	223.9	22.2	166.7
15		QPSK	24.5	281.8	22.8	188.4
		16QAM	23.7	234.4	22.0	159.2
20		QPSK	24.5	281.8	22.7	187.5
		16QAM	23.6	229.1	22.1	162.6

OUTPUT POWER FOR LTE BAND 4

Part 27 / RSS 139 LTE Band 4						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP(Average)	
			dBm	mW	dBm	mW
1.4	1710 - 1755	QPSK	24.4	275.4	23.1	204.6
		16QAM	23.6	229.1	22.2	166.3
3		QPSK	24.5	281.8	23.1	205.6
		16QAM	23.6	229.1	22.2	167.1
5		QPSK	24.4	275.4	23.1	204.2
		16QAM	23.5	223.9	22.2	166.0
10		QPSK	24.4	275.4	23.1	205.1
		16QAM	23.6	229.1	22.3	170.6
15		QPSK	24.5	281.8	23.2	208.4
		16QAM	23.6	229.1	22.3	167.9
20		QPSK	24.4	275.4	23.2	208.0
		16QAM	23.6	229.1	22.3	168.3

OUTPUT POWER FOR LTE BAND 5 AND 26

Part 22 /RSS 132 LTE Band 5 and 26						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
1.4	824 - 849	QPSK	24.0	251.2	17.8	60.53
		16QAM	23.3	213.8	16.8	47.32
3		QPSK	23.8	239.9	17.9	60.95
		16QAM	23.0	199.5	16.8	47.86
5		QPSK	24.0	251.2	17.9	61.52
		16QAM	23.1	204.2	16.9	48.64
10		QPSK	24.0	251.2	18.0	62.37
		16QAM	23.2	208.9	16.9	48.87

OUTPUT POWER FOR LTE BAND 7

Part 27 / RSS199 LTE Band 7						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2500 - 2570	QPSK	23.9	245.5	26.1	403.6
		16QAM	23.1	204.2	25.2	328.1
10		QPSK	24.0	251.2	26.1	407.4
		16QAM	23.0	199.5	25.1	322.8
15		QPSK	23.9	245.5	26.1	404.6
		16QAM	22.9	195.0	25.1	321.4
20		QPSK	23.8	239.9	26.0	396.3
		16QAM	23.0	199.5	25.2	329.6

OUTPUT POWER FOR LTE BAND 12

Part 27 /RSS 130 LTE Band 12						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	dBm
1.4	699-716	QPSK	24.5	281.8	17.1	51.40
		16QAM	23.5	223.9	16.4	43.85
3		QPSK	24.5	281.8	17.1	51.29
		16QAM	23.5	223.9	16.4	44.06
5		QPSK	24.4	275.4	17.1	51.40
		16QAM	23.3	213.8	16.4	43.95
10		QPSK	24.4	275.4	17.2	51.88
		16QAM	23.3	213.8	16.5	44.16

OUTPUT POWER FOR LTE BAND 13

Part 27 /RSS 130 LTE Band 13						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	777 - 787	QPSK	24.4	275.4	18.4	69.82
		16QAM	23.7	234.4	17.9	62.23
10		QPSK	24.4	275.4	18.2	66.68
		16QAM	23.4	218.8	17.3	53.58

OUTPUT POWER FOR LTE BAND 17

Part 27 /RSS 130 LTE Band 17						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	704-716	QPSK	24.4	275.4	17.2	52.8
		16QAM	23.3	213.8	16.7	46.6
10		QPSK	24.4	275.4	17.3	53.7
		16QAM	23.4	218.8	16.7	47.0

OUTPUT POWER FOR LTE BAND 25

Part 24 / RSS 133 LTE Band 25						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1915	QPSK	24.5	281.8	23.3	215.3
		16QAM	23.4	218.8	22.4	174.2
3		QPSK	24.4	275.4	23.5	223.4
		16QAM	23.5	223.9	22.4	175.4
5		QPSK	24.4	275.4	23.4	219.3
		16QAM	23.4	218.8	22.5	177.8
10		QPSK	24.4	275.4	23.1	205.6
		16QAM	23.6	229.1	22.2	167.1
15		QPSK	24.5	281.8	23.0	200.9
		16QAM	23.5	223.9	22.1	162.9
20		QPSK	24.4	275.4	23.2	209.4
		16QAM	23.5	223.9	22.4	175.4

OUTPUT POWER FOR LTE BAND 26

Part 90 LTE Band 26								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	24.0	251.2	19.2	83.8	21.4	137.4
		16QAM	23.4	218.8	18.3	68.1	20.5	111.7
3		QPSK	24.0	251.2	19.2	82.6	21.2	132.4
		16QAM	23.0	199.5	18.4	68.7	20.5	112.7
5		QPSK	24.0	251.2	19.3	84.1	21.4	138.0
		16QAM	22.9	195.0	18.5	70.0	20.6	114.8
10		QPSK	23.9	245.5	19.1	81.7	21.3	134.0
		16QAM	23.0	199.5	18.2	66.4	20.4	108.9

OUTPUT POWER FOR LTE BAND 27

Part 90 LTE Band 27								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	24.0	251.2	19.2	83.2	21.4	136.5
		16QAM	23.3	213.8	18.4	69.2	20.6	113.5
3		QPSK	24.0	251.2	19.2	82.4	21.3	135.2
		16QAM	23.0	199.5	18.4	68.5	20.5	112.5
5		QPSK	23.9	245.5	19.2	83.9	21.4	137.7
		16QAM	23.1	204.2	18.3	68.2	20.5	111.9
10		QPSK	24.0	251.2	18.8	75.2	20.9	123.3
		16QAM	23.0	199.5	18.0	62.5	20.1	102.6

OUTPUT POWER FOR LTE BAND 30

Part 27 / RSS 195 LTE Band 30						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2305-2315	QPSK	23.0	199.5	21.4	136.8
		16QAM	22.1	162.2	20.5	111.2
10		QPSK	22.9	195.0	21.1	127.9
		16QAM	21.9	154.9	20.1	101.6

OUTPUT POWER FOR LTE BAND 41

Part 27 LTE Band 41						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2496-2690	QPSK	22.5	177.8	26.1	406.4
		16QAM	21.7	147.9	25.3	337.3
10		QPSK	22.5	177.8	26.1	409.3
		16QAM	21.6	144.5	25.2	327.3
15		QPSK	22.5	177.8	26.1	402.7
		16QAM	21.7	147.9	25.0	313.3
20		QPSK	22.5	177.8	26.1	410.2
		16QAM	21.6	144.5	25.2	331.1

5.2.2. UAT

OUTPUT POWER FOR LTE BAND 2

Part 24 / RSS 133 LTE Band 2						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1910	QPSK	20.5	112.2	18.2	65.6
		16QAM	19.6	91.2	17.1	51.8
3		QPSK	20.4	109.6	18.2	66.7
		16QAM	19.5	89.1	17.4	54.6
5		QPSK	20.5	112.2	18.3	67.3
		16QAM	19.8	95.5	17.4	54.6
10		QPSK	20.4	109.6	18.3	67.0
		16QAM	19.6	91.2	17.2	53.0
15		QPSK	20.3	107.2	18.2	65.9
		16QAM	19.7	93.3	17.3	53.7
20		QPSK	20.4	109.6	18.2	66.1
		16QAM	19.8	95.5	17.2	52.4

OUTPUT POWER FOR LTE BAND 4

Part 27 / RSS 139 LTE Band 4						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP(Average)	
			dBm	mW	dBm	mW
1.4	1710 - 1755	QPSK	20.5	112.2	19.0	80.2
		16QAM	19.8	95.5	18.1	64.0
3		QPSK	20.4	109.6	19.0	80.2
		16QAM	19.7	93.3	18.1	65.0
5		QPSK	20.5	112.2	19.1	80.5
		16QAM	19.9	97.7	18.2	65.5
10		QPSK	20.4	109.6	19.3	85.9
		16QAM	19.8	95.5	18.4	68.5
15		QPSK	20.4	109.6	19.3	84.5
		16QAM	19.8	95.5	18.4	68.5
20		QPSK	20.4	109.6	19.1	80.5
		16QAM	20.0	100.0	18.2	66.7

OUTPUT POWER FOR LTE BAND 5 AND 26

Part 22 /RSS 132 LTE Band 5 and 26						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
1.4	824 - 849	QPSK	22.5	177.8	17.4	54.45
		16QAM	21.5	141.3	16.4	43.85
3		QPSK	22.4	173.8	17.5	55.85
		16QAM	21.5	141.3	16.5	45.08
5		QPSK	22.5	177.8	17.5	56.62
		16QAM	21.5	141.3	16.4	43.65
10		QPSK	22.5	177.8	17.4	54.95
		16QAM	21.6	144.5	16.5	44.26

OUTPUT POWER FOR LTE BAND 7

Part 27 / RSS199 LTE Band 7						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2500 - 2570	QPSK	19.2	83.2	20.9	122.2
		16QAM	18.5	70.8	20.2	105.4
10		QPSK	19.1	81.3	20.8	121.1
		16QAM	18.1	64.6	19.6	91.4
15		QPSK	19.2	83.2	20.9	122.2
		16QAM	18.5	70.8	20.2	105.0
20		QPSK	19.2	83.2	20.8	120.5
		16QAM	18.6	72.4	20.3	105.9

OUTPUT POWER FOR LTE BAND 12

Part 27 /RSS 130 LTE Band 12						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	dBm
1.4	699-716	QPSK	23.5	223.9	15.0	31.92
		16QAM	22.5	177.8	14.0	25.29
3		QPSK	23.5	223.9	15.1	32.36
		16QAM	22.5	177.8	14.1	25.76
5		QPSK	23.5	223.9	15.2	32.73
		16QAM	22.6	182.0	14.2	26.36
10		QPSK	23.5	223.9	15.1	32.51
		16QAM	22.5	177.8	14.1	25.82

OUTPUT POWER FOR LTE BAND 13

Part 27 /RSS 130 LTE Band 13						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	777 - 787	QPSK	23.4	218.8	15.0	31.70
		16QAM	22.6	182.0	14.0	25.18
10		QPSK	23.5	223.9	14.8	29.99
		16QAM	22.6	182.0	14.0	24.89

OUTPUT POWER FOR LTE BAND 17

Part 27 /RSS 130 LTE Band 17						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)	
			dBm	mW	dBm	mW
5	704-716	QPSK	23.5	223.9	14.5	28.4
		16QAM	22.7	186.2	13.7	23.2
10		QPSK	23.5	223.9	14.6	29.1
		16QAM	22.6	182.0	13.7	23.5

OUTPUT POWER FOR LTE BAND 25

Part 24 / RSS 133 LTE Band 25						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
1.4	1850 - 1915	QPSK	20.4	109.6	18.1	64.0
		16QAM	19.7	93.3	17.0	50.1
3		QPSK	20.4	109.6	18.1	65.2
		16QAM	19.8	95.5	17.1	51.8
5		QPSK	20.5	112.2	18.0	63.7
		16QAM	20.0	100.0	17.1	51.1
10		QPSK	20.5	112.2	18.1	64.9
		16QAM	19.9	97.7	17.2	52.5
15		QPSK	20.3	107.2	18.2	65.3
		16QAM	19.6	91.2	17.2	52.4
20		QPSK	20.4	109.6	18.1	64.0
		16QAM	19.7	93.3	17.1	51.8

OUTPUT POWER FOR LTE BAND 26

Part 90 LTE Band 26								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	22.5	177.8	17.8	59.6	19.9	97.7
		16QAM	21.6	144.5	16.8	47.3	18.9	77.6
3		QPSK	22.4	173.8	17.9	61.1	20.0	100.2
		16QAM	21.6	144.5	16.9	48.6	19.0	79.8
5		QPSK	22.4	173.8	17.9	61.2	20.0	100.5
		16QAM	21.5	141.3	16.9	48.5	19.0	79.6
10		QPSK	22.5	177.8	17.7	59.3	19.9	97.3
		16QAM	21.5	141.3	16.8	47.6	18.9	78.2

OUTPUT POWER FOR LTE BAND 27

Part 90 LTE Band 27								
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		ERP (Average)		EIRP (Average)	
			dBm	mW	dBm	mW	dBm	mW
1.4	814-824	QPSK	22.5	177.8	17.2	52.5	19.4	86.1
		16QAM	21.6	144.5	16.3	42.3	18.4	69.3
3		QPSK	22.4	173.8	17.5	56.2	19.7	92.3
		16QAM	21.4	138.0	16.5	45.1	18.7	74.0
5		QPSK	22.4	173.8	17.5	56.0	19.6	91.8
		16QAM	21.5	141.3	16.6	45.8	18.8	75.2
10		QPSK	22.5	177.8	16.7	46.9	18.9	76.9
		16QAM	21.4	138.0	15.7	37.3	17.9	61.2

OUTPUT POWER FOR LTE BAND 30

Part 27 / RSS 195 LTE Band 30						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2305-2315	QPSK	20.0	100.0	19.7	93.3
		16QAM	19.3	85.1	19.0	79.1
10		QPSK	19.9	97.7	19.7	92.3
		16QAM	18.9	77.6	19.0	79.3

OUTPUT POWER FOR LTE BAND 41

Part 27 LTE Band 41						
Bandwidth (MHz)	Frequency Range	Modulation	Conducted (Average)		EIRP (Average)	
			dBm	mW	dBm	mW
5	2496-2690	QPSK	21.0	125.9	21.4	137.1
		16QAM	20.1	102.3	20.6	115.1
10		QPSK	21.0	125.9	21.4	138.4
		16QAM	20.4	109.6	20.6	113.8
15		QPSK	21.0	125.9	21.3	135.2
		16QAM	20.4	109.6	20.5	111.4
20		QPSK	21.0	125.9	21.4	136.5
		16QAM	20.2	104.7	20.5	111.9

5.3. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was version 0.26.02

5.4. MAXIMUM ANTENNA GAIN

Please see table below:

LTE BANDS	Port A (LAT) Antenna Gain (dBi)	Port B (UAT) Antenna Gain (dBi)
LTE Band 2, 1850 – 1910 MHz	0.49	-1.43
LTE Band 4, 1710 – 1755 MHz	-1.08	-1.1
LTE Band 5, 824 – 849 MHz	-2.42	-3.65
LTE Band 7, 2500 – 2570 MHz	-0.23	0.59
LTE Band 12, 699 – 716 MHz	-2.52	-3.67
LTE Band 13, 777 – 787 MHz	-2.48	-4.14
LTE Band 17, 704 – 716 MHz	-2.52	-3.67
LTE Band 25, 1850 – 1915 MHz	0.49	-1.43
LTE Band 26, 814 – 824 MHz	-3.44	-3.69
LTE Band 27, 814 – 824 MHz	-3.44	-3.69
LTE Band 30, 2305 – 2315 MHz	-1.45	-2.2
LTE Band 41, 2496 – 2690 MHz	0.66	0.59

5.5. WORST-CASE CONFIGURATION AND MODE

The worst-case scenario for all measurements is based on the investigation results.

The device has LTE Bands of:

Band 2, Band 4, Band 5, Band 7, Band 12, Band 13, Band 17, Band 25, Band 26, Band 27, Band 30, and Band 41.

The RB Size was selected to measure for peak or average ERP and EIRP, which was based on the conducted power verification baseline data.

Tests were performed on the conducted test at LAT port as worst case since it has higher output powers.

LTE Band 26 (824-849MHz) is covered by LTE Band 5 because of the same frequency range, output power, and supported bandwidths.

The fundamental of the EUT was investigated in three orthogonal orientations X/Y/Z, it was determined that Flatbed orientation was worst-case orientation for cell bands without AC/DC adapter and headset; Flatbed orientation was worst-case orientation for pcs bands and Band 30 without AC/DC adapter and headset; Portrait orientation was worst orientation for Band 41 and Band 7 without AC/DC adapter and headset.

5.6. DESCRIPTION OF TEST SETUP

TESTS SUPPORT EQUIPMENT

Support Equipment List			
Description	Manufacturer	Model	Serial Number
Laptop AC Adapter	Dell	Latitude D630	N/A
Laptop	Dell	PA-1900-02D	N/A
DC power supply	Sorensen	XT-20-3	N/A

I/O CABLES (RF CONDUCTED TEST)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	AC	3	US 115V	Un-shielded	2m	N/A
2	DC	1	DC	Un-shielded	1.4m	N/A
3	RF In/Out	1	EUT	Un-shielded	0.4m	N/A
4	RF In/Out	1	Barrel	N/A	N/A	N/A
5	RF In/Out	1	Communication Test Set	Un-shielded	1m	N/A


I/O CABLES (RF RADIATED TEST)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	RF In/Out	1	Antenna	Un-shielded	5m	NA


TEST SETUP

SETUP DIAGRAM FOR TESTS

CONDUCTED SETUP



RADIATED SETUP



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	T No.	Cal Due
Spectrum Analyzer, PSA, 3Hz to 44GHz	Keysight	E4446A	T123	10/21/16
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T971	07/23/16
**Directional Coupler, 10dB SMA, 0.5GHz to 26.5GHz	Krytar	152610	T1161	04/12/17
Directional Coupler, 10dB SMA, 0.5GHz to 26.5GHz	Krytar	152610	T922	06/10/16
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	T1154	09/14/16
*Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T260	07/10/16
Wireless Communications Test Set, 8960 Series 10	Keysight	E5515C	T211	11/19/16
Spectrum Analyzer, PXA, 3Hz to 44GHz	Keysight	N9030A	T341	10/15/16
**Antenna, Horn 1-18GHz	ETS Lindgren	3117	T344	02/22/17
**Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	T185	03/09/17
Amplifier, 1 - 18GHz	Miteq	AFS42-00101800-25-S-42	T740	01/25/17
*Amplifier, 10KHz to 1GHz, 32dB	Sonoma	310N	T173	06/09/16
*Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T260	07/10/16
Spectrum Analyzer, PXA, 3Hz to 44GHz	Keysight	N9030A	T340	11/16/16
Spectrum Analyzer, PXA, 3Hz to 44GHz	Keysight	N9030A	T906	02/03/17
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	T259	10/23/16
*Power Meter, P-series single channel	Keysight	N1911A	T1245	07/02/16
*Power Sensor, P - series, 50MHz to 18GHz, Wideband	Keysight	N1921A	T1227	07/07/16
Power Meter, RF	Anritsu	ML2495A	T1413	12/26/16
Power Sensor, 50MHz VBW Pulsed Radar & Comm Signals	Anritsu	MA2411B	T1415	12/16/16
**Antenna, Horn 1-18GHz	Emco	3117	T136	03/14/17
*Antenna, Horn 18 to 26.5GHz	ARA	MWH-1826	T447	05/18/16
*Filter, Highpass 4.0GHz	Micro-Tronics	HPM13351	T1239	06/24/16
Filter, HPF 3.0GHz	Micro-Tronics	HPM17543	T428	01/25/17

NOTE: * testing is completed before equipment calibration expiration date.

**Equipment was set to test after calibration service date (equipment calibration cycle is one year).

7. RF POWER OUTPUT VERIFICATION

LTE Measurement Procedure:

All LTE bands conducted power peak and average are obtained from the CMW500 telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".3

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N_{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
			20	>10	≤ 1
NS_04	6.6.2.2.2	41	5	>6	≤ 1
			10, 15, 20	See Table 6.2.4-4	
NS_05	6.6.3.3.1	1	10, 15, 20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3 6.6.3.3.2	13	10	Table 6.2.4-2	Table 6.2.4-2
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

7.1. LAT

7.1.1. LTE BAND 2

ID:	44366	Date:	5/16/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 2 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	18607	1850.7	QPSK	1	0	24.4	28.8
				1	2	24.5	28.7
				1	5	24.4	28.7
				3	0	24.4	29.0
				3	1	24.5	28.9
				3	2	24.4	29.0
				6	0	23.3	28.2
			16QAM	1	0	23.6	28.2
				1	2	23.6	28.1
				1	5	23.5	28.2
				3	0	23.6	28.4
				3	1	23.7	28.2
				3	2	23.7	28.3
				6	0	22.7	28.5
1.4	18900	1880.0	QPSK	1	0	24.5	28.8
				1	2	24.4	28.8
				1	5	24.4	28.8
				3	0	24.5	29.1
				3	1	24.5	29.1
				3	2	24.5	29.1
				6	0	23.5	28.4
			16QAM	1	0	23.4	27.7
				1	2	23.5	27.6
				1	5	23.4	27.7
				3	0	23.4	28.0
				3	1	23.5	27.9
				3	2	23.5	27.9
				6	0	21.9	28.0
1.4	19193	1909.3	QPSK	1	0	24.5	28.5
				1	2	24.5	28.4
				1	5	24.4	28.3
				3	0	24.4	28.7
				3	1	24.5	28.7
				3	2	24.5	28.6
				6	0	23.4	28.7
			16QAM	1	0	23.4	28.3
				1	2	23.4	28.2
				1	5	23.4	28.3
				3	0	23.5	28.5
				3	1	23.6	28.4
				3	2	23.5	28.4
				6	0	22.5	27.4

OUTPUT POWER FOR LTE BAND 2 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	18615	1851.5	QPSK	1	0	24.4	28.8
				1	7	24.4	28.8
				1	14	24.3	28.8
				8	0	23.3	27.8
				8	4	23.3	27.8
				8	7	23.4	27.8
				15	0	23.4	28.3
			16QAM	1	0	23.5	28.1
				1	7	23.6	28.0
				1	14	23.5	28.0
				8	0	22.6	28.0
				8	4	22.7	28.0
				8	7	22.7	28.0
				15	0	22.5	28.4
3.0	18900	1880.0	QPSK	1	0	24.4	28.9
				1	7	24.4	28.8
				1	14	24.3	28.9
				8	0	23.4	27.8
				8	4	23.4	27.8
				8	7	23.4	27.9
				15	0	23.3	28.3
			16QAM	1	0	23.6	28.2
				1	7	23.6	28.2
				1	14	23.4	28.3
				8	0	22.9	28.2
				8	4	22.8	28.2
				8	7	22.9	28.2
				15	0	22.8	28.9
3.0	19185	1908.5	QPSK	1	0	24.4	28.7
				1	7	24.4	28.5
				1	14	24.3	28.3
				8	0	23.3	28.1
				8	4	23.3	28.1
				8	7	23.3	28.1
				15	0	23.3	28.5
			16QAM	1	0	23.7	28.3
				1	7	23.7	28.2
				1	14	23.7	28.2
				8	0	22.2	28.2
				8	4	22.2	28.0
				8	7	22.2	28.0
				15	0	22.4	28.4

OUTPUT POWER FOR LTE BAND 2 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak(dBm)
				Size	Offset		
5.0	18625	1852.5	QPSK	1	0	24.3	28.8
				1	12	24.3	28.8
				1	24	24.3	28.9
				12	0	23.4	27.9
				12	6	23.4	27.9
				12	11	23.4	27.9
				25	0	23.3	28.2
			16QAM	1	0	23.2	27.6
				1	12	23.2	27.6
				1	24	23.2	27.6
				12	0	22.1	27.7
				12	6	22.2	27.6
				12	11	22.2	27.6
				25	0	22.1	27.9
5.0	18900	1880.0	QPSK	1	0	24.4	29.0
				1	12	24.4	28.8
				1	24	24.4	28.9
				12	0	23.4	27.9
				12	6	23.4	27.9
				12	11	23.4	27.9
				25	0	23.4	28.3
			16QAM	1	0	23.8	27.9
				1	12	23.8	27.8
				1	24	23.8	27.8
				12	0	22.4	27.9
				12	6	22.5	27.9
				12	11	22.5	27.9
				25	0	22.4	28.4
5.0	19175	1907.5	QPSK	1	0	24.4	28.7
				1	12	24.2	28.6
				1	24	24.3	28.3
				12	0	23.3	28.0
				12	6	23.3	27.7
				12	11	23.3	28.2
				25	0	23.3	28.3
			16QAM	1	0	23.3	28.2
				1	12	23.3	28.1
				1	24	23.3	28.0
				12	0	22.2	27.6
				12	6	22.2	27.6
				12	11	22.2	27.9
				25	0	22.1	28.3

OUTPUT POWER FOR LTE BAND 2 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	18650	1855.0	QPSK	1	0	24.4	28.8
				1	24	24.4	28.9
				1	49	24.2	28.8
				25	0	23.3	28.0
				25	12	23.4	28.0
				25	24	23.4	28.2
				50	0	23.4	28.5
			16QAM	1	0	23.4	27.5
				1	24	23.5	27.7
				1	49	23.3	28.1
				25	0	22.1	27.7
				25	12	22.2	27.8
				25	24	22.2	28.0
				50	0	22.2	28.1
10.0	18900	1880.0	QPSK	1	0	24.4	28.9
				1	24	24.3	28.8
				1	49	24.3	28.8
				25	0	23.4	28.0
				25	12	23.4	28.0
				25	24	23.3	27.9
				50	0	23.4	28.2
			16QAM	1	0	23.3	28.0
				1	24	23.3	27.9
				1	49	23.1	27.9
				25	0	22.4	28.0
				25	12	22.5	28.0
				25	24	22.4	27.9
				50	0	22.4	28.5
10.0	19150	1905.0	QPSK	1	0	24.3	28.8
				1	24	24.3	28.8
				1	49	24.2	28.4
				25	0	23.4	28.0
				25	12	23.4	27.9
				25	24	23.3	27.8
				50	0	23.4	28.3
			16QAM	1	0	23.5	28.2
				1	24	23.5	28.3
				1	49	23.4	28.4
				25	0	22.6	28.2
				25	12	22.6	28.2
				25	24	22.7	28.1
				50	0	22.7	28.9

OUTPUT POWER FOR LTE BAND 2 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	18675	1857.5	QPSK	1	0	24.3	27.7
				1	37	24.1	27.1
				1	74	24.2	27.5
				36	0	23.2	27.5
				36	16	23.3	27.5
				36	35	23.2	27.0
				75	0	23.0	27.9
			16-QAM	1	0	23.1	27.8
				1	37	22.9	26.9
				1	74	23.1	27.7
				36	0	22.0	27.9
				36	16	21.9	26.9
				36	35	21.9	27.7
				75	0	21.9	28.7
15.0	18900	1880.0	QPSK	1	0	24.5	27.7
				1	37	24.2	27.5
				1	74	24.3	27.1
				36	0	23.1	27.4
				36	16	23.0	27.4
				36	35	22.9	27.9
				75	0	23.2	28.8
			16-QAM	1	0	23.7	28.0
				1	37	23.6	27.6
				1	74	23.5	27.9
				36	0	22.3	28.4
				36	16	22.8	28.6
				36	35	22.2	27.9
				75	0	22.4	29.0
15.0	19125	1902.5	QPSK	1	0	24.4	27.8
				1	37	24.1	27.5
				1	74	24.3	27.4
				36	0	23.3	27.7
				36	16	23.7	28.0
				36	35	23.1	27.5
				75	0	23.4	28.6
			16-QAM	1	0	23.7	28.3
				1	37	23.6	27.6
				1	74	23.2	27.1
				36	0	22.4	28.4
				36	16	22.2	28.1
				36	35	22.3	28.1
				75	0	22.4	29.0

OUTPUT POWER FOR LTE BAND 2 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	18700	1860.0	QPSK	1	0	24.5	29.0
				1	49	24.3	29.0
				1	99	24.2	28.6
				50	0	23.2	28.0
				50	24	23.3	28.2
				50	49	23.2	28.2
				100	0	23.2	28.6
			16-QAM	1	0	23.1	27.5
				1	49	23.5	28.1
				1	99	23.2	28.1
				50	0	22.4	28.1
				50	24	22.1	28.0
				50	49	22.0	28.0
				100	0	22.0	28.3
20.0	18900	1880.0	QPSK	1	0	24.4	28.7
				1	49	24.3	28.8
				1	99	24.2	28.6
				50	0	23.2	28.1
				50	24	23.3	28.0
				50	49	23.2	27.9
				100	0	23.2	28.3
			16-QAM	1	0	23.2	28.1
				1	49	23.6	27.7
				1	99	23.1	27.7
				50	0	22.2	28.8
				50	24	22.0	27.7
				50	49	21.9	27.6
				100	0	21.9	28.1
20.0	19100	1900.0	QPSK	1	0	24.2	28.8
				1	49	24.3	28.9
				1	99	24.1	28.5
				50	0	23.3	28.0
				50	24	23.3	28.0
				50	49	23.2	28.0
				100	0	23.3	28.6
			16-QAM	1	0	23.2	27.7
				1	49	23.4	27.6
				1	99	23.0	27.3
				50	0	22.0	28.0
				50	24	22.0	27.7
				50	49	21.9	27.7
				100	0	21.9	28.3

7.1.2. LTE BAND 4

ID:	44366	Date:	5/16/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 4 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	19957	1710.7	QPSK	1	0	24.3	28.3
				1	2	24.4	28.1
				1	5	24.4	28.2
				3	0	24.4	28.4
				3	1	24.4	28.3
				3	2	24.4	28.3
				6	0	23.3	27.3
			16QAM	1	0	23.5	28.1
				1	2	23.5	28.1
				1	5	23.4	28.2
				3	0	23.6	29.3
				3	1	23.6	29.2
				3	2	23.6	29.3
				6	0	22.6	28.4
1.4	20175	1732.5	QPSK	1	0	24.3	28.9
				1	2	24.3	28.8
				1	5	24.2	28.9
				3	0	24.3	29.1
				3	1	24.4	29.1
				3	2	24.3	29.1
				6	0	23.2	28.7
			16QAM	1	0	23.3	28.5
				1	2	23.4	28.5
				1	5	23.3	28.5
				3	0	23.2	28.8
				3	1	23.2	28.8
				3	2	23.2	28.8
				6	0	21.9	28.4
1.4	20393	1754.3	QPSK	1	0	24.2	28.7
				1	2	24.2	28.7
				1	5	24.2	28.8
				3	0	24.3	28.8
				3	1	24.3	28.9
				3	2	24.3	28.9
				6	0	23.3	28.8
			16QAM	1	0	23.3	28.8
				1	2	23.3	28.8
				1	5	23.2	28.8
				3	0	23.6	28.9
				3	1	23.6	28.9
				3	2	23.6	28.9
				6	0	22.5	28.6

OUTPUT POWER FOR LTE BAND 4 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	19965	1711.5	QPSK	1	0	24.2	28.0
				1	7	24.3	28.0
				1	14	24.1	28.1
				8	0	23.1	27.9
				8	4	23.2	27.8
				8	7	23.3	27.9
				15	0	23.2	28.2
			16QAM	1	0	23.4	28.0
				1	7	23.5	28.1
				1	14	23.4	28.2
				8	0	22.5	28.0
				8	4	22.6	28.0
				8	7	22.6	28.0
				15	0	22.3	28.4
3.0	20175	1732.5	QPSK	1	0	24.4	28.9
				1	7	24.4	28.8
				1	14	24.3	28.9
				8	0	23.2	28.3
				8	4	23.3	28.0
				8	7	23.3	28.1
				15	0	23.3	28.6
			16QAM	1	0	23.5	29.1
				1	7	23.5	29.0
				1	14	23.4	29.1
				8	0	22.6	28.3
				8	4	22.7	28.3
				8	7	22.7	28.3
				15	0	22.7	29.1
3.0	20385	1753.5	QPSK	1	0	24.5	28.8
				1	7	24.5	28.8
				1	14	24.4	28.9
				8	0	23.4	28.2
				8	4	23.5	28.2
				8	7	23.6	28.2
				15	0	23.5	28.7
			16QAM	1	0	23.5	28.5
				1	7	23.6	28.5
				1	14	23.5	28.6
				8	0	22.0	27.9
				8	4	22.1	27.8
				8	7	22.1	27.9
				15	0	22.3	28.4

OUTPUT POWER FOR LTE BAND 4 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	19975	1712.5	QPSK	1	0	24.3	27.9
				1	12	24.1	28.0
				1	24	24.2	28.1
				12	0	23.2	27.8
				12	6	23.2	27.9
				12	11	23.2	28.0
				25	0	23.2	28.1
			16QAM	1	0	23.3	27.9
				1	12	23.3	28.0
				1	24	23.3	28.2
				12	0	22.3	27.9
				12	6	22.4	28.0
				12	11	22.3	28.0
				25	0	22.2	28.6
5.0	20175	1732.5	QPSK	1	0	24.3	28.8
				1	12	24.2	28.7
				1	24	24.2	28.9
				12	0	23.2	28.2
				12	6	23.2	28.2
				12	11	23.2	28.2
				25	0	23.2	28.5
			16QAM	1	0	23.3	28.5
				1	12	23.2	28.4
				1	24	23.2	28.6
				12	0	22.1	27.9
				12	6	22.2	27.9
				12	11	22.2	28.0
				25	0	22.1	28.4
5.0	20375	1752.5	QPSK	1	0	24.4	28.7
				1	12	24.3	28.6
				1	24	24.3	28.8
				12	0	23.3	28.4
				12	6	23.4	28.4
				12	11	23.4	28.5
				25	0	23.3	28.7
			16QAM	1	0	23.5	28.3
				1	12	23.5	28.3
				1	24	23.4	28.4
				12	0	22.2	27.8
				12	6	22.2	27.9
				12	11	22.2	28.0
				25	0	22.1	28.6

OUTPUT POWER FOR LTE BAND 4 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20000	1715.0	QPSK	1	0	24.4	27.7
				1	24	24.1	28.1
				1	49	24.2	28.2
				25	0	23.2	27.9
				25	12	23.2	28.0
				25	24	23.1	28.2
				50	0	23.1	28.2
			16QAM	1	0	23.4	27.8
				1	24	23.2	28.2
				1	49	23.3	28.3
				25	0	22.3	28.0
				25	12	22.4	28.1
				25	24	22.4	28.2
				50	0	22.3	28.3
10.0	20175	1732.5	QPSK	1	0	24.4	28.6
				1	24	24.1	28.6
				1	49	24.2	28.7
				25	0	23.3	28.3
				25	12	23.1	28.2
				25	24	23.1	28.2
				50	0	23.2	28.8
			16QAM	1	0	23.6	28.9
				1	24	23.3	28.9
				1	49	23.4	29.1
				25	0	22.6	28.7
				25	12	22.6	28.5
				25	24	22.6	28.7
				50	0	22.6	29.1
10.0	20350	1750.0	QPSK	1	0	24.4	28.5
				1	24	24.1	28.5
				1	49	24.1	28.5
				25	0	23.3	28.4
				25	12	23.3	28.3
				25	24	23.2	28.2
				50	0	23.3	29.0
			16QAM	1	0	23.6	28.3
				1	24	23.3	28.3
				1	49	23.3	28.3
				25	0	22.2	28.1
				25	12	22.1	28.0
				25	24	22.1	28.1
				50	0	22.1	28.3

OUTPUT POWER FOR LTE BAND 4 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20025	1717.5	QPSK	1	0	24.4	27.9
				1	37	24.3	27.6
				1	74	24.3	27.7
				36	0	23.3	27.2
				36	16	23.4	28.0
				36	35	23.1	28.3
				75	0	23.2	28.8
			16-QAM	1	0	23.4	27.3
				1	37	23.1	27.5
				1	74	23.2	27.5
				36	0	22.4	28.1
				36	16	22.3	28.3
				36	35	22.3	27.8
				75	0	22.4	29.1
15.0	20175	1732.5	QPSK	1	0	24.5	27.7
				1	37	24.4	27.9
				1	74	24.5	28.1
				36	0	23.6	28.9
				36	16	23.0	27.1
				36	35	23.2	28.2
				75	0	23.2	29.0
			16-QAM	1	0	23.6	27.4
				1	37	23.1	27.7
				1	74	23.5	27.7
				36	0	22.6	28.6
				36	16	22.5	28.3
				36	35	22.7	28.5
				75	0	22.5	29.2
15.0	20325	1747.5	QPSK	1	0	24.4	29.0
				1	37	24.3	27.6
				1	74	24.5	28.8
				36	0	23.3	28.5
				36	16	23.2	28.1
				36	35	23.5	28.3
				75	0	23.2	29.3
			16-QAM	1	0	23.3	28.1
				1	37	23.4	27.8
				1	74	23.3	28.1
				36	0	22.4	28.4
				36	16	22.4	28.4
				36	35	22.8	28.3
				75	0	22.3	29.1

OUTPUT POWER FOR LTE BAND 4 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20050	1720.0	QPSK	1	0	24.3	27.7
				1	49	23.9	28.2
				1	99	23.8	28.3
				50	0	23.0	28.0
				50	24	23.0	28.0
				50	49	22.9	28.1
				100	0	23.0	28.6
			16-QAM	1	0	23.5	27.5
				1	49	23.1	28.0
				1	99	23.1	28.1
				50	0	21.8	27.7
				50	24	21.8	27.8
				50	49	21.7	27.7
				100	0	21.8	28.2
20.0	20175	1732.5	QPSK	1	0	24.4	28.3
				1	49	23.8	28.3
				1	99	23.9	28.4
				50	0	23.1	28.2
				50	24	22.9	27.8
				50	49	22.9	28.0
				100	0	22.9	28.5
			16-QAM	1	0	23.5	27.8
				1	49	22.8	27.7
				1	99	22.9	27.8
				50	0	22.1	27.6
				50	24	22.2	27.4
				50	49	22.1	27.5
				100	0	22.2	28.1
20.0	20300	1745.0	QPSK	1	0	24.4	28.8
				1	49	23.9	28.3
				1	99	24.0	28.3
				50	0	23.1	28.2
				50	24	22.9	27.9
				50	49	23.1	28.2
				100	0	23.0	28.7
			16-QAM	1	0	23.6	28.6
				1	49	23.1	28.1
				1	99	23.1	28.2
				50	0	22.0	28.0
				50	24	21.9	27.8
				50	49	21.9	27.9
				100	0	21.9	28.4

7.1.3. LTE BAND 5

ID:	44366	Date:	5/16/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 5 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	20407	824.7	QPSK	1	0	23.9	28.7
				1	2	24.0	28.6
				1	5	23.9	28.7
				3	0	23.9	28.9
				3	1	24.0	28.9
				3	2	24.0	28.9
				6	0	22.9	28.2
			16QAM	1	0	23.3	29.0
				1	2	23.3	28.3
				1	5	23.3	28.0
				3	0	23.3	28.7
				3	1	23.3	29.1
				3	2	23.3	29.2
				6	0	22.3	28.5
1.4	20525	836.5	QPSK	1	0	23.8	28.6
				1	2	23.8	28.4
				1	5	23.8	28.7
				3	0	23.9	28.9
				3	1	23.9	28.9
				3	2	23.9	28.8
				6	0	22.9	28.3
			16QAM	1	0	22.9	28.2
				1	2	22.9	28.1
				1	5	22.9	28.3
				3	0	22.7	28.7
				3	1	22.8	28.5
				3	2	22.8	28.6
				6	0	21.4	28.2
1.4	20643	848.3	QPSK	1	0	23.9	28.5
				1	2	24.0	28.5
				1	5	23.8	28.4
				3	0	23.9	28.8
				3	1	24.0	28.8
				3	2	24.0	28.8
				6	0	22.8	28.3
			16QAM	1	0	22.8	28.3
				1	2	22.8	28.2
				1	5	22.8	28.3
				3	0	22.9	28.7
				3	1	23.0	28.6
				3	2	23.0	28.6
				6	0	21.9	27.8

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	20415	825.5	QPSK	1	0	23.8	28.1
				1	7	23.6	27.9
				1	14	23.8	28.3
				8	0	23.0	28.1
				8	4	23.0	27.9
				8	7	23.0	28.1
				15	0	23.1	28.4
			16QAM	1	0	23.0	28.3
				1	7	22.9	28.0
				1	14	22.8	28.1
				8	0	22.2	28.0
				8	4	22.1	27.8
				8	7	22.2	27.9
				15	0	22.1	28.6
3.0	20525	836.5	QPSK	1	0	23.7	28.3
				1	7	23.7	27.9
				1	14	23.8	28.4
				8	0	23.0	28.0
				8	4	23.1	28.0
				8	7	22.9	28.0
				15	0	22.9	28.1
			16QAM	1	0	22.8	28.0
				1	7	22.6	27.6
				1	14	22.8	28.0
				8	0	22.1	27.9
				8	4	22.4	28.1
				8	7	22.2	28.0
				15	0	22.1	28.7
3.0	20635	847.5	QPSK	1	0	23.8	27.5
				1	7	23.5	27.0
				1	14	23.8	27.3
				8	0	23.1	28.2
				8	4	23.3	28.3
				8	7	23.1	28.1
				15	0	23.1	28.4
			16QAM	1	0	22.8	27.9
				1	7	22.8	27.9
				1	14	22.9	27.8
				8	0	22.2	28.0
				8	4	22.2	28.0
				8	7	22.2	28.1
				15	0	22.1	28.3

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20425	826.5	QPSK	1	0	23.9	28.5
				1	12	23.8	28.3
				1	24	23.8	28.4
				12	0	22.9	27.8
				12	6	22.9	27.8
				12	11	22.9	27.8
				25	0	22.8	28.8
			16QAM	1	0	23.1	28.4
				1	12	23.0	28.3
				1	24	23.0	28.5
				12	0	22.0	27.7
				12	6	21.9	27.8
				12	11	21.9	27.7
				25	0	21.8	28.2
5.0	20525	836.5	QPSK	1	0	24.0	27.8
				1	12	23.9	28.4
				1	24	23.9	28.6
				12	0	23.0	28.1
				12	6	22.9	27.9
				12	11	22.9	27.8
				25	0	22.9	28.8
			16QAM	1	0	23.0	27.6
				1	12	22.9	28.3
				1	24	22.9	28.3
				12	0	21.8	27.7
				12	6	21.8	27.5
				12	11	21.8	27.6
				25	0	21.7	27.9
5.0	20625	846.5	QPSK	1	0	23.9	28.3
				1	12	23.8	28.2
				1	24	23.8	28.3
				12	0	22.9	28.0
				12	6	22.9	27.8
				12	11	22.8	27.8
				25	0	22.8	28.9
			16QAM	1	0	22.9	27.6
				1	12	22.8	27.7
				1	24	22.8	27.7
				12	0	21.5	27.1
				12	6	21.5	27.1
				12	11	21.4	27.2
				25	0	21.4	28.0

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20450	829.0	QPSK	1	0	23.9	28.0
				1	24	23.9	28.4
				1	49	23.8	28.4
				25	0	23.0	28.2
				25	12	23.0	28.1
				25	24	23.0	28.2
				50	0	23.0	28.2
			16QAM	1	0	23.0	28.4
				1	24	22.9	28.5
				1	49	22.8	28.4
				25	0	22.1	28.0
				25	12	22.1	27.8
				25	24	22.0	27.9
				50	0	22.0	28.7
10.0	20525	836.5	QPSK	1	0	23.9	27.4
				1	24	23.8	28.4
				1	49	23.8	28.3
				25	0	23.0	28.0
				25	12	23.0	27.9
				25	24	23.0	28.0
				50	0	23.0	29.0
			16QAM	1	0	23.1	27.5
				1	24	23.2	28.8
				1	49	23.0	28.6
				25	0	22.3	27.7
				25	12	22.2	28.2
				25	24	22.2	28.3
				50	0	22.2	28.9
10.0	20600	844.0	QPSK	1	0	24.0	27.9
				1	24	23.9	28.4
				1	49	23.8	28.3
				25	0	23.0	27.9
				25	12	23.0	28.0
				25	24	22.9	28.0
				50	0	23.0	28.4
			16QAM	1	0	23.0	27.2
				1	24	23.0	28.1
				1	49	22.8	28.0
				25	0	21.7	27.3
				25	12	21.7	27.5
				25	24	21.6	27.6
				50	0	21.6	27.8

7.1.4. LTE BAND 7

ID:	44366	Date:	5/16/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 7 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20775	2502.5	QPSK	1	0	23.9	27.9
				1	12	23.8	27.9
				1	24	23.9	27.8
				12	0	23.3	28.2
				12	6	23.3	28.1
				12	11	23.2	28.0
				25	0	23.2	29.0
			16QAM	1	0	22.9	28.0
				1	12	23.0	28.2
				1	24	22.9	28.2
				12	0	22.3	28.2
				12	6	22.4	28.2
				12	11	22.3	28.1
				25	0	22.2	29.0
5.0	21100	2535.0	QPSK	1	0	23.8	28.3
				1	12	23.7	27.9
				1	24	23.8	28.2
				12	0	23.1	28.1
				12	6	23.3	28.2
				12	11	23.3	28.1
				25	0	23.3	29.1
			16QAM	1	0	22.9	28.1
				1	12	22.9	28.1
				1	24	22.9	28.1
				12	0	22.3	28.0
				12	6	22.3	28.0
				12	11	22.3	28.0
				25	0	22.2	28.6
5.0	21425	2567.5	QPSK	1	0	23.9	28.1
				1	12	23.7	27.6
				1	24	23.6	26.9
				12	0	22.8	26.3
				12	6	22.7	27.3
				12	11	22.6	27.3
				25	0	22.6	27.7
			16QAM	1	0	23.0	28.3
				1	12	23.0	28.0
				1	24	23.1	27.7
				12	0	22.1	27.8
				12	6	22.0	27.8
				12	11	22.1	27.8
				25	0	21.9	28.2

OUTPUT POWER FOR LTE BAND 7 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20800	2505.0	QPSK	1	0	23.6	27.0
				1	24	24.0	27.3
				1	49	23.7	27.0
				25	0	22.9	27.3
				25	12	23.1	27.5
				25	24	23.1	27.5
				50	0	23.4	28.1
			16QAM	1	0	22.8	26.7
				1	24	22.9	27.1
				1	49	22.9	26.9
				25	0	21.8	27.1
				25	12	22.0	27.3
				25	24	22.0	27.4
				50	0	21.9	27.8
10.0	21100	2535.0	QPSK	1	0	23.9	27.2
				1	24	23.9	27.3
				1	49	23.7	26.9
				25	0	23.0	27.4
				25	12	23.1	27.5
				25	24	23.0	27.4
				50	0	22.9	27.3
			16QAM	1	0	22.9	27.9
				1	24	22.9	27.8
				1	49	23.0	27.5
				25	0	22.2	28.2
				25	12	22.2	28.1
				25	24	22.2	28.2
				50	0	22.1	29.0
10.0	21400	2565.0	QPSK	1	0	24.0	27.4
				1	24	23.6	26.9
				1	49	23.7	27.0
				25	0	22.7	27.8
				25	12	22.8	27.7
				25	24	22.6	27.7
				50	0	22.7	27.7
			16QAM	1	0	23.0	28.1
				1	24	22.7	27.9
				1	49	23.0	27.1
				25	0	21.6	27.5
				25	12	21.7	27.5
				25	24	21.6	27.6
				50	0	21.6	28.1

OUTPUT POWER FOR LTE BAND 7 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20825	2507.5	QPSK	1	0	23.7	27.0
				1	37	23.7	27.1
				1	74	23.5	26.8
				36	0	22.8	27.2
				36	16	23.0	27.3
				36	35	23.0	27.4
				75	0	23.2	28.4
			16-QAM	1	0	22.7	26.5
				1	37	22.9	26.8
				1	74	22.7	26.6
				36	0	21.5	26.8
				36	16	22.0	27.1
				36	35	21.7	27.1
				75	0	21.7	27.5
15.0	21100	2535.0	QPSK	1	0	23.9	27.2
				1	37	23.7	27.1
				1	74	23.6	27.0
				36	0	23.0	27.4
				36	16	22.8	26.7
				36	35	22.9	27.4
				75	0	23.2	28.3
			16-QAM	1	0	22.9	27.6
				1	37	22.6	27.5
				1	74	22.7	27.5
				36	0	22.0	26.9
				36	16	22.0	26.8
				36	35	22.0	26.9
				75	0	21.9	27.3
15.0	21375	2562.5	QPSK	1	0	23.9	28.1
				1	37	23.9	27.6
				1	74	23.9	27.1
				36	0	23.3	27.6
				36	16	22.8	27.3
				36	35	22.9	26.5
				75	0	23.3	29.2
			16-QAM	1	0	22.5	27.6
				1	37	22.7	27.6
				1	74	22.6	27.0
				36	0	21.4	27.2
				36	16	21.5	27.1
				36	35	21.6	27.4
				75	0	21.4	27.9

OUTPUT POWER FOR LTE BAND 7 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20850	2510.0	QPSK	1	0	23.6	26.8
				1	49	23.8	27.0
				1	99	23.5	26.7
				50	0	22.8	27.2
				50	24	22.9	27.2
				50	49	22.8	27.2
			16-QAM	100	0	23.1	28.0
				1	0	22.7	26.7
				1	49	23.0	27.0
				1	99	22.8	26.7
				50	0	21.8	27.1
				50	24	22.1	27.3
				50	49	21.8	27.2
				100	0	21.7	27.7
20.0	21100	2535.0	QPSK	1	0	23.8	27.0
				1	49	23.8	27.1
				1	99	23.5	26.8
				50	0	23.0	27.3
				50	24	23.0	27.4
				50	49	23.0	27.3
			16-QAM	100	0	23.1	27.9
				1	0	22.9	27.8
				1	49	22.9	27.8
				1	99	22.7	27.9
				50	0	21.4	27.3
				50	24	21.4	27.3
				50	49	21.4	27.2
				100	0	21.4	28.0
20.0	21350	2560.0	QPSK	1	0	23.6	26.9
				1	49	23.7	27.0
				1	99	23.8	27.0
				50	0	22.8	27.2
				50	24	22.9	27.3
				50	49	22.8	27.1
			16-QAM	100	0	23.1	28.0
				1	0	22.9	27.5
				1	49	22.7	27.3
				1	99	22.9	26.4
				50	0	21.0	27.0
				50	24	21.0	26.9
				50	49	21.0	26.8
				100	0	21.0	27.6

7.1.5. LTE BAND 12

ID:	44366	Date:	5/16/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 12 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	23017	699.7	QPSK	1	0	24.4	29.1
				1	2	24.3	28.8
				1	5	24.3	29.1
				3	0	24.2	29.3
				3	1	24.3	29.3
				3	2	24.3	29.2
				6	0	23.2	28.5
			16QAM	1	0	23.3	28.7
				1	2	23.3	28.7
				1	5	23.3	28.7
				3	0	23.2	28.8
				3	1	23.2	28.8
				3	2	23.3	28.8
				6	0	22.3	28.5
1.4	23095	707.5	QPSK	1	0	24.4	28.9
				1	2	24.3	28.9
				1	5	24.4	29.0
				3	0	24.4	29.0
				3	1	24.4	29.0
				3	2	24.5	29.1
				6	0	23.4	28.3
			16QAM	1	0	23.4	27.7
				1	2	23.5	27.7
				1	5	23.4	27.8
				3	0	23.2	27.8
				3	1	23.3	27.8
				3	2	23.3	27.8
				6	0	22.0	28.1
1.4	23173	715.3	QPSK	1	0	24.2	28.9
				1	2	24.3	28.8
				1	5	24.3	28.8
				3	0	24.4	29.2
				3	1	24.4	29.2
				3	2	24.4	29.1
				6	0	23.3	28.5
			16QAM	1	0	22.9	27.9
				1	2	23.0	27.7
				1	5	22.9	27.5
				3	0	23.1	28.0
				3	1	23.1	27.9
				3	2	23.1	27.8
				6	0	22.1	27.0

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	23025	700.5	QPSK	1	0	24.2	28.8
				1	7	24.3	28.8
				1	14	24.2	28.7
				8	0	23.2	28.2
				8	4	23.1	27.8
				8	7	23.2	27.9
				15	0	23.2	28.7
			16QAM	1	0	23.1	28.6
				1	7	23.2	28.5
				1	14	23.1	28.4
				8	0	22.3	28.0
				8	4	22.4	27.9
				8	7	22.4	27.9
				15	0	22.1	28.4
3.0	23095	707.5	QPSK	1	0	24.4	28.9
				1	7	24.4	28.8
				1	14	24.2	28.8
				8	0	23.3	28.0
				8	4	23.3	27.9
				8	7	23.4	27.9
				15	0	23.2	28.4
			16QAM	1	0	23.4	28.3
				1	7	23.4	28.0
				1	14	23.3	28.3
				8	0	22.6	28.1
				8	4	22.7	28.1
				8	7	22.8	28.1
				15	0	22.6	28.7
3.0	23165	714.5	QPSK	1	0	24.5	29.1
				1	7	24.4	28.9
				1	14	24.3	28.8
				8	0	23.4	28.2
				8	4	23.4	28.1
				8	7	23.4	28.1
				15	0	23.4	28.6
			16QAM	1	0	23.4	28.0
				1	7	23.5	27.9
				1	14	23.5	27.7
				8	0	22.3	27.9
				8	4	22.2	27.7
				8	7	22.3	27.7
				15	0	22.1	28.2

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23035	701.5	QPSK	1	0	24.3	28.9
				1	12	24.2	28.6
				1	24	24.2	28.7
				12	0	23.3	28.1
				12	6	23.3	28.1
				12	11	23.2	28.1
				25	0	23.2	28.7
			16QAM	1	0	23.2	28.6
				1	12	23.0	28.2
				1	24	23.0	28.1
				12	0	22.1	28.0
				12	6	22.1	28.0
				12	11	22.1	27.9
				25	0	22.0	28.2
5.0	23095	707.5	QPSK	1	0	24.4	28.9
				1	12	24.3	28.8
				1	24	24.3	28.9
				12	0	23.3	28.1
				12	6	23.3	28.0
				12	11	23.3	28.0
				25	0	23.3	28.4
			16QAM	1	0	23.3	28.1
				1	12	23.2	27.6
				1	24	23.3	28.0
				12	0	22.2	27.9
				12	6	22.3	27.8
				12	11	22.3	27.9
				25	0	22.2	28.1
5.0	23155	713.5	QPSK	1	0	24.4	29.0
				1	12	24.3	28.8
				1	24	24.3	28.8
				12	0	23.3	28.3
				12	6	23.3	28.2
				12	11	23.3	28.2
				25	0	23.3	28.9
			16QAM	1	0	23.3	27.7
				1	12	23.2	27.6
				1	24	23.3	27.3
				12	0	21.9	27.6
				12	6	21.9	27.6
				12	11	21.9	27.5
				25	0	21.8	27.8

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23060	704.0	QPSK	1	0	24.2	28.7
				1	24	24.1	28.7
				1	49	24.1	28.6
				25	0	23.2	28.3
				25	12	23.3	28.1
				25	24	23.2	28.0
				50	0	23.2	28.5
			16QAM	1	0	23.2	28.5
				1	24	23.2	28.0
				1	49	22.7	27.8
				25	0	22.0	28.1
				25	12	22.1	27.9
				25	24	22.0	27.8
				50	0	22.1	28.2
10.0	23095	707.5	QPSK	1	0	24.3	28.8
				1	24	24.3	28.8
				1	49	24.2	28.7
				25	0	23.4	28.2
				25	12	23.4	28.1
				25	24	23.3	28.2
				50	0	23.4	28.9
			16QAM	1	0	23.2	28.2
				1	24	23.3	27.5
				1	49	23.2	28.0
				25	0	22.0	27.8
				25	12	22.1	27.7
				25	24	22.1	27.8
				50	0	22.1	28.1
10.0	23130	711.0	QPSK	1	0	24.4	28.8
				1	24	24.3	28.8
				1	49	24.2	28.7
				25	0	23.4	28.2
				25	12	23.4	28.3
				25	24	23.3	28.3
				50	0	23.3	28.4
			16QAM	1	0	23.1	28.1
				1	24	23.2	28.0
				1	49	23.2	28.1
				25	0	22.0	27.6
				25	12	22.0	27.8
				25	24	22.0	27.8
				50	0	21.9	28.1

7.1.6. LTE BAND 13

ID:	44366	Date:	5/16/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23207	779.5	QPSK	1	0	24.4	28.3
				1	12	24.3	28.1
				1	24	24.4	27.8
				12	0	23.3	28.2
				12	6	23.3	28.2
				12	11	23.3	28.2
				25	0	23.3	28.6
			16QAM	1	0	23.2	27.4
				1	12	23.1	27.3
				1	24	23.2	27.1
				12	0	22.3	27.3
				12	6	22.2	27.3
				12	11	22.3	27.3
				25	0	22.4	27.5
5.0	23230	782.0	QPSK	1	0	24.4	27.9
				1	12	24.3	27.9
				1	24	24.2	27.9
				12	0	23.2	28.0
				12	6	23.0	27.9
				12	11	23.0	28.1
				25	0	23.2	28.2
			16QAM	1	0	22.9	27.8
				1	12	22.9	27.7
				1	24	23.1	27.8
				12	0	22.2	28.1
				12	6	22.2	28.0
				12	11	22.1	27.9
				25	0	22.0	28.1
5.0	23255	784.5	QPSK	1	0	24.4	28.4
				1	12	24.4	27.3
				1	24	24.1	27.0
				12	0	23.5	28.2
				12	6	23.5	28.4
				12	11	23.4	28.4
				25	0	23.6	28.8
			16QAM	1	0	23.7	28.2
				1	12	23.6	28.2
				1	24	23.7	28.8
				12	0	22.3	28.2
				12	6	22.4	28.1
				12	11	22.3	28.1
				25	0	22.2	28.1

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23230	782.0	QPSK	1	0	24.4	29.7
				1	24	24.3	29.6
				1	49	24.4	29.8
				25	0	23.1	28.8
				25	12	23.1	28.8
				25	24	23.1	29.0
				50	0	23.1	30.3
			16QAM	1	0	23.4	26.7
				1	24	23.4	26.7
				1	49	23.3	26.7
				25	0	22.6	27.1
				25	12	22.5	27.0
				25	24	22.5	27.3
				50	0	22.6	27.4

7.1.7. LTE BAND 17

ID:	44366	Date:	5/16/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23755	706.5	QPSK	1	0	24.4	28.9
				1	12	24.3	28.8
				1	24	24.3	28.9
				12	0	23.4	28.2
				12	6	23.4	28.1
				12	11	23.3	28.0
				25	0	23.3	28.7
			16QAM	1	0	23.3	28.2
				1	12	23.2	27.7
				1	24	23.2	28.0
				12	0	22.2	28.0
				12	6	22.3	27.9
				12	11	22.3	27.8
				25	0	22.2	28.3
5.0	23790	710.0	QPSK	1	0	24.4	28.9
				1	12	24.2	28.7
				1	24	24.3	28.9
				12	0	23.3	28.1
				12	6	23.3	28.1
				12	11	23.3	28.2
				25	0	23.3	28.7
			16QAM	1	0	23.3	27.5
				1	12	23.3	27.6
				1	24	23.3	27.9
				12	0	21.9	27.5
				12	6	21.9	27.6
				12	11	22.0	27.7
				25	0	21.9	27.9
5.0	23825	713.5	QPSK	1	0	24.4	29.0
				1	12	24.3	28.8
				1	24	24.3	28.8
				12	0	23.4	28.3
				12	6	23.4	28.2
				12	11	23.3	28.2
				25	0	23.4	28.4
			16QAM	1	0	23.3	28.3
				1	12	23.3	28.1
				1	24	23.3	27.9
				12	0	22.3	28.1
				12	6	22.3	28.0
				12	11	22.2	28.0
				25	0	22.2	28.2

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23780	709.0	QPSK	1	0	24.3	28.8
				1	24	24.3	28.8
				1	49	24.1	28.6
				25	0	23.3	28.2
				25	12	23.4	28.1
				25	24	23.2	28.2
				50	0	23.4	29.0
			16QAM	1	0	23.4	28.2
				1	24	23.4	27.9
				1	49	23.3	28.2
				25	0	22.1	28.0
				25	12	22.3	27.9
				25	24	22.2	28.1
				50	0	22.3	28.5
10.0	23790	710.0	QPSK	1	0	24.4	28.8
				1	24	24.4	29.0
				1	49	24.2	28.7
				25	0	23.4	28.3
				25	12	23.4	28.3
				25	24	23.4	28.4
				50	0	23.4	28.5
			16QAM	1	0	23.3	28.3
				1	24	23.3	28.1
				1	49	23.2	28.3
				25	0	22.3	28.1
				25	12	22.5	28.2
				25	24	22.5	28.3
				50	0	22.4	28.4
10.0	23800	711.0	QPSK	1	0	24.3	28.8
				1	24	24.2	28.8
				1	49	24.2	28.6
				25	0	23.3	28.2
				25	12	23.3	28.3
				25	24	23.3	28.4
				50	0	23.3	28.6
			16QAM	1	0	23.0	27.8
				1	24	23.0	28.0
				1	49	22.9	27.9
				25	0	22.1	27.9
				25	12	22.1	28.1
				25	24	22.1	28.2
				50	0	22.2	28.3

7.1.8. LTE BAND 25

ID:	44366	Date:	5/16/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 25 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	26047	1850.7	QPSK	1	0	24.2	28.6
				1	2	24.3	28.5
				1	5	24.3	28.5
				3	0	24.3	28.6
				3	1	24.3	28.6
				3	2	24.3	28.6
				6	0	23.2	28.3
			16QAM	1	0	23.2	28.0
				1	2	23.2	28.0
				1	5	23.2	28.0
				3	0	23.2	28.2
				3	1	23.3	28.1
				3	2	23.3	28.1
				6	0	22.2	28.2
1.4	26362	1882.5	QPSK	1	0	24.4	28.8
				1	2	24.4	28.8
				1	5	24.3	28.8
				3	0	24.4	28.9
				3	1	24.5	28.9
				3	2	24.4	28.9
				6	0	23.4	28.5
			16QAM	1	0	23.4	27.8
				1	2	23.3	27.7
				1	5	23.1	28.1
				3	0	23.1	28.7
				3	1	23.2	28.8
				3	2	23.2	28.7
				6	0	21.8	27.8
1.4	26683	1914.3	QPSK	1	0	24.3	28.2
				1	2	24.4	28.1
				1	5	24.4	28.1
				3	0	24.2	28.4
				3	1	24.3	28.4
				3	2	24.3	28.4
				6	0	23.4	28.4
			16QAM	1	0	23.2	27.7
				1	2	23.2	27.6
				1	5	23.2	27.6
				3	0	23.3	27.9
				3	1	23.4	27.8
				3	2	23.4	27.8
				6	0	22.4	28.1

OUTPUT POWER FOR LTE BAND 25 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26055	1851.5	QPSK	1	0	24.4	28.5
				1	7	24.4	28.5
				1	14	24.2	28.5
				8	0	23.3	28.0
				8	4	23.3	27.9
				8	7	23.3	28.0
				15	0	23.3	28.7
			16QAM	1	0	23.5	27.7
				1	7	23.4	27.7
				1	14	23.3	27.7
				8	0	22.1	27.6
				8	4	22.2	27.6
				8	7	22.2	27.6
				15	0	21.9	28.2
3.0	26365	1882.5	QPSK	1	0	24.3	28.8
				1	7	24.4	28.7
				1	14	24.2	28.8
				8	0	23.5	27.9
				8	4	23.4	27.8
				8	7	23.4	27.8
				15	0	23.4	28.2
			16QAM	1	0	23.5	27.1
				1	7	23.4	27.1
				1	14	23.3	27.1
				8	0	21.8	27.1
				8	4	21.8	27.1
				8	7	21.8	27.1
				15	0	21.7	27.5
3.0	26675	1913.5	QPSK	1	0	24.3	28.4
				1	7	24.3	28.2
				1	14	24.3	28.2
				8	0	23.0	28.4
				8	4	22.9	28.4
				8	7	23.0	28.4
				15	0	22.9	28.9
			16QAM	1	0	23.4	27.1
				1	7	23.4	26.9
				1	14	23.3	26.9
				8	0	22.1	27.6
				8	4	22.0	27.6
				8	7	22.1	27.6
				15	0	22.2	27.9

OUTPUT POWER FOR LTE BAND 25 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26065	1852.5	QPSK	1	0	24.3	28.4
				1	12	24.3	28.4
				1	24	24.3	28.5
				12	0	23.3	28.1
				12	6	23.3	28.1
				12	11	23.3	28.1
				25	0	23.2	28.5
			16QAM	1	0	23.2	27.4
				1	12	23.2	27.4
				1	24	23.2	27.5
				12	0	21.7	27.3
				12	6	21.9	27.4
				12	11	21.9	27.5
				25	0	21.8	27.9
5.0	26365	1882.5	QPSK	1	0	24.4	28.8
				1	12	24.4	28.8
				1	24	24.4	28.8
				12	0	23.3	27.8
				12	6	23.4	27.8
				12	11	23.3	27.8
				25	0	23.4	28.6
			16QAM	1	0	23.3	27.7
				1	12	23.2	27.7
				1	24	23.2	27.7
				12	0	22.2	27.6
				12	6	22.3	27.6
				12	11	22.2	27.6
				25	0	22.2	28.3
5.0	26665	1912.5	QPSK	1	0	24.3	27.9
				1	12	24.4	28.4
				1	24	24.4	28.3
				12	0	23.2	27.7
				12	6	23.1	27.6
				12	11	23.0	27.5
				25	0	23.1	27.9
			16QAM	1	0	23.4	27.3
				1	12	23.3	27.0
				1	24	23.3	26.8
				12	0	21.9	27.4
				12	6	21.9	27.2
				12	11	21.7	27.1
				25	0	21.8	27.6

OUTPUT POWER FOR LTE BAND 25 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26090	1855.0	QPSK	1	0	24.4	28.4
				1	24	24.3	28.6
				1	49	24.2	28.8
				25	0	23.4	28.2
				25	12	23.4	27.8
				25	24	23.4	27.9
				50	0	23.4	28.1
			16QAM	1	0	23.6	27.3
				1	24	23.6	27.4
				1	49	23.5	27.3
				25	0	22.4	27.9
				25	12	22.6	27.8
				25	24	22.6	27.8
				50	0	22.5	28.3
10.0	26365	1882.5	QPSK	1	0	24.4	28.8
				1	24	24.4	28.8
				1	49	24.2	28.7
				25	0	23.4	27.9
				25	12	23.5	27.9
				25	24	23.4	27.9
				50	0	23.4	28.2
			16QAM	1	0	23.4	28.0
				1	24	23.5	28.1
				1	49	23.3	28.2
				25	0	22.6	28.1
				25	12	22.8	28.2
				25	24	22.7	28.4
				50	0	22.7	28.7
10.0	26640	1910.0	QPSK	1	0	24.1	28.5
				1	24	24.3	28.0
				1	49	24.3	28.2
				25	0	23.2	28.1
				25	12	23.3	28.0
				25	24	23.2	27.7
				50	0	23.3	28.2
			16QAM	1	0	23.4	27.6
				1	24	23.3	27.3
				1	49	23.3	26.7
				25	0	22.3	28.1
				25	12	22.3	28.1
				25	24	22.3	27.8
				50	0	22.3	28.5

OUTPUT POWER FOR LTE BAND 25 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	26115	1857.5	QPSK	1	0	24.1	28.5
				1	37	24.5	27.5
				1	74	24.3	28.2
				36	0	23.3	27.8
				36	16	23.3	28.1
				36	35	23.0	27.6
				75	0	23.1	28.8
			16-QAM	1	0	23.5	28.3
				1	37	23.3	27.5
				1	74	23.2	27.8
				36	0	22.3	28.2
				36	16	22.5	28.4
				36	35	22.2	28.1
				75	0	22.2	29.0
15.0	26365	1882.5	QPSK	1	0	24.3	28.7
				1	37	24.3	27.6
				1	74	24.1	28.2
				36	0	23.3	27.0
				36	16	23.2	28.1
				36	35	23.4	28.5
				75	0	22.8	28.9
			16-QAM	1	0	23.3	28.0
				1	37	23.3	27.2
				1	74	23.2	27.7
				36	0	22.0	27.9
				36	16	21.9	27.8
				36	35	21.7	27.7
				75	0	21.9	28.8
15.0	26615	1907.5	QPSK	1	0	24.5	28.9
				1	37	24.5	27.7
				1	74	24.5	27.6
				36	0	23.2	28.4
				36	16	23.3	28.2
				36	35	23.4	27.9
				75	0	23.2	29.2
			16-QAM	1	0	23.5	28.4
				1	37	23.3	27.5
				1	74	23.0	26.5
				36	0	22.5	28.6
				36	16	22.3	28.2
				36	35	22.3	28.3
				75	0	22.5	29.3

OUTPUT POWER FOR LTE BAND 25 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	26140	1860.0	QPSK	1	0	24.1	28.6
				1	49	24.3	29.0
				1	99	24.2	28.7
				50	0	23.3	27.9
				50	24	23.4	28.1
				50	49	23.3	28.0
				100	0	23.3	28.5
			16-QAM	1	0	23.4	27.1
				1	49	23.3	27.7
				1	99	23.3	27.5
				50	0	21.7	27.4
				50	24	21.9	27.6
				50	49	21.8	27.6
				100	0	21.7	28.0
20.0	26365	1882.5	QPSK	1	0	24.1	28.7
				1	49	24.3	28.7
				1	99	24.2	28.4
				50	0	23.2	27.9
				50	24	23.3	27.9
				50	49	23.2	27.8
				100	0	23.2	28.3
			16-QAM	1	0	23.5	27.2
				1	49	23.4	27.5
				1	99	23.2	27.0
				50	0	22.5	28.1
				50	24	22.6	28.1
				50	49	22.5	28.1
				100	0	22.5	28.5
20.0	26590	1905.0	QPSK	1	0	24.2	28.4
				1	49	24.4	28.8
				1	99	24.2	27.7
				50	0	23.4	28.6
				50	24	23.4	28.4
				50	49	23.3	28.4
				100	0	23.3	28.8
			16-QAM	1	0	23.2	28.1
				1	49	23.3	27.7
				1	99	23.1	27.2
				50	0	22.0	28.2
				50	24	22.0	28.0
				50	49	21.9	28.0
				100	0	21.9	28.5

7.1.9. LTE BAND 26

ID:	44366	Date:	5/16/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	26697	814.7	QPSK	1	0	23.9	28.3
				1	2	23.7	27.8
				1	5	23.8	28.5
				3	0	23.8	29.2
				3	1	23.6	28.3
				3	2	23.5	28.5
				6	0	22.9	27.9
			16QAM	1	0	23.1	27.4
				1	2	23.0	27.6
				1	5	22.9	27.7
				3	0	22.9	27.9
				3	1	23.0	28.7
				3	2	23.1	28.9
				6	0	22.0	28.3
1.4	26740	819.0	QPSK	1	0	23.7	28.1
				1	2	23.8	28.2
				1	5	23.7	28.2
				3	0	23.5	28.5
				3	1	23.6	28.5
				3	2	23.6	28.6
				6	0	22.7	28.0
			16QAM	1	0	22.8	27.4
				1	2	22.7	27.5
				1	5	22.6	27.5
				3	0	22.8	28.8
				3	1	22.8	29.0
				3	2	22.7	28.5
				6	0	21.8	28.3
1.4	26783	823.3	QPSK	1	0	23.8	28.6
				1	2	24.0	28.3
				1	5	23.8	28.4
				3	0	23.8	29.0
				3	1	23.8	29.1
				3	2	23.9	29.1
				6	0	22.9	27.4
			16QAM	1	0	23.0	27.8
				1	2	22.9	28.0
				1	5	22.9	28.1
				3	0	23.1	28.8
				3	1	23.4	29.0
				3	2	23.0	28.7
				6	0	21.9	28.3

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26705	815.5	QPSK	1	0	23.5	28.0
				1	7	23.8	27.9
				1	14	23.5	28.2
				8	0	23.2	28.0
				8	4	22.7	27.5
				8	7	23.2	27.9
				15	0	23.0	28.4
			16QAM	1	0	23.0	27.3
				1	7	22.8	27.9
				1	14	22.8	27.8
				8	0	22.1	27.7
				8	4	22.1	27.6
				8	7	22.1	27.5
				15	0	21.9	28.2
3.0	26740	819.0	QPSK	1	0	23.8	28.3
				1	7	23.4	27.9
				1	14	23.8	28.2
				8	0	23.1	28.2
				8	4	22.9	28.3
				8	7	23.0	28.1
				15	0	22.9	28.3
			16QAM	1	0	22.9	27.8
				1	7	22.8	27.5
				1	14	22.8	27.7
				8	0	21.8	27.7
				8	4	21.7	27.6
				8	7	21.8	27.6
				15	0	21.6	28.3
3.0	26775	822.5	QPSK	1	0	24.0	28.1
				1	7	23.8	28.2
				1	14	23.8	28.0
				8	0	23.1	27.9
				8	4	23.0	27.8
				8	7	23.2	28.0
				15	0	23.1	28.3
			16QAM	1	0	23.0	27.9
				1	7	22.8	27.3
				1	14	22.8	28.0
				8	0	22.1	27.7
				8	4	22.2	27.8
				8	7	22.1	27.8
				15	0	22.1	28.2

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26715	816.5	QPSK	1	0	23.8	28.3
				1	12	23.6	28.3
				1	24	23.8	28.5
				12	0	22.8	27.6
				12	6	22.8	27.9
				12	11	22.9	27.8
				25	0	22.9	28.1
			16QAM	1	0	22.9	27.9
				1	12	22.9	28.2
				1	24	22.9	28.1
				12	0	21.9	27.5
				12	6	21.8	27.7
				12	11	21.8	27.7
				25	0	21.7	28.5
5.0	26740	819.0	QPSK	1	0	23.8	28.4
				1	12	23.7	28.2
				1	24	23.7	28.1
				12	0	22.9	27.9
				12	6	22.8	27.9
				12	11	22.9	27.9
				25	0	22.8	28.2
			16QAM	1	0	22.7	28.0
				1	12	22.5	27.7
				1	24	22.8	27.8
				12	0	22.0	28.2
				12	6	21.9	28.1
				12	11	21.9	27.9
				25	0	22.0	28.3
5.0	26765	821.5	QPSK	1	0	24.0	28.4
				1	12	23.6	27.8
				1	24	23.7	28.0
				12	0	22.8	27.7
				12	6	22.9	27.7
				12	11	22.9	27.7
				25	0	22.8	28.6
			16QAM	1	0	22.8	27.9
				1	12	22.8	27.7
				1	24	22.6	27.6
				12	0	21.8	27.7
				12	6	21.8	27.7
				12	11	21.8	27.6
				25	0	21.7	27.7

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26740	819.0	QPSK	1	0	23.9	28.5
				1	24	23.6	28.2
				1	49	23.9	28.4
				25	0	22.8	27.9
				25	12	22.9	27.8
				25	24	22.8	27.8
				50	0	22.8	28.3
			16QAM	1	0	23.0	28.2
				1	24	22.9	28.0
				1	49	23.0	28.0
				25	0	21.5	27.5
				25	12	21.6	27.5
				25	24	21.5	27.4
				50	0	21.4	28.0

7.1.10. LTE BAND 27

ID:	44366	Date:	5/16/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 27 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	27117	814.7	QPSK	1	0	23.8	28.2
				1	2	23.7	26.8
				1	5	23.8	28.3
				3	0	23.5	28.4
				3	1	23.8	27.1
				3	2	23.7	27.1
			16QAM	6	0	22.8	27.8
				1	0	22.9	26.6
				1	2	22.8	26.6
				1	5	22.8	26.8
				3	0	23.0	27.8
				3	1	23.1	27.8
				3	2	23.0	27.2
				6	0	21.7	27.7
1.4	27160	819.0	QPSK	1	0	23.7	26.9
				1	2	23.5	27.5
				1	5	23.6	26.9
				3	0	23.8	28.2
				3	1	24.0	27.9
				3	2	23.9	28.0
			16QAM	6	0	22.9	28.0
				1	0	23.0	27.0
				1	2	22.8	27.0
				1	5	22.9	28.0
				3	0	23.2	27.7
				3	1	23.3	28.0
				3	2	23.3	28.1
				6	0	21.7	27.9
1.4	27203	823.3	QPSK	1	0	24.0	26.7
				1	2	23.6	27.1
				1	5	23.6	27.3
				3	0	23.7	28.6
				3	1	24.0	27.8
				3	2	24.0	27.9
			16QAM	6	0	23.0	27.8
				1	0	22.9	27.0
				1	2	22.8	26.6
				1	5	22.7	27.5
				3	0	23.3	29.4
				3	1	23.2	27.7
				3	2	23.2	27.7
				6	0	21.9	27.7

OUTPUT POWER FOR LTE BAND 27 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	27125	815.5	QPSK	1	0	23.7	28.2
				1	7	23.6	28.1
				1	14	23.8	28.0
				8	0	23.0	27.9
				8	4	22.8	27.6
				8	7	23.0	27.8
				15	0	23.0	28.4
			16QAM	1	0	23.0	27.7
				1	7	22.9	27.0
				1	14	22.8	28.1
				8	0	22.1	27.9
				8	4	22.0	27.6
				8	7	22.2	27.4
				15	0	22.1	28.4
3.0	27160	819.0	QPSK	1	0	23.7	26.9
				1	7	24.0	28.4
				1	14	23.9	28.5
				8	0	22.7	27.4
				8	4	22.6	27.4
				8	7	22.7	27.5
				15	0	22.6	27.6
			16QAM	1	0	23.0	27.1
				1	7	22.8	27.0
				1	14	22.9	27.3
				8	0	21.6	26.9
				8	4	21.6	27.0
				8	7	21.9	27.4
				15	0	21.7	28.4
3.0	27195	822.5	QPSK	1	0	23.9	28.5
				1	7	23.8	28.2
				1	14	23.7	27.8
				8	0	22.9	27.4
				8	4	22.7	27.7
				8	7	22.8	27.2
				15	0	22.8	27.7
			16QAM	1	0	22.9	27.4
				1	7	22.8	26.6
				1	14	22.8	28.0
				8	0	22.1	27.7
				8	4	22.2	28.0
				8	7	22.0	27.5
				15	0	22.0	28.3

OUTPUT POWER FOR LTE BAND 27 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27135	816.5	QPSK	1	0	23.8	28.2
				1	12	23.6	28.1
				1	24	23.8	28.4
				12	0	22.7	27.7
				12	6	22.7	27.8
				12	11	22.7	27.3
				25	0	22.6	28.6
			16QAM	1	0	22.8	27.8
				1	12	22.7	27.6
				1	24	22.9	28.3
				12	0	21.9	27.9
				12	6	21.9	28.0
				12	11	21.9	27.6
				25	0	22.0	27.9
5.0	27160	819.0	QPSK	1	0	23.7	28.4
				1	12	23.6	28.2
				1	24	23.8	28.5
				12	0	22.8	27.4
				12	6	22.9	27.5
				12	11	22.7	27.5
				25	0	22.7	27.6
			16QAM	1	0	22.8	27.0
				1	12	22.9	27.0
				1	24	22.8	27.1
				12	0	21.8	27.9
				12	6	21.8	28.0
				12	11	21.8	28.0
				25	0	21.7	28.1
5.0	27185	821.5	QPSK	1	0	23.9	28.5
				1	12	23.7	26.9
				1	24	23.7	28.2
				12	0	22.8	27.5
				12	6	22.7	27.5
				12	11	22.8	27.5
				25	0	22.7	28.0
			16QAM	1	0	22.5	26.9
				1	12	23.1	27.4
				1	24	23.0	28.3
				12	0	21.8	27.2
				12	6	21.8	27.2
				12	11	21.7	27.1
				25	0	21.8	27.4

OUTPUT POWER FOR LTE BAND 27 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27160	819.0	QPSK	1	0	23.8	28.4
				1	24	23.7	28.5
				1	49	24.0	28.6
				25	0	22.8	27.9
				25	12	22.8	27.5
				25	24	22.8	27.6
				50	0	22.8	28.7
			16QAM	1	0	22.9	27.1
				1	24	22.7	28.2
				1	49	23.0	27.5
				25	0	21.6	27.1
				25	12	21.7	27.3
				25	24	21.6	27.3
				50	0	21.5	27.5

7.1.11. LTE BAND 30

ID:	44366	Date:	5/16/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 30 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27685	2307.5	QPSK	1	0	22.8	27.3
				1	12	22.7	27.0
				1	24	22.6	27.1
				12	0	21.8	26.8
				12	6	21.9	26.6
				12	11	21.7	26.7
				25	0	21.7	27.8
			16QAM	1	0	21.9	27.2
				1	12	21.9	27.2
				1	24	21.9	27.3
				12	0	20.8	26.4
				12	6	20.8	26.3
				12	11	20.7	26.3
				25	0	20.7	26.7
5.0	27710	2310.0	QPSK	1	0	22.7	27.3
				1	12	22.7	27.0
				1	24	22.6	27.1
				12	0	21.9	26.9
				12	6	21.8	26.8
				12	11	21.7	26.7
				25	0	21.8	26.9
			16QAM	1	0	21.7	27.1
				1	12	21.8	27.1
				1	24	21.6	27.1
				12	0	20.9	26.7
				12	6	20.8	26.6
				12	11	20.8	26.6
				25	0	20.8	27.2
5.0	27735	2312.5	QPSK	1	0	23.0	27.6
				1	12	22.7	27.2
				1	24	22.9	27.5
				12	0	21.7	26.6
				12	6	21.7	26.5
				12	11	21.7	26.5
				25	0	21.7	26.7
			16QAM	1	0	21.9	27.4
				1	12	22.1	27.5
				1	24	21.9	27.4
				12	0	20.6	26.4
				12	6	20.7	26.4
				12	11	20.7	26.5
				25	0	20.6	26.9

OUTPUT POWER FOR LTE BAND 30 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27710	2310.0	QPSK	1	0	22.9	26.6
				1	24	22.8	27.2
				1	49	22.7	26.2
				25	0	22.1	27.0
				25	12	21.8	26.7
				25	24	21.7	26.5
				50	0	21.9	27.0
			16QAM	1	0	21.9	26.5
				1	24	21.9	27.1
				1	49	21.6	26.2
				25	0	21.0	26.9
				25	12	20.8	26.6
				25	24	20.5	26.3
				50	0	20.7	26.7

7.1.12. LTE BAND 41

ID:	44366	Date:	5/16/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 41 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	39675	2498.5	QPSK	1	0	22.3	26.7
				1	12	22.3	26.9
				1	24	22.2	27.0
				12	0	21.3	26.5
				12	6	21.3	26.5
				12	11	21.2	26.4
				25	0	21.3	27.0
			16QAM	1	0	21.4	26.6
				1	12	21.5	26.8
				1	24	21.3	26.9
				12	0	20.2	26.4
				12	6	20.2	26.3
				12	11	20.2	26.3
				25	0	20.2	26.7
5.0	40620	2593.0	QPSK	1	0	22.5	26.5
				1	12	22.4	26.4
				1	24	22.3	26.4
				12	0	21.4	26.4
				12	6	21.5	26.3
				12	11	21.4	26.3
				25	0	21.4	26.6
			16QAM	1	0	21.7	26.5
				1	12	21.7	26.4
				1	24	21.6	26.4
				12	0	20.4	26.3
				12	6	20.4	26.2
				12	11	20.4	26.2
				25	0	20.5	26.7
5.0	41565	2687.5	QPSK	1	0	22.2	27.1
				1	12	22.3	26.9
				1	24	22.2	26.7
				12	0	21.3	26.9
				12	6	21.2	26.6
				12	11	21.2	26.7
				25	0	21.2	26.9
			16QAM	1	0	21.0	26.3
				1	12	21.0	26.2
				1	24	21.0	26.1
				12	0	20.2	26.4
				12	6	20.2	26.4
				12	11	20.2	26.3
				25	0	20.1	26.7

OUTPUT POWER FOR LTE BAND 41 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	39700	2501.0	QPSK	1	0	22.3	26.6
				1	24	22.2	26.9
				1	49	22.2	26.8
				25	0	21.3	26.6
				25	12	21.2	26.4
				25	24	21.2	26.4
			16QAM	50	0	21.2	26.9
				1	0	21.5	26.5
				1	24	21.3	26.8
				1	49	21.3	26.7
				25	0	20.1	26.4
				25	12	20.0	26.2
				25	24	20.1	26.3
				50	0	20.1	26.7
10.0	40620	2593.0	QPSK	1	0	22.5	26.4
				1	24	22.4	26.3
				1	49	22.3	26.2
				25	0	21.4	26.4
				25	12	21.4	26.3
				25	24	21.2	26.2
			16QAM	50	0	21.4	26.7
				1	0	21.6	26.7
				1	24	21.5	26.7
				1	49	21.5	26.5
				25	0	20.4	26.5
				25	12	20.3	26.5
				25	24	20.3	26.5
				50	0	20.3	26.8
10.0	41540	2685.0	QPSK	1	0	22.4	27.1
				1	24	22.1	26.8
				1	49	22.0	26.4
				25	0	21.2	26.6
				25	12	21.1	26.5
				25	24	21.0	26.4
			16QAM	50	0	21.1	26.9
				1	0	21.5	26.8
				1	24	21.3	26.6
				1	49	21.2	26.3
				25	0	20.5	26.9
				25	12	20.4	26.7
				25	24	20.3	26.7
				50	0	20.4	27.2

OUTPUT POWER FOR LTE BAND 41 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	39725	2503.5	QPSK	1	0	22.2	25.5
				1	37	22.2	25.4
				1	74	22.3	25.3
				36	0	21.6	25.9
				36	16	21.5	26.4
				36	35	21.3	26.3
				75	0	21.2	26.2
			16-QAM	1	0	21.5	26.3
				1	37	21.3	26.0
				1	74	21.3	25.3
				36	0	20.1	26.1
				36	16	20.1	26.0
				36	35	20.0	25.9
				75	0	20.0	26.8
15.0	40620	2593.0	QPSK	1	0	22.4	26.6
				1	37	22.5	26.6
				1	74	22.1	26.6
				36	0	21.1	26.1
				36	16	21.1	26.0
				36	35	21.1	26.1
				75	0	21.1	27.3
			16-QAM	1	0	21.6	25.5
				1	37	21.7	26.6
				1	74	21.7	26.5
				36	0	20.0	26.0
				36	16	20.1	25.7
				36	35	20.1	25.9
				75	0	20.1	26.7
15.0	41515	2682.5	QPSK	1	0	22.5	25.9
				1	37	22.2	25.6
				1	74	22.3	25.7
				36	0	21.4	25.9
				36	16	21.3	25.9
				36	35	21.2	25.7
				75	0	21.5	26.6
			16-QAM	1	0	21.6	25.8
				1	37	21.6	25.3
				1	74	21.3	25.2
				36	0	20.4	25.7
				36	16	20.3	25.8
				36	35	20.1	25.4
				75	0	20.2	26.0

OUTPUT POWER FOR LTE BAND 41 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	39750	2506.0	QPSK	1	0	22.3	25.7
				1	49	22.4	25.8
				1	99	22.3	25.9
				50	0	21.7	26.0
				50	24	21.7	26.0
				50	49	21.5	26.3
				100	0	21.7	26.7
			16-QAM	1	0	21.5	25.3
				1	49	21.3	25.4
				1	99	21.6	26.0
				50	0	20.3	25.7
				50	24	20.4	25.9
				50	49	20.4	25.9
				100	0	20.3	26.4
20.0	40620	2593.0	QPSK	1	0	22.2	25.4
				1	49	22.2	25.5
				1	99	22.5	25.7
				50	0	21.5	25.7
				50	24	21.5	25.6
				50	49	21.5	25.7
				100	0	21.6	26.4
			16-QAM	1	0	21.5	26.2
				1	49	21.4	26.4
				1	99	21.5	26.5
				50	0	20.1	25.7
				50	24	20.0	25.6
				50	49	20.1	25.9
				100	0	20.1	26.4
20.0	41490	2680.0	QPSK	1	0	22.2	26.3
				1	49	22.4	25.6
				1	99	22.0	25.5
				50	0	21.7	26.0
				50	24	21.2	26.6
				50	49	21.3	25.9
				100	0	21.0	26.8
			16-QAM	1	0	21.6	25.6
				1	49	21.0	24.8
				1	99	21.3	24.8
				50	0	20.3	25.7
				50	24	20.2	25.1
				50	49	20.2	24.9
				100	0	20.1	25.5

7.2. UAT

7.2.1. LTE BAND 2

ID:	50820	Date:	5/25/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 2 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	18607	1850.7	QPSK	1	0	20.5	23.9
				1	2	20.5	23.8
				1	5	20.4	23.8
				3	0	20.4	24.1
				3	1	20.4	24.0
				3	2	20.4	24.0
			16QAM	6	0	19.4	24.3
				1	0	19.5	23.9
				1	2	19.5	23.8
				1	5	19.4	23.8
				3	0	19.6	24.0
				3	1	19.6	23.9
				3	2	19.6	23.9
				6	0	18.7	24.3
1.4	18900	1880.0	QPSK	1	0	20.1	23.6
				1	2	20.2	23.5
				1	5	20.3	23.6
				3	0	20.1	23.9
				3	1	20.1	23.7
				3	2	20.1	23.7
			16QAM	6	0	19.2	24.0
				1	0	19.3	23.6
				1	2	19.3	23.6
				1	5	19.3	23.6
				3	0	19.2	23.8
				3	1	19.3	23.7
				3	2	19.3	23.7
				6	0	18.4	24.1
1.4	19193	1909.3	QPSK	1	0	20.3	23.6
				1	2	20.1	23.5
				1	5	20.2	23.4
				3	0	20.0	23.8
				3	1	20.0	23.7
				3	2	20.0	23.6
			16QAM	6	0	19.1	24.0
				1	0	19.5	23.6
				1	2	19.5	23.5
				1	5	19.4	23.5
				3	0	19.3	23.7
				3	1	19.3	23.7
				3	2	19.3	23.6
				6	0	18.1	24.1

OUTPUT POWER FOR LTE BAND 2 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	18615	1851.5	QPSK	1	0	20.4	23.8
				1	7	20.4	23.6
				1	14	20.2	23.5
				8	0	19.4	23.8
				8	4	19.4	23.8
				8	7	19.4	23.7
				15	0	19.4	24.4
			16QAM	1	0	19.5	23.8
				1	7	19.4	23.6
				1	14	19.3	23.6
				8	0	18.7	23.8
				8	4	18.7	23.8
				8	7	18.6	23.7
				15	0	18.4	24.4
3.0	18900	1880.0	QPSK	1	0	20.1	23.5
				1	7	20.1	23.4
				1	14	20.1	23.5
				8	0	19.1	23.5
				8	4	19.2	23.5
				8	7	19.2	23.5
				15	0	19.2	23.9
			16QAM	1	0	19.0	23.5
				1	7	19.1	23.4
				1	14	19.0	23.5
				8	0	18.3	23.5
				8	4	18.3	23.5
				8	7	18.3	23.5
				15	0	18.2	24.3
3.0	19185	1908.5	QPSK	1	0	20.2	23.6
				1	7	20.1	23.3
				1	14	20.3	23.3
				8	0	19.2	23.5
				8	4	19.2	23.5
				8	7	19.1	23.4
				15	0	19.1	24.1
			16QAM	1	0	19.5	23.5
				1	7	19.5	23.4
				1	14	19.3	23.3
				8	0	18.1	23.5
				8	4	18.1	23.5
				8	7	18.1	23.5
				15	0	18.2	24.0

OUTPUT POWER FOR LTE BAND 2 (5.0 MHz)

UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak(dBm)
			Size	Offset		
18625	1852.5	QPSK	1	0	20.5	23.8
			1	12	20.4	23.6
			1	24	20.2	23.5
			12	0	19.5	23.8
			12	6	19.5	23.8
			12	11	19.4	23.7
			25	0	19.4	24.2
		16QAM	1	0	19.6	23.8
			1	12	19.5	23.6
			1	24	19.3	23.5
			12	0	18.6	23.9
			12	6	18.6	23.8
			12	11	18.4	23.7
			25	0	18.4	24.3
18900	1880.0	QPSK	1	0	20.2	23.5
			1	12	20.1	23.4
			1	24	20.1	23.5
			12	0	19.2	23.5
			12	6	19.2	23.5
			12	11	19.3	23.6
			25	0	19.3	24.1
		16QAM	1	0	19.4	23.5
			1	12	19.3	23.5
			1	24	19.4	23.6
			12	0	18.3	23.6
			12	6	18.3	23.6
			12	11	18.4	23.6
			25	0	18.3	24.2
19175	1907.5	QPSK	1	0	20.3	23.6
			1	12	20.2	23.5
			1	24	20.3	23.3
			12	0	19.3	23.7
			12	6	19.3	23.6
			12	11	19.2	23.6
			25	0	19.3	24.1
		16QAM	1	0	19.8	23.6
			1	12	19.7	23.5
			1	24	19.5	23.4
			12	0	18.5	23.7
			12	6	18.5	23.7
			12	11	18.4	23.7
			25	0	18.4	24.3

OUTPUT POWER FOR LTE BAND 2 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	18650	1855.0	QPSK	1	0	20.4	23.7
				1	24	20.2	23.5
				1	49	20.4	23.8
				25	0	19.4	23.8
				25	12	19.3	23.6
				25	24	19.4	23.8
				50	0	19.4	24.4
			16QAM	1	0	19.4	23.7
				1	24	19.2	23.4
				1	49	19.4	23.8
				25	0	18.5	23.8
				25	12	18.4	23.7
				25	24	18.5	23.8
				50	0	18.4	24.1
10.0	18900	1880.0	QPSK	1	0	20.1	23.4
				1	24	20.2	23.4
				1	49	20.1	23.5
				25	0	19.2	23.6
				25	12	19.2	23.6
				25	24	19.2	23.6
				50	0	19.2	24.2
			16QAM	1	0	19.0	23.4
				1	24	19.0	23.4
				1	49	19.1	23.5
				25	0	18.2	23.6
				25	12	18.3	23.7
				25	24	18.3	23.6
				50	0	18.2	24.3
10.0	19150	1905.0	QPSK	1	0	20.2	23.5
				1	24	20.2	23.5
				1	49	20.3	23.1
				25	0	19.3	23.7
				25	12	19.4	23.7
				25	24	19.2	23.6
				50	0	19.3	24.1
			16QAM	1	0	19.6	23.5
				1	24	19.6	23.5
				1	49	19.2	23.2
				25	0	18.4	23.8
				25	12	18.5	23.8
				25	24	18.3	23.6
				50	0	18.4	24.3

OUTPUT POWER FOR LTE BAND 2 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	18675	1857.5	QPSK	1	0	20.3	23.7
				1	37	20.2	23.5
				1	74	20.1	23.7
				36	0	19.2	23.7
				36	16	19.4	23.8
				36	35	19.4	24.0
				75	0	19.4	24.6
			16-QAM	1	0	19.7	23.6
				1	37	19.6	23.6
				1	74	19.5	23.8
				36	0	18.2	23.7
				36	16	18.4	23.8
				36	35	18.5	24.0
				75	0	18.4	24.5
15.0	18900	1880.0	QPSK	1	0	20.2	23.5
				1	37	20.1	23.4
				1	74	20.2	23.6
				36	0	19.1	23.6
				36	16	19.2	23.5
				36	35	19.2	23.6
				75	0	19.2	24.5
			16-QAM	1	0	19.1	23.5
				1	37	19.0	23.5
				1	74	19.1	23.7
				36	0	18.2	23.6
				36	16	18.2	23.6
				36	35	18.2	23.6
				75	0	18.3	24.3
15.0	19125	1902.5	QPSK	1	0	20.0	23.3
				1	37	20.1	23.4
				1	74	20.3	23.4
				36	0	19.2	23.7
				36	16	19.3	23.7
				36	35	19.2	23.6
				75	0	19.2	24.4
			16-QAM	1	0	19.4	23.4
				1	37	19.6	23.5
				1	74	19.3	23.2
				36	0	18.3	23.8
				36	16	18.4	23.8
				36	35	18.3	23.7
				75	0	18.3	24.3

OUTPUT POWER FOR LTE BAND 2 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	18700	1860.0	QPSK	1	0	20.3	23.6
				1	49	20.3	23.7
				1	99	20.0	23.4
				50	0	19.3	23.7
				50	24	19.4	23.9
				50	49	19.3	23.9
				100	0	19.4	24.5
			16-QAM	1	0	19.6	23.6
				1	49	19.8	23.8
				1	99	19.5	23.5
				50	0	18.3	23.8
				50	24	18.5	23.9
				50	49	18.3	23.9
				100	0	18.5	24.4
20.0	18900	1880.0	QPSK	1	0	20.3	23.6
				1	49	20.0	23.2
				1	99	20.3	23.7
				50	0	19.2	23.7
				50	24	19.2	23.6
				50	49	19.3	23.7
				100	0	19.3	24.3
			16-QAM	1	0	19.8	23.6
				1	49	19.4	23.2
				1	99	19.8	23.8
				50	0	18.3	23.7
				50	24	18.2	23.6
				50	49	18.3	23.7
				100	0	18.3	24.4
20.0	19100	1900.0	QPSK	1	0	20.4	23.7
				1	49	20.2	23.5
				1	99	20.1	23.2
				50	0	19.1	23.7
				50	24	19.2	23.7
				50	49	19.2	23.7
				100	0	19.2	24.4
			16-QAM	1	0	19.8	23.7
				1	49	19.6	23.5
				1	99	19.3	23.3
				50	0	18.2	23.7
				50	24	18.3	23.7
				50	49	18.3	23.8
				100	0	18.3	24.4

7.2.2. LTE BAND 4

ID:	50820	Date:	5/25/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 4 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	19957	1710.7	QPSK	1	0	20.4	23.0
				1	2	20.3	22.8
				1	5	20.2	22.9
				3	0	20.3	24.1
				3	1	20.3	24.0
				3	2	20.3	24.0
				6	0	19.3	24.2
			16QAM	1	0	19.4	23.8
				1	2	19.4	23.7
				1	5	19.4	23.8
				3	0	19.3	23.9
				3	1	19.4	23.8
				3	2	19.4	23.9
				6	0	18.0	23.7
1.4	20175	1732.5	QPSK	1	0	20.5	23.9
				1	2	20.4	23.8
				1	5	20.3	23.7
				3	0	20.3	24.1
				3	1	20.3	25.0
				3	2	20.3	24.9
				6	0	19.4	24.1
			16QAM	1	0	19.7	23.8
				1	2	19.8	23.7
				1	5	19.7	23.8
				3	0	19.6	24.0
				3	1	19.6	23.9
				3	2	19.6	23.9
				6	0	18.4	24.3
1.4	20393	1754.3	QPSK	1	0	20.4	23.9
				1	2	20.4	23.7
				1	5	20.3	23.8
				3	0	20.3	24.1
				3	1	20.3	24.0
				3	2	20.3	24.0
				6	0	19.4	24.4
			16QAM	1	0	19.4	23.8
				1	2	19.4	23.8
				1	5	19.4	23.8
				3	0	19.5	24.0
				3	1	19.6	24.0
				3	2	19.6	24.0
				6	0	18.7	24.2

OUTPUT POWER FOR LTE BAND 4 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	19965	1711.5	QPSK	1	0	20.2	23.6
				1	7	20.3	23.5
				1	14	20.3	23.7
				8	0	19.2	23.6
				8	4	19.2	23.6
				8	7	19.3	23.6
				15	0	19.2	24.3
			16QAM	1	0	19.2	23.5
				1	7	19.3	23.5
				1	14	19.3	23.7
				8	0	18.4	23.6
				8	4	18.5	23.6
				8	7	18.5	23.7
				15	0	18.3	24.2
3.0	20175	1732.5	QPSK	1	0	20.4	23.7
				1	7	20.3	23.5
				1	14	20.1	23.5
				8	0	19.3	23.7
				8	4	19.3	23.6
				8	7	19.3	23.6
				15	0	19.3	24.2
			16QAM	1	0	19.2	23.7
				1	7	19.2	23.5
				1	14	19.3	23.6
				8	0	18.5	23.7
				8	4	18.5	23.7
				8	7	18.5	23.7
				15	0	18.5	24.3
3.0	20385	1753.5	QPSK	1	0	20.3	23.7
				1	7	20.3	23.5
				1	14	20.2	23.6
				8	0	19.3	23.7
				8	4	19.4	23.7
				8	7	19.4	23.7
				15	0	19.4	24.3
			16QAM	1	0	19.6	23.7
				1	7	19.7	23.6
				1	14	19.7	23.7
				8	0	18.2	23.7
				8	4	18.3	23.8
				8	7	18.3	23.8
				15	0	18.5	24.3

OUTPUT POWER FOR LTE BAND 4 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	19975	1712.5	QPSK	1	0	20.2	23.4
				1	12	20.1	23.4
				1	24	20.4	23.6
				12	0	19.4	23.8
				12	6	19.6	23.9
				12	11	19.6	24.0
				25	0	19.6	24.7
			16QAM	1	0	19.4	23.7
				1	12	19.6	23.8
				1	24	19.8	24.0
				12	0	18.5	23.8
				12	6	18.7	24.0
				12	11	18.7	24.0
				25	0	18.6	24.3
5.0	20175	1732.5	QPSK	1	0	20.5	23.8
				1	12	20.3	23.7
				1	24	20.2	23.6
				12	0	19.5	23.9
				12	6	19.5	23.9
				12	11	19.5	23.9
				25	0	19.5	24.6
			16QAM	1	0	19.6	23.7
				1	12	19.6	23.7
				1	24	19.4	23.6
				12	0	18.6	23.9
				12	6	18.7	23.9
				12	11	18.6	23.9
				25	0	18.6	24.3
5.0	20375	1752.5	QPSK	1	0	20.4	23.7
				1	12	20.4	23.7
				1	24	20.4	23.7
				12	0	19.4	23.9
				12	6	19.5	23.9
				12	11	19.5	24.0
				25	0	19.5	24.6
			16QAM	1	0	19.8	23.7
				1	12	19.9	23.7
				1	24	19.9	23.8
				12	0	18.6	23.9
				12	6	18.7	24.0
				12	11	18.7	24.0
				25	0	18.6	24.6

OUTPUT POWER FOR LTE BAND 4 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20000	1715.0	QPSK	1	0	20.3	23.7
				1	24	20.2	23.5
				1	49	20.1	23.3
				25	0	19.0	23.4
				25	12	19.3	23.6
				25	24	19.4	23.8
				50	0	19.2	24.2
			16QAM	1	0	19.1	23.6
				1	24	19.1	23.5
				1	49	19.3	23.6
				25	0	18.1	23.4
				25	12	18.4	23.7
				25	24	18.5	23.9
				50	0	18.3	24.2
10.0	20175	1732.5	QPSK	1	0	20.4	23.7
				1	24	20.4	23.7
				1	49	20.2	23.3
				25	0	19.5	23.9
				25	12	19.6	23.9
				25	24	19.4	23.8
				50	0	19.5	24.2
			16QAM	1	0	19.8	23.7
				1	24	19.8	23.8
				1	49	19.3	23.3
				25	0	18.6	24.0
				25	12	18.7	24.0
				25	24	18.5	23.9
				50	0	18.6	24.4
10.0	20350	1750.0	QPSK	1	0	20.2	23.5
				1	24	20.3	23.6
				1	49	20.3	23.6
				25	0	19.3	23.7
				25	12	19.5	23.9
				25	24	19.5	23.9
				50	0	19.4	24.5
			16QAM	1	0	19.2	23.5
				1	24	19.3	23.6
				1	49	19.3	23.7
				25	0	18.4	23.8
				25	12	18.6	23.9
				25	24	18.6	23.9
				50	0	18.5	24.2

OUTPUT POWER FOR LTE BAND 4 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20025	1717.5	QPSK	1	0	20.1	23.3
				1	37	20.0	23.1
				1	74	20.2	23.3
				36	0	19.1	23.6
				36	16	19.4	23.8
				36	35	19.7	24.1
				75	0	19.4	24.6
			16-QAM	1	0	19.2	23.2
				1	37	19.2	23.1
				1	74	19.6	23.3
				36	0	18.2	23.6
				36	16	18.0	23.4
				36	35	18.3	23.6
				75	0	18.0	24.1
15.0	20175	1732.5	QPSK	1	0	20.4	23.5
				1	37	20.2	23.6
				1	74	20.0	23.3
				36	0	19.5	24.0
				36	16	19.5	23.8
				36	35	19.3	23.7
				75	0	19.4	24.6
			16-QAM	1	0	19.4	23.6
				1	37	19.2	23.7
				1	74	19.0	23.4
				36	0	18.6	24.1
				36	16	18.6	24.0
				36	35	18.4	23.8
				75	0	18.5	24.5
15.0	20325	1747.5	QPSK	1	0	20.1	23.5
				1	37	20.1	23.5
				1	74	20.4	23.7
				36	0	19.3	23.7
				36	16	19.4	23.8
				36	35	19.4	23.9
				75	0	19.4	24.6
			16-QAM	1	0	19.6	23.5
				1	37	19.6	23.6
				1	74	19.8	23.8
				36	0	18.3	23.8
				36	16	18.4	23.8
				36	35	18.5	23.9
				75	0	18.4	24.5

OUTPUT POWER FOR LTE BAND 4 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20050	1720.0	QPSK	1	0	20.3	23.3
				1	49	20.2	23.2
				1	99	20.4	23.6
				50	0	19.3	23.7
				50	24	19.2	23.6
				50	49	19.4	23.8
				100	0	19.1	24.1
			16-QAM	1	0	19.4	23.2
				1	49	19.6	23.2
				1	99	20.0	23.7
				50	0	18.4	23.7
				50	24	18.3	23.7
				50	49	18.5	23.8
				100	0	18.2	24.0
20.0	20175	1732.5	QPSK	1	0	20.3	23.4
				1	49	20.3	23.6
				1	99	20.1	23.4
				50	0	19.5	24.0
				50	24	19.4	23.8
				50	49	19.2	23.7
				100	0	19.4	24.4
			16-QAM	1	0	19.7	23.4
				1	49	19.8	23.7
				1	99	19.5	23.5
				50	0	18.6	24.0
				50	24	18.6	23.9
				50	49	18.3	23.7
				100	0	18.5	24.4
20.0	20300	1745.0	QPSK	1	0	20.2	23.6
				1	49	20.1	23.5
				1	99	20.3	23.7
				50	0	19.2	23.6
				50	24	19.3	23.7
				50	49	19.4	23.9
				100	0	19.3	24.5
			16-QAM	1	0	19.6	23.6
				1	49	19.6	23.6
				1	99	19.8	23.8
				50	0	18.2	23.7
				50	24	18.3	23.7
				50	49	18.4	23.9
				100	0	18.3	24.2

7.2.3. LTE BAND 5

ID:	50820	Date:	5/26/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 5 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	20407	824.7	QPSK	1	0	22.4	26.5
				1	2	22.5	26.2
				1	5	22.4	26.1
				3	0	22.4	26.4
				3	1	22.5	26.3
				3	2	22.5	26.2
				6	0	21.3	26.5
			16QAM	1	0	21.4	26.1
				1	2	21.4	26.0
				1	5	21.3	26.0
				3	0	21.5	26.2
				3	1	21.5	26.1
				3	2	21.5	26.1
				6	0	20.5	25.3
1.4	20525	836.5	QPSK	1	0	22.3	26.5
				1	2	22.3	26.4
				1	5	22.3	26.4
				3	0	22.3	26.6
				3	1	22.3	26.5
				3	2	22.4	26.5
				6	0	21.2	26.4
			16QAM	1	0	21.4	26.4
				1	2	21.3	26.4
				1	5	21.3	26.4
				3	0	21.3	26.6
				3	1	21.3	26.5
				3	2	21.4	26.5
				6	0	20.4	26.4
1.4	20643	848.3	QPSK	1	0	22.4	25.8
				1	2	22.3	25.5
				1	5	22.3	25.4
				3	0	22.4	26.2
				3	1	22.3	25.9
				3	2	22.3	25.8
				6	0	21.4	26.1
			16QAM	1	0	21.4	25.4
				1	2	21.3	25.2
				1	5	21.0	25.0
				3	0	21.2	25.6
				3	1	21.2	25.4
				3	2	21.1	25.3
				6	0	20.0	25.8

OUTPUT POWER FOR LTE BAND 5 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	20415	825.5	QPSK	1	0	22.4	26.2
				1	7	22.3	25.9
				1	14	22.2	26.0
				8	0	21.3	26.0
				8	4	21.3	25.9
				8	7	21.3	25.9
				15	0	21.3	26.4
			16QAM	1	0	21.3	26.2
				1	7	21.4	25.9
				1	14	21.3	26.1
				8	0	20.5	26.0
				8	4	20.5	25.9
				8	7	20.5	25.9
				15	0	20.2	26.4
3.0	20525	836.5	QPSK	1	0	22.3	26.6
				1	7	22.2	26.2
				1	14	22.3	26.1
				8	0	21.3	26.2
				8	4	21.2	25.8
				8	7	21.2	25.8
				15	0	21.2	26.5
			16QAM	1	0	21.2	26.6
				1	7	21.2	26.3
				1	14	21.0	26.1
				8	0	20.3	26.0
				8	4	20.3	25.8
				8	7	20.3	25.8
				15	0	20.2	26.5
3.0	20635	847.5	QPSK	1	0	22.3	25.5
				1	7	22.3	25.3
				1	14	22.3	25.4
				8	0	21.2	25.7
				8	4	21.1	25.5
				8	7	21.1	25.4
				15	0	21.1	26.1
			16QAM	1	0	21.5	25.5
				1	7	21.5	25.3
				1	14	21.4	24.9
				8	0	20.0	25.4
				8	4	20.0	25.5
				8	7	19.9	25.4
				15	0	20.1	25.8

OUTPUT POWER FOR LTE BAND 5 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20425	826.5	QPSK	1	0	22.5	26.3
				1	12	22.3	26.0
				1	24	22.4	26.1
				12	0	21.4	26.2
				12	6	21.4	26.1
				12	11	21.3	26.1
				25	0	21.3	26.5
			16QAM	1	0	21.5	26.2
				1	12	21.4	26.0
				1	24	21.4	26.2
				12	0	20.5	26.2
				12	6	20.4	26.1
				12	11	20.3	26.1
				25	0	20.3	26.8
5.0	20525	836.5	QPSK	1	0	22.3	26.7
				1	12	22.2	26.3
				1	24	22.3	26.1
				12	0	21.3	26.3
				12	6	21.3	26.1
				12	11	21.2	26.1
				25	0	21.3	26.9
			16QAM	1	0	21.4	26.8
				1	12	21.4	26.3
				1	24	21.5	26.2
				12	0	20.4	26.2
				12	6	20.3	26.1
				12	11	20.3	26.0
				25	0	20.2	26.7
5.0	20625	846.5	QPSK	1	0	22.2	25.7
				1	12	22.3	25.6
				1	24	22.2	25.4
				12	0	21.2	25.7
				12	6	21.2	25.7
				12	11	21.1	25.6
				25	0	21.1	26.2
			16QAM	1	0	21.5	25.7
				1	12	21.4	25.6
				1	24	21.3	25.0
				12	0	20.4	25.7
				12	6	20.3	25.6
				12	11	20.3	25.7
				25	0	20.2	26.1

OUTPUT POWER FOR LTE BAND 5 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20450	829.0	QPSK	1	0	22.5	26.5
				1	24	22.4	26.3
				1	49	22.3	26.6
				25	0	21.5	26.4
				25	12	21.5	26.4
				25	24	21.5	26.5
				50	0	21.5	26.9
			16QAM	1	0	21.5	26.4
				1	24	21.4	26.3
				1	49	21.4	26.6
				25	0	20.6	26.4
				25	12	20.6	26.4
				25	24	20.5	26.5
				50	0	20.6	26.9
10.0	20525	836.5	QPSK	1	0	22.4	26.8
				1	24	22.4	26.4
				1	49	22.3	25.9
				25	0	21.4	26.4
				25	12	21.5	26.3
				25	24	21.4	26.2
				50	0	21.4	26.9
			16QAM	1	0	21.3	26.8
				1	24	21.3	26.5
				1	49	21.4	25.9
				25	0	20.4	26.4
				25	12	20.4	26.3
				25	24	20.3	26.3
				50	0	20.4	26.6
10.0	20600	844.0	QPSK	1	0	22.3	26.5
				1	24	22.4	25.8
				1	49	22.3	25.6
				25	0	21.5	26.3
				25	12	21.4	25.9
				25	24	21.3	25.8
				50	0	21.4	26.4
			16QAM	1	0	21.6	26.5
				1	24	21.6	25.7
				1	49	21.4	25.2
				25	0	20.5	26.3
				25	12	20.4	26.0
				25	24	20.3	25.7
				50	0	20.4	26.2

7.2.4. LTE BAND 7

ID:	50820	Date:	5/25/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 7 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	20775	2502.5	QPSK	1	0	18.9	21.5
				1	12	18.9	21.8
				1	24	19.1	22.1
				12	0	17.9	22.3
				12	6	18.2	22.5
				12	11	18.4	22.7
				25	0	18.2	23.2
			16QAM	1	0	18.1	22.2
				1	12	17.7	22.8
				1	24	18.1	23.1
				12	0	16.7	21.5
				12	6	16.8	20.1
				12	11	17.0	20.3
				25	0	16.8	20.5
5.0	21100	2535.0	QPSK	1	0	19.2	22.4
				1	12	19.0	22.2
				1	24	18.9	22.1
				12	0	18.2	22.6
				12	6	18.3	22.5
				12	11	18.2	22.5
				25	0	18.3	23.0
			16QAM	1	0	18.5	22.4
				1	12	18.5	22.3
				1	24	18.5	22.2
				12	0	17.5	22.6
				12	6	17.5	22.6
				12	11	17.5	22.6
				25	0	17.5	23.1
5.0	21425	2567.5	QPSK	1	0	19.0	22.3
				1	12	18.9	22.2
				1	24	18.8	22.1
				12	0	17.8	22.1
				12	6	17.9	22.2
				12	11	17.9	22.2
				25	0	17.9	22.9
			16QAM	1	0	17.9	22.0
				1	12	17.8	22.0
				1	24	17.8	22.0
				12	0	16.8	22.0
				12	6	16.9	22.0
				12	11	16.9	22.1
				25	0	16.8	22.6

OUTPUT POWER FOR LTE BAND 7 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	20800	2505.0	QPSK	1	0	19.0	22.2
				1	24	18.9	22.1
				1	49	19.0	22.5
				25	0	18.1	22.5
				25	12	18.2	22.5
				25	24	18.5	22.9
				50	0	18.1	22.9
			16QAM	1	0	17.9	22.2
				1	24	18.0	22.2
				1	49	17.6	21.8
				25	0	16.8	22.1
				25	12	16.8	22.1
				25	24	17.2	22.6
				50	0	17.1	22.1
10.0	21100	2535.0	QPSK	1	0	19.1	22.3
				1	24	18.9	22.1
				1	49	18.9	22.0
				25	0	18.2	22.5
				25	12	18.2	22.4
				25	24	18.1	22.4
				50	0	18.2	22.8
			16QAM	1	0	18.1	22.4
				1	24	17.9	22.2
				1	49	17.8	22.1
				25	0	17.3	22.6
				25	12	17.3	22.5
				25	24	17.2	22.4
				50	0	17.3	22.9
10.0	21400	2565.0	QPSK	1	0	19.1	22.3
				1	24	18.8	22.0
				1	49	19.0	22.1
				25	0	18.1	22.5
				25	12	18.1	22.4
				25	24	18.0	22.4
				50	0	18.1	23.0
			16QAM	1	0	18.0	21.8
				1	24	17.8	21.6
				1	49	17.7	21.6
				25	0	16.8	22.0
				25	12	16.8	22.0
				25	24	16.7	22.0
				50	0	16.8	22.6

OUTPUT POWER FOR LTE BAND 7 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	20825	2507.5	QPSK	1	0	19.0	22.0
				1	37	19.2	22.3
				1	74	19.1	22.3
				36	0	17.9	22.4
				36	16	18.1	22.5
				36	35	18.0	22.4
				75	0	18.0	23.1
			16-QAM	1	0	18.0	22.4
				1	37	17.8	22.2
				1	74	18.1	22.4
				36	0	17.0	22.5
				36	16	17.2	22.6
				36	35	17.3	23.0
				75	0	17.2	23.2
15.0	21100	2535.0	QPSK	1	0	19.2	22.4
				1	37	18.8	22.1
				1	74	19.0	22.0
				36	0	18.3	22.7
				36	16	18.2	22.5
				36	35	18.1	22.4
				75	0	18.2	23.3
			16-QAM	1	0	18.5	22.5
				1	37	18.4	22.2
				1	74	18.3	22.1
				36	0	17.5	22.8
				36	16	17.4	22.6
				36	35	17.3	22.5
				75	0	17.4	23.3
15.0	21375	2562.5	QPSK	1	0	19.1	22.3
				1	37	18.8	22.0
				1	74	18.7	22.0
				36	0	17.9	22.4
				36	16	17.7	22.1
				36	35	17.6	22.0
				75	0	17.7	22.9
			16-QAM	1	0	18.0	22.4
				1	37	17.8	21.6
				1	74	17.7	21.6
				36	0	17.0	22.4
				36	16	16.8	22.1
				36	35	16.7	22.0
				75	0	16.9	22.9

OUTPUT POWER FOR LTE BAND 7 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	20850	2510.0	QPSK	1	0	18.8	22.1
				1	49	19.0	22.0
				1	99	19.1	22.3
				50	0	17.7	22.3
				50	24	17.9	22.4
				50	49	17.9	22.4
				100	0	17.8	22.8
			16-QAM	1	0	18.1	22.0
				1	49	18.2	22.0
				1	99	18.0	21.8
				50	0	16.9	22.4
				50	24	17.1	22.5
				50	49	17.3	23.0
				100	0	17.0	22.8
20.0	21100	2535.0	QPSK	1	0	19.1	22.4
				1	49	18.8	22.1
				1	99	18.8	22.1
				50	0	18.3	22.6
				50	24	18.2	22.5
				50	49	18.1	22.4
				100	0	18.2	23.1
			16-QAM	1	0	18.6	22.5
				1	49	18.3	22.2
				1	99	18.3	22.2
				50	0	17.4	22.8
				50	24	17.3	22.6
				50	49	17.2	22.5
				100	0	17.4	23.1
20.0	21350	2560.0	QPSK	1	0	19.2	22.5
				1	49	19.1	21.7
				1	99	19.0	21.5
				50	0	18.1	22.6
				50	24	17.8	22.2
				50	49	17.9	22.0
				100	0	17.9	22.8
			16-QAM	1	0	18.4	22.5
				1	49	18.1	21.8
				1	99	17.9	21.6
				50	0	17.3	22.7
				50	24	17.0	22.3
				50	49	17.2	22.1
				100	0	17.1	23.0

7.2.5. LTE BAND 12

ID:	50820	Date:	5/25/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 12 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	23017	699.7	QPSK	1	0	23.5	26.9
				1	2	23.4	26.7
				1	5	23.3	26.5
				3	0	23.3	27.1
				3	1	23.3	26.9
				3	2	23.2	26.8
				6	0	22.4	27.1
			16QAM	1	0	22.5	26.8
				1	2	22.5	26.6
				1	5	22.3	26.5
				3	0	22.4	26.9
				3	1	22.4	26.8
				3	2	22.4	26.7
				6	0	21.6	27.1
1.4	23095	707.5	QPSK	1	0	23.2	26.6
				1	2	23.3	26.6
				1	5	23.3	26.7
				3	0	23.2	27.0
				3	1	23.3	26.9
				3	2	23.3	26.9
				6	0	22.1	26.9
			16QAM	1	0	22.4	26.4
				1	2	22.5	26.4
				1	5	22.5	26.6
				3	0	22.2	26.6
				3	1	22.3	26.6
				3	2	22.3	26.6
				6	0	21.1	27.0
1.4	23173	715.3	QPSK	1	0	23.3	26.7
				1	2	23.3	26.6
				1	5	23.2	26.6
				3	0	23.2	27.1
				3	1	23.3	26.9
				3	2	23.3	26.9
				6	0	22.3	27.2
			16QAM	1	0	22.3	26.7
				1	2	22.3	26.6
				1	5	22.2	26.6
				3	0	22.5	26.9
				3	1	22.5	26.8
				3	2	22.5	26.8
				6	0	21.6	27.1

OUTPUT POWER FOR LTE BAND 12 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	23025	700.5	QPSK	1	0	23.5	26.7
				1	7	23.3	26.5
				1	14	23.3	26.6
				8	0	22.4	26.7
				8	4	22.2	26.4
				8	7	22.1	26.4
				15	0	22.2	27.1
			16QAM	1	0	22.3	26.7
				1	7	22.2	26.5
				1	14	22.2	26.6
				8	0	21.5	26.6
				8	4	21.4	26.5
				8	7	21.3	26.4
				15	0	21.3	27.1
3.0	23095	707.5	QPSK	1	0	23.2	26.5
				1	7	23.3	26.5
				1	14	23.2	26.5
				8	0	22.2	26.6
				8	4	22.3	26.6
				8	7	22.4	26.7
				15	0	22.3	27.3
			16QAM	1	0	22.4	26.3
				1	7	22.4	26.3
				1	14	22.4	26.6
				8	0	21.1	26.6
				8	4	21.2	26.6
				8	7	21.3	26.7
				15	0	21.4	27.0
3.0	23165	714.5	QPSK	1	0	23.3	26.6
				1	7	23.4	26.6
				1	14	23.2	26.5
				8	0	22.5	26.8
				8	4	22.4	26.7
				8	7	22.4	26.7
				15	0	22.4	27.1
			16QAM	1	0	22.5	26.9
				1	7	22.4	26.6
				1	14	22.3	26.6
				8	0	21.2	26.4
				8	4	21.2	26.3
				8	7	21.2	26.2
				15	0	21.0	26.9

OUTPUT POWER FOR LTE BAND 12 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23035	701.5	QPSK	1	0	23.5	26.7
				1	12	23.3	26.6
				1	24	23.3	26.7
				12	0	22.2	26.6
				12	6	22.4	26.7
				12	11	22.4	26.7
				25	0	22.5	27.2
			16QAM	1	0	22.6	26.7
				1	12	22.5	26.6
				1	24	22.6	26.7
				12	0	21.4	26.6
				12	6	21.6	26.8
				12	11	21.5	26.7
				25	0	21.2	26.7
5.0	23095	707.5	QPSK	1	0	23.4	26.7
				1	12	23.3	26.6
				1	24	23.5	26.8
				12	0	22.4	26.7
				12	6	22.4	26.8
				12	11	22.6	26.9
				25	0	22.5	27.5
			16QAM	1	0	22.6	26.4
				1	12	22.6	26.3
				1	24	22.6	26.5
				12	0	21.3	26.4
				12	6	21.3	26.5
				12	11	21.4	26.6
				25	0	21.3	27.0
5.0	23155	713.5	QPSK	1	0	23.5	26.8
				1	12	23.2	26.4
				1	24	23.3	26.3
				12	0	22.3	26.7
				12	6	22.4	26.7
				12	11	22.2	26.6
				25	0	22.4	27.2
			16QAM	1	0	22.5	26.6
				1	12	22.3	26.2
				1	24	22.4	25.6
				12	0	21.3	26.5
				12	6	21.2	26.4
				12	11	21.1	26.3
				25	0	21.2	26.9

OUTPUT POWER FOR LTE BAND 12 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23060	704.0	QPSK	1	0	23.4	26.6
				1	24	23.3	26.6
				1	49	23.3	26.6
				25	0	22.5	26.9
				25	12	22.5	26.8
				25	24	22.6	27.0
				50	0	22.6	27.7
			16QAM	1	0	22.5	26.6
				1	24	22.3	26.6
				1	49	22.4	26.6
				25	0	21.2	26.4
				25	12	21.1	26.3
				25	24	21.2	26.5
				50	0	21.2	27.0
10.0	23095	707.5	QPSK	1	0	23.4	26.6
				1	24	23.5	26.8
				1	49	23.4	26.7
				25	0	22.1	26.4
				25	12	22.2	26.6
				25	24	22.3	26.6
				50	0	22.2	26.9
			16QAM	1	0	22.3	26.6
				1	24	22.4	26.8
				1	49	22.4	26.7
				25	0	21.1	26.4
				25	12	21.3	26.6
				25	24	21.3	26.6
				50	0	21.2	27.1
10.0	23130	711.0	QPSK	1	0	23.3	26.6
				1	24	23.2	26.5
				1	49	23.5	26.8
				25	0	22.3	26.6
				25	12	22.1	26.5
				25	24	22.3	26.7
				50	0	22.5	27.5
			16QAM	1	0	22.5	26.4
				1	24	22.4	26.3
				1	49	22.2	26.1
				25	0	21.4	26.6
				25	12	21.2	26.5
				25	24	21.4	26.7
				50	0	21.1	26.7

7.2.6. LTE BAND 13

ID:	50820	Date:	5/25/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 13 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23207	779.5	QPSK	1	0	23.4	26.7
				1	12	23.4	26.8
				1	24	23.2	26.5
				12	0	22.3	26.9
				12	6	22.5	27.0
				12	11	22.8	27.3
				25	0	22.5	27.4
			16QAM	1	0	22.5	26.6
				1	12	22.6	26.8
				1	24	22.3	26.5
				12	0	21.1	26.5
				12	6	21.5	26.9
				12	11	21.2	26.6
				25	0	21.5	27.6
5.0	23230	782.0	QPSK	1	0	23.3	26.5
				1	12	23.4	26.7
				1	24	23.2	26.5
				12	0	22.4	26.9
				12	6	22.5	26.9
				12	11	22.5	26.8
				25	0	22.4	27.5
			16QAM	1	0	22.4	26.2
				1	12	22.6	26.4
				1	24	22.4	26.2
				12	0	21.3	26.5
				12	6	21.4	26.6
				12	11	21.3	26.6
				25	0	21.2	27.0
5.0	23255	784.5	QPSK	1	0	23.4	26.6
				1	12	23.2	26.4
				1	24	23.3	26.6
				12	0	22.2	26.6
				12	6	22.3	26.7
				12	11	22.3	26.7
				25	0	22.4	27.2
			16QAM	1	0	22.5	26.6
				1	12	22.3	26.4
				1	24	22.2	26.4
				12	0	21.3	26.6
				12	6	21.1	26.4
				12	11	21.1	26.4
				25	0	21.1	26.8

OUTPUT POWER FOR LTE BAND 13 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23230	782.0	QPSK	1	0	23.4	26.4
				1	24	23.5	26.8
				1	49	23.4	26.7
				25	0	22.2	26.8
				25	12	22.5	27.1
				25	24	22.5	27.1
				50	0	22.3	27.6
			16QAM	1	0	22.5	26.4
				1	24	22.6	26.5
				1	49	22.5	26.4
				25	0	21.2	26.9
				25	12	21.6	27.1
				25	24	21.5	27.0
				50	0	21.3	27.5

7.2.7. LTE BAND 17

ID:	50820	Date:	5/25/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 17 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	23755	706.5	QPSK	1	0	23.2	26.5
				1	12	23.2	26.5
				1	24	23.5	26.8
				12	0	22.4	26.7
				12	6	22.3	26.7
				12	11	22.4	26.8
				25	0	22.4	27.3
			16QAM	1	0	22.4	26.5
				1	12	22.4	26.5
				1	24	22.7	26.8
				12	0	21.4	26.6
				12	6	21.4	26.7
				12	11	21.5	26.8
				25	0	21.4	27.2
5.0	23790	710.0	QPSK	1	0	23.5	26.7
				1	12	23.3	26.6
				1	24	23.3	26.6
				12	0	22.5	26.9
				12	6	22.5	26.8
				12	11	22.4	26.6
				25	0	22.4	27.4
			16QAM	1	0	22.7	26.4
				1	12	22.6	26.3
				1	24	22.6	26.3
				12	0	21.7	26.8
				12	6	21.6	26.8
				12	11	21.6	26.7
				25	0	21.5	27.1
5.0	23825	713.5	QPSK	1	0	23.3	26.6
				1	12	23.3	26.5
				1	24	23.4	26.4
				12	0	22.4	26.7
				12	6	22.2	26.5
				12	11	22.1	26.4
				25	0	22.2	27.0
			16QAM	1	0	22.5	26.6
				1	12	22.4	26.5
				1	24	22.3	26.4
				12	0	21.3	26.5
				12	6	21.3	26.5
				12	11	21.2	26.4
				25	0	21.3	26.9

OUTPUT POWER FOR LTE BAND 17 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	23780	709.0	QPSK	1	0	23.4	26.6
				1	24	23.5	26.8
				1	49	23.2	26.4
				25	0	22.5	26.9
				25	12	22.6	26.9
				25	24	22.4	26.8
				50	0	22.5	27.4
			16QAM	1	0	22.4	26.7
				1	24	22.5	26.8
				1	49	22.4	26.5
				25	0	21.7	26.9
				25	12	21.7	26.9
				25	24	21.6	26.8
				50	0	21.5	27.2
10.0	23790	710.0	QPSK	1	0	23.5	26.7
				1	24	23.4	26.7
				1	49	23.3	26.3
				25	0	22.6	27.0
				25	12	22.5	26.8
				25	24	22.3	26.6
				50	0	22.4	27.4
			16QAM	1	0	22.4	26.8
				1	24	22.4	26.7
				1	49	22.2	26.1
				25	0	21.6	27.0
				25	12	21.6	26.9
				25	24	21.4	26.7
				50	0	21.4	27.4
10.0	23800	711.0	QPSK	1	0	23.4	26.7
				1	24	23.3	26.6
				1	49	23.2	26.5
				25	0	22.6	27.0
				25	12	22.5	26.8
				25	24	22.4	26.9
				50	0	22.4	27.0
			16QAM	1	0	22.6	26.7
				1	24	22.6	26.6
				1	49	22.4	26.3
				25	0	21.7	27.0
				25	12	21.6	26.8
				25	24	21.2	26.6
				50	0	21.4	27.1

7.2.8. LTE BAND 25

ID:	50820	Date:	5/25/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 25 (1.4MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	26047	1850.7	QPSK	1	0	20.4	24.0
				1	2	20.4	23.8
				1	5	20.3	23.8
				3	0	20.3	24.2
				3	1	20.3	24.0
				3	2	20.3	24.0
				6	0	19.4	24.2
			16QAM	1	0	19.5	23.9
				1	2	19.5	23.8
				1	5	19.4	23.8
				3	0	19.4	24.0
				3	1	19.4	23.9
				3	2	19.4	23.9
				6	0	18.6	24.2
1.4	26365	1882.5	QPSK	1	0	20.2	23.7
				1	2	20.2	23.6
				1	5	20.2	23.7
				3	0	20.2	24.0
				3	1	20.2	23.9
				3	2	20.2	23.9
				6	0	19.3	24.1
			16QAM	1	0	19.6	23.7
				1	2	19.7	23.6
				1	5	19.6	23.7
				3	0	19.4	23.9
				3	1	19.5	23.8
				3	2	19.5	23.8
				6	0	18.3	24.3
1.4	26683	1914.3	QPSK	1	0	20.3	23.8
				1	2	20.3	23.6
				1	5	20.1	23.5
				3	0	20.1	23.9
				3	1	20.2	23.7
				3	2	20.1	23.7
				6	0	19.2	24.1
			16QAM	1	0	19.3	23.7
				1	2	19.3	23.6
				1	5	19.2	23.6
				3	0	19.4	23.8
				3	1	19.5	23.8
				3	2	19.5	23.8
				6	0	18.5	24.2

OUTPUT POWER FOR LTE BAND 25 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26055	1851.5	QPSK	1	0	20.4	23.8
				1	7	20.4	23.6
				1	14	20.2	23.5
				8	0	19.4	23.8
				8	4	19.4	23.7
				8	7	19.4	23.7
				15	0	19.4	24.2
			16QAM	1	0	19.3	23.8
				1	7	19.3	23.6
				1	14	19.2	23.7
				8	0	18.6	23.8
				8	4	18.5	23.8
				8	7	18.5	23.7
				15	0	18.5	24.2
3.0	26365	1882.5	QPSK	1	0	20.3	23.6
				1	7	20.3	23.6
				1	14	20.3	23.7
				8	0	19.4	23.7
				8	4	19.4	23.7
				8	7	19.4	23.7
				15	0	19.4	24.3
			16QAM	1	0	19.7	23.7
				1	7	19.8	23.6
				1	14	19.7	23.7
				8	0	18.3	23.7
				8	4	18.3	23.7
				8	7	18.3	23.7
				15	0	18.5	24.1
3.0	26675	1913.5	QPSK	1	0	20.3	23.9
				1	7	20.3	23.5
				1	14	20.1	23.4
				8	0	19.5	23.9
				8	4	19.5	23.8
				8	7	19.4	23.8
				15	0	19.5	24.5
			16QAM	1	0	19.6	23.9
				1	7	19.4	23.6
				1	14	19.5	23.5
				8	0	18.8	24.0
				8	4	18.8	23.9
				8	7	18.8	23.9
				15	0	18.5	24.3

OUTPUT POWER FOR LTE BAND 25 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26065	1852.5	QPSK	1	0	20.5	23.9
				1	12	20.4	23.7
				1	24	20.2	23.6
				12	0	19.5	23.9
				12	6	19.5	23.9
				12	11	19.4	23.8
				25	0	19.4	24.4
			16QAM	1	0	19.7	23.8
				1	12	19.6	23.7
				1	24	19.4	23.6
				12	0	18.6	23.9
				12	6	18.6	23.9
				12	11	18.5	23.8
				25	0	18.5	24.2
5.0	26365	1882.5	QPSK	1	0	20.3	23.6
				1	12	20.3	23.6
				1	24	20.5	23.8
				12	0	19.4	23.7
				12	6	19.5	23.8
				12	11	19.5	23.8
				25	0	19.5	24.4
			16QAM	1	0	19.8	23.6
				1	12	19.9	23.7
				1	24	20.0	23.8
				12	0	18.5	23.7
				12	6	18.6	23.8
				12	11	18.7	23.9
				25	0	18.6	24.2
5.0	26665	1912.5	QPSK	1	0	20.2	23.4
				1	12	20.3	23.3
				1	24	20.3	23.3
				12	0	19.2	23.6
				12	6	19.0	23.4
				12	11	19.1	23.4
				25	0	19.0	24.1
			16QAM	1	0	19.1	23.4
				1	12	19.0	23.2
				1	24	19.2	23.4
				12	0	18.0	23.4
				12	6	18.2	23.5
				12	11	18.0	23.3
				25	0	18.1	24.3

OUTPUT POWER FOR LTE BAND 25 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26090	1855.0	QPSK	1	0	20.3	23.6
				1	24	20.2	23.5
				1	49	20.5	23.9
				25	0	19.4	23.7
				25	12	19.4	23.7
				25	24	19.5	23.9
				50	0	19.4	24.4
			16QAM	1	0	19.7	23.7
				1	24	19.6	23.5
				1	49	19.9	23.9
				25	0	18.4	23.8
				25	12	18.4	23.8
				25	24	18.6	23.9
				50	0	18.5	24.4
10.0	26365	1882.5	QPSK	1	0	20.1	23.5
				1	24	20.2	23.6
				1	49	20.4	23.7
				25	0	19.2	23.6
				25	12	19.4	23.7
				25	24	19.5	23.9
				50	0	19.4	24.3
			16QAM	1	0	19.2	23.5
				1	24	19.3	23.6
				1	49	19.4	23.8
				25	0	18.3	23.6
				25	12	18.5	23.8
				25	24	18.6	23.8
				50	0	18.4	24.1
10.0	26640	1910.0	QPSK	1	0	20.3	23.7
				1	24	20.2	23.3
				1	49	20.2	23.2
				25	0	19.2	23.6
				25	12	19.1	23.5
				25	24	19.5	23.9
				50	0	19.2	24.3
			16QAM	1	0	19.2	23.6
				1	24	19.1	23.3
				1	49	19.3	23.8
				25	0	18.3	23.7
				25	12	18.1	23.6
				25	24	18.1	23.2
				50	0	18.1	24.2

OUTPUT POWER FOR LTE BAND 25 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	26115	1857.5	QPSK	1	0	20.2	23.6
				1	37	20.2	23.5
				1	74	20.3	23.7
				36	0	19.1	23.6
				36	16	19.3	23.7
				36	35	19.5	24.1
				75	0	19.3	24.6
			16-QAM	1	0	19.1	23.5
				1	37	19.1	23.5
				1	74	19.2	23.8
				36	0	18.2	23.6
				36	16	18.4	23.8
				36	35	18.6	24.0
				75	0	18.4	24.5
15.0	26365	1882.5	QPSK	1	0	20.1	23.4
				1	37	20.2	23.6
				1	74	20.3	23.7
				36	0	19.1	23.6
				36	16	19.2	23.5
				36	35	19.3	23.7
				75	0	19.2	24.4
			16-QAM	1	0	19.5	23.4
				1	37	19.4	23.4
				1	74	19.6	23.8
				36	0	18.2	23.6
				36	16	18.2	23.6
				36	35	18.4	23.8
				75	0	18.3	24.3
15.0	26615	1907.5	QPSK	1	0	20.3	23.5
				1	37	20.3	23.6
				1	74	20.2	23.5
				36	0	19.2	23.8
				36	16	19.2	23.7
				36	35	19.2	23.7
				75	0	19.0	24.3
			16-QAM	1	0	19.6	23.6
				1	37	19.3	23.4
				1	74	19.1	23.1
				36	0	18.3	23.8
				36	16	18.3	23.8
				36	35	18.2	23.8
				75	0	18.1	24.2

OUTPUT POWER FOR LTE BAND 25 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	26140	1860.0	QPSK	1	0	20.2	23.6
				1	49	20.4	23.8
				1	99	20.2	23.4
				50	0	19.2	23.7
				50	24	19.5	23.9
				50	49	19.4	23.9
				100	0	19.3	24.3
			16-QAM	1	0	19.7	23.5
				1	49	19.7	23.7
				1	99	19.6	23.4
				50	0	18.3	23.7
				50	24	18.5	23.9
				50	49	18.5	24.0
				100	0	18.4	24.3
20.0	26365	1882.5	QPSK	1	0	20.1	23.4
				1	49	20.2	23.3
				1	99	20.2	23.5
				50	0	19.1	23.6
				50	24	19.2	23.6
				50	49	19.4	23.9
				100	0	19.3	24.2
			16-QAM	1	0	19.5	23.5
				1	49	19.4	23.3
				1	99	19.6	23.6
				50	0	18.1	23.6
				50	24	18.3	23.7
				50	49	18.4	23.9
				100	0	18.3	24.1
20.0	26590	1905.0	QPSK	1	0	20.2	23.3
				1	49	20.2	23.4
				1	99	20.3	22.7
				50	0	19.2	23.9
				50	24	19.3	23.8
				50	49	19.2	23.7
				100	0	19.1	24.3
			16-QAM	1	0	19.3	23.3
				1	49	19.5	23.4
				1	99	19.1	22.5
				50	0	18.2	23.9
				50	24	18.3	23.8
				50	49	18.2	23.7
				100	0	18.1	24.1

7.2.9. LTE BAND 26

ID:	50820	Date:	5/25/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 26 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)			
				Size	Offset					
1.4	26697	814.7	QPSK	1	0	22.3	26.0			
				1	2	22.3	26.1			
				1	5	22.2	26.1			
				3	0	22.4	26.3			
				3	1	22.5	26.3			
				3	2	22.4	26.3			
			16QAM	6	0	21.3	26.3			
				1	0	21.4	25.9			
				1	2	21.4	26.0			
				1	5	21.4	26.0			
				3	0	21.4	26.1			
				3	1	21.5	26.1			
1.4	26740	819.0	QPSK	3	2	21.5	26.1			
				6	0	20.5	26.3			
				16QAM	1	0	20.5	26.3		
					1	2	20.5	26.3		
					1	5	20.5	26.3		
					3	0	20.5	26.3		
			3		1	20.5	26.3			
			3		2	20.5	26.3			
			1.4	26783	823.3	QPSK	1	0	22.5	25.9
							1	2	22.5	25.8
							1	5	22.2	25.6
							3	0	22.4	26.2
3	1	22.5					26.0			
3	2	22.4					26.0			
16QAM	6	0				21.5	26.4			
	1	0				21.6	26.0			
	1	2				21.6	25.9			
	1	5				21.3	25.6			
	3	0				21.4	25.7			
	3	1				21.4	25.7			
1.4	26783	823.3	QPSK	3	2	21.4	25.6			
				6	0	20.5	26.0			
				16QAM	1	0	20.5	26.0		
					1	2	20.5	26.0		
					1	5	20.5	26.0		
					3	0	20.5	26.0		
			3		1	20.5	26.0			
			3		2	20.5	26.0			

OUTPUT POWER FOR LTE BAND 26 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	26705	815.5	QPSK	1	0	22.4	26.1
				1	7	22.4	26.2
				1	14	22.3	26.5
				8	0	21.4	26.1
				8	4	21.4	26.2
				8	7	21.4	26.2
				15	0	21.4	26.6
			16QAM	1	0	21.5	26.1
				1	7	21.6	26.2
				1	14	21.4	26.5
				8	0	20.6	26.1
				8	4	20.6	26.1
				8	7	20.6	26.2
				15	0	20.4	26.5
3.0	26740	819.0	QPSK	1	0	22.4	26.8
				1	7	22.4	26.7
				1	14	22.3	26.8
				8	0	21.4	26.4
				8	4	21.4	26.1
				8	7	21.3	26.1
				15	0	21.3	26.7
			16QAM	1	0	21.3	26.8
				1	7	21.3	26.7
				1	14	21.2	26.8
				8	0	20.5	26.3
				8	4	20.5	26.1
				8	7	20.4	26.0
				15	0	20.4	26.7
3.0	26775	822.5	QPSK	1	0	22.4	25.9
				1	7	22.4	25.6
				1	14	22.2	25.5
				8	0	21.5	25.9
				8	4	21.4	25.8
				8	7	21.4	25.7
				15	0	21.4	26.4
			16QAM	1	0	21.3	25.5
				1	7	21.3	25.1
				1	14	21.3	25.2
				8	0	20.3	25.9
				8	4	20.3	25.8
				8	7	20.3	25.7
				15	0	20.4	26.2

OUTPUT POWER FOR LTE BAND 26 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	26715	816.5	QPSK	1	0	22.4	26.1
				1	12	22.3	26.3
				1	24	22.3	26.4
				12	0	21.4	26.2
				12	6	21.3	26.2
				12	11	21.3	26.2
				25	0	21.3	26.3
			16QAM	1	0	21.5	26.1
				1	12	21.4	26.3
				1	24	21.4	26.5
				12	0	20.4	26.2
				12	6	20.4	26.2
				12	11	20.3	26.1
				25	0	20.3	26.4
5.0	26740	819.0	QPSK	1	0	22.4	26.8
				1	12	22.4	26.8
				1	24	22.3	26.8
				12	0	21.4	26.5
				12	6	21.4	26.3
				12	11	21.3	26.3
				25	0	21.3	26.6
			16QAM	1	0	21.3	26.5
				1	12	21.2	26.5
				1	24	21.2	26.5
				12	0	20.5	26.4
				12	6	20.5	26.3
				12	11	20.4	26.2
				25	0	20.4	26.8
5.0	26765	821.5	QPSK	1	0	22.4	26.1
				1	12	22.3	25.7
				1	24	22.3	25.6
				12	0	21.4	26.1
				12	6	21.4	25.8
				12	11	21.3	25.7
				25	0	21.3	26.6
			16QAM	1	0	21.5	25.6
				1	12	21.4	25.2
				1	24	21.4	25.1
				12	0	20.5	26.1
				12	6	20.5	25.9
				12	11	20.5	25.8
				25	0	20.4	26.3

OUTPUT POWER FOR LTE BAND 26 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	26740	819.0	QPSK	1	0	22.5	26.5
				1	24	22.4	26.7
				1	49	22.2	26.3
				25	0	21.6	26.6
				25	12	21.6	26.6
				25	24	21.5	26.5
				50	0	21.5	26.6
			16QAM	1	0	21.5	26.5
				1	24	21.5	26.7
				1	49	21.3	26.4
				25	0	20.7	26.6
				25	12	20.6	26.4
				25	24	20.5	26.4
				50	0	20.5	26.6

7.2.10. LTE BAND 27

ID:	50820	Date:	5/25/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 27 (1.4 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
1.4	27117	814.7	QPSK	1	0	22.3	26.6
				1	2	22.3	26.6
				1	5	22.3	26.6
				3	0	22.4	26.8
				3	1	22.4	26.7
				3	2	22.4	26.7
				6	0	21.3	26.8
			16QAM	1	0	21.3	26.5
				1	2	21.3	26.5
				1	5	21.3	26.5
				3	0	21.5	26.7
				3	1	21.5	26.7
				3	2	21.5	26.7
				6	0	20.5	26.6
1.4	27160	819.0	QPSK	1	0	22.2	25.8
				1	2	22.3	25.8
				1	5	22.3	25.9
				3	0	22.4	26.2
				3	1	22.4	26.1
				3	2	22.5	26.1
				6	0	21.3	26.2
			16QAM	1	0	21.3	25.8
				1	2	21.4	25.9
				1	5	21.3	25.9
				3	0	21.4	26.0
				3	1	21.4	26.0
				3	2	21.5	26.0
				6	0	20.4	26.3
1.4	27203	823.3	QPSK	1	0	22.4	25.8
				1	2	22.4	25.7
				1	5	22.2	25.5
				3	0	22.3	26.2
				3	1	22.3	25.9
				3	2	22.3	25.9
				6	0	21.4	26.2
			16QAM	1	0	21.5	25.6
				1	2	21.6	25.5
				1	5	21.4	25.4
				3	0	21.4	25.8
				3	1	21.4	25.6
				3	2	21.4	25.6
				6	0	20.3	26.3

OUTPUT POWER FOR LTE BAND 27 (3.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
3.0	27125	815.5	QPSK	1	0	22.4	26.7
				1	7	22.4	26.6
				1	14	22.3	26.4
				8	0	21.3	26.3
				8	4	21.3	26.1
				8	7	21.3	26.1
				15	0	21.3	26.7
			16QAM	1	0	21.3	26.7
				1	7	21.4	26.5
				1	14	21.3	26.4
				8	0	20.6	26.3
				8	4	20.6	26.1
				8	7	20.5	26.1
				15	0	20.3	26.3
3.0	27160	819.0	QPSK	1	0	22.4	26.1
				1	7	22.4	25.8
				1	14	22.4	25.9
				8	0	21.4	25.9
				8	4	21.3	25.9
				8	7	21.3	25.9
				15	0	21.3	26.5
			16QAM	1	0	21.2	26.1
				1	7	21.2	25.8
				1	14	21.1	25.9
				8	0	20.4	25.9
				8	4	20.4	25.9
				8	7	20.4	25.9
				15	0	20.4	26.5
3.0	27195	822.5	QPSK	1	0	22.3	26.0
				1	7	22.3	25.6
				1	14	22.3	25.4
				8	0	21.3	25.8
				8	4	21.3	25.7
				8	7	21.3	25.7
				15	0	21.2	26.3
			16QAM	1	0	21.4	26.0
				1	7	21.4	25.6
				1	14	21.4	25.5
				8	0	20.2	25.9
				8	4	20.1	25.8
				8	7	20.1	25.7
				15	0	20.3	26.0

OUTPUT POWER FOR LTE BAND 27 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27135	816.5	QPSK	1	0	22.4	26.7
				1	12	22.3	26.4
				1	24	22.4	26.0
				12	0	21.4	26.3
				12	6	21.3	26.2
				12	11	21.3	26.2
				25	0	21.3	26.7
			16QAM	1	0	21.5	26.7
				1	12	21.4	26.4
				1	24	21.4	26.1
				12	0	20.4	26.3
				12	6	20.4	26.2
				12	11	20.4	25.8
				25	0	20.3	26.4
5.0	27160	819.0	QPSK	1	0	22.3	26.1
				1	12	22.3	25.8
				1	24	22.3	25.9
				12	0	21.4	26.0
				12	6	21.4	26.0
				12	11	21.3	26.0
				25	0	21.3	26.3
			16QAM	1	0	21.5	26.2
				1	12	21.5	25.9
				1	24	21.4	25.9
				12	0	20.5	26.1
				12	6	20.4	26.0
				12	11	20.4	26.0
				25	0	20.3	26.2
5.0	27185	821.5	QPSK	1	0	22.4	26.3
				1	12	22.2	25.7
				1	24	22.3	25.4
				12	0	21.3	26.1
				12	6	21.3	25.9
				12	11	21.2	25.7
				25	0	21.2	26.5
			16QAM	1	0	21.4	26.3
				1	12	21.4	25.8
				1	24	21.4	25.4
				12	0	20.5	26.1
				12	6	20.4	25.9
				12	11	20.4	25.8
				25	0	20.3	26.2

OUTPUT POWER FOR LTE BAND 27 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27160	819.0	QPSK	1	0	22.5	26.3
				1	24	22.5	26.2
				1	49	22.3	25.5
				25	0	21.6	26.3
				25	12	21.5	26.2
				25	24	21.4	26.1
				50	0	21.5	26.3
			16QAM	1	0	21.4	26.3
				1	24	21.4	26.2
				1	49	21.3	25.6
				25	0	20.6	26.3
				25	12	20.6	26.3
				25	24	20.4	26.1
				50	0	20.4	26.6

7.2.11. LTE BAND 30

ID:	50820	Date:	5/25/16
------------	-------	--------------	---------

OUTPUT POWER FOR LTE BAND 30 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	27685	2307.5	QPSK	1	0	20.0	23.7
				1	12	19.7	23.2
				1	24	19.7	23.0
				12	0	18.7	23.5
				12	6	18.8	23.4
				12	11	18.7	23.3
				25	0	18.8	23.8
			16QAM	1	0	19.1	23.4
				1	12	18.8	23.2
				1	24	18.8	23.0
				12	0	17.9	23.5
				12	6	17.9	23.4
				12	11	17.8	23.4
				25	0	17.8	24.0
5.0	27710	2310.0	QPSK	1	0	19.9	23.2
				1	12	19.7	22.9
				1	24	19.5	22.8
				12	0	18.7	23.3
				12	6	18.7	23.2
				12	11	18.8	23.2
				25	0	18.7	24.1
			16QAM	1	0	19.3	23.2
				1	12	19.2	23.0
				1	24	19.2	22.9
				12	0	17.9	23.3
				12	6	17.9	23.3
				12	11	17.9	23.2
				25	0	17.8	23.7
5.0	27735	2312.5	QPSK	1	0	19.8	23.0
				1	12	19.5	22.8
				1	24	19.5	22.8
				12	0	18.8	23.1
				12	6	18.8	23.1
				12	11	18.7	23.1
				25	0	18.7	23.9
			16QAM	1	0	18.9	23.0
				1	12	18.8	22.9
				1	24	18.7	22.8
				12	0	17.9	23.2
				12	6	17.9	23.2
				12	11	17.8	23.2
				25	0	17.8	23.7

OUTPUT POWER FOR LTE BAND 30 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	27710	2310.0	QPSK	1	0	19.9	23.3
				1	24	19.7	22.9
				1	49	19.6	22.6
				25	0	18.7	23.3
				25	12	18.7	23.1
				25	24	18.6	23.0
				50	0	18.7	23.8
			16QAM	1	0	18.9	23.2
				1	24	18.6	22.9
				1	49	18.7	22.7
				25	0	17.8	23.3
				25	12	17.8	23.2
				25	24	17.8	23.1
				50	0	17.9	23.8

7.2.12. LTE BAND 41

ID:	44366	Date:	5/26/16
-----	-------	-------	---------

OUTPUT POWER FOR LTE BAND 41 (5.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
5.0	39675	2498.5	QPSK	1	0	20.8	24.4
				1	12	20.5	24.1
				1	24	20.6	24.2
				12	0	19.7	24.4
				12	6	19.6	24.3
				12	11	19.8	24.5
				25	0	19.5	24.7
			16QAM	1	0	19.9	24.2
				1	12	19.7	24.0
				1	24	20.0	24.6
				12	0	18.8	24.4
				12	6	18.7	24.3
				12	11	18.9	24.6
				25	0	18.6	24.7
5.0	40620	2593.0	QPSK	1	0	21.0	24.2
				1	12	20.9	24.1
				1	24	20.6	23.9
				12	0	20.0	24.4
				12	6	20.0	24.3
				12	11	20.0	24.3
				25	0	20.0	24.8
			16QAM	1	0	20.1	24.2
				1	12	20.1	24.1
				1	24	20.0	24.0
				12	0	19.1	24.4
				12	6	19.1	24.4
				12	11	19.0	24.3
				25	0	19.1	24.9
5.0	41565	2687.5	QPSK	1	0	20.7	24.2
				1	12	20.7	24.0
				1	24	20.8	24.3
				12	0	19.6	24.3
				12	6	19.5	24.3
				12	11	19.4	24.1
				25	0	19.5	24.7
			16QAM	1	0	20.0	24.2
				1	12	19.8	24.0
				1	24	19.9	23.9
				12	0	18.7	24.3
				12	6	18.7	24.3
				12	11	18.5	24.2
				25	0	18.5	24.6

OUTPUT POWER FOR LTE BAND 41 (10.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
10.0	39700	2501.0	QPSK	1	0	20.8	24.4
				1	24	20.7	24.2
				1	49	20.9	24.4
				25	0	19.9	24.4
				25	12	20.0	25.0
				25	24	19.9	24.4
				50	0	20.2	25.2
			16QAM	1	0	20.0	24.4
				1	24	19.9	24.2
				1	49	20.2	24.4
				25	0	18.7	24.4
				25	12	18.8	24.5
				25	24	18.7	24.4
				50	0	18.7	24.8
10.0	40620	2593.0	QPSK	1	0	21.0	24.2
				1	24	20.8	24.1
				1	49	20.7	23.7
				25	0	20.0	24.4
				25	12	20.0	24.3
				25	24	19.9	24.2
				50	0	20.0	24.8
			16QAM	1	0	20.4	24.3
				1	24	20.3	24.1
				1	49	19.9	23.8
				25	0	19.2	24.5
				25	12	19.1	24.4
				25	24	18.9	24.3
				50	0	19.0	24.8
10.0	41540	2685.0	QPSK	1	0	20.8	24.3
				1	24	20.9	24.4
				1	49	20.6	24.1
				25	0	19.6	24.3
				25	12	19.5	24.2
				25	24	19.8	24.5
				50	0	19.5	24.6
			16QAM	1	0	20.2	24.3
				1	24	20.0	24.0
				1	49	20.0	23.6
				25	0	18.7	24.4
				25	12	18.6	24.3
				25	24	18.8	24.5
				50	0	18.6	24.6

OUTPUT POWER FOR LTE BAND 41 (15.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
15.0	39725	2503.5	QPSK	1	0	20.9	24.6
				1	37	20.7	24.2
				1	74	20.6	24.0
				36	0	20.0	24.8
				36	16	19.8	24.5
				36	35	20.0	25.0
				75	0	19.9	25.0
			16-QAM	1	0	19.8	24.1
				1	37	19.9	24.2
				1	74	19.9	24.1
				36	0	19.0	24.8
				36	16	19.1	24.5
				36	35	19.3	25.0
				75	0	18.7	24.9
15.0	40620	2593.0	QPSK	1	0	21.0	24.2
				1	37	20.7	23.9
				1	74	20.8	24.0
				36	0	20.0	24.4
				36	16	19.9	24.2
				36	35	19.9	24.1
				75	0	19.8	25.0
			16-QAM	1	0	20.4	24.3
				1	37	20.2	24.0
				1	74	20.3	23.6
				36	0	19.1	24.4
				36	16	19.0	24.3
				36	35	18.8	24.1
				75	0	18.9	24.9
15.0	41515	2682.5	QPSK	1	0	20.9	24.3
				1	37	20.7	24.2
				1	74	20.8	24.3
				36	0	19.6	24.3
				36	16	19.9	24.6
				36	35	19.6	24.4
				75	0	19.8	25.2
			16-QAM	1	0	20.2	24.4
				1	37	20.0	23.8
				1	74	19.9	23.9
				36	0	18.7	24.4
				36	16	18.5	24.2
				36	35	18.7	24.4
				75	0	18.9	25.2

OUTPUT POWER FOR LTE BAND 41 (20.0 MHz)

Bandwidth	UL Channel	Frequency	Mode	RB	RB	Average (dBm)	Peak (dBm)
				Size	Offset		
20.0	39750	2506.0	QPSK	1	0	20.8	24.4
				1	49	20.8	24.3
				1	99	20.7	24.0
				50	0	20.2	24.9
				50	24	20.0	24.6
				50	49	19.9	24.2
				100	0	19.9	25.1
			16-QAM	1	0	20.0	24.4
				1	49	20.0	24.3
				1	99	20.0	24.1
				50	0	19.2	24.9
				50	24	19.0	24.6
				50	49	18.9	24.2
				100	0	19.0	25.1
20.0	40620	2593.0	QPSK	1	0	21.0	24.2
				1	49	20.7	23.9
				1	99	20.6	23.8
				50	0	20.0	24.3
				50	24	19.8	24.1
				50	49	19.8	23.9
				100	0	19.7	24.7
			16-QAM	1	0	20.1	24.2
				1	49	20.1	23.9
				1	99	19.9	23.4
				50	0	19.1	24.4
				50	24	18.9	24.1
				50	49	19.0	23.9
				100	0	18.8	24.6
20.0	41490	2680.0	QPSK	1	0	20.9	24.4
				1	49	20.7	24.2
				1	99	20.8	24.1
				50	0	19.7	24.4
				50	24	19.8	24.5
				50	49	19.5	24.2
				100	0	19.8	25.0
			16-QAM	1	0	20.2	24.4
				1	49	20.0	23.8
				1	99	19.9	23.7
				50	0	18.8	24.5
				50	24	18.4	24.1
				50	49	18.5	24.3
				100	0	18.4	24.5

8. CONDUCTED TEST RESULTS

8.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The -26dB bandwidth was also measured and recorded.

MODES TESTED

- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 27
- LTE Band 30
- LTE Band 41

RESULTS

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 2	1.4 MHz BAND QPSK	6/0	1880	1.0858	1.237
	1.4 MHz BAND 16QAM	6/0	1880	1.095	1.231
	3.0 MHz BAND QPSK	15/0	1880	2.6754	2.961
	3.0 MHz BAND 16QAM	15/0	1880	2.6834	2.922
	5.0 MHz BAND QPSK	25/0	1880	4.4599	4.825
	5.0 MHz BAND 16QAM	25/0	1880	4.4599	4.900
	10.0 MHz BAND QPSK	50/0	1880	8.9406	9.571
	10.0 MHz BAND 16QAM	50/0	1880	8.9431	9.581
	15.0 MHz BAND QPSK	75/0	1880	13.4454	14.172
	15.0 MHz BAND 16QAM	75/0	1880	13.371	14.324
	20.0 MHz BAND QPSK	100/0	1880	17.8729	18.908
	20.0 MHz BAND 16QAM	100/0	1880	17.8831	18.927

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 4	1.4 MHz BAND QPSK	6/0	1732.5	1.0871	1.224
	1.4 MHz BAND 16QAM	6/0	1732.5	1.0876	1.243
	3.0 MHz BAND QPSK	15/0	1732.5	2.6803	2.949
	3.0 MHz BAND 16QAM	15/0	1732.5	2.6839	2.916
	5.0 MHz BAND QPSK	25/0	1732.5	4.4636	4.832
	5.0 MHz BAND 16QAM	25/0	1732.5	4.4666	4.850
	10.0 MHz BAND QPSK	50/0	1732.5	8.9342	9.695
	10.0 MHz BAND 16QAM	50/0	1732.5	8.9247	9.576
	15.0 MHz BAND QPSK	75/0	1732.5	13.3695	14.235
	15.0 MHz BAND 16QAM	75/0	1732.5	13.3615	14.398
	20.0 MHz BAND QPSK	100/0	1732.5	17.8379	19.211
	20.0 MHz BAND 16QAM	100/0	1732.5	17.8539	18.931

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 5	1.4 MHz BAND QPSK	6/0	836.5	1.0993	1.232
	1.4 MHz BAND 16QAM	6/0	836.5	1.0828	1.241
	3.0 MHz BAND QPSK	15/0	836.5	2.6797	2.921
	3.0 MHz BAND 16QAM	15/0	836.5	2.6837	2.945
	5.0 MHz BAND QPSK	25/0	836.5	4.4720	4.881
	5.0 MHz BAND 16QAM	25/0	836.5	4.4689	4.897
	10.0 MHz BAND QPSK	50/0	836.5	8.9224	9.580
	10.0 MHz BAND 16QAM	50/0	836.5	8.9383	9.654

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 7	5.0 MHz BAND QPSK	25/0	2535	4.4601	4.857
	5.0 MHz BAND 16QAM	25/0	2535	4.4568	4.880
	10.0 MHz BAND QPSK	50/0	2535	8.9330	9.654
	10.0 MHz BAND 16QAM	50/0	2535	8.9348	9.526
	15.0 MHz BAND QPSK	75/0	2535	13.4324	14.320
	15.0 MHz BAND 16QAM	75/0	2535	13.3983	14.173
	20.0 MHz BAND QPSK	100/0	2535	17.8475	19.131
	20.0 MHz BAND 16QAM	100/0	2535	17.8413	19.168

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 12	1.4 MHz BAND QPSK	6/0	707.5	1.0959	1.232
	1.4 MHz BAND 16QAM	6/0	707.5	1.0864	1.230
	3.0 MHz BAND QPSK	15/0	707.5	2.6768	2.906
	3.0 MHz BAND 16QAM	15/0	707.5	2.6790	2.898
	5.0 MHz BAND QPSK	25/0	707.5	4.4567	4.880
	5.0 MHz BAND 16QAM	25/0	707.5	4.4782	4.858
	10.0 MHz BAND QPSK	50/0	707.5	8.9295	9.619
	10.0 MHz BAND 16QAM	50/0	707.5	8.9626	9.603

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 13	5.0 MHz BAND QPSK	25/0	782	4.4537	4.904
	5.0 MHz BAND 16QAM	25/0	782	4.4556	4.830
	10.0 MHz BAND QPSK	50/0	782	8.9292	9.495
	10.0 MHz BAND 16QAM	50/0	782	8.9015	9.543

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 17	5.0 MHz BAND QPSK	25/0	710	4.4579	4.797
	5.0 MHz BAND 16QAM	25/0	710	4.4654	4.892
	10.0 MHz BAND QPSK	50/0	710	8.9374	9.541
	10.0 MHz BAND 16QAM	50/0	710	8.9586	9.578

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 25	1.4 MHz BAND QPSK	6/0	1882.5	1.0848	1.228
	1.4 MHz BAND 16QAM	6/0	1882.5	1.0877	1.240
	3.0 MHz BAND QPSK	15/0	1882.5	2.6865	2.930
	3.0 MHz BAND 16QAM	15/0	1882.5	2.6879	2.930
	5.0 MHz BAND QPSK	25/0	1882.5	4.4632	4.868
	5.0 MHz BAND 16QAM	25/0	1882.5	4.4589	4.864
	10.0 MHz BAND QPSK	50/0	1882.5	8.9154	9.596
	10.0 MHz BAND 16QAM	50/0	1882.5	8.9479	9.660
	15.0 MHz BAND QPSK	75/0	1882.5	13.4161	14.379
	15.0 MHz BAND 16QAM	75/0	1882.5	13.4295	14.201
	20.0 MHz BAND QPSK	100/0	1882.5	17.8658	18.831
	20.0 MHz BAND 16QAM	100/0	1882.5	17.8565	18.900


BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 26	1.4 MHz BAND QPSK	1/0	819	0.2031698	0.307596
	1.4 MHz BAND QPSK	6/0	819	1.0934	1.219
	1.4 MHz BAND 16QAM	1/0	819	0.2030917	0.303441
	1.4 MHz BAND 16QAM	6/0	819	1.0872	1.220
	3.0 MHz BAND QPSK	1/0	819	0.2040322	0.318974
	3.0 MHz BAND QPSK	15/0	819	2.6773	2.918
	3.0 MHz BAND 16QAM	1/0	819	0.2094329	0.321232
	3.0 MHz BAND 16QAM	15/0	819	2.6864	2.911
	5.0 MHz BAND QPSK	1/0	819	0.2062890	0.324658
	5.0 MHz BAND QPSK	25/0	819	4.4835	4.824
	5.0 MHz BAND 16QAM	1/0	819	0.2191047	0.311465
	5.0 MHz BAND 16QAM	25/0	819	4.4617	4.750
	10.0 MHz BAND QPSK	1/0	819	0.2335751	0.373941
	10.0 MHz BAND QPSK	50/0	819	8.9028	9.611
	10.0 MHz BAND 16QAM	1/0	819	0.2436128	0.372145
	10.0 MHz BAND 16QAM	50/0	819	8.9223	9.532

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 27	1.4 MHz BAND QPSK	1/0	819	0.2020507	0.295769
	1.4 MHz BAND QPSK	6/0	819	1.0937	1.233
	1.4 MHz BAND 16QAM	1/0	819	0.2085599	0.323422
	1.4 MHz BAND 16QAM	6/0	819	1.0843	1.216
	3.0 MHz BAND QPSK	1/0	819	0.2045499	0.310697
	3.0 MHz BAND QPSK	15/0	819	2.6723	2.942
	3.0 MHz BAND 16QAM	1/0	819	0.2077574	0.321334
	3.0 MHz BAND 16QAM	15/0	819	2.6824	2.928
	5.0 MHz BAND QPSK	1/0	819	0.2188426	0.333101
	5.0 MHz BAND QPSK	25/0	819	4.478	4.864
	5.0 MHz BAND 16QAM	1/0	819	0.2144853	0.312746
	5.0 MHz BAND 16QAM	25/0	819	4.4728	4.860
	10.0 MHz BAND QPSK	1/0	819	0.2384881	0.393478
	10.0 MHz BAND QPSK	50/0	819	8.9169	9.516
	10.0 MHz BAND 16QAM	1/0	819	0.2315004	0.368859
	10.0 MHz BAND 16QAM	50/0	819	8.927	9.571


BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 30	5.0 MHz BAND QPSK	25/0	2310	4.4536	4.795
	5.0 MHz BAND 16QAM	25/0	2310	4.4487	4.753
	10.0 MHz BAND QPSK	50/0	2310	8.8518	9.498
	10.0 MHz BAND 16QAM	50/0	2310	8.9366	9.572

BAND	MODE	RB SIZE/ RB OFFSET	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE BAND 41	5.0 MHz BAND QPSK	25/0	2593	4.4395	4.624
	5.0 MHz BAND 16QAM	25/0	2593	4.4527	4.808
	10.0 MHz BAND QPSK	50/0	2593	8.921	9.412
	10.0 MHz BAND 16QAM	50/0	2593	8.8804	9.459
	15.0 MHz BAND QPSK	75/0	2593	13.4699	14.249
	15.0 MHz BAND 16QAM	75/0	2593	13.4000	14.159
	20.0 MHz BAND QPSK	100/0	2593	17.7457	18.895
	20.0 MHz BAND 16QAM	100/0	2593	17.8262	18.514


QPSK, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




8.1.2. LTE BAND 4


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




8.1.3. LTE BAND 5


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.4. LTE BAND 7


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)




16QAM, (20.0 MHz BAND WIDTH)




8.1.5. LTE BAND 12


QPSK, (1.4 MHz BAND WIDTH)




16QAM, (1.4 MHz BAND WIDTH)




QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.6. LTE BAND 13


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)






8.1.7. LTE BAND 17

QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)







QPSK, (1.4 MHz BAND WIDTH)

[illegible]


QPSK, (3.0 MHz BAND WIDTH)




16QAM, (3.0 MHz BAND WIDTH)




QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)





16QAM, (20.0 MHz BAND WIDTH)





8.1.9. LTE BAND 26



QPSK, (1.4 MHz BAND WIDTH)





16QAM, (1.4 MHz BAND WIDTH)





QPSK, (3.0 MHz BAND WIDTH)





16QAM, (3.0 MHz BAND WIDTH)





QPSK, (5.0 MHz BAND WIDTH)





16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)





16QAM, (10.0 MHz BAND WIDTH)





8.1.10. LTE BAND 27



QPSK, (1.4 MHz BAND WIDTH)





16QAM, (1.4 MHz BAND WIDTH)





QPSK, (3.0 MHz BAND WIDTH)





16QAM, (3.0 MHz BAND WIDTH)





QPSK, (5.0 MHz BAND WIDTH)





16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.11. LTE BAND 30


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)



QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




8.1.12. LTE BAND 41


QPSK, (5.0 MHz BAND WIDTH)




16QAM, (5.0 MHz BAND WIDTH)




QPSK, (10.0 MHz BAND WIDTH)




16QAM, (10.0 MHz BAND WIDTH)




QPSK, (15.0 MHz BAND WIDTH)




16QAM, (15.0 MHz BAND WIDTH)



QPSK, (20.0 MHz BAND WIDTH)



16QAM, (20.0 MHz BAND WIDTH)



8.2. BANDEDGE AND EMISSION MASK

RULE PART(S)

FCC: §2.1051, §22.901, §22.917, §24.238, §27.53, and §90.691

LIMITS

FCC: §24.238, §27.53

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.

FCC: §90.210, and §90.691 (LTE BAND 26)

(a)(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(a)(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

FCC: §27.53

(c) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(3) and (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

FCC: §27.53 (LTE BAND 41)

(m)(6) Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

(m)(4) For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees. Show citation box.

TEST PROCEDURE

The transmitter output was connected to a CMW500 Test Set and configured to operate at maximum power. The band edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.

For each band edge measurement:

1. Set the spectrum analyzer span to include the block edge frequency.
2. Set a marker to point the corresponding band edge frequency in each test case.
3. Set display line at -13 dBm
4. Set resolution bandwidth to at least 1% of emission bandwidth.

MODES TESTED



- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 17
- LTE Band 25
- LTE Band 26
- LTE Band 27
- LTE Band 30
- LTE Band 41



RESULTS



8.2.1. LTE BAND 2 BANDEDGE



ID:	38806	Date:	2/24/16
-----	-------	-------	---------

QPSK, (1.4 MHz BAND WIDTH)

















16QAM, (1.4 MHz BAND WIDTH)

















QPSK, (3.0 MHz BAND WIDTH)

















16QAM, (3.0 MHz BAND WIDTH)

















QPSK, (5.0 MHz BAND WIDTH)















16QAM, (5.0 MHz BAND WIDTH)







LOW CH, RB25-0

Agilent 18:05:32 Feb 24, 2016

R T

Freq/Channel

Ref 30 dBm #Atten 30 dB Mkr1 1.850 000 GHz
-32.772 dBm

Center Freq
1.85000000 GHz


Start Freq
1.84500000 GHz

Stop Freq
1.85500000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off



Center 1.850 000 GHz Span 10 MHz
#Res BW 51 kHz #VBW 51 kHz Sweep 14.72 ms (1000 pts)

Copyright 2000-2010 Agilent Technologies

HIGH CH, RB25-0

Agilent 18:15:49 Feb 24, 2016

R T

Freq/Channel

Ref 30 dBm #Atten 30 dB Mkr1 1.910 000 GHz
-30.544 dBm

Center Freq
1.91000000 GHz


Start Freq
1.90500000 GHz

Stop Freq
1.91500000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz



Signal Track
On Off







Center 1.910 000 GHz Span 10 MHz
#Res BW 51 kHz #VBW 51 kHz Sweep 14.72 ms (1000 pts)



Copyright 2000-2010 Agilent Technologies

QPSK, (10.0 MHz BAND WIDTH)

















16QAM, (10.0 MHz BAND WIDTH)

















QPSK, (15.0 MHz BAND WIDTH)

















16QAM, (15.0 MHz BAND WIDTH)

















QPSK, (20.0 MHz BAND WIDTH)

















16QAM, (20.0 MHz BAND WIDTH)















8.2.2. LTE BAND 4 BANDEDGE



ID:	38806	Date:	2/24/16
-----	-------	-------	---------

QPSK, (1.4 MHz BAND WIDTH)

















16QAM, (1.4 MHz BAND WIDTH)

















QPSK, (3.0 MHz BAND WIDTH)

















16QAM, (3.0 MHz BAND WIDTH)

















QPSK, (5.0 MHz BAND WIDTH)

















16QAM, (5.0 MHz BAND WIDTH)

















QPSK, (10.0 MHz BAND WIDTH)

















16QAM, (10.0 MHz BAND WIDTH)

















QPSK, (15.0 MHz BAND WIDTH)

















16QAM, (15.0 MHz BAND WIDTH)

















QPSK, (20.0 MHz BAND WIDTH)

















16QAM, (20.0 MHz BAND WIDTH)















8.2.3. LTE BAND 5 BANDEDGE



ID:	38806	Date:	2/24/16
-----	-------	-------	---------

QPSK, (1.4 MHz BAND WIDTH)

















16QAM, (1.4 MHz BAND WIDTH)

















QPSK, (3.0 MHz BAND WIDTH)

















16QAM, (3.0 MHz BAND WIDTH)

















QPSK, (5.0 MHz BAND WIDTH)















16QAM, (5.0 MHz BAND WIDTH)







LOW CH, RB25-0

Agilent 09:34:38 Feb 25, 2016

R T

Freq/Channel

Ref 30 dBm #Atten 30 dB Mkr1 824.000 MHz
-30.230 dBm

Center Freq
824.000000 MHz


Start Freq
819.000000 MHz

Stop Freq
829.000000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off



Center 824.000 MHz Span 10 MHz
#Res BW 51 kHz #VBW 51 kHz Sweep 14.72 ms (1000 pts)

Copyright 2000-2010 Agilent Technologies

HIGH CH, RB25-0

Agilent 09:44:53 Feb 25, 2016

R T

Freq/Channel

Ref 30 dBm #Atten 30 dB Mkr1 849.000 MHz
-32.044 dBm

Center Freq
849.000000 MHz


Start Freq
844.000000 MHz

Stop Freq
854.000000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz



Signal Track
On Off







Center 849.000 MHz Span 10 MHz
#Res BW 51 kHz #VBW 51 kHz Sweep 14.72 ms (1000 pts)



Copyright 2000-2010 Agilent Technologies

QPSK, (10.0 MHz BAND WIDTH)









16QAM, (10.0 MHz BAND WIDTH)

