




1TX Antenna 5 MODE – 26-Tones, RU Index 8 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5510	24.20	-5.6	24.00	11.00
Mid	5550	23.50	-5.6	24.00	11.00
High	5670	23.60	-5.6	24.00	11.00
142	5710	23.70	-5.6	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5510	11.69	11.69	24.00	-12.31
Mid	5550	11.57	11.57	24.00	-12.43
High	5670	11.73	11.73	24.00	-12.27
142	5710	11.75	11.75	24.00	-12.25

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5510	10.11	10.11	11.00	-0.89
Mid	5550	9.61	9.61	11.00	-1.40
High	5670	10.41	10.41	11.00	-0.59
142	5710	10.64	10.64	11.00	-0.36



1TX Antenna 5 MODE – 26-Tones, RU Index 17 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5510	21.20	-5.6	24.00	11.00
Mid	5550	21.30	-5.6	24.00	11.00
High	5670	21.10	-5.6	24.00	11.00
142	5710	21.20	-5.6	24.00	11.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5510	11.71	11.71	24.00	-12.29
Mid	5550	11.68	11.68	24.00	-12.32
High	5670	11.73	11.73	24.00	-12.27
142	5710	11.69	11.69	24.00	-12.31

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5510	10.03	10.03	11.00	-0.97
Mid	5550	9.88	9.88	11.00	-1.12
High	5670	10.48	10.48	11.00	-0.52
142	5710	-13.39	-13.39	11.00	-24.39



2TX Antenna 6 + Antenna 5 OFDMA MODE – 484-Tones, RU Index 65 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5510	41.90	-4.17	-1.25	24.00	11.00
Mid	5550	41.90	-4.17	-1.25	24.00	11.00
High	5670	41.90	-4.17	-1.25	24.00	11.00
142	5710	42.10	-4.17	-1.25	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results


Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5510	15.17	15.23	18.21	24.00	-5.79
Mid	5550	19.71	19.73	22.73	24.00	-1.27
High	5670	18.18	18.12	21.16	24.00	-2.84
142	5710	19.73	19.75	22.75	24.00	-1.25

PSD Results


Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5510	2.04	2.26	5.16	11.00	-5.84
Mid	5550	7.15	7.29	10.23	11.00	-0.77
High	5670	4.71	5.15	7.95	11.00	-3.05
142	5710	7.56	7.70	10.64	11.00	-0.36




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




MID CHANNEL ANT 6




MID CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5



2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 0 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5510	20.20	-4.17	-1.25	24.00	11.00
Mid	5550	20.30	-4.17	-1.25	24.00	11.00
High	5670	20.30	-4.17	-1.25	24.00	11.00
142	5710	19.90	-4.17	-1.25	23.99	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results


Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5510	8.59	8.64	11.63	24.00	-12.37
Mid	5550	8.55	8.61	11.59	24.00	-12.41
High	5670	8.69	8.71	11.71	24.00	-12.29
142	5710	8.66	8.63	11.66	23.99	-12.33

PSD Results


Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5510	6.76	7.18	9.99	11.00	-1.01
Mid	5550	6.58	7.06	9.84	11.00	-1.16
High	5670	7.68	7.81	10.75	11.00	-0.25
142	5710	7.47	7.49	10.49	11.00	-0.51




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




MID CHANNEL ANT 6




MID CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5



2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 8 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5510	23.40	-4.17	-1.25	24.00	11.00
Mid	5550	25.50	-4.17	-1.25	24.00	11.00
High	5670	23.60	-4.17	-1.25	24.00	11.00
142	5710	23.40	-4.17	-1.25	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results


Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5510	8.59	8.58	11.60	24.00	-12.40
Mid	5550	8.60	8.55	11.59	24.00	-12.41
High	5670	8.67	8.62	11.66	24.00	-12.34
142	5710	8.71	8.69	11.71	24.00	-12.29

PSD Results


Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5510	7.17	6.85	10.02	11.00	-0.98
Mid	5550	7.22	6.78	10.02	11.00	-0.98
High	5670	7.52	7.47	10.50	11.00	-0.50
142	5710	7.31	7.24	10.28	11.00	-0.72




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




MID CHANNEL ANT 6




MID CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5



2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 17 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5510	21.10	-4.17	-1.25	24.00	11.00
Mid	5550	19.80	-4.17	-1.25	23.97	11.00
High	5670	20.10	-4.17	-1.25	24.00	11.00
142	5710	20.30	-4.17	-1.25	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results


Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5510	8.63	8.61	11.63	24.00	-12.37
Mid	5550	8.65	8.66	11.67	23.97	-12.30
High	5670	8.71	8.69	11.71	24.00	-12.29
142	5710	8.68	8.70	11.70	24.00	-12.30

PSD Results


Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5510	6.96	6.87	9.93	11.00	-1.07
Mid	5550	7.01	7.06	10.04	11.00	-0.96
High	5670	7.29	7.20	10.25	11.00	-0.75
142	5710	-18.73	-16.12	-14.22	11.00	-25.22




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




MID CHANNEL ANT 6




MID CHANNEL ANT 5



HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5



8.5.18. 802.11ax HE80 MODE IN THE 5.6 GHz BAND

1TX Antenna 6 MODE – 996-Tones, RU Index 67 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	85.60	-3.1	24.00	11.00
High	5610	85.20	-3.1	24.00	11.00
138	5690	85.20	-3.1	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	14.67	14.67	24.00	-9.33
High	5610	20.66	20.66	24.00	-3.34
138	5690	20.70	20.70	24.00	-3.30

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	-1.56	-1.56	11.00	-12.56
High	5610	4.71	4.71	11.00	-6.29
138	5690	4.90	4.90	11.00	-6.10



1TX Antenna 6 MODE – 26-Tones, RU Index 0 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	20.40	-3.1	24.00	11.00
High	5610	20.60	-3.1	24.00	11.00
138	5690	20.60	-3.1	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	11.68	11.68	24.00	-12.32
High	5610	11.70	11.70	24.00	-12.30
138	5690	11.66	11.66	24.00	-12.34

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	10.09	10.09	11.00	-0.91
High	5610	10.12	10.12	11.00	-0.88
138	5690	10.01	10.01	11.00	-0.99



1TX Antenna 6 MODE – 26-Tones, RU Index 18 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	37.60	-3.1	24.00	11.00
High	5610	39.00	-3.1	24.00	11.00
138	5690	39.00	-3.1	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	11.71	11.71	24.00	-12.29
High	5610	11.63	11.63	24.00	-12.37
138	5690	11.68	11.68	24.00	-12.32

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	9.50	9.50	11.00	-1.51
High	5610	9.01	9.01	11.00	-1.99
138	5690	9.36	9.36	11.00	-1.64



1TX Antenna 6 MODE – 26-Tones, RU Index 36 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	20.80	-3.1	24.00	11.00
High	5610	20.20	-3.1	24.00	11.00
138	5690	20.80	-3.1	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	11.65	11.65	24.00	-12.35
High	5610	11.73	11.73	24.00	-12.27
138	5690	11.70	11.70	24.00	-12.30

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	9.83	9.83	11.00	-1.17
High	5610	10.38	10.38	11.00	-0.62
138	5690	-20.19	-20.19	11.00	-31.19



1TX Antenna 5 MODE – 996-Tones, RU Index 67 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	84.80	-5.6	24.00	11.00
High	5610	84.80	-5.6	24.00	11.00
138	5690	85.40	-5.6	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	14.65	14.65	24.00	-9.35
High	5610	21.22	21.22	24.00	-2.78
138	5690	21.23	21.23	24.00	-2.77

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	-1.47	-1.47	11.00	-12.47
High	5610	5.35	5.35	11.00	-5.65
138	5690	5.43	5.43	11.00	-5.58



1TX Antenna 5 MODE – 26-Tones, RU Index 0 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	19.40	-5.6	23.88	11.00
High	5610	20.40	-5.6	24.00	11.00
138	5690	20.20	-5.6	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	11.58	11.58	23.88	-12.30
High	5610	11.72	11.72	24.00	-12.28
138	5690	11.75	11.75	24.00	-12.25

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	9.65	9.65	11.00	-1.35
High	5610	10.38	10.38	11.00	-0.63
138	5690	10.41	10.41	11.00	-0.59



1TX Antenna 5 MODE – 26-Tones, RU Index 18 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	38.60	-5.6	24.00	11.00
High	5610	38.60	-5.6	24.00	11.00
138	5690	39.00	-5.6	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	11.56	11.56	24.00	-12.44
High	5610	11.66	11.66	24.00	-12.34
138	5690	11.74	11.74	24.00	-12.26

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	8.59	8.59	11.00	-2.41
High	5610	9.06	9.06	11.00	-1.94
138	5690	9.18	9.18	11.00	-1.82



1TX Antenna 5 MODE – 26-Tones, RU Index 36 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	20.60	-5.6	24.00	11.00
High	5610	20.60	-5.6	24.00	11.00
138	5690	21.00	-5.6	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	11.69	11.69	24.00	-12.31
High	5610	11.65	11.65	24.00	-12.35
138	5690	11.70	11.70	24.00	-12.30

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	10.56	10.56	11.00	-0.44
High	5610	10.49	10.49	11.00	-0.51
138	5690	-15.54	-15.54	11.00	-26.54



2TX Antenna 6 + Antenna 5 OFDMA MODE – 996-Tones, RU Index 67 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	84.60	-4.17	-1.25	24.00	11.00
High	5610	84.80	-4.17	-1.25	24.00	11.00
138	5690	84.80	-4.17	-1.25	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results


Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	13.22	13.17	16.21	24.00	-7.79
High	5610	19.66	19.61	22.65	24.00	-1.35
138	5690	19.74	19.72	22.74	24.00	-1.26

PSD Results


Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	-3.42	-3.04	-0.22	11.00	-11.22
High	5610	3.82	3.79	6.81	11.00	-4.19
138	5690	4.15	4.20	7.19	11.00	-3.81




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5



CHANNEL 138 ANT 6



CHANNEL 138 ANT 5

2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 0 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	21.20	-4.17	-1.25	24.00	11.00
High	5610	20.20	-4.17	-1.25	24.00	11.00
138	5690	20.40	-4.17	-1.25	24.00	11.00







Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	8.69	8.59	11.65	24.00	-12.35
High	5610	8.64	8.68	11.67	24.00	-12.33
138	5690	8.75	8.74	11.76	24.00	-12.24

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	7.11	6.65	9.89	11.00	-1.11
High	5610	6.94	7.01	9.98	11.00	-1.02
138	5690	7.24	6.98	10.12	11.00	-0.88



2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 18 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	38.60	-4.17	-1.25	24.00	11.00
High	5610	38.40	-4.17	-1.25	24.00	11.00
138	5690	38.40	-4.17	-1.25	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results


Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	8.71	8.70	11.72	24.00	-12.28
High	5610	8.61	8.64	11.64	24.00	-12.36
138	5690	8.74	8.72	11.74	24.00	-12.26

PSD Results


Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	5.76	5.72	8.75	11.00	-2.25
High	5610	5.42	5.59	8.52	11.00	-2.48
138	5690	6.34	6.12	9.24	11.00	-1.76




LOW CHANNEL ANT 6




LOW CHANNEL ANT 5




HIGH CHANNEL ANT 6



HIGH CHANNEL ANT 5



CHANNEL 138 ANT 6



CHANNEL 138 ANT 5

2TX Antenna 6 + Antenna 5 OFDMA MODE – 26-Tones, RU Index 36 (FCC)

Bandwidth, Antenna Gain, and Limits

Channel	Frequency (MHz)	Min 26 dB BW (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5530	20.80	-4.17	-1.25	24.00	11.00
High	5610	20.60	-4.17	-1.25	24.00	11.00
138	5690	20.80	-4.17	-1.25	24.00	11.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5530	8.74	8.68	11.72	24.00	-12.28
High	5610	8.60	8.63	11.63	24.00	-12.37
138	5690	8.65	8.66	11.67	24.00	-12.33

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/ 1MHz)	Antenna 5 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5530	7.43	7.12	10.29	11.00	-0.71
High	5610	6.88	6.89	9.89	11.00	-1.11
138	5690	-17.39	-18.62	-14.95	11.00	-25.95