



1TX UAT 2 MODE – 26 Tones, RU Index 18


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5530	36.9520
High	5610	36.9360
138	5690	36.6670



LOW CHANNEL




HIGH CHANNEL




CHANNEL 138

1TX UAT 2 MODE – 26 Tones, RU Index 36


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5530	18.8030
High	5610	18.3500
138	5690	18.4080



LOW CHANNEL



HIGH CHANNEL



CHANNEL 138

1TX LAT 3 MODE – 996 Tones, RU Index 67

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5530	76.5220
High	5610	76.6820
138	5690	76.9250



LOW CHANNEL




HIGH CHANNEL




CHANNEL 138

1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5530	18.1670
High	5610	18.2990
138	5690	18.1460



LOW CHANNEL




HIGH CHANNEL




CHANNEL 138

1TX LAT 3 MODE – 26 Tones, RU Index 18


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5530	37.3180
High	5610	36.7310
138	5690	36.8910



LOW CHANNEL




HIGH CHANNEL




CHANNEL 138

1TX LAT 3 MODE – 26 Tones, RU Index 36


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5530	18.4130
High	5610	18.2690
138	5690	18.3140



LOW CHANNEL







HIGH CHANNEL





CHANNEL 138

2TX UAT 2 + LAT 3 OFDMA MODE – 996 Tones, RU Index 67





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5530	76.9480	77.0380
High	5610	76.8290	76.7460
138	5690	76.4590	76.4850







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5530	18.5060	18.1260
High	5610	18.3470	18.1040
138	5690	18.4270	18.1030







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 18





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5530	36.7580	36.7730
High	5610	36.5240	36.6360
138	5690	36.9420	36.5200







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 36

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5530	18.6620	18.0850
High	5610	18.4940	18.0770
138	5690	18.5830	18.1840





CHANNEL 138 UAT 2




CHANNEL 138 LAT 3


8.3.19. 802.11n HT20 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE


Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5745	17.6950
Mid	5785	17.6170
High	5825	17.7070



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	17.7160
Mid	5785	17.6340
High	5825	17.6500



LOW CHANNEL









MID CHANNEL



HIGH CHANNEL

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5745	17.752	17.687
Mid	5785	17.731	17.704
High	5825	17.736	17.692






8.3.20. 802.11n HT40 MODE IN THE 5.8 GHz BAND



1TX UAT 2 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5755	36.1690
High	5795	36.1190







1TX LAT 3 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5755	36.2970
High	5795	36.0220




Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5755	36.098	36.300
High	5795	36.129	36.148



8.3.21. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	75.9600




1TX LAT 3 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	75.5630




Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5775	75.604	75.851




8.3.22. 802.11ax HE20 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE – 242 Tones, RU Index 61


Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5745	18.8840
Mid	5785	19.0460
High	5825	18.9220



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX UAT 2 MODE – 26 Tones, RU Index 0


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	18.2960
Mid	5785	18.4510
High	5825	18.5680



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX UAT 2 MODE – 26 Tones, RU Index 4


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	17.3230
Mid	5785	17.3290
High	5825	17.3560



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX UAT 2 MODE – 26 Tones, RU Index 8


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	18.6440
Mid	5785	18.6420
High	5825	18.6840



LOW CHANNEL




MID CHANNEL



HIGH CHANNEL

1TX LAT 3 MODE – 242 Tones, RU Index 36


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	18.9870
Mid	5785	18.8640
High	5825	18.9100



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX LAT 3 MODE – 26 Tones, RU Index 0


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	18.4580
Mid	5785	18.5130
High	5825	18.4300



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX LAT 3 MODE – 26 Tones, RU Index 4


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	17.2740
Mid	5785	17.4160
High	5825	17.2420



LOW CHANNEL




MID CHANNEL




HIGH CHANNEL

1TX LAT 3 MODE – 26 Tones, RU Index 8


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5745	18.5490
Mid	5785	18.6870
High	5825	18.7050



LOW CHANNEL







MID CHANNEL




HIGH CHANNEL

2TX UAT 2 + LAT 3 OFDMA MODE – 242 Tones, RU Index 61





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5745	18.8940	18.8840
Mid	5785	18.8050	19.0130
High	5825	18.8350	19.0080







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5745	18.4910	18.4150
Mid	5785	18.4480	18.4030
High	5825	18.4110	18.3650







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 4





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5745	17.2000	17.0770
Mid	5785	17.2760	17.0660
High	5825	17.2270	17.0430







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5745	18.7280	18.4820
Mid	5785	18.5130	18.3890
High	5825	18.6250	18.4000







8.3.23. 802.11ax HE40 MODE IN THE 5.8 GHz BAND



1TX UAT 2 MODE – 484 Tones, RU Index 65

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5755	37.5820
High	5795	37.2810





1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5755	18.6380
High	5795	18.4210





1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5755	21.0220
High	5795	21.1300





1TX UAT 2 MODE – 26 Tones, RU Index 17

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5755	18.6100
High	5795	18.3620





1TX LAT 3 MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5755	37.5730
High	5795	37.6010




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5755	18.24
High	5795	18.19




1TX LAT 3 MODE – 26 Tones, RU Index 8

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5755	20.31
High	5795	20.28




LOW CHANNEL




HIGH CHANNEL

1TX LAT 3 MODE – 26 Tones, RU Index 17

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5755	18.32
High	5795	18.14







LOW CHANNEL



HIGH CHANNEL





2TX UAT 2 + LAT 3 CDD MODE – 242 Tones, RU Index 65

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5755	37.6810	37.8480
High	5795	37.6490	37.8040







2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5755	18.6590	18.0430
High	5795	18.4660	18.1260







2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5755	20.9510	20.2210
High	5795	21.3240	20.0970



2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 17


Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5755	18.6110	18.0790
High	5795	18.2880	18.0860



8.3.24. 802.11ax HE80 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE – 996 Tones, RU Index 67

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	77.179




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	18.4270




1TX UAT 2 MODE – 26 Tones, RU Index 18

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	36.2860




1TX UAT 2 MODE – 26 Tones, RU Index 36

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	18.8360




1TX LAT 3 MODE – 996 Tones, RU Index 67

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	76.6580


**1TX LAT 3 MODE – 26 Tones, RU Index 0**

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	18.1180




1TX LAT 3 MODE – 26 Tones, RU Index 18

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	36.9690




1TX LAT 3 MODE – 26 Tones, RU Index 36

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5775	18.3310




2TX UAT 2 + LAT 3 CDD MODE – 996 Tones, RU Index 67

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5775	76.858	77.182




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5775	18.271	18.114




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 18

Channel	Frequency	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5775	36.732	36.590



2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 36

Channel	Frequency	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5775	18.561	18.150



8.4. 6 dB BANDWIDTH

LIMITS

RSS-247 6.2.4.1

The minimum 6 dB bandwidth shall be at least 500 kHz.

RESULTS

Note: No 6dB emission bandwidth located after 5725MHz.

11ax HE20 Mode RU index 0, 4
11ax HE40 Mode RU index 0, 8
11ax HE80 Mode RU index 0, 18

8.4.1. 802.11n HT20 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	17.6050	0.5
Mid	5785	17.5500	0.5
High	5825	17.5800	0.5
144	5720	3.8950	0.5



LOW CHANNEL



MID CHANNEL




HIGH CHANNEL




CHANNEL 144

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	17.5450	0.5
Mid	5785	17.2800	0.5
High	5825	17.5750	0.5
144	5720	3.7000	0.5



LOW CHANNEL



MID CHANNEL











HIGH CHANNEL



CHANNEL 144

Channel	Frequency (MHz)	6 dB BW UAT 2 (MHz)	6 dB BW LAT 3 (MHz)	Minimum Limit (MHz)
Low	5745	17.620	17.590	0.5
Mid	5785	17.595	17.525	0.5
High	5825	17.175	17.595	0.5
144	5720	3.895	3.730	0.5







8.4.2. 802.11n HT40 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	36.3300	0.5
High	5795	36.3100	0.5
142	5710	3.1700	0.5



LOW CHANNEL




HIGH CHANNEL









CHANNEL 142

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5775	35.6700	0.5
High	5795	36.3400	0.5
142	5710	3.1400	0.5



Channel	Frequency (MHz)	6 dB BW UAT 2 (MHz)	6 dB BW LAT 3 (MHz)	Minimum Limit (MHz)
Low	5775	36.05	36.36	0.5
High	5795	36.30	35.37	0.5
142	5710	3.27	3.21	0.5







8.4.3. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND



1TX UAT 2 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	75.2200	0.5
138	5690	3.3000	0.5



1TX LAT 3 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	75.060	0.5
138	5690	3.1200	0.5



Channel	Frequency (MHz)	6 dB BW UAT 2 (MHz)	6 dB BW LAT 3 (MHz)	Minimum Limit (MHz)
Mid	5775	75.1600	75.7600	0.5
138	5690	3.1600	3.2400	0.5

