






2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 4





Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5745	19.80	18.40
Mid	5785	19.75	18.40
High	5825	19.60	18.40







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5745	21.00	20.20
Mid	5785	21.30	20.05
High	5825	20.95	20.10






8.2.23. 802.11ax HE40 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE – 484 Tones, RU Index 65

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	41.70
High	5795	42.00




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	20.80
High	5795	20.50




1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5755	22.70
High	5795	22.90




1TX UAT 2 MODE – 26 Tones, RU Index 17

Channel	Frequency (MHz)	26dB Bandwidth (MHz)
Low	5755	20.60
High	5795	20.40




1TX LAT 3 MODE – 484 Tones, RU Index 65

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	41.80
High	5795	41.80




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	20.70
High	5795	19.80




1TX LAT 3 MODE – 26 Tones, RU Index 8

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	23.10
High	5795	22.20







1TX LAT 3 MODE – 26 Tones, RU Index 17

Channel	Frequency	26dB Bandwidth
	(MHz)	(MHz)
Low	5755	19.60
High	5795	19.80







2TX UAT 2 + LAT 3 CDD MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5755	41.00	40.90
High	5795	41.00	40.90







2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 0

Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
5755	20.50	19.60
5795	20.00	19.80







2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5755	22.40	22.20
High	5795	21.90	21.90



2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 17


Channel	Frequency (MHz)	26 dB Bandwidth UAT 2 (MHz)	26 dB Bandwidth LAT 3 (MHz)
Low	5755	20.20	19.20
High	5795	21.10	19.10



8.2.24. 802.11ax HE80 MODE IN THE 5.8 GHz BAND


1TX UAT 2 MODE – 996 Tones, RU Index 67

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	83.20




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	20.00




1TX UAT 2 MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	40.40




1TX UAT 2 MODE – 26 Tones, RU Index 36

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	22.80




1TX LAT 3 MODE – 996 Tones, RU Index 67

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	84.00




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	18.80




1TX LAT 3 MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	39.60




1TX LAT 3 MODE – 26 Tones, RU Index 36

Channel	Frequency	26 dB Bandwidth
	(MHz)	(MHz)
Mid	5775	20.80




2TX UAT 2 + LAT 3 CDD MODE – 996 Tones, RU Index 67

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5775	85.00	83.60




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5775	20.20	20.20




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5775	39.80	39.40




MID CHANNEL UAT 2




MID CHANNEL LAT 3

2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU Index 36

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
	(MHz)	UAT 2	LAT 3
		(MHz)	(MHz)
Mid	5775	20.60	20.20



MID CHANNEL UAT 2



MID CHANNEL LAT 3

8.3. 99% BANDWIDTH

LIMITS


None; for reporting purposes only.

RESULTS

8.3.1. 802.11n HT20 MODE IN THE 5.2 GHz BAND


1TX UAT 2 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	17.9001
Mid	5200	17.9727
High	5240	17.9856





1TX LAT 3 MODE


Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5180	17.6977
Mid	5200	17.6833
High	5240	17.7408



2TX UAT 2 + LAT 3 CDD MODE

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5180	17.7382	17.7810
Mid	5200	17.7576	17.7365
High	5240	17.6312	17.7261






8.3.2. 802.11n HT40 MODE IN THE 5.2 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	36.4252
High	5230	36.4708







1TX LAT 3 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	36.1026
High	5230	36.1114



2TX UAT 2 + LAT 3 CDD MODE


Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5190	36.1966	36.0335
High	5230	36.0911	36.1637



8.3.3. 802.11ac VHT80 MODE IN THE 5.2 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	75.5566




1TX LAT 3 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	75.4263



2TX UAT 2 + LAT 3 CDD MODE


Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5210	75.0967	75.3908



8.3.4. 802.11ax HE20 MODE IN THE 5.2 GHz BAND


1TX UAT 2 MODE – 242-Tones, RU Index 61

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	18.9695
Mid	5200	18.9911
High	5240	18.9989




1TX UAT 2 MODE – 26-Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	18.4725
Mid	5200	18.3315
High	5240	18.4680




1TX UAT 2 MODE – 26-Tones, RU Index 4

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	17.3354
Mid	5200	17.2077
High	5240	16.8289




1TX UAT 2 MODE – 26-Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	18.5020
Mid	5200	18.5190
High	5240	18.5578




1TX LAT 3 MODE – 242-Tones, RU Index 61

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	19.0530
Mid	5200	18.9811
High	5240	18.9927




1TX LAT 3 MODE – 26-Tones, RU Index 0


Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	18.4490
Mid	5200	18.7982
High	5240	18.5708



LOW CHANNEL




MID CHANNEL



HIGH CHANNEL


1TX LAT 3 MODE – 26-Tones, RU Index 4

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	17.5705
Mid	5200	17.2868
High	5240	17.4619




1TX LAT 3 MODE – 26-Tones, RU Index 8


Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5180	18.5010
Mid	5200	18.7845
High	5240	18.8249



LOW CHANNEL





MID CHANNEL




HIGH CHANNEL

2TX UAT 2 + LAT 3 OFDMA MODE – 242 Tones, RU Index 61





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5180	19.0117	18.9510
Mid	5200	18.9731	18.9650
High	5240	18.9549	18.9540






2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5180	18.4785	18.3240
Mid	5200	18.5187	18.4030
High	5240	18.4023	18.4660







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 4





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5180	17.3027	17.0470
Mid	5200	17.1397	17.0330
High	5240	17.3375	17.0080







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5180	18.7248	18.4050
Mid	5200	18.5202	18.4150
High	5240	18.6744	18.3870






8.3.5. 802.11ax HE40 MODE IN THE 5.2 GHz BAND


1TX UAT 2 MODE – 484 Tones, RU Index 65

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	37.7280
High	5230	37.8560



1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	18.6730
High	5230	18.3640



Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5190	21.4360
High	5230	21.0500





Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5190	18.4550
High	5230	18.4240





1TX LAT 3 MODE – 484 Tones, RU Index 65

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	37.6470
High	5230	37.6750




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	18.3770
High	5230	18.3020




1TX LAT 3 MODE – 26 Tones, RU Index 8

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	21.2280
High	5230	20.7070







1TX LAT 3 MODE – 26 Tones, RU Index 17

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5190	18.5180
High	5230	18.3040







2TX UAT 2 + LAT 3 OFDMA MODE – 484 Tones, RU Index 65

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5190	37.6970	37.7480
High	5230	37.7220	37.6880







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5190	18.2122	18.1522
High	5230	18.1460	18.4180







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5190	21.5310	21.0710
High	5230	20.8690	21.3570



2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 17


Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5190	18.3920	18.3810
High	5230	18.3770	18.1880



8.3.6. 802.11ax HE80 MODE IN THE 5.2 GHz BAND


1TX UAT 2 MODE – 996 Tones, RU Index 67

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Mid	5210	77.2470




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Mid	5210	18.0300




1TX UAT 2 MODE – 26 Tones, RU Index 18

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	36.3230




1TX UAT 2 MODE – 26 Tones, RU Index 36

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	18.1960




1TX LAT 3 MODE – 996 Tones, RU Index 67

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	76.6898




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	18.3188




1TX LAT 3 MODE – 26 Tones, RU Index 18

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	36.2854




1TX LAT 3 MODE – 26 Tones, RU Index 36

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5210	19.9504




2TX UAT 2 + LAT 3 CDD MODE – 996 Tones, RU 67

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5210	76.6060	76.8138




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU 0

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5210	18.1944	18.2478




2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU 18

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5210	37.6333	36.2862



2TX UAT 2 + LAT 3 CDD MODE – 26 Tones, RU 36


Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Mid	5210	20.1575	20.7983



8.3.7. 802.11n HT20 MODE IN THE 5.3 GHz BAND


1TX UAT 2 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	17.9006
Mid	5300	18.0103
High	5320	17.8728





1TX LAT 3 MODE


Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	17.8015
Mid	5300	17.7237
High	5320	17.6337



2TX UAT 2 + LAT 3 CDD MODE

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5260	17.8127	17.7275
Mid	5300	17.6534	17.7635
High	5320	17.7303	17.6791






8.3.8. 802.11n HT40 MODE IN THE 5.3 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	36.4961
High	5310	36.4411







1TX LAT 3 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	36.1434
High	5310	36.0378



2TX UAT 2 + LAT 3 CDD MODE


Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5270	36.1071	36.3483
High	5310	36.0804	36.1934



8.3.9. 802.11ac VHT80 MODE IN THE 5.3 GHz BAND


1TX UAT 2 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5290	75.6376




1TX LAT 3 MODE

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Mid	5290	75.7481



2TX UAT 2 + LAT 3 CDD MODE


Channel	Frequency	99% Bandwidth UAT 2	99% Bandwidth LAT 3
	(MHz)	(MHz)	(MHz)
Mid	5290	75.6935	75.7285



8.3.10. 802.11ax HE20 MODE IN THE 5.3 GHz BAND


1TX UAT 2 MODE – 242 Tones, RU Index 61

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	19.1223
Mid	5300	18.9835
High	5320	19.0269




1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	18.4604
Mid	5300	18.3839
High	5320	18.5458




1TX UAT 2 MODE – 26 Tones, RU Index 4

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	17.2221
Mid	5300	17.3040
High	5320	17.1684




1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	18.5764
Mid	5300	18.6563
High	5320	18.6889






1TX LAT 3 MODE – 242 Tones, RU Index 61

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	19.0608
Mid	5300	18.9893
High	5320	19.0030




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	18.6050
Mid	5300	18.4400
High	5320	18.5620




1TX LAT 3 MODE – 26 Tones, RU Index 4

Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	17.1908
Mid	5300	17.4985
High	5320	17.3082







1TX LAT 3 MODE – 26 Tones, RU Index 8



Channel	Frequency (MHz)	99% Bandwidth (MHz)
Low	5260	18.9151
Mid	5300	18.8002
High	5320	18.9188



2TX UAT 2 + LAT 3 OFDMA MODE – 242 Tones, RU Index 61





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5260	18.9260	18.9080
Mid	5300	18.9564	18.9610
High	5320	18.9839	18.9130







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0





Channel	Frequency	99% Bandwidth UAT 2	99% Bandwidth LAT 3
	(MHz)	(MHz)	(MHz)
Low	5260	18.4835	18.4990
Mid	5300	18.3405	18.4270
High	5320	18.4449	18.4250







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 4





Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5260	17.0808	17.0210
Mid	5300	17.3628	17.0330
High	5320	17.2671	17.0700







2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5260	18.5947	18.4040
Mid	5300	18.6942	18.2640
High	5320	18.6456	18.3850






8.3.11. 802.11ax HE40 MODE IN THE 5.3 GHz BAND


1TX UAT 2 MODE – 484 Tones, RU Index 65

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	37.6880
High	5310	37.6830





1TX UAT 2 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	18.4180
High	5310	18.5720





1TX UAT 2 MODE – 26 Tones, RU Index 8

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	20.9400
High	5310	20.3950




1TX UAT 2 MODE – 26 Tones, RU Index 17

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	18.2950
High	5310	18.5090




1TX LAT 3 MODE – 484 Tones, RU Index 65

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	37.6830
High	5310	37.7420




1TX LAT 3 MODE – 26 Tones, RU Index 0

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	18.6180
High	5310	18.4490




1TX LAT 3 MODE – 26 Tones, RU Index 8

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	21.5950
High	5310	21.4900





1TX LAT 3 MODE – 26 Tones, RU Index 17

Channel	Frequency	99% Bandwidth
	(MHz)	(MHz)
Low	5270	18.3950
High	5310	18.5310



Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5270	37.7541	37.6870
High	5310	37.6631	37.6160



2TX UAT 2 + LAT 3 OFDMA MODE – 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth UAT 2 (MHz)	99% Bandwidth LAT 3 (MHz)
Low	5270	18.2591	18.2660
High	5310	18.2676	18.2660

