

1TX LAT 3 MODE (FCC)

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 500KHz)
Low	5755	-2.60	30.00	30.00
High	5795	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.09	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	20.72	20.72	30.00	-9.28
High	5795	20.79	20.79	30.00	-9.21

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 500KHz)	Total Corr'd PSD (dBm/ 500KHz)	PSD Limit (dBm/ 500KHz)	PSD Margin (dB)
Low	5755	5.54	5.63	30.00	-24.37
High	5795	5.47	5.56	30.00	-24.44



2TX UAT 2 + LAT 3 CDD MODE (FCC)

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 500KHz)
Low	5755	-0.64	2.22	30.00	30.00
High	5795	-0.64	2.22	30.00	30.00





Duty Cycle CF (dB)	0.09	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.62	20.65	22.40	30.00	-7.60
High	5795	17.55	20.62	22.36	30.00	-7.64

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 500KHz)	LAT 3 Meas PSD (dBm/ 500KHz)	Total Corr'd PSD (dBm/ 500KHz)	PSD Limit (dBm/ 500KHz)	PSD Margin (dB)
Low	5755	5.56	5.58	8.67	30.00	-21.33
High	5795	5.51	5.50	8.61	30.00	-21.39



8.5.21. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE (FCC)

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 500KHz)
Mid	5775	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.20	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.66	17.66	30.00	-12.34

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 500KHz)	Total Corr'd PSD (dBm/ 500KHz)	PSD Limit (dBm/ 500KHz)	PSD Margin (dB)
Mid	5775	2.11	2.31	30.00	-27.69



1TX LAT 3 MODE (FCC)

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 500KHz)
Mid	5775	0.70	30.00	30.00


Duty Cycle CF (dB)	0.20	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	20.78	20.78	30.00	-9.22

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 500KHz)	Total Corr'd PSD (dBm/ 500KHz)	PSD Limit (dBm/ 500KHz)	PSD Margin (dB)
Mid	5775	2.18	2.38	30.00	-27.62



2TX UAT 2 + LAT 3 CDD MODE (FCC)

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-0.64	2.22	30.00	30.00


Duty Cycle CF (dB)	0.20	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.42	20.68	22.36	30.00	-7.64

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	2.04	1.94	5.20	30.00	-24.80



8.5.22. 802.11ax HE20 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE (FCC) – 242 Tones, RU Index 61

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-2.60	30.00	30.00
Mid	5785	-2.60	30.00	30.00
High	5825	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.31	17.31	30.00	-12.69
Mid	5785	17.43	17.43	30.00	-12.57
High	5825	17.35	17.35	30.00	-12.65

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	8.52	8.52	30.00	-21.48
Mid	5785	8.43	8.43	30.00	-21.57
High	5825	8.54	8.54	30.00	-21.46



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-2.60	30.00	30.00
Mid	5785	-2.60	30.00	30.00
High	5825	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.39	17.39	30.00	-12.61
Mid	5785	17.35	17.35	30.00	-12.65
High	5825	17.40	17.40	30.00	-12.60

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.35	16.35	30.00	-13.65
Mid	5785	16.26	16.26	30.00	-13.74
High	5825	16.57	16.57	30.00	-13.43



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 4

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-2.60	30.00	30.00
Mid	5785	-2.60	30.00	30.00
High	5825	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.37	17.37	30.00	-12.63
Mid	5785	17.32	17.32	30.00	-12.68
High	5825	17.30	17.30	30.00	-12.70

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.19	16.19	30.00	-13.81
Mid	5785	16.07	16.07	30.00	-13.93
High	5825	16.03	16.03	30.00	-13.97



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 8

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-2.60	30.00	30.00
Mid	5785	-2.60	30.00	30.00
High	5825	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.31	17.31	30.00	-12.69
Mid	5785	17.41	17.41	30.00	-12.59
High	5825	17.34	17.34	30.00	-12.66

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.31	16.31	30.00	-13.69
Mid	5785	16.65	16.65	30.00	-13.35
High	5825	16.49	16.49	30.00	-13.51



1TX LAT 3 MODE (FCC) – 242 Tones, RU Index 61

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	0.70	30.00	30.00
Mid	5785	0.70	30.00	30.00
High	5825	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	20.75	20.75	30.00	-9.25
Mid	5785	20.82	20.82	30.00	-9.18
High	5825	20.84	20.84	30.00	-9.16

PSD Results


Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	8.69	8.69	30.00	-21.31
Mid	5785	8.54	8.54	30.00	-21.46
High	5825	8.58	8.58	30.00	-21.42



LOW CHANNEL



MID CHANNEL



HIGH CHANNEL

1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	0.70	30.00	30.00
Mid	5785	0.70	30.00	30.00
High	5825	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results


Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	20.74	20.74	30.00	-9.26
Mid	5785	20.85	20.85	30.00	-9.15
High	5825	20.82	20.82	30.00	-9.18

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.71	16.71	30.00	-13.29
Mid	5785	16.63	16.63	30.00	-13.37
High	5825	16.59	16.59	30.00	-13.41



LOW CHANNEL



MID CHANNEL



HIGH CHANNEL

1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 4

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	0.70	30.00	30.00
Mid	5785	0.70	30.00	30.00
High	5825	0.70	30.00	30.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results


Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	20.74	20.74	30.00	-9.26
Mid	5785	20.71	20.71	30.00	-9.29
High	5825	20.83	20.83	30.00	-9.17

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.09	16.09	30.00	-13.91
Mid	5785	16.04	16.04	30.00	-13.96
High	5825	16.24	16.24	30.00	-13.76



LOW CHANNEL



MID CHANNEL



HIGH CHANNEL

1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 8

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	0.70	30.00	30.00
Mid	5785	0.70	30.00	30.00
High	5825	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results


Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	20.72	20.72	30.00	-9.28
Mid	5785	20.82	20.82	30.00	-9.18
High	5825	20.80	20.80	30.00	-9.20

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.45	16.45	30.00	-13.55
Mid	5785	16.58	16.58	30.00	-13.43
High	5825	16.53	16.53	30.00	-13.47



LOW CHANNEL



MID CHANNEL



HIGH CHANNEL

2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 242 Tones, RU Index 61

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-0.64	2.22	30.00	30.00
Mid	5785	-0.64	2.22	30.00	30.00
High	5825	-0.64	2.22	30.00	30.00







Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.52	20.67	22.38	30.00	-7.62
Mid	5785	17.43	20.70	22.38	30.00	-7.62
High	5825	17.46	20.69	22.38	30.00	-7.62

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	8.61	8.42	11.53	30.00	-18.47
Mid	5785	8.65	8.69	11.68	30.00	-18.32
High	5825	8.62	8.67	11.66	30.00	-18.34



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-0.64	2.22	30.00	30.00
Mid	5785	-0.64	2.22	30.00	30.00
High	5825	-0.64	2.22	30.00	30.00






Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.46	20.71	22.39	30.00	-7.61
Mid	5785	17.51	20.76	22.44	30.00	-7.56
High	5825	17.43	20.77	22.42	30.00	-7.58

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.53	16.58	19.57	30.00	-10.43
Mid	5785	16.68	16.45	19.57	30.00	-10.43
High	5825	16.53	16.51	19.53	30.00	-10.47



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 4

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-0.64	2.22	30.00	30.00
Mid	5785	-0.64	2.22	30.00	30.00
High	5825	-0.64	2.22	30.00	30.00



Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.40	20.77	22.41	30.00	-7.59
Mid	5785	17.43	20.75	22.41	30.00	-7.59
High	5825	17.41	20.67	22.35	30.00	-7.65

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.21	16.29	19.26	30.00	-10.74
Mid	5785	16.45	16.50	19.48	30.00	-10.52
High	5825	16.40	16.24	19.33	30.00	-10.67



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 8

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5745	-0.64	2.22	30.00	30.00
Mid	5785	-0.64	2.22	30.00	30.00
High	5825	-0.64	2.22	30.00	30.00







Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5745	17.52	20.78	22.46	30.00	-7.54
Mid	5785	17.46	20.72	22.40	30.00	-7.60
High	5825	17.47	20.74	22.42	30.00	-7.58

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5745	16.59	16.65	19.63	30.00	-10.37
Mid	5785	16.61	16.43	19.53	30.00	-10.47
High	5825	16.75	16.45	19.61	30.00	-10.39



8.5.23. 802.11ax HE40 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE (FCC) – 484 Tones, RU Index 65

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-2.60	30.00	30.00
High	5795	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.40	17.40	30.00	-12.60
High	5795	17.50	17.50	30.00	-12.50

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	6.33	6.33	30.00	-23.67
High	5795	6.46	6.46	30.00	-23.55



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-2.60	30.00	30.00
High	5795	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.47	17.47	30.00	-12.53
High	5795	17.46	17.46	30.00	-12.54

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.26	16.26	30.00	-13.74
High	5795	16.21	16.21	30.00	-13.79



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 8

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-2.60	30.00	30.00
High	5795	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.45	17.45	30.00	-12.55
High	5795	17.48	17.48	30.00	-12.52

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.25	16.25	30.00	-13.75
High	5795	16.38	16.38	30.00	-13.62



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 17

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-2.60	30.00	30.00
High	5795	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.48	17.48	30.00	-12.52
High	5795	17.51	17.51	30.00	-12.49

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.10	16.10	30.00	-13.91
High	5795	16.13	16.13	30.00	-13.87



1TX LAT 3 MODE (FCC) – 484 Tones, RU Index 65

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	0.70	30.00	30.00
High	5795	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	20.73	20.73	30.00	-9.27
High	5795	20.68	20.68	30.00	-9.32

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	6.14	6.14	30.00	-23.86
High	5795	6.12	6.12	30.00	-23.88



1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	0.70	30.00	30.00
High	5795	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	20.75	20.75	30.00	-9.25
High	5795	20.77	20.77	30.00	-9.23

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.12	16.12	30.00	-13.88
High	5795	16.14	16.14	30.00	-13.86



1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 8

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	0.70	30.00	30.00
High	5795	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	20.78	20.78	30.00	-9.22
High	5795	20.71	20.71	30.00	-9.29

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.40	16.40	30.00	-13.61
High	5795	16.34	16.34	30.00	-13.66



1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 17

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	0.70	30.00	30.00
High	5795	0.70	30.00	30.00



Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	20.68	20.68	30.00	-9.32
High	5795	20.77	20.77	30.00	-9.23

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.14	16.14	30.00	-13.86
High	5795	16.20	16.20	30.00	-13.81



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 484 Tones, RU Index 65

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-0.64	2.22	30.00	30.00
High	5795	-0.64	2.22	30.00	30.00





Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.41	20.71	22.38	30.00	-7.62
High	5795	17.50	20.75	22.43	30.00	-7.57

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	5.55	5.63	8.60	30.00	-21.40
High	5795	5.91	5.82	8.87	30.00	-21.13



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-0.64	2.22	30.00	30.00
High	5795	-0.64	2.22	30.00	30.00



Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.40	20.70	22.37	30.00	-7.63
High	5795	17.45	20.67	22.36	30.00	-7.64

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.13	16.17	19.16	30.00	-10.84
High	5795	16.26	16.12	19.20	30.00	-10.80



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 8

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-0.64	2.22	30.00	30.00
High	5795	-0.64	2.22	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.38	20.71	22.37	30.00	-7.63
High	5795	17.45	20.74	22.41	30.00	-7.59

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.14	16.20	19.18	30.00	-10.82
High	5795	16.21	16.28	19.25	30.00	-10.75



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 17

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Low	5755	-0.64	2.22	30.00	30.00
High	5795	-0.64	2.22	30.00	30.00





Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5755	17.36	20.68	22.34	30.00	-7.66
High	5795	17.37	20.69	22.35	30.00	-7.65

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5755	16.07	16.07	19.08	30.00	-10.92
High	5795	16.03	16.08	19.07	30.00	-10.93



8.5.24. 802.11ax HE80 MODE IN THE 5.8 GHz BAND

1TX UAT 2 MODE (FCC) – 996 Tones, RU Index 67

Antenna Gain and Limits

Channel	Frequency	Directional Gain	FCC/ISE Power Limit	FCC/ISED PSD Limit
	(MHz)	(dBi)	(dBm)	(dBm/ 1MHz)
Mid	5775	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency	Meas Power	Total Corr'd Power	Power Limit	Power Margin
	(MHz)	(dBm)	(dBm)	(dBm)	(dB)
Mid	5775	17.47	17.47	30.00	-12.53

PSD Results

Channel	Frequency	Meas PSD	Total Corr'd PSD	PSD Limit	PSD Margin
	(MHz)	(dBm/ 1MHz)	(dBm/ 1MHz)	(dBm/ 1MHz)	(dB)
Mid	5775	2.47	2.47	30.00	-27.53



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.46	17.46	30.00	-12.54

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	15.59	15.59	30.00	-14.41



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 18

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-2.60	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.45	17.45	30.00	-12.55

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	15.22	15.22	30.00	-14.78



1TX UAT 2 MODE (FCC) – 26 Tones, RU Index 36

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-2.60	30.00	30.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.46	17.46	30.00	-12.54

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	16.02	16.02	30.00	-13.99



1TX LAT 3 MODE (FCC) – 996 Tones, RU Index 67

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	20.82	20.82	30.00	-9.18

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	2.07	2.07	30.00	-27.93



1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	20.74	20.74	30.00	-9.26

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	15.82	15.82	30.00	-14.18



1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 18

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	0.70	30.00	30.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	20.68	20.68	30.00	-9.32

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	15.59	15.59	30.00	-14.41



1TX LAT 3 MODE (FCC) – 26 Tones, RU Index 36

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	FCC/ISE Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	0.70	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	20.76	20.76	30.00	-9.24

PSD Results

Channel	Frequency (MHz)	Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	15.88	15.88	30.00	-14.12



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 996 Tones, RU Index 67

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-0.70	2.19	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.52	20.76	22.45	30.00	-7.55

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	1.67	1.46	4.58	30.00	-25.42



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 0

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-0.64	2.22	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.46	20.80	22.45	30.00	-7.55

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	15.29	15.35	18.33	30.00	-11.67



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 18

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-0.64	2.22	30.00	30.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.46	20.68	22.37	30.00	-7.63

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	14.84	14.71	17.79	30.00	-12.21



2TX UAT 2 + LAT 3 OFDMA MODE (FCC) – 26 Tones, RU Index 36

Antenna Gain and Limit

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBm)	FCC/ISED Power Limit (dBm)	FCC/ISED PSD Limit (dBm/ 1MHz)
Mid	5775	-0.64	2.22	30.00	30.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	UAT 2 Meas Power (dBm)	LAT 3 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5775	17.47	20.68	22.38	30.00	-7.62

PSD Results

Channel	Frequency (MHz)	UAT 2 Meas PSD (dBm/ 1MHz)	LAT 3 Meas PSD (dBm/ 1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5775	15.19	15.55	18.39	30.00	-11.61

