



HIGH CHANNEL, CH 13 RESULTS



HORIZONTAL



VERTICAL

RADIATED EMISSIONS

| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T862 (dB/m) | Amp/Cbl/Filtr/P ad (dB) | Corrected Reading (dBuV/m) | Avg Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|------|----------------|-------------------------|----------------------------|--------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 1.24764 | 39.96 | PK2 | 28.8 | -20.6 | 48.16 | - | - | 74 | -25.84 | 4 | 239 | H |
| | * 1.24658 | 29.09 | MAv1 | 28.8 | -20.5 | 37.39 | 54 | -16.61 | - | - | 4 | 239 | H |
| 4 | * 1.21485 | 38.73 | PK2 | 28.6 | -20.7 | 46.63 | - | - | 74 | -27.37 | 153 | 143 | V |
| | * 1.2122 | 28.22 | MAv1 | 28.5 | -20.7 | 36.02 | 54 | -17.98 | - | - | 153 | 143 | V |
| 2 | * 4.81747 | 34.45 | PK2 | 34.2 | -25.9 | 42.75 | - | - | 74 | -31.25 | 231 | 243 | H |
| | * 4.81713 | 24.31 | MAv1 | 34.2 | -25.9 | 32.61 | 54 | -21.39 | - | - | 231 | 243 | H |
| 3 | * 12.40645 | 31.17 | PK2 | 39 | -19.6 | 50.57 | - | - | 74 | -23.43 | 34 | 191 | H |
| | * 12.40306 | 21.06 | MAv1 | 39 | -19.7 | 40.36 | 54 | -13.64 | - | - | 34 | 191 | H |
| 5 | * 3.61582 | 36.63 | PK2 | 33 | -28.7 | 40.93 | - | - | 74 | -33.07 | 60 | 249 | V |
| | * 3.6175 | 26.4 | MAv1 | 33 | -28.6 | 30.8 | 54 | -23.2 | - | - | 60 | 249 | V |
| 6 | * 12.00568 | 30.78 | PK2 | 38.8 | -19.7 | 49.88 | - | - | 74 | -24.12 | 273 | 171 | V |
| | * 12.0058 | 20.67 | MAv1 | 38.8 | -19.7 | 39.77 | 54 | -14.23 | - | - | 273 | 171 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK2 - KDB558074 Method: Maximum Peak


MAv1 - KDB558074 Option 1 Maximum RMS Average

10.1.3. TX ABOVE 1 GHz 802.11ax HE20 MODE IN THE 2.4 GHz BAND

1TX ANT 4 MODE: 26-Tones, RU Index 0

BANDEDGE (LOW CHANNEL, CH 1)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbI/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 54.92 | Pk | 31.9 | -21.1 | 65.72 | - | - | 74 | -8.28 | 133 | 104 | H |
| 2 | * 2.38977 | 57.88 | Pk | 31.9 | -21.1 | 68.68 | - | - | 74 | -5.32 | 133 | 104 | H |
| 3 | * 2.38999 | 29.43 | RMS | 31.9 | -21.1 | 40.23 | 54 | -13.77 | - | - | 133 | 104 | H |
| 4 | * 2.38868 | 33.11 | RMS | 31.9 | -21.1 | 43.91 | 54 | -10.09 | - | - | 133 | 104 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 47.8 | Pk | 31.9 | -21.1 | 58.6 | - | - | 74 | -15.4 | 173 | 364 | V |
| 2 | * 2.3892 | 50.09 | Pk | 31.9 | -21.1 | 60.89 | - | - | 74 | -13.11 | 173 | 364 | V |
| 3 | * 2.38999 | 27.56 | RMS | 31.9 | -21.1 | 38.36 | 54 | -15.64 | - | - | 173 | 364 | V |
| 4 | * 2.38948 | 29.76 | RMS | 31.9 | -21.1 | 40.56 | 54 | -13.44 | - | - | 173 | 364 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 57.07 | Pk | 31.9 | -21.1 | 67.87 | - | - | 74 | -6.13 | 18 | 112 | H |
| 2 | * 2.38977 | 57.85 | Pk | 31.9 | -21.1 | 68.65 | - | - | 74 | -5.35 | 18 | 112 | H |
| 3 | * 2.38999 | 28.74 | RMS | 31.9 | -21.1 | 39.54 | 54 | -14.46 | - | - | 18 | 112 | H |
| 4 | * 2.3893 | 33.63 | RMS | 31.9 | -21.1 | 44.43 | 54 | -9.57 | - | - | 18 | 112 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Paid (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 41.46 | Pk | 31.9 | -21.1 | 52.26 | - | - | 74 | -21.74 | 226 | 108 | V |
| 2 | * 2.38972 | 46.01 | Pk | 31.9 | -21.1 | 56.81 | - | - | 74 | -17.19 | 226 | 108 | V |
| 3 | * 2.38999 | 28.18 | RMS | 31.9 | -21.1 | 38.98 | 54 | -15.02 | - | - | 226 | 108 | V |
| 4 | * 2.38588 | 29.07 | RMS | 31.8 | -21.1 | 39.77 | 54 | -14.23 | - | - | 226 | 108 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 3)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 53.14 | Pk | 31.9 | -21.1 | 63.94 | - | - | 74 | -10.06 | 66 | 129 | H |
| 2 | * 2.38978 | 54.14 | Pk | 31.9 | -21.1 | 64.94 | - | - | 74 | -9.06 | 66 | 129 | H |
| 3 | * 2.38999 | 29.84 | RMS | 31.9 | -21.1 | 40.64 | 54 | -13.36 | - | - | 66 | 129 | H |
| 4 | * 2.38931 | 32.46 | RMS | 31.9 | -21.1 | 43.26 | 54 | -10.74 | - | - | 66 | 129 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 44.7 | Pk | 31.9 | -21.1 | 55.5 | - | - | 74 | -18.5 | 344 | 359 | V |
| 2 | * 2.38965 | 45.49 | Pk | 31.9 | -21.1 | 56.29 | - | - | 74 | -17.71 | 344 | 359 | V |
| 3 | * 2.38999 | 27.47 | RMS | 31.9 | -21.1 | 38.27 | 54 | -15.73 | - | - | 344 | 359 | V |
| 4 | * 2.38084 | 28.9 | RMS | 31.8 | -21.1 | 39.6 | 54 | -14.4 | - | - | 344 | 359 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 9)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbI/Ftr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 57.24 | Pk | 32.3 | -20.9 | 68.64 | - | - | 74 | -5.36 | 135 | 106 | H |
| 2 | * 2.48356 | 57.16 | Pk | 32.3 | -20.9 | 68.56 | - | - | 74 | -5.44 | 135 | 106 | H |
| 3 | * 2.48351 | 28.1 | RMS | 32.3 | -20.9 | 39.5 | 54 | -14.5 | - | - | 135 | 106 | H |
| 4 | * 2.4842 | 32.7 | RMS | 32.3 | -20.9 | 44.1 | 54 | -9.9 | - | - | 135 | 106 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Paid (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 53.88 | Pk | 32.3 | -20.9 | 65.28 | - | - | 74 | -8.72 | 43 | 399 | V |
| 2 | *2.48363 | 54.25 | Pk | 32.3 | -20.9 | 65.65 | - | - | 74 | -8.35 | 43 | 399 | V |
| 3 | *2.48351 | 28.52 | RMS | 32.3 | -20.9 | 39.92 | 54 | -14.08 | - | - | 43 | 399 | V |
| 4 | *2.48369 | 33.67 | RMS | 32.3 | -20.9 | 45.07 | 54 | -8.93 | - | - | 43 | 399 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 51.78 | Pk | 32.3 | -20.9 | 63.18 | - | - | 74 | -10.82 | 63 | 129 | H |
| 2 | * 2.4841 | 57.83 | Pk | 32.3 | -20.9 | 69.23 | - | - | 74 | -4.77 | 63 | 129 | H |
| 3 | * 2.48351 | 29.14 | RMS | 32.3 | -20.9 | 40.54 | 54 | -13.46 | - | - | 63 | 129 | H |
| 4 | * 2.48359 | 31.79 | RMS | 32.3 | -20.9 | 43.19 | 54 | -10.81 | - | - | 63 | 129 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Ctrl/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 44.67 | Pk | 32.3 | -20.9 | 56.07 | - | - | 74 | -17.93 | 328 | 383 | V |
| 2 | * 2.48395 | 46.69 | Pk | 32.3 | -20.9 | 58.09 | - | - | 74 | -15.91 | 328 | 383 | V |
| 3 | * 2.48351 | 27.97 | RMS | 32.3 | -20.9 | 39.37 | 54 | -14.63 | - | - | 328 | 383 | V |
| 4 | 2.50341 | 28.93 | RMS | 32.4 | -20.9 | 40.43 | 54 | -13.57 | - | - | 328 | 383 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbll/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|---------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 56.71 | Pk | 32.3 | -20.9 | 68.11 | - | - | 74 | -5.89 | 73 | 390 | H |
| 2 | *2.48361 | 57.6 | Pk | 32.3 | -20.9 | 69 | - | - | 74 | -5 | 73 | 390 | H |
| 3 | *2.48351 | 29.6 | RMS | 32.3 | -20.9 | 41 | 54 | -13 | - | - | 73 | 390 | H |
| 4 | *2.48418 | 33.68 | RMS | 32.3 | -20.9 | 45.08 | 54 | -8.92 | - | - | 73 | 390 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Ctrl/Filt/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|--------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 53.64 | Pk | 32.3 | -20.9 | 65.04 | - | - | 74 | -8.96 | 39 | 388 | V |
| 2 | * 2.48382 | 54.73 | Pk | 32.3 | -20.9 | 66.13 | - | - | 74 | -7.87 | 39 | 388 | V |
| 3 | * 2.48351 | 30.85 | RMS | 32.3 | -20.9 | 42.25 | 54 | -11.75 | - | - | 39 | 388 | V |
| 4 | * 2.4837 | 30.47 | RMS | 32.3 | -20.9 | 41.87 | 54 | -12.13 | - | - | 39 | 388 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 58.11 | Pk | 32.3 | -20.9 | 67.51 | - | - | 74 | -6.49 | 138 | 147 | H |
| 2 | * 2.48479 | 57.71 | Pk | 32.3 | -20.9 | 69.11 | - | - | 74 | -4.89 | 138 | 147 | H |
| 3 | * 2.48351 | 31.26 | RMS | 32.3 | -20.9 | 42.66 | 54 | -11.34 | - | - | 138 | 147 | H |
| 4 | * 2.48622 | 35.02 | RMS | 32.3 | -20.9 | 46.42 | 54 | -7.58 | - | - | 138 | 147 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 47.84 | Pk | 32.3 | -20.9 | 59.24 | - | - | 74 | -14.76 | 167 | 334 | V |
| 2 | * 2.48496 | 49.53 | Pk | 32.3 | -20.9 | 60.93 | - | - | 74 | -13.07 | 167 | 334 | V |
| 3 | * 2.48351 | 27.8 | RMS | 32.3 | -20.9 | 39.2 | 54 | -14.8 | - | - | 167 | 334 | V |
| 4 | * 2.48407 | 29.43 | RMS | 32.3 | -20.9 | 40.83 | 54 | -13.17 | - | - | 167 | 334 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 57.2 | Pk | 32.3 | -20.9 | 68.6 | - | - | 74 | -5.4 | 313 | 166 | H |
| 2 | * 2.48353 | 57.32 | Pk | 32.3 | -20.9 | 68.72 | - | - | 74 | -5.28 | 313 | 166 | H |
| 3 | * 2.48351 | 36.74 | RMS | 32.3 | -20.9 | 48.14 | 54 | -5.86 | - | - | 313 | 166 | H |
| 4 | * 2.48365 | 34.24 | RMS | 32.3 | -20.9 | 45.64 | 54 | -8.36 | - | - | 313 | 166 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Ctrl/Fitr/Paid (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 38.83 | Pk | 32.3 | -20.9 | 50.23 | - | - | 74 | -23.77 | 21 | 144 | V |
| 2 | 2.52863 | 41.22 | Pk | 32.4 | -20.8 | 52.82 | - | - | 74 | -21.18 | 21 | 144 | V |
| 3 | * 2.48351 | 27.92 | RMS | 32.3 | -20.9 | 39.32 | 54 | -14.68 | - | - | 21 | 144 | V |
| 4 | 2.51588 | 29.06 | RMS | 32.4 | -20.9 | 40.56 | 54 | -13.44 | - | - | 21 | 144 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

1TX ANT 4 MODE: 242-Tones, RU Index 61

BANDEDGE (LOW CHANNEL, CH 1)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbll/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|---------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 53.52 | Pk | 31.9 | -21.1 | 64.32 | - | - | 74 | -9.68 | 121 | 117 | H |
| 2 | * 2.38971 | 58.22 | Pk | 31.9 | -21.1 | 69.02 | - | - | 74 | -4.98 | 121 | 117 | H |
| 3 | * 2.38999 | 38.39 | RMS | 31.9 | -21.1 | 49.19 | 54 | -4.81 | - | - | 121 | 117 | H |
| 4 | * 2.3899 | 39.81 | RMS | 31.9 | -21.1 | 50.61 | 54 | -3.39 | - | - | 121 | 117 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 43.06 | Pk | 31.9 | -21.1 | 53.86 | - | - | 74 | -20.14 | 54 | 103 | V |
| 2 | * 2.38956 | 44.82 | Pk | 31.9 | -21.1 | 55.62 | - | - | 74 | -18.38 | 54 | 103 | V |
| 3 | * 2.38999 | 29.91 | RMS | 31.9 | -21.1 | 40.71 | 54 | -13.29 | - | - | 54 | 103 | V |
| 4 | * 2.3899 | 30.66 | RMS | 31.9 | -21.1 | 41.46 | 54 | -12.54 | - | - | 54 | 103 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbI/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 53.49 | Pk | 31.9 | -21.1 | 64.29 | - | - | 74 | -9.71 | 318 | 104 | H |
| 2 | * 2.38997 | 56.55 | Pk | 31.9 | -21.1 | 67.35 | - | - | 74 | -6.65 | 318 | 104 | H |
| 3 | * 2.38999 | 38.34 | RMS | 31.9 | -21.1 | 49.14 | 54 | -4.86 | - | - | 318 | 104 | H |
| 4 | * 2.38998 | 39.91 | RMS | 31.9 | -21.1 | 50.71 | 54 | -3.29 | - | - | 318 | 104 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fibr/Pa α (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 50.06 | Pk | 31.9 | -21.1 | 60.86 | - | - | 74 | -13.14 | 51 | 382 | V |
| 2 | * 2.38994 | 55.82 | Pk | 31.9 | -21.1 | 66.62 | - | - | 74 | -7.38 | 51 | 382 | V |
| 3 | * 2.38999 | 35.57 | RMS | 31.9 | -21.1 | 46.37 | 54 | -7.63 | - | - | 51 | 382 | V |
| 4 | * 2.38955 | 35.68 | RMS | 31.9 | -21.1 | 46.48 | 54 | -7.52 | - | - | 51 | 382 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 3)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbll/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 51.53 | Pk | 31.9 | -21.1 | 62.33 | - | - | 74 | -11.67 | 316 | 123 | H |
| 2 | * 2.38966 | 53.52 | Pk | 31.9 | -21.1 | 64.32 | - | - | 74 | -9.68 | 316 | 123 | H |
| 3 | * 2.38999 | 39.03 | RMS | 31.9 | -21.1 | 49.83 | 54 | -4.17 | - | - | 316 | 123 | H |
| 4 | * 2.38971 | 39.82 | RMS | 31.9 | -21.1 | 50.62 | 54 | -3.38 | - | - | 316 | 123 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 44.7 | Pk | 31.9 | -21.1 | 55.5 | - | - | 74 | -18.5 | 345 | 360 | V |
| 2 | * 2.38833 | 45.68 | Pk | 31.9 | -21.1 | 56.48 | - | - | 74 | -17.52 | 345 | 360 | V |
| 3 | * 2.38999 | 31.75 | RMS | 31.9 | -21.1 | 42.55 | 54 | -11.45 | - | - | 345 | 360 | V |
| 4 | * 2.3897 | 32.26 | RMS | 31.9 | -21.1 | 43.06 | 54 | -10.94 | - | - | 345 | 360 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 9)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbI/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 54.81 | Pk | 32.3 | -20.9 | 66.21 | - | - | 74 | -7.79 | 67 | 133 | H |
| 2 | * 2.48522 | 56.32 | Pk | 32.3 | -20.9 | 67.72 | - | - | 74 | -6.28 | 67 | 133 | H |
| 3 | * 2.48351 | 39.06 | RMS | 32.3 | -20.9 | 50.46 | 54 | -3.54 | - | - | 67 | 133 | H |
| 4 | * 2.4839 | 39.57 | RMS | 32.3 | -20.9 | 50.97 | 54 | -3.03 | - | - | 67 | 133 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Ctrl/Filt/Paid (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 43.62 | Pk | 32.3 | -20.9 | 55.02 | - | - | 74 | -18.98 | 322 | 298 | V |
| 2 | *2.48354 | 44.6 | Pk | 32.3 | -20.9 | 56 | - | - | 74 | -18 | 322 | 298 | V |
| 3 | *2.48351 | 29.67 | RMS | 32.3 | -20.9 | 41.07 | 54 | -12.93 | - | - | 322 | 298 | V |
| 4 | *2.4836 | 30.99 | RMS | 32.3 | -20.9 | 42.39 | 54 | -11.61 | - | - | 322 | 298 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 53.31 | Pk | 32.3 | -20.9 | 66.71 | - | - | 74 | -7.29 | 69 | 137 | H |
| 2 | * 2.48367 | 57.7 | Pk | 32.3 | -20.9 | 69.1 | - | - | 74 | -4.9 | 69 | 137 | H |
| 3 | * 2.48351 | 36.9 | RMS | 32.3 | -20.9 | 48.3 | 54 | -5.7 | - | - | 69 | 137 | H |
| 4 | * 2.48357 | 38.25 | RMS | 32.3 | -20.9 | 49.65 | 54 | -4.35 | - | - | 69 | 137 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 47.39 | Pk | 32.3 | -20.9 | 58.79 | - | - | 74 | -15.21 | 350 | 339 | V |
| 2 | * 2.48399 | 50 | Pk | 32.3 | -20.9 | 61.4 | - | - | 74 | -12.6 | 350 | 339 | V |
| 3 | * 2.48351 | 31.53 | RMS | 32.3 | -20.9 | 42.93 | 54 | -11.07 | - | - | 350 | 339 | V |
| 4 | * 2.48353 | 31.69 | RMS | 32.3 | -20.9 | 43.09 | 54 | -10.91 | - | - | 350 | 339 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 53.61 | Pk | 32.3 | -20.9 | 65.01 | - | - | 74 | -8.99 | 301 | 167 | H |
| 2 | * 2.48392 | 57.39 | Pk | 32.3 | -20.9 | 68.79 | - | - | 74 | -5.21 | 301 | 167 | H |
| 3 | * 2.48351 | 38.44 | RMS | 32.3 | -20.9 | 49.84 | 54 | -4.16 | - | - | 301 | 167 | H |
| 4 | * 2.48391 | 39.28 | RMS | 32.3 | -20.9 | 50.68 | 54 | -3.32 | - | - | 301 | 167 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Ctrl/Filt/Par/d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|--------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 46.26 | Pk | 32.3 | -20.9 | 57.66 | - | - | 74 | -16.34 | 222 | 104 | V |
| 2 | *2.48455 | 47.37 | Pk | 32.3 | -20.9 | 58.77 | - | - | 74 | -15.23 | 222 | 104 | V |
| 3 | *2.48351 | 30.61 | RMS | 32.3 | -20.9 | 42.01 | 54 | -11.99 | - | - | 222 | 104 | V |
| 4 | *2.48363 | 31.56 | RMS | 32.3 | -20.9 | 42.96 | 54 | -11.04 | - | - | 222 | 104 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 53.17 | Pk | 32.3 | -20.9 | 64.57 | - | - | 74 | -9.43 | 72 | 171 | H |
| 2 | * 2.48356 | 54.8 | Pk | 32.3 | -20.9 | 66.2 | - | - | 74 | -7.8 | 72 | 171 | H |
| 3 | * 2.48351 | 38.98 | RMS | 32.3 | -20.9 | 50.38 | 54 | -3.62 | - | - | 72 | 171 | H |
| 4 | * 2.4839 | 38.8 | RMS | 32.3 | -20.9 | 50.2 | 54 | -3.8 | - | - | 72 | 171 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Ctrl/Filt/PA d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 44.37 | Pk | 32.3 | -20.9 | 55.77 | - | - | 74 | -18.23 | 330 | 113 | V |
| 2 | * 2.48373 | 45.19 | Pk | 32.3 | -20.9 | 56.59 | - | - | 74 | -17.41 | 330 | 113 | V |
| 3 | * 2.48351 | 30.72 | RMS | 32.3 | -20.9 | 42.12 | 54 | -11.88 | - | - | 330 | 113 | V |
| 4 | * 2.4843 | 31.45 | RMS | 32.3 | -20.9 | 42.85 | 54 | -11.15 | - | - | 330 | 113 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 54.1 | Pk | 29.5 | -14.2 | 69.4 | - | - | 74 | -4.6 | 92 | 136 | H |
| 2 | * 2.48358 | 52.82 | Pk | 29.5 | -14.2 | 68.12 | - | - | 74 | -5.88 | 92 | 136 | H |
| 3 | * 2.4835 | 29.23 | RMS | 29.5 | -14.2 | 44.53 | 54 | -9.47 | - | - | 92 | 136 | H |
| 4 | * 2.48354 | 31.23 | RMS | 29.5 | -14.2 | 46.53 | 54 | -7.47 | - | - | 92 | 136 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 42.62 | Pk | 29.5 | -14.2 | 57.92 | - | - | 74 | -16.08 | 337 | 211 | V |
| 2 | * 2.48354 | 42.09 | Pk | 29.5 | -14.2 | 57.39 | - | - | 74 | -16.61 | 337 | 211 | V |
| 3 | * 2.4835 | 22.31 | RMS | 29.5 | -14.2 | 37.61 | 54 | -16.39 | - | - | 337 | 211 | V |
| 4 | * 2.48353 | 23.3 | RMS | 29.5 | -14.2 | 38.6 | 54 | -15.4 | - | - | 337 | 211 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

1TX ANT 3 MODE: 26-Tones, RU Index 0

BANDEDGE (LOW CHANNEL, CH 1)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb1Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Dege) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 51.6 | Pk | 29 | -14.7 | 65.9 | - | - | 74 | -8.1 | 305 | 221 | H |
| 2 | * 2.38922 | 54.36 | Pk | 29 | -14.7 | 68.66 | - | - | 74 | -5.34 | 305 | 221 | H |
| 3 | * 2.39 | 23.61 | RMS | 29 | -14.7 | 37.91 | 54 | -16.09 | - | - | 305 | 221 | H |
| 4 | * 2.38828 | 28.61 | RMS | 29 | -14.7 | 42.91 | 54 | -11.09 | - | - | 305 | 221 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 48.14 | Pk | 29 | -14.7 | 62.44 | - | - | 74 | -11.56 | 235 | 298 | V |
| 2 | * 2.38874 | 51.91 | Pk | 29 | -14.7 | 66.21 | - | - | 74 | -7.79 | 235 | 298 | V |
| 3 | * 2.39 | 20.32 | RMS | 29 | -14.7 | 34.62 | 54 | -19.38 | - | - | 235 | 298 | V |
| 4 | * 2.38794 | 26.36 | RMS | 29 | -14.7 | 40.66 | 54 | -13.34 | - | - | 235 | 298 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 49.6 | Pk | 29 | -14.7 | 63.9 | - | - | 74 | -10.1 | 305 | 216 | H |
| 2 | * 2.38972 | 54.4 | Pk | 29 | -14.7 | 68.7 | - | - | 74 | -5.3 | 305 | 216 | H |
| 3 | * 2.39 | 22.55 | RMS | 29 | -14.7 | 36.85 | 54 | -17.15 | - | - | 305 | 216 | H |
| 4 | * 2.38935 | 30.47 | RMS | 29 | -14.7 | 44.77 | 54 | -9.23 | - | - | 305 | 216 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Fitr/Paid (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 46.54 | Pk | 29 | -14.7 | 60.84 | - | - | 74 | -13.16 | 255 | 260 | V |
| 2 | * 2.3891 | 49.97 | Pk | 29 | -14.7 | 64.27 | - | - | 74 | -9.73 | 255 | 260 | V |
| 3 | * 2.39 | 22.14 | RMS | 29 | -14.7 | 36.44 | 54 | -17.56 | - | - | 255 | 260 | V |
| 4 | * 2.38981 | 24.14 | RMS | 29 | -14.7 | 38.44 | 54 | -15.56 | - | - | 255 | 260 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 3)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/CbW/Filt/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 51.41 | Pk | 29 | -14.7 | 65.71 | - | - | 74 | -8.29 | 174 | 174 | H |
| 2 | * 2.36923 | 52.1 | Pk | 29 | -14.7 | 66.4 | - | - | 74 | -7.6 | 174 | 174 | H |
| 3 | * 2.39 | 23.94 | RMS | 29 | -14.7 | 38.24 | 54 | -15.76 | - | - | 174 | 174 | H |
| 4 | * 2.3893 | 30.22 | RMS | 29 | -14.7 | 44.52 | 54 | -9.48 | - | - | 174 | 174 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 49.45 | Pk | 29 | -14.7 | 63.75 | - | - | 74 | -10.25 | 227 | 303 | V |
| 2 | * 2.38993 | 49.42 | Pk | 29 | -14.7 | 63.72 | - | - | 74 | -10.28 | 227 | 303 | V |
| 3 | * 2.39 | 19.99 | RMS | 29 | -14.7 | 34.29 | 54 | -19.71 | - | - | 227 | 303 | V |
| 4 | * 2.38977 | 26.48 | RMS | 29 | -14.7 | 40.78 | 54 | -13.22 | - | - | 227 | 303 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 9)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 44.06 | Pk | 29.5 | -14.6 | 58.96 | - | - | 74 | -15.04 | 350 | 183 | H |
| 2 | * 2.48354 | 44.3 | Pk | 29.5 | -14.6 | 59.2 | - | - | 74 | -14.8 | 350 | 183 | H |
| 3 | * 2.4835 | 21.53 | RMS | 29.5 | -14.6 | 36.43 | 54 | -17.57 | - | - | 350 | 183 | H |
| 4 | * 2.48377 | 24.2 | RMS | 29.5 | -14.6 | 39.1 | 54 | -14.9 | - | - | 350 | 183 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 42.93 | Pk | 29.5 | -14.6 | 57.83 | - | - | 74 | -16.17 | 239 | 280 | V |
| 2 | * 2.48362 | 44.09 | Pk | 29.5 | -14.6 | 58.99 | - | - | 74 | -15.01 | 239 | 280 | V |
| 3 | * 2.4835 | 21.71 | RMS | 29.5 | -14.6 | 36.61 | 54 | -17.39 | - | - | 239 | 280 | V |
| 4 | * 2.48393 | 23.59 | RMS | 29.5 | -14.6 | 38.49 | 54 | -15.51 | - | - | 239 | 280 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/CbW/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 50.43 | Pk | 29.5 | -14.6 | 65.33 | - | - | 74 | -8.67 | 160 | 230 | H |
| 2 | * 2.48362 | 53.84 | Pk | 29.5 | -14.6 | 68.74 | - | - | 74 | -5.26 | 160 | 230 | H |
| 3 | * 2.4835 | 25.35 | RMS | 29.5 | -14.6 | 40.25 | 54 | -13.75 | - | - | 160 | 230 | H |
| 4 | * 2.48366 | 26.89 | RMS | 29.5 | -14.6 | 41.79 | 54 | -12.21 | - | - | 160 | 230 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/CbI/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 49.37 | Pk | 29.5 | -14.6 | 64.27 | - | - | 74 | -9.73 | 236 | 278 | V |
| 2 | * 2.48362 | 53.41 | Pk | 29.5 | -14.6 | 68.31 | - | - | 74 | -5.69 | 236 | 278 | V |
| 3 | * 2.4835 | 22.5 | RMS | 29.5 | -14.6 | 37.4 | 54 | -16.6 | - | - | 236 | 278 | V |
| 4 | * 2.48387 | 29.85 | RMS | 29.5 | -14.6 | 44.75 | 54 | -9.25 | - | - | 236 | 278 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 53.13 | Pk | 29.5 | -14.6 | 68.03 | - | - | 74 | -5.97 | 179 | 293 | H |
| 2 | * 2.48364 | 54.08 | Pk | 29.5 | -14.6 | 68.98 | - | - | 74 | -5.02 | 179 | 293 | H |
| 3 | * 2.4835 | 25.27 | RMS | 29.5 | -14.6 | 40.17 | 54 | -13.83 | - | - | 179 | 293 | H |
| 4 | * 2.48478 | 26.58 | RMS | 29.5 | -14.6 | 41.48 | 54 | -12.52 | - | - | 179 | 293 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 52.56 | Pk | 29.5 | -14.6 | 67.46 | - | - | 74 | -6.54 | 218 | 309 | V |
| 2 | * 2.48378 | 53.77 | Pk | 29.5 | -14.6 | 68.67 | - | - | 74 | -5.33 | 218 | 309 | V |
| 3 | * 2.4835 | 22.64 | RMS | 29.5 | -14.6 | 37.54 | 54 | -16.46 | - | - | 218 | 309 | V |
| 4 | * 2.4836 | 28.24 | RMS | 29.5 | -14.6 | 43.14 | 54 | -10.86 | - | - | 218 | 309 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Ftr/Psd (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|---------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 52.53 | Pk | 29.5 | -14.2 | 67.83 | - | - | 74 | -6.17 | 154 | 291 | H |
| 2 | * 2.48461 | 53.67 | Pk | 29.5 | -14.2 | 68.97 | - | - | 74 | -5.03 | 154 | 291 | H |
| 3 | * 2.4835 | 23.43 | RMS | 29.5 | -14.2 | 38.73 | 54 | -15.27 | - | - | 154 | 291 | H |
| 4 | * 2.48472 | 31.37 | RMS | 29.5 | -14.2 | 46.67 | 54 | -7.33 | - | - | 154 | 291 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 49.95 | Pk | 29.5 | -14.2 | 65.25 | - | - | 74 | -8.75 | 113 | 367 | V |
| 2 | * 2.48479 | 50.46 | Pk | 29.5 | -14.2 | 65.76 | - | - | 74 | -8.24 | 113 | 367 | V |
| 3 | * 2.4835 | 22.4 | RMS | 29.5 | -14.2 | 37.7 | 54 | -16.3 | - | - | 113 | 367 | V |
| 4 | * 2.48353 | 27.84 | RMS | 29.5 | -14.2 | 43.14 | 54 | -10.86 | - | - | 113 | 367 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Filtr/Parad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|--------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 54.27 | Pk | 29.5 | -14.6 | 69.17 | - | - | 74 | -4.83 | 322 | 360 | H |
| 2 | * 2.48354 | 53.62 | Pk | 29.5 | -14.6 | 68.52 | - | - | 74 | -5.48 | 322 | 360 | H |
| 3 | * 2.4835 | 29.68 | RMS | 29.5 | -14.6 | 44.58 | 54 | -9.42 | - | - | 322 | 360 | H |
| 4 | * 2.48356 | 31.25 | RMS | 29.5 | -14.6 | 46.15 | 54 | -7.85 | - | - | 322 | 360 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 50.65 | Pk | 29.5 | -14.6 | 65.55 | - | - | 74 | -8.45 | 41 | 355 | V |
| 2 | * 2.48351 | 50.87 | Pk | 29.5 | -14.6 | 65.77 | - | - | 74 | -8.23 | 41 | 355 | V |
| 3 | * 2.4835 | 27.42 | RMS | 29.5 | -14.6 | 42.32 | 54 | -11.68 | - | - | 41 | 355 | V |
| 4 | * 2.48367 | 27.81 | RMS | 29.5 | -14.6 | 42.71 | 54 | -11.29 | - | - | 41 | 355 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

1TX ANT 3 MODE: 242-Tones, RU Index 61

BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 50.4 | Pk | 29 | -14.7 | 64.7 | - | - | 74 | -9.3 | 162 | 155 | H |
| 2 | * 2.38946 | 54.56 | Pk | 29 | -14.7 | 68.86 | - | - | 74 | -5.14 | 162 | 155 | H |
| 3 | * 2.39 | 32.95 | RMS | 29 | -14.7 | 47.25 | 54 | -6.75 | - | - | 162 | 155 | H |
| 4 | * 2.38981 | 34.46 | RMS | 29 | -14.7 | 48.76 | 54 | -5.24 | - | - | 162 | 155 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 46.59 | Pk | 29 | -14.7 | 60.89 | - | - | 74 | -13.11 | 247 | 341 | V |
| 2 | * 2.38967 | 50.84 | Pk | 29 | -14.7 | 65.14 | - | - | 74 | -8.86 | 247 | 341 | V |
| 3 | * 2.39 | 30.27 | RMS | 29 | -14.7 | 44.57 | 54 | -9.43 | - | - | 247 | 341 | V |
| 4 | * 2.38994 | 31.58 | RMS | 29 | -14.7 | 45.88 | 54 | -8.12 | - | - | 247 | 341 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbll/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|---------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 51.63 | Pk | 29 | -14.7 | 65.93 | - | - | 74 | -8.07 | 177 | 156 | H |
| 2 | * 2.38997 | 53.38 | Pk | 29 | -14.7 | 67.68 | - | - | 74 | -6.32 | 177 | 156 | H |
| 3 | * 2.39 | 36.27 | RMS | 29 | -14.7 | 50.57 | 54 | -3.43 | - | - | 177 | 156 | H |
| 4 | * 2.38997 | 36.7 | RMS | 29 | -14.7 | 51 | 54 | -3 | - | - | 177 | 156 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/CbI/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 47.96 | Pk | 29 | -14.7 | 62.26 | - | - | 74 | -11.74 | 256 | 271 | V |
| 2 | * 2.38979 | 52.11 | Pk | 29 | -14.7 | 66.41 | - | - | 74 | -7.59 | 256 | 271 | V |
| 3 | * 2.39 | 33.91 | RMS | 29 | -14.7 | 48.21 | 54 | -5.79 | - | - | 256 | 271 | V |
| 4 | * 2.38996 | 34.81 | RMS | 29 | -14.7 | 49.11 | 54 | -4.89 | - | - | 256 | 271 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 3)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbll/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|---------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 48.88 | Pk | 29 | -14.7 | 63.18 | - | - | 74 | -10.82 | 129 | 142 | H |
| 2 | * 2.38955 | 50.99 | Pk | 29 | -14.7 | 65.29 | - | - | 74 | -8.71 | 129 | 142 | H |
| 3 | * 2.39 | 35.75 | RMS | 29 | -14.7 | 50.05 | 54 | -3.95 | - | - | 129 | 142 | H |
| 4 | * 2.38979 | 37.11 | RMS | 29 | -14.7 | 51.41 | 54 | -2.59 | - | - | 129 | 142 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/CbI/Fitr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.39 | 47.66 | Pk | 29 | -14.7 | 61.96 | - | - | 74 | -12.04 | 76 | 265 | V |
| 2 | * 2.38993 | 49.49 | Pk | 29 | -14.7 | 63.79 | - | - | 74 | -10.21 | 76 | 265 | V |
| 3 | * 2.39 | 34.23 | RMS | 29 | -14.7 | 48.53 | 54 | -5.47 | - | - | 76 | 265 | V |
| 4 | * 2.38981 | 34.98 | RMS | 29 | -14.7 | 49.28 | 54 | -4.72 | - | - | 76 | 265 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 9)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbll/Filtr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|--------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 43.69 | Pk | 29.5 | -14.6 | 58.59 | - | - | 74 | -15.41 | 191 | 208 | H |
| 2 | * 2.48366 | 45 | Pk | 29.5 | -14.6 | 59.9 | - | - | 74 | -14.1 | 191 | 208 | H |
| 3 | * 2.4835 | 30.41 | RMS | 29.5 | -14.6 | 45.31 | 54 | -8.69 | - | - | 191 | 208 | H |
| 4 | * 2.48358 | 31.14 | RMS | 29.5 | -14.6 | 46.04 | 54 | -7.96 | - | - | 191 | 208 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbll/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 45.49 | Pk | 29.5 | -14.6 | 60.39 | - | - | 74 | -13.61 | 244 | 279 | V |
| 2 | * 2.48366 | 46.13 | Pk | 29.5 | -14.6 | 61.03 | - | - | 74 | -12.97 | 244 | 279 | V |
| 3 | * 2.4835 | 29.33 | RMS | 29.5 | -14.6 | 44.23 | 54 | -9.77 | - | - | 244 | 279 | V |
| 4 | * 2.48353 | 30.79 | RMS | 29.5 | -14.6 | 45.69 | 54 | -8.31 | - | - | 244 | 279 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Filtr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 49.12 | Pk | 29.5 | -14.6 | 64.02 | - | - | 74 | -9.98 | 313 | 319 | H |
| 2 | * 2.48402 | 54.35 | Pk | 29.5 | -14.6 | 69.25 | - | - | 74 | -4.75 | 313 | 319 | H |
| 3 | * 2.4835 | 34.82 | RMS | 29.5 | -14.6 | 49.72 | 54 | -4.28 | - | - | 313 | 319 | H |
| 4 | * 2.48362 | 35.04 | RMS | 29.5 | -14.6 | 49.94 | 54 | -4.06 | - | - | 313 | 319 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbll/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 53.15 | Pk | 29.5 | -14.6 | 68.05 | - | - | 74 | -5.95 | 233 | 312 | V |
| 2 | * 2.48363 | 54.25 | Pk | 29.5 | -14.6 | 69.15 | - | - | 74 | -4.85 | 233 | 312 | V |
| 3 | * 2.4835 | 33.85 | RMS | 29.5 | -14.6 | 48.75 | 54 | -5.25 | - | - | 233 | 312 | V |
| 4 | * 2.4842 | 34.31 | RMS | 29.5 | -14.6 | 49.21 | 54 | -4.79 | - | - | 233 | 312 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Fitr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 62.94 | Pk | 29.5 | -25.2 | 67.24 | - | - | 74 | -6.76 | 149 | 126 | H |
| 2 | * 2.48372 | 64.93 | Pk | 29.5 | -25.2 | 69.23 | - | - | 74 | -4.77 | 149 | 126 | H |
| 3 | * 2.48351 | 46.5 | RMS | 29.5 | -25.2 | 50.8 | 54 | -3.2 | - | - | 149 | 126 | H |
| 4 | * 2.48375 | 47.41 | RMS | 29.5 | -25.2 | 51.71 | 54 | -2.29 | - | - | 149 | 126 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/CbllFtr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 60.24 | Pk | 29.5 | -25.2 | 64.54 | - | - | 74 | -9.46 | 121 | 328 | V |
| 2 | *2.48394 | 63.32 | Pk | 29.5 | -25.2 | 67.62 | - | - | 74 | -6.38 | 121 | 328 | V |
| 3 | *2.48351 | 44.2 | RMS | 29.5 | -25.2 | 48.5 | 54 | -5.5 | - | - | 121 | 328 | V |
| 4 | *2.48363 | 45.09 | RMS | 29.5 | -25.2 | 49.39 | 54 | -4.61 | - | - | 121 | 328 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbl/Filtr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 51.13 | Pk | 29.5 | -14.2 | 66.43 | - | - | 74 | -7.57 | 159 | 160 | H |
| 2 | * 2.48462 | 52.35 | Pk | 29.5 | -14.2 | 67.65 | - | - | 74 | -6.35 | 159 | 160 | H |
| 3 | * 2.4835 | 35.09 | RMS | 29.5 | -14.2 | 50.39 | 54 | -3.61 | - | - | 159 | 160 | H |
| 4 | * 2.48356 | 35.77 | RMS | 29.5 | -14.2 | 51.07 | 54 | -2.93 | - | - | 159 | 160 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cbll/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.4835 | 48.85 | Pk | 29.5 | -14.2 | 64.15 | - | - | 74 | -9.85 | 115 | 365 | V |
| 2 | *2.48408 | 49.48 | Pk | 29.5 | -14.2 | 64.78 | - | - | 74 | -9.22 | 115 | 365 | V |
| 3 | *2.4835 | 33.61 | RMS | 29.5 | -14.2 | 48.91 | 54 | -5.09 | - | - | 115 | 365 | V |
| 4 | *2.48368 | 33.93 | RMS | 29.5 | -14.2 | 49.23 | 54 | -4.77 | - | - | 115 | 365 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.4835 | 53.54 | Pk | 29.5 | -14.2 | 68.84 | - | - | 74 | -5.16 | 19 | 316 | H |
| 2 | * 2.48351 | 53.85 | Pk | 29.5 | -14.2 | 69.15 | - | - | 74 | -4.85 | 19 | 316 | H |
| 3 | * 2.4835 | 26.93 | RMS | 29.5 | -14.2 | 42.23 | 54 | -11.77 | - | - | 19 | 316 | H |
| 4 | * 2.48351 | 31.15 | RMS | 29.5 | -14.2 | 46.45 | 54 | -7.55 | - | - | 19 | 316 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T963 (dB/m) | Amp/CbI/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.4835 | 51.95 | Pk | 29.5 | -14.2 | 67.25 | - | - | 74 | -6.75 | 50 | 365 | V |
| 2 | *2.48354 | 51.59 | Pk | 29.5 | -14.2 | 66.89 | - | - | 74 | -7.11 | 50 | 365 | V |
| 3 | *2.4835 | 28.1 | RMS | 29.5 | -14.2 | 43.4 | 54 | -10.6 | - | - | 50 | 365 | V |
| 4 | *2.48359 | 28.94 | RMS | 29.5 | -14.2 | 44.24 | 54 | -9.76 | - | - | 50 | 365 | V |


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

10.1.4. TX ABOVE 1 GHz 802.11ax HE20 OFDMA MODE IN THE 2.4 GHz BAND

2TX ANT 4 + ANT 3 OFDMA MODE: 26-Tones, RU Index 0

BANDEDGE (LOW CHANNEL, CH 1)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Ftr/Psd (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|---------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 56.72 | Pk | 31.9 | -21.1 | 67.52 | - | - | 74 | -6.48 | 139 | 150 | H |
| 2 | * 2.38797 | 57.6 | Pk | 31.9 | -21.1 | 68.4 | - | - | 74 | -5.6 | 139 | 150 | H |
| 3 | * 2.38999 | 29.33 | RMS | 31.9 | -21.1 | 40.13 | 54 | -13.87 | - | - | 139 | 150 | H |
| 4 | * 2.38969 | 34.33 | RMS | 31.9 | -21.1 | 45.13 | 54 | -8.87 | - | - | 139 | 150 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.38999 | 42.28 | Pk | 31.9 | -21.1 | 53.08 | - | - | 74 | -20.92 | 355 | 157 | V |
| 2 | *2.38992 | 44.46 | Pk | 31.9 | -21.1 | 55.26 | - | - | 74 | -18.74 | 355 | 157 | V |
| 3 | *2.38999 | 28.38 | RMS | 31.9 | -21.1 | 39.18 | 54 | -14.82 | - | - | 355 | 157 | V |
| 4 | *2.38906 | 29.17 | RMS | 31.9 | -21.1 | 39.97 | 54 | -14.03 | - | - | 355 | 157 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbW/Ftr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 53.57 | Pk | 31.9 | -21.1 | 64.37 | - | - | 74 | -9.63 | 313 | 124 | H |
| 2 | * 2.38991 | 58.14 | Pk | 31.9 | -21.1 | 68.94 | - | - | 74 | -5.06 | 313 | 124 | H |
| 3 | * 2.38999 | 30.36 | RMS | 31.9 | -21.1 | 41.16 | 54 | -12.84 | - | - | 313 | 124 | H |
| 4 | * 2.38962 | 33.9 | RMS | 31.9 | -21.1 | 44.7 | 54 | -9.3 | - | - | 313 | 124 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.38999 | 50.76 | Pk | 31.9 | -21.1 | 61.56 | - | - | 74 | -12.44 | 254 | 381 | V |
| 2 | *2.38787 | 53.22 | Pk | 31.9 | -21.1 | 64.02 | - | - | 74 | -9.98 | 254 | 381 | V |
| 3 | *2.38999 | 30.29 | RMS | 31.9 | -21.1 | 41.09 | 54 | -12.91 | - | - | 254 | 381 | V |
| 4 | *2.38988 | 31.15 | RMS | 31.9 | -21.1 | 41.95 | 54 | -12.05 | - | - | 254 | 381 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 3)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 54.37 | Pk | 31.9 | -21.1 | 65.17 | - | - | 74 | -8.83 | 295 | 108 | H |
| 2 | * 2.38869 | 54.91 | Pk | 31.9 | -21.1 | 65.71 | - | - | 74 | -8.29 | 295 | 108 | H |
| 3 | * 2.38999 | 28.76 | RMS | 31.9 | -21.1 | 39.56 | 54 | -14.44 | - | - | 295 | 108 | H |
| 4 | * 2.38766 | 33.48 | RMS | 31.8 | -21.1 | 44.18 | 54 | -9.82 | - | - | 295 | 108 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.38999 | 47.38 | Pk | 31.9 | -21.1 | 58.18 | - | - | 74 | -15.82 | 279 | 378 | V |
| 2 | *2.38874 | 50.01 | Pk | 31.9 | -21.1 | 60.81 | - | - | 74 | -13.19 | 279 | 378 | V |
| 3 | *2.38999 | 28.02 | RMS | 31.9 | -21.1 | 38.82 | 54 | -15.18 | - | - | 279 | 378 | V |
| 4 | *2.38875 | 29.78 | RMS | 31.9 | -21.1 | 40.58 | 54 | -13.42 | - | - | 279 | 378 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 9)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T862 (dB/m) | Amp/Cb/Filt/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 45.7 | Pk | 32.3 | -23.7 | 54.3 | - | - | 74 | -19.7 | 66 | 359 | H |
| 2 | *2.48376 | 46.17 | Pk | 32.3 | -23.7 | 54.77 | - | - | 74 | -19.23 | 66 | 359 | H |
| 3 | *2.48351 | 30.9 | RMS | 32.3 | -23.7 | 39.5 | 54 | -14.5 | - | - | 66 | 359 | H |
| 4 | 2.50344 | 32.82 | RMS | 32.4 | -23.6 | 41.62 | 54 | -12.38 | - | - | 66 | 359 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T862 (dB/m) | Amp/Cb/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 43.77 | Pk | 32.3 | -23.7 | 52.37 | - | - | 74 | -21.63 | 38 | 226 | V |
| 2 | * 2.48492 | 48.62 | Pk | 32.3 | -23.6 | 57.32 | - | - | 74 | -16.68 | 38 | 226 | V |
| 3 | * 2.48351 | 32.05 | RMS | 32.3 | -23.7 | 40.65 | 54 | -13.35 | - | - | 38 | 226 | V |
| 4 | * 2.49701 | 33.41 | RMS | 32.4 | -23.6 | 42.21 | 54 | -11.79 | - | - | 38 | 226 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbW/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Dgs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|---------------|-------------|----------|
| 1 | * 2.48351 | 54.57 | Pk | 32.3 | -20.9 | 65.97 | - | - | 74 | -8.03 | 55 | 117 | H |
| 2 | * 2.48435 | 57.9 | Pk | 32.3 | -20.9 | 69.3 | - | - | 74 | -4.7 | 55 | 117 | H |
| 3 | * 2.48351 | 29.72 | RMS | 32.3 | -20.9 | 41.12 | 54 | -12.88 | - | - | 55 | 117 | H |
| 4 | * 2.48368 | 34.69 | RMS | 32.3 | -20.9 | 46.09 | 54 | -7.91 | - | - | 55 | 117 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBUV) | Det | AF 344 (dB/m) | Amp/CbW/Ftr/Pa d (dB) | Corrected Reading (dBUV/m) | Average Limit (dBUV/m) | Margin (dB) | Peak Limit (dBUV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 45.44 | Pk | 32.3 | -20.9 | 56.84 | - | - | 74 | -17.16 | 324 | 329 | V |
| 2 | * 2.48357 | 49.39 | Pk | 32.3 | -20.9 | 60.79 | - | - | 74 | -13.21 | 324 | 329 | V |
| 3 | * 2.48351 | 27.96 | RMS | 32.3 | -20.9 | 39.36 | 54 | -14.64 | - | - | 324 | 329 | V |
| 4 | * 2.48367 | 29.41 | RMS | 32.3 | -20.9 | 40.81 | 54 | -13.19 | - | - | 324 | 329 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T862 (dB/m) | Amp/Cbl/Filtr/Pad (dB) | DC Corr (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|--------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 59.6 | PK | 32.3 | -23.7 | 0 | 68.2 | - | - | 74 | -5.8 | 298 | 108 | H |
| 2 | *2.48364 | 60.03 | PK | 32.3 | -23.7 | 0 | 68.63 | - | - | 74 | -5.37 | 298 | 108 | H |
| 3 | *2.48351 | 34.8 | RMS | 32.3 | -23.7 | 0 | 43.4 | 54 | -10.6 | - | - | 298 | 108 | H |
| 4 | *2.48367 | 36.8 | RMS | 32.3 | -23.7 | 0 | 45.4 | 54 | -8.6 | - | - | 298 | 108 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T862 (dB/m) | Amp/Cbl/Fitr/Pad (dB) | DC Corr (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polariz |
|--------|-----------------|----------------------|-----|----------------|-----------------------|--------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|---------|
| 1 | *2.48351 | 46.86 | PK | 32.3 | -23.7 | 0 | 55.46 | - | - | 74 | -18.54 | 12 | 361 | V |
| 2 | *2.48402 | 55.02 | PK | 32.3 | -23.7 | 0 | 63.62 | - | - | 74 | -10.38 | 12 | 361 | V |
| 3 | *2.48351 | 31.94 | RMS | 32.3 | -23.7 | 0 | 40.54 | 54 | -13.46 | - | - | 12 | 361 | V |
| 4 | *2.48465 | 34.24 | RMS | 32.3 | -23.7 | 0 | 42.84 | 54 | -11.16 | - | - | 12 | 361 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 56.81 | Pk | 32.3 | -20.9 | 68.21 | - | - | 74 | -5.79 | 315 | 136 | H |
| 2 | * 2.48456 | 57.94 | Pk | 32.3 | -20.9 | 69.34 | - | - | 74 | -4.66 | 315 | 136 | H |
| 3 | * 2.48351 | 28.58 | RMS | 32.3 | -20.9 | 39.98 | 54 | -14.02 | - | - | 315 | 136 | H |
| 4 | * 2.48482 | 36.44 | RMS | 32.3 | -20.9 | 47.84 | 54 | -6.16 | - | - | 315 | 136 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbW/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 47.16 | Pk | 32.3 | -20.9 | 58.56 | - | - | 74 | -15.44 | 121 | 117 | V |
| 2 | * 2.48432 | 50.16 | Pk | 32.3 | -20.9 | 61.56 | - | - | 74 | -12.44 | 121 | 117 | V |
| 3 | * 2.48351 | 28.56 | RMS | 32.3 | -20.9 | 39.96 | 54 | -14.04 | - | - | 121 | 117 | V |
| 4 | * 2.48371 | 29.72 | RMS | 32.3 | -20.9 | 41.12 | 54 | -12.88 | - | - | 121 | 117 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Filtr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.48351 | 55.97 | Pk | 32.3 | -20.9 | 67.37 | - | - | 74 | -6.63 | 331 | 376 | H |
| 2 | * 2.48359 | 57.42 | Pk | 32.3 | -20.9 | 68.82 | - | - | 74 | -5.18 | 331 | 376 | H |
| 3 | * 2.48351 | 31.44 | RMS | 32.3 | -20.9 | 42.84 | 54 | -11.16 | - | - | 331 | 376 | H |
| 4 | * 2.48363 | 34.71 | RMS | 32.3 | -20.9 | 46.11 | 54 | -7.89 | - | - | 331 | 376 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 55.2 | Pk | 32.3 | -20.9 | 66.6 | - | - | 74 | -7.4 | 260 | 353 | V |
| 2 | *2.48359 | 56.81 | Pk | 32.3 | -20.9 | 68.21 | - | - | 74 | -5.79 | 260 | 353 | V |
| 3 | *2.48351 | 31.47 | RMS | 32.3 | -20.9 | 42.87 | 54 | -11.13 | - | - | 260 | 353 | V |
| 4 | *2.48362 | 33.6 | RMS | 32.3 | -20.9 | 45 | 54 | -9 | - | - | 260 | 353 | V |


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

HARMONICS AND SPURIOUS EMISSIONS

LOW CHANNEL, CH 1 RESULTS



HORIZONTAL




VERTICAL

RADIATED EMISSIONS


| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T344 (dB/m) | Amp/Cbl/Fitr/P ad (dB) | Corrected Reading (dBuV/m) | Avg Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|------|----------------|------------------------|----------------------------|--------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 1.3604 | 43.92 | PK2 | 29.3 | -25.9 | 47.32 | - | - | 74 | -26.68 | 162 | 265 | H |
| | * 1.36072 | 32.93 | MAv1 | 29.3 | -25.9 | 36.33 | 54 | -17.67 | - | - | 162 | 265 | H |
| 2 | * 1.36774 | 43.07 | PK2 | 29.4 | -25.8 | 46.67 | - | - | 74 | -27.33 | 95 | 203 | V |
| | * 1.367 | 33.49 | MAv1 | 29.4 | -25.8 | 37.09 | 54 | -16.91 | - | - | 95 | 203 | V |
| 3 | * 4.07851 | 39.61 | PK2 | 33.6 | -31.3 | 41.91 | - | - | 74 | -32.09 | 173 | 153 | H |
| | * 4.07864 | 30.26 | MAv1 | 33.6 | -31.3 | 32.56 | 54 | -21.44 | - | - | 173 | 153 | H |
| 4 | * 12.38044 | 33.88 | PK2 | 39 | -21.5 | 51.38 | - | - | 74 | -22.62 | 354 | 225 | H |
| | * 12.38086 | 23.69 | MAv1 | 39 | -21.5 | 41.19 | 54 | -12.81 | - | - | 354 | 225 | H |
| 5 | * 4.05933 | 40.14 | PK2 | 33.6 | -31.6 | 42.14 | - | - | 74 | -31.86 | 248 | 191 | V |
| | * 4.0584 | 31.02 | MAv1 | 33.6 | -31.6 | 33.02 | 54 | -20.98 | - | - | 248 | 191 | V |
| 6 | * 12.34912 | 34.26 | PK2 | 39 | -21.6 | 51.66 | - | - | 74 | -22.34 | 180 | 248 | V |
| | * 12.35086 | 23.75 | MAv1 | 39 | -21.6 | 41.15 | 54 | -12.85 | - | - | 180 | 248 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak
 MAv1 - KDB558074 Option 1 Maximum RMS Average

MID CHANNEL, CH 6 RESULTS



HORIZONTAL



VERTICAL

RADIATED EMISSIONS


| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T344 (dB/m) | Amp/Cbl/Filtr/P ad (dB) | Corrected Reading (dBuV/m) | Avg Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|------|----------------|-------------------------|----------------------------|--------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | 1.87366 | 43.32 | PK2 | 30.8 | -25.8 | 48.32 | - | - | - | - | 67 | 187 | H |
| | 1.87366 | 32.77 | MAv1 | 30.8 | -25.8 | 37.77 | - | - | - | - | 67 | 187 | H |
| 2 | 1.87075 | 43.3 | PK2 | 30.7 | -25.8 | 48.2 | - | - | - | - | 196 | 166 | V |
| | 1.87125 | 33.05 | MAv1 | 30.7 | -25.8 | 37.95 | - | - | - | - | 196 | 166 | V |
| 3 | * 4.07147 | 40.61 | PK2 | 33.7 | -31.5 | 42.81 | - | - | 74 | -31.19 | 225 | 174 | H |
| | * 4.0733 | 30.65 | MAv1 | 33.6 | -31.4 | 32.85 | 54 | -21.15 | - | - | 225 | 174 | H |
| 4 | * 11.6113 | 32.97 | PK2 | 38.3 | -22.1 | 49.17 | - | - | 74 | -24.83 | 264 | 271 | H |
| | * 11.61109 | 23.2 | MAv1 | 38.3 | -22.1 | 39.4 | 54 | -14.6 | - | - | 264 | 271 | H |
| 5 | * 3.84797 | 41.52 | PK2 | 33.5 | -32.2 | 42.82 | - | - | 74 | -31.18 | 87 | 135 | V |
| | * 3.84929 | 30.43 | MAv1 | 33.5 | -32.2 | 31.73 | 54 | -22.27 | - | - | 87 | 135 | V |
| 6 | * 11.62257 | 33.32 | PK2 | 38.3 | -22.2 | 49.42 | - | - | 74 | -24.58 | 177 | 167 | V |
| | * 11.62182 | 22.95 | MAv1 | 38.3 | -22.2 | 39.05 | 54 | -14.95 | - | - | 177 | 167 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK2 - KDB558074 Method: Maximum Peak

MAv1 - KDB558074 Option 1 Maximum RMS Average

HIGH CHANNEL, CH 13 RESULTS



HORIZONTAL



VERTICAL

RADIATED EMISSIONS


| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T344 (dB/m) | Amp/Cbl/Filtr/P ad (dB) | Corrected Reading (dBuV/m) | Avg Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|------|----------------|-------------------------|----------------------------|--------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.26026 | 43.7 | PK2 | 31.7 | -25.6 | 49.8 | - | - | 74 | -24.2 | 93 | 290 | H |
| | * 2.25873 | 33.2 | MAv1 | 31.7 | -25.6 | 39.3 | 54 | -14.7 | - | - | 93 | 290 | H |
| 2 | * 2.26155 | 43.35 | PK2 | 31.7 | -25.6 | 49.45 | - | - | 74 | -24.55 | 186 | 200 | V |
| | * 2.25886 | 33.18 | MAv1 | 31.7 | -25.6 | 39.28 | 54 | -14.72 | - | - | 186 | 200 | V |
| 3 | * 3.9517 | 41.12 | PK2 | 33.4 | -32.2 | 42.32 | - | - | 74 | -31.68 | 163 | 234 | H |
| | * 3.95205 | 30.47 | MAv1 | 33.4 | -32.2 | 31.67 | 54 | -22.33 | - | - | 163 | 234 | H |
| 4 | * 11.83787 | 33.97 | PK2 | 38.5 | -21.7 | 50.77 | - | - | 74 | -23.23 | 294 | 182 | H |
| | * 11.83756 | 23.28 | MAv1 | 38.5 | -21.7 | 40.08 | 54 | -13.92 | - | - | 294 | 182 | H |
| 5 | * 3.96367 | 40.81 | PK2 | 33.5 | -32.2 | 42.11 | - | - | 74 | -31.89 | 128 | 235 | V |
| | * 3.96327 | 30.41 | MAv1 | 33.5 | -32.2 | 31.71 | 54 | -22.29 | - | - | 128 | 235 | V |
| 6 | * 11.79321 | 33.19 | PK2 | 38.5 | -21.8 | 49.89 | - | - | 74 | -24.11 | 158 | 276 | V |
| | * 11.79242 | 22.97 | MAv1 | 38.5 | -21.8 | 39.67 | 54 | -14.33 | - | - | 158 | 276 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak
 MAv1 - KDB558074 Option 1 Maximum RMS Average

2TX ANT 4 + ANT 3 OFDMA MODE: 242-Tones, RU Index 61

BANDEDGE (LOW CHANNEL, CH 1)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/CbI/Ftr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 54.03 | Pk | 31.9 | -21.1 | 64.83 | - | - | 74 | -9.17 | 138 | 116 | H |
| 2 | * 2.38991 | 57.6 | Pk | 31.9 | -21.1 | 68.4 | - | - | 74 | -5.6 | 138 | 116 | H |
| 3 | * 2.38999 | 38.47 | RMS | 31.9 | -21.1 | 49.27 | 54 | -4.73 | - | - | 138 | 116 | H |
| 4 | * 2.3899 | 39.33 | RMS | 31.9 | -21.1 | 50.13 | 54 | -3.87 | - | - | 138 | 116 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection


VERTICAL RESULT



* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Filtr/Pa d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 55.18 | Pk | 31.9 | -21.1 | 65.98 | - | - | 74 | -8.02 | 189 | 180 | H |
| 2 | * 2.38948 | 57.68 | Pk | 31.9 | -21.1 | 68.48 | - | - | 74 | -5.52 | 189 | 180 | H |
| 3 | * 2.38999 | 39.65 | RMS | 31.9 | -21.1 | 50.45 | 54 | -3.55 | - | - | 189 | 180 | H |
| 4 | * 2.38957 | 40.72 | RMS | 31.9 | -21.1 | 51.52 | 54 | -2.48 | - | - | 189 | 180 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cb/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.38999 | 44.18 | Pk | 31.9 | -21.1 | 54.98 | - | - | 74 | -19.02 | 150 | 357 | V |
| 2 | *2.38973 | 45.9 | Pk | 31.9 | -21.1 | 56.7 | - | - | 74 | -17.3 | 150 | 357 | V |
| 3 | *2.38999 | 29.3 | RMS | 31.9 | -21.1 | 40.1 | 54 | -13.9 | - | - | 150 | 357 | V |
| 4 | *2.38969 | 30.48 | RMS | 31.9 | -21.1 | 41.28 | 54 | -12.72 | - | - | 150 | 357 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 3)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbl/Fitr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|-----------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 52 | Pk | 31.9 | -21.1 | 62.8 | - | - | 74 | -11.2 | 302 | 104 | H |
| 2 | * 2.38847 | 55.82 | Pk | 31.9 | -21.1 | 66.62 | - | - | 74 | -7.38 | 302 | 104 | H |
| 3 | * 2.38999 | 39.29 | RMS | 31.9 | -21.1 | 50.09 | 54 | -3.91 | - | - | 302 | 104 | H |
| 4 | * 2.38879 | 40.43 | RMS | 31.9 | -21.1 | 51.23 | 54 | -2.77 | - | - | 302 | 104 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF 344 (dB/m) | Amp/Cbll/Filtr/Par d (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|---------------|---------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 48.1 | Pk | 31.9 | -21.1 | 58.9 | - | - | 74 | -15.1 | 271 | 376 | V |
| 2 | * 2.38987 | 49.02 | Pk | 31.9 | -21.1 | 59.82 | - | - | 74 | -14.18 | 271 | 376 | V |
| 3 | * 2.38999 | 36.5 | RMS | 31.9 | -21.1 | 47.3 | 54 | -6.7 | - | - | 271 | 376 | V |
| 4 | * 2.38993 | 36.63 | RMS | 31.9 | -21.1 | 47.43 | 54 | -6.57 | - | - | 271 | 376 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 4)


HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T712 (dB/m) | Amp/Cbl/Filtr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 57.68 | Pk | 32.2 | -26.4 | 63.48 | - | - | 74 | -10.52 | 94 | 135 | H |
| 2 | * 2.38953 | 59.93 | Pk | 32.2 | -26.4 | 65.73 | - | - | 74 | -8.27 | 94 | 135 | H |
| 3 | * 2.38999 | 44.48 | RMS | 32.2 | -26.4 | 50.28 | 54 | -3.72 | - | - | 94 | 135 | H |
| 4 | * 2.38966 | 45.02 | RMS | 32.2 | -26.4 | 50.82 | 54 | -3.18 | - | - | 94 | 135 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T712 (dB/m) | Amp/Cbl/Filtr/Pad (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|------------------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | * 2.38999 | 47.52 | Pk | 32.2 | -26.4 | 53.32 | - | - | 74 | -20.68 | 94 | 135 | V |
| 2 | * 2.38974 | 51.05 | Pk | 32.2 | -26.4 | 56.85 | - | - | 74 | -17.15 | 94 | 135 | V |
| 3 | * 2.38999 | 36.27 | RMS | 32.2 | -26.4 | 42.07 | 54 | -11.93 | - | - | 94 | 135 | V |
| 4 | * 2.38992 | 36.71 | RMS | 32.2 | -26.4 | 42.51 | 54 | -11.49 | - | - | 94 | 135 | V |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 9)

HORIZONTAL RESULT



| Marker | Frequency (GHz) | Meter Reading (dBuV) | Det | AF T862 (dB/m) | Amp/Ch/Filt/Pad (dB) | DC Corr (dB) | Corrected Reading (dBuV/m) | Average Limit (dBuV/m) | Margin (dB) | Peak Limit (dBuV/m) | PK Margin (dB) | Azimuth (Degs) | Height (cm) | Polarity |
|--------|-----------------|----------------------|-----|----------------|----------------------|--------------|----------------------------|------------------------|-------------|---------------------|----------------|----------------|-------------|----------|
| 1 | *2.48351 | 51.63 | PK | 32.3 | -23.7 | 0 | 60.23 | - | - | 74 | -13.77 | 205 | 370 | H |
| 2 | *2.48361 | 51.97 | PK | 32.3 | -23.7 | 0 | 60.57 | - | - | 74 | -13.43 | 205 | 370 | H |
| 3 | *2.48351 | 40.24 | RMS | 32.3 | -23.7 | 0 | 48.84 | 54 | -5.16 | - | - | 205 | 370 | H |
| 4 | *2.48366 | 40.82 | RMS | 32.3 | -23.7 | 0 | 49.42 | 54 | -4.58 | - | - | 205 | 370 | H |

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection