



2TX ANT 6 + ANT 5 CDD MODE


Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5745	17.800	21.03	17.797	21.01
Mid	5785	17.804	21.05	17.743	21.02
High	5825	17.764	21.05	17.789	21.10



9.2.20. 802.11n HT40 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	36.219	39.83
High	5795	36.119	39.43





1TX ANT 5 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	36.280	40.42
High	5795	36.234	40.46



2TX ANT 6 + ANT 5 CDD MODE


Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5755	36.189	39.71	36.110	39.22
High	5795	36.163	39.67	36.257	39.74



9.2.21. 802.11ac VHT80MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	75.537	81.26




1TX ANT 5 MODE

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	75.607	81.39




2TX ANT 6 + ANT 5 CDD MODE

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Mid	5775	75.456	80.40	75.562	80.70



MID CHANNEL [ANT 6]




MID CHANNEL [ANT 5]

9.2.22. 802.11ax HE20 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	18.436	20.02
Mid	5785	18.352	19.92
High	5825	18.281	19.95




1TX ANT 6 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	17.149	19.23
Mid	5785	17.310	19.06
High	5825	17.136	19.15




1TX ANT 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	18.533	20.56
Mid	5785	18.637	20.58
High	5825	18.455	20.56




1TX ANT 6 MODE: 242 Tones, RU Index 61

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	18.924	21.23
Mid	5785	18.911	21.22
High	5825	18.932	21.18




1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	18.105	20.00
Mid	5785	18.381	19.98
High	5825	18.331	20.02




1TX ANT 5 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	17.113	19.25
Mid	5785	17.073	19.35
High	5825	17.203	19.20




1TX ANT 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	18.451	20.48
Mid	5785	18.458	20.44
High	5825	18.485	20.54





1TX ANT 5 MODE: 242 Tones, RU Index 61

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5745	18.951	21.03
Mid	5785	18.931	21.01
High	5825	18.910	21.08





2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5745	18.317	20.09	18.269	19.67
Mid	5785	18.411	19.99	18.249	19.42
High	5825	18.399	19.96	18.148	19.67





2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5745	17.073	19.22	17.020	18.18
Mid	5785	17.220	19.40	17.007	18.25
High	5825	17.010	18.95	17.011	18.32





2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5745	18.528	20.44	18.154	19.70
Mid	5785	18.777	20.59	18.390	19.74
High	5825	18.389	20.49	18.353	19.82



2TX ANT 6 + ANT 5 OFDMA MODE: 242 Tones, RU Index 61


Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5745	18.924	21.06	18.927	20.94
Mid	5785	18.884	20.91	18.877	20.48
High	5825	18.923	20.85	18.932	20.73



9.2.23. 802.11ax HE40 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	18.403	20.53
High	5795	18.144	20.34




1TX ANT 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	21.026	23.62
High	5795	20.938	23.43




1TX ANT 6 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	18.360	20.36
High	5795	18.572	20.52




1TX ANT 6 MODE: 484 Tones, RU Index 65

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	37.504	39.76
High	5795	37.513	39.94




1TX ANT 5 MODE: 26 Tones, RU Index 0

Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
5755	18.438	20.10
5795	18.357	20.46




1TX ANT 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	21.160	23.54
High	5795	21.362	23.63




1TX ANT 5 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	18.352	20.25
High	5795	18.323	20.27





1TX ANT 5 MODE: 242 Tones, RU Index 65

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Low	5755	37.530	39.89
High	5795	37.557	39.92





2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5755	18.306	20.60	18.148	19.52
High	5795	18.283	20.04	18.133	19.35





2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5755	21.075	23.16	21.168	23.36
High	5795	21.398	23.30	21.080	23.13





2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5755	18.313	20.00	18.213	19.37
High	5795	18.253	20.48	18.154	19.53



2TX ANT 6 + ANT 5 OFDMA MODE: 484 Tones, RU Index 65


Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Low	5755	37.589	40.07	37.537	40.02
High	5795	37.611	39.79	37.654	39.58



9.2.24. 802.11ax HE80 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	18.083	19.41




1TX ANT 6 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	36.722	40.50




1TX ANT 6 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	18.398	20.49




1TX ANT 6 MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	76.761	80.27




1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	18.132	19.48




1TX ANT 5 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	36.717	40.16




1TX ANT 5 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	18.250	20.35




1TX ANT 5 MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
Mid	5775	77.030	80.81




2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Mid	5775	18.020	19.55	18.018	19.41




MID CHANNEL [ANT 6]




MID CHANNEL [ANT 5]

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Mid	5775	36.750	39.70	36.687	38.78





MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]



2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Mid	5775	18.588	20.39	18.020	19.18



2TX ANT 6 + ANT 5 OFDMA MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	99% Bandwidth ANT 6 (MHz)	26 dB Bandwidth ANT 6 (MHz)	99% Bandwidth ANT 5 (MHz)	26 dB Bandwidth ANT 5 (MHz)
Mid	5775	76.714	80.97	76.679	80.19



9.3. 6 dB BANDWIDTH

LIMITS

FCC §15.407 (e)

RSS-247 6.2.4.1


The minimum 6 dB bandwidth shall be at least 500 kHz.

RESULTS

9.3.1. 802.11n HT20 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	17.565	0.5
Mid	5785	17.285	0.5
High	5825	17.260	0.5
144	5720	3.860	0.5




1TX ANT 5 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	17.575	0.5
Mid	5785	17.575	0.5
High	5825	17.545	0.5
144	5720	3.855	0.5



2TX ANT 6 + ANT 5 CDD MODE


Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5745	17.620	17.600	0.5
Mid	5785	17.575	17.555	0.5
High	5825	17.280	17.610	0.5
144	5720	3.770	3.880	0.5



9.3.2. 802.11n HT40 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	35.440	0.5
High	5795	35.690	0.5
142	5710	3.150	0.5




1TX ANT 5 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	35.940	0.5
High	5795	35.340	0.5
142	5710	3.240	0.5




2TX ANT 6 + ANT 5 CDD MODE

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5755	36.330	36.190	0.5
High	5795	36.330	36.310	0.5
142	5710	3.260	3.210	0.5



LOW CHANNEL [ANT 6]




LOW CHANNEL [ANT 5]

9.3.3. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	75.120	0.5
138	5690	3.160	0.5





1TX ANT 5 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	74.520	0.5
138	5690	3.240	0.5



2TX ANT 6 + ANT 5 CDD MODE


Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Mid	5775	73.940	72.720	0.5
138	5690	3.260	3.160	0.5



9.3.4. 802.11ax HE20 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.045	0.5
Mid	5785	1.978	0.5
High	5825	2.008	0.5




1TX ANT 6 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.515	0.5
Mid	5785	2.637	0.5
High	5825	2.558	0.5




1TX ANT 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.008	0.5
Mid	5785	2.002	0.5
High	5825	2.033	0.5
144	5720	2.040	0.5




1TX ANT 6 MODE: 242 Tones, RU Index 61

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	18.649	0.5
Mid	5785	18.740	0.5
High	5825	18.465	0.5
144	5720	4.460	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	1.972	0.5
Mid	5785	2.057	0.5
High	5825	1.959	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.600	0.5
Mid	5785	2.558	0.5
High	5825	2.527	0.5



1TX ANT 5 MODE: 26 Tones, RU Index 8


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.008	0.5
Mid	5785	1.984	0.5
High	5825	1.984	0.5
144	5720	1.990	0.5



MID CHANNEL

1TX ANT 5 MODE: 242 Tones, RU Index 61


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	18.425	0.5
Mid	5785	18.750	0.5
High	5825	18.850	0.5
144	5720	4.505	0.5




MID CHANNEL

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5745	2.025	2.070	0.5
Mid	5785	2.045	2.050	0.5
High	5825	2.010	1.975	0.5




MID CHANNEL [ANT 6]




MID CHANNEL [ANT 5]

2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5745	2.600	2.555	0.5
Mid	5785	2.555	2.575	0.5
High	5825	2.575	5.535	0.5





MID CHANNEL [ANT 6]



MID CHANNEL [ANT 5]



2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5745	1.975	2.065	0.5
Mid	5785	2.045	2.105	0.5
High	5825	1.995	2.040	0.5
144	5720	1.996	1.966	0.5



2TX ANT 6 + ANT 5 OFDMA MODE: 242 Tones, RU Index 61


Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5745	18.885	18.730	0.5
Mid	5785	18.280	18.440	0.5
High	5825	18.210	18.800	0.5
144	5720	4.540	4.510	0.5



9.3.5. 802.11ax HE40 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.039	0.5
High	5795	2.027	0.5




1TX ANT 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.014	0.5
High	5795	2.063	0.5




1TX ANT 6 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.027	0.5
High	5795	2.002	0.5
142	5710	2.030	0.5




1TX ANT 6 MODE: 484 Tones, RU Index 65

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	36.858	0.5
High	5795	36.333	0.5
142	5710	3.360	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.039	0.5
High	5795	2.002	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.088	0.5
High	5795	2.039	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.002	0.5
High	5795	2.051	0.5
142	5710	2.063	0.5




1TX ANT 5 MODE: 484 Tones, RU Index 65

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	36.410	0.5
High	5795	36.830	0.5
142	5710	4.050	0.5




2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5755	1.970	2.110	0.5
High	5795	2.010	1.970	0.5




2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.060	2.040	0.5
High	5795	2.000	2.070	0.5




2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.030	1.990	0.5
High	5795	2.040	2.050	0.5
142	5710	2.075	2.063	0.5




LOW CHANNEL [ANT 6]




LOW CHANNEL [ANT 5]

2TX ANT 6 + ANT 5 OFDMA MODE: 484 Tones, RU Index 65

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Low	5755	37.340	37.010	0.5
High	5795	37.110	37.780	0.5
142	5710	4.540	4.510	0.5



LOW CHANNEL [ANT 6]




LOW CHANNEL [ANT 5]

9.3.6. 802.11ax HE80 MODE IN THE 5.8 GHz BAND


1TX ANT 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.051	0.5




1TX ANT 6 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.613	0.5




1TX ANT 6 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.027	0.5
138	5690	2.000	0.5




1TX ANT 6 MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	77.524	0.5
138	5690	4.020	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.075	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.613	0.5




1TX ANT 5 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.075	0.5
138	5690	2.060	0.5




1TX ANT 5 MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	76.320	0.5
138	5690	2.346	0.5




2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Mid	5775	2.000	2.080	0.5




2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Mid	5775	2.600	2.560	0.5



2TX ANT 6 + ANT 5 OFDMA MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Mid	5775	2.020	2.040	0.5
138	5690	2.080	2.040	0.5



2TX ANT 6 + ANT 5 OFDMA MODE: 996 Tones, RU Index 67

Channel	Frequency (MHz)	6 dB Bandwidth ANT 6 (MHz)	6 dB Bandwidth ANT 5 (MHz)	Minimum Limit (MHz)
Mid	5775	76.400	75.920	0.5
138	5690	4.060	4.040	0.5

