





ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK



ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-22.45	-5	-17.45
				24.74	-28.53	-13	-15.53
M2				24.75	-18.77	-5	-13.77
				24.74	-28.11	-13	-15.11
M3				24.75	-17.75	-5	-12.75
				24.74	-28.15	-13	-15.15
M1	100	L	64/0	24.75	-27.18	-5	-22.18
				24.74	-26.81	-13	-13.81
M2				24.75	-26.35	-5	-21.35
				24.74	-26.00	-13	-13.00
M3				24.75	-21.85	-5	-16.85
				24.74	-20.78	-13	-7.78
M1	100	H	1/65	25.25	-24.44	-5	-19.44
				25.26	-28.78	-13	-15.78
M2				25.25	-14.82	-5	-9.82
				25.26	-27.94	-13	-14.94
M3				25.25	-19.27	-5	-14.27
				25.26	-28.08	-13	-15.08
M1	100	H	64/2	25.25	-26.03	-5	-21.03
				25.26	-26.87	-13	-13.87
M2				25.25	-22.39	-5	-17.39
				25.26	-24.81	-13	-11.81
M3				25.25	-21.16	-5	-16.16
				25.26	-26.58	-13	-13.58

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	24.75	-27.42	-5	-22.42
				24.74	-27.04	-13	-14.04
M3				24.75	-21.50	-5	-16.50
				24.74	-24.36	-13	-11.36
M2	100	H	64/2	25.25	-23.72	-5	-18.72
				25.26	-27.63	-13	-14.63
M3				25.25	-23.33	-5	-18.33
				25.26	-28.24	-13	-15.24

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	24.75	-24.13	-5	-19.13
				24.74	-26.13	-13	-13.13
M3				24.75	-22.48	-5	-17.48
				24.74	-25.09	-13	-12.09
M2	100	H	64/2	25.25	-24.22	-5	-19.22
				25.26	-26.47	-13	-13.47
M3				25.25	-21.70	-5	-16.70
				25.26	-23.80	-13	-10.80

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	24.75	-25.07	-5	-20.07
				24.74	-27.60	-13	-14.60
M3				24.75	-25.57	-5	-20.57
				24.74	-27.42	-13	-14.42
M2	100	H	64/2	25.25	-27.57	-5	-22.57
				25.26	-28.21	-13	-15.21
M3				25.25	-26.46	-5	-21.46
				25.26	-26.77	-13	-13.77

8.3.10. BAND EDGE n258 SB2 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-26.50	-5	-21.50
				24.745	-28.21	-13	-15.21
M2				24.75	-22.51	-5	-17.51
				24.745	-28.86	-13	-15.86
M3				24.75	-25.98	-5	-20.98
				24.745	-29.44	-13	-16.44
M1	50	L	32/0	24.75	-28.36	-5	-23.36
				24.745	-28.60	-13	-15.60
M2				24.75	-23.50	-5	-18.50
				24.745	-24.37	-13	-11.37
M3				24.75	-22.99	-5	-17.99
				24.745	-24.79	-13	-11.79
M1	50	H	1/31	25.25	-25.35	-5	-20.35
				25.255	-28.86	-13	-15.86
M2				25.25	-23.50	-5	-18.50
				25.255	-28.22	-13	-15.22
M3				25.25	-25.21	-5	-20.21
				25.255	-28.78	-13	-15.78
M1	50	H	32/0	25.25	-28.24	-5	-23.24
				25.255	-28.38	-13	-15.38
M2				25.25	-26.83	-5	-21.83
				25.255	-27.84	-13	-14.84
M3				25.25	-24.04	-5	-19.04
				25.255	-25.71	-13	-12.71

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-27.37	-5	-22.37
				24.745	-28.85	-13	-15.85
M3				24.75	-25.33	-5	-20.33
				24.745	-29.05	-13	-16.05
M2	50	H	1/31	25.25	-26.11	-5	-21.11
				25.255	-28.81	-13	-15.81
M3				25.25	-24.01	-5	-19.01
				25.255	-28.78	-13	-15.78


ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-26.07	-5	-21.07
				24.745	-28.98	-13	-15.98
M3				24.75	-25.81	-5	-20.81
				24.745	-29.21	-13	-16.21
<hr/>							
M2	50	H	1/31	25.25	-24.76	-5	-19.76
				25.255	-28.50	-13	-15.50
M3				25.25	-24.98	-5	-19.98
				25.255	-28.71	-13	-15.71



ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-23.44	-5	-18.44
				24.745	-28.71	-13	-15.71
M3				24.75	-26.85	-5	-21.85
				24.745	-28.91	-13	-15.91
<hr/>							
M2	50	H	1/31	25.25	-24.37	-5	-19.37
				25.255	-28.49	-13	-15.49
M3				25.25	-24.95	-5	-19.95
				25.255	-28.99	-13	-15.99

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK





ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 2CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-28.19	-5	-23.19
				24.74	-29.14	-13	-16.14
M2				24.75	-24.05	-5	-19.05
				24.74	-29.46	-13	-16.46
M3				24.75	-22.97	-5	-17.97
				24.74	-28.99	-13	-15.99
<hr/>							
M1	100	L	64/0	24.75	-27.36	-5	-22.36
				24.74	-28.33	-13	-15.33
M2				24.75	-27.86	-5	-22.86
				24.74	-27.90	-13	-14.90
M3				24.75	-26.53	-5	-21.53
				24.74	-26.74	-13	-13.74
<hr/>							
M1	100	H	1/65	25.25	-27.40	-5	-22.40
				25.26	-28.38	-13	-15.38
M2				25.25	-24.90	-5	-19.90
				25.26	-28.82	-13	-15.82
M3				25.25	-24.36	-5	-19.36
				25.26	-28.77	-13	-15.77
<hr/>							
M1	100	H	64/2	25.25	-27.91	-5	-22.91
				25.26	-28.43	-13	-15.43
M2				25.25	-26.71	-5	-21.71
				25.26	-26.60	-13	-13.60
M3				25.25	-27.24	-5	-22.24
				25.26	-27.32	-13	-14.32

8.3.11. BAND EDGE n258 SB2 SISO-DUAL 3CC

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-26.93	-5	-21.93
				24.745	-28.80	-13	-15.80
M2				24.75	-23.90	-5	-18.90
				24.745	-28.60	-13	-15.60
M3				24.75	-23.86	-5	-18.86
				24.745	-28.82	-13	-15.82
M1	50	L	32/0	24.75	-29.20	-5	-24.20
				24.745	-28.57	-13	-15.57
M2				24.75	-25.50	-5	-20.50
				24.745	-25.23	-13	-12.23
M3				24.75	-26.03	-5	-21.03
				24.745	-25.47	-13	-12.47
M1	50	H	1/31	25.25	-26.64	-5	-21.64
				25.255	-29.46	-13	-16.46
M2				25.25	-22.94	-5	-17.94
				25.255	-28.76	-13	-15.76
M3				25.25	-24.37	-5	-19.37
				25.255	-28.89	-13	-15.89
M1	50	H	32/0	25.25	-28.56	-5	-23.56
				25.255	-28.58	-13	-15.58
M2				25.25	-26.42	-5	-21.42
				25.255	-25.92	-13	-12.92
M3				25.25	-26.52	-5	-21.52
				25.255	-25.89	-13	-12.89

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-25.73	-5	-20.73
				24.745	-29.42	-13	-16.42
M3				24.75	-24.76	-5	-19.76
				24.745	-28.31	-13	-15.31
M2	50	H	1/31	25.25	-24.64	-5	-19.64
				25.255	-28.73	-13	-15.73
M3				25.25	-24.29	-5	-19.29
				25.255	-28.47	-13	-15.47



ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-25.75	-5	-20.75
				24.745	-28.87	-13	-15.87
M3				24.75	-23.98	-5	-18.98
				24.745	-28.95	-13	-15.95
M2	50	H	1/31	25.25	-25.74	-5	-20.74
				25.255	-28.90	-13	-15.90
M3				25.25	-23.96	-5	-18.96
				25.255	-29.07	-13	-16.07


ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-25.40	-5	-20.40
				24.745	-28.48	-13	-15.48
M3				24.75	-25.82	-5	-20.82
				24.745	-29.03	-13	-16.03
M2	50	H	1/31	25.25	-24.38	-5	-19.38
				25.255	-28.48	-13	-15.48
M3				25.25	-24.96	-5	-19.96
				25.255	-28.75	-13	-15.75

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 3CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-27.04	-5	-22.04
				24.74	-28.93	-13	-15.93
M2				24.75	-23.25	-5	-18.25
				24.74	-29.00	-13	-16.00
M3				24.75	-23.95	-5	-18.95
				24.74	-29.27	-13	-16.27
M1	100	L	64/0	24.75	-29.39	-5	-24.39
				24.74	-28.75	-13	-15.75
M2				24.75	-26.31	-5	-21.31
				24.74	-28.37	-13	-15.37
M3				24.75	-27.45	-5	-22.45
				24.74	-27.42	-13	-14.42
M1	100	H	1/65	25.25	-26.86	-5	-21.86
				25.26	-28.68	-13	-15.68
M2				25.25	-24.75	-5	-19.75
				25.26	-28.79	-13	-15.79
M3				25.25	-23.81	-5	-18.81
				25.26	-28.85	-13	-15.85
M1	100	H	64/2	25.25	-28.65	-5	-23.65
				25.26	-28.54	-13	-15.54
M2				25.25	-27.67	-5	-22.67
				25.26	-28.30	-13	-15.30
M3				25.25	-24.53	-5	-19.53
				25.26	-26.09	-13	-13.09

8.3.12. BAND EDGE n258 SB2 SISO-DUAL 4CC

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-27.78	-5	-22.78
				24.745	-28.78	-13	-15.78
M2				24.75	-24.44	-5	-19.44
				24.745	-28.56	-13	-15.56
M3				24.75	-23.52	-5	-18.52
				24.745	-29.21	-13	-16.21
M1	50	L	32/0	24.75	-28.89	-5	-23.89
				24.745	-28.70	-13	-15.70
M2				24.75	-24.85	-5	-19.85
				24.745	-25.28	-13	-12.28
M3				24.75	-24.51	-5	-19.51
				24.745	-24.10	-13	-11.10
M1	50	H	1/31	25.25	-27.01	-5	-22.01
				25.255	-29.00	-13	-16.00
M2				25.25	-25.33	-5	-20.33
				25.255	-29.59	-13	-16.59
M3				25.25	-25.08	-5	-20.08
				25.255	-28.97	-13	-15.97
M1	50	H	32/0	25.25	-28.62	-5	-23.62
				25.255	-28.63	-13	-15.63
M2				25.25	-25.44	-5	-20.44
				25.255	-26.05	-13	-13.05
M3				25.25	-25.90	-5	-20.90
				25.255	-26.62	-13	-13.62

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-26.07	-5	-21.07
				24.745	-28.45	-13	-15.45
M3				24.75	-25.99	-5	-20.99
				24.745	-29.12	-13	-16.12
M2	50	H	1/31	25.25	-25.65	-5	-20.65
				25.255	-28.66	-13	-15.66
M3				25.25	-23.50	-5	-18.50
				25.255	-29.11	-13	-16.11


ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-23.06	-5	-18.06
				24.745	-29.16	-13	-16.16
M3				24.75	-26.85	-5	-21.85
				24.745	-29.28	-13	-16.28
M2	50	H	1/31	25.25	-27.30	-5	-22.30
				25.255	-29.23	-13	-16.23
M3				25.25	-24.52	-5	-19.52
				25.255	-28.89	-13	-15.89



ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-27.65	-5	-22.65
				24.745	-28.71	-13	-15.71
M3				24.75	-25.05	-5	-20.05
				24.745	-29.42	-13	-16.42
M2	50	H	1/31	25.25	-26.33	-5	-21.33
				25.255	-28.60	-13	-15.60
M3				25.25	-26.02	-5	-21.02
				25.255	-28.97	-13	-15.97

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK





ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 4CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-27.67	-5	-22.67
			1/0	24.74	-29.17	-13	-16.17
M2			1/0	24.75	-24.88	-5	-19.88
			1/0	24.74	-29.13	-13	-16.13
M3			1/0	24.75	-25.94	-5	-20.94
			1/0	24.74	-29.33	-13	-16.33
M1	100	L	64/0	24.75	-28.43	-5	-23.43
			64/0	24.74	-28.25	-13	-15.25
M2			64/0	24.75	-26.61	-5	-21.61
			64/0	24.74	-27.78	-13	-14.78
M3			64/0	24.75	-26.64	-5	-21.64
			64/0	24.74	-28.23	-13	-15.23
M1	100	H	1/65	25.25	-26.45	-5	-21.45
			1/65	25.26	-29.23	-13	-16.23
M2			1/65	25.25	-24.90	-5	-19.90
			1/65	25.26	-28.56	-13	-15.56
M3			1/65	25.25	-26.11	-5	-21.11
			1/65	25.26	-28.55	-13	-15.55
M1	100	H	64/2	25.25	-28.23	-5	-23.23
			64/2	25.26	-28.46	-13	-15.46
M2			64/2	25.25	-26.89	-5	-21.89
			64/2	25.26	-25.72	-13	-12.72
M3			64/2	25.25	-25.16	-5	-20.16
			64/2	25.26	-25.29	-13	-12.29

8.3.13. BAND EDGE n258 SB2 MIMO 1CC

ANT M2, 50 MHz, MIMO, 1CC, QPSK





ANT M2, 50 MHz, MIMO, 1CC, QPSK





ANT M1, M2 & M3, 50 MHZ, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.40	-5	-19.40
				24.745	-28.31	-13	-15.31
M2				24.75	-18.43	-5	-13.43
				24.745	-27.65	-13	-14.65
M3				24.75	-18.46	-5	-13.46
				24.745	-27.53	-13	-14.53
<hr/>							
M1	50	L	32/0	24.75	-28.08	-5	-23.08
				24.745	-28.46	-13	-15.46
M2				24.75	-23.19	-5	-18.19
				24.745	-22.76	-13	-9.76
M3				24.75	-18.37	-5	-13.37
				24.745	-19.12	-13	-6.12
<hr/>							
M1	50	H	1/31	25.25	-23.33	-5	-18.33
				25.255	-28.43	-13	-15.43
M2				25.25	-17.88	-5	-12.88
				25.255	-27.30	-13	-14.30
M3				25.25	-18.02	-5	-13.02
				25.255	-27.19	-13	-14.19
<hr/>							
M1	50	H	32/0	25.25	-26.64	-5	-21.64
				25.255	-27.46	-13	-14.46
M2				25.25	-22.85	-5	-17.85
				25.255	-26.54	-13	-13.54
M3				25.25	-22.70	-5	-17.70
				25.255	-25.87	-13	-12.87

ANT M2, 100 MHz, MIMO, 1CC, QPSK



ANT M2, 100 MHz, MIMO, 1CC, QPSK





ANT M1, M2 & M3, 100 MHz, MIMO, 1CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-22.62	-5	-17.62
				24.74	-29.15	-13	-16.15
M2				24.75	-19.63	-5	-14.63
				24.74	-29.01	-13	-16.01
M3				24.75	-18.57	-5	-13.57
				24.74	-28.42	-13	-15.42
M1	100	L	66/0	24.75	-26.20	-5	-21.20
				24.74	-27.39	-13	-14.39
M2				24.75	-20.55	-5	-15.55
				24.74	-22.77	-13	-9.77
M3				24.75	-23.71	-5	-18.71
				24.74	-23.30	-13	-10.30
M1	100	H	1/65	25.25	-24.32	-5	-19.32
				25.26	-28.11	-13	-15.11
M2				25.25	-17.98	-5	-12.98
				25.26	-28.28	-13	-15.28
M3				25.25	-21.61	-5	-16.61
				25.26	-29.13	-13	-16.13
M1	100	H	66/0	25.25	-26.13	-5	-21.13
				25.26	-26.41	-13	-13.41
M2				25.25	-24.26	-5	-19.26
				25.26	-26.50	-13	-13.50
M3				25.25	-20.69	-5	-15.69
				25.26	-20.22	-13	-7.22

8.3.14. BAND EDGE n258 SB2 MIMO 2CC

ANT M2, 50 MHz, MIMO, 2CC, QPSK





ANT M2, 50 MHz, MIMO, 2CC, QPSK





ANT M1, M2 & M3, 50 MHz, MIMO, 2CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	50	L	1/0	24.75	-27.44	-5	-22.44
				24.745	-28.92	-13	-15.92
M2				24.75	-22.42	-5	-17.42
				24.745	-29.12	-13	-16.12
M3				24.75	-21.01	-5	-16.01
				24.745	-28.76	-13	-15.76
M1	50	L	32/0	24.75	-28.37	-5	-23.37
				24.745	-28.61	-13	-15.61
M2				24.75	-27.74	-5	-22.74
				24.745	-28.50	-13	-15.50
M3				24.75	-25.70	-5	-20.70
				24.745	-25.64	-13	-12.64
M1	50	H	1/31	25.25	-26.67	-5	-21.67
				25.255	-28.54	-13	-15.54
M2				25.25	-22.99	-5	-17.99
				25.255	-28.24	-13	-15.24
M3				25.25	-24.45	-5	-19.45
				25.255	-28.70	-13	-15.70
M1	50	H	32/0	25.25	-28.21	-5	-23.21
				25.255	-29.10	-13	-16.10
M2				25.25	-27.40	-5	-22.40
				25.255	-28.20	-13	-15.20
M3				25.25	-26.36	-5	-21.36
				25.255	-26.84	-13	-13.84

ANT M2, 100 MHz, MIMO, 2CC, QPSK



ANT M2, 100 MHz, MIMO, 2CC, QPSK




ANT M1, M2 & M3, 100 MHz, MIMO, 2CC, QPSK



Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	100	L	1/0	24.75	-28.41	-5	-23.41
				24.74	-29.39	-13	-16.39
M2				24.75	-23.83	-5	-18.83
				24.74	-29.63	-13	-16.63
M3				24.75	-23.04	-5	-18.04
				24.74	-28.38	-13	-15.38
M1	100	L	66/0	24.75	-28.12	-5	-23.12
				24.74	-29.00	-13	-16.00
M2				24.75	-26.18	-5	-21.18
				24.74	-26.29	-13	-13.29
M3				24.75	-27.20	-5	-22.20
				24.74	-28.22	-13	-15.22
M1	100	H	1/65	25.25	-27.59	-5	-22.59
				25.26	-29.34	-13	-16.34
M2				25.25	-23.07	-5	-18.07
				25.26	-28.60	-13	-15.60
M3				25.25	-24.92	-5	-19.92
				25.26	-29.32	-13	-16.32
M1	100	H	66/0	25.25	-28.10	-5	-23.10
				25.26	-28.59	-13	-15.59
M2				25.25	-27.82	-5	-22.82
				25.26	-28.62	-13	-15.62
M3				25.25	-26.48	-5	-21.48
				25.26	-27.52	-13	-14.52

8.3.15. BAND EDGE n258 SB2 MIMO 3CC

ANT M2, 50 MHz, MIMO, 3CC, QPSK





ANT M2, 50 MHz, MIMO, 3CC, QPSK





ANT M1, M2 & M3, 50 MHz, MIMO, 3CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	50	L	1/0	24.75	-26.97	-5	-21.97
				24.745	-29.07	-13	-16.07
M2				24.75	-24.72	-5	-19.72
				24.745	-28.85	-13	-15.85
M3				24.75	-25.36	-5	-20.36
				24.745	-29.49	-13	-16.49
M1	50	L	32/0	24.75	-28.85	-5	-23.85
				24.745	-28.73	-13	-15.73
M2				24.75	-27.95	-5	-22.95
				24.745	-28.06	-13	-15.06
M3				24.75	-26.33	-5	-21.33
				24.745	-27.22	-13	-14.22
M1	50	H	1/31	25.25	-26.50	-5	-21.50
				25.255	-28.40	-13	-15.40
M2				25.25	-25.03	-5	-20.03
				25.255	-28.98	-13	-15.98
M3				25.25	-24.24	-5	-19.24
				25.255	-28.65	-13	-15.65
M1	50	H	32/0	25.25	-28.13	-5	-23.13
				25.255	-28.74	-13	-15.74
M2				25.25	-26.59	-5	-21.59
				25.255	-27.48	-13	-14.48
M3				25.25	-26.65	-5	-21.65
				25.255	-28.29	-13	-15.29

ANT M2, 100 MHz, MIMO, 3CC, QPSK



ANT M2, 100 MHz, MIMO, 3CC, QPSK




ANT M1, M2 & M3, 100 MHz, MIMO, 3CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-28.37	-5	-23.37
				24.74	-29.06	-13	-16.06
M2				24.75	-24.35	-5	-19.35
				24.74	-29.64	-13	-16.64
M3				24.75	-23.04	-5	-18.04
				24.74	-29.59	-13	-16.59
M1	100	L	66/0	24.75	-28.94	-5	-23.94
				24.74	-28.74	-13	-15.74
M2				24.75	-28.11	-5	-23.11
				24.74	-27.03	-13	-14.03
M3				24.75	-27.58	-5	-22.58
				24.74	-27.63	-13	-14.63
M1	100	H	1/65	25.25	-28.76	-5	-23.76
				25.26	-28.22	-13	-15.22
M2				25.25	-24.83	-5	-19.83
				25.26	-28.97	-13	-15.97
M3				25.25	-25.55	-5	-20.55
				25.26	-28.61	-13	-15.61
M1	100	H	66/0	25.25	-28.82	-5	-23.82
				25.26	-29.05	-13	-16.05
M2				25.25	-26.83	-5	-21.83
				25.26	-28.89	-13	-15.89
M3				25.25	-26.90	-5	-21.90
				25.26	-27.49	-13	-14.49

8.3.16. BAND EDGE n258 SB2 MIMO 4CC

ANT M2, 50 MHz, MIMO, 4CC, QPSK





ANT M2, 50 MHz, MIMO, 4CC, QPSK





ANT M1, M2 & M3, 50 MHz, MIMO, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-26.82	-5	-21.82
				24.745	-29.04	-13	-16.04
M2				24.75	-24.68	-5	-19.68
				24.745	-28.82	-13	-15.82
M3				24.75	-25.38	-5	-20.38
				24.745	-28.69	-13	-15.69
<hr/>							
M1	50	L	32/0	24.75	-28.52	-5	-23.52
				24.745	-28.89	-13	-15.89
M2				24.75	-27.51	-5	-22.51
				24.745	-27.23	-13	-14.23
M3				24.75	-27.69	-5	-22.69
				24.745	-27.57	-13	-14.57
<hr/>							
M1	50	H	1/31	25.25	-27.03	-5	-22.03
				25.255	-28.75	-13	-15.75
M2				25.25	-23.91	-5	-18.91
				25.255	-29.40	-13	-16.40
M3				25.25	-25.48	-5	-20.48
				25.255	-28.03	-13	-15.03
<hr/>							
M1	50	H	32/0	25.25	-28.84	-5	-23.84
				25.255	-28.97	-13	-15.97
M2				25.25	-27.85	-5	-22.85
				25.255	-28.91	-13	-15.91
M3				25.25	-26.68	-5	-21.68
				25.255	-27.06	-13	-14.06

ANT M2, 100 MHz, MIMO, 4CC, QPSK



ANT M2, 100 MHz, MIMO, 4CC, QPSK





ANT M1, M2 & M3, 100 MHz, MIMO, 4CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-27.99	-5	-22.99
				24.74	-29.56	-13	-16.56
M2				24.75	-25.19	-5	-20.19
				24.74	-29.32	-13	-16.32
M3				24.75	-25.57	-5	-20.57
				24.74	-29.45	-13	-16.45
M1	100	L	66/0	24.75	-28.80	-5	-23.80
				24.74	-27.85	-13	-14.85
M2				24.75	-28.25	-5	-23.25
				24.74	-27.62	-13	-14.62
M3				24.75	-28.75	-5	-23.75
				24.74	-28.36	-13	-15.36
M1	100	H	1/65	25.25	-28.62	-5	-23.62
				25.26	-28.87	-13	-15.87
M2				25.25	-25.21	-5	-20.21
				25.26	-28.93	-13	-15.93
M3				25.25	-25.91	-5	-20.91
				25.26	-29.22	-13	-16.22
M1	100	H	66/0	25.25	-28.62	-5	-23.62
				25.26	-28.29	-13	-15.29
M2				25.25	-27.01	-5	-22.01
				25.26	-27.14	-13	-14.14
M3				25.25	-27.10	-5	-22.10
				25.26	-27.30	-13	-14.30

8.3.17. BAND EDGE n261 SISO-DUAL 1CC

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-23.03	-5	-18.03
				27.495	-27.27	-13	-14.27
M2				27.5	-14.93	-5	-9.93
				27.495	-25.43	-13	-12.43
M3				27.5	-17.17	-5	-12.17
				27.495	-23.45	-13	-10.45
M1	50	L	32/0	27.5	-26.96	-5	-21.96
				27.495	-27.66	-13	-14.66
M2				27.5	-19.60	-5	-14.60
				27.495	-21.12	-13	-8.12
M3				27.5	-18.15	-5	-13.15
				27.495	-17.68	-13	-4.68
M1	50	H	1/31	28.35	-21.55	-5	-16.55
				28.355	-27.49	-13	-14.49
M2				28.35	-13.20	-5	-8.20
				28.355	-24.27	-13	-11.27
M3				28.35	-14.34	-5	-9.34
				28.355	-22.69	-13	-9.69
M1	50	H	32/0	28.35	-25.13	-5	-20.13
				28.355	-26.62	-13	-13.62
M2				28.35	-19.64	-5	-14.64
				28.355	-22.84	-13	-9.84
M3				28.35	-20.95	-5	-15.95
				28.355	-21.64	-13	-8.64

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-16.61	-5	-11.61
				27.495	-27.17	-13	-14.17
M3				27.5	-18.05	-5	-13.05
				27.495	-23.51	-13	-10.51
M2	50	L	32/0	27.5	-22.78	-5	-17.78
				27.495	-25.21	-13	-12.21
M3				27.5	-20.19	-5	-15.19
				27.495	-21.70	-13	-8.70
M2	50	H	1/31	28.35	-14.21	-5	-9.21
				28.355	-24.08	-13	-11.08
M3				28.35	-15.83	-5	-10.83
				28.355	-23.09	-13	-10.09
M2	50	H	32/0	28.35	-20.57	-5	-15.57
				28.355	-25.03	-13	-12.03
M3				28.35	-19.14	-5	-14.14
				28.355	-23.07	-13	-10.07



ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	27.5	-18.92	-5	-13.92
				27.495	-27.59	-13	-14.59
M3				27.5	-16.43	-5	-11.43
				27.495	-24.20	-13	-11.20
M2	50	L	32/0	27.5	-24.24	-5	-19.24
				27.495	-25.00	-13	-12.00
M3				27.5	-20.11	-5	-15.11
				27.495	-20.90	-13	-7.90
M2	50	H	1/31	28.35	-18.25	-5	-13.25
				28.355	-25.76	-13	-12.76
M3				28.35	-16.04	-5	-11.04
				28.355	-23.65	-13	-10.65
M2	50	H	32/0	28.35	-22.61	-5	-17.61
				28.355	-24.48	-13	-11.48
M3				28.35	-21.66	-5	-16.66
				28.355	-23.14	-13	-10.14



ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	27.5	-16.80	-5	-11.80
				27.495	-26.69	-13	-13.69
M3				27.5	-19.50	-5	-14.50
				27.495	-24.31	-13	-11.31
M2	50	L	32/0	27.5	-24.96	-5	-19.96
				27.495	-27.33	-13	-14.33
M3				27.5	-22.67	-5	-17.67
				27.495	-23.70	-13	-10.70
M2	50	H	1/31	28.35	-18.57	-5	-13.57
				28.355	-26.32	-13	-13.32
M3				28.35	-19.09	-5	-14.09
				28.355	-23.97	-13	-10.97
M2	50	H	32/0	28.35	-24.09	-5	-19.09
				28.355	-27.26	-13	-14.26
M3				28.35	-23.60	-5	-18.60
				28.355	-23.75	-13	-10.75

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK



ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-23.46	-5	-18.46
				27.49	-28.04	-13	-15.04
M2				27.5	-16.60	-5	-11.60
				27.49	-27.86	-13	-14.86
M3				27.5	-16.14	-5	-11.14
				27.49	-24.68	-13	-11.68
M1	100	L	64/0	27.5	-27.66	-5	-22.66
				27.49	-28.60	-13	-15.60
M2				27.5	-24.70	-5	-19.70
				27.49	-26.43	-13	-13.43
M3				27.5	-20.53	-5	-15.53
				27.49	-21.08	-13	-8.08
M1	100	H	1/65	28.35	-22.41	-5	-17.41
				28.36	-27.83	-13	-14.83
M2				28.35	-16.66	-5	-11.66
				28.36	-26.71	-13	-13.71
M3				28.35	-15.29	-5	-10.29
				28.36	-24.42	-13	-11.42
M1	100	H	64/2	28.35	-26.18	-5	-21.18
				28.36	-26.69	-13	-13.69
M2				28.35	-23.32	-5	-18.32
				28.36	-22.41	-13	-9.41
M3				28.35	-18.44	-5	-13.44
				28.36	-22.45	-13	-9.45

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-24.70	-5	-19.70
				27.49	-27.21	-13	-14.21
M3				27.5	-22.26	-5	-17.26
				27.49	-21.86	-13	-8.86
M2	100	H	64/2	28.35	-19.10	-5	-14.10
				28.36	-25.54	-13	-12.54
M3				28.35	-19.02	-5	-14.02
				28.36	-20.03	-13	-7.03

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM


Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-26.03	-5	-21.03
				27.49	-26.80	-13	-13.80
M3				27.5	-21.50	-5	-16.50
				27.49	-21.84	-13	-8.84
M2	100	H	64/2	28.35	-20.99	-5	-15.99
				28.36	-23.18	-13	-10.18
M3				28.35	-20.73	-5	-15.73
				28.36	-23.63	-13	-10.63

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-26.62	-5	-21.62
				27.49	-28.39	-13	-15.39
M3				27.5	-23.79	-5	-18.79
				27.49	-24.41	-13	-11.41
M2	100	H	64/2	28.35	-25.46	-5	-20.46
				28.36	-26.10	-13	-13.10
M3				28.35	-24.16	-5	-19.16
				28.36	-23.31	-13	-10.31

8.3.18. BAND EDGE n261 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-25.17	-5	-20.17
				27.495	-28.20	-13	-15.20
M2				27.5	-20.65	-5	-15.65
				27.495	-28.25	-13	-15.25
M3				27.5	-21.40	-5	-16.40
				27.495	-24.74	-13	-11.74
M1	50	L	32/0	27.5	-27.84	-5	-22.84
				27.495	-28.40	-13	-15.40
M2				27.5	-26.06	-5	-21.06
				27.495	-27.58	-13	-14.58
M3				27.5	-22.48	-5	-17.48
				27.495	-22.49	-13	-9.49
M1	50	H	1/31	28.35	-25.73	-5	-20.73
				28.355	-27.76	-13	-14.76
M2				28.35	-20.85	-5	-15.85
				28.355	-26.80	-13	-13.80
M3				28.35	-20.21	-5	-15.21
				28.355	-24.75	-13	-11.75
M1	50	H	32/0	28.35	-27.28	-5	-22.28
				28.355	-27.71	-13	-14.71
M2				28.35	-25.41	-5	-20.41
				28.355	-25.52	-13	-12.52
M3				28.35	-22.04	-5	-17.04
				28.355	-23.03	-13	-10.03

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-21.27	-5	-16.27
				27.495	-28.46	-13	-15.46
M3				27.5	-18.22	-5	-13.22
				27.495	-24.67	-13	-11.67
M2	50	H	1/31	28.35	-24.48	-5	-19.48
				28.355	-28.38	-13	-15.38
M3				28.35	-19.91	-5	-14.91
				28.355	-24.49	-13	-11.49



ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-21.22	-5	-16.22
				27.495	-27.49	-13	-14.49
M3				27.5	-20.09	-5	-15.09
				27.495	-24.03	-13	-11.03
M2	50	H	1/31	28.35	-25.83	-5	-20.83
				28.355	-27.93	-13	-14.93
M3				28.35	-20.53	-5	-15.53
				28.355	-24.40	-13	-11.40



ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-25.58	-5	-20.58
				27.495	-28.68	-13	-15.68
M3				27.5	-21.92	-5	-16.92
				27.495	-24.48	-13	-11.48
M2	50	H	1/31	28.35	-24.50	-5	-19.50
				28.355	-28.24	-13	-15.24
M3				28.35	-22.12	-5	-17.12
				28.355	-24.79	-13	-11.79

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK




ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 2CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.55	-5	-21.55
				27.49	-28.40	-13	-15.40
M2				27.5	-21.58	-5	-16.58
				27.49	-28.52	-13	-15.52
M3				27.5	-22.22	-5	-17.22
				27.49	-24.83	-13	-11.83
M1	100	L	64/0	27.5	-28.21	-5	-23.21
				27.49	-28.11	-13	-15.11
M2				27.5	-26.74	-5	-21.74
				27.49	-28.52	-13	-15.52
M3				27.5	-23.09	-5	-18.09
				27.49	-23.58	-13	-10.58
M1	100	H	1/65	28.35	-27.51	-5	-22.51
				28.36	-28.22	-13	-15.22
M2				28.35	-22.76	-5	-17.76
				28.36	-28.38	-13	-15.38
M3				28.35	-21.17	-5	-16.17
				28.36	-25.09	-13	-12.09
M1	100	H	64/2	28.35	-28.01	-5	-23.01
				28.36	-27.49	-13	-14.49
M2				28.35	-24.62	-5	-19.62
				28.36	-24.75	-13	-11.75
M3				28.35	-22.65	-5	-17.65
				28.36	-24.04	-13	-11.04

8.3.19. BAND EDGE n261 SISO-DUAL 3CC

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-26.01	-5	-21.01
				27.495	-28.04	-13	-15.04
M2				27.5	-23.06	-5	-18.06
				27.495	-28.17	-13	-15.17
M3				27.5	-20.18	-5	-15.18
				27.495	-24.61	-13	-11.61
M1	50	L	32/0	27.5	-28.33	-5	-23.33
				27.495	-27.82	-13	-14.82
M2				27.5	-26.07	-5	-21.07
				27.495	-25.93	-13	-12.93
M3				27.5	-22.40	-5	-17.40
				27.495	-22.47	-13	-9.47
M1	50	H	1/31	28.35	-25.91	-5	-20.91
				28.355	-28.27	-13	-15.27
M2				28.35	-22.73	-5	-17.73
				28.355	-27.63	-13	-14.63
M3				28.35	-20.77	-5	-15.77
				28.355	-24.81	-13	-11.81
M1	50	H	32/0	28.35	-27.30	-5	-22.30
				28.355	-27.83	-13	-14.83
M2				28.35	-25.10	-5	-20.10
				28.355	-27.03	-13	-14.03
M3				28.35	-23.89	-5	-18.89
				28.355	-24.06	-13	-11.06

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-23.74	-5	-18.74
				27.495	-28.60	-13	-15.60
M3				27.5	-21.11	-5	-16.11
				27.495	-24.58	-13	-11.58
M2	50	H	1/31	28.35	-23.16	-5	-18.16
				28.355	-27.60	-13	-14.60
M3				28.35	-21.78	-5	-16.78
				28.355	-24.82	-13	-11.82



ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-24.25	-5	-19.25
				27.495	-28.74	-13	-15.74
M3				27.5	-23.35	-5	-18.35
				27.495	-24.72	-13	-11.72
M2	50	H	1/31	28.35	-22.92	-5	-17.92
				28.355	-27.76	-13	-14.76
M3				28.35	-21.93	-5	-16.93
				28.355	-24.10	-13	-11.10



ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-23.29	-5	-18.29
				27.495	-28.71	-13	-15.71
M3				27.5	-20.95	-5	-15.95
				27.495	-24.56	-13	-11.56
M2	50	H	1/31	28.35	-23.70	-5	-18.70
				28.355	-27.75	-13	-14.75
M3				28.35	-21.99	-5	-16.99
				28.355	-24.50	-13	-11.50

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK





ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 3CC, QPSK



Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	100	L	1/0	27.5	-26.55	-5	-21.55
				27.49	-27.57	-13	-14.57
M2				27.5	-23.58	-5	-18.58
				27.49	-28.39	-13	-15.39
M3				27.5	-22.23	-5	-17.23
				27.49	-25.28	-13	-12.28
M1	100	L	64/0	27.5	-28.16	-5	-23.16
				27.49	-28.36	-13	-15.36
M2				27.5	-26.30	-5	-21.30
				27.49	-28.73	-13	-15.73
M3				27.5	-22.99	-5	-17.99
				27.49	-23.96	-13	-10.96
M1	100	H	1/65	28.35	-26.53	-5	-21.53
				28.36	-28.21	-13	-15.21
M2				28.35	-23.21	-5	-18.21
				28.36	-28.06	-13	-15.06
M3				28.35	-23.12	-5	-18.12
				28.36	-24.38	-13	-11.38
M1	100	H	64/2	28.35	-27.96	-5	-22.96
				28.36	-28.13	-13	-15.13
M2				28.35	-25.66	-5	-20.66
				28.36	-24.23	-13	-11.23
M3				28.35	-23.13	-5	-18.13
				28.36	-23.11	-13	-10.11

8.3.20. BAND EDGE n261 SISO-DUAL 4CC

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-26.63	-5	-21.63
				27.495	-28.28	-13	-15.28
M2				27.5	-23.50	-5	-18.50
				27.495	-28.32	-13	-15.32
M3				27.5	-21.45	-5	-16.45
				27.495	-25.03	-13	-12.03
M1	50	L	32/0	27.5	-28.14	-5	-23.14
				27.495	-28.20	-13	-15.20
M2				27.5	-25.40	-5	-20.40
				27.495	-25.47	-13	-12.47
M3				27.5	-22.60	-5	-17.60
				27.495	-23.14	-13	-10.14
M1	50	H	1/31	28.35	-26.12	-5	-21.12
				28.355	-28.09	-13	-15.09
M2				28.35	-22.75	-5	-17.75
				28.355	-28.16	-13	-15.16
M3				28.35	-22.50	-5	-17.50
				28.355	-24.91	-13	-11.91
M1	50	H	32/0	28.35	-27.52	-5	-22.52
				28.355	-27.51	-13	-14.51
M2				28.35	-26.15	-5	-21.15
				28.355	-27.04	-13	-14.04
M3				28.35	-23.93	-5	-18.93
				28.355	-24.37	-13	-11.37

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-24.66	-5	-19.66
				27.495	-28.97	-13	-15.97
M3				27.5	-23.27	-5	-18.27
				27.495	-25.09	-13	-12.09
M2	50	H	1/31	28.35	-23.76	-5	-18.76
				28.355	-27.72	-13	-14.72
M3				28.35	-23.53	-5	-18.53
				28.355	-24.76	-13	-11.76


ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.97	-5	-17.97
				27.495	-28.10	-13	-15.10
M3				27.5	-22.69	-5	-17.69
				27.495	-24.73	-13	-11.73
M2	50	H	1/31	28.35	-24.42	-5	-19.42
				28.355	-28.06	-13	-15.06
M3				28.35	-20.96	-5	-15.96
				28.355	-24.86	-13	-11.86


ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-25.54	-5	-20.54
				27.495	-28.16	-13	-15.16
M3				27.5	-22.15	-5	-17.15
				27.495	-24.94	-13	-11.94
M2	50	H	1/31	28.35	-25.03	-5	-20.03
				28.355	-28.24	-13	-15.24
M3				28.35	-24.50	-5	-19.50
				28.355	-24.88	-13	-11.88

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK



ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK





ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 4CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.54	-5	-21.54
				27.49	-28.50	-13	-15.50
M2				27.5	-24.04	-5	-19.04
				27.49	-28.46	-13	-15.46
M3				27.5	-21.08	-5	-16.08
				27.49	-24.93	-13	-11.93
<hr/>							
M1	100	L	64/0	27.5	-28.40	-5	-23.40
				27.49	-27.78	-13	-14.78
M2				27.5	-26.55	-5	-21.55
				27.49	-26.46	-13	-13.46
M3				27.5	-23.27	-5	-18.27
				27.49	-23.95	-13	-10.95
<hr/>							
M1	100	H	1/65	28.35	-26.13	-5	-21.13
				28.36	-28.31	-13	-15.31
M2				28.35	-23.88	-5	-18.88
				28.36	-28.30	-13	-15.30
M3				28.35	-21.57	-5	-16.57
				28.36	-25.06	-13	-12.06
<hr/>							
M1	100	H	64/2	28.35	-28.54	-5	-23.54
				28.36	-27.64	-13	-14.64
M2				28.35	-26.13	-5	-21.13
				28.36	-24.21	-13	-11.21
M3				28.35	-23.33	-5	-18.33
				28.36	-22.33	-13	-9.33

8.3.21. BAND EDGE n261 MIMO 1CC

ANT M2, 50 MHz, MIMO, 1CC, QPSK





ANT M2, 50 MHz, MIMO, 1CC, QPSK





ANT M1, M2 & M3, 50 MHZ, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-22.81	-5	-17.81
				27.495	-27.67	-13	-14.67
M2				27.5	-17.76	-5	-12.76
				27.495	-25.75	-13	-12.75
M3				27.5	-18.05	-5	-13.05
				27.495	-24.74	-13	-11.74
M1	50	L	32/0	27.5	-26.92	-5	-21.92
				27.495	-27.85	-13	-14.85
M2				27.5	-20.08	-5	-15.08
				27.495	-21.26	-13	-8.26
M3				27.5	-20.69	-5	-15.69
				27.495	-20.36	-13	-7.36
M1	50	H	1/31	28.35	-22.97	-5	-17.97
				28.355	-27.31	-13	-14.31
M2				28.35	-16.83	-5	-11.83
				28.355	-25.22	-13	-12.22
M3				28.35	-15.55	-5	-10.55
				28.355	-23.16	-13	-10.16
M1	50	H	32/0	28.35	-26.69	-5	-21.69
				28.355	-27.74	-13	-14.74
M2				28.35	-18.08	-5	-13.08
				28.355	-21.33	-13	-8.33
M3				28.35	-20.62	-5	-15.62
				28.355	-21.21	-13	-8.21

ANT M2, 100 MHz, MIMO, 1CC, QPSK



ANT M2, 100 MHz, MIMO, 1CC, QPSK





ANT M1, M2 & M3, 100 MHz, MIMO, 1CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-24.00	-5	-19.00
				27.49	-28.55	-13	-15.55
M2				27.5	-20.68	-5	-15.68
				27.49	-27.86	-13	-14.86
M3				27.5	-19.93	-5	-14.93
				27.49	-24.81	-13	-11.81
<hr/>							
M1	100	L	66/0	27.5	-27.63	-5	-22.63
				27.49	-27.57	-13	-14.57
M2				27.5	-22.12	-5	-17.12
				27.49	-22.81	-13	-9.81
M3				27.5	-20.75	-5	-15.75
				27.49	-23.15	-13	-10.15
<hr/>							
M1	100	H	1/65	28.35	-24.86	-5	-19.86
				28.36	-27.84	-13	-14.84
M2				28.35	-16.58	-5	-11.58
				28.36	-25.09	-13	-12.09
M3				28.35	-18.78	-5	-13.78
				28.36	-24.21	-13	-11.21
<hr/>							
M1	100	H	66/0	28.35	-26.42	-5	-21.42
				28.36	-27.76	-13	-14.76
M2				28.35	-22.27	-5	-17.27
				28.36	-22.32	-13	-9.32
M3				28.35	-19.63	-5	-14.63
				28.36	-23.63	-13	-10.63

8.3.22. BAND EDGE n261 MIMO 2CC

ANT M2, 50 MHz, MIMO, 2CC, QPSK





ANT M2, 50 MHz, MIMO, 2CC, QPSK





ANT M1, M2 & M3, 50 MHz, MIMO, 2CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	50	L	1/0	27.5	-27.57	-5	-22.57
				27.495	-28.77	-13	-15.77
M2				27.5	-21.33	-5	-16.33
				27.495	-28.36	-13	-15.36
M3				27.5	-20.79	-5	-15.79
				27.495	-24.69	-13	-11.69
M1	50	L	32/0	27.5	-27.96	-5	-22.96
				27.495	-28.18	-13	-15.18
M2				27.5	-26.07	-5	-21.07
				27.495	-28.40	-13	-15.40
M3				27.5	-23.46	-5	-18.46
				27.495	-23.05	-13	-10.05
M1	50	H	1/31	28.35	-25.70	-5	-20.70
				28.355	-28.28	-13	-15.28
M2				28.35	-21.32	-5	-16.32
				28.355	-27.53	-13	-14.53
M3				28.35	-20.81	-5	-15.81
				28.355	-24.41	-13	-11.41
M1	50	H	32/0	28.35	-27.66	-5	-22.66
				28.355	-27.91	-13	-14.91
M2				28.35	-27.06	-5	-22.06
				28.355	-27.24	-13	-14.24
M3				28.35	-24.64	-5	-19.64
				28.355	-23.54	-13	-10.54

ANT M2, 100 MHz, MIMO, 2CC, QPSK



ANT M2, 100 MHz, MIMO, 2CC, QPSK





ANT M1, M2 & M3, 100 MHz, MIMO, 2CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.55	-5	-21.55
				27.49	-28.55	-13	-15.55
M2				27.5	-25.11	-5	-20.11
				27.49	-28.91	-13	-15.91
M3				27.5	-23.46	-5	-18.46
				27.49	-24.98	-13	-11.98
<hr/>							
M1	100	L	66/0	27.5	-28.00	-5	-23.00
				27.49	-28.55	-13	-15.55
M2				27.5	-26.82	-5	-21.82
				27.49	-27.80	-13	-14.80
M3				27.5	-24.34	-5	-19.34
				27.49	-24.66	-13	-11.66
<hr/>							
M1	100	H	1/65	28.35	-26.19	-5	-21.19
				28.36	-27.88	-13	-14.88
M2				28.35	-21.79	-5	-16.79
				28.36	-26.74	-13	-13.74
M3				28.35	-22.08	-5	-17.08
				28.36	-25.09	-13	-12.09
<hr/>							
M1	100	H	66/0	28.35	-27.75	-5	-22.75
				28.36	-27.79	-13	-14.79
M2				28.35	-24.31	-5	-19.31
				28.36	-24.41	-13	-11.41
M3				28.35	-23.08	-5	-18.08
				28.36	-24.35	-13	-11.35

8.3.23. BAND EDGE n261 MIMO 3CC

ANT M2, 50 MHz, MIMO, 3CC, QPSK





ANT M2, 50 MHz, MIMO, 3CC, QPSK





ANT M1, M2 & M3, 50 MHz, MIMO, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-26.23	-5	-21.23
				27.495	-28.41	-13	-15.41
M2				27.5	-22.70	-5	-17.70
				27.495	-27.97	-13	-14.97
M3				27.5	-21.61	-5	-16.61
				27.495	-24.57	-13	-11.57
<hr/>							
M1	50	L	32/0	27.5	-28.18	-5	-23.18
				27.495	-28.31	-13	-15.31
M2				27.5	-26.99	-5	-21.99
				27.495	-28.19	-13	-15.19
M3				27.5	-23.82	-5	-18.82
				27.495	-24.46	-13	-11.46
<hr/>							
M1	50	H	1/31	28.35	-26.09	-5	-21.09
				28.355	-27.55	-13	-14.55
M2				28.35	-23.54	-5	-18.54
				28.355	-27.77	-13	-14.77
M3				28.35	-20.19	-5	-15.19
				28.355	-24.74	-13	-11.74
<hr/>							
M1	50	H	32/0	28.35	-28.19	-5	-23.19
				28.355	-27.53	-13	-14.53
M2				28.35	-26.06	-5	-21.06
				28.355	-27.04	-13	-14.04
M3				28.35	-23.94	-5	-18.94
				28.355	-25.17	-13	-12.17

ANT M2, 100 MHz, MIMO, 3CC, QPSK



ANT M2, 100 MHz, MIMO, 3CC, QPSK





ANT M1, M2 & M3, 100 MHz, MIMO, 3CC, QPSK



Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	100	L	1/0	27.5	-26.28	-5	-21.28
				27.49	-29.07	-13	-16.07
M2				27.5	-24.40	-5	-19.40
				27.49	-28.79	-13	-15.79
M3				27.5	-22.53	-5	-17.53
				27.49	-24.99	-13	-11.99
M1	100	L	66/0	27.5	-28.01	-5	-23.01
				27.49	-28.10	-13	-15.10
M2				27.5	-26.94	-5	-21.94
				27.49	-28.33	-13	-15.33
M3				27.5	-24.03	-5	-19.03
				27.49	-24.52	-13	-11.52
M1	100	H	1/65	28.35	-27.66	-5	-22.66
				28.36	-28.43	-13	-15.43
M2				28.35	-23.57	-5	-18.57
				28.36	-26.47	-13	-13.47
M3				28.35	-22.79	-5	-17.79
				28.36	-24.64	-13	-11.64
M1	100	H	66/0	28.35	-28.11	-5	-23.11
				28.36	-28.17	-13	-15.17
M2				28.35	-24.41	-5	-19.41
				28.36	-25.70	-13	-12.70
M3				28.35	-23.69	-5	-18.69
				28.36	-24.41	-13	-11.41

8.3.24. BAND EDGE n261 MIMO 4CC

ANT M2, 50 MHz, MIMO, 4CC, QPSK





ANT M2, 50 MHz, MIMO, 4CC, QPSK




ANT M1, M2 & M3, 50 MHz, MIMO, 4CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	50	L	1/0	27.5	-27.85	-5	-22.85
				27.495	-28.17	-13	-15.17
M2				27.5	-23.50	-5	-18.50
				27.495	-28.26	-13	-15.26
M3				27.5	-21.85	-5	-16.85
				27.495	-24.40	-13	-11.40
M1	50	L	32/0	27.5	-27.66	-5	-22.66
				27.495	-28.98	-13	-15.98
M2				27.5	-26.75	-5	-21.75
				27.495	-27.52	-13	-14.52
M3				27.5	-24.22	-5	-19.22
				27.495	-24.51	-13	-11.51
M1	50	H	1/31	28.35	-26.30	-5	-21.30
				28.355	-28.18	-13	-15.18
M2				28.35	-25.14	-5	-20.14
				28.355	-28.28	-13	-15.28
M3				28.35	-21.03	-5	-16.03
				28.355	-24.72	-13	-11.72
M1	50	H	32/0	28.35	-28.15	-5	-23.15
				28.355	-28.50	-13	-15.50
M2				28.35	-26.64	-5	-21.64
				28.355	-27.57	-13	-14.57
M3				28.35	-24.41	-5	-19.41
				28.355	-24.69	-13	-11.69

ANT M2, 100 MHz, MIMO, 4CC, QPSK



ANT M2, 100 MHz, MIMO, 4CC, QPSK





ANT M1, M2 & M3, 100 MHz, MIMO, 4CC, QPSK



Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-27.08	-5	-22.08
				27.49	-28.55	-13	-15.55
M2				27.5	-24.64	-5	-19.64
				27.49	-28.63	-13	-15.63
M3				27.5	-23.29	-5	-18.29
				27.49	-24.98	-13	-11.98
<hr/>							
M1	100	L	66/0	27.5	-28.70	-5	-23.70
				27.49	-28.70	-13	-15.70
M2				27.5	-27.41	-5	-22.41
				27.49	-27.41	-13	-14.41
M3				27.5	-24.17	-5	-19.17
				27.49	-24.34	-13	-11.34
<hr/>							
M1	100	H	1/65	28.35	-26.84	-5	-21.84
				28.36	-28.24	-13	-15.24
M2				28.35	-23.39	-5	-18.39
				28.36	-26.41	-13	-13.41
M3				28.35	-23.37	-5	-18.37
				28.36	-24.82	-13	-11.82
<hr/>							
M1	100	H	66/0	28.35	-27.75	-5	-22.75
				28.36	-27.65	-13	-14.65
M2				28.35	-23.74	-5	-18.74
				28.36	-25.41	-13	-12.41
M3				28.35	-24.34	-5	-19.34
				28.36	-24.12	-13	-11.12

8.3.25. BAND EDGE n260 SISO-DUAL 1CC

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK



ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK



ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	37	-25.64	-5	-20.64
				36.995	-31.12	-13	-18.12
M2				37	-17.01	-5	-12.01
				36.995	-24.95	-13	-11.95
M3				37	-17.09	-5	-12.09
				36.995	-25.81	-13	-12.81
M1	50	L	32/0	37	-28.85	-5	-23.85
				36.995	-30.66	-13	-17.66
M2				37	-19.83	-5	-14.83
				36.995	-19.33	-13	-6.33
M3				37	-16.99	-5	-11.99
				36.995	-18.74	-13	-5.74
M1	50	H	1/31	40	-25.84	-5	-20.84
				40.005	-29.92	-13	-16.92
M2				40	-15.98	-5	-10.98
				40.005	-24.25	-13	-11.25
M3				40	-15.01	-5	-10.01
				40.005	-24.10	-13	-11.10
M1	50	H	32/0	40	-28.35	-5	-23.35
				40.005	-30.39	-13	-17.39
M2				40	-22.26	-5	-17.26
				40.005	-25.50	-13	-12.50
M3				40	-20.40	-5	-15.40
				40.005	-21.86	-13	-8.86

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	37	-16.11	-5	-11.11
				36.995	-25.23	-13	-12.23
M3				37	-14.68	-5	-9.68
				36.995	-25.46	-13	-12.46
M2	50	L	32/0	37	-21.07	-5	-16.07
				36.995	-24.34	-13	-11.34
M3				37	-21.36	-5	-16.36
				36.995	-22.72	-13	-9.72
M2	50	H	1/31	40	-18.25	-5	-13.25
				40.005	-24.98	-13	-11.98
M3				40	-16.33	-5	-11.33
				40.005	-24.88	-13	-11.88
M2	50	H	32/0	40	-23.25	-5	-18.25
				40.005	-24.29	-13	-11.29
M3				40	-23.19	-5	-18.19
				40.005	-25.21	-13	-12.21

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	37	-15.53	-5	-10.53
				36.995	-25.87	-13	-12.87
M3				37	-17.21	-5	-12.21
				36.995	-27.30	-13	-14.30
M2	50	L	32/0	37	-23.06	-5	-18.06
				36.995	-24.42	-13	-11.42
M3				37	-22.73	-5	-17.73
				36.995	-23.27	-13	-10.27
M2	50	H	1/31	40	-17.94	-5	-12.94
				40.005	-25.63	-13	-12.63
M3				40	-19.15	-5	-14.15
				40.005	-25.53	-13	-12.53
M2	50	H	32/0	40	-23.78	-5	-18.78
				40.005	-26.13	-13	-13.13
M3				40	-24.10	-5	-19.10
				40.005	-24.16	-13	-11.16

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M2	50	L	1/0	37	-16.88	-5	-11.88
				36.995	-27.44	-13	-14.44
M3				37	-17.75	-5	-12.75
				36.995	-27.68	-13	-14.68
M2	50	L	32/0	37	-26.80	-5	-21.80
				36.995	-28.69	-13	-15.69
M3				37	-26.75	-5	-21.75
				36.995	-28.86	-13	-15.86
M2	50	H	1/31	40	-19.21	-5	-14.21
				40.005	-25.64	-13	-12.64
M3				40	-21.66	-5	-16.66
				40.005	-26.59	-13	-13.59
M2	50	H	32/0	40	-25.27	-5	-20.27
				40.005	-26.78	-13	-13.78
M3				40	-25.92	-5	-20.92
				40.005	-26.32	-13	-13.32

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

