

9.3.3. LTE BAND 13


LIMITS

FCC: §27.53 (c), (f)

The minimum permissible attenuation level of any spurious emissions is 43 + 10 log (P) dB where transmitting power (P) in Watts. The band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

Note: Radiated data in section 9.1.6 confirms a compliance for the emissions in GPS 1559-1610 MHz band were wideband emissions therefore the -40dBm/MHz limit was used.

Note: Radiated data in section 9.1.6 confirms a compliance for the emissions in GPS 1559-1610 MHz band were wideband emissions therefore the -40dBm/MHz limit was used.



Note: Radiated data in section 9.1.6 confirms a compliance with narrowband limits for GPS1559-1610 MHz band.

9.3.4. LTE BAND 14 AND 5G NR n14

LIMITS


FCC: §90.543 (e), (f)

The minimum permissible attenuation level of any spurious emissions is 43 + 10 log (P) dB where transmitting power (P) in Watts. The band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

Note: Radiated data in section 9.1.7 confirms a compliance for the emissions in GPS 1559-1610 MHz band were wideband emissions therefore the -40dBm/MHz limit was used.







Note: Radiated data in section 9.1.7 confirms a compliance for the emissions in GPS 1559-1610 MHz band were wideband emissions therefore the -40dBm/MHz limit was used.

LTE BAND 14



Note: Radiated data in section 9.1.7 confirms a compliance with narrowband limits for GPS1559-1610 MHz band.

5G NR n14




9.3.5. LTE BAND 17


LIMITS

FCC: §27.53 (g)


The minimum permissible attenuation level of any spurious emissions is $43 + 10 \log (P)$ dB where transmitting power (P) in Watts.




LTE B17 5MHz QPSK Low Channel RB1-0




LTE B17 5MHz QPSK Middle Channel RB1-0




LTE B17 5MHz QPSK High Channel RB1-0



LTE B17 10MHz QPSK Low Channel RB1-0



LTE B17 10MHz QPSK Middle Channel RB1-0



LTE B17 10MHz QPSK High Channel RB1-0


9.3.6. LTE BAND 25 AND 5G NR n25

LIMITS


FCC: §24.238 (a)

The minimum permissible attenuation level of any spurious emissions is $43 + 10 \log (P)$ dB where transmitting power (P) in Watts.


LTE BAND 25




LTE B25 1.4MHz QPSK Low Channel RB1-0




LTE B25 1.4MHz QPSK Middle Channel RB1-0




LTE B25 1.4MHz QPSK High Channel RB1-0




LTE B25 3MHz QPSK Low Channel RB1-0




LTE B25 3MHz QPSK Middle Channel RB1-0




LTE B25 3MHz QPSK High Channel RB1-0




LTE B25 5MHz QPSK Low Channel RB1-0




LTE B25 5MHz QPSK Middle Channel RB1-0




LTE B25 5MHz QPSK High Channel RB1-0




LTE B25 10MHz QPSK Low Channel RB1-0




LTE B25 10MHz QPSK Middle Channel RB1-0




LTE B25 10MHz QPSK High Channel RB1-0




LTE B25 15MHz QPSK Low Channel RB1-0




LTE B25 15MHz QPSK Middle Channel RB1-0




LTE B25 15MHz QPSK High Channel RB1-0



LTE B25 20MHz QPSK Low Channel RB1-0















LTE B25 20MHz QPSK Middle Channel RB1-0












LTE B25 20MHz QPSK High Channel RB1-0

5G NR n25










9.3.7. LTE BAND 26 AND 5G NR n26 (PART 90S)

LIMITS


FCC: §90.691

The minimum permissible attenuation level of any spurious emissions is 43 + 10 log (P) dB where transmitting power (P) in Watts.


LTE BAND 26




LTE B26 1.4MHz QPSK Low Channel RB1-0




LTE B26 1.4MHz QPSK Middle Channel RB1-0




LTE B26 1.4MHz QPSK High Channel RB1-0




LTE B26 3MHz QPSK Low Channel RB1-0




LTE B26 3MHz QPSK Middle Channel RB1-0




LTE B26 3MHz QPSK High Channel RB1-0




LTE B26 5MHz QPSK Low Channel RB1-0



LTE B26 5MHz QPSK Middle Channel RB1-0




LTE B26 5MHz QPSK High Channel RB1-0



LTE B26 10MHz QPSK Middle Channel RB1-0

5G NR n26




9.3.8. LTE BAND 26 AND 5G NR n26 (PART 22)

LIMITS


FCC: §22.917 (a)

The minimum permissible attenuation level of any spurious emissions is $43 + 10 \log(P)$ dB where transmitting power (P) in Watts.


LTE BAND 26




LTE B26 1.4MHz QPSK Low Channel RB1-0




LTE B26 1.4MHz QPSK Middle Channel RB1-0




LTE B26 1.4MHz QPSK High Channel RB1-0




LTE B26 3MHz QPSK Low Channel RB1-0




LTE B26 3MHz QPSK Middle Channel RB1-0




LTE B26 3MHz QPSK High Channel RB1-0




LTE B26 5MHz QPSK Low Channel RB1-0





LTE B26 5MHz QPSK Middle Channel RB1-0




LTE B26 5MHz QPSK High Channel RB1-0




LTE B26 10MHz QPSK Low Channel RB1-0




5G NR n26




5G NR n26 5MHz BPSK Low Channel RB1-0




5G NR n26 5MHz BPSK Middle Channel RB1-1




5G NR n26 5MHz BPSK High Channel RB1-24



5G NR n26 10MHz BPSK Low Channel RB1-0



5G NR n26 10MHz BPSK Middle Channel RB1-1



5G NR n26 10MHz BPSK High Channel RB1-51