




5G NR n41 60MHz BPSK Low Channel RB1-0, ID:19210




5G NR n41 60MHz BPSK Middle Channel RB1-0, ID:19210




5G NR n41 60MHz BPSK Low Channel RB1-161, ID:19210




5G NR n41 60MHz BPSK Middle Channel RB1-161, ID:19210




5G NR n41 60MHz BPSK Low Channel RB162-0




5G NR n41 60MHz BPSK Middle Channel RB162-0




5G NR n41 60MHz BPSK High Channel RB1-0, ID:19210




5G NR n41 70MHz BPSK Low Channel RB1-0, ID:19210




5G NR n41 60MHz BPSK High Channel RB1-161, ID:19210




5G NR n41 70MHz BPSK Low Channel RB1-188, ID:19210




5G NR n41 60MHz BPSK High Channel RB162-0




5G NR n41 70MHz BPSK Low Channel RB180-0




5G NR n41 70MHz BPSK Middle Channel RB1-0, ID:19210




5G NR n41 70MHz BPSK High Channel RB1-0, ID:19210




5G NR n41 70MHz BPSK Middle Channel RB1-188, ID:19210




5G NR n41 70MHz BPSK High Channel RB1-188, ID:19210




5G NR n41 70MHz BPSK Middle Channel RB180-0




5G NR n41 70MHz BPSK High Channel RB180-0




5G NR n41 80MHz BPSK Low Channel RB1-0, ID:19210




5G NR n41 80MHz BPSK Middle Channel RB1-0, ID:19210




5G NR n41 80MHz BPSK Low Channel RB1-216, ID:19210




5G NR n41 80MHz BPSK Middle Channel RB1-216, ID:19210




5G NR n41 80MHz BPSK Low Channel RB216-0




5G NR n41 80MHz BPSK Middle Channel RB216-0




5G NR n41 80MHz BPSK High Channel RB1-0, ID:19210




5G NR n41 90MHz BPSK Low Channel RB1-0, ID:19210




5G NR n41 80MHz BPSK High Channel RB1-216, ID:19210




5G NR n41 90MHz BPSK Low Channel RB1-244, ID:19210




5G NR n41 80MHz BPSK High Channel RB216-0




5G NR n41 90MHz BPSK Low Channel RB243-0




5G NR n41 90MHz BPSK Middle Channel RB1-0, ID:19210




5G NR n41 90MHz BPSK High Channel RB1-0, ID:19210




5G NR n41 90MHz BPSK Middle Channel RB1-244, ID:19210




5G NR n41 90MHz BPSK High Channel RB1-244, ID:19210




5G NR n41 90MHz BPSK Middle Channel RB243-0




5G NR n41 90MHz BPSK High Channel RB243-0




5G NR n41 100MHz BPSK Low Channel RB1-0, ID:19210




5G NR n41 100MHz BPSK Middle Channel RB1-0, ID:19210




5G NR n41 100MHz BPSK Low Channel RB1-272, ID:19210




5G NR n41 100MHz BPSK Middle Channel RB1-272, ID:19210




5G NR n41 100MHz BPSK Low Channel RB270-0




5G NR n41 100MHz BPSK Middle Channel RB270-0




5G NR n41 100MHz BPSK High Channel RB1-0, ID:19210



5G NR n41 100MHz BPSK High Channel RB1-272, ID:19210



5G NR n41 100MHz BPSK High Channel RB270-0





## 9.2.11. LTE BAND 48 AND 5G NR n48

### LIMITS

FCC: §96.41

(e) 3.5 GHz Emissions and Interference Limits—

(1) General protection levels

(ii) Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed  $-13$  dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed  $-25$  dBm/MHz. Notwithstanding the emission limits in this paragraph, the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB.

(2) Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed  $-25$  dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed  $-40$  dBm/MHz.