9.7.3. 802.11be EHT80 MODE IN THE UNII-5 BAND

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61



LOW CHANNEL 5985



MID CHANNEL 6145

HIGH CHANNEL 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 62

MID CHANNEL 6145

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 64



LOW CHANNEL 5985



MID CHANNEL 6145



HIGH CHANNEL 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – SU MODE



LOW CHANNEL 5985

MID CHANNEL 6145



HIGH CHANNEL 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61



LOW CHANNEL 5985



MID CHANNEL 6145



HIGH CHANNEL 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 62



MID CHANNEL 6145

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 64



LOW CHANNEL 5985



MID CHANNEL 6145



HIGH CHANNEL 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – SU MODE



LOW CHANNEL 5985



MID CHANNEL 6145



HIGH CHANNEL 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 61



LOW CHANNEL ANT 6 5985



LOW CHANNEL ANT 5 5985



MID CHANNEL ANT 6 6145



MID CHANNEL ANT 5 6145



HIGH CHANNEL ANT 6 6385



HIGH CHANNEL ANT 5 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 62

MID CHANNEL ANT 6 6145



MID CHANNEL ANT 5 6145

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 64



LOW CHANNEL ANT 6 5985

LOW CHANNEL ANT 5 5985



MID CHANNEL ANT 6 6145



MID CHANNEL ANT 5 6145



HIGH CHANNEL ANT 6 6385



HIGH CHANNEL ANT 5 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – SU Mode



LOW CHANNEL ANT 6 5985



LOW CHANNEL ANT 5 5985

MID CHANNEL ANT 6 6145

MID CHANNEL ANT 5 6145



HIGH CHANNEL ANT 6 6385



HIGH CHANNEL ANT 5 6385

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

9.7.4. 802.11be EHT160 MODE IN THE UNII-5 BAND

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61



LOW CHANNEL 6025



MID CHANNEL 6185



HIGH CHANNEL 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 64



MID CHANNEL 6185

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index S64



LOW CHANNEL 6025



MID CHANNEL 6185

HIGH CHANNEL 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – SU MODE



LOW CHANNEL 6025



MID CHANNEL 6185



HIGH CHANNEL 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61



LOW CHANNEL 6025

MID CHANNEL 6185



HIGH CHANNEL 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 62



MID CHANNEL 6185

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index S64



LOW CHANNEL 6025



MID CHANNEL 6185



HIGH CHANNEL 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – SU MODE

LOW CHANNEL 6025



MID CHANNEL 6185



HIGH CHANNEL 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 61



LOW CHANNEL ANT 6 6025

LOW CHANNEL ANT 5 6025

MID CHANNEL ANT 6 6185



MID CHANNEL ANT 5 6185



HIGH CHANNEL ANT 6 6345



HIGH CHANNEL ANT 5 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 62



MID CHANNEL ANT 6 6185



MID CHANNEL ANT 5 6185

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index S64

LOW CHANNEL ANT 6 6025

LOW CHANNEL ANT 5 6025



MID CHANNEL ANT 6 6185



MID CHANNEL ANT 5 6185



HIGH CHANNEL ANT 6 6345



HIGH CHANNEL ANT 5 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – SU Mode



LOW CHANNEL ANT 6 6025

LOW CHANNEL ANT 5 6025



MID CHANNEL ANT 6 6185



MID CHANNEL ANT 5 6185



HIGH CHANNEL ANT 6 6345



HIGH CHANNEL ANT 5 6345

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

9.7.5. 802.11be EHT20 MODE IN THE UNII-7 BAND

1TX Antenna 6 MODE (FCC+IC) MOBILE – 106-Tones, RU Index 53

LOW CHANNEL 6535

MID CHANNEL 6715

HIGH CHANNEL 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – 106-Tones, RU Index 54

LOW CHANNEL 6535



MID CHANNEL 6715

HIGH CHANNEL 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – SU MODE

LOW CHANNEL 6535

MID CHANNEL 6715

HIGH CHANNEL 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 106-Tones, RU Index 53

LOW CHANNEL 6535



MID CHANNEL 6715



HIGH CHANNEL 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 106-Tones, RU Index 54



LOW CHANNEL 6535

MID CHANNEL 6715



HIGH CHANNEL 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – SU MODE



LOW CHANNEL 6535

MID CHANNEL 6715



HIGH CHANNEL 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 106-Tones, RU Index 53



LOW CHANNEL ANT 6 6535

LOW CHANNEL ANT 5 6535

MID CHANNEL ANT 6 6715

MID CHANNEL ANT 5 6715

HIGH CHANNEL ANT 6 6855

HIGH CHANNEL ANT 5 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 106-Tones, RU Index 54

LOW CHANNEL ANT 6 6535

LOW CHANNEL ANT 5 6535

MID CHANNEL ANT 6 6715

MID CHANNEL ANT 5 6715

HIGH CHANNEL ANT 6 6855



HIGH CHANNEL ANT 5 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – SU MODE



LOW CHANNEL ANT 6 6535

LOW CHANNEL ANT 5 6535

MID CHANNEL ANT 6 6715

MID CHANNEL ANT 5 6715

HIGH CHANNEL ANT 6 6855



HIGH CHANNEL ANT 5 6855

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

9.7.6. 802.11be EHT40 MODE IN THE UNII-7 BAND

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61



LOW CHANNEL 6565

MID CHANNEL 6685

HIGH CHANNEL 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 62

LOW CHANNEL 6565



MID CHANNEL 6685

HIGH CHANNEL 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – SU MODE

LOW CHANNEL 6565

MID CHANNEL 6685

HIGH CHANNEL 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61

LOW CHANNEL 6565



MID CHANNEL 6685



HIGH CHANNEL 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 62



LOW CHANNEL 6565

MID CHANNEL 6685



HIGH CHANNEL 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – SU MODE



LOW CHANNEL 6565



MID CHANNEL 6685



HIGH CHANNEL 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 61



LOW CHANNEL Ant 6 6565



LOW CHANNEL Ant 5 6565

MID CHANNEL ANT 6 6685



MID CHANNEL ANT 5 6685

HIGH CHANNEL ANT 6 6845



HIGH CHANNEL ANT 5 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 62

LOW CHANNEL Ant 6 6565



LOW CHANNEL Ant 5 6565



MID CHANNEL ANT 6 6685



MID CHANNEL ANT 5 6685

HIGH CHANNEL ANT 6 6845

HIGH CHANNEL ANT 5 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – SU MODE



LOW CHANNEL Ant 6 6565

LOW CHANNEL Ant 5 6565



MID CHANNEL ANT 6 6685



MID CHANNEL ANT 5 6685



HIGH CHANNEL ANT 6 6845



HIGH CHANNEL ANT 5 6845

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

9.7.7. 802.11be EHT80 MODE IN THE UNII-7 BAND

1TX Antenna 6 MODE (FCC) MOBILE – 242-Tones, RU Index 61



LOW CHANNEL 6625

MID CHANNEL 6705



HIGH CHANNEL 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC) MOBILE – 242-Tones, RU Index 62



MID CHANNEL 6705

1TX Antenna 6 MODE (FCC) MOBILE – 242-Tones, RU Index 64



LOW CHANNEL 6625

MID CHANNEL 6705



HIGH CHANNEL 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC) MOBILE – SU MODE



LOW CHANNEL 6625



MID CHANNEL 6705



HIGH CHANNEL 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC) MOBILE – 242-Tones, RU Index 61

LOW CHANNEL 6625

MID CHANNEL 6705



HIGH CHANNEL 6785

1TX Antenna 5 MODE (FCC) MOBILE – 242-Tones, RU Index 62



MID CHANNEL 6705

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC) MOBILE – 242-Tones, RU Index 64



LOW CHANNEL 6625



MID CHANNEL 6705



HIGH CHANNEL 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC) MOBILE – SU MODE

LOW CHANNEL 6625

MID CHANNEL 6705



HIGH CHANNEL 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC) – 242-Tones, RU Index 61



LOW CHANNEL ANT 6 6625

LOW CHANNEL ANT 5 6625



MID CHANNEL ANT 6 6705

MID CHANNEL ANT 5 6705



HIGH CHANNEL ANT 6 6785



HIGH CHANNEL ANT 5 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC) – 242-Tones, RU Index 62



MID CHANNEL ANT 6 6705



MID CHANNEL ANT 5 6705

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC) – 242-Tones, RU Index 64



LOW CHANNEL ANT 6 6625



LOW CHANNEL ANT 5 6625



MID CHANNEL ANT 6 6705

MID CHANNEL ANT 5 6705



HIGH CHANNEL ANT 6 6785



HIGH CHANNEL ANT 5 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC) – SU Mode



LOW CHANNEL ANT 6 6625



LOW CHANNEL ANT 5 6625

MID CHANNEL ANT 6 6705

MID CHANNEL ANT 5 6705



HIGH CHANNEL ANT 6 6785



HIGH CHANNEL ANT 5 6785

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

9.7.8. 802.11be EHT160 MODE IN THE UNII-7 BAND

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61



MID CHANNEL 6665

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 62



MID CHANNEL 6665

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 6 MODE (FCC+IC) MOBILE – 242-Tones, RU Index S64



MID CHANNEL 6665

1TX Antenna 6 MODE (FCC+IC) MOBILE – SU MODE



MID CHANNEL 6665

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 61



MID CHANNEL 6665

1TX Antenna 5 MODE (FCC+IC) MOBILE – 242-Tones, RU Index 62



MID CHANNEL 6665

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

1TX Antenna 5 MODE (FCC+IC) MOBILE – 26-Tones, RU Index S64



MID CHANNEL 6665

1TX Antenna 5 MODE (FCC+IC) MOBILE – SU MODE



MID CHANNEL 6665

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 61

MID CHANNEL ANT 6 6665



MID CHANNEL ANT 5 6665

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index 62



MID CHANNEL ANT 6 6665



MID CHANNEL ANT 5 6665

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – 242-Tones, RU Index S64



MID CHANNEL ANT 6 6665



MID CHANNEL ANT 5 6665

2TX Antenna 6 + Antenna 5 OFDMA MODE (FCC + IC) – SU Mode



MID CHANNEL ANT 6 6665



MID CHANNEL ANT 5 6665

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

10. DUAL CLIENT TEST/ CLIENT DEVICE - POWER ADJUSTMENT

LIMITS

RSS-248 4.8.3 Dual client devices
Dual client devices shall demonstrate compliance under the respective requirements for low-power indoor access points, indoor subordinate devices, and standard-power access points.

(7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925–6.425 GHz and 6.525–6.875 GHz bands, the maximum power spectral density must not exceed 17 dBm e.i.r.p. in any 1-megahertz band, and the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm and the device must limit its power to no more than 6 dB below its associated standard power access point's authorized transmit power.

(8) For client devices operating under the control of an indoor access point in the 5.925–7.125 GHz bands, the maximum power spectral density must not exceed −1 dBm e.i.r.p. in any 1-megahertz band, and the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.

TEST PROCEDURE

Per KDB 987594 D02 v02r01 (II) (K) and (II) (L)

(II) (K) . Dual Client Test, Demonstration of Proper Power Adjustment based on Associated AP
A client device may connect to a Standard Power AP with a maximum power level of 30 dBm EIRP. A client may also connect to a Low Power indoor AP, but the power level is limited to a maximum of 24 dBm EIRP. If a client has the flexibility to connect to both APs, verification is needed to show that it can distinguish between the two configurations, and then control the power levels accordingly.

(II) (L). Proper Power Adjustment, Client Devices Connected to a Standard Power Access Point
A client device that connects to a Standard Power AP must limit its power to a minimum of 6 dB lower than its associated Standard Power access point's authorized transmit power. The term "authorized" means the AFC-approved power level for the AP to use on a particular channel.

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

SET UP

The following setup was used to meet requirements for sections (II)(K) and (II)(L) for a dual client device. It verifies EUT ability to distinguish between an LPI AP and SP AP and operate at the power level permitted for each.

The AP used [Broadcom BCM94916REF2] is a dual mode AP. For the test against section (II)(K) the AP was initially in SP mode and then switched to VPI mode to verify the DUT client device also switched to SP client mode to LPI client mode. To lest (II)(L) the AP was set in SP mode and configured for different power levels as shown in table to verify the DUT client device was operating at a level of at least 6dB lower than the AP designated power.



*Note: Combiners may be used in place of directional coupler from client to Spectrum Analyzer

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

RESULTS FOR DUAL CLIENT TEST

Tested By:	GA 12485
Date:	2024-08-09

EUT Frequency (MHz)	AFC Authorized EIRP Power for AP (dBm)	Dual Client MIMO EIRP (dBm)	Results (Pass/Fail) (EUT-AFC Authorized AP Power <= -6dB)
5975	36	15.35	Pass
	28	15.11	Pass
	21	12.45	Pass

Table above shows dual client power levels operate at least 6dB lower than the authorized SP AP power level.

The client power level when connected to the SP AP (15.35dBm maximum, see table above) was below the maximum power allowed for a LPI client (24dBm EIRP). The following plot clearly shows that the client device dropped power when switching from SP (Mark 1) to LPI (Mark 2) networks and therefore it meets the (II) (K), Dual Client Test.

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

Below plot is provided to show Dual client power levels and transition connection from SP AP (Mark 1) to LPI AP (Mark 2), where the power level dropped >= 6dB.



UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888

11. SETUP PHOTOS

Refer to 14982489-EP1V1 for setup photos

END OF TEST REPORT

UL VERIFICATION SERVICES INC.
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 319-4000 FAX:(510) 661-0888