

10149-CAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	2.75	67.41	15.79	0.00	150.0	± 9.6 %
		Y	2.55	66.65	15.18		150.0	
		Z	2.75	67.54	15.90		150.0	
10150-CAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	2.87	67.48	15.86	0.00	150.0	± 9.6 %
		Y	2.67	66.78	15.29		150.0	
		Z	2.87	67.60	15.96		150.0	
10151-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	4.80	75.04	20.40	3.98	65.0	± 9.6 %
		Y	4.37	73.67	19.62		65.0	
		Z	4.80	75.25	20.52		65.0	
10152-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	4.34	70.51	18.63	3.98	65.0	± 9.6 %
		Y	4.04	69.49	17.96		65.0	
		Z	4.32	70.62	18.72		65.0	
10153-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	4.67	71.58	19.50	3.98	65.0	± 9.6 %
		Y	4.37	70.67	18.91		65.0	
		Z	4.64	71.65	19.56		65.0	
10154-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	2.08	69.04	16.25	0.00	150.0	± 9.6 %
		Y	1.82	67.65	15.13		150.0	
		Z	2.10	69.41	16.45		150.0	
10155-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	2.49	68.65	16.02	0.00	150.0	± 9.6 %
		Y	2.23	67.53	15.04		150.0	
		Z	2.49	68.84	16.11		150.0	
10156-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	1.61	68.33	14.73	0.00	150.0	± 9.6 %
		Y	1.26	65.58	12.50		150.0	
		Z	1.63	68.68	14.85		150.0	
10157-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	1.74	66.08	12.70	0.00	150.0	± 9.6 %
		Y	1.37	63.54	10.52		150.0	
		Z	1.72	66.05	12.60		150.0	
10158-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	2.64	68.89	16.19	0.00	150.0	± 9.6 %
		Y	2.38	67.82	15.25		150.0	
		Z	2.64	69.05	16.26		150.0	
10159-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	1.82	66.42	12.91	0.00	150.0	± 9.6 %
		Y	1.42	63.69	10.63		150.0	
		Z	1.80	66.35	12.78		150.0	
10160-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	2.59	68.79	16.33	0.00	150.0	± 9.6 %
		Y	2.38	67.94	15.62		150.0	
		Z	2.62	69.09	16.51		150.0	
10161-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	2.76	67.45	15.74	0.00	150.0	± 9.6 %
		Y	2.55	66.69	15.08		150.0	
		Z	2.76	67.58	15.83		150.0	
10162-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	2.87	67.69	15.89	0.00	150.0	± 9.6 %
		Y	2.66	66.96	15.26		150.0	
		Z	2.87	67.82	15.98		150.0	
10166-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	3.03	68.16	18.43	3.01	150.0	± 9.6 %
		Y	2.89	67.94	18.39		150.0	
		Z	2.99	68.10	18.51		150.0	
10167-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	3.45	70.54	18.69	3.01	150.0	± 9.6 %
		Y	3.26	70.05	18.48		150.0	
		Z	3.35	70.29	18.70		150.0	

10168-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	3.87	73.05	20.23	3.01	150.0	± 9.6 %
		Y	3.70	72.89	20.21		150.0	
		Z	3.72	72.59	20.13		150.0	
10169-CAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	2.40	66.33	17.59	3.01	150.0	± 9.6 %
		Y	2.32	65.96	17.43		150.0	
		Z	2.34	66.03	17.56		150.0	
10170-CAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	2.90	70.89	19.60	3.01	150.0	± 9.6 %
		Y	2.79	70.34	19.37		150.0	
		Z	2.74	69.98	19.31		150.0	
10171-AAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	2.44	67.43	16.93	3.01	150.0	± 9.6 %
		Y	2.34	66.69	16.53		150.0	
		Z	2.35	66.97	16.86		150.0	
10172-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	3.03	75.60	22.92	6.02	65.0	± 9.6 %
		Y	2.68	73.24	21.80		65.0	
		Z	3.02	75.97	23.22		65.0	
10173-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	4.22	80.47	22.90	6.02	65.0	± 9.6 %
		Y	3.76	78.14	21.89		65.0	
		Z	3.94	79.56	22.67		65.0	
10174-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	3.72	77.71	21.25	6.02	65.0	± 9.6 %
		Y	2.66	71.98	18.87		65.0	
		Z	3.56	77.26	21.17		65.0	
10175-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	2.37	66.09	17.37	3.01	150.0	± 9.6 %
		Y	2.30	65.70	17.19		150.0	
		Z	2.32	65.82	17.35		150.0	
10176-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	2.90	70.91	19.61	3.01	150.0	± 9.6 %
		Y	2.80	70.36	19.38		150.0	
		Z	2.74	70.00	19.32		150.0	
10177-CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	2.39	66.20	17.44	3.01	150.0	± 9.6 %
		Y	2.31	65.81	17.26		150.0	
		Z	2.34	65.91	17.42		150.0	
10178-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	2.88	70.79	19.53	3.01	150.0	± 9.6 %
		Y	2.78	70.23	19.30		150.0	
		Z	2.73	69.90	19.25		150.0	
10179-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	2.64	69.07	18.14	3.01	150.0	± 9.6 %
		Y	2.53	68.35	17.79		150.0	
		Z	2.52	68.43	17.98		150.0	
10180-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	2.44	67.40	16.90	3.01	150.0	± 9.6 %
		Y	2.33	66.66	16.51		150.0	
		Z	2.35	66.95	16.83		150.0	
10181-CAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	2.39	66.18	17.43	3.01	150.0	± 9.6 %
		Y	2.31	65.79	17.26		150.0	
		Z	2.33	65.90	17.41		150.0	
10182-CAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	2.88	70.77	19.52	3.01	150.0	± 9.6 %
		Y	2.78	70.20	19.29		150.0	
		Z	2.72	69.88	19.24		150.0	
10183-AAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	2.43	67.38	16.89	3.01	150.0	± 9.6 %
		Y	2.33	66.64	16.49		150.0	
		Z	2.35	66.93	16.82		150.0	

10184-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	2.39	66.22	17.45	3.01	150.0	± 9.6 %
		Y	2.31	65.83	17.27		150.0	
		Z	2.34	65.93	17.43		150.0	
10185-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	2.89	70.83	19.56	3.01	150.0	± 9.6 %
		Y	2.79	70.27	19.33		150.0	
		Z	2.73	69.94	19.28		150.0	
10186-AAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	2.44	67.43	16.92	3.01	150.0	± 9.6 %
		Y	2.34	66.69	16.53		150.0	
		Z	2.36	66.98	16.85		150.0	
10187-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	2.40	66.28	17.53	3.01	150.0	± 9.6 %
		Y	2.32	65.91	17.36		150.0	
		Z	2.35	65.99	17.50		150.0	
10188-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	2.96	71.34	19.89	3.01	150.0	± 9.6 %
		Y	2.86	70.81	19.69		150.0	
		Z	2.79	70.37	19.57		150.0	
10189-AAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	2.49	67.76	17.17	3.01	150.0	± 9.6 %
		Y	2.38	67.01	16.78		150.0	
		Z	2.39	67.27	17.08		150.0	
10193-CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.35	66.79	16.13	0.00	150.0	± 9.6 %
		Y	4.20	66.49	15.88		150.0	
		Z	4.34	66.83	16.19		150.0	
10194-CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.49	67.03	16.26	0.00	150.0	± 9.6 %
		Y	4.33	66.70	16.03		150.0	
		Z	4.48	67.06	16.32		150.0	
10195-CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.53	67.04	16.27	0.00	150.0	± 9.6 %
		Y	4.36	66.71	16.04		150.0	
		Z	4.51	67.07	16.34		150.0	
10196-CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.34	66.79	16.11	0.00	150.0	± 9.6 %
		Y	4.18	66.47	15.86		150.0	
		Z	4.33	66.83	16.17		150.0	
10197-CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.50	67.03	16.27	0.00	150.0	± 9.6 %
		Y	4.33	66.70	16.03		150.0	
		Z	4.49	67.06	16.33		150.0	
10198-CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	4.52	67.04	16.28	0.00	150.0	± 9.6 %
		Y	4.35	66.71	16.04		150.0	
		Z	4.51	67.07	16.34		150.0	
10219-CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.29	66.83	16.09	0.00	150.0	± 9.6 %
		Y	4.13	66.51	15.83		150.0	
		Z	4.28	66.87	16.15		150.0	
10220-CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.49	66.99	16.25	0.00	150.0	± 9.6 %
		Y	4.33	66.67	16.02		150.0	
		Z	4.48	67.03	16.31		150.0	
10221-CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	4.53	66.98	16.27	0.00	150.0	± 9.6 %
		Y	4.37	66.66	16.03		150.0	
		Z	4.52	67.02	16.33		150.0	
10222-CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	4.91	67.06	16.40	0.00	150.0	± 9.6 %
		Y	4.77	66.76	16.23		150.0	
		Z	4.90	67.08	16.47		150.0	

10223-CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.17	67.24	16.51	0.00	150.0	± 9.6 %
		Y	5.01	66.91	16.32		150.0	
		Z	5.16	67.26	16.57		150.0	
10224-CAC	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	4.95	67.17	16.39	0.00	150.0	± 9.6 %
		Y	4.81	66.89	16.22		150.0	
		Z	4.94	67.20	16.45		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.63	66.26	14.91	0.00	150.0	± 9.6 %
		Y	2.42	65.47	14.11		150.0	
		Z	2.62	66.34	14.95		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	4.44	81.43	23.36	6.02	65.0	± 9.6 %
		Y	3.95	79.10	22.37		65.0	
		Z	4.11	80.41	23.08		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	4.46	80.57	22.33	6.02	65.0	± 9.6 %
		Y	3.89	78.06	21.28		65.0	
		Z	4.11	79.53	22.04		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	3.20	76.82	23.46	6.02	65.0	± 9.6 %
		Y	2.99	75.65	22.91		65.0	
		Z	3.14	76.83	23.61		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	4.26	80.57	22.94	6.02	65.0	± 9.6 %
		Y	3.78	78.23	21.93		65.0	
		Z	3.96	79.64	22.70		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	4.23	79.63	21.91	6.02	65.0	± 9.6 %
		Y	3.69	77.15	20.85		65.0	
		Z	3.92	78.70	21.65		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	3.11	76.23	23.14	6.02	65.0	± 9.6 %
		Y	2.90	75.01	22.55		65.0	
		Z	3.06	76.28	23.30		65.0	
10232-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	4.25	80.55	22.94	6.02	65.0	± 9.6 %
		Y	3.77	78.21	21.93		65.0	
		Z	3.96	79.63	22.70		65.0	
10233-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	4.21	79.60	21.90	6.02	65.0	± 9.6 %
		Y	3.68	77.12	20.84		65.0	
		Z	3.91	78.67	21.65		65.0	
10234-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	3.04	75.77	22.83	6.02	65.0	± 9.6 %
		Y	2.83	74.51	22.21		65.0	
		Z	2.99	75.84	23.00		65.0	
10235-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	4.25	80.56	22.94	6.02	65.0	± 9.6 %
		Y	3.78	78.22	21.94		65.0	
		Z	3.96	79.65	22.71		65.0	
10236-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	4.26	79.74	21.94	6.02	65.0	± 9.6 %
		Y	3.71	77.24	20.88		65.0	
		Z	3.95	78.81	21.69		65.0	
10237-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	3.11	76.24	23.15	6.02	65.0	± 9.6 %
		Y	2.90	75.01	22.56		65.0	
		Z	3.05	76.29	23.31		65.0	
10238-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	4.23	80.52	22.92	6.02	65.0	± 9.6 %
		Y	3.76	78.18	21.92		65.0	
		Z	3.94	79.60	22.69		65.0	

10239-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	4.20	79.56	21.88	6.02	65.0	± 9.6 %
		Y	3.67	77.08	20.83		65.0	
		Z	3.89	78.63	21.63		65.0	
10240-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	3.10	76.22	23.14	6.02	65.0	± 9.6 %
		Y	2.89	74.99	22.55		65.0	
		Z	3.05	76.27	23.30		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	5.55	76.82	23.59	6.98	65.0	± 9.6 %
		Y	5.36	76.38	23.34		65.0	
		Z	5.50	76.96	23.75		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	5.34	76.12	23.23	6.98	65.0	± 9.6 %
		Y	4.95	74.86	22.60		65.0	
		Z	5.36	76.55	23.51		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	4.55	73.03	22.74	6.98	65.0	± 9.6 %
		Y	4.26	71.98	22.20		65.0	
		Z	4.59	73.60	23.14		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	2.77	66.61	12.73	3.98	65.0	± 9.6 %
		Y	2.37	64.66	11.23		65.0	
		Z	2.64	66.07	12.36		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.73	66.19	12.46	3.98	65.0	± 9.6 %
		Y	2.35	64.36	11.02		65.0	
		Z	2.60	65.67	12.10		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.76	70.19	15.21	3.98	65.0	± 9.6 %
		Y	2.05	66.22	12.51		65.0	
		Z	2.63	69.62	14.80		65.0	
10247-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	3.20	68.85	15.33	3.98	65.0	± 9.6 %
		Y	2.72	66.56	13.57		65.0	
		Z	3.12	68.55	15.08		65.0	
10248-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	3.19	68.30	15.05	3.98	65.0	± 9.6 %
		Y	2.73	66.18	13.37		65.0	
		Z	3.11	68.02	14.82		65.0	
10249-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	3.92	75.56	18.92	3.98	65.0	± 9.6 %
		Y	3.11	71.96	16.73		65.0	
		Z	3.86	75.45	18.79		65.0	
10250-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	4.21	72.50	19.31	3.98	65.0	± 9.6 %
		Y	3.86	71.30	18.43		65.0	
		Z	4.16	72.49	19.28		65.0	
10251-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	4.03	70.51	17.96	3.98	65.0	± 9.6 %
		Y	3.67	69.21	16.99		65.0	
		Z	3.99	70.54	17.96		65.0	
10252-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	4.57	76.92	20.98	3.98	65.0	± 9.6 %
		Y	4.05	75.09	19.87		65.0	
		Z	4.58	77.21	21.10		65.0	
10253-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	4.29	70.20	18.38	3.98	65.0	± 9.6 %
		Y	3.99	69.21	17.68		65.0	
		Z	4.27	70.30	18.45		65.0	
10254-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	4.58	71.12	19.12	3.98	65.0	± 9.6 %
		Y	4.28	70.20	18.47		65.0	
		Z	4.55	71.18	19.16		65.0	

10255-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	4.58	74.36	20.25	3.98	65.0	± 9.6 %
		Y	4.19	73.09	19.48		65.0	
		Z	4.58	74.57	20.37		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	1.99	62.92	9.49	3.98	65.0	± 9.6 %
		Y	1.73	61.57	8.20		65.0	
		Z	1.90	62.52	9.14		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	1.98	62.59	9.20	3.98	65.0	± 9.6 %
		Y	1.73	61.34	7.96		65.0	
		Z	1.89	62.22	8.87		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.87	64.84	11.36	3.98	65.0	± 9.6 %
		Y	1.46	62.15	9.03		65.0	
		Z	1.77	64.25	10.86		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	3.62	70.42	16.87	3.98	65.0	± 9.6 %
		Y	3.16	68.45	15.40		65.0	
		Z	3.55	70.24	16.72		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	3.65	70.17	16.74	3.98	65.0	± 9.6 %
		Y	3.20	68.26	15.29		65.0	
		Z	3.58	69.99	16.59		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	4.04	75.51	19.50	3.98	65.0	± 9.6 %
		Y	3.40	72.83	17.81		65.0	
		Z	4.02	75.60	19.48		65.0	
10262-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	4.20	72.43	19.25	3.98	65.0	± 9.6 %
		Y	3.85	71.21	18.36		65.0	
		Z	4.15	72.41	19.23		65.0	
10263-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	4.02	70.49	17.95	3.98	65.0	± 9.6 %
		Y	3.67	69.19	16.98		65.0	
		Z	3.99	70.52	17.95		65.0	
10264-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	4.52	76.72	20.87	3.98	65.0	± 9.6 %
		Y	4.00	74.88	19.75		65.0	
		Z	4.54	77.01	20.99		65.0	
10265-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	4.34	70.52	18.64	3.98	65.0	± 9.6 %
		Y	4.03	69.50	17.96		65.0	
		Z	4.32	70.62	18.72		65.0	
10266-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	4.67	71.56	19.49	3.98	65.0	± 9.6 %
		Y	4.37	70.65	18.90		65.0	
		Z	4.64	71.63	19.55		65.0	
10267-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	4.79	75.00	20.38	3.98	65.0	± 9.6 %
		Y	4.36	73.63	19.60		65.0	
		Z	4.79	75.21	20.50		65.0	
10268-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	5.00	70.75	19.25	3.98	65.0	± 9.6 %
		Y	4.71	69.90	18.75		65.0	
		Z	4.97	70.81	19.33		65.0	
10269-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	5.03	70.45	19.14	3.98	65.0	± 9.6 %
		Y	4.75	69.64	18.65		65.0	
		Z	5.00	70.51	19.22		65.0	
10270-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	4.96	72.88	19.62	3.98	65.0	± 9.6 %
		Y	4.61	71.85	19.06		65.0	
		Z	4.94	72.97	19.71		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.48	66.88	14.99	0.00	150.0	± 9.6 %
		Y	2.26	65.98	14.10		150.0	
		Z	2.48	67.05	15.07		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.53	68.10	15.41	0.00	150.0	± 9.6 %
		Y	1.29	66.36	13.92		150.0	
		Z	1.56	68.64	15.69		150.0	
10277-CAA	PHS (QPSK)	X	1.24	58.63	3.86	9.03	50.0	± 9.6 %
		Y	1.31	57.93	3.16		50.0	
		Z	1.20	58.52	3.66		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	2.33	64.16	9.68	9.03	50.0	± 9.6 %
		Y	2.16	62.56	8.38		50.0	
		Z	2.20	63.56	9.17		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	2.40	64.42	9.88	9.03	50.0	± 9.6 %
		Y	2.21	62.74	8.55		50.0	
		Z	2.27	63.79	9.37		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	0.99	65.57	11.08	0.00	150.0	± 9.6 %
		Y	0.56	60.64	6.96		150.0	
		Z	0.95	65.27	10.75		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	0.63	63.96	10.12	0.00	150.0	± 9.6 %
		Y	0.37	60.00	6.08		150.0	
		Z	0.61	63.74	9.81		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	0.92	69.03	12.95	0.00	150.0	± 9.6 %
		Y	0.36	60.27	6.49		150.0	
		Z	0.93	69.24	12.81		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	2.66	82.12	18.37	0.00	150.0	± 9.6 %
		Y	0.47	62.29	8.08		150.0	
		Z	3.63	85.51	19.15		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	14.67	90.90	23.74	9.03	50.0	± 9.6 %
		Y	14.08	87.13	21.35		50.0	
		Z	16.58	92.17	23.85		50.0	
10297-AAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	2.56	69.51	16.60	0.00	150.0	± 9.6 %
		Y	2.31	68.36	15.77		150.0	
		Z	2.58	69.81	16.79		150.0	
10298-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	1.16	65.24	11.66	0.00	150.0	± 9.6 %
		Y	0.80	61.66	8.53		150.0	
		Z	1.13	65.08	11.45		150.0	
10299-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	1.37	63.15	9.42	0.00	150.0	± 9.6 %
		Y	1.07	61.17	7.64		150.0	
		Z	1.29	62.76	9.15		150.0	
10300-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	1.14	61.00	7.53	0.00	150.0	± 9.6 %
		Y	0.95	60.00	6.31		150.0	
		Z	1.08	60.74	7.31		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.18	64.48	16.74	4.17	50.0	± 9.6 %
		Y	4.17	64.91	16.77		50.0	
		Z	4.17	64.57	16.83		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	4.69	65.29	17.57	4.96	50.0	± 9.6 %
		Y	4.60	65.44	17.48		50.0	
		Z	4.68	65.37	17.65		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	4.44	64.85	17.32	4.96	50.0	± 9.6 %
		Y	4.36	65.08	17.26		50.0	
		Z	4.42	64.92	17.40		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.29	64.91	16.93	4.17	50.0	± 9.6 %
		Y	4.17	64.79	16.64		50.0	
		Z	4.27	64.97	16.99		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	3.63	65.02	17.64	6.02	35.0	± 9.6 %
		Y	3.65	65.67	17.48		35.0	
		Z	3.60	65.07	17.67		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.08	64.87	17.81	6.02	35.0	± 9.6 %
		Y	4.05	65.30	17.68		35.0	
		Z	4.05	64.93	17.86		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	3.94	64.78	17.65	6.02	35.0	± 9.6 %
		Y	3.92	65.23	17.52		35.0	
		Z	3.91	64.82	17.70		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	3.90	64.90	17.76	6.02	35.0	± 9.6 %
		Y	3.89	65.39	17.65		35.0	
		Z	3.88	64.96	17.82		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.09	64.94	17.89	6.02	35.0	± 9.6 %
		Y	4.06	65.35	17.77		35.0	
		Z	4.07	65.00	17.95		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.02	64.87	17.77	6.02	35.0	± 9.6 %
		Y	4.00	65.33	17.66		35.0	
		Z	3.99	64.93	17.83		35.0	
10311-AAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	2.92	68.74	16.25	0.00	150.0	± 9.6 %
		Y	2.66	67.60	15.52		150.0	
		Z	2.94	68.97	16.41		150.0	
10313-AAA	iDEN 1:3	X	1.98	69.26	14.58	6.99	70.0	± 9.6 %
		Y	1.51	65.51	12.16		70.0	
		Z	1.91	68.91	14.33		70.0	
10314-AAA	iDEN 1:6	X	3.53	78.52	21.26	10.00	30.0	± 9.6 %
		Y	2.68	72.63	17.99		30.0	
		Z	3.29	77.47	20.76		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.04	63.52	14.96	0.17	150.0	± 9.6 %
		Y	0.92	62.62	14.08		150.0	
		Z	1.04	63.72	15.16		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.36	66.66	16.18	0.17	150.0	± 9.6 %
		Y	4.21	66.36	15.94		150.0	
		Z	4.35	66.70	16.24		150.0	
10317-AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.36	66.66	16.18	0.17	150.0	± 9.6 %
		Y	4.21	66.36	15.94		150.0	
		Z	4.35	66.70	16.24		150.0	
10400-AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.45	67.02	16.23	0.00	150.0	± 9.6 %
		Y	4.27	66.67	15.98		150.0	
		Z	4.44	67.06	16.30		150.0	
10401-AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.11	66.81	16.25	0.00	150.0	± 9.6 %
		Y	4.95	66.47	16.05		150.0	
		Z	5.10	66.83	16.31		150.0	

10402-AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.46	67.39	16.43	0.00	150.0	± 9.6 %
		Y	5.33	67.09	16.28		150.0	
		Z	5.46	67.40	16.49		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	0.99	65.57	11.08	0.00	115.0	± 9.6 %
		Y	0.56	60.64	6.96		115.0	
		Z	0.95	65.27	10.75		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	0.99	65.57	11.08	0.00	115.0	± 9.6 %
		Y	0.56	60.64	6.96		115.0	
		Z	0.95	65.27	10.75		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	92.35	117.14	27.40	0.00	100.0	± 9.6 %
		Y	22.65	99.70	22.90		100.0	
		Z	53.43	112.72	26.84		100.0	
10410-AAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	X	2.88	79.22	18.16	3.23	80.0	± 9.6 %
		Y	2.02	74.89	16.26		80.0	
		Z	2.64	78.66	18.05		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.00	63.15	14.64	0.00	150.0	± 9.6 %
		Y	0.88	62.24	13.73		150.0	
		Z	1.00	63.35	14.84		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.34	66.78	16.20	0.00	150.0	± 9.6 %
		Y	4.18	66.45	15.95		150.0	
		Z	4.33	66.81	16.26		150.0	
10417-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.34	66.78	16.20	0.00	150.0	± 9.6 %
		Y	4.18	66.45	15.95		150.0	
		Z	4.33	66.81	16.26		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.34	66.98	16.26	0.00	150.0	± 9.6 %
		Y	4.18	66.67	16.02		150.0	
		Z	4.33	67.03	16.32		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.36	66.91	16.24	0.00	150.0	± 9.6 %
		Y	4.20	66.60	16.00		150.0	
		Z	4.35	66.95	16.30		150.0	
10422-AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.46	66.89	16.25	0.00	150.0	± 9.6 %
		Y	4.30	66.58	16.02		150.0	
		Z	4.45	66.92	16.31		150.0	
10423-AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.59	67.14	16.34	0.00	150.0	± 9.6 %
		Y	4.41	66.82	16.10		150.0	
		Z	4.57	67.18	16.40		150.0	
10424-AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.52	67.09	16.31	0.00	150.0	± 9.6 %
		Y	4.35	66.76	16.08		150.0	
		Z	4.51	67.13	16.38		150.0	
10425-AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.14	67.27	16.50	0.00	150.0	± 9.6 %
		Y	5.01	67.01	16.35		150.0	
		Z	5.14	67.30	16.57		150.0	
10426-AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.16	67.37	16.54	0.00	150.0	± 9.6 %
		Y	5.04	67.15	16.42		150.0	
		Z	5.16	67.42	16.62		150.0	

10427-AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.12	67.14	16.43	0.00	150.0	± 9.6 %
		Y	4.99	66.88	16.28		150.0	
		Z	5.12	67.17	16.49		150.0	
10430-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.23	72.33	18.36	0.00	150.0	± 9.6 %
		Y	4.03	72.03	17.86		150.0	
		Z	4.17	72.17	18.25		150.0	
10431-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	3.96	67.37	16.06	0.00	150.0	± 9.6 %
		Y	3.76	66.94	15.67		150.0	
		Z	3.95	67.43	16.12		150.0	
10432-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.28	67.20	16.24	0.00	150.0	± 9.6 %
		Y	4.10	66.84	15.95		150.0	
		Z	4.27	67.25	16.30		150.0	
10433-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.54	67.13	16.33	0.00	150.0	± 9.6 %
		Y	4.37	66.80	16.10		150.0	
		Z	4.52	67.16	16.40		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.34	73.20	18.14	0.00	150.0	± 9.6 %
		Y	3.99	72.22	17.22		150.0	
		Z	4.26	72.95	17.97		150.0	
10435-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.75	78.55	17.87	3.23	80.0	± 9.6 %
		Y	1.94	74.29	15.98		80.0	
		Z	2.53	77.99	17.75		80.0	
10447-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.19	67.14	14.89	0.00	150.0	± 9.6 %
		Y	2.91	66.23	14.01		150.0	
		Z	3.17	67.20	14.90		150.0	
10448-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	3.83	67.17	15.94	0.00	150.0	± 9.6 %
		Y	3.63	66.74	15.54		150.0	
		Z	3.82	67.23	16.00		150.0	
10449-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.12	67.03	16.14	0.00	150.0	± 9.6 %
		Y	3.95	66.66	15.85		150.0	
		Z	4.11	67.08	16.20		150.0	
10450-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.34	66.91	16.19	0.00	150.0	± 9.6 %
		Y	4.18	66.57	15.95		150.0	
		Z	4.33	66.95	16.26		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	2.98	66.86	14.11	0.00	150.0	± 9.6 %
		Y	2.64	65.58	12.95		150.0	
		Z	2.95	66.86	14.07		150.0	
10456-AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.06	67.78	16.64	0.00	150.0	± 9.6 %
		Y	5.97	67.60	16.57		150.0	
		Z	6.07	67.80	16.71		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.71	65.53	15.92	0.00	150.0	± 9.6 %
		Y	3.58	65.26	15.69		150.0	
		Z	3.70	65.58	15.99		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	3.69	71.09	16.60	0.00	150.0	± 9.6 %
		Y	3.11	68.76	14.84		150.0	
		Z	3.60	70.78	16.37		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.83	69.12	17.83	0.00	150.0	± 9.6 %
		Y	4.65	68.98	17.45		150.0	
		Z	4.73	68.81	17.63		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	0.88	68.51	16.12	0.00	150.0	± 9.6 %
		Y	0.69	66.14	13.92		150.0	
		Z	0.92	69.68	16.73		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.46	71.91	16.58	3.29	80.0	± 9.6 %
		Y	1.43	71.86	16.15		80.0	
		Z	1.48	72.50	16.85		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	7.00	3.23	80.0	± 9.6 %
		Y	0.63	60.00	6.71		80.0	
		Z	0.61	60.00	6.98		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.65	60.00	6.28	3.23	80.0	± 9.6 %
		Y	0.31	55.39	3.52		80.0	
		Z	0.64	60.00	6.24		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.12	68.54	14.50	3.23	80.0	± 9.6 %
		Y	0.99	67.22	13.48		80.0	
		Z	1.12	68.89	14.67		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	6.92	3.23	80.0	± 9.6 %
		Y	0.63	60.00	6.64		80.0	
		Z	0.61	60.00	6.90		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.65	60.00	6.24	3.23	80.0	± 9.6 %
		Y	0.31	55.32	3.45		80.0	
		Z	0.64	60.00	6.20		80.0	
10467-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.17	69.13	14.79	3.23	80.0	± 9.6 %
		Y	1.04	67.88	13.81		80.0	
		Z	1.17	69.53	14.99		80.0	
10468-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.62	60.00	6.95	3.23	80.0	± 9.6 %
		Y	0.63	60.00	6.66		80.0	
		Z	0.61	60.00	6.93		80.0	
10469-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.65	60.00	6.24	3.23	80.0	± 9.6 %
		Y	0.31	55.32	3.45		80.0	
		Z	0.64	60.00	6.20		80.0	
10470-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.16	69.13	14.79	3.23	80.0	± 9.6 %
		Y	1.03	67.87	13.80		80.0	
		Z	1.17	69.54	14.98		80.0	
10471-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.62	60.00	6.93	3.23	80.0	± 9.6 %
		Y	0.63	60.00	6.65		80.0	
		Z	0.61	60.00	6.91		80.0	
10472-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.65	60.00	6.22	3.23	80.0	± 9.6 %
		Y	0.31	55.30	3.41		80.0	
		Z	0.64	60.00	6.18		80.0	
10473-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.16	69.09	14.77	3.23	80.0	± 9.6 %
		Y	1.03	67.83	13.78		80.0	
		Z	1.17	69.50	14.96		80.0	
10474-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.62	60.00	6.93	3.23	80.0	± 9.6 %
		Y	0.63	60.00	6.64		80.0	
		Z	0.61	60.00	6.90		80.0	
10475-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.65	60.00	6.22	3.23	80.0	± 9.6 %
		Y	0.31	55.29	3.41		80.0	
		Z	0.64	60.00	6.18		80.0	

10477-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.62	60.00	6.90	3.23	80.0	± 9.6 %
		Y	0.63	60.00	6.62		80.0	
		Z	0.61	60.00	6.87		80.0	
10478-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.65	60.00	6.20	3.23	80.0	± 9.6 %
		Y	0.31	55.28	3.39		80.0	
		Z	0.64	60.00	6.16		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.17	76.07	18.58	3.23	80.0	± 9.6 %
		Y	3.59	78.14	18.91		80.0	
		Z	3.37	77.21	18.98		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.89	66.16	12.33	3.23	80.0	± 9.6 %
		Y	1.49	63.78	10.79		80.0	
		Z	1.80	65.84	12.15		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.51	63.38	10.63	3.23	80.0	± 9.6 %
		Y	1.19	61.33	9.16		80.0	
		Z	1.43	63.01	10.40		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.40	64.15	12.06	2.23	80.0	± 9.6 %
		Y	0.94	60.16	9.00		80.0	
		Z	1.33	63.74	11.70		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.39	61.02	9.43	2.23	80.0	± 9.6 %
		Y	1.20	60.00	8.23		80.0	
		Z	1.31	60.57	9.07		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.38	60.74	9.27	2.23	80.0	± 9.6 %
		Y	1.23	60.00	8.23		80.0	
		Z	1.31	60.32	8.92		80.0	
10485-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.00	68.33	15.49	2.23	80.0	± 9.6 %
		Y	1.52	65.02	13.21		80.0	
		Z	2.01	68.52	15.49		80.0	
10486-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.99	64.76	12.95	2.23	80.0	± 9.6 %
		Y	1.53	61.88	10.75		80.0	
		Z	1.93	64.52	12.73		80.0	
10487-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.00	64.44	12.75	2.23	80.0	± 9.6 %
		Y	1.55	61.68	10.62		80.0	
		Z	1.94	64.19	12.53		80.0	
10488-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.48	68.95	17.02	2.23	80.0	± 9.6 %
		Y	2.16	67.38	15.93		80.0	
		Z	2.50	69.29	17.18		80.0	
10489-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.67	66.76	15.81	2.23	80.0	± 9.6 %
		Y	2.39	65.54	14.86		80.0	
		Z	2.66	66.86	15.85		80.0	
10490-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.75	66.67	15.77	2.23	80.0	± 9.6 %
		Y	2.47	65.48	14.83		80.0	
		Z	2.74	66.77	15.80		80.0	
10491-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.83	68.18	16.93	2.23	80.0	± 9.6 %
		Y	2.55	67.02	16.16		80.0	
		Z	2.84	68.41	17.06		80.0	
10492-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.07	66.40	16.15	2.23	80.0	± 9.6 %
		Y	2.83	65.57	15.53		80.0	
		Z	3.06	66.49	16.21		80.0	

10493-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.13	66.32	16.10	2.23	80.0	± 9.6 %
		Y	2.89	65.51	15.49		80.0	
		Z	3.12	66.40	16.16		80.0	
10494-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.99	69.26	17.31	2.23	80.0	± 9.6 %
		Y	2.68	67.94	16.51		80.0	
		Z	3.00	69.51	17.46		80.0	
10495-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.08	66.61	16.35	2.23	80.0	± 9.6 %
		Y	2.86	65.78	15.77		80.0	
		Z	3.07	66.70	16.42		80.0	
10496-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.17	66.48	16.32	2.23	80.0	± 9.6 %
		Y	2.95	65.70	15.77		80.0	
		Z	3.16	66.56	16.38		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.92	60.00	8.41	2.23	80.0	± 9.6 %
		Y	0.87	60.00	7.20		80.0	
		Z	0.91	60.00	8.20		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.10	60.00	7.12	2.23	80.0	± 9.6 %
		Y	1.07	60.00	6.03		80.0	
		Z	1.09	60.00	6.90		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.11	60.00	6.95	2.23	80.0	± 9.6 %
		Y	1.10	60.00	5.86		80.0	
		Z	1.11	60.00	6.73		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.20	68.63	16.13	2.23	80.0	± 9.6 %
		Y	1.79	66.18	14.41		80.0	
		Z	2.21	68.93	16.22		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.32	65.96	14.24	2.23	80.0	± 9.6 %
		Y	1.90	63.67	12.50		80.0	
		Z	2.28	65.91	14.14		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.35	65.81	14.08	2.23	80.0	± 9.6 %
		Y	1.93	63.52	12.34		80.0	
		Z	2.32	65.74	13.97		80.0	
10503-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.45	68.77	16.92	2.23	80.0	± 9.6 %
		Y	2.13	67.20	15.83		80.0	
		Z	2.47	69.12	17.08		80.0	
10504-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.65	66.66	15.75	2.23	80.0	± 9.6 %
		Y	2.38	65.44	14.79		80.0	
		Z	2.64	66.77	15.79		80.0	
10505-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.74	66.59	15.71	2.23	80.0	± 9.6 %
		Y	2.45	65.39	14.77		80.0	
		Z	2.72	66.68	15.74		80.0	
10506-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.97	69.13	17.24	2.23	80.0	± 9.6 %
		Y	2.66	67.82	16.44		80.0	
		Z	2.99	69.39	17.39		80.0	
10507-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.07	66.55	16.31	2.23	80.0	± 9.6 %
		Y	2.84	65.72	15.73		80.0	
		Z	3.06	66.64	16.38		80.0	

10508-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.16	66.41	16.27	2.23	80.0	± 9.6 %
		Y	2.94	65.63	15.72		80.0	
		Z	3.15	66.50	16.34		80.0	
10509-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.43	68.58	17.04	2.23	80.0	± 9.6 %
		Y	3.15	67.51	16.41		80.0	
		Z	3.43	68.73	17.15		80.0	
10510-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.56	66.48	16.47	2.23	80.0	± 9.6 %
		Y	3.35	65.77	16.02		80.0	
		Z	3.55	66.53	16.53		80.0	
10511-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.64	66.35	16.44	2.23	80.0	± 9.6 %
		Y	3.43	65.69	16.02		80.0	
		Z	3.62	66.40	16.51		80.0	
10512-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.45	69.56	17.33	2.23	80.0	± 9.6 %
		Y	3.13	68.24	16.59		80.0	
		Z	3.47	69.74	17.45		80.0	
10513-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.44	66.55	16.51	2.23	80.0	± 9.6 %
		Y	3.23	65.79	16.05		80.0	
		Z	3.43	66.60	16.58		80.0	
10514-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.50	66.28	16.44	2.23	80.0	± 9.6 %
		Y	3.30	65.58	16.00		80.0	
		Z	3.49	66.33	16.50		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	0.96	63.33	14.70	0.00	150.0	± 9.6 %
		Y	0.84	62.37	13.73		150.0	
		Z	0.96	63.56	14.91		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	0.60	70.61	17.41	0.00	150.0	± 9.6 %
		Y	0.44	67.87	14.37		150.0	
		Z	0.68	73.46	18.77		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.80	65.14	15.30	0.00	150.0	± 9.6 %
		Y	0.67	63.72	13.88		150.0	
		Z	0.81	65.68	15.68		150.0	
10518-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.34	66.88	16.19	0.00	150.0	± 9.6 %
		Y	4.18	66.56	15.95		150.0	
		Z	4.33	66.92	16.25		150.0	
10519-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.48	67.04	16.28	0.00	150.0	± 9.6 %
		Y	4.31	66.72	16.04		150.0	
		Z	4.47	67.08	16.34		150.0	
10520-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.34	66.97	16.19	0.00	150.0	± 9.6 %
		Y	4.17	66.63	15.94		150.0	
		Z	4.33	67.01	16.25		150.0	
10521-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.27	66.94	16.17	0.00	150.0	± 9.6 %
		Y	4.10	66.58	15.91		150.0	
		Z	4.26	66.98	16.23		150.0	
10522-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.32	67.05	16.26	0.00	150.0	± 9.6 %
		Y	4.14	66.68	15.98		150.0	
		Z	4.30	67.09	16.32		150.0	

10523-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.25	67.08	16.20	0.00	150.0	± 9.6 %
		Y	4.09	66.75	15.95		150.0	
		Z	4.25	67.13	16.27		150.0	
10524-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.27	67.03	16.26	0.00	150.0	± 9.6 %
		Y	4.10	66.68	16.00		150.0	
		Z	4.26	67.07	16.33		150.0	
10525-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.31	66.15	15.89	0.00	150.0	± 9.6 %
		Y	4.15	65.81	15.65		150.0	
		Z	4.30	66.19	15.96		150.0	
10526-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.43	66.42	16.00	0.00	150.0	± 9.6 %
		Y	4.25	66.05	15.75		150.0	
		Z	4.42	66.46	16.06		150.0	
10527-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.36	66.39	15.94	0.00	150.0	± 9.6 %
		Y	4.19	66.02	15.68		150.0	
		Z	4.35	66.43	16.01		150.0	
10528-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.37	66.40	15.97	0.00	150.0	± 9.6 %
		Y	4.20	66.03	15.72		150.0	
		Z	4.37	66.45	16.04		150.0	
10529-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.37	66.40	15.97	0.00	150.0	± 9.6 %
		Y	4.20	66.03	15.72		150.0	
		Z	4.37	66.45	16.04		150.0	
10531-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.34	66.42	15.95	0.00	150.0	± 9.6 %
		Y	4.16	66.02	15.68		150.0	
		Z	4.33	66.45	16.01		150.0	
10532-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.22	66.28	15.88	0.00	150.0	± 9.6 %
		Y	4.05	65.88	15.60		150.0	
		Z	4.21	66.32	15.94		150.0	
10533-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.38	66.49	15.98	0.00	150.0	± 9.6 %
		Y	4.20	66.12	15.72		150.0	
		Z	4.37	66.53	16.04		150.0	
10534-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	4.94	66.38	16.04	0.00	150.0	± 9.6 %
		Y	4.79	66.05	15.85		150.0	
		Z	4.93	66.40	16.10		150.0	
10535-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	4.97	66.50	16.09	0.00	150.0	± 9.6 %
		Y	4.82	66.16	15.91		150.0	
		Z	4.96	66.52	16.16		150.0	
10536-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	4.87	66.50	16.07	0.00	150.0	± 9.6 %
		Y	4.71	66.14	15.87		150.0	
		Z	4.86	66.52	16.13		150.0	
10537-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	4.93	66.51	16.08	0.00	150.0	± 9.6 %
		Y	4.80	66.22	15.92		150.0	
		Z	4.93	66.55	16.15		150.0	
10538-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	4.99	66.46	16.09	0.00	150.0	± 9.6 %
		Y	4.84	66.13	15.91		150.0	
		Z	4.99	66.48	16.15		150.0	
10540-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	4.92	66.41	16.09	0.00	150.0	± 9.6 %
		Y	4.77	66.07	15.90		150.0	
		Z	4.92	66.43	16.15		150.0	

10541-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	4.91	66.34	16.04	0.00	150.0	± 9.6 %
		Y	4.77	66.01	15.85		150.0	
		Z	4.91	66.36	16.09		150.0	
10542-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.07	66.44	16.10	0.00	150.0	± 9.6 %
		Y	4.92	66.12	15.92		150.0	
		Z	5.06	66.46	16.16		150.0	
10543-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.14	66.54	16.18	0.00	150.0	± 9.6 %
		Y	5.01	66.28	16.03		150.0	
		Z	5.14	66.58	16.25		150.0	
10544-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.29	66.45	16.03	0.00	150.0	± 9.6 %
		Y	5.15	66.11	15.85		150.0	
		Z	5.28	66.45	16.08		150.0	
10545-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.46	66.89	16.21	0.00	150.0	± 9.6 %
		Y	5.34	66.63	16.07		150.0	
		Z	5.46	66.93	16.28		150.0	
10546-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.31	66.57	16.06	0.00	150.0	± 9.6 %
		Y	5.18	66.22	15.88		150.0	
		Z	5.31	66.57	16.11		150.0	
10547-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.40	66.70	16.12	0.00	150.0	± 9.6 %
		Y	5.29	66.47	16.00		150.0	
		Z	5.40	66.73	16.19		150.0	
10548-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.53	67.27	16.38	0.00	150.0	± 9.6 %
		Y	5.40	66.97	16.23		150.0	
		Z	5.53	67.31	16.45		150.0	
10550-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.38	66.78	16.18	0.00	150.0	± 9.6 %
		Y	5.28	66.59	16.08		150.0	
		Z	5.39	66.83	16.26		150.0	
10551-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.31	66.53	16.01	0.00	150.0	± 9.6 %
		Y	5.16	66.15	15.82		150.0	
		Z	5.30	66.53	16.07		150.0	
10552-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.29	66.57	16.04	0.00	150.0	± 9.6 %
		Y	5.15	66.23	15.86		150.0	
		Z	5.29	66.58	16.09		150.0	
10553-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.34	66.51	16.03	0.00	150.0	± 9.6 %
		Y	5.20	66.16	15.85		150.0	
		Z	5.34	66.51	16.09		150.0	
10554-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.71	66.78	16.10	0.00	150.0	± 9.6 %
		Y	5.59	66.46	15.95		150.0	
		Z	5.71	66.79	16.16		150.0	
10555-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	5.80	67.00	16.20	0.00	150.0	± 9.6 %
		Y	5.67	66.67	16.04		150.0	
		Z	5.80	67.00	16.25		150.0	
10556-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	5.84	67.12	16.25	0.00	150.0	± 9.6 %
		Y	5.73	66.86	16.12		150.0	
		Z	5.84	67.15	16.32		150.0	
10557-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	5.79	66.98	16.20	0.00	150.0	± 9.6 %
		Y	5.66	66.65	16.04		150.0	
		Z	5.79	66.98	16.25		150.0	

10558-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	5.79	67.02	16.24	0.00	150.0	± 9.6 %
		Y	5.65	66.62	16.04		150.0	
		Z	5.79	67.01	16.28		150.0	
10560-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	5.82	66.96	16.24	0.00	150.0	± 9.6 %
		Y	5.68	66.61	16.07		150.0	
		Z	5.81	66.96	16.30		150.0	
10561-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	5.75	66.95	16.27	0.00	150.0	± 9.6 %
		Y	5.62	66.61	16.10		150.0	
		Z	5.75	66.95	16.32		150.0	
10562-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	5.80	67.09	16.34	0.00	150.0	± 9.6 %
		Y	5.66	66.72	16.16		150.0	
		Z	5.79	67.09	16.39		150.0	
10563-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	5.91	67.10	16.31	0.00	150.0	± 9.6 %
		Y	5.78	66.79	16.16		150.0	
		Z	5.91	67.13	16.38		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.65	66.87	16.31	0.46	150.0	± 9.6 %
		Y	4.49	66.57	16.08		150.0	
		Z	4.64	66.92	16.37		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	4.84	67.29	16.62	0.46	150.0	± 9.6 %
		Y	4.67	67.00	16.41		150.0	
		Z	4.83	67.32	16.68		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	4.67	67.09	16.42	0.46	150.0	± 9.6 %
		Y	4.51	66.78	16.19		150.0	
		Z	4.66	67.12	16.48		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	4.71	67.50	16.81	0.46	150.0	± 9.6 %
		Y	4.55	67.20	16.60		150.0	
		Z	4.70	67.52	16.85		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.56	66.78	16.14	0.46	150.0	± 9.6 %
		Y	4.38	66.41	15.87		150.0	
		Z	4.55	66.83	16.21		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	4.70	67.74	16.95	0.46	150.0	± 9.6 %
		Y	4.55	67.48	16.77		150.0	
		Z	4.69	67.75	16.99		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	4.70	67.51	16.83	0.46	150.0	± 9.6 %
		Y	4.54	67.23	16.63		150.0	
		Z	4.69	67.54	16.89		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.07	63.55	14.99	0.46	130.0	± 9.6 %
		Y	0.95	62.67	14.12		130.0	
		Z	1.06	63.75	15.18		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.07	64.04	15.32	0.46	130.0	± 9.6 %
		Y	0.95	63.12	14.44		130.0	
		Z	1.07	64.25	15.52		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	1.05	76.99	20.35	0.46	130.0	± 9.6 %
		Y	0.77	73.10	17.24		130.0	
		Z	1.30	81.19	22.04		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.09	68.67	17.90	0.46	130.0	± 9.6 %
		Y	0.93	67.34	16.71		130.0	
		Z	1.10	69.23	18.25		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.41	66.57	16.27	0.46	130.0	± 9.6 %
		Y	4.25	66.27	16.04		130.0	
		Z	4.40	66.60	16.33		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.44	66.78	16.36	0.46	130.0	± 9.6 %
		Y	4.28	66.50	16.14		130.0	
		Z	4.43	66.82	16.42		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.60	67.01	16.51	0.46	130.0	± 9.6 %
		Y	4.43	66.73	16.29		130.0	
		Z	4.58	67.04	16.56		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.50	67.16	16.62	0.46	130.0	± 9.6 %
		Y	4.34	66.87	16.41		130.0	
		Z	4.49	67.18	16.67		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.25	66.30	15.84	0.46	130.0	± 9.6 %
		Y	4.09	65.94	15.57		130.0	
		Z	4.24	66.35	15.91		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.28	66.34	15.85	0.46	130.0	± 9.6 %
		Y	4.11	65.97	15.57		130.0	
		Z	4.27	66.40	15.93		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.41	67.24	16.59	0.46	130.0	± 9.6 %
		Y	4.26	66.96	16.38		130.0	
		Z	4.40	67.26	16.64		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.18	66.06	15.61	0.46	130.0	± 9.6 %
		Y	4.01	65.70	15.33		130.0	
		Z	4.17	66.13	15.70		130.0	
10583-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.41	66.57	16.27	0.46	130.0	± 9.6 %
		Y	4.25	66.27	16.04		130.0	
		Z	4.40	66.60	16.33		130.0	
10584-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.44	66.78	16.36	0.46	130.0	± 9.6 %
		Y	4.28	66.50	16.14		130.0	
		Z	4.43	66.82	16.42		130.0	
10585-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.60	67.01	16.51	0.46	130.0	± 9.6 %
		Y	4.43	66.73	16.29		130.0	
		Z	4.58	67.04	16.56		130.0	
10586-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.50	67.16	16.62	0.46	130.0	± 9.6 %
		Y	4.34	66.87	16.41		130.0	
		Z	4.49	67.18	16.67		130.0	
10587-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.25	66.30	15.84	0.46	130.0	± 9.6 %
		Y	4.09	65.94	15.57		130.0	
		Z	4.24	66.35	15.91		130.0	
10588-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.28	66.34	15.85	0.46	130.0	± 9.6 %
		Y	4.11	65.97	15.57		130.0	
		Z	4.27	66.40	15.93		130.0	
10589-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.41	67.24	16.59	0.46	130.0	± 9.6 %
		Y	4.26	66.96	16.38		130.0	
		Z	4.40	67.26	16.64		130.0	
10590-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.18	66.06	15.61	0.46	130.0	± 9.6 %
		Y	4.01	65.70	15.33		130.0	
		Z	4.17	66.13	15.70		130.0	

10591-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.57	66.67	16.40	0.46	130.0	± 9.6 %
		Y	4.42	66.41	16.20		130.0	
		Z	4.56	66.70	16.46		130.0	
10592-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	4.68	66.95	16.52	0.46	130.0	± 9.6 %
		Y	4.52	66.67	16.32		130.0	
		Z	4.67	66.98	16.58		130.0	
10593-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	4.60	66.82	16.37	0.46	130.0	± 9.6 %
		Y	4.44	66.53	16.16		130.0	
		Z	4.58	66.86	16.44		130.0	
10594-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.65	67.00	16.55	0.46	130.0	± 9.6 %
		Y	4.49	66.72	16.34		130.0	
		Z	4.64	67.03	16.60		130.0	
10595-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	4.62	66.98	16.45	0.46	130.0	± 9.6 %
		Y	4.46	66.69	16.24		130.0	
		Z	4.60	67.01	16.51		130.0	
10596-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	4.55	66.93	16.44	0.46	130.0	± 9.6 %
		Y	4.38	66.62	16.22		130.0	
		Z	4.53	66.97	16.50		130.0	
10597-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.50	66.80	16.29	0.46	130.0	± 9.6 %
		Y	4.34	66.48	16.05		130.0	
		Z	4.49	66.83	16.35		130.0	
10598-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.49	67.04	16.56	0.46	130.0	± 9.6 %
		Y	4.34	66.75	16.35		130.0	
		Z	4.48	67.06	16.62		130.0	
10599-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	5.26	67.15	16.67	0.46	130.0	± 9.6 %
		Y	5.14	66.97	16.57		130.0	
		Z	5.25	67.19	16.74		130.0	
10600-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	5.35	67.49	16.81	0.46	130.0	± 9.6 %
		Y	5.25	67.38	16.74		130.0	
		Z	5.35	67.57	16.91		130.0	
10601-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.26	67.28	16.73	0.46	130.0	± 9.6 %
		Y	5.16	67.18	16.67		130.0	
		Z	5.26	67.35	16.81		130.0	
10602-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.34	67.28	16.64	0.46	130.0	± 9.6 %
		Y	5.22	67.10	16.54		130.0	
		Z	5.34	67.34	16.72		130.0	
10603-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.41	67.58	16.93	0.46	130.0	± 9.6 %
		Y	5.27	67.34	16.80		130.0	
		Z	5.40	67.62	17.01		130.0	
10604-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.28	67.17	16.70	0.46	130.0	± 9.6 %
		Y	5.12	66.82	16.51		130.0	
		Z	5.27	67.17	16.76		130.0	
10605-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.33	67.33	16.78	0.46	130.0	± 9.6 %
		Y	5.21	67.12	16.66		130.0	
		Z	5.33	67.38	16.86		130.0	
10606-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.13	66.80	16.37	0.46	130.0	± 9.6 %
		Y	5.03	66.65	16.27		130.0	
		Z	5.13	66.88	16.46		130.0	