

| | | | | | | | | |
|-----------|---|---|------|-------|-------|------|-------|---------|
| 10607-AAB | IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle) | X | 4.42 | 66.03 | 16.05 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.26 | 65.73 | 15.84 | | 130.0 | |
| | | Z | 4.41 | 66.06 | 16.11 | | 130.0 | |
| 10608-AAB | IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle) | X | 4.55 | 66.34 | 16.19 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.38 | 66.02 | 15.97 | | 130.0 | |
| | | Z | 4.54 | 66.37 | 16.25 | | 130.0 | |
| 10609-AAB | IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle) | X | 4.45 | 66.17 | 16.01 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.28 | 65.83 | 15.77 | | 130.0 | |
| | | Z | 4.44 | 66.21 | 16.07 | | 130.0 | |
| 10610-AAB | IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle) | X | 4.50 | 66.34 | 16.18 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.33 | 66.03 | 15.96 | | 130.0 | |
| | | Z | 4.48 | 66.38 | 16.24 | | 130.0 | |
| 10611-AAB | IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle) | X | 4.41 | 66.13 | 16.02 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.24 | 65.79 | 15.78 | | 130.0 | |
| | | Z | 4.40 | 66.17 | 16.08 | | 130.0 | |
| 10612-AAB | IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle) | X | 4.39 | 66.24 | 16.05 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.22 | 65.88 | 15.80 | | 130.0 | |
| | | Z | 4.38 | 66.29 | 16.12 | | 130.0 | |
| 10613-AAB | IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle) | X | 4.39 | 66.06 | 15.89 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.22 | 65.69 | 15.63 | | 130.0 | |
| | | Z | 4.38 | 66.10 | 15.96 | | 130.0 | |
| 10614-AAB | IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle) | X | 4.36 | 66.30 | 16.16 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.20 | 65.96 | 15.92 | | 130.0 | |
| | | Z | 4.35 | 66.33 | 16.21 | | 130.0 | |
| 10615-AAB | IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle) | X | 4.40 | 65.96 | 15.78 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.23 | 65.60 | 15.52 | | 130.0 | |
| | | Z | 4.39 | 66.01 | 15.85 | | 130.0 | |
| 10616-AAB | IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle) | X | 5.06 | 66.32 | 16.24 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.92 | 66.04 | 16.09 | | 130.0 | |
| | | Z | 5.05 | 66.34 | 16.30 | | 130.0 | |
| 10617-AAB | IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle) | X | 5.09 | 66.43 | 16.27 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.95 | 66.14 | 16.12 | | 130.0 | |
| | | Z | 5.09 | 66.45 | 16.34 | | 130.0 | |
| 10618-AAB | IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle) | X | 5.01 | 66.50 | 16.32 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.86 | 66.17 | 16.14 | | 130.0 | |
| | | Z | 5.00 | 66.51 | 16.38 | | 130.0 | |
| 10619-AAB | IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle) | X | 5.03 | 66.35 | 16.18 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.91 | 66.13 | 16.05 | | 130.0 | |
| | | Z | 5.03 | 66.40 | 16.26 | | 130.0 | |
| 10620-AAB | IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle) | X | 5.10 | 66.33 | 16.22 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.95 | 66.03 | 16.05 | | 130.0 | |
| | | Z | 5.09 | 66.36 | 16.28 | | 130.0 | |
| 10621-AAB | IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle) | X | 5.11 | 66.45 | 16.40 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.97 | 66.16 | 16.25 | | 130.0 | |
| | | Z | 5.10 | 66.45 | 16.45 | | 130.0 | |
| 10622-AAB | IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle) | X | 5.09 | 66.53 | 16.44 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.95 | 66.24 | 16.29 | | 130.0 | |
| | | Z | 5.08 | 66.54 | 16.49 | | 130.0 | |

| | | | | | | | | |
|-----------|--|---|------|-------|-------|------|-------|---------|
| 10623-AAB | IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle) | X | 4.99 | 66.09 | 16.07 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 4.85 | 65.80 | 15.91 | | 130.0 | |
| | | Z | 4.98 | 66.12 | 16.14 | | 130.0 | |
| 10624-AAB | IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle) | X | 5.18 | 66.35 | 16.27 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.05 | 66.08 | 16.12 | | 130.0 | |
| | | Z | 5.18 | 66.37 | 16.33 | | 130.0 | |
| 10625-AAB | IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle) | X | 5.27 | 66.48 | 16.40 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.16 | 66.33 | 16.32 | | 130.0 | |
| | | Z | 5.26 | 66.51 | 16.47 | | 130.0 | |
| 10626-AAB | IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle) | X | 5.39 | 66.35 | 16.20 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.27 | 66.05 | 16.05 | | 130.0 | |
| | | Z | 5.39 | 66.35 | 16.25 | | 130.0 | |
| 10627-AAB | IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle) | X | 5.62 | 66.95 | 16.47 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.52 | 66.77 | 16.39 | | 130.0 | |
| | | Z | 5.62 | 67.00 | 16.55 | | 130.0 | |
| 10628-AAB | IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle) | X | 5.39 | 66.32 | 16.08 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.26 | 66.01 | 15.92 | | 130.0 | |
| | | Z | 5.38 | 66.33 | 16.14 | | 130.0 | |
| 10629-AAB | IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle) | X | 5.49 | 66.53 | 16.19 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.42 | 66.41 | 16.13 | | 130.0 | |
| | | Z | 5.50 | 66.59 | 16.27 | | 130.0 | |
| 10630-AAB | IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle) | X | 5.71 | 67.37 | 16.62 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.58 | 67.10 | 16.48 | | 130.0 | |
| | | Z | 5.71 | 67.43 | 16.70 | | 130.0 | |
| 10631-AAB | IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle) | X | 5.69 | 67.44 | 16.84 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.55 | 67.15 | 16.71 | | 130.0 | |
| | | Z | 5.68 | 67.43 | 16.89 | | 130.0 | |
| 10632-AAB | IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle) | X | 5.63 | 67.16 | 16.72 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.56 | 67.10 | 16.70 | | 130.0 | |
| | | Z | 5.64 | 67.21 | 16.80 | | 130.0 | |
| 10633-AAB | IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle) | X | 5.41 | 66.40 | 16.16 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.27 | 66.06 | 16.00 | | 130.0 | |
| | | Z | 5.40 | 66.39 | 16.21 | | 130.0 | |
| 10634-AAB | IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) | X | 5.44 | 66.60 | 16.32 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.31 | 66.29 | 16.17 | | 130.0 | |
| | | Z | 5.43 | 66.60 | 16.37 | | 130.0 | |
| 10635-AAB | IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) | X | 5.29 | 65.83 | 15.65 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.16 | 65.48 | 15.46 | | 130.0 | |
| | | Z | 5.29 | 65.85 | 15.72 | | 130.0 | |
| 10636-AAC | IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) | X | 5.83 | 66.70 | 16.29 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.72 | 66.43 | 16.16 | | 130.0 | |
| | | Z | 5.83 | 66.71 | 16.34 | | 130.0 | |
| 10637-AAC | IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) | X | 5.94 | 66.99 | 16.42 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.84 | 66.73 | 16.30 | | 130.0 | |
| | | Z | 5.94 | 67.01 | 16.48 | | 130.0 | |
| 10638-AAC | IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) | X | 5.98 | 67.08 | 16.44 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.88 | 66.85 | 16.33 | | 130.0 | |
| | | Z | 5.98 | 67.10 | 16.50 | | 130.0 | |

| | | | | | | | | |
|-----------|--|---|------|-------|-------|-------|-------|---------|
| 10639-AAC | IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) | X | 5.93 | 66.94 | 16.41 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.81 | 66.65 | 16.28 | | 130.0 | |
| | | Z | 5.92 | 66.94 | 16.47 | | 130.0 | |
| 10640-AAC | IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle) | X | 5.88 | 66.80 | 16.29 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.74 | 66.44 | 16.11 | | 130.0 | |
| | | Z | 5.87 | 66.80 | 16.34 | | 130.0 | |
| 10641-AAC | IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) | X | 5.99 | 66.91 | 16.36 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.89 | 66.68 | 16.26 | | 130.0 | |
| | | Z | 5.99 | 66.95 | 16.44 | | 130.0 | |
| 10642-AAC | IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) | X | 6.01 | 67.10 | 16.63 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.88 | 66.80 | 16.49 | | 130.0 | |
| | | Z | 6.00 | 67.09 | 16.67 | | 130.0 | |
| 10643-AAC | IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle) | X | 5.85 | 66.79 | 16.36 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.73 | 66.47 | 16.21 | | 130.0 | |
| | | Z | 5.85 | 66.80 | 16.42 | | 130.0 | |
| 10644-AAC | IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle) | X | 5.90 | 66.96 | 16.46 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.77 | 66.61 | 16.30 | | 130.0 | |
| | | Z | 5.90 | 66.96 | 16.52 | | 130.0 | |
| 10645-AAC | IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle) | X | 6.03 | 67.03 | 16.46 | 0.46 | 130.0 | ± 9.6 % |
| | | Y | 5.92 | 66.75 | 16.34 | | 130.0 | |
| | | Z | 6.04 | 67.06 | 16.54 | | 130.0 | |
| 10646-AAD | LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7) | X | 5.52 | 86.94 | 30.07 | 9.30 | 60.0 | ± 9.6 % |
| | | Y | 4.81 | 83.39 | 28.41 | | 60.0 | |
| | | Z | 5.83 | 89.00 | 31.10 | | 60.0 | |
| 10647-AAC | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7) | X | 4.89 | 84.52 | 29.25 | 9.30 | 60.0 | ± 9.6 % |
| | | Y | 4.31 | 81.39 | 27.73 | | 60.0 | |
| | | Z | 5.10 | 86.30 | 30.19 | | 60.0 | |
| 10648-AAA | CDMA2000 (1x Advanced) | X | 0.50 | 61.65 | 8.29 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 0.35 | 60.00 | 5.54 | | 150.0 | |
| | | Z | 0.47 | 61.37 | 7.93 | | 150.0 | |
| 10652-AAB | LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%) | X | 3.08 | 65.78 | 15.64 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.85 | 65.00 | 14.97 | | 80.0 | |
| | | Z | 3.07 | 65.85 | 15.68 | | 80.0 | |
| 10653-AAB | LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%) | X | 3.65 | 65.26 | 16.04 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.47 | 64.76 | 15.65 | | 80.0 | |
| | | Z | 3.64 | 65.31 | 16.09 | | 80.0 | |
| 10654-AAB | LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%) | X | 3.68 | 64.90 | 16.09 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.53 | 64.43 | 15.75 | | 80.0 | |
| | | Z | 3.67 | 64.93 | 16.14 | | 80.0 | |
| 10655-AAB | LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%) | X | 3.76 | 64.83 | 16.13 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.62 | 64.35 | 15.82 | | 80.0 | |
| | | Z | 3.75 | 64.86 | 16.19 | | 80.0 | |
| 10658-AAA | Pulse Waveform (200Hz, 10%) | X | 3.11 | 68.02 | 11.04 | 10.00 | 50.0 | ± 9.6 % |
| | | Y | 2.45 | 64.74 | 9.43 | | 50.0 | |
| | | Z | 2.61 | 66.22 | 10.05 | | 50.0 | |
| 10659-AAA | Pulse Waveform (200Hz, 20%) | X | 2.19 | 68.03 | 10.09 | 6.99 | 60.0 | ± 9.6 % |
| | | Y | 1.07 | 61.51 | 6.69 | | 60.0 | |
| | | Z | 1.43 | 64.46 | 8.32 | | 60.0 | |

| | | | | | | | | |
|-----------|-----------------------------|---|--------|--------|-------|------|-------|---------|
| 10660-AAA | Pulse Waveform (200Hz, 40%) | X | 100.00 | 95.84 | 16.20 | 3.98 | 80.0 | ± 9.6 % |
| | | Y | 0.42 | 60.00 | 4.48 | | 80.0 | |
| | | Z | 0.68 | 62.98 | 6.69 | | 80.0 | |
| 10661-AAA | Pulse Waveform (200Hz, 60%) | X | 100.00 | 94.11 | 14.66 | 2.22 | 100.0 | ± 9.6 % |
| | | Y | 21.72 | 60.65 | 1.53 | | 100.0 | |
| | | Z | 0.24 | 60.14 | 4.56 | | 100.0 | |
| 10662-AAA | Pulse Waveform (200Hz, 80%) | X | 100.00 | 85.62 | 10.55 | 0.97 | 120.0 | ± 9.6 % |
| | | Y | 0.00 | 102.29 | 41.43 | | 120.0 | |
| | | Z | 0.13 | 60.00 | 3.06 | | 120.0 | |

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.