

10607-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	4.42	66.03	16.05	0.46	130.0	± 9.6 %
		Y	4.26	65.73	15.84		130.0	
		Z	4.41	66.06	16.11		130.0	
10608-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.55	66.34	16.19	0.46	130.0	± 9.6 %
		Y	4.38	66.02	15.97		130.0	
		Z	4.54	66.37	16.25		130.0	
10609-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	4.45	66.17	16.01	0.46	130.0	± 9.6 %
		Y	4.28	65.83	15.77		130.0	
		Z	4.44	66.21	16.07		130.0	
10610-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	4.50	66.34	16.18	0.46	130.0	± 9.6 %
		Y	4.33	66.03	15.96		130.0	
		Z	4.48	66.38	16.24		130.0	
10611-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	4.41	66.13	16.02	0.46	130.0	± 9.6 %
		Y	4.24	65.79	15.78		130.0	
		Z	4.40	66.17	16.08		130.0	
10612-AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.39	66.24	16.05	0.46	130.0	± 9.6 %
		Y	4.22	65.88	15.80		130.0	
		Z	4.38	66.29	16.12		130.0	
10613-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	4.39	66.06	15.89	0.46	130.0	± 9.6 %
		Y	4.22	65.69	15.63		130.0	
		Z	4.38	66.10	15.96		130.0	
10614-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.36	66.30	16.16	0.46	130.0	± 9.6 %
		Y	4.20	65.96	15.92		130.0	
		Z	4.35	66.33	16.21		130.0	
10615-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.40	65.96	15.78	0.46	130.0	± 9.6 %
		Y	4.23	65.60	15.52		130.0	
		Z	4.39	66.01	15.85		130.0	
10616-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	5.06	66.32	16.24	0.46	130.0	± 9.6 %
		Y	4.92	66.04	16.09		130.0	
		Z	5.05	66.34	16.30		130.0	
10617-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	5.09	66.43	16.27	0.46	130.0	± 9.6 %
		Y	4.95	66.14	16.12		130.0	
		Z	5.09	66.45	16.34		130.0	
10618-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.01	66.50	16.32	0.46	130.0	± 9.6 %
		Y	4.86	66.17	16.14		130.0	
		Z	5.00	66.51	16.38		130.0	
10619-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	5.03	66.35	16.18	0.46	130.0	± 9.6 %
		Y	4.91	66.13	16.05		130.0	
		Z	5.03	66.40	16.26		130.0	
10620-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	5.10	66.33	16.22	0.46	130.0	± 9.6 %
		Y	4.95	66.03	16.05		130.0	
		Z	5.09	66.36	16.28		130.0	
10621-AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	5.11	66.45	16.40	0.46	130.0	± 9.6 %
		Y	4.97	66.16	16.25		130.0	
		Z	5.10	66.45	16.45		130.0	
10622-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	5.09	66.53	16.44	0.46	130.0	± 9.6 %
		Y	4.95	66.24	16.29		130.0	
		Z	5.08	66.54	16.49		130.0	

10623-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	4.99	66.09	16.07	0.46	130.0	± 9.6 %
		Y	4.85	65.80	15.91		130.0	
		Z	4.98	66.12	16.14		130.0	
10624-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	5.18	66.35	16.27	0.46	130.0	± 9.6 %
		Y	5.05	66.08	16.12		130.0	
		Z	5.18	66.37	16.33		130.0	
10625-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	X	5.27	66.48	16.40	0.46	130.0	± 9.6 %
		Y	5.16	66.33	16.32		130.0	
		Z	5.26	66.51	16.47		130.0	
10626-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	X	5.39	66.35	16.20	0.46	130.0	± 9.6 %
		Y	5.27	66.05	16.05		130.0	
		Z	5.39	66.35	16.25		130.0	
10627-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	X	5.62	66.95	16.47	0.46	130.0	± 9.6 %
		Y	5.52	66.77	16.39		130.0	
		Z	5.62	67.00	16.55		130.0	
10628-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	5.39	66.32	16.08	0.46	130.0	± 9.6 %
		Y	5.26	66.01	15.92		130.0	
		Z	5.38	66.33	16.14		130.0	
10629-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	5.49	66.53	16.19	0.46	130.0	± 9.6 %
		Y	5.42	66.41	16.13		130.0	
		Z	5.50	66.59	16.27		130.0	
10630-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	X	5.71	67.37	16.62	0.46	130.0	± 9.6 %
		Y	5.58	67.10	16.48		130.0	
		Z	5.71	67.43	16.70		130.0	
10631-AAB	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	X	5.69	67.44	16.84	0.46	130.0	± 9.6 %
		Y	5.55	67.15	16.71		130.0	
		Z	5.68	67.43	16.89		130.0	
10632-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	X	5.63	67.16	16.72	0.46	130.0	± 9.6 %
		Y	5.56	67.10	16.70		130.0	
		Z	5.64	67.21	16.80		130.0	
10633-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	5.41	66.40	16.16	0.46	130.0	± 9.6 %
		Y	5.27	66.06	16.00		130.0	
		Z	5.40	66.39	16.21		130.0	
10634-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.44	66.60	16.32	0.46	130.0	± 9.6 %
		Y	5.31	66.29	16.17		130.0	
		Z	5.43	66.60	16.37		130.0	
10635-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	X	5.29	65.83	15.65	0.46	130.0	± 9.6 %
		Y	5.16	65.48	15.46		130.0	
		Z	5.29	65.85	15.72		130.0	
10636-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	X	5.83	66.70	16.29	0.46	130.0	± 9.6 %
		Y	5.72	66.43	16.16		130.0	
		Z	5.83	66.71	16.34		130.0	
10637-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	5.94	66.99	16.42	0.46	130.0	± 9.6 %
		Y	5.84	66.73	16.30		130.0	
		Z	5.94	67.01	16.48		130.0	
10638-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	X	5.98	67.08	16.44	0.46	130.0	± 9.6 %
		Y	5.88	66.85	16.33		130.0	
		Z	5.98	67.10	16.50		130.0	

10639-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	X	5.93	66.94	16.41	0.46	130.0	± 9.6 %
		Y	5.81	66.65	16.28		130.0	
		Z	5.92	66.94	16.47		130.0	
10640-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	X	5.88	66.80	16.29	0.46	130.0	± 9.6 %
		Y	5.74	66.44	16.11		130.0	
		Z	5.87	66.80	16.34		130.0	
10641-AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	X	5.99	66.91	16.36	0.46	130.0	± 9.6 %
		Y	5.89	66.68	16.26		130.0	
		Z	5.99	66.95	16.44		130.0	
10642-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	X	6.01	67.10	16.63	0.46	130.0	± 9.6 %
		Y	5.88	66.80	16.49		130.0	
		Z	6.00	67.09	16.67		130.0	
10643-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	X	5.85	66.79	16.36	0.46	130.0	± 9.6 %
		Y	5.73	66.47	16.21		130.0	
		Z	5.85	66.80	16.42		130.0	
10644-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	X	5.90	66.96	16.46	0.46	130.0	± 9.6 %
		Y	5.77	66.61	16.30		130.0	
		Z	5.90	66.96	16.52		130.0	
10645-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	X	6.03	67.03	16.46	0.46	130.0	± 9.6 %
		Y	5.92	66.75	16.34		130.0	
		Z	6.04	67.06	16.54		130.0	
10646-AAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	X	5.52	86.94	30.07	9.30	60.0	± 9.6 %
		Y	4.81	83.39	28.41		60.0	
		Z	5.83	89.00	31.10		60.0	
10647-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	X	4.89	84.52	29.25	9.30	60.0	± 9.6 %
		Y	4.31	81.39	27.73		60.0	
		Z	5.10	86.30	30.19		60.0	
10648-AAA	CDMA2000 (1x Advanced)	X	0.50	61.65	8.29	0.00	150.0	± 9.6 %
		Y	0.35	60.00	5.54		150.0	
		Z	0.47	61.37	7.93		150.0	
10652-AAB	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.08	65.78	15.64	2.23	80.0	± 9.6 %
		Y	2.85	65.00	14.97		80.0	
		Z	3.07	65.85	15.68		80.0	
10653-AAB	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	3.65	65.26	16.04	2.23	80.0	± 9.6 %
		Y	3.47	64.76	15.65		80.0	
		Z	3.64	65.31	16.09		80.0	
10654-AAB	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	3.68	64.90	16.09	2.23	80.0	± 9.6 %
		Y	3.53	64.43	15.75		80.0	
		Z	3.67	64.93	16.14		80.0	
10655-AAB	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	3.76	64.83	16.13	2.23	80.0	± 9.6 %
		Y	3.62	64.35	15.82		80.0	
		Z	3.75	64.86	16.19		80.0	
10658-AAA	Pulse Waveform (200Hz, 10%)	X	3.11	68.02	11.04	10.00	50.0	± 9.6 %
		Y	2.45	64.74	9.43		50.0	
		Z	2.61	66.22	10.05		50.0	
10659-AAA	Pulse Waveform (200Hz, 20%)	X	2.19	68.03	10.09	6.99	60.0	± 9.6 %
		Y	1.07	61.51	6.69		60.0	
		Z	1.43	64.46	8.32		60.0	

10660-AAA	Pulse Waveform (200Hz, 40%)	X	100.00	95.84	16.20	3.98	80.0	± 9.6 %
		Y	0.42	60.00	4.48		80.0	
		Z	0.68	62.98	6.69		80.0	
10661-AAA	Pulse Waveform (200Hz, 60%)	X	100.00	94.11	14.66	2.22	100.0	± 9.6 %
		Y	21.72	60.65	1.53		100.0	
		Z	0.24	60.14	4.56		100.0	
10662-AAA	Pulse Waveform (200Hz, 80%)	X	100.00	85.62	10.55	0.97	120.0	± 9.6 %
		Y	0.00	102.29	41.43		120.0	
		Z	0.13	60.00	3.06		120.0	

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.