

10477-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	108.93	24.57	3.23	80.0	± 9.6 %
		Y	14.97	87.35	18.63		80.0	
		Z	100.00	107.40	23.79		80.0	
10478-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	104.71	22.60	3.23	80.0	± 9.6 %
		Y	2.02	66.63	11.38		80.0	
		Z	10.63	82.23	16.79		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.96	34.60	3.23	80.0	± 9.6 %
		Y	100.00	124.87	33.17		80.0	
		Z	100.00	126.16	34.06		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	116.40	29.64	3.23	80.0	± 9.6 %
		Y	40.50	102.25	25.25		80.0	
		Z	61.36	108.85	27.49		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	114.45	28.66	3.23	80.0	± 9.6 %
		Y	18.16	90.81	21.73		80.0	
		Z	31.21	98.47	24.40		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	12.57	92.18	24.14	2.23	80.0	± 9.6 %
		Y	3.79	74.75	17.20		80.0	
		Z	13.54	93.30	24.30		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	19.52	93.93	24.10	2.23	80.0	± 9.6 %
		Y	7.22	79.45	18.54		80.0	
		Z	11.25	85.87	21.32		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	14.73	89.83	22.91	2.23	80.0	± 9.6 %
		Y	5.95	76.79	17.62		80.0	
		Z	9.07	82.76	20.33		80.0	
10485-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	9.59	89.39	24.37	2.23	80.0	± 9.6 %
		Y	4.65	78.23	19.76		80.0	
		Z	10.08	90.59	24.74		80.0	
10486-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.61	77.46	19.76	2.23	80.0	± 9.6 %
		Y	3.56	70.93	16.33		80.0	
		Z	5.46	77.31	19.63		80.0	
10487-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.37	76.43	19.36	2.23	80.0	± 9.6 %
		Y	3.49	70.30	16.05		80.0	
		Z	5.19	76.19	19.19		80.0	
10488-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.72	82.40	22.74	2.23	80.0	± 9.6 %
		Y	4.39	75.93	19.91		80.0	
		Z	6.55	82.48	22.90		80.0	
10489-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.81	74.05	19.65	2.23	80.0	± 9.6 %
		Y	3.84	70.86	17.87		80.0	
		Z	4.67	73.90	19.68		80.0	
10490-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.82	73.50	19.44	2.23	80.0	± 9.6 %
		Y	3.90	70.56	17.76		80.0	
		Z	4.68	73.35	19.46		80.0	
10491-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.76	77.53	21.07	2.23	80.0	± 9.6 %
		Y	4.30	73.21	19.06		80.0	
		Z	5.54	77.29	21.13		80.0	
10492-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.81	71.92	19.05	2.23	80.0	± 9.6 %
		Y	4.07	69.59	17.73		80.0	
		Z	4.66	71.67	19.07		80.0	

10493-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.84	71.61	18.93	2.23	80.0	± 9.6 %
		Y	4.12	69.40	17.66		80.0	
		Z	4.69	71.36	18.94		80.0	
10494-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.85	80.47	21.97	2.23	80.0	± 9.6 %
		Y	4.79	75.04	19.63		80.0	
		Z	6.55	80.14	22.01		80.0	
10495-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.92	72.55	19.33	2.23	80.0	± 9.6 %
		Y	4.12	70.00	17.96		80.0	
		Z	4.76	72.25	19.34		80.0	
10496-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.92	71.94	19.11	2.23	80.0	± 9.6 %
		Y	4.17	69.64	17.85		80.0	
		Z	4.76	71.66	19.12		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	9.37	86.46	21.26	2.23	80.0	± 9.6 %
		Y	2.00	66.38	12.58		80.0	
		Z	8.31	84.63	20.37		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.14	69.02	13.92	2.23	80.0	± 9.6 %
		Y	1.37	60.09	8.41		80.0	
		Z	2.41	65.99	12.29		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.85	67.57	13.15	2.23	80.0	± 9.6 %
		Y	1.37	60.00	8.22		80.0	
		Z	2.21	64.70	11.55		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.55	85.10	23.29	2.23	80.0	± 9.6 %
		Y	4.40	76.85	19.68		80.0	
		Z	7.62	85.72	23.55		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.18	75.84	19.62	2.23	80.0	± 9.6 %
		Y	3.74	71.13	17.02		80.0	
		Z	5.05	75.76	19.58		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.17	75.39	19.38	2.23	80.0	± 9.6 %
		Y	3.76	70.83	16.82		80.0	
		Z	5.04	75.27	19.32		80.0	
10503-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.59	82.07	22.61	2.23	80.0	± 9.6 %
		Y	4.31	75.64	19.78		80.0	
		Z	6.42	82.13	22.76		80.0	
10504-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.78	73.93	19.59	2.23	80.0	± 9.6 %
		Y	3.81	70.73	17.80		80.0	
		Z	4.64	73.77	19.61		80.0	
10505-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.79	73.38	19.38	2.23	80.0	± 9.6 %
		Y	3.87	70.44	17.69		80.0	
		Z	4.65	73.23	19.40		80.0	
10506-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.76	80.24	21.87	2.23	80.0	± 9.6 %
		Y	4.73	74.84	19.53		80.0	
		Z	6.47	79.91	21.91		80.0	
10507-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.90	72.47	19.29	2.23	80.0	± 9.6 %
		Y	4.10	69.93	17.92		80.0	
		Z	4.74	72.17	19.30		80.0	

10508-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.90	71.86	19.07	2.23	80.0	± 9.6 %
		Y	4.16	69.56	17.80		80.0	
		Z	4.74	71.57	19.08		80.0	
10509-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.24	76.52	20.47	2.23	80.0	± 9.6 %
		Y	4.86	72.76	18.75		80.0	
		Z	5.97	76.06	20.45		80.0	
10510-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.23	71.40	18.91	2.23	80.0	± 9.6 %
		Y	4.53	69.30	17.79		80.0	
		Z	5.07	71.04	18.90		80.0	
10511-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.23	70.94	18.75	2.23	80.0	± 9.6 %
		Y	4.57	69.01	17.71		80.0	
		Z	5.07	70.59	18.75		80.0	
10512-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.27	79.73	21.50	2.23	80.0	± 9.6 %
		Y	5.22	74.66	19.34		80.0	
		Z	6.89	79.16	21.45		80.0	
10513-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.20	72.00	19.15	2.23	80.0	± 9.6 %
		Y	4.43	69.63	17.93		80.0	
		Z	5.02	71.59	19.13		80.0	
10514-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.12	71.27	18.90	2.23	80.0	± 9.6 %
		Y	4.43	69.14	17.78		80.0	
		Z	4.96	70.89	18.89		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.00	64.59	16.01	0.00	150.0	± 9.6 %
		Y	0.87	62.73	14.23		150.0	
		Z	0.98	64.70	16.21		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	1.69	91.79	26.85	0.00	150.0	± 9.6 %
		Y	0.51	70.53	16.13		150.0	
		Z	4.54	110.36	32.32		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.91	68.23	17.62	0.00	150.0	± 9.6 %
		Y	0.71	64.52	14.65		150.0	
		Z	0.91	68.88	18.05		150.0	
10518-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.57	67.02	16.47	0.00	150.0	± 9.6 %
		Y	4.37	66.58	16.08		150.0	
		Z	4.55	66.97	16.56		150.0	
10519-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.76	67.25	16.58	0.00	150.0	± 9.6 %
		Y	4.54	66.79	16.18		150.0	
		Z	4.73	67.20	16.67		150.0	
10520-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.61	67.24	16.52	0.00	150.0	± 9.6 %
		Y	4.39	66.73	16.10		150.0	
		Z	4.58	67.18	16.61		150.0	
10521-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.55	67.25	16.52	0.00	150.0	± 9.6 %
		Y	4.32	66.72	16.08		150.0	
		Z	4.52	67.18	16.60		150.0	
10522-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.61	67.32	16.59	0.00	150.0	± 9.6 %
		Y	4.38	66.85	16.19		150.0	
		Z	4.58	67.29	16.69		150.0	

10523-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.49	67.20	16.45	0.00	150.0	± 9.6 %
		Y	4.28	66.74	16.04		150.0	
		Z	4.46	67.16	16.55		150.0	
10524-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.55	67.24	16.56	0.00	150.0	± 9.6 %
		Y	4.33	66.77	16.15		150.0	
		Z	4.52	67.20	16.66		150.0	
10525-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.54	66.29	16.16	0.00	150.0	± 9.6 %
		Y	4.33	65.83	15.76		150.0	
		Z	4.52	66.24	16.25		150.0	
10526-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.71	66.67	16.30	0.00	150.0	± 9.6 %
		Y	4.48	66.16	15.89		150.0	
		Z	4.69	66.62	16.39		150.0	
10527-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.64	66.65	16.25	0.00	150.0	± 9.6 %
		Y	4.41	66.12	15.83		150.0	
		Z	4.61	66.59	16.34		150.0	
10528-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.65	66.66	16.28	0.00	150.0	± 9.6 %
		Y	4.42	66.14	15.86		150.0	
		Z	4.62	66.60	16.37		150.0	
10529-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.65	66.66	16.28	0.00	150.0	± 9.6 %
		Y	4.42	66.14	15.86		150.0	
		Z	4.62	66.60	16.37		150.0	
10531-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.65	66.78	16.30	0.00	150.0	± 9.6 %
		Y	4.40	66.21	15.86		150.0	
		Z	4.62	66.72	16.39		150.0	
10532-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.51	66.65	16.25	0.00	150.0	± 9.6 %
		Y	4.27	66.06	15.79		150.0	
		Z	4.48	66.58	16.33		150.0	
10533-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.66	66.71	16.27	0.00	150.0	± 9.6 %
		Y	4.43	66.20	15.86		150.0	
		Z	4.64	66.66	16.37		150.0	
10534-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.17	66.69	16.29	0.00	150.0	± 9.6 %
		Y	4.97	66.22	15.94		150.0	
		Z	5.16	66.62	16.38		150.0	
10535-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.24	66.87	16.36	0.00	150.0	± 9.6 %
		Y	5.04	66.40	16.03		150.0	
		Z	5.23	66.84	16.48		150.0	
10536-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	5.11	66.84	16.33	0.00	150.0	± 9.6 %
		Y	4.91	66.36	15.98		150.0	
		Z	5.10	66.78	16.44		150.0	
10537-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	5.17	66.80	16.31	0.00	150.0	± 9.6 %
		Y	4.97	66.31	15.97		150.0	
		Z	5.16	66.74	16.41		150.0	
10538-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	5.26	66.81	16.36	0.00	150.0	± 9.6 %
		Y	5.05	66.32	16.01		150.0	
		Z	5.24	66.74	16.46		150.0	
10540-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.19	66.83	16.38	0.00	150.0	± 9.6 %
		Y	4.98	66.31	16.02		150.0	
		Z	5.18	66.79	16.50		150.0	

10541-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5.16	66.70	16.31	0.00	150.0	± 9.6 %
		Y	4.96	66.20	15.95		150.0	
		Z	5.15	66.63	16.41		150.0	
10542-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.31	66.75	16.35	0.00	150.0	± 9.6 %
		Y	5.11	66.29	16.02		150.0	
		Z	5.30	66.68	16.45		150.0	
10543-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.39	66.77	16.38	0.00	150.0	± 9.6 %
		Y	5.18	66.30	16.05		150.0	
		Z	5.38	66.72	16.49		150.0	
10544-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.47	66.78	16.26	0.00	150.0	± 9.6 %
		Y	5.30	66.32	15.94		150.0	
		Z	5.47	66.69	16.35		150.0	
10545-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.67	67.19	16.41	0.00	150.0	± 9.6 %
		Y	5.49	66.77	16.12		150.0	
		Z	5.68	67.18	16.54		150.0	
10546-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.55	67.01	16.34	0.00	150.0	± 9.6 %
		Y	5.35	66.48	15.99		150.0	
		Z	5.54	66.91	16.42		150.0	
10547-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.61	67.04	16.34	0.00	150.0	± 9.6 %
		Y	5.42	66.55	16.01		150.0	
		Z	5.61	66.95	16.43		150.0	
10548-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.86	67.96	16.77	0.00	150.0	± 9.6 %
		Y	5.65	67.42	16.42		150.0	
		Z	5.93	68.10	16.98		150.0	
10550-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.57	67.01	16.34	0.00	150.0	± 9.6 %
		Y	5.39	66.58	16.05		150.0	
		Z	5.57	66.96	16.46		150.0	
10551-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.58	67.06	16.33	0.00	150.0	± 9.6 %
		Y	5.38	66.54	15.99		150.0	
		Z	5.57	66.97	16.42		150.0	
10552-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.49	66.86	16.24	0.00	150.0	± 9.6 %
		Y	5.31	66.39	15.92		150.0	
		Z	5.48	66.76	16.32		150.0	
10553-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.58	66.89	16.28	0.00	150.0	± 9.6 %
		Y	5.38	66.39	15.95		150.0	
		Z	5.56	66.78	16.36		150.0	
10554-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.88	67.12	16.33	0.00	150.0	± 9.6 %
		Y	5.72	66.67	16.03		150.0	
		Z	5.88	67.04	16.42		150.0	
10555-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	6.01	67.42	16.45	0.00	150.0	± 9.6 %
		Y	5.84	66.97	16.15		150.0	
		Z	6.02	67.38	16.57		150.0	
10556-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	6.03	67.47	16.47	0.00	150.0	± 9.6 %
		Y	5.86	67.03	16.18		150.0	
		Z	6.04	67.42	16.58		150.0	
10557-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	6.00	67.39	16.45	0.00	150.0	± 9.6 %
		Y	5.82	66.90	16.13		150.0	
		Z	6.00	67.30	16.54		150.0	

10558-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	6.05	67.55	16.55	0.00	150.0	± 9.6 %
		Y	5.86	67.05	16.22		150.0	
		Z	6.05	67.48	16.64		150.0	
10560-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	6.04	67.40	16.51	0.00	150.0	± 9.6 %
		Y	5.85	66.90	16.19		150.0	
		Z	6.04	67.29	16.59		150.0	
10561-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	5.96	67.36	16.53	0.00	150.0	± 9.6 %
		Y	5.79	66.90	16.22		150.0	
		Z	5.97	67.30	16.63		150.0	
10562-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.09	67.76	16.73	0.00	150.0	± 9.6 %
		Y	5.88	67.18	16.36		150.0	
		Z	6.10	67.69	16.83		150.0	
10563-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.34	68.10	16.85	0.00	150.0	± 9.6 %
		Y	5.97	67.11	16.29		150.0	
		Z	6.29	67.89	16.88		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.90	67.07	16.61	0.46	150.0	± 9.6 %
		Y	4.69	66.65	16.23		150.0	
		Z	4.87	67.02	16.70		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	5.13	67.52	16.92	0.46	150.0	± 9.6 %
		Y	4.91	67.09	16.56		150.0	
		Z	5.10	67.46	17.01		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	4.97	67.39	16.76	0.46	150.0	± 9.6 %
		Y	4.74	66.92	16.37		150.0	
		Z	4.94	67.32	16.84		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	5.00	67.79	17.11	0.46	150.0	± 9.6 %
		Y	4.78	67.35	16.75		150.0	
		Z	4.97	67.73	17.21		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.88	67.17	16.54	0.46	150.0	± 9.6 %
		Y	4.65	66.69	16.13		150.0	
		Z	4.85	67.12	16.63		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	4.96	67.89	17.18	0.46	150.0	± 9.6 %
		Y	4.76	67.52	16.86		150.0	
		Z	4.93	67.85	17.29		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	4.99	67.72	17.10	0.46	150.0	± 9.6 %
		Y	4.77	67.32	16.76		150.0	
		Z	4.96	67.68	17.21		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.32	67.08	17.40	0.46	130.0	± 9.6 %
		Y	1.12	64.69	15.49		130.0	
		Z	1.28	67.07	17.56		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.35	67.95	17.90	0.46	130.0	± 9.6 %
		Y	1.14	65.35	15.89		130.0	
		Z	1.32	68.00	18.09		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	100.00	153.27	41.53	0.46	130.0	± 9.6 %
		Y	4.67	97.05	25.50		130.0	
		Z	100.00	154.49	41.86		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.93	78.94	22.96	0.46	130.0	± 9.6 %
		Y	1.34	72.50	19.32		130.0	
		Z	1.99	80.30	23.68		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.70	66.93	16.71	0.46	130.0	± 9.6 %
		Y	4.50	66.51	16.33		130.0	
		Z	4.67	66.88	16.81		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.73	67.10	16.78	0.46	130.0	± 9.6 %
		Y	4.53	66.70	16.40		130.0	
		Z	4.70	67.06	16.88		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.93	67.38	16.94	0.46	130.0	± 9.6 %
		Y	4.71	66.96	16.56		130.0	
		Z	4.90	67.33	17.03		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.83	67.57	17.06	0.46	130.0	± 9.6 %
		Y	4.62	67.13	16.68		130.0	
		Z	4.80	67.52	17.16		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.60	66.87	16.39	0.46	130.0	± 9.6 %
		Y	4.37	66.32	15.92		130.0	
		Z	4.57	66.80	16.47		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.65	66.90	16.41	0.46	130.0	± 9.6 %
		Y	4.42	66.39	15.95		130.0	
		Z	4.62	66.85	16.49		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.74	67.65	17.03	0.46	130.0	± 9.6 %
		Y	4.52	67.20	16.64		130.0	
		Z	4.71	67.60	17.13		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.54	66.63	16.18	0.46	130.0	± 9.6 %
		Y	4.31	66.07	15.69		130.0	
		Z	4.51	66.57	16.26		130.0	
10583-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.70	66.93	16.71	0.46	130.0	± 9.6 %
		Y	4.50	66.51	16.33		130.0	
		Z	4.67	66.88	16.81		130.0	
10584-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.73	67.10	16.78	0.46	130.0	± 9.6 %
		Y	4.53	66.70	16.40		130.0	
		Z	4.70	67.06	16.88		130.0	
10585-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.93	67.38	16.94	0.46	130.0	± 9.6 %
		Y	4.71	66.96	16.56		130.0	
		Z	4.90	67.33	17.03		130.0	
10586-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.83	67.57	17.06	0.46	130.0	± 9.6 %
		Y	4.62	67.13	16.68		130.0	
		Z	4.80	67.52	17.16		130.0	
10587-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.60	66.87	16.39	0.46	130.0	± 9.6 %
		Y	4.37	66.32	15.92		130.0	
		Z	4.57	66.80	16.47		130.0	
10588-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.65	66.90	16.41	0.46	130.0	± 9.6 %
		Y	4.42	66.39	15.95		130.0	
		Z	4.62	66.85	16.49		130.0	
10589-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.74	67.65	17.03	0.46	130.0	± 9.6 %
		Y	4.52	67.20	16.64		130.0	
		Z	4.71	67.60	17.13		130.0	
10590-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.54	66.63	16.18	0.46	130.0	± 9.6 %
		Y	4.31	66.07	15.69		130.0	
		Z	4.51	66.57	16.26		130.0	

10591-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.85	66.96	16.79	0.46	130.0	± 9.6 %
		Y	4.65	66.58	16.44		130.0	
		Z	4.82	66.91	16.89		130.0	
10592-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	5.00	67.30	16.92	0.46	130.0	± 9.6 %
		Y	4.79	66.90	16.57		130.0	
		Z	4.97	67.25	17.02		130.0	
10593-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	4.93	67.23	16.82	0.46	130.0	± 9.6 %
		Y	4.71	66.79	16.43		130.0	
		Z	4.90	67.17	16.91		130.0	
10594-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.98	67.39	16.97	0.46	130.0	± 9.6 %
		Y	4.77	66.97	16.60		130.0	
		Z	4.95	67.34	17.06		130.0	
10595-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	4.95	67.36	16.87	0.46	130.0	± 9.6 %
		Y	4.73	66.93	16.50		130.0	
		Z	4.92	67.30	16.97		130.0	
10596-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	4.89	67.37	16.88	0.46	130.0	± 9.6 %
		Y	4.67	66.91	16.50		130.0	
		Z	4.86	67.31	16.98		130.0	
10597-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.84	67.28	16.77	0.46	130.0	± 9.6 %
		Y	4.62	66.79	16.36		130.0	
		Z	4.81	67.21	16.86		130.0	
10598-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.82	67.52	17.04	0.46	130.0	± 9.6 %
		Y	4.60	67.05	16.64		130.0	
		Z	4.79	67.46	17.13		130.0	
10599-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	5.50	67.45	16.95	0.46	130.0	± 9.6 %
		Y	5.32	67.07	16.66		130.0	
		Z	5.51	67.45	17.09		130.0	
10600-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	5.63	67.85	17.12	0.46	130.0	± 9.6 %
		Y	5.46	67.51	16.85		130.0	
		Z	5.67	67.99	17.33		130.0	
10601-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.53	67.62	17.03	0.46	130.0	± 9.6 %
		Y	5.34	67.25	16.74		130.0	
		Z	5.54	67.65	17.18		130.0	
10602-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.62	67.62	16.94	0.46	130.0	± 9.6 %
		Y	5.47	67.38	16.72		130.0	
		Z	5.64	67.72	17.13		130.0	
10603-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.70	67.94	17.23	0.46	130.0	± 9.6 %
		Y	5.53	67.66	17.00		130.0	
		Z	5.71	67.97	17.39		130.0	
10604-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.51	67.41	16.95	0.46	130.0	± 9.6 %
		Y	5.40	67.30	16.80		130.0	
		Z	5.52	67.43	17.10		130.0	
10605-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.62	67.73	17.12	0.46	130.0	± 9.6 %
		Y	5.46	67.43	16.86		130.0	
		Z	5.65	67.83	17.31		130.0	
10606-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.37	67.12	16.68	0.46	130.0	± 9.6 %
		Y	5.18	66.67	16.33		130.0	
		Z	5.36	67.05	16.78		130.0	

10607-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	4.69	66.32	16.45	0.46	130.0	± 9.6 %
		Y	4.50	65.91	16.07		130.0	
		Z	4.67	66.28	16.54		130.0	
10608-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.89	66.74	16.61	0.46	130.0	± 9.6 %
		Y	4.66	66.28	16.23		130.0	
		Z	4.86	66.69	16.71		130.0	
10609-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	4.78	66.60	16.46	0.46	130.0	± 9.6 %
		Y	4.55	66.11	16.05		130.0	
		Z	4.75	66.55	16.55		130.0	
10610-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	4.83	66.76	16.62	0.46	130.0	± 9.6 %
		Y	4.60	66.29	16.23		130.0	
		Z	4.80	66.71	16.72		130.0	
10611-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	4.74	66.57	16.47	0.46	130.0	± 9.6 %
		Y	4.52	66.08	16.07		130.0	
		Z	4.71	66.52	16.57		130.0	
10612-AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.76	66.75	16.53	0.46	130.0	± 9.6 %
		Y	4.52	66.23	16.11		130.0	
		Z	4.73	66.70	16.63		130.0	
10613-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	4.76	66.62	16.41	0.46	130.0	± 9.6 %
		Y	4.52	66.07	15.96		130.0	
		Z	4.73	66.56	16.50		130.0	
10614-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.70	66.82	16.65	0.46	130.0	± 9.6 %
		Y	4.48	66.30	16.23		130.0	
		Z	4.67	66.76	16.74		130.0	
10615-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.74	66.40	16.25	0.46	130.0	± 9.6 %
		Y	4.51	65.89	15.82		130.0	
		Z	4.71	66.35	16.34		130.0	
10616-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	5.33	66.75	16.59	0.46	130.0	± 9.6 %
		Y	5.14	66.31	16.27		130.0	
		Z	5.32	66.69	16.69		130.0	
10617-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	5.40	66.91	16.64	0.46	130.0	± 9.6 %
		Y	5.21	66.52	16.35		130.0	
		Z	5.41	66.93	16.78		130.0	
10618-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.29	66.95	16.68	0.46	130.0	± 9.6 %
		Y	5.11	66.54	16.37		130.0	
		Z	5.29	66.92	16.80		130.0	
10619-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	5.30	66.75	16.51	0.46	130.0	± 9.6 %
		Y	5.11	66.30	16.18		130.0	
		Z	5.30	66.72	16.64		130.0	
10620-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	5.40	66.79	16.58	0.46	130.0	± 9.6 %
		Y	5.19	66.34	16.25		130.0	
		Z	5.39	66.74	16.69		130.0	
10621-AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	5.39	66.90	16.75	0.46	130.0	± 9.6 %
		Y	5.21	66.50	16.46		130.0	
		Z	5.38	66.86	16.87		130.0	
10622-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	5.41	67.06	16.83	0.46	130.0	± 9.6 %
		Y	5.23	66.69	16.55		130.0	
		Z	5.41	67.06	16.97		130.0	