

10081-CAB	CDMA2000 (1xRTT, RC3)	X	1.33	73.02	16.29	0.00	150.0	± 9.6 %
		Y	0.59	63.13	9.69		150.0	
		Z	1.32	73.09	15.86		150.0	
10082-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	X	1.14	60.54	5.82	4.77	80.0	± 9.6 %
		Y	0.94	60.00	5.05		80.0	
		Z	1.00	60.00	5.35		80.0	
10090-DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	X	100.00	116.21	28.30	6.56	60.0	± 9.6 %
		Y	100.00	113.52	26.73		60.0	
		Z	100.00	116.73	28.41		60.0	
10097-CAB	UMTS-FDD (HSDPA)	X	2.03	69.97	17.15	0.00	150.0	± 9.6 %
		Y	1.70	67.38	15.16		150.0	
		Z	2.05	70.32	17.32		150.0	
10098-CAB	UMTS-FDD (HSUPA, Subtest 2)	X	1.99	69.98	17.15	0.00	150.0	± 9.6 %
		Y	1.66	67.32	15.12		150.0	
		Z	2.01	70.34	17.33		150.0	
10099-DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	X	31.64	121.25	42.38	9.56	60.0	± 9.6 %
		Y	12.50	97.59	34.29		60.0	
		Z	22.42	113.41	40.24		60.0	
10100-CAD	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	3.48	72.44	17.84	0.00	150.0	± 9.6 %
		Y	2.94	69.80	16.33		150.0	
		Z	3.46	72.38	17.92		150.0	
10101-CAD	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	3.37	68.43	16.56	0.00	150.0	± 9.6 %
		Y	3.09	67.16	15.68		150.0	
		Z	3.34	68.34	16.63		150.0	
10102-CAD	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	3.46	68.31	16.61	0.00	150.0	± 9.6 %
		Y	3.19	67.17	15.80		150.0	
		Z	3.44	68.23	16.68		150.0	
10103-CAD	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	9.05	81.23	22.75	3.98	65.0	± 9.6 %
		Y	7.21	77.73	21.28		65.0	
		Z	8.49	80.51	22.67		65.0	
10104-CAD	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	8.09	77.79	22.27	3.98	65.0	± 9.6 %
		Y	6.86	75.12	21.00		65.0	
		Z	7.66	77.09	22.15		65.0	
10105-CAD	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	7.43	76.07	21.85	3.98	65.0	± 9.6 %
		Y	6.34	73.50	20.61		65.0	
		Z	7.13	75.57	21.81		65.0	
10108-CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	3.03	71.64	17.70	0.00	150.0	± 9.6 %
		Y	2.55	69.11	16.16		150.0	
		Z	3.02	71.71	17.83		150.0	
10109-CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	3.03	68.40	16.55	0.00	150.0	± 9.6 %
		Y	2.73	67.04	15.54		150.0	
		Z	3.01	68.38	16.64		150.0	
10110-CAE	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	2.48	70.92	17.48	0.00	150.0	± 9.6 %
		Y	2.04	68.22	15.67		150.0	
		Z	2.48	71.16	17.64		150.0	
10111-CAE	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	2.80	69.64	17.09	0.00	150.0	± 9.6 %
		Y	2.45	67.99	15.77		150.0	
		Z	2.79	69.79	17.20		150.0	

10112-CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	3.15	68.30	16.56	0.00	150.0	± 9.6 %
		Y	2.86	67.08	15.63		150.0	
		Z	3.12	68.28	16.64		150.0	
10113-CAE	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	2.95	69.66	17.16	0.00	150.0	± 9.6 %
		Y	2.61	68.19	15.94		150.0	
		Z	2.93	69.81	17.27		150.0	
10114-CAC	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	X	5.17	67.44	16.67	0.00	150.0	± 9.6 %
		Y	5.00	67.04	16.36		150.0	
		Z	5.17	67.44	16.80		150.0	
10115-CAC	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	X	5.48	67.60	16.75	0.00	150.0	± 9.6 %
		Y	5.26	67.10	16.40		150.0	
		Z	5.46	67.55	16.86		150.0	
10116-CAC	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	X	5.28	67.66	16.70	0.00	150.0	± 9.6 %
		Y	5.08	67.21	16.38		150.0	
		Z	5.27	67.64	16.83		150.0	
10117-CAC	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	X	5.14	67.33	16.63	0.00	150.0	± 9.6 %
		Y	4.96	66.89	16.30		150.0	
		Z	5.13	67.26	16.73		150.0	
10118-CAC	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	X	5.56	67.80	16.86	0.00	150.0	± 9.6 %
		Y	5.34	67.32	16.52		150.0	
		Z	5.56	67.81	17.00		150.0	
10119-CAC	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	X	5.25	67.59	16.68	0.00	150.0	± 9.6 %
		Y	5.07	67.18	16.37		150.0	
		Z	5.25	67.60	16.82		150.0	
10140-CAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	3.50	68.31	16.52	0.00	150.0	± 9.6 %
		Y	3.22	67.17	15.71		150.0	
		Z	3.47	68.23	16.59		150.0	
10141-CAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	3.62	68.35	16.66	0.00	150.0	± 9.6 %
		Y	3.35	67.31	15.91		150.0	
		Z	3.59	68.28	16.73		150.0	
10142-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	2.31	71.43	17.43	0.00	150.0	± 9.6 %
		Y	1.79	68.06	15.08		150.0	
		Z	2.31	71.81	17.58		150.0	
10143-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	2.78	71.09	17.17	0.00	150.0	± 9.6 %
		Y	2.27	68.44	15.13		150.0	
		Z	2.77	71.31	17.21		150.0	
10144-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	2.45	68.19	15.30	0.00	150.0	± 9.6 %
		Y	2.01	65.82	13.31		150.0	
		Z	2.40	68.11	15.18		150.0	
10145-CAE	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.60	69.15	14.24	0.00	150.0	± 9.6 %
		Y	0.88	62.25	9.13		150.0	
		Z	1.43	67.75	13.19		150.0	
10146-CAE	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	3.19	72.47	14.89	0.00	150.0	± 9.6 %
		Y	1.49	63.66	9.69		150.0	
		Z	2.06	67.04	12.07		150.0	
10147-CAE	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	5.02	78.31	17.29	0.00	150.0	± 9.6 %
		Y	1.66	64.88	10.44		150.0	
		Z	2.56	69.74	13.45		150.0	

10149-CAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	3.04	68.47	16.60	0.00	150.0	± 9.6 %
		Y	2.74	67.11	15.59		150.0	
		Z	3.02	68.45	16.69		150.0	
10150-CAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	3.16	68.36	16.60	0.00	150.0	± 9.6 %
		Y	2.87	67.14	15.67		150.0	
		Z	3.13	68.34	16.69		150.0	
10151-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	10.40	85.24	24.36	3.98	65.0	± 9.6 %
		Y	8.02	81.19	22.67		65.0	
		Z	9.74	84.61	24.32		65.0	
10152-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	7.79	78.30	22.21	3.98	65.0	± 9.6 %
		Y	6.43	75.25	20.71		65.0	
		Z	7.34	77.59	22.07		65.0	
10153-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	8.23	79.27	22.97	3.98	65.0	± 9.6 %
		Y	6.90	76.47	21.61		65.0	
		Z	7.78	78.59	22.85		65.0	
10154-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	2.56	71.47	17.79	0.00	150.0	± 9.6 %
		Y	2.09	68.66	15.94		150.0	
		Z	2.55	71.73	17.97		150.0	
10155-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	2.80	69.65	17.11	0.00	150.0	± 9.6 %
		Y	2.46	68.02	15.79		150.0	
		Z	2.79	69.81	17.22		150.0	
10156-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	2.22	72.16	17.54	0.00	150.0	± 9.6 %
		Y	1.62	67.88	14.62		150.0	
		Z	2.23	72.60	17.66		150.0	
10157-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	2.36	69.39	15.66	0.00	150.0	± 9.6 %
		Y	1.82	66.08	13.07		150.0	
		Z	2.32	69.32	15.49		150.0	
10158-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	2.96	69.73	17.21	0.00	150.0	± 9.6 %
		Y	2.62	68.27	16.00		150.0	
		Z	2.94	69.89	17.33		150.0	
10159-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	2.50	69.97	15.99	0.00	150.0	± 9.6 %
		Y	1.91	66.50	13.35		150.0	
		Z	2.45	69.88	15.81		150.0	
10160-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	2.94	70.15	17.25	0.00	150.0	± 9.6 %
		Y	2.59	68.43	16.04		150.0	
		Z	2.97	70.46	17.48		150.0	
10161-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	3.06	68.34	16.57	0.00	150.0	± 9.6 %
		Y	2.76	67.09	15.58		150.0	
		Z	3.03	68.35	16.65		150.0	
10162-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	3.17	68.43	16.65	0.00	150.0	± 9.6 %
		Y	2.88	67.28	15.71		150.0	
		Z	3.14	68.46	16.74		150.0	
10166-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	3.85	71.01	20.01	3.01	150.0	± 9.6 %
		Y	3.47	69.73	19.28		150.0	
		Z	3.67	70.32	19.71		150.0	
10167-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	5.05	74.93	20.82	3.01	150.0	± 9.6 %
		Y	4.24	72.46	19.60		150.0	
		Z	4.62	73.54	20.23		150.0	

10168-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	5.72	77.64	22.29	3.01	150.0	± 9.6 %
		Y	4.84	75.32	21.23		150.0	
		Z	5.20	76.10	21.68		150.0	
10169-CAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	3.37	71.63	20.34	3.01	150.0	± 9.6 %
		Y	2.87	68.71	18.82		150.0	
		Z	3.09	70.02	19.62		150.0	
10170-CAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	5.43	80.41	23.60	3.01	150.0	± 9.6 %
		Y	3.95	74.62	21.18		150.0	
		Z	4.47	76.79	22.20		150.0	
10171-AAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	4.17	74.75	20.33	3.01	150.0	± 9.6 %
		Y	3.19	70.06	18.15		150.0	
		Z	3.59	72.12	19.23		150.0	
10172-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	49.23	125.69	38.92	6.02	65.0	± 9.6 %
		Y	10.84	95.74	30.11		65.0	
		Z	24.19	111.80	35.20		65.0	
10173-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	100.00	130.47	37.55	6.02	65.0	± 9.6 %
		Y	24.76	106.41	31.36		65.0	
		Z	67.41	124.27	36.21		65.0	
10174-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	100.00	128.34	36.41	6.02	65.0	± 9.6 %
		Y	16.83	98.16	28.36		65.0	
		Z	38.06	112.00	32.38		65.0	
10175-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	3.32	71.25	20.07	3.01	150.0	± 9.6 %
		Y	2.84	68.37	18.55		150.0	
		Z	3.05	69.68	19.36		150.0	
10176-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	5.44	80.44	23.62	3.01	150.0	± 9.6 %
		Y	3.96	74.64	21.19		150.0	
		Z	4.48	76.81	22.22		150.0	
10177-CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	3.35	71.43	20.17	3.01	150.0	± 9.6 %
		Y	2.86	68.52	18.65		150.0	
		Z	3.08	69.84	19.45		150.0	
10178-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	5.36	80.12	23.46	3.01	150.0	± 9.6 %
		Y	3.92	74.42	21.07		150.0	
		Z	4.43	76.57	22.09		150.0	
10179-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	4.75	77.42	21.82	3.01	150.0	± 9.6 %
		Y	3.52	72.16	19.51		150.0	
		Z	3.99	74.32	20.58		150.0	
10180-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	4.16	74.64	20.27	3.01	150.0	± 9.6 %
		Y	3.18	70.00	18.10		150.0	
		Z	3.58	72.04	19.18		150.0	
10181-CAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	3.35	71.41	20.16	3.01	150.0	± 9.6 %
		Y	2.85	68.51	18.64		150.0	
		Z	3.07	69.82	19.45		150.0	
10182-CAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	5.35	80.09	23.45	3.01	150.0	± 9.6 %
		Y	3.91	74.39	21.06		150.0	
		Z	4.42	76.54	22.08		150.0	
10183-AAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	4.15	74.62	20.25	3.01	150.0	± 9.6 %
		Y	3.17	69.97	18.09		150.0	
		Z	3.58	72.02	19.17		150.0	

10184-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	3.36	71.46	20.19	3.01	150.0	± 9.6 %
		Y	2.86	68.55	18.66		150.0	
		Z	3.08	69.87	19.47		150.0	
10185-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	5.38	80.18	23.49	3.01	150.0	± 9.6 %
		Y	3.93	74.47	21.10		150.0	
		Z	4.44	76.62	22.12		150.0	
10186-AAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	4.17	74.70	20.29	3.01	150.0	± 9.6 %
		Y	3.19	70.04	18.12		150.0	
		Z	3.60	72.09	19.21		150.0	
10187-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	3.37	71.52	20.25	3.01	150.0	± 9.6 %
		Y	2.87	68.62	18.73		150.0	
		Z	3.09	69.93	19.54		150.0	
10188-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	5.63	81.11	23.96	3.01	150.0	± 9.6 %
		Y	4.07	75.19	21.51		150.0	
		Z	4.60	77.37	22.52		150.0	
10189-AAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	4.30	75.27	20.62	3.01	150.0	± 9.6 %
		Y	3.26	70.47	18.41		150.0	
		Z	3.68	72.56	19.50		150.0	
10193-CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.57	66.89	16.42	0.00	150.0	± 9.6 %
		Y	4.38	66.47	16.02		150.0	
		Z	4.55	66.84	16.51		150.0	
10194-CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.75	67.22	16.54	0.00	150.0	± 9.6 %
		Y	4.54	66.76	16.15		150.0	
		Z	4.72	67.16	16.63		150.0	
10195-CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.79	67.24	16.55	0.00	150.0	± 9.6 %
		Y	4.58	66.79	16.17		150.0	
		Z	4.76	67.19	16.65		150.0	
10196-CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.58	66.97	16.45	0.00	150.0	± 9.6 %
		Y	4.37	66.51	16.03		150.0	
		Z	4.55	66.91	16.53		150.0	
10197-CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.77	67.24	16.55	0.00	150.0	± 9.6 %
		Y	4.55	66.78	16.16		150.0	
		Z	4.74	67.18	16.64		150.0	
10198-CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	4.80	67.26	16.57	0.00	150.0	± 9.6 %
		Y	4.58	66.80	16.18		150.0	
		Z	4.77	67.21	16.66		150.0	
10219-CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.53	66.99	16.42	0.00	150.0	± 9.6 %
		Y	4.32	66.53	15.99		150.0	
		Z	4.50	66.94	16.50		150.0	
10220-CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.76	67.21	16.54	0.00	150.0	± 9.6 %
		Y	4.54	66.74	16.15		150.0	
		Z	4.73	67.15	16.63		150.0	
10221-CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	4.80	67.18	16.55	0.00	150.0	± 9.6 %
		Y	4.59	66.74	16.17		150.0	
		Z	4.77	67.13	16.64		150.0	
10222-CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	5.12	67.34	16.63	0.00	150.0	± 9.6 %
		Y	4.93	66.89	16.29		150.0	
		Z	5.10	67.27	16.73		150.0	

10223-CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.42	67.50	16.72	0.00	150.0	± 9.6 %
		Y	5.24	67.15	16.45		150.0	
		Z	5.41	67.49	16.85		150.0	
10224-CAC	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.16	67.46	16.61	0.00	150.0	± 9.6 %
		Y	4.97	67.00	16.28		150.0	
		Z	5.15	67.39	16.71		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.89	66.86	15.94	0.00	150.0	± 9.6 %
		Y	2.64	65.88	14.95		150.0	
		Z	2.86	66.86	15.98		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	100.00	130.71	37.70	6.02	65.0	± 9.6 %
		Y	27.69	108.62	32.08		65.0	
		Z	78.14	127.21	37.04		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	100.00	128.23	36.40	6.02	65.0	± 9.6 %
		Y	25.45	105.36	30.51		65.0	
		Z	58.82	119.71	34.45		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	100.00	140.41	42.63	6.02	65.0	± 9.6 %
		Y	16.32	104.37	32.92		65.0	
		Z	40.64	122.79	38.32		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	100.00	130.46	37.55	6.02	65.0	± 9.6 %
		Y	24.96	106.53	31.41		65.0	
		Z	67.66	124.32	36.23		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	100.00	128.05	36.29	6.02	65.0	± 9.6 %
		Y	22.96	103.44	29.89		65.0	
		Z	51.97	117.37	33.77		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	94.70	139.09	42.23	6.02	65.0	± 9.6 %
		Y	15.12	102.71	32.33		65.0	
		Z	36.62	120.49	37.62		65.0	
10232-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	100.00	130.47	37.55	6.02	65.0	± 9.6 %
		Y	24.92	106.52	31.40		65.0	
		Z	67.71	124.35	36.24		65.0	
10233-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	100.00	128.07	36.29	6.02	65.0	± 9.6 %
		Y	22.90	103.41	29.88		65.0	
		Z	51.93	117.37	33.78		65.0	
10234-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	82.64	135.95	41.34	6.02	65.0	± 9.6 %
		Y	14.20	101.25	31.75		65.0	
		Z	33.46	118.37	36.92		65.0	
10235-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	100.00	130.49	37.56	6.02	65.0	± 9.6 %
		Y	25.00	106.59	31.43		65.0	
		Z	68.24	124.51	36.28		65.0	
10236-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	100.00	128.02	36.27	6.02	65.0	± 9.6 %
		Y	23.22	103.61	29.93		65.0	
		Z	52.99	117.68	33.85		65.0	
10237-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	96.95	139.61	42.36	6.02	65.0	± 9.6 %
		Y	15.19	102.83	32.37		65.0	
		Z	37.14	120.82	37.71		65.0	
10238-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	100.00	130.49	37.55	6.02	65.0	± 9.6 %
		Y	24.89	106.51	31.40		65.0	
		Z	67.76	124.37	36.24		65.0	

10239-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	100.00	128.09	36.30	6.02	65.0	± 9.6 %
		Y	22.84	103.38	29.87		65.0	
		Z	51.89	117.38	33.78		65.0	
10240-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	96.38	139.50	42.33	6.02	65.0	± 9.6 %
		Y	15.14	102.78	32.35		65.0	
		Z	36.94	120.72	37.68		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	12.07	88.98	28.63	6.98	65.0	± 9.6 %
		Y	9.36	84.06	26.52		65.0	
		Z	10.60	86.42	27.68		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	10.32	85.58	27.26	6.98	65.0	± 9.6 %
		Y	8.26	81.39	25.38		65.0	
		Z	9.50	84.04	26.67		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	7.85	81.22	26.51	6.98	65.0	± 9.6 %
		Y	6.59	77.87	24.84		65.0	
		Z	7.43	80.26	26.13		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	11.08	84.80	22.29	3.98	65.0	± 9.6 %
		Y	7.01	77.62	18.90		65.0	
		Z	8.73	81.08	20.73		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	10.46	83.61	21.81	3.98	65.0	± 9.6 %
		Y	6.67	76.60	18.45		65.0	
		Z	8.31	80.03	20.29		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	15.11	93.21	25.25	3.98	65.0	± 9.6 %
		Y	7.23	81.32	20.36		65.0	
		Z	13.34	91.58	24.67		65.0	
10247-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	7.92	80.48	21.56	3.98	65.0	± 9.6 %
		Y	5.74	75.36	18.82		65.0	
		Z	7.29	79.44	21.13		65.0	
10248-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	7.63	79.36	21.11	3.98	65.0	± 9.6 %
		Y	5.60	74.49	18.44		65.0	
		Z	7.03	78.33	20.67		65.0	
10249-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	17.25	96.41	27.18	3.98	65.0	± 9.6 %
		Y	9.65	86.69	23.37		65.0	
		Z	15.89	95.59	26.97		65.0	
10250-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	8.70	82.41	23.84	3.98	65.0	± 9.6 %
		Y	6.94	78.76	22.06		65.0	
		Z	8.14	81.67	23.68		65.0	
10251-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	7.84	79.18	22.24	3.98	65.0	± 9.6 %
		Y	6.31	75.77	20.45		65.0	
		Z	7.36	78.46	22.04		65.0	
10252-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	13.36	91.87	26.66	3.98	65.0	± 9.6 %
		Y	9.19	85.72	24.21		65.0	
		Z	12.41	91.23	26.61		65.0	
10253-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	7.53	77.54	21.91	3.98	65.0	± 9.6 %
		Y	6.29	74.71	20.44		65.0	
		Z	7.11	76.87	21.76		65.0	
10254-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	7.96	78.47	22.60	3.98	65.0	± 9.6 %
		Y	6.72	75.81	21.23		65.0	
		Z	7.53	77.82	22.47		65.0	

10255-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	9.71	84.32	24.26	3.98	65.0	± 9.6 %
		Y	7.60	80.46	22.59		65.0	
		Z	9.11	83.70	24.21		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	8.63	80.11	19.56	3.98	65.0	± 9.6 %
		Y	4.89	71.82	15.38		65.0	
		Z	6.50	75.92	17.67		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	7.97	78.55	18.87	3.98	65.0	± 9.6 %
		Y	4.64	70.76	14.81		65.0	
		Z	6.11	74.64	17.05		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	10.33	86.15	22.09	3.98	65.0	± 9.6 %
		Y	4.60	73.93	16.53		65.0	
		Z	8.53	83.45	21.01		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	8.22	81.15	22.36	3.98	65.0	± 9.6 %
		Y	6.23	76.71	20.03		65.0	
		Z	7.64	80.28	22.05		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	8.10	80.55	22.14	3.98	65.0	± 9.6 %
		Y	6.19	76.27	19.85		65.0	
		Z	7.53	79.68	21.82		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	13.84	92.69	26.42	3.98	65.0	± 9.6 %
		Y	8.77	85.07	23.30		65.0	
		Z	12.79	91.92	26.26		65.0	
10262-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	8.68	82.34	23.80	3.98	65.0	± 9.6 %
		Y	6.91	78.67	22.00		65.0	
		Z	8.12	81.59	23.63		65.0	
10263-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	7.82	79.16	22.23	3.98	65.0	± 9.6 %
		Y	6.30	75.74	20.44		65.0	
		Z	7.35	78.43	22.03		65.0	
10264-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	13.16	91.57	26.53	3.98	65.0	± 9.6 %
		Y	9.06	85.42	24.08		65.0	
		Z	12.23	90.92	26.48		65.0	
10265-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	7.78	78.30	22.22	3.98	65.0	± 9.6 %
		Y	6.43	75.26	20.72		65.0	
		Z	7.34	77.59	22.08		65.0	
10266-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	8.23	79.25	22.96	3.98	65.0	± 9.6 %
		Y	6.90	76.45	21.60		65.0	
		Z	7.77	78.58	22.84		65.0	
10267-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	10.37	85.18	24.33	3.98	65.0	± 9.6 %
		Y	8.00	81.13	22.65		65.0	
		Z	9.70	84.55	24.29		65.0	
10268-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	8.13	77.34	22.20	3.98	65.0	± 9.6 %
		Y	6.99	74.93	21.04		65.0	
		Z	7.73	76.70	22.10		65.0	
10269-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	8.01	76.75	22.02	3.98	65.0	± 9.6 %
		Y	6.94	74.47	20.89		65.0	
		Z	7.63	76.12	21.92		65.0	
10270-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	8.80	80.20	22.61	3.98	65.0	± 9.6 %
		Y	7.33	77.45	21.39		65.0	
		Z	8.32	79.60	22.56		65.0	



10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.69	67.43	15.97	0.00	150.0	± 9.6 %
		Y	2.44	66.27	14.85		150.0	
		Z	2.68	67.49	16.03		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.87	71.03	17.40	0.00	150.0	± 9.6 %
		Y	1.45	67.33	14.87		150.0	
		Z	1.89	71.45	17.60		150.0	
10277-CAA	PHS (QPSK)	X	3.21	64.51	9.75	9.03	50.0	± 9.6 %
		Y	2.67	62.68	8.31		50.0	
		Z	2.96	63.79	9.25		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	11.53	85.19	21.40	9.03	50.0	± 9.6 %
		Y	5.22	72.59	15.75		50.0	
		Z	8.59	80.77	19.68		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	11.74	85.41	21.52	9.03	50.0	± 9.6 %
		Y	5.34	72.83	15.90		50.0	
		Z	8.77	81.01	19.82		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	2.33	75.78	17.40	0.00	150.0	± 9.6 %
		Y	1.04	65.51	11.30		150.0	
		Z	2.33	75.78	17.02		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.27	72.45	16.04	0.00	150.0	± 9.6 %
		Y	0.58	62.97	9.58		150.0	
		Z	1.26	72.44	15.57		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	3.41	87.82	22.16	0.00	150.0	± 9.6 %
		Y	0.73	66.20	11.58		150.0	
		Z	5.82	94.58	23.61		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	27.30	119.81	31.56	0.00	150.0	± 9.6 %
		Y	1.30	73.24	15.16		150.0	
		Z	100.00	137.06	34.71		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	15.39	94.11	27.59	9.03	50.0	± 9.6 %
		Y	12.80	88.94	24.78		50.0	
		Z	16.67	95.30	27.79		50.0	
10297-AAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	3.05	71.76	17.78	0.00	150.0	± 9.6 %
		Y	2.56	69.22	16.24		150.0	
		Z	3.04	71.84	17.91		150.0	
10298-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.03	71.93	16.48	0.00	150.0	± 9.6 %
		Y	1.24	65.55	12.16		150.0	
		Z	1.98	71.82	16.18		150.0	
10299-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.30	76.50	17.53	0.00	150.0	± 9.6 %
		Y	2.26	68.14	13.08		150.0	
		Z	3.03	71.74	15.27		150.0	
10300-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.47	68.02	13.18	0.00	150.0	± 9.6 %
		Y	1.65	63.65	10.11		150.0	
		Z	2.02	65.61	11.70		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	5.25	67.37	18.53	4.17	50.0	± 9.6 %
		Y	4.98	66.86	17.96		50.0	
		Z	5.25	67.57	18.71		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.62	67.46	18.96	4.96	50.0	± 9.6 %
		Y	5.33	66.76	18.27		50.0	
		Z	5.58	67.42	19.00		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	5.40	67.27	18.89	4.96	50.0	± 9.6 %
		Y	5.11	66.52	18.14		50.0	
		Z	5.36	67.21	18.91		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	5.16	66.96	18.27	4.17	50.0	± 9.6 %
		Y	4.88	66.26	17.58		50.0	
		Z	5.12	66.92	18.31		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	5.50	72.29	22.13	6.02	35.0	± 9.6 %
		Y	5.38	71.92	21.18		35.0	
		Z	5.55	72.62	22.22		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	5.40	69.50	20.88	6.02	35.0	± 9.6 %
		Y	5.25	69.24	20.18		35.0	
		Z	5.41	69.69	20.97		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	5.39	70.05	21.02	6.02	35.0	± 9.6 %
		Y	5.21	69.67	20.24		35.0	
		Z	5.39	70.22	21.09		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	5.41	70.44	21.25	6.02	35.0	± 9.6 %
		Y	5.24	70.07	20.46		35.0	
		Z	5.42	70.64	21.33		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	5.49	69.80	21.07	6.02	35.0	± 9.6 %
		Y	5.30	69.44	20.32		35.0	
		Z	5.49	69.98	21.14		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	5.39	69.71	20.92	6.02	35.0	± 9.6 %
		Y	5.23	69.45	20.22		35.0	
		Z	5.39	69.91	21.01		35.0	
10311-AAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.43	70.87	17.31	0.00	150.0	± 9.6 %
		Y	2.92	68.46	15.92		150.0	
		Z	3.40	70.82	17.40		150.0	
10313-AAA	iDEN 1:3	X	12.69	88.01	21.57	6.99	70.0	± 9.6 %
		Y	5.07	75.89	17.03		70.0	
		Z	10.78	86.49	21.18		70.0	
10314-AAA	iDEN 1:6	X	37.63	110.80	31.10	10.00	30.0	± 9.6 %
		Y	9.90	88.84	24.31		30.0	
		Z	26.44	105.92	29.95		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.16	65.74	16.74	0.17	150.0	± 9.6 %
		Y	1.00	63.71	14.96		150.0	
		Z	1.14	65.80	16.92		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.65	67.02	16.62	0.17	150.0	± 9.6 %
		Y	4.45	66.59	16.22		150.0	
		Z	4.63	66.98	16.71		150.0	
10317-AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.65	67.02	16.62	0.17	150.0	± 9.6 %
		Y	4.45	66.59	16.22		150.0	
		Z	4.63	66.98	16.71		150.0	
10400-AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.75	67.29	16.54	0.00	150.0	± 9.6 %
		Y	4.52	66.80	16.14		150.0	
		Z	4.72	67.23	16.64		150.0	
10401-AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.42	67.36	16.63	0.00	150.0	± 9.6 %
		Y	5.26	67.05	16.37		150.0	
		Z	5.45	67.45	16.81		150.0	

10402-AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.68	67.71	16.65	0.00	150.0	± 9.6 %
		Y	5.49	67.24	16.33		150.0	
		Z	5.67	67.61	16.74		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	2.33	75.78	17.40	0.00	115.0	± 9.6 %
		Y	1.04	65.51	11.30		115.0	
		Z	2.33	75.78	17.02		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	2.33	75.78	17.40	0.00	115.0	± 9.6 %
		Y	1.04	65.51	11.30		115.0	
		Z	2.33	75.78	17.02		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	122.43	30.89	0.00	100.0	± 9.6 %
		Y	100.00	122.73	30.71		100.0	
		Z	100.00	123.27	31.16		100.0	
10410-AAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	X	100.00	122.98	31.24	3.23	80.0	± 9.6 %
		Y	100.00	123.38	31.03		80.0	
		Z	100.00	123.12	31.14		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.03	64.26	15.85	0.00	150.0	± 9.6 %
		Y	0.91	62.56	14.20		150.0	
		Z	1.02	64.34	16.03		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.58	66.93	16.49	0.00	150.0	± 9.6 %
		Y	4.38	66.50	16.10		150.0	
		Z	4.55	66.88	16.58		150.0	
10417-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.58	66.93	16.49	0.00	150.0	± 9.6 %
		Y	4.38	66.50	16.10		150.0	
		Z	4.55	66.88	16.58		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.57	67.11	16.51	0.00	150.0	± 9.6 %
		Y	4.37	66.68	16.13		150.0	
		Z	4.55	67.07	16.61		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.59	67.05	16.51	0.00	150.0	± 9.6 %
		Y	4.39	66.62	16.12		150.0	
		Z	4.56	67.00	16.61		150.0	
10422-AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.71	67.03	16.51	0.00	150.0	± 9.6 %
		Y	4.50	66.61	16.14		150.0	
		Z	4.68	66.98	16.61		150.0	
10423-AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.88	67.36	16.63	0.00	150.0	± 9.6 %
		Y	4.65	66.90	16.24		150.0	
		Z	4.85	67.30	16.72		150.0	
10424-AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.80	67.32	16.61	0.00	150.0	± 9.6 %
		Y	4.57	66.85	16.22		150.0	
		Z	4.77	67.26	16.70		150.0	
10425-AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.39	67.56	16.73	0.00	150.0	± 9.6 %
		Y	5.19	67.14	16.42		150.0	
		Z	5.39	67.57	16.87		150.0	
10426-AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.39	67.58	16.74	0.00	150.0	± 9.6 %
		Y	5.22	67.24	16.46		150.0	
		Z	5.41	67.65	16.91		150.0	

10427-AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.40	67.56	16.72	0.00	150.0	± 9.6 %
		Y	5.21	67.14	16.41		150.0	
		Z	5.41	67.57	16.86		150.0	
10430-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.41	71.60	18.75	0.00	150.0	± 9.6 %
		Y	4.21	71.54	18.30		150.0	
		Z	4.42	71.91	18.93		150.0	
10431-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.29	67.61	16.57	0.00	150.0	± 9.6 %
		Y	4.03	67.05	16.02		150.0	
		Z	4.25	67.60	16.65		150.0	
10432-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.57	67.41	16.59	0.00	150.0	± 9.6 %
		Y	4.34	66.92	16.14		150.0	
		Z	4.54	67.37	16.68		150.0	
10433-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.81	67.35	16.63	0.00	150.0	± 9.6 %
		Y	4.59	66.89	16.24		150.0	
		Z	4.78	67.30	16.72		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.59	72.71	18.84	0.00	150.0	± 9.6 %
		Y	4.33	72.45	18.19		150.0	
		Z	4.61	73.08	19.00		150.0	
10435-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	122.76	31.14	3.23	80.0	± 9.6 %
		Y	100.00	123.14	30.92		80.0	
		Z	100.00	122.90	31.04		80.0	
10447-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.62	67.89	16.08	0.00	150.0	± 9.6 %
		Y	3.28	66.91	15.08		150.0	
		Z	3.58	67.87	16.07		150.0	
10448-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.12	67.40	16.44	0.00	150.0	± 9.6 %
		Y	3.88	66.83	15.88		150.0	
		Z	4.09	67.38	16.52		150.0	
10449-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.38	67.26	16.50	0.00	150.0	± 9.6 %
		Y	4.16	66.74	16.04		150.0	
		Z	4.35	67.21	16.59		150.0	
10450-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.57	67.14	16.50	0.00	150.0	± 9.6 %
		Y	4.37	66.65	16.09		150.0	
		Z	4.55	67.08	16.59		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.54	68.21	15.78	0.00	150.0	± 9.6 %
		Y	3.13	66.87	14.49		150.0	
		Z	3.49	68.14	15.71		150.0	
10456-AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.24	68.07	16.84	0.00	150.0	± 9.6 %
		Y	6.10	67.75	16.62		150.0	
		Z	6.26	68.05	16.97		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.81	65.55	16.21	0.00	150.0	± 9.6 %
		Y	3.67	65.16	15.80		150.0	
		Z	3.79	65.50	16.30		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	4.22	72.03	18.30	0.00	150.0	± 9.6 %
		Y	3.87	71.25	17.23		150.0	
		Z	4.23	72.35	18.38		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	5.16	68.64	18.42	0.00	150.0	± 9.6 %
		Y	5.03	69.08	18.30		150.0	
		Z	5.15	68.89	18.58		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.24	75.09	19.96	0.00	150.0	± 9.6 %
		Y	0.77	67.58	15.18		150.0	
		Z	1.35	77.22	20.83		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	130.07	34.50	3.29	80.0	± 9.6 %
		Y	100.00	128.37	33.36		80.0	
		Z	100.00	129.23	33.96		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	109.68	24.94	3.23	80.0	± 9.6 %
		Y	99.98	106.66	23.33		80.0	
		Z	100.00	108.15	24.16		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	105.46	22.96	3.23	80.0	± 9.6 %
		Y	2.63	69.18	12.45		80.0	
		Z	43.97	96.08	20.43		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	127.78	33.27	3.23	80.0	± 9.6 %
		Y	100.00	125.58	31.90		80.0	
		Z	100.00	126.67	32.61		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	108.99	24.61	3.23	80.0	± 9.6 %
		Y	14.56	87.10	18.59		80.0	
		Z	100.00	107.47	23.84		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	104.83	22.67	3.23	80.0	± 9.6 %
		Y	2.06	66.81	11.48		80.0	
		Z	11.19	82.76	16.97		80.0	
10467-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	128.08	33.40	3.23	80.0	± 9.6 %
		Y	100.00	125.91	32.05		80.0	
		Z	100.00	126.97	32.74		80.0	
10468-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	109.20	24.70	3.23	80.0	± 9.6 %
		Y	22.12	91.37	19.72		80.0	
		Z	100.00	107.69	23.93		80.0	
10469-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	104.85	22.67	3.23	80.0	± 9.6 %
		Y	2.08	66.89	11.51		80.0	
		Z	11.65	83.16	17.08		80.0	
10470-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	128.12	33.41	3.23	80.0	± 9.6 %
		Y	100.00	125.94	32.06		80.0	
		Z	100.00	127.01	32.75		80.0	
10471-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	109.14	24.67	3.23	80.0	± 9.6 %
		Y	21.25	90.92	19.59		80.0	
		Z	100.00	107.61	23.90		80.0	
10472-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	104.77	22.63	3.23	80.0	± 9.6 %
		Y	2.05	66.79	11.45		80.0	
		Z	11.34	82.87	16.97		80.0	
10473-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	128.09	33.39	3.23	80.0	± 9.6 %
		Y	100.00	125.91	32.04		80.0	
		Z	100.00	126.97	32.73		80.0	
10474-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	109.14	24.67	3.23	80.0	± 9.6 %
		Y	20.56	90.60	19.51		80.0	
		Z	100.00	107.62	23.90		80.0	
10475-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	104.79	22.64	3.23	80.0	± 9.6 %
		Y	2.04	66.74	11.44		80.0	
		Z	11.08	82.67	16.92		80.0	

10477-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	108.93	24.57	3.23	80.0	± 9.6 %
		Y	14.97	87.35	18.63		80.0	
		Z	100.00	107.40	23.79		80.0	
10478-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	104.71	22.60	3.23	80.0	± 9.6 %
		Y	2.02	66.63	11.38		80.0	
		Z	10.63	82.23	16.79		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.96	34.60	3.23	80.0	± 9.6 %
		Y	100.00	124.87	33.17		80.0	
		Z	100.00	126.16	34.06		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	116.40	29.64	3.23	80.0	± 9.6 %
		Y	40.50	102.25	25.25		80.0	
		Z	61.36	108.85	27.49		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	114.45	28.66	3.23	80.0	± 9.6 %
		Y	18.16	90.81	21.73		80.0	
		Z	31.21	98.47	24.40		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	12.57	92.18	24.14	2.23	80.0	± 9.6 %
		Y	3.79	74.75	17.20		80.0	
		Z	13.54	93.30	24.30		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	19.52	93.93	24.10	2.23	80.0	± 9.6 %
		Y	7.22	79.45	18.54		80.0	
		Z	11.25	85.87	21.32		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	14.73	89.83	22.91	2.23	80.0	± 9.6 %
		Y	5.95	76.79	17.62		80.0	
		Z	9.07	82.76	20.33		80.0	
10485-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	9.59	89.39	24.37	2.23	80.0	± 9.6 %
		Y	4.65	78.23	19.76		80.0	
		Z	10.08	90.59	24.74		80.0	
10486-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.61	77.46	19.76	2.23	80.0	± 9.6 %
		Y	3.56	70.93	16.33		80.0	
		Z	5.46	77.31	19.63		80.0	
10487-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.37	76.43	19.36	2.23	80.0	± 9.6 %
		Y	3.49	70.30	16.05		80.0	
		Z	5.19	76.19	19.19		80.0	
10488-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.72	82.40	22.74	2.23	80.0	± 9.6 %
		Y	4.39	75.93	19.91		80.0	
		Z	6.55	82.48	22.90		80.0	
10489-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.81	74.05	19.65	2.23	80.0	± 9.6 %
		Y	3.84	70.86	17.87		80.0	
		Z	4.67	73.90	19.68		80.0	
10490-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.82	73.50	19.44	2.23	80.0	± 9.6 %
		Y	3.90	70.56	17.76		80.0	
		Z	4.68	73.35	19.46		80.0	
10491-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.76	77.53	21.07	2.23	80.0	± 9.6 %
		Y	4.30	73.21	19.06		80.0	
		Z	5.54	77.29	21.13		80.0	
10492-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.81	71.92	19.05	2.23	80.0	± 9.6 %
		Y	4.07	69.59	17.73		80.0	
		Z	4.66	71.67	19.07		80.0	

10493-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.84	71.61	18.93	2.23	80.0	± 9.6 %
		Y	4.12	69.40	17.66		80.0	
		Z	4.69	71.36	18.94		80.0	
10494-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.85	80.47	21.97	2.23	80.0	± 9.6 %
		Y	4.79	75.04	19.63		80.0	
		Z	6.55	80.14	22.01		80.0	
10495-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.92	72.55	19.33	2.23	80.0	± 9.6 %
		Y	4.12	70.00	17.96		80.0	
		Z	4.76	72.25	19.34		80.0	
10496-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.92	71.94	19.11	2.23	80.0	± 9.6 %
		Y	4.17	69.64	17.85		80.0	
		Z	4.76	71.66	19.12		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	9.37	86.46	21.26	2.23	80.0	± 9.6 %
		Y	2.00	66.38	12.58		80.0	
		Z	8.31	84.63	20.37		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.14	69.02	13.92	2.23	80.0	± 9.6 %
		Y	1.37	60.09	8.41		80.0	
		Z	2.41	65.99	12.29		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.85	67.57	13.15	2.23	80.0	± 9.6 %
		Y	1.37	60.00	8.22		80.0	
		Z	2.21	64.70	11.55		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.55	85.10	23.29	2.23	80.0	± 9.6 %
		Y	4.40	76.85	19.68		80.0	
		Z	7.62	85.72	23.55		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.18	75.84	19.62	2.23	80.0	± 9.6 %
		Y	3.74	71.13	17.02		80.0	
		Z	5.05	75.76	19.58		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.17	75.39	19.38	2.23	80.0	± 9.6 %
		Y	3.76	70.83	16.82		80.0	
		Z	5.04	75.27	19.32		80.0	
10503-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.59	82.07	22.61	2.23	80.0	± 9.6 %
		Y	4.31	75.64	19.78		80.0	
		Z	6.42	82.13	22.76		80.0	
10504-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.78	73.93	19.59	2.23	80.0	± 9.6 %
		Y	3.81	70.73	17.80		80.0	
		Z	4.64	73.77	19.61		80.0	
10505-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.79	73.38	19.38	2.23	80.0	± 9.6 %
		Y	3.87	70.44	17.69		80.0	
		Z	4.65	73.23	19.40		80.0	
10506-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.76	80.24	21.87	2.23	80.0	± 9.6 %
		Y	4.73	74.84	19.53		80.0	
		Z	6.47	79.91	21.91		80.0	
10507-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.90	72.47	19.29	2.23	80.0	± 9.6 %
		Y	4.10	69.93	17.92		80.0	
		Z	4.74	72.17	19.30		80.0	

10508-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.90	71.86	19.07	2.23	80.0	± 9.6 %
		Y	4.16	69.56	17.80		80.0	
		Z	4.74	71.57	19.08		80.0	
10509-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.24	76.52	20.47	2.23	80.0	± 9.6 %
		Y	4.86	72.76	18.75		80.0	
		Z	5.97	76.06	20.45		80.0	
10510-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.23	71.40	18.91	2.23	80.0	± 9.6 %
		Y	4.53	69.30	17.79		80.0	
		Z	5.07	71.04	18.90		80.0	
10511-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.23	70.94	18.75	2.23	80.0	± 9.6 %
		Y	4.57	69.01	17.71		80.0	
		Z	5.07	70.59	18.75		80.0	
10512-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.27	79.73	21.50	2.23	80.0	± 9.6 %
		Y	5.22	74.66	19.34		80.0	
		Z	6.89	79.16	21.45		80.0	
10513-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.20	72.00	19.15	2.23	80.0	± 9.6 %
		Y	4.43	69.63	17.93		80.0	
		Z	5.02	71.59	19.13		80.0	
10514-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.12	71.27	18.90	2.23	80.0	± 9.6 %
		Y	4.43	69.14	17.78		80.0	
		Z	4.96	70.89	18.89		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.00	64.59	16.01	0.00	150.0	± 9.6 %
		Y	0.87	62.73	14.23		150.0	
		Z	0.98	64.70	16.21		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	1.69	91.79	26.85	0.00	150.0	± 9.6 %
		Y	0.51	70.53	16.13		150.0	
		Z	4.54	110.36	32.32		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.91	68.23	17.62	0.00	150.0	± 9.6 %
		Y	0.71	64.52	14.65		150.0	
		Z	0.91	68.88	18.05		150.0	
10518-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.57	67.02	16.47	0.00	150.0	± 9.6 %
		Y	4.37	66.58	16.08		150.0	
		Z	4.55	66.97	16.56		150.0	
10519-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.76	67.25	16.58	0.00	150.0	± 9.6 %
		Y	4.54	66.79	16.18		150.0	
		Z	4.73	67.20	16.67		150.0	
10520-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.61	67.24	16.52	0.00	150.0	± 9.6 %
		Y	4.39	66.73	16.10		150.0	
		Z	4.58	67.18	16.61		150.0	
10521-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.55	67.25	16.52	0.00	150.0	± 9.6 %
		Y	4.32	66.72	16.08		150.0	
		Z	4.52	67.18	16.60		150.0	
10522-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.61	67.32	16.59	0.00	150.0	± 9.6 %
		Y	4.38	66.85	16.19		150.0	
		Z	4.58	67.29	16.69		150.0	



10523-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.49	67.20	16.45	0.00	150.0	± 9.6 %
		Y	4.28	66.74	16.04		150.0	
		Z	4.46	67.16	16.55		150.0	
10524-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.55	67.24	16.56	0.00	150.0	± 9.6 %
		Y	4.33	66.77	16.15		150.0	
		Z	4.52	67.20	16.66		150.0	
10525-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.54	66.29	16.16	0.00	150.0	± 9.6 %
		Y	4.33	65.83	15.76		150.0	
		Z	4.52	66.24	16.25		150.0	
10526-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.71	66.67	16.30	0.00	150.0	± 9.6 %
		Y	4.48	66.16	15.89		150.0	
		Z	4.69	66.62	16.39		150.0	
10527-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.64	66.65	16.25	0.00	150.0	± 9.6 %
		Y	4.41	66.12	15.83		150.0	
		Z	4.61	66.59	16.34		150.0	
10528-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.65	66.66	16.28	0.00	150.0	± 9.6 %
		Y	4.42	66.14	15.86		150.0	
		Z	4.62	66.60	16.37		150.0	
10529-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.65	66.66	16.28	0.00	150.0	± 9.6 %
		Y	4.42	66.14	15.86		150.0	
		Z	4.62	66.60	16.37		150.0	
10531-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.65	66.78	16.30	0.00	150.0	± 9.6 %
		Y	4.40	66.21	15.86		150.0	
		Z	4.62	66.72	16.39		150.0	
10532-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.51	66.65	16.25	0.00	150.0	± 9.6 %
		Y	4.27	66.06	15.79		150.0	
		Z	4.48	66.58	16.33		150.0	
10533-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.66	66.71	16.27	0.00	150.0	± 9.6 %
		Y	4.43	66.20	15.86		150.0	
		Z	4.64	66.66	16.37		150.0	
10534-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.17	66.69	16.29	0.00	150.0	± 9.6 %
		Y	4.97	66.22	15.94		150.0	
		Z	5.16	66.62	16.38		150.0	
10535-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.24	66.87	16.36	0.00	150.0	± 9.6 %
		Y	5.04	66.40	16.03		150.0	
		Z	5.23	66.84	16.48		150.0	
10536-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	5.11	66.84	16.33	0.00	150.0	± 9.6 %
		Y	4.91	66.36	15.98		150.0	
		Z	5.10	66.78	16.44		150.0	
10537-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	5.17	66.80	16.31	0.00	150.0	± 9.6 %
		Y	4.97	66.31	15.97		150.0	
		Z	5.16	66.74	16.41		150.0	
10538-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	5.26	66.81	16.36	0.00	150.0	± 9.6 %
		Y	5.05	66.32	16.01		150.0	
		Z	5.24	66.74	16.46		150.0	
10540-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.19	66.83	16.38	0.00	150.0	± 9.6 %
		Y	4.98	66.31	16.02		150.0	
		Z	5.18	66.79	16.50		150.0	

10541-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5.16	66.70	16.31	0.00	150.0	± 9.6 %
		Y	4.96	66.20	15.95		150.0	
		Z	5.15	66.63	16.41		150.0	
10542-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.31	66.75	16.35	0.00	150.0	± 9.6 %
		Y	5.11	66.29	16.02		150.0	
		Z	5.30	66.68	16.45		150.0	
10543-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.39	66.77	16.38	0.00	150.0	± 9.6 %
		Y	5.18	66.30	16.05		150.0	
		Z	5.38	66.72	16.49		150.0	
10544-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.47	66.78	16.26	0.00	150.0	± 9.6 %
		Y	5.30	66.32	15.94		150.0	
		Z	5.47	66.69	16.35		150.0	
10545-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.67	67.19	16.41	0.00	150.0	± 9.6 %
		Y	5.49	66.77	16.12		150.0	
		Z	5.68	67.18	16.54		150.0	
10546-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.55	67.01	16.34	0.00	150.0	± 9.6 %
		Y	5.35	66.48	15.99		150.0	
		Z	5.54	66.91	16.42		150.0	
10547-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.61	67.04	16.34	0.00	150.0	± 9.6 %
		Y	5.42	66.55	16.01		150.0	
		Z	5.61	66.95	16.43		150.0	
10548-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.86	67.96	16.77	0.00	150.0	± 9.6 %
		Y	5.65	67.42	16.42		150.0	
		Z	5.93	68.10	16.98		150.0	
10550-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.57	67.01	16.34	0.00	150.0	± 9.6 %
		Y	5.39	66.58	16.05		150.0	
		Z	5.57	66.96	16.46		150.0	
10551-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.58	67.06	16.33	0.00	150.0	± 9.6 %
		Y	5.38	66.54	15.99		150.0	
		Z	5.57	66.97	16.42		150.0	
10552-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.49	66.86	16.24	0.00	150.0	± 9.6 %
		Y	5.31	66.39	15.92		150.0	
		Z	5.48	66.76	16.32		150.0	
10553-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.58	66.89	16.28	0.00	150.0	± 9.6 %
		Y	5.38	66.39	15.95		150.0	
		Z	5.56	66.78	16.36		150.0	
10554-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.88	67.12	16.33	0.00	150.0	± 9.6 %
		Y	5.72	66.67	16.03		150.0	
		Z	5.88	67.04	16.42		150.0	
10555-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	6.01	67.42	16.45	0.00	150.0	± 9.6 %
		Y	5.84	66.97	16.15		150.0	
		Z	6.02	67.38	16.57		150.0	
10556-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	6.03	67.47	16.47	0.00	150.0	± 9.6 %
		Y	5.86	67.03	16.18		150.0	
		Z	6.04	67.42	16.58		150.0	
10557-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	6.00	67.39	16.45	0.00	150.0	± 9.6 %
		Y	5.82	66.90	16.13		150.0	
		Z	6.00	67.30	16.54		150.0	

10558-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	6.05	67.55	16.55	0.00	150.0	± 9.6 %
		Y	5.86	67.05	16.22		150.0	
		Z	6.05	67.48	16.64		150.0	
10560-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	6.04	67.40	16.51	0.00	150.0	± 9.6 %
		Y	5.85	66.90	16.19		150.0	
		Z	6.04	67.29	16.59		150.0	
10561-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	5.96	67.36	16.53	0.00	150.0	± 9.6 %
		Y	5.79	66.90	16.22		150.0	
		Z	5.97	67.30	16.63		150.0	
10562-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.09	67.76	16.73	0.00	150.0	± 9.6 %
		Y	5.88	67.18	16.36		150.0	
		Z	6.10	67.69	16.83		150.0	
10563-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.34	68.10	16.85	0.00	150.0	± 9.6 %
		Y	5.97	67.11	16.29		150.0	
		Z	6.29	67.89	16.88		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.90	67.07	16.61	0.46	150.0	± 9.6 %
		Y	4.69	66.65	16.23		150.0	
		Z	4.87	67.02	16.70		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	5.13	67.52	16.92	0.46	150.0	± 9.6 %
		Y	4.91	67.09	16.56		150.0	
		Z	5.10	67.46	17.01		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	4.97	67.39	16.76	0.46	150.0	± 9.6 %
		Y	4.74	66.92	16.37		150.0	
		Z	4.94	67.32	16.84		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	5.00	67.79	17.11	0.46	150.0	± 9.6 %
		Y	4.78	67.35	16.75		150.0	
		Z	4.97	67.73	17.21		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.88	67.17	16.54	0.46	150.0	± 9.6 %
		Y	4.65	66.69	16.13		150.0	
		Z	4.85	67.12	16.63		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	4.96	67.89	17.18	0.46	150.0	± 9.6 %
		Y	4.76	67.52	16.86		150.0	
		Z	4.93	67.85	17.29		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	4.99	67.72	17.10	0.46	150.0	± 9.6 %
		Y	4.77	67.32	16.76		150.0	
		Z	4.96	67.68	17.21		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.32	67.08	17.40	0.46	130.0	± 9.6 %
		Y	1.12	64.69	15.49		130.0	
		Z	1.28	67.07	17.56		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.35	67.95	17.90	0.46	130.0	± 9.6 %
		Y	1.14	65.35	15.89		130.0	
		Z	1.32	68.00	18.09		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	100.00	153.27	41.53	0.46	130.0	± 9.6 %
		Y	4.67	97.05	25.50		130.0	
		Z	100.00	154.49	41.86		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.93	78.94	22.96	0.46	130.0	± 9.6 %
		Y	1.34	72.50	19.32		130.0	
		Z	1.99	80.30	23.68		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.70	66.93	16.71	0.46	130.0	± 9.6 %
		Y	4.50	66.51	16.33		130.0	
		Z	4.67	66.88	16.81		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.73	67.10	16.78	0.46	130.0	± 9.6 %
		Y	4.53	66.70	16.40		130.0	
		Z	4.70	67.06	16.88		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.93	67.38	16.94	0.46	130.0	± 9.6 %
		Y	4.71	66.96	16.56		130.0	
		Z	4.90	67.33	17.03		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.83	67.57	17.06	0.46	130.0	± 9.6 %
		Y	4.62	67.13	16.68		130.0	
		Z	4.80	67.52	17.16		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.60	66.87	16.39	0.46	130.0	± 9.6 %
		Y	4.37	66.32	15.92		130.0	
		Z	4.57	66.80	16.47		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.65	66.90	16.41	0.46	130.0	± 9.6 %
		Y	4.42	66.39	15.95		130.0	
		Z	4.62	66.85	16.49		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.74	67.65	17.03	0.46	130.0	± 9.6 %
		Y	4.52	67.20	16.64		130.0	
		Z	4.71	67.60	17.13		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.54	66.63	16.18	0.46	130.0	± 9.6 %
		Y	4.31	66.07	15.69		130.0	
		Z	4.51	66.57	16.26		130.0	
10583-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.70	66.93	16.71	0.46	130.0	± 9.6 %
		Y	4.50	66.51	16.33		130.0	
		Z	4.67	66.88	16.81		130.0	
10584-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.73	67.10	16.78	0.46	130.0	± 9.6 %
		Y	4.53	66.70	16.40		130.0	
		Z	4.70	67.06	16.88		130.0	
10585-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.93	67.38	16.94	0.46	130.0	± 9.6 %
		Y	4.71	66.96	16.56		130.0	
		Z	4.90	67.33	17.03		130.0	
10586-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.83	67.57	17.06	0.46	130.0	± 9.6 %
		Y	4.62	67.13	16.68		130.0	
		Z	4.80	67.52	17.16		130.0	
10587-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.60	66.87	16.39	0.46	130.0	± 9.6 %
		Y	4.37	66.32	15.92		130.0	
		Z	4.57	66.80	16.47		130.0	
10588-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.65	66.90	16.41	0.46	130.0	± 9.6 %
		Y	4.42	66.39	15.95		130.0	
		Z	4.62	66.85	16.49		130.0	
10589-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.74	67.65	17.03	0.46	130.0	± 9.6 %
		Y	4.52	67.20	16.64		130.0	
		Z	4.71	67.60	17.13		130.0	
10590-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.54	66.63	16.18	0.46	130.0	± 9.6 %
		Y	4.31	66.07	15.69		130.0	
		Z	4.51	66.57	16.26		130.0	