

10184-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	2.60	68.04	18.45	3.01	150.0	± 9.6 %
		Y	2.47	66.43	17.48		150.0	
		Z	2.63	68.25	18.55		150.0	
10185-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	3.62	75.26	21.52	3.01	150.0	± 9.6 %
		Y	3.07	71.02	19.50		150.0	
		Z	3.76	75.93	21.77		150.0	
10186-AAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	2.89	70.53	18.38	3.01	150.0	± 9.6 %
		Y	2.58	67.47	16.81		150.0	
		Z	2.96	70.93	18.53		150.0	
10187-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	2.61	68.13	18.54	3.01	150.0	± 9.6 %
		Y	2.48	66.50	17.56		150.0	
		Z	2.64	68.34	18.64		150.0	
10188-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	3.74	75.96	21.92	3.01	150.0	± 9.6 %
		Y	3.15	71.56	19.85		150.0	
		Z	3.90	76.67	22.19		150.0	
10189-AAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	2.95	70.97	18.67	3.01	150.0	± 9.6 %
		Y	2.63	67.81	17.06		150.0	
		Z	3.03	71.40	18.83		150.0	
10193-CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.32	66.88	16.14	0.00	150.0	± 9.6 %
		Y	4.28	66.45	15.91		150.0	
		Z	4.30	66.81	16.08		150.0	
10194-CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.45	67.10	16.27	0.00	150.0	± 9.6 %
		Y	4.42	66.69	16.05		150.0	
		Z	4.44	67.02	16.22		150.0	
10195-CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.48	67.10	16.28	0.00	150.0	± 9.6 %
		Y	4.46	66.72	16.07		150.0	
		Z	4.47	67.03	16.23		150.0	
10196-CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.30	66.86	16.12	0.00	150.0	± 9.6 %
		Y	4.26	66.45	15.90		150.0	
		Z	4.28	66.79	16.07		150.0	
10197-CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.46	67.10	16.28	0.00	150.0	± 9.6 %
		Y	4.43	66.70	16.06		150.0	
		Z	4.44	67.02	16.22		150.0	
10198-CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	4.47	67.10	16.28	0.00	150.0	± 9.6 %
		Y	4.45	66.72	16.07		150.0	
		Z	4.46	67.03	16.23		150.0	
10219-CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.25	66.91	16.10	0.00	150.0	± 9.6 %
		Y	4.22	66.48	15.86		150.0	
		Z	4.24	66.83	16.04		150.0	
10220-CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.45	67.06	16.26	0.00	150.0	± 9.6 %
		Y	4.42	66.66	16.05		150.0	
		Z	4.44	66.98	16.21		150.0	
10221-CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	4.49	67.05	16.27	0.00	150.0	± 9.6 %
		Y	4.47	66.66	16.06		150.0	
		Z	4.48	66.98	16.22		150.0	
10222-CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	4.87	67.09	16.41	0.00	150.0	± 9.6 %
		Y	4.85	66.79	16.23		150.0	
		Z	4.86	67.03	16.37		150.0	

10223-CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.12	67.24	16.49	0.00	150.0	± 9.6 %
		Y	5.12	67.03	16.37		150.0	
		Z	5.11	67.18	16.45		150.0	
10224-CAC	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	4.91	67.21	16.40	0.00	150.0	± 9.6 %
		Y	4.88	66.90	16.21		150.0	
		Z	4.90	67.15	16.35		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.60	66.37	14.86	0.00	150.0	± 9.6 %
		Y	2.52	65.59	14.45		150.0	
		Z	2.57	66.19	14.73		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	8.37	93.47	27.72	6.02	65.0	± 9.6 %
		Y	5.45	83.49	24.10		65.0	
		Z	11.09	99.21	29.85		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	8.31	91.82	26.38	6.02	65.0	± 9.6 %
		Y	5.43	82.47	23.05		65.0	
		Z	11.30	97.78	28.58		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	4.03	82.18	25.96	6.02	65.0	± 9.6 %
		Y	3.80	79.36	24.48		65.0	
		Z	4.32	83.82	26.86		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	7.74	91.90	27.11	6.02	65.0	± 9.6 %
		Y	5.19	82.53	23.66		65.0	
		Z	10.08	97.25	29.14		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	7.58	90.17	25.77	6.02	65.0	± 9.6 %
		Y	5.13	81.46	22.61		65.0	
		Z	10.07	95.69	27.86		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	3.88	81.38	25.56	6.02	65.0	± 9.6 %
		Y	3.68	78.65	24.11		65.0	
		Z	4.15	82.96	26.45		65.0	
10232-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	7.73	91.88	27.11	6.02	65.0	± 9.6 %
		Y	5.18	82.51	23.65		65.0	
		Z	10.05	97.22	29.14		65.0	
10233-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	7.55	90.12	25.76	6.02	65.0	± 9.6 %
		Y	5.12	81.43	22.61		65.0	
		Z	10.02	95.62	27.84		65.0	
10234-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	3.78	80.77	25.20	6.02	65.0	± 9.6 %
		Y	3.58	78.08	23.76		65.0	
		Z	4.04	82.31	26.07		65.0	
10235-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	7.74	91.92	27.12	6.02	65.0	± 9.6 %
		Y	5.18	82.54	23.66		65.0	
		Z	10.07	97.28	29.16		65.0	
10236-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	7.67	90.35	25.82	6.02	65.0	± 9.6 %
		Y	5.17	81.56	22.65		65.0	
		Z	10.22	95.91	27.92		65.0	
10237-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	3.88	81.40	25.58	6.02	65.0	± 9.6 %
		Y	3.67	78.67	24.12		65.0	
		Z	4.15	82.98	26.46		65.0	
10238-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	7.70	91.85	27.09	6.02	65.0	± 9.6 %
		Y	5.17	82.49	23.64		65.0	
		Z	10.02	97.19	29.13		65.0	

10239-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	7.51	90.06	25.74	6.02	65.0	± 9.6 %
		Y	5.10	81.39	22.59		65.0	
		Z	9.97	95.55	27.82		65.0	
10240-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	3.87	81.38	25.57	6.02	65.0	± 9.6 %
		Y	3.66	78.64	24.11		65.0	
		Z	4.14	82.95	26.45		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	6.38	80.38	25.25	6.98	65.0	± 9.6 %
		Y	5.95	77.43	23.82		65.0	
		Z	6.64	81.33	25.79		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	5.84	78.63	24.46	6.98	65.0	± 9.6 %
		Y	5.46	75.71	23.00		65.0	
		Z	5.86	78.79	24.68		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	4.73	74.40	23.56	6.98	65.0	± 9.6 %
		Y	4.61	72.68	22.55		65.0	
		Z	4.73	74.39	23.69		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	2.98	67.54	13.03	3.98	65.0	± 9.6 %
		Y	3.02	67.42	13.36		65.0	
		Z	3.20	68.56	13.65		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.91	67.00	12.71	3.98	65.0	± 9.6 %
		Y	2.97	66.95	13.07		65.0	
		Z	3.10	67.91	13.28		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.87	70.75	15.24	3.98	65.0	± 9.6 %
		Y	2.75	69.89	15.01		65.0	
		Z	3.13	72.07	15.98		65.0	
10247-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	3.29	69.29	15.35	3.98	65.0	± 9.6 %
		Y	3.22	68.72	15.27		65.0	
		Z	3.42	69.94	15.77		65.0	
10248-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	3.25	68.63	15.03	3.98	65.0	± 9.6 %
		Y	3.22	68.22	15.02		65.0	
		Z	3.36	69.18	15.40		65.0	
10249-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	4.37	77.29	19.48	3.98	65.0	± 9.6 %
		Y	3.96	75.43	18.79		65.0	
		Z	4.77	78.83	20.25		65.0	
10250-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	4.41	73.51	19.69	3.98	65.0	± 9.6 %
		Y	4.26	72.55	19.33		65.0	
		Z	4.53	74.04	20.04		65.0	
10251-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	4.16	71.25	18.23	3.98	65.0	± 9.6 %
		Y	4.06	70.47	17.94		65.0	
		Z	4.25	71.65	18.51		65.0	
10252-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	5.05	78.87	21.74	3.98	65.0	± 9.6 %
		Y	4.64	76.95	20.93		65.0	
		Z	5.30	79.85	22.27		65.0	
10253-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	4.42	70.94	18.69	3.98	65.0	± 9.6 %
		Y	4.31	70.12	18.34		65.0	
		Z	4.49	71.24	18.93		65.0	
10254-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	4.72	71.89	19.44	3.98	65.0	± 9.6 %
		Y	4.61	71.08	19.11		65.0	
		Z	4.80	72.20	19.67		65.0	

10255-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	4.88	75.71	20.83	3.98	65.0	± 9.6 %
		Y	4.62	74.29	20.18		65.0	
		Z	5.02	76.28	21.19		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	2.04	63.16	9.44	3.98	65.0	± 9.6 %
		Y	2.17	63.47	10.03		65.0	
		Z	2.13	63.65	9.82		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	2.01	62.77	9.12	3.98	65.0	± 9.6 %
		Y	2.15	63.10	9.73		65.0	
		Z	2.10	63.19	9.46		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.85	64.71	11.03	3.98	65.0	± 9.6 %
		Y	1.88	64.64	11.22		65.0	
		Z	1.96	65.39	11.52		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	3.76	71.12	17.05	3.98	65.0	± 9.6 %
		Y	3.64	70.34	16.84		65.0	
		Z	3.89	71.75	17.45		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	3.78	70.82	16.89	3.98	65.0	± 9.6 %
		Y	3.68	70.10	16.72		65.0	
		Z	3.91	71.41	17.28		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	4.47	77.29	20.12	3.98	65.0	± 9.6 %
		Y	4.09	75.44	19.40		65.0	
		Z	4.77	78.51	20.76		65.0	
10262-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	4.40	73.43	19.63	3.98	65.0	± 9.6 %
		Y	4.24	72.47	19.27		65.0	
		Z	4.52	73.95	19.97		65.0	
10263-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	4.16	71.23	18.22	3.98	65.0	± 9.6 %
		Y	4.06	70.44	17.93		65.0	
		Z	4.24	71.62	18.50		65.0	
10264-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	4.99	78.64	21.62	3.98	65.0	± 9.6 %
		Y	4.59	76.74	20.81		65.0	
		Z	5.24	79.60	22.15		65.0	
10265-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	4.48	71.27	18.98	3.98	65.0	± 9.6 %
		Y	4.36	70.45	18.60		65.0	
		Z	4.55	71.56	19.21		65.0	
10266-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	4.82	72.37	19.84	3.98	65.0	± 9.6 %
		Y	4.70	71.54	19.48		65.0	
		Z	4.90	72.68	20.08		65.0	
10267-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	5.12	76.40	20.98	3.98	65.0	± 9.6 %
		Y	4.82	74.90	20.28		65.0	
		Z	5.28	77.02	21.36		65.0	
10268-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	5.13	71.41	19.56	3.98	65.0	± 9.6 %
		Y	5.02	70.69	19.22		65.0	
		Z	5.19	71.64	19.75		65.0	
10269-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	5.15	71.09	19.44	3.98	65.0	± 9.6 %
		Y	5.05	70.37	19.11		65.0	
		Z	5.21	71.31	19.63		65.0	
10270-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	5.18	73.85	20.07	3.98	65.0	± 9.6 %
		Y	4.98	72.75	19.54		65.0	
		Z	5.28	74.25	20.35		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.46	67.07	14.98	0.00	150.0	± 9.6 %
		Y	2.35	66.05	14.40		150.0	
		Z	2.43	66.84	14.82		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.53	68.54	15.56	0.00	150.0	± 9.6 %
		Y	1.36	66.49	14.21		150.0	
		Z	1.49	68.01	15.23		150.0	
10277-CAA	PHS (QPSK)	X	1.22	58.59	3.76	9.03	50.0	± 9.6 %
		Y	1.41	59.00	4.36		50.0	
		Z	1.25	58.78	3.99		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	2.27	63.86	9.37	9.03	50.0	± 9.6 %
		Y	2.51	64.43	10.01		50.0	
		Z	2.41	64.58	9.93		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	2.34	64.09	9.57	9.03	50.0	± 9.6 %
		Y	2.58	64.68	10.20		50.0	
		Z	2.48	64.83	10.14		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	0.89	64.80	10.36	0.00	150.0	± 9.6 %
		Y	0.76	62.66	8.94		150.0	
		Z	0.84	64.10	9.91		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	0.57	63.39	9.45	0.00	150.0	± 9.6 %
		Y	0.46	60.98	7.58		150.0	
		Z	0.54	62.74	8.99		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	0.87	68.64	12.36	0.00	150.0	± 9.6 %
		Y	0.52	62.77	8.89		150.0	
		Z	0.74	66.77	11.38		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	3.65	85.36	18.87	0.00	150.0	± 9.6 %
		Y	0.74	66.38	11.17		150.0	
		Z	1.91	77.60	16.19		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	20.43	95.44	24.89	9.03	50.0	± 9.6 %
		Y	14.21	89.71	23.33		50.0	
		Z	32.11	102.97	27.34		50.0	
10297-AAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	2.55	69.77	16.71	0.00	150.0	± 9.6 %
		Y	2.40	68.48	15.85		150.0	
		Z	2.50	69.43	16.51		150.0	
10298-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	1.08	64.75	11.13	0.00	150.0	± 9.6 %
		Y	0.98	63.24	10.14		150.0	
		Z	1.04	64.22	10.76		150.0	
10299-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	1.43	63.59	9.39	0.00	150.0	± 9.6 %
		Y	1.37	62.93	9.33		150.0	
		Z	1.43	63.53	9.32		150.0	
10300-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	1.14	61.09	7.34	0.00	150.0	± 9.6 %
		Y	1.16	60.93	7.53		150.0	
		Z	1.15	61.07	7.29		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.30	65.31	17.12	4.17	50.0	± 9.6 %
		Y	4.34	65.10	16.99		50.0	
		Z	4.33	65.39	17.12		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	4.69	65.54	17.63	4.96	50.0	± 9.6 %
		Y	4.75	65.38	17.52		50.0	
		Z	4.73	65.67	17.66		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	4.44	65.13	17.39	4.96	50.0	± 9.6 %
		Y	4.50	64.97	17.29		50.0	
		Z	4.49	65.27	17.42		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.29	65.17	16.99	4.17	50.0	± 9.6 %
		Y	4.33	64.94	16.84		50.0	
		Z	4.33	65.29	17.00		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	3.66	65.52	17.76	6.02	35.0	± 9.6 %
		Y	3.84	66.09	18.07		35.0	
		Z	3.74	65.95	17.93		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.09	65.27	17.92	6.02	35.0	± 9.6 %
		Y	4.22	65.57	18.09		35.0	
		Z	4.16	65.60	18.05		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	3.95	65.18	17.76	6.02	35.0	± 9.6 %
		Y	4.09	65.54	17.95		35.0	
		Z	4.02	65.52	17.90		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	3.92	65.33	17.88	6.02	35.0	± 9.6 %
		Y	4.07	65.71	18.08		35.0	
		Z	4.00	65.68	18.03		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.10	65.32	18.00	6.02	35.0	± 9.6 %
		Y	4.24	65.65	18.19		35.0	
		Z	4.17	65.65	18.14		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.03	65.28	17.89	6.02	35.0	± 9.6 %
		Y	4.17	65.59	18.06		35.0	
		Z	4.10	65.62	18.03		35.0	
10311-AAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	2.91	68.95	16.35	0.00	150.0	± 9.6 %
		Y	2.75	67.75	15.58		150.0	
		Z	2.86	68.64	16.17		150.0	
10313-AAA	iDEN 1:3	X	2.31	71.00	15.25	6.99	70.0	± 9.6 %
		Y	1.84	67.55	13.40		70.0	
		Z	2.66	73.06	16.34		70.0	
10314-AAA	iDEN 1:6	X	4.34	81.80	22.41	10.00	30.0	± 9.6 %
		Y	3.36	76.27	19.81		30.0	
		Z	5.33	85.61	24.04		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.03	63.81	15.13	0.17	150.0	± 9.6 %
		Y	0.95	62.72	14.22		150.0	
		Z	1.03	63.63	14.97		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.33	66.75	16.20	0.17	150.0	± 9.6 %
		Y	4.30	66.39	16.01		150.0	
		Z	4.32	66.72	16.18		150.0	
10317-AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.33	66.75	16.20	0.17	150.0	± 9.6 %
		Y	4.30	66.39	16.01		150.0	
		Z	4.32	66.72	16.18		150.0	
10400-AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.40	67.08	16.24	0.00	150.0	± 9.6 %
		Y	4.38	66.70	16.03		150.0	
		Z	4.39	67.00	16.19		150.0	
10401-AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.06	66.83	16.25	0.00	150.0	± 9.6 %
		Y	5.06	66.60	16.11		150.0	
		Z	5.05	66.78	16.21		150.0	

10402-AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.42	67.42	16.43	0.00	150.0	± 9.6 %
		Y	5.40	67.13	16.27		150.0	
		Z	5.41	67.36	16.40		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	0.89	64.80	10.36	0.00	115.0	± 9.6 %
		Y	0.76	62.66	8.94		115.0	
		Z	0.84	64.10	9.91		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	0.89	64.80	10.36	0.00	115.0	± 9.6 %
		Y	0.76	62.66	8.94		115.0	
		Z	0.84	64.10	9.91		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	112.98	25.40	0.00	100.0	± 9.6 %
		Y	12.43	93.19	21.99		100.0	
		Z	100.00	111.74	24.86		100.0	
10410-AAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	X	58.95	117.70	28.63	3.23	80.0	± 9.6 %
		Y	4.24	83.34	19.63		80.0	
		Z	100.00	126.33	31.01		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	0.99	63.35	14.75	0.00	150.0	± 9.6 %
		Y	0.90	62.26	13.81		150.0	
		Z	0.98	63.12	14.54		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.30	66.84	16.20	0.00	150.0	± 9.6 %
		Y	4.27	66.44	15.99		150.0	
		Z	4.29	66.77	16.15		150.0	
10417-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.30	66.84	16.20	0.00	150.0	± 9.6 %
		Y	4.27	66.44	15.99		150.0	
		Z	4.29	66.77	16.15		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.30	67.06	16.27	0.00	150.0	± 9.6 %
		Y	4.27	66.64	16.03		150.0	
		Z	4.29	66.99	16.21		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.32	66.99	16.25	0.00	150.0	± 9.6 %
		Y	4.28	66.57	16.02		150.0	
		Z	4.30	66.91	16.20		150.0	
10422-AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.42	66.96	16.26	0.00	150.0	± 9.6 %
		Y	4.39	66.56	16.04		150.0	
		Z	4.41	66.89	16.21		150.0	
10423-AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.54	67.21	16.34	0.00	150.0	± 9.6 %
		Y	4.52	66.82	16.13		150.0	
		Z	4.53	67.13	16.29		150.0	
10424-AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.47	67.15	16.32	0.00	150.0	± 9.6 %
		Y	4.45	66.77	16.11		150.0	
		Z	4.46	67.08	16.27		150.0	
10425-AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.10	67.31	16.51	0.00	150.0	± 9.6 %
		Y	5.09	67.04	16.35		150.0	
		Z	5.09	67.26	16.47		150.0	
10426-AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.12	67.39	16.54	0.00	150.0	± 9.6 %
		Y	5.12	67.16	16.41		150.0	
		Z	5.11	67.34	16.50		150.0	

10427-AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.08	67.17	16.43	0.00	150.0	± 9.6 %
		Y	5.07	66.91	16.28		150.0	
		Z	5.07	67.11	16.39		150.0	
10430-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.22	72.58	18.35	0.00	150.0	± 9.6 %
		Y	4.06	71.54	17.91		150.0	
		Z	4.16	72.33	18.19		150.0	
10431-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	3.91	67.46	16.06	0.00	150.0	± 9.6 %
		Y	3.87	66.94	15.79		150.0	
		Z	3.89	67.36	15.98		150.0	
10432-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.23	67.28	16.24	0.00	150.0	± 9.6 %
		Y	4.21	66.84	16.00		150.0	
		Z	4.22	67.19	16.18		150.0	
10433-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.49	67.19	16.34	0.00	150.0	± 9.6 %
		Y	4.47	66.80	16.13		150.0	
		Z	4.48	67.12	16.29		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.32	73.39	18.06	0.00	150.0	± 9.6 %
		Y	4.10	72.12	17.55		150.0	
		Z	4.24	73.04	17.86		150.0	
10435-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	45.89	114.22	27.77	3.23	80.0	± 9.6 %
		Y	4.00	82.48	19.29		80.0	
		Z	100.00	125.98	30.85		80.0	
10447-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.13	67.19	14.79	0.00	150.0	± 9.6 %
		Y	3.08	66.51	14.47		150.0	
		Z	3.10	67.01	14.66		150.0	
10448-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	3.78	67.27	15.94	0.00	150.0	± 9.6 %
		Y	3.74	66.73	15.66		150.0	
		Z	3.76	67.16	15.86		150.0	
10449-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.08	67.11	16.15	0.00	150.0	± 9.6 %
		Y	4.04	66.66	15.90		150.0	
		Z	4.07	67.02	16.08		150.0	
10450-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.30	66.98	16.20	0.00	150.0	± 9.6 %
		Y	4.26	66.57	15.97		150.0	
		Z	4.28	66.90	16.15		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	2.90	66.79	13.92	0.00	150.0	± 9.6 %
		Y	2.86	66.15	13.63		150.0	
		Z	2.87	66.58	13.77		150.0	
10456-AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.02	67.77	16.63	0.00	150.0	± 9.6 %
		Y	6.03	67.62	16.55		150.0	
		Z	6.02	67.73	16.60		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.68	65.63	15.94	0.00	150.0	± 9.6 %
		Y	3.63	65.19	15.71		150.0	
		Z	3.67	65.56	15.89		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	3.57	70.86	16.27	0.00	150.0	± 9.6 %
		Y	3.47	70.02	15.99		150.0	
		Z	3.49	70.46	16.04		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.76	69.10	17.67	0.00	150.0	± 9.6 %
		Y	4.80	68.97	17.79		150.0	
		Z	4.72	68.96	17.57		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	0.90	69.44	16.53	0.00	150.0	± 9.6 %
		Y	0.72	66.13	14.17		150.0	
		Z	0.86	68.48	15.93		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	10.56	99.47	25.63	3.29	80.0	± 9.6 %
		Y	2.89	80.04	19.51		80.0	
		Z	100.00	132.25	33.78		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	6.91	3.23	80.0	± 9.6 %
		Y	0.71	60.00	7.50		80.0	
		Z	0.63	60.00	7.17		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.66	60.00	6.17	3.23	80.0	± 9.6 %
		Y	0.72	60.00	6.86		80.0	
		Z	0.66	60.00	6.41		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.30	90.85	22.30	3.23	80.0	± 9.6 %
		Y	1.93	74.34	16.77		80.0	
		Z	64.81	122.37	30.49		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	6.83	3.23	80.0	± 9.6 %
		Y	0.71	60.00	7.43		80.0	
		Z	0.63	60.00	7.09		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.67	60.00	6.13	3.23	80.0	± 9.6 %
		Y	0.73	60.00	6.81		80.0	
		Z	0.66	60.00	6.36		80.0	
10467-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.77	93.72	23.17	3.23	80.0	± 9.6 %
		Y	2.09	75.43	17.21		80.0	
		Z	100.00	128.49	31.87		80.0	
10468-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	6.86	3.23	80.0	± 9.6 %
		Y	0.71	60.00	7.45		80.0	
		Z	0.63	60.00	7.12		80.0	
10469-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.67	60.00	6.13	3.23	80.0	± 9.6 %
		Y	0.72	60.00	6.81		80.0	
		Z	0.66	60.00	6.36		80.0	
10470-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.90	93.96	23.23	3.23	80.0	± 9.6 %
		Y	2.09	75.45	17.21		80.0	
		Z	100.00	128.52	31.87		80.0	
10471-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	6.84	3.23	80.0	± 9.6 %
		Y	0.71	60.00	7.44		80.0	
		Z	0.63	60.00	7.10		80.0	
10472-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.35	56.16	4.14	3.23	80.0	± 9.6 %
		Y	0.72	60.00	6.79		80.0	
		Z	0.66	60.00	6.34		80.0	
10473-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	7.82	93.80	23.17	3.23	80.0	± 9.6 %
		Y	2.08	75.38	17.18		80.0	
		Z	100.00	128.47	31.85		80.0	
10474-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	6.84	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.44		80.0	
		Z	0.63	60.00	7.10		80.0	
10475-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.35	56.16	4.14	3.23	80.0	± 9.6 %
		Y	0.72	60.00	6.80		80.0	
		Z	0.66	60.00	6.34		80.0	

10477-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	6.81	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.41		80.0	
		Z	0.63	60.00	7.06		80.0	
10478-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.35	56.14	4.11	3.23	80.0	± 9.6 %
		Y	0.72	60.00	6.78		80.0	
		Z	0.66	60.00	6.33		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	8.93	91.32	23.75	3.23	80.0	± 9.6 %
		Y	4.56	80.67	20.24		80.0	
		Z	16.37	100.52	26.58		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.16	72.01	14.57	3.23	80.0	± 9.6 %
		Y	2.33	67.89	13.23		80.0	
		Z	5.24	77.76	16.71		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.96	66.36	11.86	3.23	80.0	± 9.6 %
		Y	1.80	64.63	11.38		80.0	
		Z	2.61	69.45	13.25		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.42	64.56	12.03	2.23	80.0	± 9.6 %
		Y	1.30	63.18	11.38		80.0	
		Z	1.54	65.51	12.58		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.46	61.75	9.69	2.23	80.0	± 9.6 %
		Y	1.53	61.77	9.97		80.0	
		Z	1.58	62.63	10.23		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.43	61.33	9.46	2.23	80.0	± 9.6 %
		Y	1.52	61.42	9.78		80.0	
		Z	1.54	62.08	9.94		80.0	
10485-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.20	69.89	16.05	2.23	80.0	± 9.6 %
		Y	1.92	67.64	15.00		80.0	
		Z	2.37	70.97	16.61		80.0	
10486-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.02	65.15	12.96	2.23	80.0	± 9.6 %
		Y	1.92	64.15	12.55		80.0	
		Z	2.11	65.75	13.31		80.0	
10487-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.01	64.75	12.73	2.23	80.0	± 9.6 %
		Y	1.93	63.87	12.39		80.0	
		Z	2.10	65.30	13.06		80.0	
10488-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.64	70.24	17.59	2.23	80.0	± 9.6 %
		Y	2.45	68.72	16.79		80.0	
		Z	2.73	70.84	17.94		80.0	
10489-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.76	67.55	16.13	2.23	80.0	± 9.6 %
		Y	2.63	66.48	15.62		80.0	
		Z	2.83	67.94	16.38		80.0	
10490-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.83	67.41	16.06	2.23	80.0	± 9.6 %
		Y	2.72	66.41	15.59		80.0	
		Z	2.90	67.78	16.30		80.0	
10491-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.94	69.09	17.36	2.23	80.0	± 9.6 %
		Y	2.81	68.00	16.76		80.0	
		Z	3.01	69.48	17.61		80.0	
10492-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.13	66.99	16.41	2.23	80.0	± 9.6 %
		Y	3.04	66.21	16.02		80.0	
		Z	3.18	67.25	16.60		80.0	

10493-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.19	66.88	16.36	2.23	80.0	± 9.6 %
		Y	3.11	66.14	15.99		80.0	
		Z	3.24	67.13	16.53		80.0	
10494-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.13	70.28	17.80	2.23	80.0	± 9.6 %
		Y	2.97	69.07	17.13		80.0	
		Z	3.22	70.72	18.07		80.0	
10495-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.15	67.20	16.63	2.23	80.0	± 9.6 %
		Y	3.06	66.44	16.23		80.0	
		Z	3.20	67.46	16.82		80.0	
10496-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.23	67.04	16.58	2.23	80.0	± 9.6 %
		Y	3.15	66.32	16.21		80.0	
		Z	3.28	67.28	16.76		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.90	60.00	8.12	2.23	80.0	± 9.6 %
		Y	0.93	60.00	8.22		80.0	
		Z	0.90	60.00	8.22		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.08	60.00	6.80	2.23	80.0	± 9.6 %
		Y	1.11	60.00	7.03		80.0	
		Z	1.08	60.00	6.86		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.10	60.00	6.62	2.23	80.0	± 9.6 %
		Y	1.13	60.00	6.87		80.0	
		Z	1.10	60.00	6.69		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.39	70.12	16.71	2.23	80.0	± 9.6 %
		Y	2.14	68.16	15.77		80.0	
		Z	2.52	70.97	17.17		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.39	66.63	14.42	2.23	80.0	± 9.6 %
		Y	2.25	65.47	13.92		80.0	
		Z	2.48	67.18	14.75		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.41	66.42	14.23	2.23	80.0	± 9.6 %
		Y	2.29	65.32	13.77		80.0	
		Z	2.51	66.95	14.54		80.0	
10503-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.60	70.05	17.49	2.23	80.0	± 9.6 %
		Y	2.42	68.54	16.69		80.0	
		Z	2.70	70.63	17.83		80.0	
10504-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.74	67.44	16.06	2.23	80.0	± 9.6 %
		Y	2.62	66.38	15.56		80.0	
		Z	2.81	67.83	16.31		80.0	
10505-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.82	67.32	16.00	2.23	80.0	± 9.6 %
		Y	2.70	66.32	15.53		80.0	
		Z	2.88	67.68	16.23		80.0	
10506-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.11	70.15	17.73	2.23	80.0	± 9.6 %
		Y	2.95	68.94	17.06		80.0	
		Z	3.19	70.59	18.00		80.0	
10507-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.14	67.14	16.59	2.23	80.0	± 9.6 %
		Y	3.05	66.38	16.19		80.0	
		Z	3.19	67.40	16.78		80.0	

10508-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.22	66.97	16.54	2.23	80.0	± 9.6 %
		Y	3.14	66.25	16.16		80.0	
		Z	3.27	67.21	16.71		80.0	
10509-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.54	69.33	17.41	2.23	80.0	± 9.6 %
		Y	3.40	68.37	16.87		80.0	
		Z	3.61	69.65	17.62		80.0	
10510-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.61	66.93	16.70	2.23	80.0	± 9.6 %
		Y	3.54	66.33	16.38		80.0	
		Z	3.65	67.12	16.85		80.0	
10511-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.69	66.79	16.67	2.23	80.0	± 9.6 %
		Y	3.62	66.21	16.36		80.0	
		Z	3.73	66.97	16.80		80.0	
10512-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.60	70.43	17.75	2.23	80.0	± 9.6 %
		Y	3.42	69.33	17.14		80.0	
		Z	3.68	70.82	17.99		80.0	
10513-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.50	67.02	16.76	2.23	80.0	± 9.6 %
		Y	3.42	66.41	16.42		80.0	
		Z	3.54	67.21	16.91		80.0	
10514-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.55	66.73	16.67	2.23	80.0	± 9.6 %
		Y	3.48	66.15	16.35		80.0	
		Z	3.59	66.91	16.81		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	0.95	63.55	14.83	0.00	150.0	± 9.6 %
		Y	0.86	62.38	13.82		150.0	
		Z	0.94	63.29	14.59		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	0.64	72.62	18.33	0.00	150.0	± 9.6 %
		Y	0.45	67.50	14.50		150.0	
		Z	0.59	70.80	17.28		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.80	65.56	15.54	0.00	150.0	± 9.6 %
		Y	0.69	63.74	14.00		150.0	
		Z	0.78	65.08	15.17		150.0	
10518-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.30	66.96	16.20	0.00	150.0	± 9.6 %
		Y	4.26	66.54	15.97		150.0	
		Z	4.28	66.89	16.15		150.0	
10519-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.43	67.11	16.28	0.00	150.0	± 9.6 %
		Y	4.41	66.71	16.07		150.0	
		Z	4.42	67.04	16.23		150.0	
10520-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.29	67.04	16.20	0.00	150.0	± 9.6 %
		Y	4.27	66.64	15.97		150.0	
		Z	4.28	66.97	16.14		150.0	
10521-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.23	67.00	16.18	0.00	150.0	± 9.6 %
		Y	4.20	66.60	15.95		150.0	
		Z	4.21	66.92	16.12		150.0	
10522-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.27	67.10	16.26	0.00	150.0	± 9.6 %
		Y	4.25	66.73	16.05		150.0	
		Z	4.25	67.02	16.20		150.0	

10523-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.22	67.17	16.22	0.00	150.0	± 9.6 %
		Y	4.18	66.71	15.96		150.0	
		Z	4.20	67.09	16.16		150.0	
10524-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.23	67.10	16.27	0.00	150.0	± 9.6 %
		Y	4.20	66.68	16.04		150.0	
		Z	4.21	67.02	16.21		150.0	
10525-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.27	66.23	15.91	0.00	150.0	± 9.6 %
		Y	4.23	65.78	15.66		150.0	
		Z	4.26	66.15	15.85		150.0	
10526-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.38	66.49	16.01	0.00	150.0	± 9.6 %
		Y	4.35	66.06	15.78		150.0	
		Z	4.37	66.40	15.96		150.0	
10527-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.32	66.46	15.96	0.00	150.0	± 9.6 %
		Y	4.28	66.02	15.71		150.0	
		Z	4.30	66.38	15.90		150.0	
10528-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.33	66.48	15.99	0.00	150.0	± 9.6 %
		Y	4.30	66.04	15.74		150.0	
		Z	4.32	66.39	15.93		150.0	
10529-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.33	66.48	15.99	0.00	150.0	± 9.6 %
		Y	4.30	66.04	15.74		150.0	
		Z	4.32	66.39	15.93		150.0	
10531-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.29	66.48	15.96	0.00	150.0	± 9.6 %
		Y	4.26	66.05	15.72		150.0	
		Z	4.27	66.39	15.90		150.0	
10532-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.18	66.35	15.89	0.00	150.0	± 9.6 %
		Y	4.14	65.91	15.64		150.0	
		Z	4.16	66.26	15.83		150.0	
10533-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.34	66.56	15.99	0.00	150.0	± 9.6 %
		Y	4.30	66.11	15.74		150.0	
		Z	4.32	66.48	15.93		150.0	
10534-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	4.89	66.42	16.04	0.00	150.0	± 9.6 %
		Y	4.87	66.09	15.86		150.0	
		Z	4.88	66.35	16.00		150.0	
10535-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	4.93	66.52	16.10	0.00	150.0	± 9.6 %
		Y	4.91	66.22	15.92		150.0	
		Z	4.91	66.45	16.05		150.0	
10536-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	4.82	66.53	16.08	0.00	150.0	± 9.6 %
		Y	4.80	66.21	15.89		150.0	
		Z	4.81	66.46	16.03		150.0	
10537-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	4.90	66.56	16.10	0.00	150.0	± 9.6 %
		Y	4.87	66.22	15.90		150.0	
		Z	4.88	66.50	16.05		150.0	
10538-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	4.95	66.48	16.09	0.00	150.0	± 9.6 %
		Y	4.93	66.19	15.93		150.0	
		Z	4.94	66.42	16.05		150.0	
10540-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	4.88	66.44	16.09	0.00	150.0	± 9.6 %
		Y	4.86	66.13	15.92		150.0	
		Z	4.87	66.38	16.05		150.0	

10541-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	4.87	66.39	16.04	0.00	150.0	± 9.6 %
		Y	4.84	66.04	15.85		150.0	
		Z	4.86	66.32	16.00		150.0	
10542-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.02	66.48	16.11	0.00	150.0	± 9.6 %
		Y	5.00	66.16	15.93		150.0	
		Z	5.01	66.41	16.06		150.0	
10543-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.10	66.58	16.19	0.00	150.0	± 9.6 %
		Y	5.08	66.27	16.02		150.0	
		Z	5.09	66.53	16.15		150.0	
10544-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.25	66.47	16.03	0.00	150.0	± 9.6 %
		Y	5.22	66.17	15.86		150.0	
		Z	5.24	66.41	15.99		150.0	
10545-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.41	66.90	16.21	0.00	150.0	± 9.6 %
		Y	5.41	66.66	16.07		150.0	
		Z	5.40	66.85	16.17		150.0	
10546-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.27	66.58	16.06	0.00	150.0	± 9.6 %
		Y	5.25	66.30	15.89		150.0	
		Z	5.26	66.52	16.01		150.0	
10547-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.36	66.73	16.13	0.00	150.0	± 9.6 %
		Y	5.34	66.44	15.96		150.0	
		Z	5.36	66.68	16.09		150.0	
10548-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.47	67.26	16.37	0.00	150.0	± 9.6 %
		Y	5.50	67.11	16.27		150.0	
		Z	5.46	67.20	16.33		150.0	
10550-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.34	66.82	16.19	0.00	150.0	± 9.6 %
		Y	5.33	66.54	16.03		150.0	
		Z	5.34	66.77	16.15		150.0	
10551-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.26	66.54	16.01	0.00	150.0	± 9.6 %
		Y	5.24	66.26	15.85		150.0	
		Z	5.25	66.48	15.97		150.0	
10552-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.26	66.61	16.04	0.00	150.0	± 9.6 %
		Y	5.23	66.28	15.86		150.0	
		Z	5.25	66.54	16.00		150.0	
10553-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.30	66.53	16.04	0.00	150.0	± 9.6 %
		Y	5.28	66.23	15.87		150.0	
		Z	5.29	66.47	16.00		150.0	
10554-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.67	66.79	16.10	0.00	150.0	± 9.6 %
		Y	5.65	66.53	15.96		150.0	
		Z	5.66	66.74	16.07		150.0	
10555-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	5.75	66.99	16.19	0.00	150.0	± 9.6 %
		Y	5.74	66.77	16.06		150.0	
		Z	5.74	66.94	16.15		150.0	
10556-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	5.80	67.13	16.25	0.00	150.0	± 9.6 %
		Y	5.79	66.90	16.12		150.0	
		Z	5.79	67.08	16.21		150.0	
10557-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	5.75	66.99	16.20	0.00	150.0	± 9.6 %
		Y	5.73	66.73	16.05		150.0	
		Z	5.74	66.93	16.16		150.0	

10558-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	5.75	67.00	16.22	0.00	150.0	± 9.6 %
		Y	5.74	66.78	16.10		150.0	
		Z	5.73	66.94	16.18		150.0	
10560-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	5.77	66.96	16.24	0.00	150.0	± 9.6 %
		Y	5.76	66.72	16.10		150.0	
		Z	5.76	66.90	16.20		150.0	
10561-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	5.71	66.95	16.26	0.00	150.0	± 9.6 %
		Y	5.70	66.72	16.13		150.0	
		Z	5.70	66.89	16.22		150.0	
10562-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	5.75	67.08	16.33	0.00	150.0	± 9.6 %
		Y	5.74	66.86	16.20		150.0	
		Z	5.74	67.02	16.29		150.0	
10563-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	5.86	67.10	16.30	0.00	150.0	± 9.6 %
		Y	5.85	66.86	16.17		150.0	
		Z	5.85	67.04	16.27		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.60	66.94	16.32	0.46	150.0	± 9.6 %
		Y	4.58	66.58	16.12		150.0	
		Z	4.60	66.89	16.28		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	4.79	67.35	16.63	0.46	150.0	± 9.6 %
		Y	4.78	67.00	16.45		150.0	
		Z	4.78	67.29	16.59		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	4.63	67.16	16.43	0.46	150.0	± 9.6 %
		Y	4.61	66.79	16.23		150.0	
		Z	4.62	67.09	16.38		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	4.67	67.56	16.82	0.46	150.0	± 9.6 %
		Y	4.65	67.21	16.62		150.0	
		Z	4.66	67.50	16.77		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.51	66.83	16.14	0.46	150.0	± 9.6 %
		Y	4.50	66.51	15.95		150.0	
		Z	4.50	66.77	16.10		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	4.66	67.83	16.98	0.46	150.0	± 9.6 %
		Y	4.63	67.44	16.76		150.0	
		Z	4.65	67.77	16.94		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	4.65	67.58	16.84	0.46	150.0	± 9.6 %
		Y	4.64	67.22	16.65		150.0	
		Z	4.64	67.52	16.80		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.07	63.93	15.21	0.46	130.0	± 9.6 %
		Y	0.98	62.89	14.36		130.0	
		Z	1.07	63.82	15.12		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.08	64.46	15.57	0.46	130.0	± 9.6 %
		Y	0.99	63.35	14.67		130.0	
		Z	1.08	64.34	15.47		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	1.39	82.13	22.33	0.46	130.0	± 9.6 %
		Y	0.86	74.16	17.99		130.0	
		Z	1.28	80.54	21.64		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.12	69.73	18.44	0.46	130.0	± 9.6 %
		Y	0.98	67.73	17.01		130.0	
		Z	1.11	69.43	18.24		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.37	66.66	16.29	0.46	130.0	± 9.6 %
		Y	4.35	66.31	16.11		130.0	
		Z	4.37	66.62	16.27		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.40	66.88	16.39	0.46	130.0	± 9.6 %
		Y	4.38	66.51	16.20		130.0	
		Z	4.40	66.85	16.37		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.56	67.10	16.53	0.46	130.0	± 9.6 %
		Y	4.54	66.75	16.36		130.0	
		Z	4.55	67.06	16.51		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.46	67.24	16.64	0.46	130.0	± 9.6 %
		Y	4.45	66.90	16.46		130.0	
		Z	4.46	67.21	16.62		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.21	66.38	15.86	0.46	130.0	± 9.6 %
		Y	4.20	66.04	15.67		130.0	
		Z	4.21	66.35	15.84		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.24	66.41	15.87	0.46	130.0	± 9.6 %
		Y	4.23	66.10	15.69		130.0	
		Z	4.23	66.38	15.85		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.38	67.35	16.63	0.46	130.0	± 9.6 %
		Y	4.35	66.95	16.42		130.0	
		Z	4.37	67.30	16.61		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.13	66.14	15.64	0.46	130.0	± 9.6 %
		Y	4.13	65.80	15.44		130.0	
		Z	4.13	66.11	15.62		130.0	
10583-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.37	66.66	16.29	0.46	130.0	± 9.6 %
		Y	4.35	66.31	16.11		130.0	
		Z	4.37	66.62	16.27		130.0	
10584-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.40	66.88	16.39	0.46	130.0	± 9.6 %
		Y	4.38	66.51	16.20		130.0	
		Z	4.40	66.85	16.37		130.0	
10585-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.56	67.10	16.53	0.46	130.0	± 9.6 %
		Y	4.54	66.75	16.36		130.0	
		Z	4.55	67.06	16.51		130.0	
10586-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.46	67.24	16.64	0.46	130.0	± 9.6 %
		Y	4.45	66.90	16.46		130.0	
		Z	4.46	67.21	16.62		130.0	
10587-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.21	66.38	15.86	0.46	130.0	± 9.6 %
		Y	4.20	66.04	15.67		130.0	
		Z	4.21	66.35	15.84		130.0	
10588-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.24	66.41	15.87	0.46	130.0	± 9.6 %
		Y	4.23	66.10	15.69		130.0	
		Z	4.23	66.38	15.85		130.0	
10589-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.38	67.35	16.63	0.46	130.0	± 9.6 %
		Y	4.35	66.95	16.42		130.0	
		Z	4.37	67.30	16.61		130.0	
10590-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.13	66.14	15.64	0.46	130.0	± 9.6 %
		Y	4.13	65.80	15.44		130.0	
		Z	4.13	66.11	15.62		130.0	

10591-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.53	66.76	16.43	0.46	130.0	± 9.6 %
		Y	4.51	66.42	16.26		130.0	
		Z	4.53	66.73	16.41		130.0	
10592-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	4.64	67.03	16.55	0.46	130.0	± 9.6 %
		Y	4.63	66.71	16.38		130.0	
		Z	4.64	67.00	16.53		130.0	
10593-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	4.56	66.91	16.40	0.46	130.0	± 9.6 %
		Y	4.54	66.57	16.23		130.0	
		Z	4.55	66.88	16.38		130.0	
10594-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.61	67.08	16.57	0.46	130.0	± 9.6 %
		Y	4.60	66.75	16.40		130.0	
		Z	4.61	67.05	16.56		130.0	
10595-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	4.58	67.07	16.48	0.46	130.0	± 9.6 %
		Y	4.57	66.72	16.30		130.0	
		Z	4.57	67.04	16.47		130.0	
10596-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	4.50	67.01	16.46	0.46	130.0	± 9.6 %
		Y	4.49	66.68	16.29		130.0	
		Z	4.50	66.98	16.45		130.0	
10597-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.46	66.88	16.31	0.46	130.0	± 9.6 %
		Y	4.45	66.54	16.13		130.0	
		Z	4.46	66.85	16.29		130.0	
10598-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.46	67.13	16.59	0.46	130.0	± 9.6 %
		Y	4.44	66.78	16.41		130.0	
		Z	4.45	67.10	16.57		130.0	
10599-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	5.22	67.21	16.69	0.46	130.0	± 9.6 %
		Y	5.22	66.97	16.57		130.0	
		Z	5.22	67.19	16.69		130.0	
10600-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	5.30	67.52	16.82	0.46	130.0	± 9.6 %
		Y	5.33	67.39	16.75		130.0	
		Z	5.30	67.50	16.82		130.0	
10601-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.23	67.37	16.77	0.46	130.0	± 9.6 %
		Y	5.22	67.11	16.63		130.0	
		Z	5.23	67.36	16.76		130.0	
10602-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.29	67.31	16.65	0.46	130.0	± 9.6 %
		Y	5.34	67.24	16.61		130.0	
		Z	5.29	67.29	16.65		130.0	
10603-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.35	67.59	16.93	0.46	130.0	± 9.6 %
		Y	5.39	67.47	16.87		130.0	
		Z	5.35	67.56	16.92		130.0	
10604-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.22	67.12	16.67	0.46	130.0	± 9.6 %
		Y	5.28	67.11	16.66		130.0	
		Z	5.22	67.10	16.66		130.0	
10605-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.28	67.36	16.79	0.46	130.0	± 9.6 %
		Y	5.31	67.21	16.71		130.0	
		Z	5.29	67.34	16.78		130.0	
10606-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.10	66.87	16.40	0.46	130.0	± 9.6 %
		Y	5.09	66.62	16.27		130.0	
		Z	5.10	66.86	16.40		130.0	

10607-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	4.38	66.13	16.09	0.46	130.0	± 9.6 %
		Y	4.36	65.74	15.89		130.0	
		Z	4.38	66.10	16.07		130.0	
10608-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.51	66.43	16.22	0.46	130.0	± 9.6 %
		Y	4.49	66.06	16.03		130.0	
		Z	4.50	66.39	16.20		130.0	
10609-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	4.41	66.26	16.04	0.46	130.0	± 9.6 %
		Y	4.39	65.88	15.84		130.0	
		Z	4.40	66.23	16.02		130.0	
10610-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	4.46	66.44	16.22	0.46	130.0	± 9.6 %
		Y	4.44	66.06	16.02		130.0	
		Z	4.45	66.40	16.20		130.0	
10611-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	4.37	66.22	16.05	0.46	130.0	± 9.6 %
		Y	4.35	65.85	15.85		130.0	
		Z	4.37	66.19	16.03		130.0	
10612-AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.35	66.33	16.08	0.46	130.0	± 9.6 %
		Y	4.34	65.96	15.88		130.0	
		Z	4.35	66.29	16.06		130.0	
10613-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	4.35	66.14	15.92	0.46	130.0	± 9.6 %
		Y	4.33	65.78	15.73		130.0	
		Z	4.34	66.10	15.90		130.0	
10614-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.33	66.39	16.19	0.46	130.0	± 9.6 %
		Y	4.31	66.02	15.99		130.0	
		Z	4.32	66.35	16.17		130.0	
10615-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.36	66.05	15.81	0.46	130.0	± 9.6 %
		Y	4.34	65.67	15.61		130.0	
		Z	4.36	66.02	15.80		130.0	
10616-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	5.02	66.37	16.26	0.46	130.0	± 9.6 %
		Y	5.01	66.11	16.12		130.0	
		Z	5.02	66.34	16.25		130.0	
10617-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	5.05	66.46	16.29	0.46	130.0	± 9.6 %
		Y	5.06	66.24	16.16		130.0	
		Z	5.05	66.44	16.27		130.0	
10618-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	4.96	66.54	16.34	0.46	130.0	± 9.6 %
		Y	4.96	66.29	16.20		130.0	
		Z	4.96	66.50	16.32		130.0	
10619-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	5.00	66.42	16.21	0.46	130.0	± 9.6 %
		Y	4.99	66.14	16.06		130.0	
		Z	5.00	66.39	16.20		130.0	
10620-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	5.05	66.36	16.23	0.46	130.0	± 9.6 %
		Y	5.06	66.13	16.10		130.0	
		Z	5.05	66.34	16.22		130.0	
10621-AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	5.07	66.49	16.42	0.46	130.0	± 9.6 %
		Y	5.06	66.23	16.28		130.0	
		Z	5.07	66.46	16.40		130.0	
10622-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	5.05	66.57	16.46	0.46	130.0	± 9.6 %
		Y	5.05	66.32	16.32		130.0	
		Z	5.05	66.54	16.44		130.0	

10623-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	4.95	66.15	16.10	0.46	130.0	± 9.6 %
		Y	4.94	65.85	15.94		130.0	
		Z	4.95	66.12	16.09		130.0	
10624-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	5.14	66.40	16.29	0.46	130.0	± 9.6 %
		Y	5.14	66.14	16.16		130.0	
		Z	5.14	66.37	16.28		130.0	
10625-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	X	5.23	66.56	16.44	0.46	130.0	± 9.6 %
		Y	5.23	66.29	16.30		130.0	
		Z	5.23	66.54	16.43		130.0	
10626-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	X	5.36	66.38	16.21	0.46	130.0	± 9.6 %
		Y	5.35	66.13	16.08		130.0	
		Z	5.36	66.36	16.20		130.0	
10627-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	X	5.58	66.98	16.48	0.46	130.0	± 9.6 %
		Y	5.60	66.82	16.40		130.0	
		Z	5.58	66.96	16.48		130.0	
10628-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	5.35	66.35	16.10	0.46	130.0	± 9.6 %
		Y	5.34	66.11	15.97		130.0	
		Z	5.35	66.32	16.09		130.0	
10629-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	5.47	66.59	16.22	0.46	130.0	± 9.6 %
		Y	5.46	66.35	16.08		130.0	
		Z	5.47	66.58	16.22		130.0	
10630-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	X	5.64	67.33	16.59	0.46	130.0	± 9.6 %
		Y	5.71	67.34	16.58		130.0	
		Z	5.64	67.31	16.59		130.0	
10631-AAB	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	X	5.64	67.43	16.83	0.46	130.0	± 9.6 %
		Y	5.66	67.30	16.76		130.0	
		Z	5.64	67.40	16.82		130.0	
10632-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	X	5.60	67.22	16.75	0.46	130.0	± 9.6 %
		Y	5.60	67.01	16.64		130.0	
		Z	5.60	67.21	16.75		130.0	
10633-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	5.37	66.42	16.17	0.46	130.0	± 9.6 %
		Y	5.37	66.21	16.05		130.0	
		Z	5.37	66.39	16.16		130.0	
10634-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.41	66.64	16.33	0.46	130.0	± 9.6 %
		Y	5.39	66.38	16.20		130.0	
		Z	5.40	66.61	16.32		130.0	
10635-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	X	5.25	65.86	15.66	0.46	130.0	± 9.6 %
		Y	5.25	65.62	15.53		130.0	
		Z	5.25	65.84	15.66		130.0	
10636-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	X	5.80	66.73	16.30	0.46	130.0	± 9.6 %
		Y	5.79	66.51	16.18		130.0	
		Z	5.80	66.71	16.29		130.0	
10637-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	5.90	67.00	16.42	0.46	130.0	± 9.6 %
		Y	5.91	66.84	16.34		130.0	
		Z	5.90	66.98	16.42		130.0	
10638-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	X	5.95	67.12	16.46	0.46	130.0	± 9.6 %
		Y	5.93	66.88	16.34		130.0	
		Z	5.95	67.10	16.45		130.0	