

10032-CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	X	100.00	238.99	69.41	1.17	100.0	± 9.6 %
		Y	4.59	60.27	1.40		100.0	
		Z	100.00	93.22	13.44		100.0	
10033-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	X	100.00	136.51	37.44	5.30	70.0	± 9.6 %
		Y	3.03	75.05	16.76		70.0	
		Z	2.90	73.70	15.50		70.0	
10034-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	X	32.70	114.08	29.39	1.88	100.0	± 9.6 %
		Y	0.99	64.50	10.35		100.0	
		Z	1.03	64.90	10.08		100.0	
10035-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	X	7.37	92.97	23.27	1.17	100.0	± 9.6 %
		Y	0.79	63.09	9.30		100.0	
		Z	0.84	63.87	9.35		100.0	
10036-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	X	100.00	137.26	37.78	5.30	70.0	± 9.6 %
		Y	3.62	77.67	17.81		70.0	
		Z	3.38	75.82	16.37		70.0	
10037-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	X	18.81	106.44	27.49	1.88	100.0	± 9.6 %
		Y	0.93	64.02	10.11		100.0	
		Z	0.96	64.28	9.79		100.0	
10038-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	X	7.41	93.62	23.65	1.17	100.0	± 9.6 %
		Y	0.79	63.24	9.50		100.0	
		Z	0.84	64.03	9.57		100.0	
10039-CAB	CDMA2000 (1xRTT, RC1)	X	3.21	80.29	18.21	0.00	150.0	± 9.6 %
		Y	0.68	62.13	8.27		150.0	
		Z	0.68	63.02	8.66		150.0	
10042-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	X	100.00	115.64	26.56	7.78	50.0	± 9.6 %
		Y	1.68	65.40	9.14		50.0	
		Z	1.84	66.33	9.41		50.0	
10044-CAA	IS-91/EIATIA-553 FDD (FDMA, FM)	X	0.00	106.89	2.02	0.00	150.0	± 9.6 %
		Y	0.07	121.36	6.45		150.0	
		Z	0.00	99.61	3.62		150.0	
10048-CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	X	100.00	108.65	25.84	13.80	25.0	± 9.6 %
		Y	4.13	66.98	12.15		25.0	
		Z	3.33	65.10	10.85		25.0	
10049-CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	X	1783.38	145.26	32.65	10.79	40.0	± 9.6 %
		Y	3.82	69.37	11.93		40.0	
		Z	3.23	67.84	10.88		40.0	
10056-CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	X	100.00	128.05	34.82	9.03	50.0	± 9.6 %
		Y	10.87	86.15	20.68		50.0	
		Z	9.67	83.98	19.35		50.0	
10058-DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	X	3.45	72.92	24.15	6.55	100.0	± 9.6 %
		Y	2.82	68.56	21.17		100.0	
		Z	2.91	69.39	21.58		100.0	
10059-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	X	1.21	65.76	16.95	0.61	110.0	± 9.6 %
		Y	1.00	62.91	14.30		110.0	
		Z	1.08	63.96	15.03		110.0	
10060-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	X	100.00	155.40	42.97	1.30	110.0	± 9.6 %
		Y	1.33	76.81	18.58		110.0	
		Z	2.03	83.28	21.58		110.0	

10061-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	X	2.76	84.27	25.47	2.04	110.0	± 9.6 %
		Y	1.28	69.73	17.60		110.0	
		Z	1.42	71.23	18.32		110.0	
10062-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	X	4.61	66.98	16.85	0.49	100.0	± 9.6 %
		Y	4.32	66.36	16.16		100.0	
		Z	4.28	66.74	16.27		100.0	
10063-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	X	4.62	67.08	16.96	0.72	100.0	± 9.6 %
		Y	4.33	66.45	16.25		100.0	
		Z	4.29	66.82	16.35		100.0	
10064-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	X	4.87	67.29	17.16	0.86	100.0	± 9.6 %
		Y	4.56	66.65	16.45		100.0	
		Z	4.49	66.97	16.51		100.0	
10065-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	X	4.74	67.16	17.27	1.21	100.0	± 9.6 %
		Y	4.42	66.44	16.50		100.0	
		Z	4.36	66.72	16.54		100.0	
10066-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	X	4.75	67.16	17.44	1.46	100.0	± 9.6 %
		Y	4.42	66.41	16.63		100.0	
		Z	4.35	66.64	16.63		100.0	
10067-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	X	5.04	67.40	17.92	2.04	100.0	± 9.6 %
		Y	4.70	66.70	17.12		100.0	
		Z	4.60	66.86	17.06		100.0	
10068-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	X	5.05	67.29	18.09	2.55	100.0	± 9.6 %
		Y	4.73	66.60	17.28		100.0	
		Z	4.64	66.84	17.26		100.0	
10069-CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	X	5.13	67.33	18.28	2.67	100.0	± 9.6 %
		Y	4.78	66.61	17.46		100.0	
		Z	4.68	66.78	17.39		100.0	
10071-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	X	4.88	67.04	17.75	1.99	100.0	± 9.6 %
		Y	4.60	66.44	17.02		100.0	
		Z	4.54	66.74	17.05		100.0	
10072-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	X	4.84	67.31	17.97	2.30	100.0	± 9.6 %
		Y	4.53	66.60	17.17		100.0	
		Z	4.46	66.83	17.17		100.0	
10073-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	X	4.89	67.45	18.31	2.83	100.0	± 9.6 %
		Y	4.58	66.75	17.49		100.0	
		Z	4.51	67.00	17.49		100.0	
10074-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	X	4.87	67.33	18.46	3.30	100.0	± 9.6 %
		Y	4.58	66.69	17.64		100.0	
		Z	4.53	67.00	17.66		100.0	
10075-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	X	4.88	67.32	18.73	3.82	90.0	± 9.6 %
		Y	4.59	66.65	17.86		90.0	
		Z	4.54	66.96	17.87		90.0	
10076-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	X	4.90	67.13	18.86	4.15	90.0	± 9.6 %
		Y	4.63	66.53	18.03		90.0	
		Z	4.58	66.82	18.03		90.0	
10077-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	X	4.93	67.21	18.97	4.30	90.0	± 9.6 %
		Y	4.66	66.62	18.15		90.0	
		Z	4.61	66.93	18.16		90.0	

10081-CAB	CDMA2000 (1xRTT, RC3)	X	1.07	70.22	14.02	0.00	150.0	± 9.6 %
		Y	0.39	60.00	6.38		150.0	
		Z	0.41	60.91	7.03		150.0	
10082-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	X	0.52	60.00	3.80	4.77	80.0	± 9.6 %
		Y	2.72	114.02	6.45		80.0	
		Z	10.47	60.22	1.52		80.0	
10090-DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	X	100.00	126.73	31.07	6.56	60.0	± 9.6 %
		Y	7.92	79.96	14.13		60.0	
		Z	20.99	87.17	15.81		60.0	
10097-CAB	UMTS-FDD (HSDPA)	X	2.04	70.25	17.01	0.00	150.0	± 9.6 %
		Y	1.56	66.55	14.12		150.0	
		Z	1.74	68.77	15.28		150.0	
10098-CAB	UMTS-FDD (HSUPA, Subtest 2)	X	2.00	70.23	17.01	0.00	150.0	± 9.6 %
		Y	1.53	66.47	14.09		150.0	
		Z	1.71	68.71	15.26		150.0	
10099-DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	X	6.64	89.05	33.56	9.56	60.0	± 9.6 %
		Y	4.75	79.08	27.95		60.0	
		Z	4.90	80.64	28.79		60.0	
10100-CAD	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	3.25	71.52	17.63	0.00	150.0	± 9.6 %
		Y	2.67	68.54	15.77		150.0	
		Z	2.78	69.71	16.57		150.0	
10101-CAD	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	3.25	68.03	16.46	0.00	150.0	± 9.6 %
		Y	2.91	66.53	15.30		150.0	
		Z	2.96	67.22	15.75		150.0	
10102-CAD	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	3.35	67.97	16.53	0.00	150.0	± 9.6 %
		Y	3.02	66.60	15.44		150.0	
		Z	3.06	67.28	15.86		150.0	
10103-CAD	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	5.90	76.94	21.81	3.98	65.0	± 9.6 %
		Y	4.31	71.44	18.81		65.0	
		Z	4.43	72.32	19.13		65.0	
10104-CAD	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	5.43	72.89	20.74	3.98	65.0	± 9.6 %
		Y	4.54	69.79	18.71		65.0	
		Z	4.61	70.44	18.87		65.0	
10105-CAD	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	5.36	72.38	20.79	3.98	65.0	± 9.6 %
		Y	4.32	68.52	18.39		65.0	
		Z	4.39	69.21	18.58		65.0	
10108-CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	2.82	70.93	17.54	0.00	150.0	± 9.6 %
		Y	2.28	67.91	15.54		150.0	
		Z	2.38	69.19	16.38		150.0	
10109-CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	2.90	68.12	16.43	0.00	150.0	± 9.6 %
		Y	2.54	66.41	15.02		150.0	
		Z	2.59	67.32	15.54		150.0	
10110-CAE	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	2.31	70.47	17.26	0.00	150.0	± 9.6 %
		Y	1.78	66.93	14.73		150.0	
		Z	1.87	68.46	15.64		150.0	
10111-CAE	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	2.69	69.71	16.91	0.00	150.0	± 9.6 %
		Y	2.21	67.19	14.84		150.0	
		Z	2.33	68.71	15.55		150.0	

10112-CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	3.03	68.11	16.46	0.00	150.0	± 9.6 %
		Y	2.67	66.55	15.14		150.0	
		Z	2.72	67.46	15.64		150.0	
10113-CAE	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	2.84	69.80	17.00	0.00	150.0	± 9.6 %
		Y	2.36	67.44	15.03		150.0	
		Z	2.46	68.88	15.67		150.0	
10114-CAC	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	X	5.07	67.36	16.73	0.00	150.0	± 9.6 %
		Y	4.83	66.85	16.25		150.0	
		Z	4.79	67.12	16.39		150.0	
10115-CAC	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	X	5.32	67.42	16.76	0.00	150.0	± 9.6 %
		Y	5.07	66.92	16.28		150.0	
		Z	5.02	67.21	16.41		150.0	
10116-CAC	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	X	5.16	67.57	16.76	0.00	150.0	± 9.6 %
		Y	4.89	66.99	16.25		150.0	
		Z	4.85	67.29	16.40		150.0	
10117-CAC	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	X	5.06	67.30	16.72	0.00	150.0	± 9.6 %
		Y	4.80	66.72	16.20		150.0	
		Z	4.77	67.02	16.36		150.0	
10118-CAC	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	X	5.40	67.64	16.88	0.00	150.0	± 9.6 %
		Y	5.14	67.13	16.40		150.0	
		Z	5.07	67.35	16.49		150.0	
10119-CAC	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	X	5.15	67.55	16.76	0.00	150.0	± 9.6 %
		Y	4.91	67.02	16.27		150.0	
		Z	4.86	67.32	16.42		150.0	
10140-CAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	3.37	68.00	16.44	0.00	150.0	± 9.6 %
		Y	3.03	66.62	15.34		150.0	
		Z	3.07	67.31	15.77		150.0	
10141-CAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	3.50	68.11	16.61	0.00	150.0	± 9.6 %
		Y	3.16	66.84	15.57		150.0	
		Z	3.20	67.55	15.99		150.0	
10142-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	2.13	71.07	16.98	0.00	150.0	± 9.6 %
		Y	1.48	66.20	13.48		150.0	
		Z	1.58	67.90	14.34		150.0	
10143-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	2.64	71.05	16.59	0.00	150.0	± 9.6 %
		Y	1.86	66.38	13.14		150.0	
		Z	1.94	67.74	13.60		150.0	
10144-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	2.21	67.53	14.37	0.00	150.0	± 9.6 %
		Y	1.63	64.02	11.37		150.0	
		Z	1.59	64.40	11.33		150.0	
10145-CAE	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.04	64.20	10.42	0.00	150.0	± 9.6 %
		Y	0.60	60.00	6.09		150.0	
		Z	0.55	60.00	5.71		150.0	
10146-CAE	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	1.22	62.30	8.55	0.00	150.0	± 9.6 %
		Y	0.75	58.96	4.98		150.0	
		Z	0.74	60.00	4.89		150.0	
10147-CAE	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	1.32	63.10	9.10	0.00	150.0	± 9.6 %
		Y	0.84	60.00	5.73		150.0	
		Z	0.75	60.00	4.93		150.0	

10149-CAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	2.91	68.19	16.48	0.00	150.0	± 9.6 %
		Y	2.55	66.48	15.07		150.0	
		Z	2.60	67.39	15.59		150.0	
10150-CAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	3.03	68.18	16.51	0.00	150.0	± 9.6 %
		Y	2.68	66.61	15.19		150.0	
		Z	2.73	67.53	15.69		150.0	
10151-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	6.16	79.86	23.14	3.98	65.0	± 9.6 %
		Y	4.38	73.78	19.80		65.0	
		Z	4.56	74.89	20.13		65.0	
10152-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	5.01	73.14	20.52	3.98	65.0	± 9.6 %
		Y	4.05	69.55	18.08		65.0	
		Z	4.10	70.17	18.13		65.0	
10153-CAD	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	5.35	74.12	21.31	3.98	65.0	± 9.6 %
		Y	4.38	70.69	19.00		65.0	
		Z	4.45	71.38	19.08		65.0	
10154-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	2.36	70.91	17.52	0.00	150.0	± 9.6 %
		Y	1.81	67.24	14.94		150.0	
		Z	1.91	68.82	15.86		150.0	
10155-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	2.70	69.75	16.94	0.00	150.0	± 9.6 %
		Y	2.22	67.24	14.88		150.0	
		Z	2.34	68.78	15.60		150.0	
10156-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	2.01	71.46	16.76	0.00	150.0	± 9.6 %
		Y	1.26	65.29	12.41		150.0	
		Z	1.33	66.85	13.15		150.0	
10157-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	2.09	68.36	14.41	0.00	150.0	± 9.6 %
		Y	1.38	63.51	10.54		150.0	
		Z	1.32	63.75	10.39		150.0	
10158-CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	2.85	69.89	17.06	0.00	150.0	± 9.6 %
		Y	2.36	67.52	15.09		150.0	
		Z	2.48	68.99	15.74		150.0	
10159-CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	2.20	68.80	14.66	0.00	150.0	± 9.6 %
		Y	1.43	63.65	10.65		150.0	
		Z	1.37	63.86	10.46		150.0	
10160-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	2.84	70.09	17.26	0.00	150.0	± 9.6 %
		Y	2.37	67.63	15.46		150.0	
		Z	2.42	68.64	16.10		150.0	
10161-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	2.93	68.20	16.43	0.00	150.0	± 9.6 %
		Y	2.55	66.51	14.98		150.0	
		Z	2.60	67.48	15.47		150.0	
10162-CAD	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	3.04	68.40	16.56	0.00	150.0	± 9.6 %
		Y	2.66	66.78	15.14		150.0	
		Z	2.71	67.76	15.63		150.0	
10166-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	3.25	69.06	19.20	3.01	150.0	± 9.6 %
		Y	2.94	68.01	18.42		150.0	
		Z	2.90	68.63	18.86		150.0	
10167-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	3.79	71.60	19.54	3.01	150.0	± 9.6 %
		Y	3.35	70.37	18.63		150.0	
		Z	3.46	72.30	19.64		150.0	

10168-CAE	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	4.21	73.97	20.97	3.01	150.0	± 9.6 %
		Y	3.79	73.15	20.31		150.0	
		Z	4.01	75.63	21.54		150.0	
10169-CAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	2.57	67.19	18.40	3.01	150.0	± 9.6 %
		Y	2.39	66.27	17.57		150.0	
		Z	2.47	67.68	18.40		150.0	
10170-CAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	3.15	71.78	20.37	3.01	150.0	± 9.6 %
		Y	2.93	70.96	19.61		150.0	
		Z	3.39	75.08	21.55		150.0	
10171-AAD	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	2.70	68.54	17.89	3.01	150.0	± 9.6 %
		Y	2.45	67.27	16.80		150.0	
		Z	2.67	70.12	18.24		150.0	
10172-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	4.82	85.26	28.07	6.02	65.0	± 9.6 %
		Y	2.61	72.63	21.78		65.0	
		Z	2.46	73.08	22.05		65.0	
10173-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	9.08	95.50	29.67	6.02	65.0	± 9.6 %
		Y	4.04	79.72	22.80		65.0	
		Z	4.69	84.40	24.38		65.0	
10174-CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	8.49	93.00	28.18	6.02	65.0	± 9.6 %
		Y	3.13	74.91	20.35		65.0	
		Z	3.11	76.92	21.01		65.0	
10175-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	2.55	66.96	18.19	3.01	150.0	± 9.6 %
		Y	2.37	66.01	17.33		150.0	
		Z	2.44	67.40	18.15		150.0	
10176-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	3.16	71.80	20.38	3.01	150.0	± 9.6 %
		Y	2.94	70.98	19.62		150.0	
		Z	3.40	75.11	21.57		150.0	
10177-CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	2.57	67.07	18.26	3.01	150.0	± 9.6 %
		Y	2.38	66.12	17.40		150.0	
		Z	2.46	67.50	18.22		150.0	
10178-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	3.14	71.67	20.31	3.01	150.0	± 9.6 %
		Y	2.92	70.85	19.55		150.0	
		Z	3.38	74.97	21.49		150.0	
10179-CAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	2.91	70.13	19.04	3.01	150.0	± 9.6 %
		Y	2.66	68.97	18.06		150.0	
		Z	2.99	72.45	19.75		150.0	
10180-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	2.69	68.50	17.86	3.01	150.0	± 9.6 %
		Y	2.45	67.24	16.78		150.0	
		Z	2.67	70.09	18.21		150.0	
10181-CAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	2.56	67.05	18.25	3.01	150.0	± 9.6 %
		Y	2.38	66.10	17.40		150.0	
		Z	2.45	67.49	18.21		150.0	
10182-CAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	3.13	71.65	20.30	3.01	150.0	± 9.6 %
		Y	2.92	70.83	19.53		150.0	
		Z	3.37	74.94	21.48		150.0	
10183-AAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	2.69	68.48	17.85	3.01	150.0	± 9.6 %
		Y	2.44	67.22	16.77		150.0	
		Z	2.67	70.07	18.20		150.0	

10184-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	2.57	67.09	18.27	3.01	150.0	± 9.6 %
		Y	2.39	66.14	17.41		150.0	
		Z	2.46	67.52	18.23		150.0	
10185-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	3.15	71.71	20.33	3.01	150.0	± 9.6 %
		Y	2.93	70.90	19.57		150.0	
		Z	3.39	75.03	21.52		150.0	
10186-AAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	2.70	68.54	17.88	3.01	150.0	± 9.6 %
		Y	2.45	67.28	16.80		150.0	
		Z	2.68	70.13	18.24		150.0	
10187-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	2.58	67.15	18.34	3.01	150.0	± 9.6 %
		Y	2.40	66.22	17.50		150.0	
		Z	2.47	67.63	18.33		150.0	
10188-CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	3.22	72.19	20.64	3.01	150.0	± 9.6 %
		Y	3.00	71.43	19.92		150.0	
		Z	3.50	75.72	21.92		150.0	
10189-AAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	2.75	68.87	18.12	3.01	150.0	± 9.6 %
		Y	2.50	67.60	17.05		150.0	
		Z	2.74	70.56	18.53		150.0	
10193-CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.47	66.98	16.45	0.00	150.0	± 9.6 %
		Y	4.21	66.45	15.84		150.0	
		Z	4.20	67.00	16.06		150.0	
10194-CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.62	67.23	16.58	0.00	150.0	± 9.6 %
		Y	4.34	66.66	15.98		150.0	
		Z	4.31	67.15	16.19		150.0	
10195-CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.66	67.26	16.60	0.00	150.0	± 9.6 %
		Y	4.37	66.67	15.99		150.0	
		Z	4.33	67.12	16.19		150.0	
10196-CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.46	66.99	16.45	0.00	150.0	± 9.6 %
		Y	4.19	66.43	15.81		150.0	
		Z	4.17	66.94	16.02		150.0	
10197-CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.63	67.24	16.59	0.00	150.0	± 9.6 %
		Y	4.34	66.66	15.99		150.0	
		Z	4.32	67.14	16.19		150.0	
10198-CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	4.65	67.26	16.60	0.00	150.0	± 9.6 %
		Y	4.36	66.66	15.99		150.0	
		Z	4.32	67.11	16.18		150.0	
10219-CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.41	67.03	16.42	0.00	150.0	± 9.6 %
		Y	4.14	66.47	15.78		150.0	
		Z	4.13	67.01	16.02		150.0	
10220-CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.62	67.20	16.58	0.00	150.0	± 9.6 %
		Y	4.34	66.63	15.97		150.0	
		Z	4.31	67.10	16.18		150.0	
10221-CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	4.66	67.19	16.59	0.00	150.0	± 9.6 %
		Y	4.38	66.62	15.99		150.0	
		Z	4.35	67.08	16.18		150.0	
10222-CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	5.03	67.28	16.70	0.00	150.0	± 9.6 %
		Y	4.78	66.73	16.19		150.0	
		Z	4.75	67.03	16.34		150.0	

10223-CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.31	67.50	16.82	0.00	150.0	± 9.6 %
		Y	5.02	66.87	16.28		150.0	
		Z	4.95	67.08	16.37		150.0	
10224-CAC	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.07	67.39	16.68	0.00	150.0	± 9.6 %
		Y	4.82	66.85	16.18		150.0	
		Z	4.79	67.17	16.34		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.78	66.87	15.63	0.00	150.0	± 9.6 %
		Y	2.43	65.35	14.02		150.0	
		Z	2.45	66.12	14.22		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	9.71	96.92	30.23	6.02	65.0	± 9.6 %
		Y	4.26	80.72	23.28		65.0	
		Z	5.06	85.84	24.99		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	10.65	97.21	29.57	6.02	65.0	± 9.6 %
		Y	4.23	79.84	22.26		65.0	
		Z	4.82	83.94	23.53		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	5.06	86.61	28.66	6.02	65.0	± 9.6 %
		Y	3.02	75.86	23.24		65.0	
		Z	2.94	76.67	23.61		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	9.15	95.60	29.71	6.02	65.0	± 9.6 %
		Y	4.07	79.81	22.84		65.0	
		Z	4.73	84.51	24.42		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	9.85	95.67	29.01	6.02	65.0	± 9.6 %
		Y	4.01	78.86	21.82		65.0	
		Z	4.46	82.58	22.97		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	4.89	85.81	28.28	6.02	65.0	± 9.6 %
		Y	2.94	75.24	22.90		65.0	
		Z	2.85	75.99	23.24		65.0	
10232-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	9.13	95.58	29.70	6.02	65.0	± 9.6 %
		Y	4.06	79.79	22.83		65.0	
		Z	4.72	84.49	24.42		65.0	
10233-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	9.80	95.61	29.00	6.02	65.0	± 9.6 %
		Y	3.99	78.83	21.81		65.0	
		Z	4.44	82.53	22.96		65.0	
10234-CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	4.77	85.21	27.94	6.02	65.0	± 9.6 %
		Y	2.87	74.77	22.58		65.0	
		Z	2.78	75.51	22.91		65.0	
10235-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	9.14	95.63	29.72	6.02	65.0	± 9.6 %
		Y	4.06	79.81	22.84		65.0	
		Z	4.72	84.51	24.43		65.0	
10236-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	9.98	95.90	29.08	6.02	65.0	± 9.6 %
		Y	4.03	78.96	21.85		65.0	
		Z	4.50	82.71	23.02		65.0	
10237-CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	4.89	85.85	28.31	6.02	65.0	± 9.6 %
		Y	2.93	75.24	22.91		65.0	
		Z	2.84	75.99	23.24		65.0	
10238-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	9.10	95.55	29.70	6.02	65.0	± 9.6 %
		Y	4.05	79.76	22.82		65.0	
		Z	4.71	84.46	24.41		65.0	

10239-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	9.76	95.55	28.98	6.02	65.0	± 9.6 %
		Y	3.98	78.79	21.80		65.0	
		Z	4.42	82.49	22.95		65.0	
10240-CAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	4.87	85.81	28.29	6.02	65.0	± 9.6 %
		Y	2.93	75.22	22.90		65.0	
		Z	2.84	75.98	23.24		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	6.64	80.22	25.81	6.98	65.0	± 9.6 %
		Y	5.47	76.94	23.75		65.0	
		Z	5.59	79.30	24.80		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	6.52	79.88	25.59	6.98	65.0	± 9.6 %
		Y	4.89	74.71	22.71		65.0	
		Z	4.82	76.36	23.52		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	5.29	75.90	24.79	6.98	65.0	± 9.6 %
		Y	4.20	71.66	22.19		65.0	
		Z	4.11	72.66	22.76		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.65	74.33	17.54	3.98	65.0	± 9.6 %
		Y	2.46	65.20	11.64		65.0	
		Z	2.08	63.58	9.86		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	4.42	73.26	17.02	3.98	65.0	± 9.6 %
		Y	2.43	64.84	11.40		65.0	
		Z	2.06	63.31	9.66		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	6.17	83.25	21.77	3.98	65.0	± 9.6 %
		Y	2.13	66.83	13.01		65.0	
		Z	1.89	65.44	11.64		65.0	
10247-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	4.44	74.30	18.86	3.98	65.0	± 9.6 %
		Y	2.77	66.89	13.86		65.0	
		Z	2.59	66.14	12.80		65.0	
10248-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	4.31	73.22	18.35	3.98	65.0	± 9.6 %
		Y	2.77	66.44	13.63		65.0	
		Z	2.57	65.63	12.54		65.0	
10249-CAD	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	7.74	87.86	24.78	3.98	65.0	± 9.6 %
		Y	3.19	72.50	17.17		65.0	
		Z	3.06	71.92	16.36		65.0	
10250-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	5.14	76.27	21.80	3.98	65.0	± 9.6 %
		Y	3.88	71.37	18.57		65.0	
		Z	3.93	71.90	18.38		65.0	
10251-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	4.85	73.82	20.27	3.98	65.0	± 9.6 %
		Y	3.69	69.32	17.15		65.0	
		Z	3.67	69.58	16.84		65.0	
10252-CAD	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	6.69	84.36	24.85	3.98	65.0	± 9.6 %
		Y	4.05	75.21	20.08		65.0	
		Z	4.23	76.24	20.21		65.0	
10253-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	4.93	72.71	20.24	3.98	65.0	± 9.6 %
		Y	4.01	69.29	17.80		65.0	
		Z	4.05	69.88	17.79		65.0	
10254-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	5.24	73.58	20.93	3.98	65.0	± 9.6 %
		Y	4.29	70.24	18.57		65.0	
		Z	4.33	70.86	18.55		65.0	

10255-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	5.77	78.78	22.88	3.98	65.0	± 9.6 %
		Y	4.20	73.17	19.64		65.0	
		Z	4.35	74.23	19.90		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	3.07	68.20	13.47	3.98	65.0	± 9.6 %
		Y	1.77	61.88	8.49		65.0	
		Z	1.48	60.73	6.90		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	2.92	67.18	12.84	3.98	65.0	± 9.6 %
		Y	1.77	61.61	8.23		65.0	
		Z	1.48	60.53	6.68		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	3.62	74.14	16.97	3.98	65.0	± 9.6 %
		Y	1.51	62.54	9.43		65.0	
		Z	1.33	61.51	8.12		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	4.77	75.28	20.02	3.98	65.0	± 9.6 %
		Y	3.20	68.71	15.65		65.0	
		Z	3.09	68.37	14.88		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	4.75	74.77	19.78	3.98	65.0	± 9.6 %
		Y	3.24	68.51	15.54		65.0	
		Z	3.12	68.15	14.74		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	6.64	84.80	24.23	3.98	65.0	± 9.6 %
		Y	3.45	73.19	18.15		65.0	
		Z	3.45	73.32	17.72		65.0	
10262-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	5.12	76.21	21.75	3.98	65.0	± 9.6 %
		Y	3.86	71.29	18.50		65.0	
		Z	3.92	71.80	18.32		65.0	
10263-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	4.83	73.79	20.26	3.98	65.0	± 9.6 %
		Y	3.69	69.30	17.14		65.0	
		Z	3.66	69.57	16.84		65.0	
10264-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	6.60	84.09	24.72	3.98	65.0	± 9.6 %
		Y	4.01	75.00	19.97		65.0	
		Z	4.19	76.03	20.09		65.0	
10265-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	5.01	73.14	20.52	3.98	65.0	± 9.6 %
		Y	4.05	69.56	18.09		65.0	
		Z	4.10	70.17	18.14		65.0	
10266-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	5.35	74.11	21.30	3.98	65.0	± 9.6 %
		Y	4.37	70.68	18.99		65.0	
		Z	4.44	71.37	19.07		65.0	
10267-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	6.15	79.79	23.11	3.98	65.0	± 9.6 %
		Y	4.37	73.73	19.78		65.0	
		Z	4.55	74.84	20.11		65.0	
10268-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	5.58	72.77	20.75	3.98	65.0	± 9.6 %
		Y	4.72	69.94	18.84		65.0	
		Z	4.79	70.63	19.00		65.0	
10269-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	5.57	72.33	20.57	3.98	65.0	± 9.6 %
		Y	4.76	69.68	18.74		65.0	
		Z	4.84	70.41	18.91		65.0	
10270-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	5.83	75.90	21.57	3.98	65.0	± 9.6 %
		Y	4.63	71.95	19.20		65.0	
		Z	4.79	72.95	19.55		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.64	67.67	15.79	0.00	150.0	± 9.6 %
		Y	2.27	65.84	14.01		150.0	
		Z	2.32	66.86	14.40		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.80	70.59	17.09	0.00	150.0	± 9.6 %
		Y	1.29	65.97	13.76		150.0	
		Z	1.43	68.02	14.99		150.0	
10277-CAA	PHS (QPSK)	X	1.46	60.00	5.37	9.03	50.0	± 9.6 %
		Y	1.26	58.24	3.50		50.0	
		Z	1.18	57.45	2.39		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	4.52	73.48	15.27	9.03	50.0	± 9.6 %
		Y	2.20	63.01	8.77		50.0	
		Z	1.90	61.81	7.50		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	4.70	73.94	15.54	9.03	50.0	± 9.6 %
		Y	2.26	63.19	8.94		50.0	
		Z	1.94	61.93	7.64		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	1.70	71.93	14.73	0.00	150.0	± 9.6 %
		Y	0.60	60.98	7.34		150.0	
		Z	0.57	61.36	7.44		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.03	69.73	13.78	0.00	150.0	± 9.6 %
		Y	0.39	60.00	6.36		150.0	
		Z	0.40	60.81	6.94		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	3.83	87.63	20.75	0.00	150.0	± 9.6 %
		Y	0.41	60.95	7.21		150.0	
		Z	0.51	63.49	8.77		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	100.00	132.84	32.68	0.00	150.0	± 9.6 %
		Y	0.53	63.17	8.86		150.0	
		Z	1.11	71.16	12.60		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	74.23	122.96	34.73	9.03	50.0	± 9.6 %
		Y	19.85	92.80	23.42		50.0	
		Z	21.39	92.20	22.34		50.0	
10297-AAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	2.84	71.05	17.61	0.00	150.0	± 9.6 %
		Y	2.29	68.01	15.61		150.0	
		Z	2.39	69.30	16.45		150.0	
10298-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	1.59	69.17	14.29	0.00	150.0	± 9.6 %
		Y	0.82	61.77	8.70		150.0	
		Z	0.78	61.98	8.59		150.0	
10299-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	1.90	66.73	12.14	0.00	150.0	± 9.6 %
		Y	1.12	61.45	7.84		150.0	
		Z	0.95	60.64	6.63		150.0	
10300-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	1.42	62.71	9.31	0.00	150.0	± 9.6 %
		Y	0.97	60.00	6.35		150.0	
		Z	0.81	59.28	5.19		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.62	65.84	17.67	4.17	50.0	± 9.6 %
		Y	4.14	64.69	16.63		50.0	
		Z	3.98	64.74	16.55		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.05	66.26	18.29	4.96	50.0	± 9.6 %
		Y	4.60	65.19	17.29		50.0	
		Z	4.43	65.29	17.26		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	4.79	65.85	18.07	4.96	50.0	± 9.6 %
		Y	4.38	65.09	17.25		50.0	
		Z	4.21	64.96	17.02		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.63	65.84	17.62	4.17	50.0	± 9.6 %
		Y	4.19	64.78	16.61		50.0	
		Z	4.06	65.02	16.64		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.10	67.08	19.12	6.02	35.0	± 9.6 %
		Y	3.65	65.55	17.41		35.0	
		Z	3.37	64.81	16.72		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.47	66.42	18.98	6.02	35.0	± 9.6 %
		Y	4.06	65.26	17.65		35.0	
		Z	3.83	64.86	17.21		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.34	66.41	18.87	6.02	35.0	± 9.6 %
		Y	3.93	65.17	17.49		35.0	
		Z	3.70	64.72	17.03		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.32	66.61	19.02	6.02	35.0	± 9.6 %
		Y	3.90	65.32	17.61		35.0	
		Z	3.67	64.86	17.15		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.50	66.55	19.10	6.02	35.0	± 9.6 %
		Y	4.07	65.30	17.73		35.0	
		Z	3.84	64.89	17.30		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.42	66.45	18.95	6.02	35.0	± 9.6 %
		Y	4.01	65.28	17.63		35.0	
		Z	3.78	64.88	17.21		35.0	
10311-AAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.21	70.10	17.14	0.00	150.0	± 9.6 %
		Y	2.64	67.31	15.38		150.0	
		Z	2.74	68.46	16.13		150.0	
10313-AAA	iDEN 1:3	X	6.56	87.61	22.74	6.99	70.0	± 9.6 %
		Y	1.63	66.74	13.18		70.0	
		Z	1.93	68.92	14.31		70.0	
10314-AAA	iDEN 1:6	X	13.08	104.18	31.28	10.00	30.0	± 9.6 %
		Y	3.00	75.10	19.52		30.0	
		Z	3.43	77.96	20.90		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.12	64.78	16.24	0.17	150.0	± 9.6 %
		Y	0.94	62.46	13.94		150.0	
		Z	1.03	63.61	14.80		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.51	66.98	16.61	0.17	150.0	± 9.6 %
		Y	4.22	66.34	15.91		150.0	
		Z	4.19	66.75	16.06		150.0	
10317-AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.51	66.98	16.61	0.17	150.0	± 9.6 %
		Y	4.22	66.34	15.91		150.0	
		Z	4.19	66.75	16.06		150.0	
10400-AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.59	67.28	16.58	0.00	150.0	± 9.6 %
		Y	4.28	66.62	15.93		150.0	
		Z	4.23	67.02	16.11		150.0	
10401-AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.28	67.19	16.63	0.00	150.0	± 9.6 %
		Y	4.97	66.45	16.02		150.0	
		Z	4.98	66.97	16.27		150.0	

10402-AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.58	67.57	16.70	0.00	150.0	± 9.6 %
		Y	5.34	67.07	16.25		150.0	
		Z	5.31	67.37	16.40		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	1.70	71.93	14.73	0.00	115.0	± 9.6 %
		Y	0.60	60.98	7.34		115.0	
		Z	0.57	61.36	7.44		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	1.70	71.93	14.73	0.00	115.0	± 9.6 %
		Y	0.60	60.98	7.34		115.0	
		Z	0.57	61.36	7.44		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	126.01	31.66	0.00	100.0	± 9.6 %
		Y	33.85	102.92	23.46		100.0	
		Z	100.00	105.43	21.55		100.0	
10410-AAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	X	100.00	136.13	35.94	3.23	80.0	± 9.6 %
		Y	2.80	79.45	18.39		80.0	
		Z	5.17	86.91	20.17		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.06	64.13	15.71	0.00	150.0	± 9.6 %
		Y	0.91	62.09	13.58		150.0	
		Z	0.99	63.26	14.51		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.46	66.98	16.52	0.00	150.0	± 9.6 %
		Y	4.20	66.41	15.91		150.0	
		Z	4.18	66.90	16.11		150.0	
10417-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.46	66.98	16.52	0.00	150.0	± 9.6 %
		Y	4.20	66.41	15.91		150.0	
		Z	4.18	66.90	16.11		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.46	67.20	16.58	0.00	150.0	± 9.6 %
		Y	4.19	66.62	15.97		150.0	
		Z	4.17	67.13	16.19		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.48	67.12	16.57	0.00	150.0	± 9.6 %
		Y	4.21	66.55	15.95		150.0	
		Z	4.19	67.05	16.16		150.0	
10422-AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.58	67.09	16.57	0.00	150.0	± 9.6 %
		Y	4.31	66.54	15.97		150.0	
		Z	4.29	67.01	16.18		150.0	
10423-AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.72	67.36	16.66	0.00	150.0	± 9.6 %
		Y	4.42	66.78	16.06		150.0	
		Z	4.39	67.23	16.25		150.0	
10424-AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.65	67.32	16.64	0.00	150.0	± 9.6 %
		Y	4.36	66.72	16.03		150.0	
		Z	4.32	67.16	16.22		150.0	
10425-AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.27	67.51	16.80	0.00	150.0	± 9.6 %
		Y	5.01	66.94	16.30		150.0	
		Z	4.95	67.18	16.40		150.0	
10426-AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.30	67.62	16.85	0.00	150.0	± 9.6 %
		Y	5.05	67.11	16.37		150.0	
		Z	4.99	67.36	16.49		150.0	

10427-AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.26	67.41	16.75	0.00	150.0	± 9.6 %
		Y	5.00	66.85	16.24		150.0	
		Z	4.95	67.15	16.38		150.0	
10430-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.36	72.46	18.78	0.00	150.0	± 9.6 %
		Y	3.95	71.52	17.57		150.0	
		Z	4.16	73.16	18.05		150.0	
10431-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.11	67.69	16.50	0.00	150.0	± 9.6 %
		Y	3.76	66.86	15.60		150.0	
		Z	3.73	67.46	15.80		150.0	
10432-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.42	67.45	16.60	0.00	150.0	± 9.6 %
		Y	4.11	66.79	15.89		150.0	
		Z	4.08	67.30	16.10		150.0	
10433-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.67	67.35	16.66	0.00	150.0	± 9.6 %
		Y	4.38	66.75	16.05		150.0	
		Z	4.34	67.21	16.25		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.53	73.61	18.74	0.00	150.0	± 9.6 %
		Y	3.88	71.64	16.92		150.0	
		Z	4.07	73.14	17.26		150.0	
10435-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	135.86	35.81	3.23	80.0	± 9.6 %
		Y	2.67	78.72	18.07		80.0	
		Z	4.68	85.55	19.69		80.0	
10447-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.40	67.82	15.63	0.00	150.0	± 9.6 %
		Y	2.91	66.11	13.93		150.0	
		Z	2.86	66.61	13.92		150.0	
10448-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	3.97	67.49	16.38	0.00	150.0	± 9.6 %
		Y	3.64	66.66	15.47		150.0	
		Z	3.62	67.28	15.69		150.0	
10449-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.25	67.29	16.51	0.00	150.0	± 9.6 %
		Y	3.96	66.60	15.79		150.0	
		Z	3.94	67.14	16.01		150.0	
10450-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.46	67.14	16.53	0.00	150.0	± 9.6 %
		Y	4.19	66.52	15.90		150.0	
		Z	4.17	66.99	16.11		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.24	67.81	15.03	0.00	150.0	± 9.6 %
		Y	2.64	65.47	12.88		150.0	
		Z	2.52	65.63	12.65		150.0	
10456-AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.23	68.15	17.01	0.00	150.0	± 9.6 %
		Y	5.99	67.59	16.55		150.0	
		Z	6.32	68.95	17.23		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.79	65.68	16.25	0.00	150.0	± 9.6 %
		Y	3.60	65.24	15.64		150.0	
		Z	3.62	65.83	15.88		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	4.04	72.33	17.68	0.00	150.0	± 9.6 %
		Y	3.05	68.37	14.62		150.0	
		Z	2.80	67.80	13.84		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.97	69.15	18.20	0.00	150.0	± 9.6 %
		Y	4.58	68.57	17.18		150.0	
		Z	4.37	68.40	16.57		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.17	73.55	19.20	0.00	150.0	± 9.6 %
		Y	0.69	65.37	13.60		150.0	
		Z	0.85	68.57	15.82		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	141.28	38.40	3.29	80.0	± 9.6 %
		Y	1.76	74.78	17.76		80.0	
		Z	1.76	75.94	17.96		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	111.72	24.78	3.23	80.0	± 9.6 %
		Y	0.63	60.00	7.07		80.0	
		Z	0.28	55.79	3.71		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.59	67.85	11.93	3.23	80.0	± 9.6 %
		Y	0.65	60.00	6.35		80.0	
		Z	1.31	62.17	5.59		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	138.52	36.90	3.23	80.0	± 9.6 %
		Y	1.25	70.26	15.26		80.0	
		Z	1.21	70.85	15.20		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	30.72	98.91	21.78	3.23	80.0	± 9.6 %
		Y	0.63	60.00	7.00		80.0	
		Z	0.27	55.69	3.59		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.19	65.08	10.74	3.23	80.0	± 9.6 %
		Y	0.65	60.00	6.31		80.0	
		Z	1.85	63.59	6.08		80.0	
10467-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	138.98	37.10	3.23	80.0	± 9.6 %
		Y	1.33	71.06	15.64		80.0	
		Z	1.29	71.78	15.63		80.0	
10468-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	76.98	108.44	23.94	3.23	80.0	± 9.6 %
		Y	0.63	60.00	7.03		80.0	
		Z	0.27	55.71	3.62		80.0	
10469-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.21	65.20	10.80	3.23	80.0	± 9.6 %
		Y	0.65	60.00	6.31		80.0	
		Z	3.58	65.43	6.42		80.0	
10470-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	139.06	37.12	3.23	80.0	± 9.6 %
		Y	1.32	71.07	15.64		80.0	
		Z	1.29	71.81	15.63		80.0	
10471-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	73.65	107.90	23.80	3.23	80.0	± 9.6 %
		Y	0.63	60.00	7.01		80.0	
		Z	0.27	55.71	3.62		80.0	
10472-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.19	65.08	10.73	3.23	80.0	± 9.6 %
		Y	0.65	60.00	6.29		80.0	
		Z	1.57	62.83	5.79		80.0	
10473-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	139.02	37.10	3.23	80.0	± 9.6 %
		Y	1.32	71.02	15.61		80.0	
		Z	1.29	71.75	15.60		80.0	
10474-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	68.67	107.20	23.65	3.23	80.0	± 9.6 %
		Y	0.63	60.00	7.01		80.0	
		Z	0.27	55.70	3.61		80.0	
10475-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.18	65.03	10.71	3.23	80.0	± 9.6 %
		Y	0.65	60.00	6.29		80.0	
		Z	1.97	63.77	6.11		80.0	

10477-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	35.28	100.26	22.06	3.23	80.0	± 9.6 %
		Y	0.63	60.00	6.98		80.0	
		Z	0.27	55.66	3.55		80.0	
10478-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.17	64.89	10.64	3.23	80.0	± 9.6 %
		Y	0.65	60.00	6.28		80.0	
		Z	1.78	63.33	5.95		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	35.57	114.76	31.71	3.23	80.0	± 9.6 %
		Y	3.95	79.78	19.79		80.0	
		Z	4.53	82.88	20.60		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	38.88	104.98	26.14	3.23	80.0	± 9.6 %
		Y	1.74	65.59	11.83		80.0	
		Z	1.34	64.00	10.40		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	15.80	91.83	22.10	3.23	80.0	± 9.6 %
		Y	1.34	62.56	9.98		80.0	
		Z	0.98	60.86	8.40		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.83	81.02	20.08	2.23	80.0	± 9.6 %
		Y	0.99	60.60	9.42		80.0	
		Z	0.88	60.00	8.54		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.99	73.64	16.29	2.23	80.0	± 9.6 %
		Y	1.21	60.00	8.36		80.0	
		Z	1.11	60.00	7.47		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.44	71.51	15.46	2.23	80.0	± 9.6 %
		Y	1.24	60.00	8.35		80.0	
		Z	1.14	60.00	7.46		80.0	
10485-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.45	80.81	21.58	2.23	80.0	± 9.6 %
		Y	1.56	65.26	13.48		80.0	
		Z	1.52	65.39	13.15		80.0	
10486-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.46	72.56	17.41	2.23	80.0	± 9.6 %
		Y	1.57	62.14	11.00		80.0	
		Z	1.40	61.37	10.05		80.0	
10487-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.35	71.66	16.99	2.23	80.0	± 9.6 %
		Y	1.59	61.93	10.85		80.0	
		Z	1.41	61.12	9.88		80.0	
10488-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.67	75.52	20.64	2.23	80.0	± 9.6 %
		Y	2.17	67.32	16.01		80.0	
		Z	2.20	68.10	16.24		80.0	
10489-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.39	70.55	18.29	2.23	80.0	± 9.6 %
		Y	2.41	65.58	14.94		80.0	
		Z	2.42	66.16	14.95		80.0	
10490-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.45	70.24	18.13	2.23	80.0	± 9.6 %
		Y	2.49	65.52	14.91		80.0	
		Z	2.48	66.02	14.86		80.0	
10491-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.68	72.54	19.53	2.23	80.0	± 9.6 %
		Y	2.56	66.97	16.21		80.0	
		Z	2.58	67.61	16.44		80.0	
10492-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.60	68.93	17.94	2.23	80.0	± 9.6 %
		Y	2.85	65.57	15.57		80.0	
		Z	2.86	66.13	15.66		80.0	

10493-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.65	68.74	17.84	2.23	80.0	± 9.6 %
		Y	2.91	65.51	15.54		80.0	
		Z	2.91	66.04	15.60		80.0	
10494-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.07	74.42	20.20	2.23	80.0	± 9.6 %
		Y	2.69	67.87	16.56		80.0	
		Z	2.72	68.54	16.85		80.0	
10495-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.62	69.21	18.16	2.23	80.0	± 9.6 %
		Y	2.87	65.77	15.81		80.0	
		Z	2.89	66.32	15.94		80.0	
10496-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.69	68.87	18.01	2.23	80.0	± 9.6 %
		Y	2.97	65.70	15.81		80.0	
		Z	2.98	66.24	15.93		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.43	70.80	14.69	2.23	80.0	± 9.6 %
		Y	0.87	60.00	7.40		80.0	
		Z	0.84	60.00	6.67		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.15	60.00	8.26	2.23	80.0	± 9.6 %
		Y	1.07	60.00	6.17		80.0	
		Z	1.09	60.00	5.31		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.17	60.00	8.07	2.23	80.0	± 9.6 %
		Y	1.10	60.00	6.00		80.0	
		Z	1.14	60.00	5.11		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.92	77.92	20.96	2.23	80.0	± 9.6 %
		Y	1.82	66.27	14.58		80.0	
		Z	1.82	66.79	14.52		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.47	71.98	17.83	2.23	80.0	± 9.6 %
		Y	1.94	63.86	12.69		80.0	
		Z	1.82	63.61	12.10		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.50	71.66	17.60	2.23	80.0	± 9.6 %
		Y	1.97	63.71	12.53		80.0	
		Z	1.83	63.39	11.89		80.0	
10503-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.62	75.27	20.52	2.23	80.0	± 9.6 %
		Y	2.15	67.15	15.91		80.0	
		Z	2.18	67.92	16.14		80.0	
10504-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.37	70.44	18.22	2.23	80.0	± 9.6 %
		Y	2.40	65.48	14.88		80.0	
		Z	2.40	66.05	14.87		80.0	
10505-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.43	70.14	18.07	2.23	80.0	± 9.6 %
		Y	2.48	65.44	14.85		80.0	
		Z	2.47	65.93	14.80		80.0	
10506-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.03	74.26	20.11	2.23	80.0	± 9.6 %
		Y	2.67	67.75	16.49		80.0	
		Z	2.70	68.42	16.78		80.0	
10507-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.61	69.15	18.12	2.23	80.0	± 9.6 %
		Y	2.86	65.71	15.77		80.0	
		Z	2.87	66.26	15.90		80.0	

10508-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.68	68.80	17.97	2.23	80.0	± 9.6 %
		Y	2.96	65.63	15.76		80.0	
		Z	2.96	66.17	15.88		80.0	
10509-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.26	72.20	19.19	2.23	80.0	± 9.6 %
		Y	3.16	67.48	16.47		80.0	
		Z	3.18	68.06	16.73		80.0	
10510-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.03	68.46	17.90	2.23	80.0	± 9.6 %
		Y	3.36	65.76	16.06		80.0	
		Z	3.36	66.20	16.19		80.0	
10511-AAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.09	68.19	17.80	2.23	80.0	± 9.6 %
		Y	3.45	65.68	16.05		80.0	
		Z	3.44	66.13	16.18		80.0	
10512-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.55	74.17	19.89	2.23	80.0	± 9.6 %
		Y	3.13	68.19	16.64		80.0	
		Z	3.17	68.78	16.93		80.0	
10513-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.93	68.71	18.04	2.23	80.0	± 9.6 %
		Y	3.25	65.77	16.08		80.0	
		Z	3.26	66.20	16.22		80.0	
10514-AAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.95	68.24	17.86	2.23	80.0	± 9.6 %
		Y	3.31	65.57	16.03		80.0	
		Z	3.32	66.00	16.17		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.02	64.43	15.85	0.00	150.0	± 9.6 %
		Y	0.87	62.20	13.57		150.0	
		Z	0.95	63.43	14.56		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	1.13	82.75	23.62	0.00	150.0	± 9.6 %
		Y	0.43	66.13	13.76		150.0	
		Z	0.58	70.25	17.11		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.91	67.50	17.20	0.00	150.0	± 9.6 %
		Y	0.69	63.31	13.63		150.0	
		Z	0.79	65.08	15.11		150.0	
10518-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.46	67.09	16.52	0.00	150.0	± 9.6 %
		Y	4.19	66.52	15.90		150.0	
		Z	4.17	67.03	16.12		150.0	
10519-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.61	67.26	16.61	0.00	150.0	± 9.6 %
		Y	4.32	66.68	15.99		150.0	
		Z	4.29	67.16	16.19		150.0	
10520-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.47	67.21	16.53	0.00	150.0	± 9.6 %
		Y	4.18	66.59	15.89		150.0	
		Z	4.15	67.08	16.10		150.0	
10521-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.40	67.20	16.52	0.00	150.0	± 9.6 %
		Y	4.11	66.53	15.85		150.0	
		Z	4.08	67.00	16.06		150.0	
10522-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.46	67.33	16.62	0.00	150.0	± 9.6 %
		Y	4.15	66.62	15.93		150.0	
		Z	4.10	67.02	16.09		150.0	

10523-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.38	67.30	16.53	0.00	150.0	± 9.6 %
		Y	4.10	66.70	15.90		150.0	
		Z	4.09	67.25	16.15		150.0	
10524-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.41	67.28	16.61	0.00	150.0	± 9.6 %
		Y	4.11	66.63	15.95		150.0	
		Z	4.08	67.11	16.17		150.0	
10525-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.43	66.37	16.22	0.00	150.0	± 9.6 %
		Y	4.16	65.76	15.59		150.0	
		Z	4.15	66.30	15.83		150.0	
10526-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.57	66.67	16.34	0.00	150.0	± 9.6 %
		Y	4.26	66.00	15.69		150.0	
		Z	4.23	66.49	15.92		150.0	
10527-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.50	66.64	16.28	0.00	150.0	± 9.6 %
		Y	4.19	65.96	15.63		150.0	
		Z	4.17	66.49	15.87		150.0	
10528-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.51	66.66	16.32	0.00	150.0	± 9.6 %
		Y	4.21	65.98	15.66		150.0	
		Z	4.18	66.49	15.89		150.0	
10529-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.51	66.66	16.32	0.00	150.0	± 9.6 %
		Y	4.21	65.98	15.66		150.0	
		Z	4.18	66.49	15.89		150.0	
10531-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.48	66.70	16.31	0.00	150.0	± 9.6 %
		Y	4.16	65.96	15.62		150.0	
		Z	4.14	66.45	15.84		150.0	
10532-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.36	66.57	16.24	0.00	150.0	± 9.6 %
		Y	4.05	65.82	15.55		150.0	
		Z	4.04	66.34	15.78		150.0	
10533-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.52	66.74	16.32	0.00	150.0	± 9.6 %
		Y	4.21	66.06	15.66		150.0	
		Z	4.19	66.59	15.90		150.0	
10534-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.06	66.61	16.33	0.00	150.0	± 9.6 %
		Y	4.80	66.02	15.81		150.0	
		Z	4.77	66.37	15.98		150.0	
10535-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.11	66.77	16.41	0.00	150.0	± 9.6 %
		Y	4.83	66.12	15.86		150.0	
		Z	4.79	66.46	16.03		150.0	
10536-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	5.01	66.77	16.39	0.00	150.0	± 9.6 %
		Y	4.72	66.10	15.82		150.0	
		Z	4.69	66.46	16.01		150.0	
10537-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	5.06	66.74	16.38	0.00	150.0	± 9.6 %
		Y	4.81	66.18	15.87		150.0	
		Z	4.78	66.54	16.05		150.0	
10538-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	5.13	66.70	16.40	0.00	150.0	± 9.6 %
		Y	4.85	66.09	15.86		150.0	
		Z	4.81	66.40	16.01		150.0	
10540-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.06	66.67	16.40	0.00	150.0	± 9.6 %
		Y	4.78	66.04	15.86		150.0	
		Z	4.75	66.37	16.02		150.0	

10541-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5.04	66.56	16.33	0.00	150.0	± 9.6 %
		Y	4.78	65.98	15.81		150.0	
		Z	4.75	66.35	15.98		150.0	
10542-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.19	66.66	16.39	0.00	150.0	± 9.6 %
		Y	4.92	66.09	15.88		150.0	
		Z	4.89	66.42	16.04		150.0	
10543-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.27	66.72	16.45	0.00	150.0	± 9.6 %
		Y	5.01	66.24	15.99		150.0	
		Z	4.95	66.50	16.11		150.0	
10544-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.40	66.66	16.30	0.00	150.0	± 9.6 %
		Y	5.16	66.08	15.82		150.0	
		Z	5.15	66.40	15.97		150.0	
10545-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.60	67.15	16.51	0.00	150.0	± 9.6 %
		Y	5.35	66.58	16.03		150.0	
		Z	5.29	66.80	16.14		150.0	
10546-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.44	66.80	16.34	0.00	150.0	± 9.6 %
		Y	5.19	66.19	15.84		150.0	
		Z	5.16	66.49	15.99		150.0	
10547-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.52	66.91	16.39	0.00	150.0	± 9.6 %
		Y	5.30	66.44	15.97		150.0	
		Z	5.28	66.77	16.13		150.0	
10548-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.71	67.68	16.76	0.00	150.0	± 9.6 %
		Y	5.40	66.91	16.18		150.0	
		Z	5.30	66.99	16.22		150.0	
10550-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.51	67.01	16.46	0.00	150.0	± 9.6 %
		Y	5.29	66.55	16.04		150.0	
		Z	5.27	66.87	16.20		150.0	
10551-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.44	66.78	16.31	0.00	150.0	± 9.6 %
		Y	5.17	66.12	15.79		150.0	
		Z	5.14	66.41	15.93		150.0	
10552-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.41	66.76	16.30	0.00	150.0	± 9.6 %
		Y	5.17	66.21	15.83		150.0	
		Z	5.15	66.55	16.00		150.0	
10553-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.47	66.72	16.31	0.00	150.0	± 9.6 %
		Y	5.21	66.14	15.82		150.0	
		Z	5.19	66.45	15.97		150.0	
10554-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.82	66.99	16.37	0.00	150.0	± 9.6 %
		Y	5.60	66.44	15.92		150.0	
		Z	5.58	66.70	16.04		150.0	
10555-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	5.93	67.26	16.49	0.00	150.0	± 9.6 %
		Y	5.68	66.64	16.01		150.0	
		Z	5.65	66.86	16.11		150.0	
10556-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	5.97	67.36	16.54	0.00	150.0	± 9.6 %
		Y	5.74	66.82	16.09		150.0	
		Z	5.70	67.03	16.19		150.0	
10557-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	5.92	67.20	16.47	0.00	150.0	± 9.6 %
		Y	5.68	66.62	16.01		150.0	
		Z	5.65	66.87	16.12		150.0	