







Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 0**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17623	≥500	17123	Complied
Middle	17623	≥500	17123	Complied
Top	17623	≥500	17123	Complied




Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17682	≥500	17182	Complied
Middle	17623	≥500	17123	Complied
Top	17682	≥500	17182	Complied




Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 2**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17623	≥500	17123	Complied
Middle	17623	≥500	17123	Complied
Top	17682	≥500	17182	Complied



Bottom Channel





Middle Channel



Top Channel


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 0**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36204	≥500	35704	Complied
Top	36470	≥500	35970	Complied


**Bottom Channel****Top Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36444	≥500	35944	Complied
Top	36470	≥500	35970	Complied




Bottom Channel




Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36444	≥500	35944	Complied
Top	36470	≥500	35970	Complied




Bottom Channel



Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx CDD / BPSK / MCS0x1 / Core 0**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75237	≥500	74737	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 3Tx CDD / BPSK / MCS0x1 / Core 1


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	76236	≥500	75736	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx CDD / BPSK / MCS0x1 / Core 2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75237	≥500	74737	Complied


**Single Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx SDM / BPSK / MCS16 / Core 0**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17623	≥500	17123	Complied
Middle	17623	≥500	17123	Complied
Top	17623	≥500	17123	Complied



Bottom Channel




Middle Channel




Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx SDM / BPSK / MCS16 / Core 1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17682	≥500	17182	Complied
Middle	17623	≥500	17123	Complied
Top	17682	≥500	17182	Complied



Bottom Channel




Middle Channel




Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx SDM / BPSK / MCS16 / Core 2**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	17623	≥500	17123	Complied
Middle	17623	≥500	17123	Complied
Top	17623	≥500	17123	Complied



Bottom Channel





Middle Channel



Top Channel



Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx SDM / BPSK / MCS16 / Core 0**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36144	≥500	35644	Complied
Top	36370	≥500	35870	Complied

**Bottom Channel****Top Channel**


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx SDM / BPSK / MCS16 / Core 1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36444	≥500	35944	Complied
Top	36470	≥500	35970	Complied


**Bottom Channel****Top Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx SDM / BPSK / MCS16 / Core 2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36384	≥500	35884	Complied
Top	36470	≥500	35970	Complied




Bottom Channel



Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx SDM / BPSK / MCS0x3 / Core 0**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75237	≥500	74737	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 3Tx SDM / BPSK / MCS0x3 / Core 1


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75836	≥500	75336	Complied



Single Channel


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx SDM / BPSK / MCS0x3 / Core 2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75237	≥500	74737	Complied


**Single Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx TXBF / BPSK / MCS0 / Core 0**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	15253	≥500	14753	Complied
Middle	15282	≥500	14782	Complied
Top	15282	≥500	14782	Complied



Bottom Channel




Middle Channel




Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx TXBF / BPSK / MCS0 / Core 1**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	15282	≥500	14782	Complied
Middle	15282	≥500	14782	Complied
Top	15282	≥500	14782	Complied



Bottom Channel




Middle Channel




Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx TXBF / BPSK / MCS0 / Core 2**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	15282	≥500	14782	Complied
Middle	15282	≥500	14782	Complied
Top	15282	≥500	14782	Complied



Bottom Channel





Middle Channel



Top Channel


Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx TXBF / BPSK / MCS0 / Core 0**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36160	≥500	35660	Complied
Top	36630	≥500	36130	Complied


**Bottom Channel****Top Channel**

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx TXBF / BPSK / MCS0 / Core 1**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36340	≥500	35840	Complied
Top	36280	≥500	35780	Complied




Bottom Channel




Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx TXBF / BPSK / MCS0 / Core 2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Bottom	36340	≥500	35840	Complied
Top	36110	≥500	35610	Complied




Bottom Channel



Top Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx TXBF / BPSK / MCS0x1 / Core 0**


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75560	≥500	75060	Complied



Single Channel

Results: 802.11ac / 80 MHz / MIMO / 3Tx TXBF / BPSK / MCS0x1 / Core 1


Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75900	≥500	75400	Complied



Single Channel

Transmitter Minimum 6 dB Bandwidth (5.725-5.85 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 3Tx TXBF / BPSK / MCS0x1 / Core 2**

Channel	6 dB Bandwidth (kHz)	Limit (kHz)	Margin (kHz)	Result
Single	75560	≥500	75060	Complied

**Single Channel**

4.4. Transmitter Maximum Conducted Output Power**4.4.1. 5.15-5.25 GHz band****Test Summary:**

Test Engineers:	Max Passell, Victor Carmon & Matthew Botfield	Test Dates:	07 November 2018 to 30 November 2018
Test Sample Serial Numbers:	C02X2007KFLX & C02WW00WKFMM		

FCC Reference:	Part 15.407(a)(1)(iv)
Test Method Used:	KDB 789033 D02 Section II.E.2.b) and II.E.2.d)

Environmental Conditions:




Temperature (°C):	22 to 24
Relative Humidity (%):	42 to 52

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Note(s):**

1. For conducted power tests where the duty cycle is >98%, the measurements were performed using a signal analyser in accordance with FCC KDB 789033 II.E.2.b) Method SA-1. Where the duty cycle is <98%, the measurements were performed in accordance with FCC KDB 789033 II.E.2.d) Method SA-2. The signal analyser's integration function was used to integrate across the 26 dB emission bandwidth. The resolution bandwidth was set to 1 MHz and video bandwidth 3 MHz. An RMS detector was used and sweep time was set to auto and 100 traces performed. The span was set to encompass the entire 26 dB emission bandwidth. The channel power results are recorded in the tables below.
2. Measurements were performed using configurations detailed in Section 3.5 of this test report on the relevant channels.
3. For data rates where the EUT was transmitting at <98% duty cycle, the calculated duty cycle in Section 4.1 was added to the measured power in order to compute the average power during the actual transmission time.
4. The Part 15.407(a)(1)(iv) limit shall not exceed 250 mW (24.0 dBm).
5. For MIMO modes, conducted power was measured on both ports and then combined using the measure-and-sum method stated in FCC KDB 662911 D01 Section E)1).
6. For SISO, MIMO CDD and MIMO SDM modes of operation, the antenna gain is < 6 dBi.
7. For 2Tx TxBF modes of operation presented in this section of the test report, the EUT has a directional antenna gain of 6.9 dBi. In accordance with Part 15.407(a)(1)(iv), the limit was reduced by the amount in dB the antenna gain exceeds 6 dBi. Therefore the limit of 24.0 dBm has been reduced by 0.9 dB to 23.1 dBm.
8. For 3Tx TxBF modes of operation presented in this section of the test report, the EUT has a directional antenna gain of 7.8 dBi. In accordance with Part 15.407(a)(1)(iv), the limit was reduced by the amount in dB the antenna gain exceeds 6 dBi. Therefore the limit of 24.0 dBm has been reduced by 1.8 dB to 22.2 dBm.
9. For details on antenna gains refer to Section 3.4 of this test report.
10. The signal analyser was connected to the RF port on the EUT using an RF switch, suitable attenuation and RF cable. An RF level offset was entered on the signal analyser to compensate for the loss of the attenuator and RF cable.
11. The EUT with serial number C02X2007KFLX was used for non-TxBF tests, the EUT with serial C02WW00WKFMM number was used for TxBF tests.




Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11a / 20 MHz / SISO / BPSK / 6 Mbps / Core 2**

Channel	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5180	16.2	24.0	7.8	Complied
Middle	5200	21.0	24.0	3.0	Complied
Top	5240	21.0	24.0	3.0	Complied

**Bottom Channel****Middle Channel****Top Channel**


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / SISO / BPSK / MCS0 / Core 2**

Channel	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5180	16.3	24.0	7.7	Complied
Middle	5200	21.0	24.0	3.0	Complied
Top	5240	21.0	24.0	3.0	Complied


**Bottom Channel****Middle Channel****Top Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 40 MHz / SISO / BPSK / MCS0 / Core 2**

Channel	Frequency (MHz)	Conducted Power (dBm)	Duty cycle correction factor (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5190	12.5	0.1	12.6	24.0	11.4	Complied
Top	5230	20.1	0.1	20.2	24.0	3.8	Complied




Bottom Channel



Top Channel


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11ac / 80 MHz / SISO / BPSK / MCS0 / Core 2**

Channel	Frequency (MHz)	Conducted Power (dBm)	Duty cycle correction factor (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Single	5210	12.4	0.2	12.6	24.0	11.4	Complied


**Single Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx CDD / BPSK / MCS0**


Channel	Frequency (MHz)	Conducted Power Core 1 (dBm)	Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5180	15.2	15.2	18.2	24.0	5.8	Complied
Middle	5200	17.3	17.2	20.3	24.0	3.7	Complied
Top	5240	17.4	17.1	20.3	24.0	3.7	Complied

Results: 802.11n / 20 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Core 1




Bottom Channel



Middle Channel





Top Channel

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Core 2****Bottom Channel****Middle Channel****Top Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx CDD / BPSK / MCS0**


Channel	Frequency (MHz)	Core 1			Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Bottom	5190	12.0	0.1	12.1	12.1	0.1	12.2
Top	5230	19.5	0.1	19.6	18.8	0.1	18.9

Channel	Frequency (MHz)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5190	12.1	12.2	15.2	24.0	8.8	Complied
Top	5230	19.6	18.9	22.3	24.0	1.7	Complied


Results: 802.11n / 40 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Core 1**Bottom Channel****Top Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)

Results: 802.11n / 40 MHz / MIMO / 2Tx CDD / BPSK / MCS0 / Core 2



Bottom Channel




Top Channel


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 2Tx CDD / BPSK / MCS0x1**

Channel	Frequency (MHz)	Core 1			Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Single	5210	12.2	0.2	12.4	11.6	0.2	11.8

Channel	Frequency (MHz)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Single	5210	12.4	11.8	15.1	24.0	8.9	Complied




Single Channel / Core 1




Single Channel / Core 2

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx SDM / BPSK / MCS8**


Channel	Frequency (MHz)	Conducted Power Core 1 (dBm)	Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5180	14.8	15.1	18.0	24.0	6.0	Complied
Middle	5200	18.6	18.5	21.6	24.0	2.4	Complied
Top	5240	18.6	18.0	21.3	24.0	2.7	Complied

Results: 802.11n / 20 MHz / MIMO / 2Tx SDM / BPSK / MCS8 / Core 1

Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)


Results: 802.11n / 20 MHz / MIMO / 2Tx SDM / BPSK / MCS8 / Core 2



Bottom Channel



Middle Channel





Top Channel

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx SDM / BPSK / MCS8**


Channel	Frequency (MHz)	Core 1			Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Bottom	5190	12.9	0.1	13.0	12.7	0.1	12.8
Top	5230	19.8	0.1	19.9	19.7	0.1	19.8

Channel	Frequency (MHz)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5190	13.0	12.8	15.9	24.0	8.1	Complied
Top	5230	19.9	19.8	22.9	24.0	1.1	Complied


Results: 802.11n / 40 MHz / MIMO / 2Tx SDM / BPSK / MCS8 / Core 1**Bottom Channel****Top Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)

Results: 802.11n / 40 MHz / MIMO / 2Tx SDM / BPSK / MCS8 / Core 2



Bottom Channel




Top Channel


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 2Tx SDM / BPSK / MCS0x2**

Channel	Frequency (MHz)	Core 1			Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Single	5210	12.6	0.2	12.8	12.0	0.2	12.2

Channel	Frequency (MHz)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Single	5210	12.8	12.2	15.5	24.0	8.5	Complied



Single Channel / Core 1






Single Channel / Core 2

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx TXBF / BPSK / MCS0**


Channel	Frequency (MHz)	Core 1			Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Bottom	5180	14.0	0.1	14.1	13.2	0.1	13.3
Middle	5200	16.3	0.1	16.4	15.2	0.1	15.3
Top	5240	15.8	0.1	15.9	15.4	0.1	15.5

Channel	Frequency (MHz)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5180	14.1	13.3	16.7	23.1	6.4	Complied
Middle	5200	16.4	15.3	18.9	23.1	4.2	Complied
Top	5240	15.9	15.5	18.7	23.1	4.4	Complied


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 2Tx TXBF / BPSK / MCS0 / Core 1****Bottom Channel****Middle Channel****Top Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)


Results: 802.11n / 20 MHz / MIMO / 2Tx TXBF / BPSK / MCS0 / Core 2



Bottom Channel



Middle Channel




Top Channel


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 2Tx TXBF / BPSK / MCS0**

Channel	Frequency (MHz)	Core 1			Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Bottom	5190	10.9	0.1	11.0	10.6	0.1	10.7
Top	5230	18.2	0.1	18.3	18.1	0.1	18.2

Channel	Frequency (MHz)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5190	11.0	10.7	13.9	23.1	9.2	Complied
Top	5230	18.3	18.2	21.3	23.1	1.8	Complied

Results: 802.11n / 40 MHz / MIMO / 2Tx TXBF / BPSK / MCS0 / Core 1


Bottom Channel




Top Channel

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)

Results: 802.11n / 40 MHz / MIMO / 2Tx TXBF / BPSK / MCS0 / Core 2



Bottom Channel




Top Channel


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11ac / 80 MHz / MIMO / 2Tx TXBF / BPSK / MCS0x1**

Channel	Frequency (MHz)	Core 1			Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Single	5210	10.5	0.1	10.6	9.7	0.1	9.8

Channel	Frequency (MHz)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Single	5210	10.6	9.8	13.2	23.1	9.9	Complied



Single Channel / Core 1






Single Channel / Core 2

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0**


Channel	Frequency (MHz)	Conducted Power Core 0 (dBm)	Conducted Power Core 1 (dBm)	Conducted Power Core 2 (dBm)	Combined Conducted Power (dBm)
Bottom	5180	13.5	13.3	13.8	18.3
Middle	5200	14.2	14.1	14.1	18.9
Top	5240	14.0	14.2	13.8	18.8

Channel	Frequency (MHz)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5180	18.3	24.0	5.7	Complied
Middle	5200	18.9	24.0	5.1	Complied
Top	5240	18.8	24.0	5.2	Complied


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 0****Bottom Channel****Middle Channel****Top Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)


Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 1






Bottom Channel



Middle Channel



Top Channel


Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 20 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 2****Bottom Channel****Middle Channel****Top Channel**

Transmitter Maximum Conducted Output Power (5.15-5.25 GHz band) (continued)**Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0**


Channel	Frequency (MHz)	Core 0			Core 1		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)
Bottom	5190	11.1	0.1	11.2	11.1	0.1	11.2
Top	5230	17.3	0.1	17.4	17.4	0.1	17.5

Channel	Frequency (MHz)	Core 2			Core 0, Core 1 & Core 2		
		Conducted Power (dBm)	Duty Cycle correction (dB)	Corrected Conducted Power (dBm)	Corrected Conducted Power Core 0 (dBm)	Corrected Conducted Power Core 1 (dBm)	Corrected Conducted Power Core 2 (dBm)
Bottom	5190	11.2	0.1	11.3	11.2	11.2	11.3
Top	5230	16.9	0.1	17.0	17.4	17.5	17.0

Channel	Frequency (MHz)	Combined Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	5190	16.0	24.0	8.0	Complied
Top	5230	22.1	24.0	1.9	Complied

Results: 802.11n / 40 MHz / MIMO / 3Tx CDD / BPSK / MCS0 / Core 0

Bottom Channel



Top Channel