



Plot 7-187. PSD Ant 2 (40MHz BW 11ax Index 44 – RU52 – Ch.110)




Plot 7-190. PSD Ant 2 (80MHz BW 11ax Index 44 – RU52 – Ch.122)




Plot 7-188. PSD Ant 2 (40MHz BW 11ax – RU484 – Ch.110)



Plot 7-191. PSD Ant 2 (80MHz BW 11ax Index 52 – RU52 – Ch.122)



Plot 7-189. PSD Ant 2 (80MHz BW 11ax Index 37 – RU52 – Ch.122)



Plot 7-192. PSD Ant 2 (80MHz BW 11ax – RU996 – Ch.122)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 100 of 263

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	6.34	30.00	-23.66
				26	4	135/143.4 (MCS11)	6.46	30.00	-23.54
				26	8	135/143.4 (MCS11)	6.32	30.00	-23.68
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	6.83	30.00	-23.17
				26	4	135/143.4 (MCS11)	7.39	30.00	-22.61
				26	8	135/143.4 (MCS11)	7.17	30.00	-22.83
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	6.65	30.00	-23.35
				26	4	135/143.4 (MCS11)	7.19	30.00	-22.81
				26	8	135/143.4 (MCS11)	6.93	30.00	-23.07
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	6.57	30.00	-23.43
				26	8	271/286.8 (MCS11)	6.38	30.00	-23.62
				26	17	271/286.8 (MCS11)	5.64	30.00	-24.36
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	5.59	30.00	-24.41
				26	8	271/286.8 (MCS11)	6.26	30.00	-23.74
				26	17	271/286.8 (MCS11)	5.67	30.00	-24.33
5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	5.75	30.00	-24.25	
			26	18	567/600.5 (MCS11)	4.75	30.00	-25.26	
			26	36	567/600.5 (MCS11)	5.91	30.00	-24.09	


Table 7-94. Band 3 Power Spectral Density Measurements Ant 2 (RU26)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 101 of 263


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	8.35	30.00	-21.65
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	7.67	30.00	-22.33
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	7.16	30.00	-22.84
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	4.99	30.00	-25.01
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	4.66	30.00	-25.34
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-2.00	30.00	-32.00

Table 7-95. Band 3 Power Spectral Density Measurements Ant 2 (Fully-loaded RU)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 102 of 263




Plot 7-193. PSD Ant 2 (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-196. PSD Ant 2 (20MHz BW 11ax – RU242 – Ch.157)




Plot 7-194. PSD Ant 2 (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-197. PSD Ant 2 (40MHz BW 11ax Index 0 – RU26 – Ch.151)




Plot 7-195. PSD Ant 2 (20MHz BW 11ax Index 8 – RU26 – Ch.157)




Plot 7-198. PSD Ant 2 (40MHz BW 11ax Index 8 – RU26 – Ch.151)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 103 of 263




Plot 7-199. PSD Ant 2 (40MHz BW 11ax Index 17 – RU26 – Ch.151)




Plot 7-202. PSD Ant 2 (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-200. PSD Ant 2 (40MHz BW 11ax – RU484 – Ch.151)



Plot 7-203. PSD Ant 2 (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-201. PSD Ant 2 (80MHz BW 11ax Index 0 – RU26 – Ch.155)



Plot 7-204. PSD Ant 2 (80MHz BW 11ax – RU996 – Ch.155)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 104 of 263

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	2.33	2.50	4.83	10.0	-5.17
				26	4	135/143.4 (MCS11)	0.80	2.50	3.30	10.0	-6.70
				26	8	135/143.4 (MCS11)	2.10	2.50	4.60	10.0	-5.40
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	2.38	2.50	4.88	10.0	-5.13
				26	4	135/143.4 (MCS11)	1.57	2.50	4.07	10.0	-5.93
				26	8	135/143.4 (MCS11)	2.60	2.50	5.10	10.0	-4.90
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	2.44	2.50	4.94	10.0	-5.06
				26	4	135/143.4 (MCS11)	1.92	2.50	4.42	10.0	-5.58
				26	8	135/143.4 (MCS11)	2.91	2.50	5.41	10.0	-4.59
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	2.13	2.50	4.63	10.0	-5.37
				26	8	271/286.8 (MCS11)	1.25	2.50	3.75	10.0	-6.25
				26	17	271/286.8 (MCS11)	1.61	2.50	4.11	10.0	-5.89
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	2.59	2.50	5.09	10.0	-4.91
				26	8	271/286.8 (MCS11)	2.61	2.50	5.11	10.0	-4.90
				26	17	271/286.8 (MCS11)	2.66	2.50	5.16	10.0	-4.85
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	2.01	2.50	4.51	10.0	-5.49
				26	18	567/600.5 (MCS11)	1.56	2.50	4.06	10.0	-5.94
				26	36	567/600.5 (MCS11)	2.63	2.50	5.13	10.0	-4.87


Table 7-96. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Ant 2 (RU26)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 105 of 263


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	1.56	2.50	4.06	10.0	-5.94
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	1.86	2.50	4.36	10.0	-5.64
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	1.77	2.50	4.27	10.0	-5.73
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-2.86	2.50	-0.36	10.0	-10.36
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	1.77	2.50	4.27	10.0	-5.73
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-7.82	2.50	-5.32	10.0	-15.32

Table 7-97. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Ant 2 (Fully-loaded RU)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 106 of 263




Plot 7-205. ISED PSD Ant 2 (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-208. ISED PSD Ant 2 (20MHz BW 11ax- RU242 – Ch.40)




Plot 7-206. ISED PSD Ant 2 (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-209. ISED PSD Ant 2 (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-207. ISED PSD Ant 2 (20MHz BW 11ax Index 8– RU26 – Ch.40)




Plot 7-210. ISED PSD Ant 2 (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 107 of 263




Plot 7-211. ISED PSD Ant 2 (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-214. ISED PSD Ant 2 (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-212. ISED PSD Ant 2 (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-215. ISED PSD Ant 2 (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-213. ISED PSD Ant 2 (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-216. ISED PSD Ant 2 (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 108 of 263



Summed CDD Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Ant1 Power Density [dBm/MHz]	Ant2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	5.76	6.21	9.00	11.00	-2.00
					26	4	270/286.8 (MCS11)	5.39	5.05	8.23	11.00	-2.77
					26	8	270/286.8 (MCS11)	6.22	6.33	9.29	11.00	-1.71
	5200	40	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	6.48	6.54	9.52	11.00	-1.48
					26	4	270/286.8 (MCS11)	5.23	5.76	8.51	11.00	-2.49
					26	8	270/286.8 (MCS11)	5.51	5.98	8.76	11.00	-2.24
	5240	48	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	4.68	6.79	8.87	11.00	-2.13
					26	4	270/286.8 (MCS11)	4.95	5.91	8.46	11.00	-2.54
					26	8	270/286.8 (MCS11)	5.69	6.37	9.06	11.00	-1.94
	5190	38	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	6.34	6.60	9.48	11.00	-1.52
					26	8	540/573.5 (MCS11)	6.38	7.13	9.78	11.00	-1.22
					26	17	540/573.5 (MCS11)	6.82	7.31	10.08	11.00	-0.92
5230	46	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	6.71	6.52	9.63	11.00	-1.37	
				26	8	540/573.5 (MCS11)	6.76	5.99	9.40	11.00	-1.60	
				26	17	540/573.5 (MCS11)	6.57	7.09	9.85	11.00	-1.15	
5210	42	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	6.83	6.18	9.53	11.00	-1.47	
				26	18	1134/1201 (MCS11)	5.53	5.54	8.55	11.00	-2.45	
				26	36	1134/1201 (MCS11)	6.92	6.30	9.63	11.00	-1.37	

Table 7-98. Band 1 Power Spectral Density Measurements CDD (RU26)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 109 of 263

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Ant1 Power Density [dBm/MHz]	Ant2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 2A	5260	52	ax (20MHz)	CDD	52	37	270/286.8 (MCS11)	6.06	6.15	9.11	11.00	-1.89
					52	38	270/286.8 (MCS11)	6.47	6.29	9.39	11.00	-1.61
					52	40	270/286.8 (MCS11)	6.09	6.19	9.15	11.00	-1.85
	5300	60	ax (20MHz)	CDD	52	37	270/286.8 (MCS11)	6.28	6.40	9.35	11.00	-1.65
					52	38	270/286.8 (MCS11)	5.98	6.31	9.16	11.00	-1.84
					52	40	270/286.8 (MCS11)	5.93	6.19	9.07	11.00	-1.93
	5320	64	ax (20MHz)	CDD	52	37	270/286.8 (MCS11)	6.05	5.94	9.01	11.00	-1.99
					52	38	270/286.8 (MCS11)	5.73	6.14	8.95	11.00	-2.05
					52	40	270/286.8 (MCS11)	6.14	5.93	9.05	11.00	-1.95
	5270	54	ax (40MHz)	CDD	52	37	540/573.5 (MCS11)	7.25	7.27	10.27	11.00	-0.73
					52	40	540/573.5 (MCS11)	6.73	7.18	9.97	11.00	-1.03
					52	44	540/573.5 (MCS11)	6.96	7.36	10.18	11.00	-0.82
	5310	62	ax (40MHz)	CDD	52	37	540/573.5 (MCS11)	7.60	7.38	10.50	11.00	-0.50
					52	40	540/573.5 (MCS11)	7.40	7.14	10.28	11.00	-0.72
					52	44	540/573.5 (MCS11)	7.54	7.36	10.46	11.00	-0.54
	5290	58	ax (80MHz)	CDD	52	37	1134/1201 (MCS11)	5.76	5.82	8.80	11.00	-2.20
					52	44	1134/1201 (MCS11)	6.16	5.92	9.05	11.00	-1.95
					52	52	1134/1201 (MCS11)	6.93	6.12	9.55	11.00	-1.45
Band 2C	5500	100	ax (20MHz)	CDD	52	37	270/286.8 (MCS11)	6.53	5.91	9.24	11.00	-1.76
					52	38	270/286.8 (MCS11)	6.05	6.06	9.07	11.00	-1.93
					52	40	270/286.8 (MCS11)	6.03	5.98	9.01	11.00	-1.99
	5580	116	ax (20MHz)	CDD	52	37	270/286.8 (MCS11)	6.58	6.67	9.63	11.00	-1.37
					52	38	270/286.8 (MCS11)	6.59	6.94	9.78	11.00	-1.22
					52	40	270/286.8 (MCS11)	6.70	6.72	9.72	11.00	-1.28
	5700	140	ax (20MHz)	CDD	52	37	270/286.8 (MCS11)	7.60	6.94	10.29	11.00	-0.71
					52	38	270/286.8 (MCS11)	8.21	7.48	10.87	11.00	-0.13
					52	40	270/286.8 (MCS11)	7.64	7.35	10.51	11.00	-0.49
	5720	144	ax (20MHz)	CDD	52	37	270/286.8 (MCS11)	7.16	6.98	10.08	11.00	-0.92
					52	38	270/286.8 (MCS11)	6.53	6.65	9.60	11.00	-1.40
					52	40	270/286.8 (MCS11)	6.51	7.21	9.89	11.00	-1.11
	5510	102	ax (40MHz)	CDD	52	37	540/573.5 (MCS11)	7.90	6.92	10.45	11.00	-0.55
					52	40	540/573.5 (MCS11)	6.96	7.42	10.21	11.00	-0.79
					52	44	540/573.5 (MCS11)	7.45	7.59	10.53	11.00	-0.47
	5550	110	ax (40MHz)	CDD	52	37	540/573.5 (MCS11)	7.08	7.29	10.20	11.00	-0.80
					52	40	540/573.5 (MCS11)	7.48	7.90	10.71	11.00	-0.29
					52	44	540/573.5 (MCS11)	6.68	7.21	9.96	11.00	-1.04
	5670	134	ax (40MHz)	CDD	52	37	540/573.5 (MCS11)	7.24	6.69	9.98	11.00	-1.02
					52	40	540/573.5 (MCS11)	7.14	6.93	10.05	11.00	-0.95
					52	44	540/573.5 (MCS11)	6.86	6.69	9.79	11.00	-1.21
	5710	142	ax (40MHz)	CDD	52	37	540/573.5 (MCS11)	6.91	6.65	9.79	11.00	-1.21
					52	44	540/573.5 (MCS11)	6.67	6.80	9.75	11.00	-1.25
					52	44	540/573.5 (MCS11)	6.61	6.59	9.61	11.00	-1.39
	5530	106	ax (80MHz)	CDD	52	37	1134/1201 (MCS11)	6.24	5.94	9.10	11.00	-1.90
					52	44	1134/1201 (MCS11)	5.60	5.87	8.74	11.00	-2.26
					52	52	1134/1201 (MCS11)	6.35	5.59	8.99	11.00	-2.01
	5610*	122	ax (80MHz)	CDD	52	37	1134/1201 (MCS11)	6.33	5.99	9.18	11.00	-1.82
					52	44	1134/1201 (MCS11)	6.20	6.03	9.12	11.00	-1.88
					52	52	1134/1201 (MCS11)	5.98	5.51	8.76	11.00	-2.24
	5690	138	ax (80MHz)	CDD	52	37	1134/1201 (MCS11)	6.04	5.57	8.82	11.00	-2.18
					52	44	1134/1201 (MCS11)	5.28	5.28	8.29	11.00	-2.71
					52	52	1134/1201 (MCS11)	4.93	5.10	8.03	11.00	-2.97

Table 7-99. Band 2A, 2C Power Spectral Density Measurements CDD (RU52)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 110 of 263

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Ant1 Power Density [dBm/MHz]	Ant2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.21	6.02	8.64	11.00	-2.36
	5200	40	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.19	6.93	9.59	11.00	-1.41
	5240	48	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.71	5.63	8.68	11.00	-2.32
	5190	38	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	0.77	-0.06	3.39	11.00	-7.61
	5230	46	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	7.03	6.61	9.84	11.00	-1.16
	5210	42	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-5.37	-5.12	-2.23	11.00	-13.23
Band 2A	5260	52	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.93	7.15	10.05	11.00	-0.95
	5300	60	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.69	6.55	9.63	11.00	-1.37
	5320	64	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.18	6.21	9.21	11.00	-1.79
	5270	54	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	6.68	6.31	9.51	11.00	-1.49
	5310	62	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-0.42	0.29	2.96	11.00	-8.04
	5290	58	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-4.30	-4.55	-1.41	11.00	-12.41
Band 2C	5500	100	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	4.88	5.33	8.12	11.00	-2.88
	5580	116	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.42	6.20	8.84	11.00	-2.16
	5700	140	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.12	6.30	9.22	11.00	-1.78
	5720	144	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	4.57	4.65	7.62	11.00	-3.38
	5510	102	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	0.69	0.84	3.78	11.00	-7.22
	5550	110	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	6.36	6.34	9.36	11.00	-1.64
	5670	134	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	1.93	2.48	5.23	11.00	-5.77
	5710	142	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	5.88	6.29	9.10	11.00	-1.90
	5530	106	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-2.95	-2.20	0.45	11.00	-10.55
	5610*	122	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-2.46	-2.74	0.41	11.00	-10.59
	5690	138	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	4.33	4.01	7.19	11.00	-3.81


Table 7-100. Bands 1, 2A, 2C Power Spectral Density Measurements CDD (Fully-loaded RU)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 111 of 263




Plot 7-217. PSD CDD Ant 1 (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-220. PSD CDD Ant 2 (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-218. PSD CDD Ant 2 (20MHz BW 11ax Index 0 – RU26 – Ch.40)



Plot 7-221. PSD CDD Ant 1 (20MHz BW 11ax Index 8– RU26 – Ch.40)




Plot 7-219. PSD CDD Ant 1 (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-222. PSD CDD Ant 2 (20MHz BW 11ax Index 8– RU26 – Ch.40)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 112 of 263




Plot 7-223. PSD CDD Ant 1 (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-226. PSD CDD Ant 2 (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-224. PSD CDD Ant 2 (20MHz BW 11ax- RU242 - Ch.40)



Plot 7-227. PSD CDD Ant 1 (40MHz BW 11ax Index 8 - RU26 - Ch.46)




Plot 7-225. PSD CDD Ant 1 (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-228. PSD CDD Ant 2 (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 113 of 263




Plot 7-229. PSD CDD Ant 1 (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-232. PSD CDD Ant 2 (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-230. PSD CDD Ant 2 (40MHz BW 11ax Index 17 – RU26 – Ch.46)



Plot 7-233. PSD CDD Ant 1 (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-231. PSD CDD Ant 1 (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-234. PSD CDD Ant 2 (80MHz BW 11ax Index 0 – RU26 – Ch.42)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 114 of 263




Plot 7-235. PSD CDD Ant 1 (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-238. PSD CDD Ant 2 (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-236. PSD CDD Ant 2 (80MHz BW 11ax Index 18 – RU26 – Ch.42)



Plot 7-239. PSD CDD Ant 1 (80MHz BW 11ax – RU996 – Ch.42)




Plot 7-237. PSD CDD Ant 1 (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-240. PSD CDD Ant 2 (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 115 of 263




Plot 7-241. PSD CDD Ant 1 (20MHz BW 11ax Index 37 – RU52 – Ch.60)




Plot 7-244. PSD CDD Ant 2 (20MHz BW 11ax Index 38 – RU52 – Ch.60)




Plot 7-242. PSD CDD Ant 2 (20MHz BW 11ax Index 37 – RU52 – Ch.60)



Plot 7-245. PSD CDD Ant 1 (20MHz BW 11ax Index 40– RU52 – Ch.60)




Plot 7-243. PSD CDD Ant 1 (20MHz BW 11ax Index 38 – RU52 – Ch.60)




Plot 7-246. PSD CDD Ant 2 (20MHz BW 11ax Index 40– RU52 – Ch.60)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 116 of 263




Plot 7-247. PSD CDD Ant 1 (20MHz BW 11ax- RU242 - Ch.60)




Plot 7-250. PSD CDD Ant 2 (40MHz BW 11ax Index 37 - RU52 - Ch.54)




Plot 7-248. PSD CDD Ant 2 (20MHz BW 11ax- RU242 - Ch.60)



Plot 7-251. PSD CDD Ant 1 (40MHz BW 11ax Index 40 - RU52 - Ch.54)




Plot 7-249. PSD CDD Ant 1 (40MHz BW 11ax Index 37 - RU52 - Ch.54)




Plot 7-252. PSD CDD Ant 2 (40MHz BW 11ax Index 40 - RU52 - Ch.54)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 117 of 263




Plot 7-253. PSD CDD Ant 1 (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-256. PSD CDD Ant 2 (40MHz BW 11ax - RU484 - Ch.54)




Plot 7-254. PSD CDD Ant 2 (40MHz BW 11ax Index 44 - RU52 - Ch.54)



Plot 7-257. PSD CDD Ant 1 (80MHz BW 11ax Index 37 - RU52 - Ch.58)



Plot 7-255. PSD CDD Ant 1 (40MHz BW 11ax - RU484 - Ch.54)



Plot 7-258. PSD CDD Ant 2 (80MHz BW 11ax Index 37 - RU52 - Ch.58)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-06.BCG	Test Dates: 2/20/2023 - 5/9/2023	EUT Type: Head Mounted Device	Page 118 of 263