




Plot 7-217. ISED PSD Ant1 (20MHz BW 11n – Ch.40, MCS2)




Plot 7-220. ISED PSD Ant1 (40MHz BW 11ax(SU) – Ch.46, MCS2)




Plot 7-218. ISED PSD Ant1 (20MHz BW 11ax(SU) – Ch.40, MCS2)



Plot 7-221. ISED PSD Ant1 (80MHz BW 11ac – Ch.42, MCS2)




Plot 7-219. ISED PSD Ant1 (40MHz BW 11n – Ch.46, MCS2)




Plot 7-222. ISED PSD Ant1 (80MHz BW 11ax (SU) – Ch.42, MCS2)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 102 of 322




Plot 7-223. ISED PSD Ant1 (20MHz BW 11n – Ch.40, MCS4)




Plot 7-226. ISED PSD Ant1 (40MHz BW 11ax(SU) – Ch.46, MCS4)




Plot 7-224. ISED PSD Ant1 (20MHz BW 11ax(SU) – Ch.40, MCS4)



Plot 7-227. ISED PSD Ant1 (80MHz BW 11ac – Ch.42, MCS4)




Plot 7-225. ISED PSD Ant1 (40MHz BW 11n – Ch.46, MCS4)




Plot 7-228. ISED PSD Ant1 (80MHz BW 11ax(SU) – Ch.42, MCS4)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 103 of 322




Plot 7-229. ISED PSD Ant1 (20MHz BW 11n – Ch.40, MCS7)




Plot 7-232. ISED PSD Ant1 (40MHz BW 11ax(SU) – Ch.46, MCS11)




Plot 7-230. ISED PSD Ant1 (20MHz BW 11ax(SU) – Ch.40, MCS11)



Plot 7-233. ISED PSD Ant1 (80MHz BW 11ac – Ch.42, MCS8)



Plot 7-231. ISED PSD Ant1 (40MHz BW 11n – Ch.46, MCS7)



Plot 7-234. ISED PSD Ant1 (80MHz BW 11ax(SU) – Ch.42, MCS11)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 104 of 322

## 7.5.2 Ant2 Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	8.76	11.0	-2.24
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	10.20	11.0	-0.80
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	10.15	11.0	-0.85
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	6.74	11.0	-4.26
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	8.04	11.0	-2.96
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	7.88	11.0	-3.12
	5190	38	n (40MHz)	40.5/45 (MCS2)	3.71	11.0	-7.29
	5230	46	n (40MHz)	40.5/45 (MCS2)	8.22	11.0	-2.78
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.37	11.0	-10.63
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	6.06	11.0	-4.94
Band 2A	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.42	11.0	-12.42
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.93	11.0	-14.93
	5260	52	n (20MHz)	19.5/21.7 (MCS2)	10.32	11.0	-0.68
	5280	56	n (20MHz)	19.5/21.7 (MCS2)	10.23	11.0	-0.77
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	9.36	11.0	-1.64
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	7.90	11.0	-3.10
	5280	56	ax (SU) (20MHz)	24/25.8 (MCS2)	8.75	11.0	-2.25
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	6.76	11.0	-4.24
	5270	54	n (40MHz)	40.5/45 (MCS2)	8.22	11.0	-2.78
	5310	62	n (40MHz)	40.5/45 (MCS2)	5.37	11.0	-5.63
Band 2C	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	6.34	11.0	-4.66
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	3.13	11.0	-7.87
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	-1.37	11.0	-12.37
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.79	11.0	-13.79
	5500	100	n (20MHz)	19.5/21.7 (MCS2)	10.07	11.0	-0.94
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	10.20	11.0	-0.80
	5700	140	n (20MHz)	19.5/21.7 (MCS2)	6.43	11.0	-4.57
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	9.72	11.0	-1.28
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	7.90	11.0	-3.10
	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	8.58	11.0	-2.43
5700	140	ax (SU) (20MHz)	24/25.8 (MCS2)	7.93	11.0	-3.07	
5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	8.11	11.0	-2.89	
5510	102	n (40MHz)	40.5/45 (MCS2)	4.53	11.0	-6.47	
5550	110	n (40MHz)	40.5/45 (MCS2)	8.39	11.0	-2.61	
5590	118	n (40MHz)	40.5/45 (MCS2)	8.49	11.0	-2.51	
5670	134	n (40MHz)	40.5/45 (MCS2)	6.53	11.0	-4.47	
5710	142	n (40MHz)	40.5/45 (MCS2)	7.98	11.0	-3.02	
5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	2.66	11.0	-8.34	
5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	6.69	11.0	-4.31	
5590	118	ax (SU) (40MHz)	49/51.6 (MCS2)	6.63	11.0	-4.38	
5670	134	ax (SU) (40MHz)	49/51.6 (MCS2)	4.69	11.0	-6.31	
5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	6.34	11.0	-4.66	
5530	106	ac (80MHz)	87.8/97.5 (MCS2)	1.00	11.0	-10.00	
5610	*122	ac (80MHz)	87.8/97.5 (MCS2)	4.74	11.0	-6.26	
5690	138	ac (80MHz)	87.8/97.5 (MCS2)	2.06	11.0	-8.94	
5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	-0.53	11.0	-11.53	
5610	*122	ax (SU) (80MHz)	102/108.1 (MCS2)	3.21	11.0	-7.79	
5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	0.86	11.0	-10.14	

**Table 7-101. Power Spectral Density Measurements Ant2 (Low Data Rate)**

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)

FCC ID: BCGA2117 IC: 579C-A2117		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2302130007-07.BCG	<b>Test Dates:</b> 2/10/2023 - 5/4/2023	<b>EUT Type:</b> Head Mounted Device	Page 105 of 322

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	8.94	11.0	-2.06
	5200	40	n (20MHz)	39/43.3 (MCS4)	10.38	11.0	-0.62
	5240	48	n (20MHz)	39/43.3 (MCS4)	10.39	11.0	-0.61
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	6.14	11.0	-4.86
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	8.79	11.0	-2.21
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	8.68	11.0	-2.32
	5190	38	n (40MHz)	81/90 (MCS4)	3.48	11.0	-7.52
	5230	46	n (40MHz)	81/90 (MCS4)	8.22	11.0	-2.78
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	0.54	11.0	-10.46
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	6.00	11.0	-5.00
Band 2A	5210	42	ac (80MHz)	175.5/195 (MCS4)	-1.05	11.0	-12.05
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.02	11.0	-15.02
	5260	52	n (20MHz)	39/43.3 (MCS4)	10.29	11.0	-0.72
	5280	56	n (20MHz)	39/43.3 (MCS4)	10.41	11.0	-0.59
	5320	64	n (20MHz)	39/43.3 (MCS4)	9.73	11.0	-1.27
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	8.72	11.0	-2.28
	5280	56	ax (SU) (20MHz)	49/51.6 (MCS4)	9.05	11.0	-1.95
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	7.19	11.0	-3.81
	5270	54	n (40MHz)	81/90 (MCS4)	8.07	11.0	-2.93
	5310	62	n (40MHz)	81/90 (MCS4)	4.74	11.0	-6.26
Band 2C	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	6.64	11.0	-4.36
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	2.50	11.0	-8.50
	5290	58	ac (80MHz)	175.5/195 (MCS4)	-1.02	11.0	-12.02
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.17	11.0	-14.17
	5500	100	n (20MHz)	39/43.3 (MCS4)	8.46	11.0	-2.54
	5580	116	n (20MHz)	39/43.3 (MCS4)	10.51	11.0	-0.49
	5700	140	n (20MHz)	39/43.3 (MCS4)	5.54	11.0	-5.46
	5720	144	n (20MHz)	39/43.3 (MCS4)	9.72	11.0	-1.28
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	6.76	11.0	-4.25
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	8.75	11.0	-2.25
	5700	140	ax (SU) (20MHz)	49/51.6 (MCS4)	7.06	11.0	-3.94
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	8.21	11.0	-2.79
	5510	102	n (40MHz)	81/90 (MCS4)	3.83	11.0	-7.17
	5550	110	n (40MHz)	81/90 (MCS4)	8.61	11.0	-2.39
	5590	118	n (40MHz)	81/90 (MCS4)	8.05	11.0	-2.95
	5670	134	n (40MHz)	81/90 (MCS4)	6.60	11.0	-4.40
	5710	142	n (40MHz)	81/90 (MCS4)	7.90	11.0	-3.11
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	1.85	11.0	-9.15
5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	7.12	11.0	-3.88	
5590	118	ax (SU) (40MHz)	98/103.2 (MCS4)	6.63	11.0	-4.37	
5670	134	ax (SU) (40MHz)	98/103.2 (MCS4)	4.22	11.0	-6.78	
5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	6.59	11.0	-4.41	
5530	106	ac (80MHz)	175.5/195 (MCS4)	1.21	11.0	-9.79	
5610	*122	ac (80MHz)	175.5/195 (MCS4)	4.53	11.0	-6.47	
5690	138	ac (80MHz)	175.5/195 (MCS4)	2.55	11.0	-8.45	
5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.15	11.0	-13.15	
5610	*122	ax (SU) (80MHz)	204/216.2 (MCS4)	3.57	11.0	-7.43	
5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	1.03	11.0	-9.97	

**Table 7-102. Power Spectral Density Measurements Ant2 (Mid Data Rate)**


\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)


FCC ID: BCGA2117 IC: 579C-A2117		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2302130007-07.BCG	<b>Test Dates:</b> 2/10/2023 - 5/4/2023	<b>EUT Type:</b> Head Mounted Device	Page 106 of 322

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	6.19	11.0	-4.81
	5200	40	n (20MHz)	65/72.2 (MCS7)	9.39	11.0	-1.61
	5240	48	n (20MHz)	65/72.2 (MCS7)	9.01	11.0	-1.99
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.66	11.0	-5.35
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	9.09	11.0	-1.91
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	8.80	11.0	-2.20
	5190	38	n (40MHz)	135/150 (MCS7)	1.30	11.0	-9.70
	5230	46	n (40MHz)	135/150 (MCS7)	7.23	11.0	-3.77
	5190	38	ax (SU) (40MHz)	271/286.8 (MCS11)	0.36	11.0	-10.64
	5230	46	ax (SU) (40MHz)	271/286.8 (MCS11)	6.10	11.0	-4.90
	5210	42	ac (80MHz)	351/390 (MCS8)	-2.67	11.0	-13.67
5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.15	11.0	-15.15	
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	9.03	11.0	-1.97
	5280	56	n (20MHz)	65/72.2 (MCS7)	9.33	11.0	-1.67
	5320	64	n (20MHz)	65/72.2 (MCS7)	7.34	11.0	-3.67
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	9.06	11.0	-1.94
	5280	56	ax (SU) (20MHz)	135/143.4 (MCS11)	9.17	11.0	-1.83
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	6.64	11.0	-4.36
	5270	54	n (40MHz)	135/150 (MCS7)	6.84	11.0	-4.16
	5310	62	n (40MHz)	135/150 (MCS7)	2.34	11.0	-8.66
	5270	54	ax (SU) (40MHz)	271/286.8 (MCS11)	6.91	11.0	-4.09
	5310	62	ax (SU) (40MHz)	271/286.8 (MCS11)	1.02	11.0	-9.98
	5290	58	ac (80MHz)	351/390 (MCS8)	-2.46	11.0	-13.46
5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.63	11.0	-15.63	
Band 2C	5500	100	n (20MHz)	65/72.2 (MCS7)	4.90	11.0	-6.10
	5580	116	n (20MHz)	65/72.2 (MCS7)	9.18	11.0	-1.82
	5700	140	n (20MHz)	65/72.2 (MCS7)	3.93	11.0	-7.08
	5720	144	n (20MHz)	65/72.2 (MCS7)	8.82	11.0	-2.18
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	4.40	11.0	-6.60
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	9.01	11.0	-2.00
	5700	140	ax (SU) (20MHz)	135/143.4 (MCS11)	5.55	11.0	-5.45
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	8.63	11.0	-2.37
	5510	102	n (40MHz)	135/150 (MCS7)	1.72	11.0	-9.28
	5550	110	n (40MHz)	135/150 (MCS7)	7.53	11.0	-3.47
	5590	118	n (40MHz)	135/150 (MCS7)	6.72	11.0	-4.28
	5670	134	n (40MHz)	135/150 (MCS7)	3.53	11.0	-7.47
	5710	142	n (40MHz)	135/150 (MCS7)	6.97	11.0	-4.03
	5510	102	ax (SU) (40MHz)	271/286.8 (MCS11)	0.41	11.0	-10.59
	5550	110	ax (SU) (40MHz)	271/286.8 (MCS11)	6.74	11.0	-4.27
	5590	118	ax (SU) (40MHz)	271/286.8 (MCS11)	7.12	11.0	-3.89
	5670	134	ax (SU) (40MHz)	271/286.8 (MCS11)	3.33	11.0	-7.67
	5710	142	ax (SU) (40MHz)	271/286.8 (MCS11)	6.34	11.0	-4.66
	5530	106	ac (80MHz)	351/390 (MCS8)	-1.99	11.0	-12.99
	5610	*122	ac (80MHz)	351/390 (MCS8)	3.13	11.0	-7.87
5690	138	ac (80MHz)	351/390 (MCS8)	1.75	11.0	-9.25	
5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.74	11.0	-13.74	
5610	*122	ax (SU) (80MHz)	567/600.5 (MCS11)	3.10	11.0	-7.90	
5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	1.31	11.0	-9.69	


**Table 7-103. Power Spectral Density Measurements Ant2 (High Data Rate)**

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)


FCC ID: BCGA2117 IC: 579C-A2117		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2302130007-07.BCG	<b>Test Dates:</b> 2/10/2023 - 5/4/2023	<b>EUT Type:</b> Head Mounted Device	Page 107 of 322




Plot 7-235. PSD Ant2 (20MHz BW 802.11n – Ch. 40, MCS2)




Plot 7-238. PSD Ant2 (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-236. PSD Ant2 (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)



Plot 7-239. PSD Ant2 (80MHz BW 802.11ac – Ch. 42, MCS2)




Plot 7-237. PSD Ant2 (40MHz BW 802.11n – Ch. 46, MCS2)




Plot 7-240. PSD Ant2 (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 108 of 322




Plot 7-241. PSD Ant2 (20MHz BW 802.11n – Ch. 56, MCS2)




Plot 7-244. PSD Ant2 (40MHz BW 802.11ax(SU) – Ch. 54, MCS2)




Plot 7-242. PSD Ant2 (20MHz BW 802.11ax(SU) – Ch. 56, MCS2)



Plot 7-245. PSD Ant2 (80MHz BW 802.11ac – Ch. 58, MCS2)




Plot 7-243. PSD Ant2 (40MHz BW 802.11n – Ch. 54, MCS2)



Plot 7-246. PSD Ant2 (80MHz BW 802.11ax(SU) – Ch. 58, MCS2)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 109 of 322







Plot 7-247. PSD Ant2 (20MHz BW 802.11n – Ch. 116, MCS2)




Plot 7-250. PSD Ant2 (40MHz BW 802.11ax(SU) – Ch. 110, MCS2)




Plot 7-248. PSD Ant2 (20MHz BW 802.11ax(SU) – Ch. 116, MCS2)



Plot 7-251. PSD Ant2 (80MHz BW 802.11ac – Ch. 122, MCS2)




Plot 7-249. PSD Ant2 (40MHz BW 802.11n – Ch. 110, MCS2)




Plot 7-252. PSD Ant2 (80MHz BW 802.11ax(SU) – Ch. 122, MCS2)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 110 of 322




Plot 7-253. PSD Ant2 (20MHz BW 802.11n – Ch. 40, MCS4)




Plot 7-256. PSD Ant2 (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)




Plot 7-254. PSD Ant2 (20MHz BW 802.11ax(SU) – Ch. 40, MCS4)



Plot 7-257. PSD Ant2 (80MHz BW 802.11ac – Ch. 42, MCS4)




Plot 7-255. PSD Ant2 (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-258. PSD Ant2 (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 111 of 322




Plot 7-259. PSD Ant2 (20MHz BW 802.11n – Ch. 56, MCS4)




Plot 7-262. PSD Ant2 (40MHz BW 802.11ax(SU) – Ch. 54, MCS4)




Plot 7-260. PSD Ant2 (20MHz BW 802.11ax(SU) – Ch. 56, MCS4)



Plot 7-263. PSD Ant2 (80MHz BW 802.11ac – Ch. 58, MCS4)




Plot 7-261. PSD Ant2 (40MHz BW 802.11n – Ch. 54, MCS4)




Plot 7-264. PSD Ant2 (80MHz BW 802.11ax(SU) – Ch. 58, MCS4)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 112 of 322




Plot 7-265. PSD Ant2 (20MHz BW 802.11n – Ch. 116, MCS4)




Plot 7-268. PSD Ant2 (40MHz BW 802.11ax(SU) – Ch. 110, MCS4)




Plot 7-266. PSD Ant2 (20MHz BW 802.11ax(SU) – Ch. 116, MCS4)



Plot 7-269. PSD Ant2 (80MHz BW 802.11ac – Ch. 122, MCS4)




Plot 7-267. PSD Ant2 (40MHz BW 802.11n – Ch. 110, MCS4)




Plot 7-270. PSD Ant2 (80MHz BW 802.11ax(SU) – Ch. 122, MCS4)


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 113 of 322




Plot 7-271. PSD Ant2 (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-274. PSD Ant2 (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)



Plot 7-272. PSD Ant2 (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)



Plot 7-275. PSD Ant2 (80MHz BW 802.11ac – Ch. 42, MCS8)



Plot 7-273. PSD Ant2 (40MHz BW 802.11n – Ch. 46, MCS7)



Plot 7-276. PSD Ant2 (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-07.BCG	Test Dates: 2/10/2023 - 5/4/2023	EUT Type: Head Mounted Device	Page 114 of 322