





Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-448. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11




Plot 7-449. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 287 of 388

V 10.5 12/15/2021




Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-450. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-451. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 288 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-452. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-453. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 289 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-454. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11n
 Data Rate: MCS7
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-455. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 290 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-456. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-457. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 291 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-458. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-459. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 292 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-460. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-461. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 293 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-462. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-463. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 294 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-464. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-465. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 295 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-466. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-467. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device
		Page 296 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-468. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-469. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 297 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-470. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-471. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 298 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-472. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-473. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 299 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-474. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8




Plot 7-475. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 300 of 388

V 10.5 12/15/2021




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-476. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9




Plot 7-477. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 301 of 388

V 10.5 12/15/2021




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-478. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-479. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 302 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-480. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10




Plot 7-481. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 303 of 388

V 10.5 12/15/2021




Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-482. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11




Plot 7-483. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 304 of 388

V 10.5 12/15/2021




Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-484. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-485. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 305 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-486. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-487. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 306 of 388

V 10.5 12/15/2021

Mode: 802.11ax - SU
 Data Rate: MCS9
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-488. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG		Test Dates: 2/10/2023 - 4/25/2023

7.7.5 ANT2 Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode:	802.11b
Data Rate:	1Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1




Plot 7-489. Radiated Restricted Lower Band Edge Measurement ANT2

Mode:	802.11b
Data Rate:	1Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2417MHz
Channel:	2



Plot 7-490. Radiated Restricted Lower Band Edge Measurement ANT2

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 308 of 388

V 10.5 12/15/2021